

Engine/Cooling/Clutch

Engine mount

11-14 180 0004

MEM0254

Notes

Rear
Rubber-Metal Mount

Inner Diameter [mm]

10

Outer Diameter [mm]

70



References

Citroën 1809.21

Fiat 9613305380

Lancia 9613305380

Peugeot 1809.29

Citroën 1809.29

Fiat 9637053480

Peugeot 1809.21

Application info

Citroën Berlingo I (07/96-12/11)

Citroën C5 I / C5 II (03/01--)

Citroën C8 (06/02--)

Citroën Jumpy I (06/94-12/06)

Citroën XM (05/89-10/00)

Citroën Xsara (04/97-03/10)

Citroën ZX (03/91-07/99)

Fiat Scudo II (270) (01/07--)

Fiat Ulysse II (179) (08/02-06/11)

Lancia Zeta (05/95-10/03)

Peugeot 306 (01/93-10/03)

Peugeot 405 (01/87-12/99)

Peugeot 407 (02/04--)

Peugeot 607 (01/00--)

Peugeot 807 (06/02--)

Peugeot Expert II (01/07--)

Peugeot Partner II (04/08--)

Citroën C15 / Visa (09/78-10/06)

Citroën C5 III (RD_, TD_) (02/08--)

Citroën Evasion (03/94-10/02)

Citroën Jumpy II (01/07--)

Citroën Xantia (03/93-04/03)

Citroën Xsara Picasso (09/99-06/12)

Fiat Scudo I (220) (02/96-12/06)

Fiat Ulysse I (220) (06/94-08/02)

Lancia Phedra (09/02-11/10)

Peugeot 206 (08/98--)

Peugeot 307 (08/00-12/12)

Peugeot 406 (08/95-02/05)

Peugeot 605 (06/89-09/99)

Peugeot 806 (06/94-02/03)

Peugeot Expert I (07/95-03/08)

Peugeot Partner I (05/96--)

Steering

Axial rod

016 030 0001/HD

MAR0484HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

246

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

Mercedes-Benz 210 338 04 15

Mercedes-Benz A 210 338 04 15

Application info

Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Axial rod

016 030 6338

MAR0001

Notes

Front Axle Left
 Front Axle Right

Length [mm]

246

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Mercedes-Benz 210 338 04 15

Mercedes-Benz A 210 338 04 15

Application info

Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Axial rod

016 031 0001

MAR0003

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 213
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M12x1,5
 replacement in pairs recommended



References

Mercedes-Benz 168 330 13 35

Mercedes-Benz A 168 330 13 35

Application info

Mercedes-Benz BM 168 (A-Class) (07/97-08/05)

Axial rod

016 031 0002

MAR0004

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 240
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mercedes-Benz 211 330 29 03

Mercedes-Benz 211 338 00 15

Mercedes-Benz 220 338 07 15

Mercedes-Benz 230 338 00 15

Mercedes-Benz A 211 330 29 03

Mercedes-Benz A 211 338 00 15

Mercedes-Benz A 220 338 07 15

Mercedes-Benz A 230 338 00 15

Mercedes-Benz (BBDC) 230 338 00 15

Mercedes-Benz (BBDC) A 230 338 00 15

Application info

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

Mercedes-Benz BM 209 (CLK) (05/02-03/10)

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)

Mercedes-Benz BM 215 (S-Class) (03/99-12/06)

Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Mercedes-Benz BM 230 (SL) (10/01-01/12)

Axial rod		016 031 0004	MAR0006
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 205 Required quantity 2 Thread Size 1 M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 169 330 08 03 Mercedes-Benz A 169 330 08 03</p>		<p>Mercedes-Benz 169 330 09 03 Mercedes-Benz A 169 330 09 03</p>	
<p>Application info</p> <p>Mercedes-Benz BM 169 (A-Class) (09/04-06/12)</p>		<p>Mercedes-Benz BM 245 (B-Class) (03/05-11/11)</p>	
Axial rod		016 031 0006	MAR0007
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 288 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M16x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>MERCEDES-BENZ (FJDA) 639 460 02 55 Mercedes-Benz 639 460 00 55 Mercedes-Benz A 639 460 00 55</p>		<p>MERCEDES-BENZ (FJDA) A 639 460 02 55 Mercedes-Benz 639 460 02 55 Mercedes-Benz A 639 460 02 55</p>	
<p>Application info</p> <p>Mercedes-Benz BM 639 (Vito / Viano) (08/03--)</p>			

Axial rod		016 031 0008	MAR0008
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 204 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 164 460 00 05</p>		<p>Mercedes-Benz A 164 460 00 05</p>	
<p>Application info</p> <p>Mercedes-Benz BM 164 (GL-Class) (09/06-12/12) Mercedes-Benz BM 251 (R-Class) (08/05-10/17)</p>		<p>Mercedes-Benz BM 164 (M-Class) (02/05-12/12) Mercedes-Benz BM 463 (G-Class) (09/89--)</p>	
Axial rod		016 031 0009	MAR0009
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 257 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 204 338 00 15 Mercedes-Benz 207 338 00 15 Mercedes-Benz A 204 338 04 15 Mercedes-Benz (BBDC) 204 338 00 15 Mercedes-Benz (BBDC) 207 338 00 15 Mercedes-Benz (BBDC) A 204 338 04 15</p>		<p>Mercedes-Benz 204 338 04 15 Mercedes-Benz A 204 338 00 15 Mercedes-Benz A 207 338 00 15 Mercedes-Benz (BBDC) 204 338 04 15 Mercedes-Benz (BBDC) A 204 338 00 15 Mercedes-Benz (BBDC) A 207 338 00 15</p>	
<p>Application info</p> <p>Mercedes-Benz BM 204 (C-Class) (01/07--)</p>		<p>Mercedes-Benz BM 207 (E-Class) (01/09-12/16)</p>	

Axial rod		016 031 0010	MAR0010
Notes Front Axle Left Front Axle Right Length [mm] 260 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References Mercedes-Benz 221 330 16 03		Mercedes-Benz A 221 330 16 03	
Application info Mercedes-Benz BM 216 (S-Class) (05/06-12/13)		Mercedes-Benz BM 221 (S-Class) (09/05-12/13)	
Axial rod		016 031 0011	MAR0011
Notes Front Axle Left Front Axle Right Length [mm] 254 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References Mercedes-Benz 212 330 20 00 Mercedes-Benz A 212 330 20 00 Mercedes-Benz (BBDC) 212 330 20 00 Mercedes-Benz (BBDC) A 212 330 20 00		Mercedes-Benz 212 330 21 03 Mercedes-Benz A 212 330 21 03 Mercedes-Benz (BBDC) 212 330 21 03 Mercedes-Benz (BBDC) A 212 330 21 03	
Application info Mercedes-Benz BM 212 (E-Class) (01/09-12/16)			

Axial rod		016 031 0012	MAR0012
Notes Front Axle Left Front Axle Right Length [mm] 223 Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References Mercedes-Benz 246 338 00 00 Mercedes-Benz (BBDC) 246 338 00 00		Mercedes-Benz A 246 338 00 00 Mercedes-Benz (BBDC) A 246 338 00 00	
Application info Mercedes-Benz BM 117 (CLA) (01/13-03/19) Mercedes-Benz BM 176 (A-Class) (06/12-05/18)		Mercedes-Benz BM 156 (GLA-Class) (12/13--) Mercedes-Benz BM 246 (B-Class) (10/11-12/18)	
Axial rod		016 031 0013	MAR0373
Notes Front Axle Left Front Axle Right Length [mm] 244 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References Mercedes-Benz 204 338 03 15 Mercedes-Benz A 204 338 03 15 Mercedes-Benz (BBDC) 204 338 05 15		Mercedes-Benz 204 338 05 15 Mercedes-Benz A 204 338 05 15 Mercedes-Benz (BBDC) A 204 338 05 15	
Application info Mercedes-Benz BM 204 (C-Class) (01/07--) Mercedes-Benz BM 207 (E-Class) (01/09-12/16) Mercedes-Benz BM 216 (S-Class) (05/06-12/13) Mercedes-Benz BM 222 (S-Class) (05/13--) Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15) Mercedes-Benz BM 212 (E-Class) (01/09-12/16) Mercedes-Benz BM 221 (S-Class) (09/05-12/13)			

Axial rod**016 031 0014****MAR0482****Notes**

Front Axle Left
Front Axle Right

Length [mm] 270

Required quantity 2

Thread Size 1 M16x1,5

Thread Size 2 M16x1,5

replacement in pairs recommended

**References**

Mercedes-Benz 166 338 03 15

Mercedes-Benz A 166 338 03 15

Application info

Mercedes-Benz BM 166 (GL) (07/12-12/15)

Mercedes-Benz BM 166 (GLE) (03/15-10/19)

Mercedes-Benz BM 166 (GLS) (11/15-04/19)

Mercedes-Benz BM 166 (M-Class) (06/11-12/15)

Axial rod**016 031 0015****MAR0481****Notes**

Front Axle Left
Front Axle Right

Length [mm] 270

Required quantity 2

Thread Size 1 M16x1,5

Thread Size 2 M14x1,5

replacement in pairs recommended

**References**

Mercedes-Benz 204 338 06 15

Mercedes-Benz A 204 338 06 15

Application info

Mercedes-Benz BM 172 (SLC) (01/16--)

Mercedes-Benz BM 172 (SLK) (01/11--)

Mercedes-Benz BM 204 (C-Class) (01/07--)

Axial rod**016 031 0016****MAR0471****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	293
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16X1,5
replacement in pairs recommended	

**References**

Mercedes-Benz 222 330 71 00

Mercedes-Benz A 222 330 71 00

Application info

Mercedes-Benz BM 217 (S-Class) (12/15--)

Mercedes-Benz BM 222 (S-Class) (05/13--)

Axial rod**016 031 0017****MAR0483****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	257
Required quantity	2
Thread Size 1	16x1,5
Thread Size 2	14x1,5
replacement in pairs recommended	

**References**

Mercedes-Benz 231 330 12 00

Mercedes-Benz A 231 330 12 00

Trade number N/A

Application info

Mercedes-Benz BM 231 (SL) (01/12--)

Axial rod

016 031 0018

MAR0477

Notes

Front Axle Left
Front Axle Right

Length [mm] 245
Required quantity 2
Thread Size 1 M16X1,5
Thread Size 2 M14X1,5
replacement in pairs recommended



References

Mercedes-Benz 205 460 08 05

Mercedes-Benz (BBDC) 205 460 08 05

Mercedes-Benz A 205 460 08 05

Mercedes-Benz (BBDC) A 205 460 08 05

Application info

Mercedes-Benz BM 205 (C-Class) (12/13--)

Mercedes-Benz BM 238 (E-Class) (06/17--)

Mercedes-Benz BM 213 (E-Class) (01/16--)

Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Axial rod

016 031 0020/HD

MAR0485HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 265
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

Mercedes-Benz 171 338 00 15

Mercedes-Benz A 171 338 00 15

Application info

Mercedes-Benz BM 171 (SLK) (03/04-12/11)

Axial rod**016 031 0021****MAR0589****Notes**

Front Axle Left
Front Axle Right

Length [mm] 239
Required quantity 2
Thread Size 1 M16X1,5
Thread Size 2 M14X1,5
replacement in pairs recommended

**References**

Mercedes-Benz 205 460 04 05
Mercedes-Benz A 205 460 04 05
Mercedes-Benz (BBDC) 205 460 04 05

Mercedes-Benz 205 460 48 02
Mercedes-Benz A 205 460 48 02
Mercedes-Benz (BBDC) A 205 460 04 05

Application info

Mercedes-Benz BM 205 (C-Class) (12/13--)
Mercedes-Benz BM 238 (E-Class) (06/17--)
Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Mercedes-Benz BM 213 (E-Class) (01/16--)
Mercedes-Benz BM 253 (GLC) (06/15--)
Mercedes-Benz BM 293 (EQC) (05/19--)

Axial rod**016 031 0022****MAR0590****Notes**

Front Axle Left
Front Axle Right

Length [mm] 246
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended

**References**

MERCEDES-BENZ (FJDA) 447 460 00 55
Mercedes-Benz 447 460 00 55

MERCEDES-BENZ (FJDA) A 447 460 00 55
Mercedes-Benz A 447 460 00 55

Application info

Mercedes-Benz BM 447 (V-Class) (03/14--)

Mercedes-Benz BM 447 (Vito) (10/14--)

Axial rod

016 031 0023

MAR0594

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 232
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mercedes-Benz 212 330 28 03 Mercedes-Benz A 212 330 28 03
 Mercedes-Benz (BBDC) 212 330 28 03 Mercedes-Benz (BBDC) A 212 330 28 03

Application info

Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15) Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
 Mercedes-Benz BM 212 (E-Class) (01/09-12/16) Mercedes-Benz BM 217 (S-Class) (12/15--)
 Mercedes-Benz BM 218 (CLS) (01/11-12/17) Mercedes-Benz BM 222 (S-Class) (05/13--)

Axial rod

016 031 0024

MAR0595

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 246
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mercedes-Benz 207 330 05 00 Mercedes-Benz A 207 330 05 00
 Mercedes-Benz (BBDC) 207 330 05 00 Mercedes-Benz (BBDC) A 207 330 05 00

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)
 Mercedes-Benz BM 207 (E-Class) (01/09-12/16)

Axial rod**016 031 0025****MAR0631****Notes**

Front Axle Left
Front Axle Right

Length [mm] 218
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended

**References**

Mercedes-Benz 247 338 00 00

Mercedes-Benz A 247 338 00 00

Application info

Mercedes-Benz BM 118 (CLA) (03/19--)

Mercedes-Benz BM 177 (A-Class) (03/18--)

Mercedes-Benz BM 243 (EQA) (02/21--)

Mercedes-Benz BM 243 (EQB) (12/21--)

Mercedes-Benz BM 247 (GLA-Class) (02/20--)

Axial rod**016 031 0026****MAR0632****Notes**

Front Axle Left
Front Axle Right

Length [mm] 202
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended

**References**

Mercedes-Benz 177 338 00 00

Mercedes-Benz A 177 338 00 00

Mercedes-Benz (BBDC) 177 338 00 00

Mercedes-Benz (BBDC) A 177 338 00 00

Application info

Mercedes-Benz BM 177 (A-Class) (03/18--)

Mercedes-Benz BM 247 (B-Class) (12/18--)

Axial rod

016 031 0027/HD

MAR0652HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 316.5
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 907 460 63 00

Mercedes-Benz A 907 460 63 00

Application info

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Axial rod

016 031 0028/HD

MAR0653HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 238
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Mercedes-Benz 910 460 62 00

Mercedes-Benz A 910 460 62 00

Application info

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Axial rod

036 030 0017

MAR0013

Notes

Front Axle Left
Front Axle Right

Length [mm] 335

Required quantity 2

Thread Size 1 M16x1,5

Thread Size 2 M16x1,5

replacement in pairs recommended

**References**

Mercedes-Benz 638 460 00 55

Mercedes-Benz 638 460 02 55

Mercedes-Benz A 638 460 02 05

Mercedes-Benz 638 460 02 05

Mercedes-Benz A 638 460 00 55

Mercedes-Benz A 638 460 02 55

Application info

Mercedes-Benz BM 638 (V-Class / Vito) (02/96-07/03)

Axial rod

036 030 0021

MAR0014

Notes

Front Axle Left
Front Axle Right

Length [mm] 382

Required quantity 2

Thread Size 1 M16x1,5

Thread Size 2 M16x1,5

replacement in pairs recommended

**References**

Mercedes-Benz 901 460 01 55

Mercedes-Benz 901 460 02 55

Mercedes-Benz A 901 460 01 55

Mercedes-Benz A 901 460 02 55

Volkswagen 2D0 422 803

Mercedes-Benz 901 460 02 05

Mercedes-Benz 901 460 04 55

Mercedes-Benz A 901 460 02 05

Mercedes-Benz A 901 460 04 55

Application info


Mercedes-Benz BM 901 / 902 (Sprinter I) (01/95-05/06)

Mercedes-Benz BM 904 (Sprinter I) (02/95-05/12)

Volkswagen LT II (04/96-07/06)

Mercedes-Benz BM 903 (Sprinter I) (01/95-05/12)

Mercedes-Benz BM 909 (Sprinter) (09/13--)

Axial rod		11-16 030 0001	MAR0015
Notes Front Axle Left Front Axle Right Length [mm] 338 Required quantity 2 Thread Size 1 M12x1 Thread Size 2 M14x1,5 replacement in pairs recommended			
References CITROËN (DF-PSA) 3812.C0 Citroën 3812.C0 Citroën 3812.C6 Citroën 3812.E4 Citroën 96 048 214 Peugeot 3812.C0 Peugeot 3812.C6 Peugeot 3812.E4 Peugeot (DF-PSA) 3812.C0			
Application info Citroën Berlingo I (07/96-12/11) Citroën Xsara (04/97-03/10) Citroën Xsara Picasso (09/99-06/12) Citroën ZX (03/91-07/99) Peugeot Partner I (05/96--) Peugeot Partner II (04/08--)			
Axial rod		11-16 030 0008/HD	MAR0486HD
Notes Carbon Neutral Front Axle Left Front Axle Right Length [mm] 315 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M16x1,5 reinforced version replacement in pairs recommended			
References Citroën 14 716 540 80 Citroën 4018.A4 Fiat 9945836 Peugeot 4018.A4			

Application info

Citroën Jumper I (02/94-08/02)
 Fiat Ducato (230) (03/94-05/05)
 Peugeot Boxer I (03/94-08/05)

Citroën Jumper II (02/02--)
 Fiat Ducato (244) (04/02--)
 Peugeot Boxer II (12/01--)

Axial rod**11-16 030 5749****MAR0016****Notes**

Front Axle Left
 Front Axle Right
 Length [mm] 314
 Required quantity 2
 Thread Size 1 M12x1
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

Citroën 16 109 385 80
 Peugeot 16 10 938 580
 Peugeot 3812.52
 Peugeot 3812.94

Citroën 96 136 394
 Peugeot 3812.25
 Peugeot 3812.65
 Peugeot 3812.97

Application info

Citroën C15 / Visa (09/78-10/06)
 Peugeot 205 (02/83-12/00)

Citroën Xantia (03/93-04/03)
 Peugeot 309 (10/85-12/93)

Axial rod**11-16 030 6907****MAR0017****Notes**

Front Axle Left
 Front Axle Right
 Length [mm] 355
 Required quantity 2
 Thread Size 1 M12x1
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

Peugeot 16 07 293 080

Peugeot 3812.92

Application info

Peugeot 306 (01/93-10/03)

Axial rod

11-16 030 7528

MAR0018

Notes

Front Axle Left
Front Axle Right

Length [mm] 315
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

Citroën 14 716 540 80
Citroën 4018.A4
Peugeot 16 07 292 780

Citroën 16 072 927 80
Fiat 9945836
Peugeot 4018.A4

Application info

Citroën Jumper I (02/94-08/02)
Fiat Ducato (230) (03/94-05/05)
Peugeot Boxer I (03/94-08/05)

Citroën Jumper II (02/02--)
Fiat Ducato (244) (04/02--)
Peugeot Boxer II (12/01--)

Axial rod

11-16 031 0000

MAR0019

Notes

Front Axle Left
Front Axle Right
for vehicles with power steering

Length [mm] 300
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

Peugeot 3812.C4

Application info

Peugeot 406 (08/95-02/05)

Axial rod

11-16 031 0001

MAR0020

Notes

Front Axle Left
 Front Axle Right
 for vehicles with power steering

Length [mm] 300
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Peugeot 3812.C5

Application info

Peugeot 206 (08/98--)

Axial rod

11-16 031 0007

MAR0022

Notes

Front Axle Left
 Front Axle Right

Length [mm] 212
 Required quantity 2
 Thread Size 1 M12x1
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Citroën 3812.E8

Peugeot 3812.E8

Application info

Citroën C3 Picasso (02/09--)

Peugeot 207 (02/06--)

Axial rod

11-16 031 0008

MAR0023

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	122
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Citroën 3812.E3
Peugeot 3812.E3

Citroën 3812.E7
Peugeot 3812.E7

Application info

Citroën C6 (09/05-12/12)

Peugeot 407 (02/04--)

Axial rod

11-16 031 0009

MAR0024

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	235
Required quantity	2
Thread Size 1	M12x1
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Citroën 3812.E1

Peugeot 3812.E1

Application info

Citroën C2 / C3 I / Pluriel (02/02--)

Peugeot 1007 (04/05--)

Axial rod		11-16 031 0010	MAR0025
Notes Front Axle Left Front Axle Right Length [mm] 295 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M16x1,5 replacement in pairs recommended		 	
References Peugeot 3812.C7			
Application info Peugeot 607 (01/00--)			
Axial rod		11-16 031 0011/HD	MAR0487HD
Notes Carbon Neutral Front Axle Left Front Axle Right Length [mm] 235 Required quantity 2 Thread Size 1 M12x1 Thread Size 2 M14x1,5 reinforced version replacement in pairs recommended		 	
References Citroën 3812.E1 Peugeot 3812.E1			
Application info Citroën C2 / C3 I / Pluriel (02/02--) Peugeot 1007 (04/05--)			

Axial rod**11-16 031 0012/HD****MAR0488HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 255
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended

**References**

Citroën 4001 A1	Citroën 4001 E4
Citroën 4001 E5	Fiat 1359225080
Fiat 1359226080	Fiat 1359227080
Peugeot 4001 A1	Peugeot 4001 E4
Peugeot 4001 E5	

Application info

Citroën Jumper III (04/06--)	Fiat Ducato (250) (07/06--)
Peugeot Boxer III (09/05--)	

Axial rod**11-16 031 0013/HD****MAR0489HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 345
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended

**References**

Citroën 3812.F1	Mitsubishi 4422A012
Peugeot 3812.F1	

Application info

Citroën C-Crosser (02/07--)	Mitsubishi Lancer VIII (03/07--)
Mitsubishi Outlander II (11/06-12/12)	Peugeot 4007 (02/07-03/13)

Axial rod

11-16 031 0014/HD

MAR0490HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

225

Required quantity

2

Thread Size 1

M12x1

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

Citroën 16 080 253 80

Peugeot 16 08 025 380

Application info

Citroën C4 Cactus (09/14--)

Peugeot 2008 I (03/13--)

Peugeot 208 I (03/12--)

Axial rod

11-16 031 0015

MAR0026

Notes

Front Axle Left
Front Axle Right

Length [mm]

320

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

CITROËN (DF-PSA) 3812.E0

Citroën 3812.E0

Peugeot 3812.E0

Peugeot (DF-PSA) 3812.E0

Application info

Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck
(11/04--)

Peugeot 307 (08/00-12/12)

Axial rod

11-16 031 0017

MAR0028

Notes

Front Axle Left
 Front Axle Right
 for vehicles with power steering

Length [mm]

192

Required quantity

2

Thread Size 1

M12x1

Thread Size 2

M16x1,5

replacement in pairs recommended

**References**

Citroën 3812.A6

Peugeot 3812.A6

Application info

Citroën XM (05/89-10/00)

Citroën Xantia (03/93-04/03)

Peugeot 605 (06/89-09/99)

Peugeot 607 (01/00--)

Axial rod

11-16 031 0019

MAR0029

Notes

Front Axle Left
 Front Axle Right

Length [mm]

341

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

CITROËN (DF-PSA) 3812.E5

Citroën 16 072 917 80

Citroën 3812.E5

Peugeot 16 07 291 780

Peugeot 3812.E5

Peugeot (DF-PSA) 3812.E5

Application info

Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck
 (11/04--)

Peugeot 307 (08/00-12/12)

Axial rod

11-16 031 0020

MAR0030

Notes

Front Axle Left
Front Axle Right

Length [mm] 305

Required quantity 2

Thread Size 1 M16x1,5

Thread Size 2 M14x1,5

replacement in pairs recommended



References

Citroën 3812.F0

Fiat 1400931580

Fiat 1401381380

Peugeot 3812.F0

Fiat 1400931480

Fiat 1401381280

Fiat 1497550080

Toyota SU001-A2961

Application info

Citroën C8 (06/02--)

Fiat Scudo II (270) (01/07--)

Peugeot Expert II (01/07--)

Citroën Jumpy II (01/07--)

Peugeot 807 (06/02--)

Toyota Proace I (06/13-03/16)

Axial rod

11-16 031 0021

MAR0031

Notes

Front Axle Left
Front Axle Right

Length [mm] 271

Required quantity 2

Thread Size 1 M14x1,5

Thread Size 2 M14x1,5

replacement in pairs recommended



References

Citroën 3812.F2

Peugeot 3812.F2

DS 3812 F2

Application info

Citroën C4 II / DS4 (02/09--)

Peugeot 3008 I (05/09-12/17)

Peugeot 5008 I (06/09-03/17)

DS DS 4 I (07/15-12/18)

Peugeot 308 I (09/07--)

Axial rod

11-16 031 0022

MAR0032

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	255
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	



References

Citroën 4001.A1	Citroën 4001.E4
Citroën 4001.E5	Fiat 1359225080
Fiat 1359226080	Fiat 1359227080
Peugeot 4001.A1	Peugeot 4001.E4
Peugeot 4001.E5	

Application info

Citroën Jumper III (04/06--)	Fiat Ducato (250) (07/06--)
Peugeot Boxer III (09/05--)	


Axial rod

11-16 031 0023

MAR0033

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	129
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Citroën 3812.F3	Peugeot 3812.F3
-----------------	-----------------

Application info

Citroën C5 III (RD_, TD_) (02/08--)	Peugeot 508 I (11/10--)
-------------------------------------	-------------------------

Axial rod

11-16 031 0024

MAR0034

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	260
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Citroën 3812.F4

Peugeot 3812.F4

Application info

Citroën Berlingo II (04/08--)

Peugeot Partner II (04/08--)

Axial rod

11-16 031 0025

MAR0035

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	310
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

Citroën 16 109 359 80

Citroën 3812.E9

Application info

Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck (11/04--)

Axial rod

11-16 031 0026

MAR0036

NotesFront Axle Left
Front Axle Right

Length [mm]

225

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M12x1,25

replacement in pairs recommended

**References**

Citroën 4001.33

Peugeot 4001.33

Toyota 45500-0H010

Application info

Citroën C1 (06/05-09/14)

Peugeot 107 (06/05-05/14)

Toyota Aygo I (02/05-05/14)

Axial rod

11-16 031 0028

MAR0038

NotesFront Axle Left
Front Axle Right

Length [mm]

205

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Peugeot 16 07 142 380

Peugeot 3812.G3

Application info

Peugeot 508 I (11/10--)

Axial rod

11-16 031 0030

MAR0039

NotesFront Axle Left
Front Axle Right

Length [mm]

390

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Citroën 16 109 425 80

DS 3812 F7

Peugeot 3812.F7

Citroën 3812.F7

Peugeot 16 10 942 580

Application info

Citroën DS5 (09/11-07/15)

Peugeot RCZ (03/10-12/15)

DS DS 5 (04/15-12/18)

Axial rod

11-16 031 0031

MAR0040

NotesFront Axle Left
Front Axle Right

Length [mm]

225

Required quantity

2

Thread Size 1

M12x1

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Citroën 16 080 253 80

Peugeot 16 08 025 380

Application info

Citroën C4 Cactus (09/14--)

Peugeot 208 I (03/12--)

Peugeot 208 I (03/13--)

Axial rod

11-16 031 0032

MAR0374

Notes

Front Axle Left
Front Axle Right

Length [mm] 342
Required quantity 2
Thread Size 1 M14x1.5
Thread Size 2 M14X1.5
replacement in pairs recommended

**References**

Citroën 16 085 321 80
Mitsubishi 4422A076

Mitsubishi 4422A058
Peugeot 16 085 321 80

Application info

Citroën C4 AIRCROSS (08/10--)
Mitsubishi Lancer VIII (03/07--)
Peugeot 4008 (05/12--)

Mitsubishi ASX I (11/09--)
Mitsubishi Outlander III (11/10--)

Axial rod

11-16 031 0034/HD

MAR0491HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 225
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M12x1,25
reinforced version
replacement in pairs recommended

**References**

Citroën 4001.33
Toyota 45500-0H010

Peugeot 4001.33

Application info

Citroën C1 (06/05-09/14)
Toyota Aygo I (02/05-05/14)

Peugeot 107 (06/05-05/14)

Axial rod**11-16 031 0035/HD****MAR0565HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

264

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended

**References**

Citroën 98 203 402 80

Opel 98 20 340 280

Peugeot 98 20 340 280

Toyota SU001-A7257

Application info

Citroën Jumpy III (04/16--)

Citroën Spacetourer (04/16--)

Opel Vivaro C (03/19--)

Peugeot Expert III (04/16--)

Peugeot Traveller (04/16--)

Toyota Proace II (02/16--)

Axial rod**11-16 031 0036****MAR0586****Notes**

Front Axle Left
 Front Axle Right

Length [mm]

229

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Citroën 16 231 408 80

DS 16 231 408 80

Application info

Citroën C3 II (09/09--)

Citroën C3 III (07/16--)

DS DS 3 (04/15-07/19)

Axial rod **11-16 031 0037/HD** **MAR0584HD**

Notes		
	Carbon Neutral	
	Front Axle Left	
	Front Axle Right	
Length [mm]	204	
Required quantity	2	
Thread Size 1	M14x1,5	
Thread Size 2	M14x1,5	
reinforced version		
replacement in pairs recommended		

References	
Citroën 16 112 423 80	Opel 16 112 423 80
Peugeot 16 11 242 380	Vauxhall 16 112 423 80

Application info	
Citroën Berlingo III (06/18--)	Opel Combo E (K9) (06/18--)
Peugeot 308 I (09/07--)	Peugeot 308 II (09/13--)
Peugeot Rifter (09/18--)	Vauxhall Combo Mk IV (06/18--)

Axial rod **11-16 031 0039** **MAR0655**

Notes		
	Front Axle Left	
	Front Axle Right	
Length [mm]	201	
Required quantity	2	
Thread Size 1	M14x1,5	
Thread Size 2	M14x1,5	
replacement in pairs recommended		

References	
Citroën 16 488 366 80	Citroën 16 488 367 80
Opel 16 488 367 80	Peugeot 16 48 836 680
Peugeot 16 48 836 780	

Application info	
Citroën Berlingo III (06/18--)	Opel Combo E (K9) (06/18--)
Peugeot Rifter (09/18--)	

Axial rod		116 030 0002	MAR0041
<p>Notes</p> <p>Front Axle Left Front Axle Right for vehicles with power steering</p> <p>Length [mm] 320 Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Seat 6K0 422 803 B Seat 6K0 422 804 B Volkswagen 6K0 422 803 B Volkswagen 6K0 422 804 B</p>		<p>Seat 6K0 422 803 E Seat 6K0 422 804 E Volkswagen 6K0 422 803 E Volkswagen 6K0 422 804 E</p>	
<p>Application info</p> <p>Seat Ibiza II / Cordoba I / Inca (6K_) (02/93-11/03) Volkswagen Polo (6K_) (01/95-11/09)</p>		<p>Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09) Volkswagen Polo Playa (01/95-11/09)</p>	
Axial rod		116 030 3235	MAR0043
<p>Notes</p> <p>Front Axle Left Front Axle Right for vehicles without power steering</p> <p>Length [mm] 340 Required quantity 2 Thread Size 1 M22x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Volkswagen 171 419 804 Volkswagen 171 419 821 A</p>		<p>Volkswagen 171 419 821</p>	
<p>Application info</p> <p>Volkswagen Caddy I (14) (08/79-07/92) Volkswagen Jetta I (16) (08/78-12/87) Volkswagen Scirocco II (53B) (08/80-07/92)</p>		<p>Volkswagen Golf I (17, 155) (04/74-08/93) Volkswagen Scirocco I (53) (02/74-07/80)</p>	

Axial rod

116 030 4680

MAR0046

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 128
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Audi 4B0 419 821 G	Audi 4D0 419 821 Q
Audi 4D0 422 821	Audi 4D0 422 821 A
Audi 8E0 419 801 B	Audi 8E0 422 821
Audi 8E0 422 821 B	Audi 8E0 422 821 C
Audi 8E0 422 821 D	Audi (FAW) 4D0 422 821 A
Audi (FAW) 8E0 422 821	Audi (FAW) 8E0 422 821 C
Seat 8E0 422 821 C	Skoda 4B0 419 801 M
Volkswagen 4D0 422 821 A	Volkswagen (SVW) 4D0 422 821 A

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)	Audi A4 I (8D_) (11/94-12/02)
Audi A4 II (8E_) (02/00-12/05)	Audi A4 III (8E_) (11/04-06/08)
Audi A6 II (4B, C5) (01/97-12/05)	Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)
Audi A8 I (4D_) (03/94-12/05)	Audi Allroad (4BH) (05/00-08/05)
Seat Exeo (3R) (12/08-05/13)	Skoda Superb I (3U) (12/01-03/08)
Volkswagen Passat (3B_) (08/96-12/05)	

Axial rod

116 030 7159

MAR0050

Notes

Front Axle Left
 Front Axle Right
 for vehicles with power steering
 Length [mm] 355
 Manufacturer Restriction TRW
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Volkswagen 357 422 803

Volkswagen 357 422 804

Application info

Volkswagen Passat (35I) (02/88-12/97)

Axial rod

116 030 7181

MAR0051

Notes

Front Axle Left
 Front Axle Right
 for vehicles without power steering

Length [mm]

381

Required quantity

2

Thread Size 1

M22x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Volkswagen 1H0 419 803

Volkswagen 1H0 419 803 A

Volkswagen 1H0 419 804

Volkswagen 1H0 419 804 A

Volkswagen 1H0 419 821 A

Application info

Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)

Volkswagen Vento (11/91-09/98)

Axial rod

116 030 7184

MAR0052

Notes

Front Axle Left
 Front Axle Right
 for vehicles with power steering

Length [mm]

369

Manufacturer Restriction

TRW

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Seat 1H0 422 804 A

Volkswagen 1H0 422 803

Volkswagen 1H0 422 803 A

Volkswagen 1H0 422 804

Volkswagen 1H0 422 804 A

Volkswagen 1H0 422 807

Volkswagen 1H0 422 807 D

Application info

Seat Toledo I (1L_) (01/91-10/99)

Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)

Volkswagen Corrado (53I) (08/87-12/95)

Volkswagen Vento (11/91-09/98)

Axial rod

116 030 7185

MAR0053

Notes

Front Axle Left
 Front Axle Right
 for vehicles with power steering

Length [mm] 363
 Manufacturer Restriction ZF
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Volkswagen 191 422 821 C
 Volkswagen 1H0 422 804 B
 Volkswagen 1H0 422 821 C

Volkswagen 1H0 422 803 B
 Volkswagen 1H0 422 821 B

Application info

Volkswagen Corrado (53I) (08/87-12/95)

Volkswagen Vento (11/91-09/98)

Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)

Axial rod

116 030 8200

MAR0055

Notes

Length [mm] 294
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Volkswagen 701 419 804 C
 Volkswagen 701 419 810 B
 Volkswagen 701 419 821 C

Volkswagen 701 419 810 A
 Volkswagen 701 419 821
 Volkswagen 702 419 803 A

Application info

Volkswagen Transporter IV (07/90-06/03)

Axial rod**116 030 8254****MAR0056****Notes**

Front Axle Left
 Front Axle Right
 for vehicles with power steering

Length [mm] 182
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

Ford 1 001 395	Ford 1 001 396
Ford 1 020 496	Ford 1 092 376
Ford 1 092 382	Ford 1 121 508
Ford 1 233 552	Ford 1 233 553
Ford 7 200 944	Ford 7 398 676
Ford 95VW-3280-AC	Ford 95VW-3280-AD
Ford 95VW-3280-AE	Ford 95VW-3280-AF
Ford 95VW-3280-AG	Ford 95VW-3280-AH
Ford 95VW-3281-AH	Ford YM21-3280-AA
Ford YM21-3280-AB	Ford YM21-3281-AB
Seat 7M0 422 807 G	Seat 7M3 422 803
Seat 7M3 422 803 A	Seat 7M3 422 804
Seat 7M3 422 804 A	Volkswagen 7M0 422 807 G
Volkswagen 7M3 422 803	Volkswagen 7M3 422 803 A
Volkswagen 7M3 422 804	Volkswagen 7M3 422 804 A

Application info

Ford Galaxy I (03/95-05/06) Seat Alhambra I (7V8, 7V9) (03/96-03/10)
 Volkswagen Sharan (7M) (05/95-03/10)

Axial rod**116 030 8275****MAR0059****Notes**

Front Axle Left
 Front Axle Right
 for vehicles with power steering

Length [mm] 308
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Seat 6N0 422 803 A
Volkswagen 6N0 422 803 A

Seat 6N0 422 804 A
Volkswagen 6N0 422 804 A

Application info

Seat Arosa (6H) (05/97-06/04)

Volkswagen Polo (6N_) (09/94-10/01)

Axial rod

116 030 8286

MAR0061

Notes

Front Axle Left
Front Axle Right
for vehicles with power steering

Length [mm] 339
Manufacturer Restriction ZF
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Audi 1J0 422 803
Audi 1J0 422 804
Skoda 1J0 422 803 A
Volkswagen 1J0 422 803 A

Audi 1J0 422 803 A
Audi 1J0 422 804 A
Skoda 1J0 422 804 A
Volkswagen 1J0 422 804 A

Application info

Audi A3 I (8L_) (09/96-09/06)
Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Skoda Octavia I (1U_) (09/96-12/10)
Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Axial rod

116 030 8504

MAR0064

Notes

Front Axle Left
Front Axle Right
for vehicles with power steering

Length [mm] 319
Manufacturer Restriction ZF
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

- | | |
|--------------------------------|--------------------------------|
| Audi 1J0 422 803 B | Audi 1J0 422 804 B |
| Seat 1J0 422 803 B | Seat 1J0 422 803 E |
| Seat 1J0 422 804 B | Seat 1J0 422 804 E |
| Skoda 1J0 422 803 H | Skoda 1J0 422 804 H |
| Volkswagen 1J0 422 803 E | Volkswagen 1J0 422 803 H |
| Volkswagen 1J0 422 804 E | Volkswagen 1J0 422 804 H |
| Volkswagen (FAW) 1J0 422 803 B | Volkswagen (FAW) 1J0 422 803 H |
| Volkswagen (FAW) 1J0 422 804 B | Volkswagen (FAW) 1J0 422 804 H |
| Volkswagen (FAW) 1JD 422 803 | Volkswagen (FAW) 1JD 422 804 |
| Volkswagen (FAW) L1JD 422 803 | Volkswagen (FAW) L1JD 422 804 |
| Volkswagen (SVW) 1JD 422 803 | Volkswagen (SVW) 1JD 422 804 |

Application info

- | | |
|---|---|
| Audi A3 I (8L_) (09/96-09/06) | Seat Leon I / Toledo II (1M_) (10/98-06/06) |
| Skoda Octavia I (1U_) (09/96-12/10) | Volkswagen Bora (1J2, 1J6) (10/98-12/13) |
| Volkswagen Golf IV (1J1, 1J5) (08/97-06/14) | Volkswagen Jetta City (09/06-12/09) |
| Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11) | |

Axial rod

116 031 0000

MAR0065

Notes

- | | |
|----------------------------------|------------------|
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 310 |
| Required quantity | 2 |
| Thread Size 1 | M16x1,5 |
| Thread Size 2 | M16x1,5 |
| replacement in pairs recommended | |



References

- | | |
|--------------------------------|--------------------------------|
| Audi 1K0 423 810 A | Audi (FAW) 1K0 423 810 A |
| Seat 1K0 423 810 A | Skoda 1K0 423 810 A |
| Skoda (SVW) 1K0 423 810 A | Volkswagen 1K0 423 810 A |
| Volkswagen 1K0 423 821 C | Volkswagen (FAW) 1K0 423 810 A |
| Volkswagen (SVW) 1K0 423 810 A | |

Application info

Audi A3 II (8P_) (05/03-12/15)	Audi A3 III (8V_) (04/12--)
Audi Q2 (06/16--)	Audi Q3 I (8U_) (06/11-12/18)
Seat Alhambra II (710) (06/10--)	Seat Leon I / Toledo II (1M_) (10/98-06/06)
Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)	Seat Leon III (5F_) (09/12--)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Octavia III (5E_) (11/12--)
Skoda Superb II (3T) (03/08-05/15)	Skoda Yeti (5L) (05/09-12/17)
Volkswagen CC (11/11-12/16)	Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
Volkswagen Caddy IV (SA_) (05/15--)	Volkswagen Eos (03/06-08/15)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)	Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Golf VII (5G1,BA5) (08/12--)	Volkswagen Jetta III (1K2) (09/04-12/13)
Volkswagen Jetta IV (162) (01/08--)	Volkswagen Jetta VII (BU3) (12/17--)
Volkswagen Passat (362, 365) (08/10-12/15)	Volkswagen Passat (3C_) (03/05-01/12)
Volkswagen Scirocco III (137) (05/08-11/17)	Volkswagen Sharan (7N) (05/10--)
Volkswagen T-Roc (A11) (07/17--)	Volkswagen Tiguan I (5N) (09/07-07/18)
Volkswagen Touran I (1T1/2/3) (02/03-05/15)	

Axial rod**116 031 0004****MAR0068****Notes**

Front Axle Left
Front Axle Right

Length [mm]	177
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

Volkswagen 7E0 419 803	Volkswagen 7E0 419 804
Volkswagen 7H0 419 803 B	Volkswagen 7H0 419 803 C
Volkswagen 7H0 419 803 D	Volkswagen 7H0 419 803 E
Volkswagen 7H0 419 803 F	Volkswagen 7H0 419 804 B
Volkswagen 7H0 419 804 C	Volkswagen 7H0 419 804 D
Volkswagen 7H0 419 804 E	Volkswagen 7H0 419 804 F

Application info

Volkswagen Transporter V (04/03-08/15)	Volkswagen Transporter VI (04/15--)
--	-------------------------------------

Axial rod

116 031 0005

MAR0069

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 156
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Audi 4F0 422 821 Audi 4F0 422 821 D
 Audi (FAW) 4F0 422 821 D

Application info

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Axial rod

116 031 0006

MAR0070

Notes

Front Axle Left
 Front Axle Right
 for vehicles with power steering
 Length [mm] 297
 Manufacturer Restriction TRW
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Seat 6Q0 423 803 E Seat 6Q0 423 803 P
 Seat 6Q0 423 804 E Seat 6Q0 423 804 P
 Skoda 6Q0 423 803 E Skoda 6Q0 423 803 P
 Skoda 6Q0 423 804 E Skoda 6Q0 423 804 P
 Skoda (SVW) 6Q0 423 803 P Skoda (SVW) 6Q0 423 804 P
 Volkswagen 6Q0 423 803 E Volkswagen 6Q0 423 803 P
 Volkswagen 6Q0 423 804 E Volkswagen 6Q0 423 804 P
 Volkswagen 6RG 423 810 A Volkswagen (SVW) 6Q0 423 802 E
 Volkswagen (SVW) 6Q0 423 804 E

Application info

Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)
 Skoda Fabia II (54_) (12/06-12/14)
 Volkswagen Fox/Lupo (Z51) (08/03--)
 Volkswagen Polo Vivo (6S1, 6S3) (02/10-09/17)

Skoda Fabia I (6Y_) (08/99-03/08)
 Skoda Roomster (03/06-05/15)
 Volkswagen Polo (9N_) (10/01--)

Axial rod

116 031 0007

MAR0071

Notes

Front Axle Left
 Front Axle Right
 for vehicles without power steering

Length [mm] 318
 Required quantity 2
 Thread Size 1 M22x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Seat 6X0 419 803 A
 Volkswagen 6X0 419 803 A

Seat 6X0 419 804 A
 Volkswagen 6X0 419 804 A

Application info

Seat Arosa (6H) (05/97-06/04)
 Volkswagen Polo (6N_) (09/94-10/01)

Volkswagen Lupo (09/98-07/05)

Axial rod

116 031 0008

MAR0072

Notes

Front Axle Left
 Front Axle Right

Length [mm] 314
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

- | | |
|--------------------------|--------------------------|
| Audi 6R0 423 803 B | Audi 6R0 423 803 C |
| Audi 6R0 423 803 D | Audi 6R0 423 804 B |
| Audi 6R0 423 804 C | Audi 6R0 423 804 D |
| Audi 8Z0 423 803 F | Audi 8Z0 423 804 F |
| Seat 6R0 423 803 | Seat 6R0 423 803 A |
| Seat 6R0 423 803 C | Seat 6R0 423 804 |
| Seat 6R0 423 804 A | Seat 6R0 423 804 C |
| Skoda 6R0 423 803 A | Skoda 6R0 423 804 A |
| Volkswagen 6R0 423 803 A | Volkswagen 6R0 423 803 B |
| Volkswagen 6R0 423 803 C | Volkswagen 6R0 423 803 D |
| Volkswagen 6R0 423 804 A | Volkswagen 6R0 423 804 B |
| Volkswagen 6R0 423 804 C | Volkswagen 6R0 423 804 D |

Application info

- | | |
|--|------------------------------------|
| Audi A1 I (8X_) (05/10-10/18) | Audi A2 (8Z0) (02/00-08/05) |
| Seat Ibiza IV (6J_ ,6P_) (03/08-12/18) | Seat Toledo IV (KG3) (07/12-04/19) |
| Skoda Rapid II (N_) (07/12-12/19) | Volkswagen Polo (6R_) (03/09--) |

Axial rod

116 031 0009

MAR0073

Notes

- | | |
|----------------------------------|------------------|
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 127 |
| Required quantity | 2 |
| Thread Size 1 | M16x1,5 |
| Thread Size 2 | M16x1,5 |
| replacement in pairs recommended | |



References

- | | |
|--------------------------|--------------------------|
| Audi 4E0 419 821 | Audi 4E0 419 821 A |
| Audi (FAW) 4E0 419 821 A | Volkswagen 4E0 419 801 C |
| Volkswagen 4E0 419 801 D | Volkswagen 4E0 419 801 E |

Application info

- | | |
|--------------------------------|---------------------------------------|
| Audi A8 II (4E_) (10/02-12/10) | Volkswagen Phaeton (3D) (04/02-03/16) |
|--------------------------------|---------------------------------------|

Axial rod

116 031 0012

MAR0076

Notes

Front Axle Left
 Front Axle Right
 for vehicles with power steering

Length [mm] 297
 Manufacturer Restriction TRW
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

Skoda 6Q0 423 803 B
 Volkswagen 6Q0 423 803 B
 Volkswagen (SVW) 6Q0 423 803 B

Skoda 6Q0 423 804 B
 Volkswagen 6Q0 423 804 B
 Volkswagen (SVW) 6Q0 423 804 B

Application info

Skoda Fabia I (6Y_) (08/99-03/08)

Volkswagen Polo (9N_) (10/01--)

Axial rod

116 031 0013

MAR0077

Notes

Front Axle Left
 Front Axle Right

Length [mm] 400
 Required quantity 2
 Thread Size 1 M18x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended

**References**

Mercedes-Benz 906 460 00 55
 Mercedes-Benz A 906 460 00 55
 Volkswagen 2E0 713 491

Mercedes-Benz 906 460 01 55
 Mercedes-Benz A 906 460 01 55

Application info

Mercedes-Benz BM 906 (Sprinter II) (06/06--)
 Volkswagen Crafter I (2E) (04/06-12/16)

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

References

Audi 6C0 423 810 B
 Seat 6C0 423 810 B
 Skoda 6C0 423 810 A
 Skoda 6C0 423 810 C
 Volkswagen 6C0 423 810 B

Audi 6C0 423 810 C
 Seat 6C0 423 810 C
 Skoda 6C0 423 810 B
 Volkswagen 6C0 423 810 A
 Volkswagen 6C0 423 810 C

Application info

Audi A1 I (8X_) (05/10-10/18)
 Seat Toledo IV (KG3) (07/12-04/19)
 Skoda Rapid II (N_) (07/12-12/19)

Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)
 Skoda Fabia III (NJ_) (08/14--)
 Volkswagen Polo (6R_) (03/09--)

Axial rod**116 031 0016****MAR0078****Notes**

Front Axle Left
 Front Axle Right

Length [mm] 288
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended

**References**

Audi 7L0 422 803 C
 Audi 7L0 422 804 C
 Porsche 955 347 031 020
 Porsche 955 347 032 50
 Volkswagen 2H0 419 804
 Volkswagen 7L0 422 803 C
 Volkswagen 7L0 422 804 B
 Volkswagen 7L0 422 804 D

Audi 7L0 422 803 D
 Audi 7L0 422 804 D
 Porsche 955 347 031 021
 Volkswagen 2H0 419 803
 Volkswagen 7L0 422 803 B
 Volkswagen 7L0 422 803 D
 Volkswagen 7L0 422 804 C

Application info

Audi Q7 I (4L_) (03/06-01/16)
 Volkswagen Amarok I (09/10--)
 Volkswagen Touareg II (7P5) (01/10-12/18)

Porsche Cayenne I (955) (09/02-12/10)
 Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Axial rod

116 031 0017/HD

MAR0492HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 for vehicles with power steering

Length [mm] 297
 Manufacturer Restriction TRW
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

- | | |
|--------------------------------|--------------------------------|
| Seat 6Q0 423 803 E | Seat 6Q0 423 803 P |
| Seat 6Q0 423 804 E | Seat 6Q0 423 804 P |
| Seat 6RG 423 810 A | Skoda 6Q0 423 803 E |
| Skoda 6Q0 423 803 P | Skoda 6Q0 423 804 E |
| Skoda 6Q0 423 804 P | Skoda 6RG 423 810 A |
| Skoda (SVW) 6Q0 423 803 P | Skoda (SVW) 6Q0 423 804 P |
| Volkswagen 6Q0 423 803 E | Volkswagen 6Q0 423 803 P |
| Volkswagen 6Q0 423 804 E | Volkswagen 6Q0 423 804 P |
| Volkswagen 6RG 423 810 A | Volkswagen (SVW) 6Q0 423 803 E |
| Volkswagen (SVW) 6Q0 423 804 E | |

Application info

- | | |
|---|-----------------------------------|
| Seat Ibiza III / Cordoba II (6L_) (02/02-11/09) | Skoda Fabia I (6Y_) (08/99-03/08) |
| Skoda Fabia II (54_) (12/06-12/14) | Skoda Roomster (03/06-05/15) |
| Volkswagen Fox/Lupo (Z51) (08/03--) | Volkswagen Polo (9N_) (10/01--) |

Axial rod

116 031 0019/HD

MAR0494HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 400
 Required quantity 2
 Thread Size 1 M18x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 906 460 00 55
 Mercedes-Benz A 906 460 00 55
 Volkswagen 2E0 713 491

Mercedes-Benz 906 460 01 55
 Mercedes-Benz A 906 460 01 55

Application info

Mercedes-Benz BM 906 (Sprinter II) (06/06--)
 Volkswagen Crafter I (2E) (04/06-12/16)

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Axial rod**116 031 0020****MAR0079****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	306
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Seat 1S0 423 810 A
 Volkswagen 1S0 423 810 A

Skoda 1S0 423 810 A

Application info

Seat Mii (10/11--)
 Volkswagen UP (08/11--)

Skoda Citigo (10/11--)

Axial rod**116 031 0021****MAR0080****Notes**

	Front Axle Left
	Front Axle Right
	for vehicles without power steering
Length [mm]	305
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Skoda 6Q0 419 803 F
 Volkswagen 6Q0 419 803 F

Skoda 6Q0 419 804 F
 Volkswagen 6Q0 419 804 F

Application info

Skoda Fabia I (6Y_) (08/99-03/08)
Volkswagen Polo (9N_) (10/01--)

Volkswagen Fox/Lupo (Z51) (08/03--)

Axial rod**116 031 0022****MAR0081****Notes**

Front Axle Left
Front Axle Right
for vehicles with power steering

Length [mm] 360
Manufacturer Restriction ZF
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended

**References**

Audi 8N0 422 803 C	Audi 8N0 422 803 D
Audi 8N0 422 804 C	Audi 8N0 422 804 D
Audi 8N0 422 807 A	Audi 8N0 422 807 C
Seat 8N0 422 803 D	Seat 8N0 422 804 D
Volkswagen 8N0 422 803 C	Volkswagen 8N0 422 803 D
Volkswagen 8N0 422 804 C	Volkswagen 8N0 422 804 D

Application info

Audi A3 I (8L_) (09/96-09/06)
Seat Leon I / Toledo II (1M_) (10/98-06/06)
Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Audi TT I (8N_) (10/98-12/06)
Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Axial rod**116 031 0023****MAR0082****Notes**

Front Axle Left
Front Axle Right

Length [mm] 226
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

Audi 4H0 422 810
 Audi 8J0 423 810
 Audi (FAW) 8J0 423 810

Audi 4H0 422 810 A
 Audi (FAW) 4H0 422 810 A

Application info

Audi A4 IV (8K_) (08/07-05/16)
 Audi A8 III (4H_) (11/09-01/18)
 Audi TT II (8J_) (07/06-01/15)

Audi A5 I (8F_ , 8T_) (06/07-01/17)
 Audi Q5 I (8R_) (11/08-12/17)

Axial rod**116 031 0024****MAR0083****Notes**

Front Axle Left
 Front Axle Right

Length [mm] 159
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended

**References**

Mercedes-Benz 163 338 02 15
 Mercedes-Benz A 163 338 02 15

Mercedes-Benz 163 460 00 05
 Mercedes-Benz A 163 460 00 05

Application info

Mercedes-Benz BM 163 (M-Class) (02/98-07/05)

Axial rod**116 031 0027****MAR0084****Notes**

Front Axle Left
 Front Axle Right
 for vehicles with power steering

Length [mm] 317
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

Volkswagen 155 422 803
 Volkswagen 175 422 803

Volkswagen 155 422 803 A

Application info

Volkswagen Golf I (17, 155) (04/74-08/93)
 Volkswagen Scirocco II (53B) (08/80-07/92)

Volkswagen Jetta I (16) (08/78-12/87)

Axial rod

116 031 0028

MAR0085

Notes

Front Axle Left
 Front Axle Right

Length [mm] 236
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Audi 4G0 423 810
 Audi (FAW) 4G0 423 810 A
 Porsche 4G0 423 810 A

Audi 4G0 423 810 A
 Porsche 4G0 423 810
 Volkswagen (SVW) 4G0 423 810 A

Application info

Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)
 Audi A8 III (4H_) (11/09-01/18)
 Porsche Macan (95B) (02/14--)

Audi A7 I Sportback (4G_) (07/10-05/18)
 Audi Q5 I (8R_) (11/08-12/17)

Axial rod

116 031 0029/HD

MAR0495HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 314
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

- | | |
|--------------------------|--------------------------|
| Audi 6R0 423 803 B | Audi 6R0 423 803 C |
| Audi 6R0 423 803 D | Audi 6R0 423 804 B |
| Audi 6R0 423 804 C | Audi 6R0 423 804 D |
| Audi 8Z0 423 803 F | Audi 8Z0 423 804 F |
| Seat 6R0 423 803 | Seat 6R0 423 803 A |
| Seat 6R0 423 803 C | Seat 6R0 423 804 |
| Seat 6R0 423 804 A | Seat 6R0 423 804 C |
| Skoda 6R0 423 803 A | Skoda 6R0 423 804 A |
| Volkswagen 6R0 423 803 A | Volkswagen 6R0 423 803 B |
| Volkswagen 6R0 423 803 C | Volkswagen 6R0 423 803 D |
| Volkswagen 6R0 423 804 A | Volkswagen 6R0 423 804 B |
| Volkswagen 6R0 423 804 C | Volkswagen 6R0 423 804 D |

Application info

- | | |
|--|------------------------------------|
| Audi A1 I (8X_) (05/10-10/18) | Audi A2 (8Z0) (02/00-08/05) |
| Seat Ibiza IV (6J_ ,6P_) (03/08-12/18) | Seat Toledo IV (KG3) (07/12-04/19) |
| Skoda Rapid II (N_) (07/12-12/19) | Volkswagen Polo (6R_) (03/09--) |

Axial rod

116 031 0030

MAR0553

Notes

- | | |
|----------------------------------|------------------|
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 217 |
| Required quantity | 2 |
| Thread Size 1 | M16x1,5 |
| Thread Size 2 | M16x1,5 |
| replacement in pairs recommended | |



References

- | | |
|------------------------|--------------------|
| Audi 8W0 423 810 | Audi 8W0 423 810 A |
| Audi (FAW) 8W0 423 810 | |

Application info

- | | |
|---------------------------|----------------------------|
| Audi A4 V (8W_) (05/15--) | Audi A5 II (F5_) (06/16--) |
|---------------------------|----------------------------|

Axial rod**116 031 0031****MAR0555****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	224
Required quantity	2
Thread Size 1	M18x1,5
Thread Size 2	M20x1,5
replacement in pairs recommended	

**References**

MAN 2N0423810	MAN 65.46710.0000
Volkswagen 2N0 423 810	

Application info

MAN TGE (11/16--)	Volkswagen Crafter II (SY_) (09/16--)
-------------------	---------------------------------------

Axial rod**116 031 0032/HD****MAR0561HD****Notes**

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	235
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16X1,5
reinforced version	
replacement in pairs recommended	

**References**

Audi 4M0 423 810 C	Volkswagen 4M0 423 810 C
--------------------	--------------------------

Application info

Audi A6 V (C8, 4A2) (02/18--)	Audi A7 II Sportback (4K_) (10/17--)
Audi A8 IV (4N_) (06/17--)	Audi E-TRON (GE_) (09/18--)
Audi Q5 II (FY_) (05/16--)	Audi Q7 II (4M_) (01/15--)
Audi Q8 (4MN) (02/18--)	Volkswagen Touareg III (CR7) (11/17--)

Axial rod

116 031 0033/HD

MAR0572HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 310
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M16x1,5
reinforced version
replacement in pairs recommended



References

Audi 2Q0 423 810 D

Seat 2Q0 423 810 D

Skoda 2Q0 423 810 D

Volkswagen 2Q0 423 810 D

Application info

Audi A1 II (GB_) (07/18--)

Seat Arona (KJ7) (07/17--)

Seat Ibiza V (KJ1) (01/17--)

Skoda Fabia IV (PJ3) (06/21--)

Skoda Kamiq (07/19--)

Skoda Scala (02/19--)

Volkswagen Nivus / Taigo (11/21--)

Volkswagen Polo (AW1) (06/17--)

Volkswagen T-Cross (12/18--)

Axial rod

116 031 0034

MAR0599

Notes

Front Axle Left
Front Axle Right

Length [mm] 212
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

Audi 8S0 423 810 A

Audi 8S0 423 810 B

Application info

Audi TT III (8S_) (07/14--)

Axial rod

116 031 0035

MAR0642

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	269
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Audi 420 422 821 A

Application info

Audi R8 I (42_) (04/07-07/15)

Axial rod

116 031 0036

MAR0661

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	413
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

Audi 1EA 423 810 C

Skoda 1EA 423 810 C

Volkswagen 1EA 423 810 C

Application info

Audi Q4 (F4_) (03/21--)

Skoda Enyaq iV (5A_) (10/20--)

Volkswagen ID.4 (E21) (05/20--)

Volkswagen ID.5 (E39) (07/21--)

Volkswagen ID.7 (06/23--)

Axial rod**116 031 0037****MAR0663****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	392
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

CUPRA 1EA 423 810 B

Volkswagen 1EA 423 810 B

Application info

CUPRA BORN (K11) (08/21--)

Volkswagen ID.3 (E11_) (11/19--)

Axial rod**116 031 0038****MAR0659****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	305
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

Audi 5WA 423 810 C

CUPRA 5WA 423 810 C

Seat 5WA 423 810 C

Skoda 5WA 423 810 C

Volkswagen 5WA 423 810 C

Application info

Audi A3 IV (8Y_) (11/19--)

Audi Q2 (06/16--)

Seat Leon IV (KL_) (11/19--)

Skoda Octavia IV (NX_) (11/19--)

Volkswagen Golf VIII (CB1) (07/19--)

Volkswagen T-Roc (A11) (07/17--)

Axial rod

116 031 0039

MAR0662

Notes

Front Axle Left
Front Axle Right

Length [mm] 327
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

Audi 5WA 423 810 F
Skoda 5WA 423 810 F

Seat 5WA 423 810 F
Volkswagen 5WA 423 810 F

Application info

Audi Q3 II (F3_) (07/18--)
Skoda Kodiaq I (10/16--)
Volkswagen Tiguan III (CT1) (09/23--)

Seat Tarraco (09/18--)
Volkswagen Tiguan II (AD1, BW2) (01/16--)

Axial rod

116 031 0040

MAR0660

Notes

Front Axle Left
Front Axle Right

Length [mm] 329
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

CUPRA 5WA 423 810 D
Ford VWN3CA3280AA
Skoda 5WA 423 810 D

Ford 2 560 580
Seat 5WA 423 810 D
Volkswagen 5WA 423 810 D

Application info

CUPRA ATECA (KH7_KHP) (09/18--)
Seat Ateca (04/16--)
Volkswagen Caddy V (SBB, SBJ) (09/20--)
Volkswagen Taos (CL1, CQ1) (10/20--)

CUPRA FORMENTOR (KM_) (07/20--)
Volkswagen Arteon (03/17--)
Volkswagen Passat (B8) (08/14--)

Drag link **016 040 0001** **MDL0001**

Notes

	Centre
	Guide Rod
Length [mm]	1336
Required quantity	1
Thread Size 1	M12x1,5
Thread Size 2	M12x1,5



References

Mercedes-Benz 202 460 05 05	Mercedes-Benz A 202 460 05 05
-----------------------------	-------------------------------


Application info

Mercedes-Benz BM 202 (C-Class) (03/93-03/01)	Mercedes-Benz BM 208 (CLK) (06/97-12/03)
--	--

Drag link **016 040 0129** **MDL0002**

Notes

	Centre
	Guide Rod
Length [mm]	520
Required quantity	1
Thread Size 1	M12x1,5
Thread Size 2	M12x1,5



References

Mercedes-Benz 129 460 04 05	Mercedes-Benz A 129 460 04 05
-----------------------------	-------------------------------

Application info

Mercedes-Benz BM 129 (SL) (03/89-09/04)

Drag link

016 040 3100

MDL0003

Notes

Centre
Push Rod

Length [mm]

490

Required quantity

1

Thread Size 1

M10x1

Thread Size 2

M10x1



References

Mercedes-Benz 201 460 14 05

Mercedes-Benz 201 460 15 05

Mercedes-Benz A 201 460 14 05

Mercedes-Benz A 201 460 15 05

Application info

Mercedes-Benz BM 201 (190) (10/82-08/93)

Drag link

016 040 6059

MDL0004

Notes

Centre
Guide Rod

Length [mm]

472

Required quantity

1

Thread Size 1

M10x1

Thread Size 2

M10x1



References

Mercedes-Benz 107 460 05 05

Mercedes-Benz 107 460 06 05

Mercedes-Benz A 107 460 05 05

Mercedes-Benz A 107 460 06 05

Application info

Mercedes-Benz BM 107 (SL) (05/71-12/89)

Drag link

016 040 6066

MDL0008

Notes

Centre
Guide Rod
for left-hand drive vehicles

Length [mm]

477

Required quantity

1

Thread Size 1

M10x1

Thread Size 2

M10x1



References

Mercedes-Benz 126 460 06 05

Mercedes-Benz 126 460 08 05

Mercedes-Benz A 126 460 06 05

Mercedes-Benz A 126 460 08 05

Application info

Mercedes-Benz BM 126 (S-Class) (10/79-06/91)

Drag link

016 040 6329

MDL0014

Notes

Centre
Guide Rod

Length [mm]

1300

Required quantity

1

Thread Size 1

2x M12x1,5

Thread Size 2

2x M12x1,5



References

Mercedes-Benz 202 460 04 05

Mercedes-Benz A 202 460 04 05

Application info

Mercedes-Benz BM 202 (C-Class) (03/93-03/01)

Mercedes-Benz BM 208 (CLK) (06/97-12/03)

Drag link

036 030 0013

MDL0021

Notes

	Centre
	Guide Rod
Cone Size [mm]	21
Length [mm]	640
Pipe Diameter [mm]	30
Required quantity	1
Thread Size 1	M18x1,5
Thread Size 2	M18x1,5

**References**

Mercedes-Benz 631 330 05 35
Mercedes-Benz A 631 330 05 35

Mercedes-Benz 631 330 06 03
Mercedes-Benz A 631 330 06 03

Application info

Mercedes-Benz BM 631 (02/88-04/96)

Repair kit, tie rod axial rod

116 031 0013/S

MSX0073

Notes

	Front Axle Left
	Front Axle Right
Required quantity	2

**References**

Mercedes-Benz 906 460 00 55
Volkswagen 2E0 713 491

Mercedes-Benz A 906 460 00 55

Application info

Mercedes-Benz BM 906 (Sprinter II) (06/06--)

Volkswagen Crafter I (2E) (04/06-12/16)

Tie rod assembly

016 030 6320

MTA0010

Notes

Front Axle Left
Front Axle Right

Required quantity

2

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

replacement in pairs recommended



References

Mercedes-Benz 140 330 00 03

Mercedes-Benz 140 330 01 03

Mercedes-Benz A 140 330 00 03

Mercedes-Benz A 140 330 01 03

Application info

Mercedes-Benz BM 140 (S-Class) (02/91-12/99)

Tie rod assembly

036 030 0033

MTA0018

Notes

Front Axle Left
Front Axle Right

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended



References

Mercedes-Benz 901 460 02 05

Mercedes-Benz A 901 460 02 05

Volkswagen 2D0 422 803

Application info

Mercedes-Benz BM 901 / 902 (Sprinter I) (01/95-05/06)

Mercedes-Benz BM 903 (Sprinter I) (01/95-05/12)

Mercedes-Benz BM 904 (Sprinter I) (02/95-05/12)

Mercedes-Benz BM 909 (Sprinter) (09/13--)

Volkswagen LT II (04/96-07/06)

Tie rod assembly

116 030 0010

MTA0032

Notes

Front Axle Left
for vehicles with power steering

Manufacturer Restriction

TRW

Paired article number

116 030 0011 | MTA0033

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Skoda 6Q0 423 803 B

Volkswagen 6Q0 423 803 B

Volkswagen (SVW) 6Q0 423 803 B

Application info

Skoda Fabia I (6Y_) (08/99-03/08)

Volkswagen Polo (9N_) (10/01--)

Tie rod assembly

116 030 0011

MTA0033

Notes

Front Axle Right
for vehicles with power steering

Manufacturer Restriction

TRW

Paired article number

116 030 0010 | MTA0032

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Skoda 6Q0 423 804 B

Volkswagen 6Q0 423 804 B

Volkswagen (SVW) 6Q0 423 804 B

Application info

Skoda Fabia I (6Y_) (08/99-03/08)

Volkswagen Polo (9N_) (10/01--)

Tie rod assembly

116 030 0013

MTA0034

Notes

Front Axle Left

Paired article number 116 030 0014 | MTA0035

Required quantity 1

Thread Size 1 M14x1,5

Thread Size 2 M16x1,5

replacement in pairs recommended



References

Audi 7L0 422 803 D

Porsche 955 347 031 21

Volkswagen 2H0 419 804

Volkswagen 7L0 422 803 C

Porsche 955 347 031 20

Porsche 955 347 031 22

Volkswagen 7L0 422 803 B

Volkswagen 7L0 422 803 D

Application info

Audi Q7 I (4L_) (03/06-01/16)

Porsche Cayenne II (92A) (06/10--)

Volkswagen Amarok II (T1_) (09/22--)

Volkswagen Touareg II (7P5) (01/10-12/18)

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Amarok I (09/10--)

Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Tie rod assembly

116 030 0014

MTA0035

Notes

Front Axle Right

Paired article number 116 030 0013 | MTA0034

Required quantity 1

Thread Size 1 M14x1,5

Thread Size 2 M16x1,5

replacement in pairs recommended



References

Audi 7L0 422 804 D

Porsche 955 347 032 21

Volkswagen 2H0 419 803

Volkswagen 7L0 422 804 C

Porsche 955 347 032 20

Porsche 955 347 032 22

Volkswagen 7L0 422 804 B

Volkswagen 7L0 422 804 D

Application info

Audi Q7 I (4L_) (03/06-01/16)

Porsche Cayenne II (92A) (06/10--)

Volkswagen Touareg I (7LA, 7L6, 7L7) (10/02-01/13)

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Amarok I (09/10--)

Volkswagen Touareg II (7P5) (01/10-12/18)

Tie rod assembly

116 030 0015

MTA0036

Notes

Front Axle Left

Paired article number 116 030 0016 | MTA0037

Required quantity 1

Thread Size 1 M14x1,5

Thread Size 2 M16x1,5

replacement in pairs recommended



References

Volkswagen 7E0 419 803

Volkswagen 7H0 419 803 C

Volkswagen 7H0 419 803 E

Volkswagen 7H0 422 807 A

Volkswagen 7H0 419 803 B

Volkswagen 7H0 419 803 D

Volkswagen 7H0 419 803 F

Application info

Volkswagen Transporter V (04/03-08/15)

Volkswagen Transporter VI (04/15--)

Tie rod assembly

116 030 0016

MTA0037

Notes

Front Axle Right

Paired article number 116 030 0015 | MTA0036

Required quantity 1

Thread Size 1 M14x1,5

Thread Size 2 M15x1,5

replacement in pairs recommended



References

Volkswagen 7E0 419 804

Volkswagen 7H0 419 804 C

Volkswagen 7H0 419 804 E

Volkswagen 7H0 422 807 A

Volkswagen 7H0 419 804 B

Volkswagen 7H0 419 804 D

Volkswagen 7H0 419 804 F

Application info

Volkswagen Transporter V (04/03-08/15)

Volkswagen Transporter VI (04/15--)

Tie rod assembly**116 030 0018****MTA0038****Notes**

Front Axle Left

Paired article number 116 030 0019 | MTA0039

Required quantity 1

Thread Size 1 M12x1,5

Thread Size 2 M16x1,5

replacement in pairs recommended

**References**

Audi 1K0 423 810 A

Audi 1K0 423 811 J

Seat 1K0 423 810 A

Seat 1K0 423 811 J

Skoda 1K0 423 803 C

Skoda (SVW) 1K0 423 810 A

Volkswagen 1K0 423 810 A

Volkswagen 1K0 423 811 K

Volkswagen (FAW) 1K0 423 811 E

Volkswagen (SVW) 1K0 423 810 A

Audi 1K0 423 811 G

Audi (FAW) 1K0 423 811 G

Seat 1K0 423 811 G

Seat 1K0 423 811 K

Skoda 1K0 423 811 G

Volkswagen 1K0 423 803 C

Volkswagen 1K0 423 811 G

Volkswagen (FAW) 1K0 423 810 A

Volkswagen (FAW) 1K0 423 811 G

Volkswagen (SVW) 1K0 423 811 G

Application info

Audi A3 II (8P_) (05/03-12/15)

Audi A3 IV (8Y_) (11/19--)

Audi Q3 I (8U_) (06/11-12/18)

Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)

Skoda Octavia IV (NX_) (11/19--)

Skoda Yeti (5L) (05/09-12/17)

Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)

Volkswagen Eos (03/06-08/15)

Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)

Volkswagen Golf VIII (CB1) (07/19--)

Volkswagen Jetta IV (162) (01/08--)

Volkswagen Passat (3C_) (03/05-01/12)

Volkswagen Sharan (7N) (05/10--)

Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Audi A3 III (8V_) (04/12--)

Audi Q2 (06/16--)

Seat Alhambra II (710) (06/10--)

Skoda Octavia II (1Z_) (02/04-06/13)

Skoda Superb II (3T) (03/08-05/15)

Volkswagen CC (11/11-12/16)

Volkswagen Caddy IV (SA_) (05/15--)

Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)

Volkswagen Golf VII (5G1,BA5) (08/12--)

Volkswagen Jetta III (1K2) (09/04-12/13)

Volkswagen Passat (362, 365) (08/10-12/15)

Volkswagen Scirocco III (137) (05/08-11/17)

Volkswagen Tiguan I (5N) (09/07-07/18)

Tie rod assembly

116 030 0019

MTA0039

Notes

Front Axle Right
 Paired article number 116 030 0018 | MTA0038
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5

replacement in pairs recommended



References

- | | |
|--------------------------------|--------------------------------|
| Audi 1K0 423 810 A | Audi 1K0 423 812 G |
| Audi 1K0 423 812 J | Audi (FAW) 1K0 423 812 G |
| Seat 1K0 423 812 G | Seat 1K0 423 812 J |
| Seat 1K0 423 812 K | Seat 1K0 823 810 A |
| Skoda 1K0 423 804 C | Skoda 1K0 423 812 G |
| Skoda (SVW) 1K0 423 810 A | Volkswagen 1K0 423 804 C |
| Volkswagen 1K0 423 810 A | Volkswagen 1K0 423 812 G |
| Volkswagen 1K0 423 812 K | Volkswagen (FAW) 1K0 423 810 A |
| Volkswagen (FAW) 1K0 423 812 G | Volkswagen (SVW) 1K0 423 810 A |
| Volkswagen (SVW) 1K0 423 812 G | |

Application info

- | | |
|--|---|
| Audi A3 II (8P_) (05/03-12/15) | Audi A3 III (8V_) (04/12--) |
| Audi A3 IV (8Y_) (11/19--) | Audi Q2 (06/16--) |
| Audi Q3 I (8U_) (06/11-12/18) | Seat Alhambra II (710) (06/10--) |
| Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--) | Skoda Octavia II (1Z_) (02/04-06/13) |
| Skoda Octavia IV (NX_) (11/19--) | Skoda Superb II (3T) (03/08-05/15) |
| Skoda Yeti (5L) (05/09-12/17) | Volkswagen CC (11/11-12/16) |
| Volkswagen Caddy III (2KA, 2KB) (03/04-05/15) | Volkswagen Caddy IV (SA_) (05/15--) |
| Volkswagen Eos (03/06-08/15) | Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14) |
| Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16) | Volkswagen Golf VII (5G1,BA5) (08/12--) |
| Volkswagen Golf VIII (CB1) (07/19--) | Volkswagen Jetta III (1K2) (09/04-12/13) |
| Volkswagen Jetta IV (162) (01/08--) | Volkswagen Passat (362, 365) (08/10-12/15) |
| Volkswagen Passat (3C_) (03/05-01/12) | Volkswagen Scirocco III (137) (05/08-11/17) |
| Volkswagen Sharan (7N) (05/10--) | Volkswagen Tiguan I (5N) (09/07-07/18) |
| Volkswagen Touran I (1T1/2/3) (02/03-05/15) | |

Tie rod assembly

116 030 0020/HD

MTA0040HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Required quantity 2
Thread Size 1 M8x1,25
Thread Size 2 M16x1,5
reinforced version
replacement in pairs recommended



References

Audi 4B0 419 801 G
Audi 8E0 422 821 C
Audi (FAW) 4F0 498 811 A
Audi (FAW) 8E0 422 821
Volkswagen (SVW) 4F0 419 811 C

Audi 8E0 419 801 E
Audi (FAW) 4D0 422 821 A
Audi (FAW) 8E0 419 801 E
Seat 8E0 422 821 C
Volkswagen (SVW) 8E0 419 811

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)
Audi A4 III (8E_) (11/04-06/08)
Seat Exeo (3R) (12/08-05/13)

Audi A4 II (8E_) (02/00-12/05)
Audi A6 II (4B, C5) (01/97-12/05)

Tie rod assembly

116 030 0022

MTA0041

Notes

Front Axle Left
for vehicles without power steering

Paired article number 116 030 0023 | MTA0042
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Skoda 6Q0 419 803 B
Skoda 6Q0 419 803 F
Volkswagen 6Q0 419 803 D

Skoda 6Q0 419 803 D
Volkswagen 6Q0 419 803 B
Volkswagen 6Q0 419 803 F

Application info

Skoda Fabia I (6Y_) (08/99-03/08)
Volkswagen Polo (9N_) (10/01--)

Volkswagen Fox/Lupo (Z51) (08/03--)

Tie rod assembly

116 030 0023

MTA0042

Notes

Paired article number 116 030 0022 | MTA0041
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended

Front Axle Right
 for vehicles without power steering



References

Skoda 6Q0 419 804 B Skoda 6Q0 419 804 D
 Skoda 6Q0 419 804 F Volkswagen 6Q0 419 804 B
 Volkswagen 6Q0 419 804 D Volkswagen 6Q0 419 804 F

Application info

Skoda Fabia I (6Y_) (08/99-03/08) Volkswagen Fox/Lupo (Z51) (08/03--)
 Volkswagen Polo (9N_) (10/01--)

Tie rod assembly

116 030 0028/HD

MTA0043HD

Notes

Required quantity 2
 Thread Size 1 M8x1,25
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended

Carbon Neutral
 Front Axle Left
 Front Axle Right



References

Audi 4F0 419 811 D Audi 4F0 498 811 A
 Audi 4F0 498 811 C Audi (FAW) 4F0 419 811 D
 Audi (FAW) 4F0 422 821 D Audi (FAW) 4F0 498 811 A
 Seat 4B0 419 811 G Seat 4D0 419 811 J
 Seat 4F0 498 811 A Seat 4F0 498 811 C
 Seat 8E0 419 811

Application info

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Tie rod assembly

116 030 0033

MTA0048

Notes

Front Axle Left
Front Axle Right

Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M18x1,5
replacement in pairs recommended



References

Mercedes-Benz 906 460 00 48
Mercedes-Benz 906 460 01 48
Mercedes-Benz A 906 460 00 55
Volkswagen 2E0 498 104
Volkswagen 2E0 713 491

Mercedes-Benz 906 460 00 55
Mercedes-Benz A 906 460 00 48
Mercedes-Benz A 906 460 01 48
Volkswagen 2E0 713 201

Application info

Mercedes-Benz BM 906 (Sprinter II) (06/06--)

Volkswagen Crafter I (2E) (04/06-12/16)

Tie rod assembly

116 030 0042/HD

MTA0287HD

Notes

Front Axle Right

Manufacturer Restriction TRW
Paired article number 116 030 0039/HD | MTA0285HD
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Audi 6Q0 423 812 C | Audi 6Q0 423 831 D |
| Audi 6R0 423 804 | Audi 6R0 423 804 A |
| Audi 6R0 423 804 C | Audi 6R0 423 804 D |
| Audi 6RD 423 812 B | Seat 6Q0 423 812 C |
| Seat 6Q0 423 831 D | Seat 6R0 423 804 |
| Seat 6R0 423 804 A | Seat 6R0 423 804 C |
| Seat 6R0 423 804 D | Seat 6RD 423 812 B |
| Skoda 6Q0 423 812 C | Skoda 6Q0 423 831 D |
| Skoda 6R0 423 804 | Skoda 6R0 423 804 A |
| Skoda 6R0 423 804 C | Skoda 6R0 423 804 D |
| Skoda 6RD 423 812 B | |

Application info

- | | |
|------------------------------------|--|
| Audi A1 I (8X_) (05/10-10/18) | Seat Ibiza IV (6J_ ,6P_) (03/08-12/18) |
| Seat Toledo IV (KG3) (07/12-04/19) | Skoda Rapid II (N_) (07/12-12/19) |

Tie rod assembly

116 030 0652

MTA0054

Notes

Front Axle Left
 Paired article number 116 040 0653 | MTA0125
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 replacement in pairs recommended



References

- | | |
|--------------------------|--------------------------|
| Volkswagen 211 415 801 E | Volkswagen 211 415 801 F |
|--------------------------|--------------------------|

Application info

- Volkswagen Transporter II (08/67-09/79)

Tie rod assembly

116 030 3250

MTA0059

Notes

Front Axle Left
 Front Axle Right
 for vehicles without power steering

Required quantity 2
 Thread Size 1 M12x1,5
 replacement in pairs recommended



References

Volkswagen 133 419 804 A

Volkswagen 133 419 804 B

Application info

Volkswagen Käfer / Karmann Ghia (12/47-08/03)

Tie rod assembly

116 030 3266

MTA0060

Notes

Front Axle Left
 Front Axle Right

Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Volkswagen 251 419 803

Volkswagen 251 419 803 A

Application info

Volkswagen Transporter III (05/79-12/02)

Tie rod assembly		116 030 7133	MTA0064
<p>Notes</p> <p>Front Axle Left Front Axle Right for vehicles with power steering</p> <p>Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL QUALITY</p>	
<p>References</p> <p>Volkswagen 155 422 803 Volkswagen 155 422 803 A Volkswagen 175 422 803</p>			
<p>Application info</p> <p>Volkswagen Golf I (17, 155) (04/74-08/93) Volkswagen Jetta I (16) (08/78-12/87) Volkswagen Scirocco II (53B) (08/80-07/92)</p>			
Tie rod assembly		116 030 8202	MTA0077
<p>Notes</p> <p>Front Axle Left for vehicles with power steering</p> <p>Manufacturer Restriction TRW Paired article number 116 030 8203 MTA0078 Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL QUALITY</p>	
<p>References</p> <p>Seat 1H0 422 803 Seat 1H0 422 803 A Volkswagen 1H0 422 803 Volkswagen 1H0 422 803 A</p>			
<p>Application info</p> <p>Seat Toledo I (1L_) (01/91-10/99) Volkswagen Corrado (53I) (08/87-12/95) Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02) Volkswagen Vento (11/91-09/98)</p>			

Tie rod assembly

116 030 8205

MTA0080

Notes

Front Axle Right
for vehicles with power steering

Manufacturer Restriction

ZF

Paired article number

116 030 8204 | MTA0079

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Volkswagen 1H0 422 804 B

Volkswagen 1H0 422 804 C

Application info

Volkswagen Corrado (53I) (08/87-12/95)

Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)

Volkswagen Vento (11/91-09/98)

Tie rod assembly

116 030 8227/HD

MTA0084HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Required quantity

2

Thread Size 1

M8x1,25

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended



References

Audi 4B0 419 801 B

Audi 4B0 419 801 M

Audi 4D0 419 801 B

Audi 4D0 419 801 E

Audi 4D0 419 801 L

Audi 8E0 419 801 B

Audi (FAW) 4B0 419 801 M

Audi (FAW) 4D0 422 821 A

Skoda 4B0 419 801 B

Skoda 4B0 419 801 M

Skoda 4D0 419 801 B

Skoda 4D0 419 801 E

Skoda 4D0 419 801 L

Skoda 8E0 419 801 B

Volkswagen 4B0 419 801 B

Volkswagen 4B0 419 801 M

Volkswagen 4D0 419 801 B

Volkswagen 4D0 419 801 E

Volkswagen 4D0 419 801 L

Volkswagen 8E0 419 801 B

Volkswagen (SVW) 4B0 419 801 E

Volkswagen (SVW) 4B0 419 801 M

Volkswagen (SVW) 4D0 422 821 A

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)
 Audi A4 II (8E_) (02/00-12/05)
 Audi A8 I (4D_) (03/94-12/05)
 Skoda Superb I (3U) (12/01-03/08)

Audi A4 I (8D_) (11/94-12/02)
 Audi A6 II (4B, C5) (01/97-12/05)
 Audi Allroad (4BH) (05/00-08/05)
 Volkswagen Passat (3B_) (08/96-12/05)

Tie rod assembly

116 030 8231

MTA0085

Notes

Front Axle Left
 for vehicles with power steering
 Length [mm] 612
 Paired article number 116 030 8232 | MTA0086
 Required quantity 1
 Thread Size 1 M12x1,5
 replacement in pairs recommended



References

Audi 4A0 419 801 A Audi (FAW) 4A0 419 801 A

Application info

Audi 100 (4A, C4) (12/90-11/94) Audi A6 I (4A, C4) (06/94-12/97)

Tie rod assembly

116 030 8232

MTA0086

Notes

Front Axle Right
 for vehicles with power steering
 Length [mm] 612
 Paired article number 116 030 8231 | MTA0085
 Required quantity 1
 Thread Size 1 M12x1,5
 replacement in pairs recommended



References

Audi 4A0 419 802 A Audi (FAW) 4A0 419 802 A

Application info

Audi 100 (4A, C4) (12/90-11/94) Audi A6 I (4A, C4) (06/94-12/97)

Tie rod assembly

116 030 8260/HD

MTA0093HD

Notes

Carbon Neutral
 Front Axle Right
 for vehicles with power steering
 Paired article number 116 030 8261/HD | MTA0094HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5

reinforced version
 replacement in pairs recommended



References

Ford 1 001 396	Ford 1 020 496
Ford 1 092 376	Ford 1 092 377
Ford 95VW-3280-AF	Ford 95VW-3280-AG
Ford 95VW-3280-AH	Ford 95VW-3280-BC
Seat 7M0 422 804 F	Seat 7M0 422 804 G
Seat 7M3 422 804	Seat 7M3 422 804 A
Volkswagen 7M0 422 804 F	Volkswagen 7M0 422 804 G
Volkswagen 7M3 422 804	Volkswagen 7M3 422 804 A

Application info

Ford Galaxy I (03/95-05/06)	Seat Alhambra I (7V8, 7V9) (03/96-03/10)
Volkswagen Sharan (7M) (05/95-03/10)	

Tie rod assembly

116 030 8261/HD

MTA0094HD

Notes

Carbon Neutral
 Front Axle Left
 for vehicles with power steering
 Paired article number 116 030 8260/HD | MTA0093HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5

reinforced version
 replacement in pairs recommended



References

- | | |
|--------------------------|--------------------------|
| Ford 1 001 398 | Ford 1 020 497 |
| Ford 1 092 382 | Ford 1 121 509 |
| Ford 95VW-3281-AF | Ford 95VW-3281-AG |
| Ford 95VW-3281-AH | Ford YM21-3281-AA |
| Seat 7M0 422 803 F | Seat 7M0 422 803 G |
| Seat 7M3 422 803 | Seat 7M3 422 803 A |
| Volkswagen 7M0 422 803 F | Volkswagen 7M0 422 803 G |
| Volkswagen 7M3 422 803 | Volkswagen 7M3 422 803 A |

Application info

- | | |
|--------------------------------------|--|
| Ford Galaxy I (03/95-05/06) | Seat Alhambra I (7V8, 7V9) (03/96-03/10) |
| Volkswagen Sharan (7M) (05/95-03/10) | |

Tie rod assembly

116 030 8314/HD MTA0112HD

Notes

- Carbon Neutral
- Front Axle Right
- Paired article number 116 030 8315/HD | MTA0113HD
- Required quantity 1
- Thread Size 1 M12x1,5
- Thread Size 2 M16x1,5
- reinforced version
- replacement in pairs recommended



References

- | | |
|--------------------------|--------------------------|
| Volkswagen 701 419 804 E | Volkswagen 701 419 804 F |
|--------------------------|--------------------------|

Application info

- Volkswagen Transporter IV (07/90-06/03)

Tie rod assembly

116 030 8315/HD MTA0113HD

Notes

- Carbon Neutral
- Front Axle Left
- Paired article number 116 030 8314/HD | MTA0112HD
- Required quantity 1
- Thread Size 1 M12x1,5
- Thread Size 2 M14x1,5
- reinforced version
- replacement in pairs recommended



References

Volkswagen 702 419 803 C

Volkswagen 702 419 803 D

Application info

Volkswagen Transporter IV (07/90-06/03)

Tie rod assembly**116 030 8500****MTA0115****Notes**

Front Axle Left
for vehicles with power steering

Manufacturer Restriction

ZF

Paired article number

116 030 8501 | MTA0116

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended

**References**

Audi 1J0 422 803 B

Seat 1J0 422 803 B

Skoda 1J0 422 803 B

Volkswagen 1J0 422 803 B

Volkswagen (FAW) 1J0 422 803 B

Volkswagen (FAW) 1JD 422 803

Volkswagen (SVW) 1JD 422 803

Audi 1J0 422 803 H

Seat 1J0 422 803 H

Skoda 1J0 422 803 H

Volkswagen 1J0 422 803 H

Volkswagen (FAW) 1J0 422 803 H

Volkswagen (FAW) L1JD 422 803

Application info

Audi A3 I (8L_) (09/96-09/06)

Skoda Octavia I (1U_) (09/96-12/10)

Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Seat Leon I / Toledo II (1M_) (10/98-06/06)

Volkswagen Bora (1J2, 1J6) (10/98-12/13)

Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Tie rod assembly**116 030 8501****MTA0116****Notes**

Front Axle Right
for vehicles with power steering

Manufacturer Restriction

ZF

Paired article number

116 030 8500 | MTA0115

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended



References

- | | |
|--------------------------------|--------------------------------|
| Audi 1J0 422 804 B | Audi 1J0 422 804 H |
| Seat 1J0 422 804 B | Seat 1J0 422 804 H |
| Skoda 1J0 422 804 B | Skoda 1J0 422 804 H |
| Volkswagen 1J0 422 804 B | Volkswagen 1J0 422 804 H |
| Volkswagen (FAW) 1J0 422 804 B | Volkswagen (FAW) 1J0 422 804 H |
| Volkswagen (FAW) 1JD 422 804 | Volkswagen (FAW) L1JD 422 804 |
| Volkswagen (SVW) 1JD 422 804 | |

Application info

- | | |
|---|---|
| Audi A3 I (8L_) (09/96-09/06) | Seat Leon I / Toledo II (1M_) (10/98-06/06) |
| Skoda Octavia I (1U_) (09/96-12/10) | Volkswagen Bora (1J2, 1J6) (10/98-12/13) |
| Volkswagen Golf IV (1J1, 1J5) (08/97-06/14) | Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11) |

Tie rod assembly

116 030 9007

MTA0118

Notes

Front Axle Left
 Front Axle Right
 for vehicles without power steering

- Length [mm] 324
 Required quantity 2
 Thread Size 1 M10x1,0
 Thread Size 2 M10x1,0
 replacement in pairs recommended



References

- Volkswagen 113 415 801

Application info

- Volkswagen Käfer / Karmann Ghia (12/47-08/03)

Tie rod assembly

116 030 9011

MTA0120

Notes

Front Axle Left
 for vehicles without power steering

- Required quantity 1
 Thread Size 1 M10x1,0
 Thread Size 2 M10x1,0
 replacement in pairs recommended



References

Volkswagen 211 415 801 D

Application info

Volkswagen Transporter I (01/50-10/70)

Tie rod assembly

116 030 9016

MTA0124

Notes

Front Axle Right

Required quantity

1

Thread Size 1

M10x1,0

Thread Size 2

M10x1,0

replacement in pairs recommended



References

Volkswagen 211 415 802 2

Volkswagen 211 415 802 D

Application info

Volkswagen Transporter I (01/50-10/70)

Volkswagen Transporter II (08/67-09/79)

Tie rod assembly

116 040 0653

MTA0125

Notes

Front Axle Right

Paired article number

116 030 0652 | MTA0054

Required quantity

1

Thread Size 1

M12x1,25

Thread Size 2

M12x1,25

replacement in pairs recommended



References

Volkswagen 211 415 802 E

Volkswagen 211 415 802 F

Application info

Volkswagen Transporter II (08/67-09/79)

Tie rod assembly

116 040 0654

MTA0126

Notes

Centre
Front Axle
with left-hand thread

Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5
replacement in pairs recommended



References

Volkswagen 211 415 701 G

Application info

Volkswagen Transporter II (08/67-09/79)

Tie rod end

016 020 0000

MTE0001

Notes

Front Axle Left
Front Axle Right

Length [mm] 88
Required quantity 2
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Smart 0004887V004000000
Smart 0004887V006
Smart 04887V002000
Smart 04887V005000
Smart 4887V004000000
Smart 4887V006000000

Smart 0004887V005000000
Smart 0004887V006000000
Smart 04887V004000
Smart 4887V002000000
Smart 4887V005000000

Application info

Smart City Coupé / Cabrio (07/98-01/04)
Smart Fortwo I (01/04-02/07)

Smart Crossblade (06/02-12/03)
Smart Roadster (04/03-11/05)

Tie rod end		016 020 0001/HD	MTE0002HD								
<p>Notes</p> <p>Carbon Neutral Front Axle Right</p> <p>Length [mm] 205</p> <p>Paired article number 016 020 0026/HD MTE0017HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>											
<p>References</p> <table border="0"> <tr> <td>Mercedes-Benz 163 330 02 03</td> <td>Mercedes-Benz 163 330 04 03</td> </tr> <tr> <td>Mercedes-Benz 163 338 01 15</td> <td>Mercedes-Benz 163 338 04 15</td> </tr> <tr> <td>Mercedes-Benz A 163 330 02 03</td> <td>Mercedes-Benz A 163 330 04 03</td> </tr> <tr> <td>Mercedes-Benz A 163 338 01 15</td> <td>Mercedes-Benz A 163 338 04 15</td> </tr> </table>				Mercedes-Benz 163 330 02 03	Mercedes-Benz 163 330 04 03	Mercedes-Benz 163 338 01 15	Mercedes-Benz 163 338 04 15	Mercedes-Benz A 163 330 02 03	Mercedes-Benz A 163 330 04 03	Mercedes-Benz A 163 338 01 15	Mercedes-Benz A 163 338 04 15
Mercedes-Benz 163 330 02 03	Mercedes-Benz 163 330 04 03										
Mercedes-Benz 163 338 01 15	Mercedes-Benz 163 338 04 15										
Mercedes-Benz A 163 330 02 03	Mercedes-Benz A 163 330 04 03										
Mercedes-Benz A 163 338 01 15	Mercedes-Benz A 163 338 04 15										
<p>Application info</p> <p>Mercedes-Benz BM 163 (M-Class) (02/98-07/05)</p>											
Tie rod end		016 020 0001	MTE0002								
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 205</p> <p>Paired article number 016 020 0026 MTE0017</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>replacement in pairs recommended</p>											
<p>References</p> <table border="0"> <tr> <td>Mercedes-Benz 163 330 02 03</td> <td>Mercedes-Benz 163 330 04 03</td> </tr> <tr> <td>Mercedes-Benz 163 338 01 15</td> <td>Mercedes-Benz 163 338 04 15</td> </tr> <tr> <td>Mercedes-Benz A 163 330 02 03</td> <td>Mercedes-Benz A 163 330 04 03</td> </tr> <tr> <td>Mercedes-Benz A 163 338 01 15</td> <td>Mercedes-Benz A 163 338 04 15</td> </tr> </table>				Mercedes-Benz 163 330 02 03	Mercedes-Benz 163 330 04 03	Mercedes-Benz 163 338 01 15	Mercedes-Benz 163 338 04 15	Mercedes-Benz A 163 330 02 03	Mercedes-Benz A 163 330 04 03	Mercedes-Benz A 163 338 01 15	Mercedes-Benz A 163 338 04 15
Mercedes-Benz 163 330 02 03	Mercedes-Benz 163 330 04 03										
Mercedes-Benz 163 338 01 15	Mercedes-Benz 163 338 04 15										
Mercedes-Benz A 163 330 02 03	Mercedes-Benz A 163 330 04 03										
Mercedes-Benz A 163 338 01 15	Mercedes-Benz A 163 338 04 15										
<p>Application info</p> <table border="0"> <tr> <td>Mercedes-Benz BM 163 (M-Class) (02/98-07/05)</td> <td>Mercedes-Benz BM 164 (M-Class) (02/05-12/12)</td> </tr> </table>				Mercedes-Benz BM 163 (M-Class) (02/98-07/05)	Mercedes-Benz BM 164 (M-Class) (02/05-12/12)						
Mercedes-Benz BM 163 (M-Class) (02/98-07/05)	Mercedes-Benz BM 164 (M-Class) (02/05-12/12)										

Tie rod end

016 020 0002

MTE0003

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 190
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mercedes-Benz 220 338 05 15	Mercedes-Benz 220 338 10 15
Mercedes-Benz 230 330 02 03	Mercedes-Benz 230 330 04 03
Mercedes-Benz 230 338 01 15	Mercedes-Benz A 220 338 05 15
Mercedes-Benz A 220 338 10 15	Mercedes-Benz A 230 330 02 03
Mercedes-Benz A 230 330 04 03	Mercedes-Benz A 230 338 01 15

Application info

Mercedes-Benz BM 215 (S-Class) (03/99-12/06)	Mercedes-Benz BM 219 (CLS) (10/04-02/11)
Mercedes-Benz BM 220 (S-Class) (09/98-08/05)	Mercedes-Benz BM 230 (SL) (10/01-01/12)

Tie rod end

016 020 0003

MTE0004

Notes

Front Axle Left
 Length [mm] 205
 Paired article number 016 020 0004 | MTE0005
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 replacement in pairs recommended



References

Mercedes-Benz 168 330 11 35	Mercedes-Benz 168 330 15 35
Mercedes-Benz A 168 330 11 35	Mercedes-Benz A 168 330 15 35

Application info

Mercedes-Benz BM 168 (A-Class) (07/97-08/05)

Tie rod end

016 020 0004

MTE0005

Notes

Front Axle Right

Length [mm]

205

Paired article number

016 020 0003 | MTE0004

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

replacement in pairs recommended



References

Mercedes-Benz 168 330 12 35

Mercedes-Benz 168 330 16 35

Mercedes-Benz A 168 330 12 35

Mercedes-Benz A 168 330 16 35

Application info

Mercedes-Benz BM 168 (A-Class) (07/97-08/05)

Tie rod end

016 020 0007

MTE0006

Notes

Front Axle Left

Length [mm]

200

Paired article number

016 020 0031 | MTE0018

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Mercedes-Benz 169 330 05 03

Mercedes-Benz A 169 330 05 03

Application info

Mercedes-Benz BM 168 (A-Class) (07/97-08/05)

Mercedes-Benz BM 169 (A-Class) (09/04-06/12)

Mercedes-Benz BM 245 (B-Class) (03/05-11/11)

Tie rod end

016 020 0008

MTE0007

Notes

Front Axle Left

Length [mm]

221

Paired article number

016 020 0009 | MTE0008

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Mercedes-Benz 164 330 11 03

Mercedes-Benz A 164 330 11 03

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)

Mercedes-Benz BM 164 (M-Class) (02/05-12/12)

Mercedes-Benz BM 463 (G-Class) (09/89--)

Tie rod end

016 020 0009

MTE0008

Notes

Front Axle Right

Length [mm]

221

Paired article number

016 020 0008 | MTE0007

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Mercedes-Benz 164 330 12 03

Mercedes-Benz A 164 330 12 03

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)

Mercedes-Benz BM 164 (M-Class) (02/05-12/12)

Mercedes-Benz BM 463 (G-Class) (09/89--)

Tie rod end		016 020 0013/HD	MTE0009HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left Front Axle Right</p> <p>Length [mm] 73 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M12x1,25 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mitsubishi MR977606 Smart 454 460 02 05 Smart A 454 460 02 05</p>			
<p>Application info</p> <p>Mitsubishi Colt VI (10/02-12/12) Smart Forfour (01/04-06/06)</p>			
Tie rod end		016 020 0015	MTE0010
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 185 Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 221 330 15 03 Mercedes-Benz 221 330 39 03 Mercedes-Benz A 221 330 15 03 Mercedes-Benz A 221 330 39 03</p>			
<p>Application info</p> <p>Mercedes-Benz BM 216 (S-Class) (05/06-12/13) Mercedes-Benz BM 221 (S-Class) (09/05-12/13)</p>			

Tie rod end		016 020 0018	MTE0013
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 203</p> <p>Paired article number 016 020 0019 MTE0014</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 212 330 23 03 Mercedes-Benz 218 330 03 00</p> <p>Mercedes-Benz A 212 330 23 03 Mercedes-Benz A 218 330 03 00</p>			
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16) Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>			
Tie rod end		016 020 0019	MTE0014
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 203</p> <p>Paired article number 016 020 0018 MTE0013</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 212 330 22 03 Mercedes-Benz 218 330 04 00</p> <p>Mercedes-Benz A 212 330 22 03 Mercedes-Benz A 218 330 04 00</p>			
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16) Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>			

Tie rod end

016 020 0020/HD

MTE0015HD

Notes

Carbon Neutral

Front Axle Left

Length [mm]

232

Paired article number

016 020 0021/HD | MTE0016HD

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

Mercedes-Benz 246 330 17 00

Mercedes-Benz A 246 330 17 00

Mercedes-Benz (BBDC) 246 330 17 00

Mercedes-Benz (BBDC) A 246 330 17 00

Application info

Mercedes-Benz BM 117 (CLA) (01/13-03/19)

Mercedes-Benz BM 156 (GLA-Class) (12/13--)

Mercedes-Benz BM 176 (A-Class) (06/12-05/18)

Mercedes-Benz BM 246 (B-Class) (10/11-12/18)

Tie rod end

016 020 0021/HD

MTE0016HD

Notes

Carbon Neutral

Front Axle Right

Length [mm]

232

Paired article number

016 020 0020/HD | MTE0015HD

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

Mercedes-Benz 246 330 18 00

Mercedes-Benz A 246 330 18 00

Application info

Mercedes-Benz BM 117 (CLA) (01/13-03/19)

Mercedes-Benz BM 156 (GLA-Class) (12/13--)


Mercedes-Benz BM 176 (A-Class) (06/12-05/18)

Mercedes-Benz BM 246 (B-Class) (10/11-12/18)

Tie rod end **016 020 0023/HD** **MTE0752HD**

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 204
 Paired article number 016 020 0024/HD | MTE0753HD
 Required quantity 1
 Thread Size 1 14x1,5
 Thread Size 2 14x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 212 330 81 00 Mercedes-Benz A 212 330 81 00
 Mercedes-Benz (BBDC) 212 330 81 00 Mercedes-Benz (BBDC) A 212 330 81 00

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Tie rod end **016 020 0024/HD** **MTE0753HD**

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 204
 Paired article number 016 020 0023/HD | MTE0752HD
 Required quantity 1
 Thread Size 1 14x1,5
 Thread Size 2 14x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 212 330 82 00 Mercedes-Benz A 212 330 82 00
 Mercedes-Benz (BBDC) 212 330 82 00 Mercedes-Benz (BBDC) A 212 330 82 00

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Tie rod end **016 020 0026** **MTE0017**

Notes

Front Axle Left

Length [mm] 205

Paired article number 016 020 0001 | MTE0002

Required quantity 1

Thread Size 1 M14x1,5

Thread Size 2 M16x1,5

replacement in pairs recommended



References

Mercedes-Benz 163 330 00 03	Mercedes-Benz 163 330 01 03
Mercedes-Benz 163 338 00 15	Mercedes-Benz 163 338 03 15
Mercedes-Benz A 163 330 00 03	Mercedes-Benz A 163 330 01 03
Mercedes-Benz A 163 338 00 15	Mercedes-Benz A 163 338 03 15

Application info

Mercedes-Benz BM 163 (M-Class) (02/98-07/05)	Mercedes-Benz BM 164 (M-Class) (02/05-12/12)
--	--

Tie rod end **016 020 0026/HD** **MTE0017HD**

Notes

Carbon Neutral

Front Axle Left

Length [mm] 205

Paired article number 016 020 0001/HD | MTE0002HD

Required quantity 1

Thread Size 1 M14x1,5

Thread Size 2 M16x1,5

reinforced version

replacement in pairs recommended



References

Mercedes-Benz 163 330 00 03	Mercedes-Benz 163 330 01 03
Mercedes-Benz 163 338 00 15	Mercedes-Benz 163 338 03 15
Mercedes-Benz A 163 330 00 03	Mercedes-Benz A 163 330 01 03
Mercedes-Benz A 163 338 00 15	Mercedes-Benz A 163 338 03 15

Application info

Mercedes-Benz BM 163 (M-Class) (02/98-07/05)
--

Tie rod end

016 020 0031

MTE0018

Notes

Front Axle Right

Length [mm]

200

Paired article number

016 020 0007 | MTE0006

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Mercedes-Benz 169 330 06 03

Mercedes-Benz A 169 330 06 03

Application info

Mercedes-Benz BM 168 (A-Class) (07/97-08/05)

Mercedes-Benz BM 169 (A-Class) (09/04-06/12)

Mercedes-Benz BM 245 (B-Class) (03/05-11/11)

Tie rod end

016 020 0034

MTE0019

Notes

Front Axle Left

Length [mm]

167

Paired article number

016 020 0035 | MTE0020

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended



References

MERCEDES-BENZ (FJDA) 639 460 04 48

MERCEDES-BENZ (FJDA) A 639 460 04 48

Mercedes-Benz 639 460 00 48

Mercedes-Benz 639 460 04 48

Mercedes-Benz 639 460 06 48

Mercedes-Benz A 639 460 00 48

Mercedes-Benz A 639 460 04 48

Mercedes-Benz A 639 460 06 48

Application info

Mercedes-Benz BM 639 (Vito / Viano) (08/03--)

Tie rod end

016 020 0035

MTE0020

Notes

Front Axle Right
 Length [mm] 167
 Paired article number 016 020 0034 | MTE0019
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

MERCEDES-BENZ (FJDA) 639 460 05 48	MERCEDES-BENZ (FJDA) A 639 460 05 48
Mercedes-Benz 639 460 03 48	Mercedes-Benz 639 460 05 48
Mercedes-Benz 639 460 07 48	Mercedes-Benz A 639 460 03 48
Mercedes-Benz A 639 460 05 48	Mercedes-Benz A 639 460 07 48

Application info

Mercedes-Benz BM 639 (Vito / Viano) (08/03--)

Tie rod end

016 020 0037/HD

MTE0838HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Length [mm] 174
 Required quantity 2
 Thread Size 1 14x1,5
 Thread Size 2 14x1,5

reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 231 330 11 00	Mercedes-Benz A 231 330 11 00
-----------------------------	-------------------------------

Application info

Mercedes-Benz BM 231 (SL) (01/12--)

Tie rod end

016 020 0038

MTE0021

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 90
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Mercedes-Benz 906 460 00 48
 Mercedes-Benz 906 460 03 48
 Mercedes-Benz A 906 460 01 48
 Volkswagen 2E0 498 104
 Volkswagen 2E0 713 501
 Mercedes-Benz 906 460 01 48
 Mercedes-Benz A 906 460 00 48
 Mercedes-Benz A 906 460 03 48
 Volkswagen 2E0 498 104 A

Application info

Mercedes-Benz BM 906 (Sprinter II) (06/06--)
 Volkswagen Crafter I (2E) (04/06-12/16)
 Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Tie rod end

016 020 0039/HD

MTE0022HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 205
 Paired article number 016 020 0040/HD | MTE0023HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 414 460 01 05
 Mercedes-Benz A 414 460 01 05

Application info

Mercedes-Benz BM 414 (Vaneo) (02/02-07/05)

Tie rod end		016 020 0040/HD	MTE0023HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left</p> <p>Length [mm] 205</p> <p>Paired article number 016 020 0039/HD MTE0022HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 414 460 00 05</p>		<p>Mercedes-Benz A 414 460 00 05</p>	
<p>Application info</p> <p>Mercedes-Benz BM 414 (Vaneo) (02/02-07/05)</p>			
Tie rod end		016 020 0041	MTE0024
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 77</p> <p>Required quantity 2</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 901 460 02 48</p>		<p>Mercedes-Benz A 901 460 02 48</p>	
<p>Application info</p> <p>Mercedes-Benz BM 903 (Sprinter I) (01/95-05/12)</p> <p>Mercedes-Benz BM 904 (Sprinter I) (02/95-05/12)</p>			

Tie rod end		016 020 0042/HD	MTE0834HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left Front Axle Right</p> <p>Length [mm] 175 Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M16x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 222 330 70 00</p>		<p>Mercedes-Benz A 222 330 70 00</p>	
<p>Application info</p> <p>Mercedes-Benz BM 217 (S-Class) (12/15--)</p>		<p>Mercedes-Benz BM 222 (S-Class) (05/13--)</p>	
Tie rod end		016 020 0047	MTE0729
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 227 Paired article number 016 020 0048 MTE0730 Required quantity 1 Thread Size 1 M14x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 221 330 19 03 Mercedes-Benz A 221 330 19 03</p>		<p>Mercedes-Benz 221 330 33 03 Mercedes-Benz A 221 330 33 03</p>	
<p>Application info</p> <p>Mercedes-Benz BM 216 (S-Class) (05/06-12/13)</p>		<p>Mercedes-Benz BM 221 (S-Class) (09/05-12/13)</p>	

Tie rod end		016 020 0048	MTE0730
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 227</p> <p>Paired article number 016 020 0047 MTE0729</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 221 330 20 03 Mercedes-Benz 221 330 34 03</p> <p>Mercedes-Benz A 221 330 20 03 Mercedes-Benz A 221 330 34 03</p>			
<p>Application info</p> <p>Mercedes-Benz BM 216 (S-Class) (05/06-12/13) Mercedes-Benz BM 221 (S-Class) (09/05-12/13)</p>			
Tie rod end		016 020 0049/HD	MTE0652HD
<p>Notes</p> <p>Carbon Neutral</p> <p>Front Axle Left</p> <p>Front Axle Right</p> <p>Length [mm] 180</p> <p>Required quantity 2</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 166 330 04 03 Mercedes-Benz A 166 330 04 03</p>			
<p>Application info</p> <p>Mercedes-Benz BM 166 (GL) (07/12-12/15) Mercedes-Benz BM 166 (GLE) (03/15-10/19)</p> <p>Mercedes-Benz BM 166 (GLS) (11/15-04/19) Mercedes-Benz BM 166 (M-Class) (06/11-12/15)</p>			

Tie rod end

016 020 0049

MTE0652

Notes

Front Axle Left
Front Axle Right

Length [mm] 180
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

Mercedes-Benz 166 330 04 03

Mercedes-Benz A 166 330 04 03

Application info

Mercedes-Benz BM 166 (GL) (07/12-12/15)
Mercedes-Benz BM 166 (GLS) (11/15-04/19)

Mercedes-Benz BM 166 (GLE) (03/15-10/19)
Mercedes-Benz BM 166 (M-Class) (06/11-12/15)

Tie rod end

016 020 0050/HD

MTE0771HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 194
Paired article number 016 020 0051/HD | MTE0772HD
Required quantity 1
Thread Size 1 M14X1,5
Thread Size 2 M14X1,5
reinforced version
replacement in pairs recommended



References

Mercedes-Benz 205 460 07 05

Mercedes-Benz A 205 460 07 05

Mercedes-Benz (BBDC) 205 460 07 05

Mercedes-Benz (BBDC) A 205 460 07 05

Application info

Mercedes-Benz BM 205 (C-Class) (12/13--)
Mercedes-Benz BM 238 (E-Class) (06/17--)

Mercedes-Benz BM 213 (E-Class) (01/16--)
Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Tie rod end

016 020 0051/HD

MTE0772HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 194
 Paired article number 016 020 0050/HD | MTE0771HD
 Required quantity 1
 Thread Size 1 M14X1,5
 Thread Size 2 M14X1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 205 460 06 05

Mercedes-Benz A 205 460 06 05

Mercedes-Benz (BBDC) 205 460 06 05

Mercedes-Benz (BBDC) A 205 460 06 05

Application info

Mercedes-Benz BM 205 (C-Class) (12/13--)

Mercedes-Benz BM 213 (E-Class) (01/16--)

Mercedes-Benz BM 238 (E-Class) (06/17--)

Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Tie rod end

016 020 0052/HD

MTE0712HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 224
 Paired article number 016 020 0053/HD | MTE0713HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 222 330 02 03

Mercedes-Benz A 222 330 02 03

Application info

Mercedes-Benz BM 222 (S-Class) (05/13--)

Tie rod end

016 020 0053/HD

MTE0713HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 224
 Paired article number 016 020 0052/HD | MTE0712HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 222 330 01 03

Mercedes-Benz A 222 330 01 03

Application info

Mercedes-Benz BM 222 (S-Class) (05/13--)

Tie rod end

016 020 0054

MTE0714

Notes

Front Axle Right
 Length [mm] 205.5
 Paired article number 016 020 0055 | MTE0715
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mercedes-Benz 212 330 27 03

Mercedes-Benz 212 460 02 05

Mercedes-Benz A 212 330 27 03

Mercedes-Benz A 212 460 02 05

Mercedes-Benz (BBDC) 212 460 02 05

Mercedes-Benz (BBDC) A 212 460 02 05

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Mercedes-Benz BM 218 (CLS) (01/11-12/17)

Tie rod end		016 020 0055	MTE0715
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 205.5</p> <p>Paired article number 016 020 0054 MTE0714</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 212 330 24 03 Mercedes-Benz 212 460 01 05</p> <p>Mercedes-Benz A 212 330 24 03 Mercedes-Benz A 212 460 01 05</p> <p>Mercedes-Benz (BBDC) 212 460 01 05 Mercedes-Benz (BBDC) A 212 460 01 05</p>			
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16) Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>			
Tie rod end		016 020 0056	MTE0731
<p>Notes</p> <p>Front Axle Right for vehicles with hydraulic power steering</p> <p>Length [mm] 210</p> <p>Paired article number 016 020 0057 MTE0732</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 212 330 14 03 Mercedes-Benz A 212 330 14 03</p>			
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16)</p>			

Tie rod end		016 020 0057	MTE0732
<p>Notes</p> <p>Front Axle Left for vehicles with hydraulic power steering</p> <p>Length [mm] 212</p> <p>Paired article number 016 020 0056 MTE0731</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL PRODUCT</p>	
<p>References</p> <p>Mercedes-Benz 212 330 13 03</p>		<p>Mercedes-Benz A 212 330 13 03</p>	
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16)</p>			
Tie rod end		016 020 0058/HD	MTE0782HD
<p>Notes</p> <p>Carbon Neutral</p> <p>Front Axle Right outer</p> <p>Length [mm] 194</p> <p>Paired article number 016 020 0059/HD MTE0783HD</p> <p>Required quantity 1</p> <p>Thread Size 1 14x1,5</p> <p>Thread Size 2 16x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 <p>MEYLE HD PRODUCT</p>	
<p>References</p> <p>Mercedes-Benz 447 460 01 48</p>		<p>Mercedes-Benz A 447 460 01 48</p>	
<p>Application info</p> <p>Mercedes-Benz BM 447 (V-Class) (03/14--)</p> <p>Mercedes-Benz BM 447 (Vito) (10/14--)</p>			

Tie rod end		016 020 0059/HD	MTE0783HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left outer</p> <p>Length [mm] 194</p> <p>Paired article number 016 020 0058/HD MTE0782HD</p> <p>Required quantity 1</p> <p>Thread Size 1 14x1,5</p> <p>Thread Size 2 16x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 447 460 00 48</p>		<p>Mercedes-Benz A 447 460 00 48</p>	
<p>Application info</p> <p>Mercedes-Benz BM 447 (V-Class) (03/14--)</p>		<p>Mercedes-Benz BM 447 (Vito) (10/14--)</p>	
Tie rod end		016 020 0060	MTE0803
<p>Notes</p> <p>Front Axle Right outer</p> <p>Length [mm] 189</p> <p>Paired article number 016 020 0061 MTE0804</p> <p>Required quantity 1</p> <p>Thread Size 1 14x1,5</p> <p>Thread Size 2 14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 205 460 01 05</p> <p>Mercedes-Benz A 205 460 01 05</p>		<p>Mercedes-Benz 205 460 46 02</p> <p>Mercedes-Benz A 205 460 46 02</p>	
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--)</p> <p>Mercedes-Benz BM 238 (E-Class) (06/17--)</p> <p>Mercedes-Benz BM 257 (CLS-Class) (12/17--)</p>		<p>Mercedes-Benz BM 213 (E-Class) (01/16--)</p> <p>Mercedes-Benz BM 253 (GLC) (06/15--)</p> <p>Mercedes-Benz BM 293 (EQC) (05/19--)</p>	

Tie rod end		016 020 0061	MTE0804
<p>Notes</p> <p>Front Axle Left outer</p> <p>Length [mm] 189</p> <p>Paired article number 016 020 0060 MTE0803</p> <p>Required quantity 1</p> <p>Thread Size 1 14x1,5</p> <p>Thread Size 2 14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 205 460 00 05 Mercedes-Benz 205 460 47 02</p> <p>Mercedes-Benz A 205 460 00 05 Mercedes-Benz A 205 460 47 02</p>			
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--)</p> <p>Mercedes-Benz BM 238 (E-Class) (06/17--)</p> <p>Mercedes-Benz BM 257 (CLS-Class) (12/17--)</p> <p>Mercedes-Benz BM 213 (E-Class) (01/16--)</p> <p>Mercedes-Benz BM 253 (GLC) (06/15--)</p> <p>Mercedes-Benz BM 293 (EQC) (05/19--)</p>			
Tie rod end		016 020 0062/HD	MTE0795HD
<p>Notes</p> <p>Carbon Neutral</p> <p>Front Axle Right outer</p> <p>Length [mm] 222</p> <p>Paired article number 016 020 0063/HD MTE0796HD</p> <p>Required quantity 1</p> <p>Thread Size 1 12x1,5</p> <p>Thread Size 2 16x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 447 460 03 48 Mercedes-Benz A 447 460 03 48</p>			
<p>Application info</p> <p>Mercedes-Benz BM 447 (V-Class) (03/14--)</p> <p>Mercedes-Benz BM 447 (Vito) (10/14--)</p>			

Tie rod end

016 020 0063/HD

MTE0796HD

Notes

Carbon Neutral
Front Axle Left
outer

Length [mm] 222
Paired article number 016 020 0062/HD | MTE0795HD
Required quantity 1
Thread Size 1 12x1,5
Thread Size 2 16x1,5
reinforced version
replacement in pairs recommended



References

Mercedes-Benz 447 460 02 48

Mercedes-Benz A 447 460 02 48

Application info

Mercedes-Benz BM 447 (V-Class) (03/14--)

Mercedes-Benz BM 447 (Vito) (10/14--)

Tie rod end

016 020 0064/HD

MTE0937HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 222
Paired article number 016 020 0065/HD | MTE0938HD
Required quantity 1
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

Mercedes-Benz 177 330 84 00

Mercedes-Benz A 177 330 84 00

Application info

Mercedes-Benz BM 118 (CLA) (03/19--)

Mercedes-Benz BM 177 (A-Class) (03/18--)

Mercedes-Benz BM 247 (GLA-Class) (02/20--)

Tie rod end		016 020 0065/HD	MTE0938HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left</p> <p>Length [mm] 222</p> <p>Paired article number 016 020 0064/HD MTE0937HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 177 330 85 00 Mercedes-Benz A 177 330 85 00</p>			
<p>Application info</p> <p>Mercedes-Benz BM 118 (CLA) (03/19--)</p> <p>Mercedes-Benz BM 247 (GLA-Class) (02/20--)</p> <p>Mercedes-Benz BM 177 (A-Class) (03/18--)</p>			
Tie rod end		016 020 0066/HD	MTE0947HD
<p>Notes</p> <p>Carbon Neutral Front Axle Right outer</p> <p>Length [mm] 209.6</p> <p>Paired article number 016 020 0067/HD MTE0948HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 910 460 60 00 Mercedes-Benz A 910 460 60 00</p>			
<p>Application info</p> <p>Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)</p>			

Tie rod end

016 020 0067/HD

MTE0948HD

Notes

Carbon Neutral
 Front Axle Left
 outer
 Length [mm] 209.6
 Paired article number 016 020 0066/HD | MTE0947HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 910 460 61 00

Mercedes-Benz A 910 460 61 00

Application info

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Tie rod end

016 020 0068/HD

MTE0949HD

Notes

Carbon Neutral
 Front Axle Right
 outer
 Length [mm] 173.7
 Paired article number 016 020 0069/HD | MTE0950HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 907 460 64 00

Mercedes-Benz A 907 460 64 00

Application info

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Tie rod end		016 020 0069/HD	MTE0950HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left outer</p> <p>Length [mm] 173.7</p> <p>Paired article number 016 020 0068/HD MTE0949HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 907 460 62 00</p>		<p>Mercedes-Benz A 907 460 62 00</p>	
<p>Application info</p> <p>Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)</p>			
Tie rod end		016 020 0070	MTE0969
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 168</p> <p>Required quantity 2</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 167 330 71 00</p>		<p>Mercedes-Benz A 167 330 71 00</p>	
<p>Application info</p> <p>Mercedes-Benz BM 167 (GLE) (10/18--)</p> <p>Mercedes-Benz BM 167 (GLS) (04/19--)</p>			

Tie rod end **016 020 0071/HD** **MTE0987HD**

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 222
 Paired article number 016 020 0072/HD | MTE0988HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mercedes-Benz 247 330 85 01 Mercedes-Benz A 247 330 85 01

Application info


Mercedes-Benz BM 243 (EQA) (02/21--)
 Mercedes-Benz BM 247 (B-Class) (12/18--)

Mercedes-Benz BM 243 (EQB) (12/21--)
 Mercedes-Benz BM 247 (GLA-Class) (02/20--)

Tie rod end **016 020 0072/HD** **MTE0988HD**

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 222
 Paired article number 016 020 0071/HD | MTE0987HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 247 330 82 01 Mercedes-Benz A 247 330 82 01

Application info

Mercedes-Benz BM 243 (EQA) (02/21--)
 Mercedes-Benz BM 247 (B-Class) (12/18--)

Mercedes-Benz BM 243 (EQB) (12/21--)
 Mercedes-Benz BM 247 (GLA-Class) (02/20--)

Tie rod end

016 020 0073/HD

MTE0991HD

Notes

Carbon Neutral
Front Axle Left
outer

Length [mm] 222
Paired article number 016 020 0074/HD | MTE0992HD
Required quantity 1
Thread Size 1 M14x1,5
Thread Size 2 M14X1,5
replacement in pairs recommended



References

Mercedes-Benz 247 330 87 01
Mercedes-Benz A 247 330 86 01

Mercedes-Benz 247 330 87 01 64
Mercedes-Benz A 247 330 87 01

Application info

Mercedes-Benz BM 247 (GLB-Class) (08/19--)

Tie rod end

016 020 0074/HD

MTE0992HD

Notes

Carbon Neutral
Front Axle Right
outer

Length [mm] 222
Paired article number 016 020 0073/HD | MTE0991HD
Required quantity 1
Thread Size 1 M14X1,5
Thread Size 2 M14X1,5
replacement in pairs recommended



References

Mercedes-Benz 247 330 86 01
Mercedes-Benz A 247 330 86 01

Mercedes-Benz 247 330 86 01 64
Mercedes-Benz A 247 330 86 01 64

Application info

Mercedes-Benz BM 247 (GLB-Class) (08/19--)

Tie rod end		016 020 0076/HD	MTE0984HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left Front Axle Right</p> <p>Length [mm] 175 Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M16x1,5 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 223 460 14 01</p>		<p>Mercedes-Benz A 223 460 14 01</p>	
<p>Application info</p> <p>Mercedes-Benz BM 223 (S-Class) (09/20--)</p>			
Tie rod end		016 020 0077/HD	MTE0985HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left outer</p> <p>Length [mm] 159 Paired article number 016 020 0078/HD MTE0986HD Required quantity 1 Thread Size 1 M14x1,5 Thread Size 2 M16x1,5 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 206 460 71 00 Mercedes-Benz (BBDC) 206 460 71 00</p>		<p>Mercedes-Benz A 206 460 71 00 Mercedes-Benz (BBDC) A 206 460 71 00</p>	
<p>Application info</p> <p>Mercedes-Benz BM 206 (C-Class) (03/21--)</p>			

Tie rod end		016 020 0078/HD	MTE0986HD
<p>Notes</p> <p>Carbon Neutral Front Axle Right outer</p> <p>Length [mm] 159</p> <p>Paired article number 016 020 0077/HD MTE0985HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 206 460 72 00 Mercedes-Benz A 206 460 72 00</p> <p>Mercedes-Benz (BBDC) 206 460 72 00 Mercedes-Benz (BBDC) A 206 460 72 00</p>			
<p>Application info</p> <p>Mercedes-Benz BM 206 (C-Class) (03/21--)</p>			
Tie rod end		016 020 6330	MTE0037
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 72</p> <p>Required quantity 2</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 000 330 74 35 Mercedes-Benz 001 330 74 35</p> <p>Mercedes-Benz 001 330 77 35 Mercedes-Benz A 000 330 74 35</p> <p>Mercedes-Benz A 001 330 74 35 Mercedes-Benz A 001 330 77 35</p>			
<p>Application info</p> <p>Mercedes-Benz BM 170 (SLK) (04/96-04/04) Mercedes-Benz BM 202 (C-Class) (03/93-03/01)</p> <p>Mercedes-Benz BM 208 (CLK) (06/97-12/03)</p>			

Tie rod end

016 020 6339

MTE0038

Notes

Front Axle Left

Length [mm] 150
 Paired article number 016 020 6340 | MTE0039
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mercedes-Benz 210 338 05 15

Mercedes-Benz A 210 338 05 15

Application info

Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Tie rod end


016 020 6340

MTE0039

Notes

Front Axle Right

Length [mm] 150
 Paired article number 016 020 6339 | MTE0038
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mercedes-Benz 210 338 06 15

Mercedes-Benz A 210 338 06 15

Application info

Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Tie rod end

016 030 0000

MTE0040

Notes

Front Axle Left
 Length [mm] 172
 Paired article number 016 030 0002 | MTE0041
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

- | | |
|--------------------------------------|--------------------------------------|
| Mercedes-Benz 203 330 19 03 | Mercedes-Benz 203 330 23 03 |
| Mercedes-Benz 203 330 39 03 | Mercedes-Benz 204 330 09 03 |
| Mercedes-Benz A 203 330 19 03 | Mercedes-Benz A 203 330 23 03 |
| Mercedes-Benz A 203 330 39 03 | Mercedes-Benz A 204 330 09 03 |
| Mercedes-Benz (BBDC) 203 330 19 03 | Mercedes-Benz (BBDC) 203 330 23 03 |
| Mercedes-Benz (BBDC) 203 330 39 03 | Mercedes-Benz (BBDC) 204 330 09 03 |
| Mercedes-Benz (BBDC) A 203 330 19 03 | Mercedes-Benz (BBDC) A 203 330 23 03 |
| Mercedes-Benz (BBDC) A 203 330 39 03 | Mercedes-Benz (BBDC) A 204 330 09 03 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 171 (SLK) (03/04-12/11) | Mercedes-Benz BM 172 (SLC) (01/16--) |
| Mercedes-Benz BM 172 (SLK) (01/11--) | Mercedes-Benz BM 203 (C-Class) (05/00-06/11) |
| Mercedes-Benz BM 204 (C-Class) (01/07--) | Mercedes-Benz BM 207 (E-Class) (01/09-12/16) |
| Mercedes-Benz BM 209 (CLK) (05/02-03/10) | |

Tie rod end

016 030 0002

MTE0041

Notes

Front Axle Right
 Length [mm] 172
 Paired article number 016 030 0000 | MTE0040
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

- | | |
|--------------------------------------|--------------------------------------|
| Mercedes-Benz 203 330 20 03 | Mercedes-Benz 203 330 24 03 |
| Mercedes-Benz 203 330 40 03 | Mercedes-Benz 204 330 10 03 |
| Mercedes-Benz A 203 330 20 03 | Mercedes-Benz A 203 330 24 03 |
| Mercedes-Benz A 203 330 40 03 | Mercedes-Benz A 204 330 10 03 |
| Mercedes-Benz (BBDC) 203 330 20 03 | Mercedes-Benz (BBDC) 203 330 24 03 |
| Mercedes-Benz (BBDC) 203 330 40 03 | Mercedes-Benz (BBDC) 204 330 10 03 |
| Mercedes-Benz (BBDC) A 203 330 20 03 | Mercedes-Benz (BBDC) A 203 330 24 03 |
| Mercedes-Benz (BBDC) A 203 330 40 03 | Mercedes-Benz (BBDC) A 204 330 10 03 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 171 (SLK) (03/04-12/11) | Mercedes-Benz BM 172 (SLC) (01/16--) |
| Mercedes-Benz BM 172 (SLK) (01/11--) | Mercedes-Benz BM 203 (C-Class) (05/00-06/11) |
| Mercedes-Benz BM 204 (C-Class) (01/07--) | Mercedes-Benz BM 207 (E-Class) (01/09-12/16) |
| Mercedes-Benz BM 209 (CLK) (05/02-03/10) | |

Tie rod end

016 030 0006

MTE0042

Notes

- | | |
|----------------------------------|------------------------|
| | Front Axle Left |
| Length [mm] | 184 |
| Paired article number | 016 030 0007 MTE0043 |
| Required quantity | 1 |
| Thread Size 1 | M14x1,5 |
| Thread Size 2 | M14x1,5 |
| replacement in pairs recommended | |



References

- | | |
|------------------------------------|--------------------------------------|
| Mercedes-Benz 211 330 01 03 | Mercedes-Benz 211 330 23 03 |
| Mercedes-Benz 211 330 25 03 | Mercedes-Benz 211 330 27 03 |
| Mercedes-Benz A 211 330 01 03 | Mercedes-Benz A 211 330 23 03 |
| Mercedes-Benz A 211 330 25 03 | Mercedes-Benz A 211 330 27 03 |
| Mercedes-Benz (BBDC) 211 330 27 03 | Mercedes-Benz (BBDC) A 211 330 27 03 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 211 (E-Class) (03/02-07/09) | Mercedes-Benz BM 219 (CLS) (10/04-02/11) |
|--|--|

Tie rod end

016 030 0007

MTE0043

Notes

Front Axle Right
 Length [mm] 184
 Paired article number 016 030 0006 | MTE0042
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

- | | |
|------------------------------------|--------------------------------------|
| Mercedes-Benz 211 330 02 03 | Mercedes-Benz 211 330 24 03 |
| Mercedes-Benz 211 330 26 03 | Mercedes-Benz 211 330 28 03 |
| Mercedes-Benz A 211 330 02 03 | Mercedes-Benz A 211 330 24 03 |
| Mercedes-Benz A 211 330 26 03 | Mercedes-Benz A 211 330 28 03 |
| Mercedes-Benz (BBDC) 211 330 28 03 | Mercedes-Benz (BBDC) A 211 330 28 03 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 211 (E-Class) (03/02-07/09) | Mercedes-Benz BM 219 (CLS) (10/04-02/11) |
|--|--|

Tie rod end

036 020 0009

MTE0052

Notes

Front Axle Left
 Length [mm] 97
 Paired article number 036 020 0010 | MTE0053
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M20x1,5
 replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| EVOBUS 601 330 04 35 | Mercedes-Benz 601 330 04 35 |
| Mercedes-Benz 601 330 06 35 | Mercedes-Benz 601 330 53 35 |
| Mercedes-Benz A 601 330 04 35 | Mercedes-Benz A 601 330 06 35 |
| Mercedes-Benz A 601 330 53 35 | |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 460 (G-Class) (03/79-08/93) | Mercedes-Benz BM 461 (G-Class) (09/89--) |
| Mercedes-Benz BM 463 (G-Class) (09/89--) | Mercedes-Benz BM 601 / 602 (01/77-02/96) |
| Mercedes-Benz T2 (Vario) (08/96--) | |

Tie rod end

036 020 0010

MTE0053

Notes

Front Axle Right
with left-hand thread

Length [mm]

97

Paired article number

036 020 0009 | MTE0052

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M20x1,5

replacement in pairs recommended



References

EVOBUS 601 330 05 35

Mercedes-Benz 601 330 05 35

Mercedes-Benz 601 330 07 35

Mercedes-Benz 601 330 52 35

Mercedes-Benz A 601 330 05 35

Mercedes-Benz A 601 330 07 35

Mercedes-Benz A 601 330 52 35

Application info

Mercedes-Benz BM 460 (G-Class) (03/79-08/93)

Mercedes-Benz BM 461 (G-Class) (09/89--)

Mercedes-Benz BM 463 (G-Class) (09/89--)

Mercedes-Benz BM 601 / 602 (01/77-02/96)

Mercedes-Benz T2 (Vario) (08/96--)

Tie rod end

036 020 0011

MTE0054

Notes

Front Axle Right
with left-hand thread

Length [mm]

117

Paired article number

036 020 0012 | MTE0055

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M24x1,5

replacement in pairs recommended



References

EVOBUS 602 330 57 35

Mercedes-Benz 602 330 01 35

Mercedes-Benz 602 330 54 35

Mercedes-Benz 602 330 57 35

Mercedes-Benz 608 330 55 35

Mercedes-Benz 608 330 57 35

Mercedes-Benz A 602 330 01 35

Mercedes-Benz A 602 330 54 35

Mercedes-Benz A 602 330 57 35

Mercedes-Benz A 608 330 55 35

Mercedes-Benz A 608 330 57 35

Application info

Mercedes-Benz BM 601 / 602 (01/77-02/96)

Tie rod end**036 020 0012****MTE0055****Notes**

Front Axle Left

Length [mm]

117

Paired article number

036 020 0011 | MTE0054

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M24x1,5

replacement in pairs recommended

**References**

Mercedes-Benz 602 330 00 35

Mercedes-Benz 602 330 58 35

Mercedes-Benz A 602 330 55 35

Mercedes-Benz 602 330 55 35

Mercedes-Benz A 602 330 00 35

Mercedes-Benz A 602 330 58 35

Application info

Mercedes-Benz BM 601 / 602 (01/77-02/96)

Tie rod end**036 020 0015****MTE0058****Notes**

Castellated Nut and Split Pin

Front Axle

with left-hand thread

Cone Size [mm]

20

Length [mm]

104

Paired article number

036 020 0016 | MTE0059

Required quantity

1

Thread Size 1

M24x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| Iveco 042480023 | Iveco 042532543 |
| Iveco 4248 0023 | Iveco 4253 2543 |
| Iveco 819 3649 | MAN 81.85301.0076 |
| MAN 81.95301.0078 | MAN 81.95301.6141 |
| MAN 81.95301.6304 | Mercedes-Benz 000 330 02 35 |
| Mercedes-Benz 000 330 07 35 | Mercedes-Benz 000 330 68 35 |
| Mercedes-Benz 000 330 86 35 | Mercedes-Benz 000 330 88 35 |
| Mercedes-Benz 000 460 73 48 | Mercedes-Benz 002 460 19 48 |
| Mercedes-Benz A 000 330 02 35 | Mercedes-Benz A 000 330 07 35 |
| Mercedes-Benz A 000 330 68 35 | Mercedes-Benz A 000 330 86 35 |
| Mercedes-Benz A 000 330 88 35 | Mercedes-Benz A 000 460 73 48 |
| Mercedes-Benz A 002 460 19 48 | R.V.I. 50 00 807 553 |
| R.V.I. 50 00 814 096 | R.V.I. 50 01 844 135 |
| R.V.I. 50 01 858 756 | R.V.I. 50 01 860 769 |
| Volvo 1517448 | |

Application info

- | | |
|--|------------------------------------|
| Iveco MK (01/83-12/91) | MAN G (10/79-08/88) |
| MAN G 90 (09/87-05/95) | MAN L 2000 (06/93--) |
| MAN TGA (03/00--) | Mercedes-Benz ATEGO (01/98-10/04) |
| Mercedes-Benz BM 463 (G-Class) (09/89--) | Mercedes-Benz LK/LN2 (01/84-12/11) |
| Mercedes-Benz NG (08/73-03/98) | R.V.I. Messenger (09/90-06/99) |
| Volvo F 4 (09/75-02/86) | |

Tie rod end

036 020 0016

MTE0059

Notes

Castellated Nut and Split Pin

Front Axle
with right-hand thread

- | | |
|----------------------------------|------------------------|
| Cone Size [mm] | 20 |
| Length [mm] | 104 |
| Paired article number | 036 020 0015 MTE0058 |
| Required quantity | 1 |
| Thread Size 1 | M24x1,5 |
| Thread Size 2 | M16x1,5 |
| replacement in pairs recommended | |



References

Iveco 0 4248 0024	Iveco 0 4249 1937
Iveco 4248 0024	Iveco 4249 1937
MAN 81.95301.0077	MAN 81.95301.0388
MAN 81.95301.6134	MAN 81.95301.6142
MAN 81.95301.6303	MAN 81.95301.6321
Mercedes-Benz 000 330 03 35	Mercedes-Benz 000 330 06 35
Mercedes-Benz 000 330 24 10	Mercedes-Benz 000 330 67 35
Mercedes-Benz 000 330 85 35	Mercedes-Benz 000 330 87 35
Mercedes-Benz 000 338 24 10	Mercedes-Benz 000 460 72 48
Mercedes-Benz 000 463 32 29	Mercedes-Benz 002 460 16 48
Mercedes-Benz A 000 330 03 35	Mercedes-Benz A 000 330 06 35
Mercedes-Benz A 000 330 24 10	Mercedes-Benz A 000 330 67 35
Mercedes-Benz A 000 330 85 35	Mercedes-Benz A 000 330 87 35
Mercedes-Benz A 000 338 24 10	Mercedes-Benz A 000 460 72 48
Mercedes-Benz A 000 463 32 29	Mercedes-Benz A 002 460 16 48
R.V.I. 50 00 514 097	R.V.I. 50 00 807 554
R.V.I. 50 00 814 097	R.V.I. 50 01 844 136
R.V.I. 50 01 858 757	R.V.I. 50 01 860 770
Volvo 1190778	Volvo 1517449
Volvo 1518142	

Application info

Iveco MK (01/83-12/91)	MAN G (10/79-08/88)
MAN G 90 (09/87-05/95)	MAN L 2000 (06/93--)
MAN TGA (03/00--)	Mercedes-Benz ATEGO (01/98-10/04)
Mercedes-Benz BM 463 (G-Class) (09/89--)	Mercedes-Benz LK/LN2 (01/84-12/11)
Mercedes-Benz NG (08/73-03/98)	R.V.I. Messenger (09/90-06/99)
R.V.I. Midliner (10/82-01/00)	Volvo B 12 (01/91--)
Volvo F 10 (01/76-12/95)	Volvo F 12 (01/76-12/95)
Volvo F 4 (09/75-02/86)	

Tie rod end

036 020 0018

MTE0060

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	76
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	



References

Mercedes-Benz 901 460 00 48
 Mercedes-Benz 901 460 02 05
 Mercedes-Benz A 901 460 01 48
 Volkswagen 2D0 422 803

Mercedes-Benz 901 460 01 48
 Mercedes-Benz A 901 460 00 48
 Mercedes-Benz A 901 460 02 05

Application info

Mercedes-Benz BM 901 / 902 (Sprinter I) (01/95-05/06)
 Mercedes-Benz BM 904 (Sprinter I) (02/95-05/12)
 Mercedes-Benz BM 909 (Sprinter) (09/13--)

Mercedes-Benz BM 903 (Sprinter I) (01/95-05/12)
 Mercedes-Benz BM 905 (Sprinter I) (04/01--)
 Volkswagen LT II (04/96-07/06)

Tie rod end

036 020 0023

MTE0063

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 70
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5

replacement in pairs recommended



References

Mercedes-Benz 638 460 00 48
 Mercedes-Benz A 638 460 00 48

Mercedes-Benz 638 460 02 05
 Mercedes-Benz A 638 460 02 05

Application info

Mercedes-Benz BM 638 (V-Class / Vito) (02/96-07/03)

Tie rod end

11-16 020 0003

MTE0074

Notes

Front Axle Right
 Length [mm] 119
 Paired article number 11-16 020 0004 | MTE0075
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M16x1,5

replacement in pairs recommended



References

Peugeot 3817.39

Application info

Peugeot 406 (08/95-02/05)

Tie rod end

11-16 020 0004

MTE0075

Notes

Front Axle Left

Length [mm]

120

Paired article number

11-16 020 0003 | MTE0074

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M16x1,5

replacement in pairs recommended



References

Peugeot 3817.40

Application info

Peugeot 406 (08/95-02/05)

Tie rod end

11-16 020 0008

MTE0078

Notes

Front Axle Right

Length [mm]

175

Paired article number

40-16 020 0002 | MTE0437

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Citroën 3817.56

Peugeot 3817.56

Application info

Citroën C2 / C3 I / Pluriel (02/02--)

Peugeot 1007 (04/05--)

Tie rod end

11-16 020 0009

MTE0079

Notes

Front Axle Left

Length [mm]	210
Paired article number	11-16 020 0010 MTE0080
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M16x1,5
replacement in pairs recommended	



References

Citroën 16 086 522 80	Citroën 16 109 351 80
Citroën 16 289 504 80	Citroën 3817.67
DS 16 289 504 80	Peugeot 16 086 522 80
Peugeot 16 28 950 480	Peugeot 3817.67

Application info

Citroën C Elyse (11/12--)	Citroën C3 Picasso (02/09--)
Citroën C4 Cactus (09/14--)	Citroën DS3 (11/09-12/16)
DS DS 3 (04/15-07/19)	Peugeot 2008 I (03/13--)
Peugeot 207 (02/06--)	Peugeot 208 I (03/12--)
Peugeot 301 (11/12--)	

Tie rod end

11-16 020 0010

MTE0080

Notes

Front Axle Right

Length [mm]	210
Paired article number	11-16 020 0009 MTE0079
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M16x1,5
replacement in pairs recommended	



References

Citroën 16 086 523 80	Citroën 16 109 352 80
Citroën 16 289 503 80	Citroën 3817.68
DS 16 086 523 80	DS 16 289 503 80
Peugeot 16 086 523 80	Peugeot 16 28 950 380
Peugeot 3817.68	

Application info

Citroën C Elyse (11/12--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 207 (02/06--)
 Peugeot 301 (11/12--)

Citroën C3 Picasso (02/09--)
 Citroën DS3 (11/09-12/16)
 Peugeot 208 I (03/13--)
 Peugeot 208 I (03/12--)

Tie rod end

11-16 020 0011

MTE0081

Notes

Front Axle Left
 for vehicles with power steering

Length [mm] 230
 Paired article number 11-16 020 0012 | MTE0082
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M16x1,5
 replacement in pairs recommended

**References**

Citroën 3817.53

Citroën 3817.59

Application info

Citroën C5 I / C5 II (03/01--)

Tie rod end

11-16 020 0012

MTE0082

Notes

Front Axle Right
 for vehicles with power steering

Length [mm] 230
 Paired article number 11-16 020 0011 | MTE0081
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M16x1,5
 replacement in pairs recommended

**References**

Citroën 3817.54

Citroën 3817.60

Application info

Citroën C5 I / C5 II (03/01--)

Tie rod end		11-16 020 0013	MTE0083
Notes Length [mm] 241 Paired article number 11-16 020 0014 MTE0084 Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended			
References Citroën 3817.66 Peugeot 3817.66			
Application info Citroën C6 (09/05-12/12) Peugeot 407 (02/04--)			
Tie rod end		11-16 020 0014	MTE0084
Notes Length [mm] 241 Paired article number 11-16 020 0013 MTE0083 Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended			
References Citroën 3817.65 Peugeot 3817.65			
Application info Citroën C6 (09/05-12/12) Peugeot 407 (02/04--)			

Tie rod end

11-16 020 0015/HD

MTE0085HD

Notes

Carbon Neutral
Front Axle Left

Length [mm] 209
 Paired article number 11-16 020 0016/HD | MTE0086HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Citroën 16 109 764 80	Citroën 3817.69
Citroën 3817.77	Fiat 1376346080
Fiat 77364253	Opel 16 109 754 80
Peugeot 16 10 976 480	Peugeot 3817.69
Peugeot 3817.77	

Application info

Citroën Jumper III (04/06--)	Fiat Ducato (250) (07/06--)
Opel Movano C (12/21--)	Peugeot Boxer III (09/05--)
Vauxhall Movano Mk III (12/21--)	

Tie rod end

11-16 020 0016/HD

MTE0086HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 209
 Paired article number 11-16 020 0015/HD | MTE0085HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Citroën 16 109 763 80	Citroën 3817.70
Fiat 1376345080	Fiat 77364009
Opel 16 109 763 80	Peugeot 16 109 763 80
Peugeot 3817.70	

Application info

Citroën Jumper III (04/06--)
 Opel Movano C (12/21--)
 Vauxhall Movano Mk III (12/21--)

Fiat Ducato (250) (07/06--)
 Peugeot Boxer III (09/05--)

Tie rod end

11-16 020 0017

MTE0087

Notes

Front Axle Left

Length [mm] 162
 Paired article number 11-16 020 0018 | MTE0088
 Required quantity 1
 Thread Size 1 M12x1,25
 Thread Size 2 M12x1,25
 replacement in pairs recommended



References

Citroën 3817.63
 Toyota 45047-09125

Peugeot 3817.63

Application info

Citroën C1 (06/05-09/14)
 Peugeot 107 (06/05-05/14)
 Toyota Aygo I (02/05-05/14)

Citroën C1 II (04/14--)
 Peugeot 108 (05/14--)
 Toyota Aygo II (05/14--)

Tie rod end

11-16 020 0018

MTE0088

Notes

Front Axle Right

Length [mm] 162
 Paired article number 11-16 020 0017 | MTE0087
 Required quantity 1
 Thread Size 1 M12x1,25
 Thread Size 2 M12x1,25
 replacement in pairs recommended



References

Citroën 3817.64
 Toyota 45046-09295

Peugeot 3817.64

Application info

Citroën C1 (06/05-09/14)
 Peugeot 107 (06/05-05/14)
 Toyota Aygo I (02/05-05/14)

Citroën C1 II (04/14--)
 Peugeot 108 (05/14--)
 Toyota Aygo II (05/14--)

Tie rod end**11-16 020 0019****MTE0089****Notes**

Front Axle Left
 Front Axle Right

Length [mm] 77
 Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

Citroën 16 109 418 80
 Citroën 3817.A5
 Fiat 9403817738
 Peugeot 16 10 941 880
 Peugeot 3817.A5

Citroën 3817.73
 DS 3817 A5
 Lancia 9403817738
 Peugeot 3817.73
 Toyota SU001A1015

Application info

Citroën C4 II / DS4 (02/09--)
 Citroën DS5 (09/11-07/15)
 DS DS 4 I (07/15-12/18)
 Fiat Scudo II (270) (01/07--)
 Lancia Phedra (09/02-11/10)
 Peugeot 807 (06/02--)
 Peugeot RCZ (03/10-12/15)

Citroën C8 (06/02--)
 Citroën Jumpy II (01/07--)
 DS DS 5 (04/15-12/18)
 Fiat Ulysse II (179) (08/02-06/11)
 Peugeot 308 I (09/07--)
 Peugeot Expert II (01/07--)
 Toyota Proace I (06/13-03/16)

Tie rod end**11-16 020 0020****MTE0090****Notes**

Front Axle Left

Length [mm] 240
 Paired article number 11-16 020 0021 | MTE0091
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Peugeot 3817.58

Application info

Peugeot 407 (02/04--)

Tie rod end

11-16 020 0021

MTE0091

Notes

Front Axle Right

Length [mm] 240
 Paired article number 11-16 020 0020 | MTE0090
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Peugeot 3817.57

Application info

Peugeot 407 (02/04--)

Tie rod end

11-16 020 0022

MTE0092

Notes

Front Axle Left

Length [mm] 165
 Paired article number 11-16 020 0023 | MTE0093
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M14X1,5
 replacement in pairs recommended



References

Citroën 3817.76

DS 3817 89

Peugeot 3817.89

Citroën 3817.89

Peugeot 3817.76

Application info

Citroën Berlingo I (07/96-12/11)
 Citroën C4 II / DS4 (02/09--)
 Peugeot 3008 I (05/09-12/17)
 Peugeot 5008 I (06/09-03/17)

Citroën Berlingo II (04/08--)
 DS DS 4 I (07/15-12/18)
 Peugeot 308 I (09/07--)
 Peugeot Partner II (04/08--)

Tie rod end**11-16 020 0023****MTE0093****Notes**

Front Axle Right

Length [mm] 165
 Paired article number 11-16 020 0022 | MTE0092
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

Citroën 3817.75
 DS 3817 88
 Peugeot 3817.88

Citroën 3817.88
 Peugeot 3817.75

Application info

Citroën Berlingo I (07/96-12/11)
 Citroën C4 II / DS4 (02/09--)
 Peugeot 3008 I (05/09-12/17)
 Peugeot 5008 I (06/09-03/17)

Citroën Berlingo II (04/08--)
 DS DS 4 I (07/15-12/18)
 Peugeot 308 I (09/07--)
 Peugeot Partner II (04/08--)

Tie rod end**11-16 020 0024****MTE0094****Notes**

Front Axle Left

Length [mm] 178
 Paired article number 11-16 020 0025 | MTE0095
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

Citroën 3817.92

DS 3817.92

Application info

Citroën C3 II (09/09--)
DS DS 3 (04/15-07/19)

Citroën DS3 (11/09-12/16)

Tie rod end

11-16 020 0025

MTE0095

Notes

Front Axle Right

Length [mm]

178

Paired article number

11-16 020 0024 | MTE0094

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Citroën 3817.91

DS 3817.91

Application info

Citroën C3 II (09/09--)
DS DS 3 (04/15-07/19)

Citroën DS3 (11/09-12/16)

Tie rod end

11-16 020 0028

MTE0098

Notes

Front Axle Left

Length [mm]

120

Paired article number

11-16 020 0029 | MTE0099

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M16x1,5

replacement in pairs recommended

**References**

Citroën 16 109 357 80

Citroën 3817.71

Application info

Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck
(11/04--)

Tie rod end

11-16 020 0033

MTE0540

Notes

Front Axle Right

Length [mm]

200

Paired article number

11-16 020 0034 | MTE0541

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Citroën 16 08 025 280

Peugeot 16 08 025 280

Citroën 16 289 501 80

Peugeot 16 28 950 180

Application info

Citroën C4 Cactus (09/14--)

Peugeot 208 I (03/12--)

Peugeot 208 I (03/13--)

Tie rod end

11-16 020 0034

MTE0541

Notes

Front Axle Left

Length [mm]

200

Paired article number

11-16 020 0033 | MTE0540

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Citroën 16 08 025 180

Peugeot 16 08 025 180

Citroën 16 289 502 80

Peugeot 16 28 950 280

Application info

Citroën C4 Cactus (09/14--)

Peugeot 208 I (03/12--)

Peugeot 208 I (03/13--)

Tie rod end

11-16 020 0037/HD

MTE0759HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 200
 Paired article number 11-16 020 0038/HD | MTE0760HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Peugeot 3817.A1

Application info

Peugeot 508 I (11/10--)


Tie rod end

11-16 020 0038/HD

MTE0760HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 200
 Paired article number 11-16 020 0037/HD | MTE0759HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Peugeot 3817.A2

Application info

Peugeot 508 I (11/10--)

Tie rod end		11-16 020 0041/HD	MTE0913HD
Notes			
	Carbon Neutral		
	Front Axle Left		
Length [mm]	185		
Paired article number	11-16 020 0042/HD MTE0914HD		
Required quantity	1		
Thread Size 1	M12x1,5		
Thread Size 2	M14x1,5		
reinforced version			
replacement in pairs recommended			
References			
Citroën 98 203 400 80		Opel 98 203 400 80	
Peugeot 98 20 340 080		Toyota SU001-A7207	
Application info			
Citroën Jumpy III (04/16--)		Citroën Spacetourer (04/16--)	
Opel Vivaro C (03/19--)		Peugeot Expert III (04/16--)	
Peugeot Traveller (04/16--)		Toyota Proace II (02/16--)	
Vauxhall Vivaro C (03/19--)			
Tie rod end		11-16 020 0042/HD	MTE0914HD
Notes			
	Carbon Neutral		
	Front Axle Right		
Length [mm]	185		
Paired article number	11-16 020 0041/HD MTE0913HD		
Required quantity	1		
Thread Size 1	M12x1,5		
Thread Size 2	M14x1,5		
reinforced version			
replacement in pairs recommended			
References			
Citroën 98 203 401 80		Opel 98 203 401 80	
Peugeot 98 20 340 180		Toyota SU001-A7208	
Application info			
Citroën Jumpy III (04/16--)		Citroën Spacetourer (04/16--)	
Opel Vivaro C (03/19--)		Peugeot Expert III (04/16--)	
Peugeot Traveller (04/16--)		Toyota Proace II (02/16--)	
Vauxhall Vivaro C (03/19--)			

Tie rod end

11-16 020 0043/HD

MTE0974HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 150
 Paired article number 11-16 020 0044/HD | MTE0975HD
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14X1,5
 reinforced version
 replacement in pairs recommended



References

Peugeot 16 73 314 480

Application info

Peugeot 2008 II (08/19--)

Tie rod end

11-16 020 0044/HD

MTE0975HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 150
 Paired article number 11-16 020 0043/HD | MTE0974HD
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14X1,5
 reinforced version
 replacement in pairs recommended



References

Peugeot 16 73 314 580

Application info

Peugeot 2008 II (08/19--)

Tie rod end **11-16 020 0045/HD** **MTE0964HD**

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 130
 Paired article number 11-16 020 0046/HD | MTE0965HD
 Required quantity 1
 Thread Size 1 M10X1,25
 Thread Size 2 M14X1,5
 reinforced version
 replacement in pairs recommended



References

Opel 16 696 485 80 Peugeot 16 69 648 580
 Vauxhall 16 696 485 80

Application info

Opel Corsa F (07/19--)
 Vauxhall Corsa Mk V (F) (07/19--)
 Peugeot 208 II (06/19--)

Tie rod end **11-16 020 0046/HD** **MTE0965HD**

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 130
 Paired article number 11-16 020 0045/HD | MTE0964HD
 Required quantity 1
 Thread Size 1 M10X1,25
 Thread Size 2 M14X1,5
 reinforced version
 replacement in pairs recommended



References

Opel 16 696 484 80 Peugeot 16 69 648 480
 Vauxhall 16 696 484 80

Application info

Opel Corsa F (07/19--)
 Vauxhall Corsa Mk V (F) (07/19--)
 Peugeot 208 II (06/19--)

Tie rod end		11-16 020 0047/HD	MTE0977HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left outer</p> <p>Length [mm] 227</p> <p>Paired article number 11-16 020 0048/HD MTE0978HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>DS 16 372 806 80</p>			
<p>Application info</p> <p>DS DS 7 (09/17--)</p> <p>Peugeot 508 II (09/18--)</p> <p>DS DS 9 (09/20--)</p>			
Tie rod end		11-16 020 0048/HD	MTE0978HD
<p>Notes</p> <p>Carbon Neutral Front Axle Right outer</p> <p>Length [mm] 227</p> <p>Paired article number 11-16 020 0047/HD MTE0977HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>DS 16 372 807 80</p> <p>Peugeot 16 372 807 80</p>			
<p>Application info</p> <p>DS DS 7 (09/17--)</p> <p>Peugeot 508 II (09/18--)</p> <p>DS DS 9 (09/20--)</p>			

Tie rod end

11-16 020 4078

MTE0103

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	78
Required quantity	2
Thread Size 1	M12x1,25
Thread Size 2	M16x1,5
replacement in pairs recommended	



References

Citroën 97 500 799 80
Fiat 9750079980

Fiat 4336779
Peugeot 3817.11

Application info

Citroën C25 (07/81-07/94)
Fiat Ducato / Talento (290) (03/89-05/94)
Peugeot J5 (290) (09/90-03/94)

Fiat Ducato (280) (01/82-09/90)
Peugeot J5 (280) (09/81-09/90)

Tie rod end

11-16 020 5042

MTE0104

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	75
Required quantity	2
Thread Size 1	M10x1,25
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Citroën 4059.09
Fiat 1306003080
Fiat 9404059098
Lancia 9404059080

Citroën 94 040 590 80
Fiat 9404059080
Lancia 1306003080
Peugeot 4059.09

Application info

Citroën Evasion (03/94-10/02)
Fiat Scudo I (220) (02/96-12/06)
Lancia Zeta (05/95-10/03)
Peugeot Expert I (07/95-03/08)

Citroën Jumpy I (06/94-12/06)
Fiat Ulysse I (220) (06/94-08/02)
Peugeot 806 (06/94-02/03)

Tie rod end

11-16 020 5703/HD

MTE0105HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

91

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

CITROËN (DF-PSA) 3817.50

Citroën 3817.18

Citroën 3817.50

Peugeot 3817.18

Peugeot 3817.50

Peugeot 3817.52

Peugeot (DF-PSA) 3817.50

Application info

Citroën Berlingo I (07/96-12/11)

Citroën C15 / Visa (09/78-10/06)

Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck
(11/04--)

Citroën Xsara (04/97-03/10)

Citroën Xsara Picasso (09/99-06/12)

Citroën ZX (03/91-07/99)

Peugeot 205 (02/83-12/00)

Peugeot 306 (01/93-10/03)

Peugeot 307 (08/00-12/12)

Peugeot 309 (10/85-12/93)

Peugeot 505 (05/79-10/96)

Peugeot Partner I (05/96--)

Peugeot Partner II (04/08--)

Tie rod end

11-16 020 7529

MTE0108

Notes

Front Axle Left
Front Axle Right

Length [mm]

119

Required quantity

2

Thread Size 1

M12x1,25

Thread Size 2

M16x1,5

replacement in pairs recommended



References

Citroën 16 073 209 80
 Citroën 4018.H4
 Fiat 1471655080
 Peugeot 4018.A3

Citroën 4018.A3
 Fiat 1306716080
 Peugeot 16 07 320 980
 Peugeot 4018.H4

Application info

Citroën Jumper I (02/94-08/02)
 Fiat Ducato (230) (03/94-05/05)
 Peugeot Boxer I (03/94-08/05)

Citroën Jumper II (02/02--)
 Fiat Ducato (244) (04/02--)
 Peugeot Boxer II (12/01--)

Tie rod end**116 020 0000****MTE0109****Notes**

Length [mm] 94
 Paired article number 116 020 0004 | MTE0112
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended

Front Axle Left

94

116 020 0004 | MTE0112

1

M12x1,5

M14x1,5

**References**

Audi 6R0 423 811 A
 Seat 6Q0 423 811 C
 Seat 6RD 423 811 B
 Skoda 6Q0 423 811
 Skoda 6R0 423 811
 Skoda 6RD 423 811 B
 Volkswagen 5Z0 423 811
 Volkswagen 6Q0 419 813 C
 Volkswagen 6Q0 423 811 A
 Volkswagen 6Q0 423 811 D
 Volkswagen 6R0 423 811 A
 Volkswagen 6RD 423 811 A
 Volkswagen (FAW) 6Q0 423 811 C
 Volkswagen (SVW) 6R0 423 811

Seat 6Q0 423 811
 Seat 6R0 423 811
 Skoda 6Q0 419 811 C
 Skoda 6Q0 423 811 C
 Skoda 6R0 423 811 A
 Skoda (SVW) 6R0 423 811
 Volkswagen 6Q0 419 811 C
 Volkswagen 6Q0 423 811
 Volkswagen 6Q0 423 811 C
 Volkswagen 6R0 423 811
 Volkswagen 6RD 422 811
 Volkswagen 6RD 423 811 B
 Volkswagen (SVW) 6Q0 423 811 A

Application info

Audi A1 I (8X_) (05/10-10/18)

Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)

Skoda Fabia I (6Y_) (08/99-03/08)

Skoda Rapid II (N_) (07/12-12/19)

Volkswagen Fox/Lupo (Z51) (08/03--)

Volkswagen Polo (6R_) (03/09--)

Volkswagen Polo Vivo (6S1, 6S3) (02/10-09/17)

Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)

Seat Toledo IV (KG3) (07/12-04/19)

Skoda Fabia II (54_) (12/06-12/14)

Skoda Roomster (03/06-05/15)

Volkswagen Gol III (06/08--)

Volkswagen Polo (9N_) (10/01--)

Volkswagen Polo Vivo (6R1, 6RS) (07/17--)

Tie rod end**116 020 0002****MTE0110****Notes**

Front Axle Left
for vehicles with power steering

Length [mm]

85

Manufacturer Restriction

ZF

Paired article number

116 020 0003 | MTE0111

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended

**References**

Audi 8N0 422 811 A

Seat 8N0 422 811 A

Volkswagen 8N0 422 811 A

Application info

Audi A3 I (8L_) (09/96-09/06)

Audi TT I (8N_) (10/98-12/06)

Seat Leon I / Toledo II (1M_) (10/98-06/06)

Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Tie rod end**116 020 0003****MTE0111****Notes**

Front Axle Right
for vehicles with power steering

Length [mm]

85

Manufacturer Restriction

ZF

Paired article number

116 020 0002 | MTE0110

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended



References

Audi 8N0 422 812 A

Seat 8N0 422 812 A

Volkswagen 8N0 422 812 A

Application info

Audi A3 I (8L_) (09/96-09/06)

Audi TT I (8N_) (10/98-12/06)

Seat Leon I / Toledo II (1M_) (10/98-06/06)

Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Tie rod end

116 020 0004

MTE0112

Notes

Front Axle Right

Length [mm]

94

Paired article number

116 020 0000 | MTE0109

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Audi 6R0 423 812 A

Seat 6Q0 423 812

Seat 6Q0 423 812 C

Seat 6R0 423 812

Seat 6RD 422 812

Seat 6RD 423 812 B

Skoda 6Q0 419 812 C

Skoda 6Q0 423 812

Skoda 6Q0 423 812 C

Skoda 6R0 423 812

Skoda 6RD 423 812 A

Skoda 6RD 423 812 B

Skoda (SVW) 6R0 423 812

Volkswagen 6Q0 419 812 C

Volkswagen 6Q0 419 814 C

Volkswagen 6Q0 423 812

Volkswagen 6Q0 423 812 A

Volkswagen 6Q0 423 812 C

Volkswagen 6Q0 423 812 D

Volkswagen 6R0 423 812

Volkswagen 6R0 423 812 A

Volkswagen 6RD 423 812 A

Volkswagen 6RD 423 812 B

Volkswagen (FAW) 6Q0 423 812 C

Volkswagen (SVW) 6Q0 423 812

Volkswagen (SVW) 6R0 423 812

Application info

Audi A1 I (8X_) (05/10-10/18)

Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)

Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)

Seat Toledo IV (KG3) (07/12-04/19)

Skoda Fabia I (6Y_) (08/99-03/08)

Skoda Fabia II (54_) (12/06-12/14)

Skoda Rapid II (N_) (07/12-12/19)

Skoda Roomster (03/06-05/15)

Volkswagen Fox/Lupo (Z51) (08/03--)

Volkswagen Gol III (06/08--)

Volkswagen Polo (6R_) (03/09--)

Volkswagen Polo (9N_) (10/01--)

Volkswagen Polo Vivo (6S1, 6S3) (02/10-09/17)

Volkswagen Polo Vivo (6R1, 6RS) (07/17--)

Tie rod end

116 020 0005

MTE0113

Notes

Front Axle Left
 Length [mm] 90
 Paired article number 116 020 0006 | MTE0114
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Audi 7L0 422 817 B	Audi 7L0 422 817 C
Audi 7L0 422 817 D	Porsche 955 347 131 20
Porsche 955 347 131 21	Porsche 955 347 131 22
Volkswagen 2H0 422 817	Volkswagen 7L0 422 817 B
Volkswagen 7L0 422 817 C	Volkswagen 7L0 422 817 D

Application info

Audi Q7 I (4L_) (03/06-01/16)	Porsche Cayenne I (955) (09/02-12/10)
Porsche Cayenne II (92A) (06/10--)	Volkswagen Amarok I (09/10--)
Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)	Volkswagen Touareg II (7P5) (01/10-12/18)

Tie rod end

116 020 0006

MTE0114

Notes

Front Axle Right
 Length [mm] 90
 Paired article number 116 020 0005 | MTE0113
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Audi 7L0 422 818 B	Audi 7L0 422 818 C
Audi 7L0 422 818 D	Porsche 955 347 132 20
Porsche 955 347 132 21	Porsche 955 347 132 22
Volkswagen 2H0 422 818	Volkswagen 7L0 422 818 B
Volkswagen 7L0 422 818 C	Volkswagen 7L0 422 818 D

Application info

Audi Q7 I (4L_) (03/06-01/16)
 Porsche Cayenne II (92A) (06/10--)
 Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Porsche Cayenne I (955) (09/02-12/10)
 Volkswagen Amarok I (09/10--)
 Volkswagen Touareg II (7P5) (01/10-12/18)

Tie rod end

116 020 0008/HD

MTE0115HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Length [mm] 155
 Required quantity 2
 Thread Size 1 M8x1,25
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

- | | |
|------------------------------|--------------------------|
| Audi 4B0 419 811 G | Audi 4B0 419 811 Q |
| Audi 4D0 419 811 J | Audi 4F0 419 811 A |
| Audi 4F0 419 811 C | Audi 4F0 419 811 D |
| Audi 4F0 498 811 | Audi 4F0 498 811 A |
| Audi 4F0 498 811 C | Audi 8E0 419 811 |
| Audi (FAW) 4F0 419 811 C | Audi (FAW) 4F0 419 811 D |
| Audi (FAW) 4F0 498 811 | Audi (FAW) 4F0 498 811 A |
| Seat 4B0 419 811 G | Seat 4D0 419 811 J |
| Seat 4F0 419 811 A | Seat 4F0 419 811 D |
| Seat 4F0 498 811 C | Seat 8E0 419 811 |
| Skoda 4F0 419 811 A | Skoda 4F0 419 811 C |
| Skoda 4F0 419 811 D | Skoda 4F0 498 811 A |
| Volkswagen 4F0 498 811 | Volkswagen 4F0 498 811 A |
| Volkswagen (SVW) 8E0 419 811 | |

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)	Audi A4 I (8D_) (11/94-12/02)
Audi A4 II (8E_) (02/00-12/05)	Audi A4 III (8E_) (11/04-06/08)
Audi A6 II (4B, C5) (01/97-12/05)	Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)
Audi A8 I (4D_) (03/94-12/05)	Audi Allroad (4BH) (05/00-08/05)
Seat Exeo (3R) (12/08-05/13)	Skoda Superb I (3U) (12/01-03/08)
Volkswagen Passat (3B_) (08/96-12/05)	

Tie rod end

116 020 0013

MTE0116

Notes

Rear Axle Left
inner
Length [mm] 106
Paired article number 116 020 0014 | MTE0117
Required quantity 1
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Audi 443 505 365 D

Application info

Audi 100 (4A, C4) (12/90-11/94)
Audi A6 I (4A, C4) (06/94-12/97)

Audi 100/200 (44, 44Q, C3) (08/82-12/91)
Audi V8 (D1) (10/88-02/94)

Tie rod end

116 020 0014

MTE0117

Notes

Rear Axle Right
inner
Length [mm] 106
Paired article number 116 020 0013 | MTE0116
Required quantity 1
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Audi 443 505 366 D

Application info

Audi 100 (4A, C4) (12/90-11/94)
Audi A6 I (4A, C4) (06/94-12/97)

Audi 100/200 (44, 44Q, C3) (08/82-12/91)
Audi V8 (D1) (10/88-02/94)

Tie rod end		116 020 0020/HD	MTE0118HD
Notes Carbon Neutral Front Axle Left Front Axle Right Length [mm] 160 Required quantity 2 Thread Size 1 M8x1,25 Thread Size 2 M16x1,5 reinforced version replacement in pairs recommended			
References Audi 4E0 419 811 D Volkswagen 4E0 419 811 C Volkswagen 4E0 419 811 E		Audi 4E0 419 811 E Volkswagen 4E0 419 811 D	
Application info Audi A8 II (4E_) (10/02-12/10)		Volkswagen Phaeton (3D) (04/02-03/16)	
Tie rod end		116 020 0021	MTE0119
Notes Front Axle Right Length [mm] 234 Paired article number 116 020 0022 MTE0120 Required quantity 1 Thread Size 1 M14x1,5 Thread Size 2 M16x1,5 replacement in pairs recommended			
References Volkswagen 7E0 422 818 Volkswagen 7H0 422 818 B Volkswagen 7H0 422 818 D		Volkswagen 7H0 422 818 A Volkswagen 7H0 422 818 C	
Application info Volkswagen Transporter V (04/03-08/15)		Volkswagen Transporter VI (04/15--)	

Tie rod end

116 020 0022

MTE0120

Notes

Front Axle Left

Paired article number 116 020 0021 | MTE0119

Required quantity 1

Thread Size 1 M14x1,5

Thread Size 2 M16x1,5

replacement in pairs recommended



References

Volkswagen 7E0 422 817

Volkswagen 7H0 422 817 A

Volkswagen 7H0 422 817 B

Volkswagen 7H0 422 817 C

Volkswagen 7H0 422 817 D

Application info

Volkswagen Transporter V (04/03-08/15)

Volkswagen Transporter VI (04/15--)

Tie rod end

116 020 0025/HD

MTE0121HD

Notes

Carbon Neutral

Front Axle Left

Length [mm] 94

Paired article number 116 020 0026/HD | MTE0122HD

Required quantity 1

Thread Size 1 M12x1,5

Thread Size 2 M16x1,5

reinforced version

replacement in pairs recommended



References

Audi 1K0 423 811 A
 Audi 1K0 423 811 J
 Audi (FAW) 1K0 423 811 K
 Seat 1K0 423 811 E
 Seat 1K0 423 811 K
 Skoda 1K0 423 811 J
 Skoda (SVW) 1K0 423 811 G
 Volkswagen 1K0 423 811 A
 Volkswagen 1K0 423 811 E
 Volkswagen 1K0 423 811 J
 Volkswagen (FAW) 1K0 423 811 E
 Volkswagen (SVW) 1K0 423 811 G
 Audi 1K0 423 811 E
 Audi 1K0 423 811 K
 CUPRA 1K0423811J
 Seat 1K0 423 811 J
 Skoda 1K0 423 811 E
 Skoda 1K0 423 811 K
 Skoda (SVW) 1K0 423 811 K
 Volkswagen 1K0 423 811 C
 Volkswagen 1K0 423 811 G
 Volkswagen 1K0 423 811 K
 Volkswagen (FAW) 1K0 423 811 G

Application info

Audi A3 II (8P_) (05/03-12/15)
 Audi A3 IV (8Y_) (11/19--)
 Audi Q3 I (8U_) (06/11-12/18)
 CUPRA ATECA (KH7_KHP) (09/18--)
 Seat Ateca (04/16--)
 Seat Leon III (5F_) (09/12--)
 Seat Tarraco (09/18--)
 Skoda Kodiaq I (10/16--)
 Skoda Octavia III (5E_) (11/12--)
 Skoda Superb I (3U) (12/01-03/08)
 Skoda Superb III (3V_) (03/15--)
 Volkswagen Arteon (03/17--)
 Volkswagen CC (11/11-12/16)
 Volkswagen Caddy IV (SA_) (05/15--)
 Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
 Volkswagen Golf VII (5G1,BA5) (08/12--)
 Volkswagen Jetta III (1K2) (09/04-12/13)
 Volkswagen Jetta VII (BU3) (12/17--)
 Volkswagen Passat (3C_) (03/05-01/12)
 Volkswagen Polo (AW1) (06/17--)
 Volkswagen Sharan (7N) (05/10--)
 Volkswagen Taos (CL1, CQ1) (10/20--)
 Volkswagen Tiguan II (AD1, BW2) (01/16--)
 Volkswagen Touran II (5T1) (05/15--)
 Audi A3 III (8V_) (04/12--)
 Audi Q2 (06/16--)
 Audi Q3 II (F3_) (07/18--)
 Seat Alhambra II (710) (06/10--)
 Seat Leon II / Toledo III / Altea (1P_,5P_) (03/04--)
 Seat Leon IV (KL_) (11/19--)
 Skoda Karoq (07/17--)
 Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Octavia IV (NX_) (11/19--)
 Skoda Superb II (3T) (03/08-05/15)
 Skoda Yeti (5L) (05/09-12/17)
 Volkswagen Beetle (5C1) (04/11-07/19)
 Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
 Volkswagen Eos (03/06-08/15)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen Golf VIII (CB1) (07/19--)
 Volkswagen Jetta IV (162) (01/08--)
 Volkswagen Passat (362, 365) (08/10-12/15)
 Volkswagen Passat (B8) (08/14--)
 Volkswagen Scirocco III (137) (05/08-11/17)
 Volkswagen T-Roc (A11) (07/17--)
 Volkswagen Tiguan I (5N) (09/07-07/18)
 Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Tie rod end

116 020 0025

MTE0121

Notes

Front Axle Left
 Length [mm] 94
 Paired article number 116 020 0026 | MTE0122
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

- | | |
|--------------------------------|--------------------------------|
| Audi 1K0 423 811 A | Audi 1K0 423 811 E |
| Audi 1K0 423 811 J | Audi 1K0 423 811 K |
| Audi (FAW) 1K0 423 811 K | CUPRA 1K0423811J |
| Seat 1K0 423 811 E | Seat 1K0 423 811 J |
| Seat 1K0 423 811 K | Skoda 1K0 423 811 E |
| Skoda 1K0 423 811 J | Skoda 1K0 423 811 K |
| Skoda (SVW) 1K0 423 811 G | Skoda (SVW) 1K0 423 811 K |
| Volkswagen 1K0 423 811 A | Volkswagen 1K0 423 811 C |
| Volkswagen 1K0 423 811 E | Volkswagen 1K0 423 811 G |
| Volkswagen 1K0 423 811 J | Volkswagen 1K0 423 811 K |
| Volkswagen (FAW) 1K0 423 811 E | Volkswagen (FAW) 1K0 423 811 G |
| Volkswagen (SVW) 1K0 423 811 G | |

Application info

- Audi A3 II (8P_) (05/03-12/15)
- Audi A3 IV (8Y_) (11/19--)
- Audi Q3 I (8U_) (06/11-12/18)
- CUPRA ATECA (KH7_KHP) (09/18--)
- Seat Ateca (04/16--)
- Seat Leon III (5F_) (09/12--)
- Seat Tarraco (09/18--)
- Skoda Kodiaq I (10/16--)
- Skoda Octavia III (5E_) (11/12--)
- Skoda Superb I (3U) (12/01-03/08)
- Skoda Superb III (3V_) (03/15--)
- Volkswagen Arteon (03/17--)
- Volkswagen CC (11/11-12/16)
- Volkswagen Caddy IV (SA_) (05/15--)
- Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
- Volkswagen Golf VII (5G1,BA5) (08/12--)
- Volkswagen Jetta III (1K2) (09/04-12/13)
- Volkswagen Jetta VII (BU3) (12/17--)
- Volkswagen Passat (3C_) (03/05-01/12)
- Volkswagen Polo (AW1) (06/17--)
- Volkswagen Sharan (7N) (05/10--)
- Volkswagen Taos (CL1, CQ1) (10/20--)
- Volkswagen Tiguan II (AD1, BW2) (01/16--)
- Volkswagen Touran II (5T1) (05/15--)
- Audi A3 III (8V_) (04/12--)
- Audi Q2 (06/16--)
- Audi Q3 II (F3_) (07/18--)
- Seat Alhambra II (710) (06/10--)
- Seat Leon II / Toledo III / Altea (1P_,5P_) (03/04--)
- Seat Leon IV (KL_) (11/19--)
- Skoda Karoq (07/17--)
- Skoda Octavia II (1Z_) (02/04-06/13)
- Skoda Octavia IV (NX_) (11/19--)
- Skoda Superb II (3T) (03/08-05/15)
- Skoda Yeti (5L) (05/09-12/17)
- Volkswagen Beetle (5C1) (04/11-07/19)
- Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
- Volkswagen Eos (03/06-08/15)
- Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
- Volkswagen Golf VIII (CB1) (07/19--)
- Volkswagen Jetta IV (162) (01/08--)
- Volkswagen Passat (362, 365) (08/10-12/15)
- Volkswagen Passat (B8) (08/14--)
- Volkswagen Scirocco III (137) (05/08-11/17)
- Volkswagen T-Roc (A11) (07/17--)
- Volkswagen Tiguan I (5N) (09/07-07/18)
- Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Tie rod end

116 020 0026

MTE0122

Notes

Front Axle Right
 Length [mm] 94
 Paired article number 116 020 0025 | MTE0121
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Audi 1K0 423 812 E
 Audi 1K0 423 812 K
 Seat 1K0 423 812 E
 Seat 1K0 423 812 K
 Skoda 1K0 423 812 J
 Skoda (SVW) 1K0 423 812 G
 Volkswagen 1K0 423 812 A
 Volkswagen 1K0 423 812 E
 Volkswagen 1K0 423 812 J
 Volkswagen (FAW) 1K0 423 812 E
 Volkswagen (SVW) 1K0 423 812 G
 Audi 1K0 423 812 J
 Audi (FAW) 1K0 423 812 K
 Seat 1K0 423 812 J
 Skoda 1K0 423 812 E
 Skoda 1K0 423 812 K
 Skoda (SVW) 1K0 423 812 G
 Volkswagen 1K0 423 812 C
 Volkswagen 1K0 423 812 G
 Volkswagen 1K0 423 812 K
 Volkswagen (FAW) 1K0 423 812 G

Application info

Audi A3 II (8P_) (05/03-12/15)
 Audi A3 IV (8Y_) (11/19--)
 Audi Q3 I (8U_) (06/11-12/18)
 CUPRA ATECA (KH7_KHP) (09/18--)
 Seat Ateca (04/16--)
 Seat Leon III (5F_) (09/12--)
 Seat Tarraco (09/18--)
 Skoda Kodiaq I (10/16--)
 Skoda Octavia III (5E_) (11/12--)
 Skoda Superb I (3U) (12/01-03/08)
 Skoda Superb III (3V_) (03/15--)
 Volkswagen Arteon (03/17--)
 Volkswagen CC (11/11-12/16)
 Volkswagen Caddy IV (SA_) (05/15--)
 Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
 Volkswagen Golf VII (5G1,BA5) (08/12--)
 Volkswagen Jetta III (1K2) (09/04-12/13)
 Volkswagen Jetta VII (BU3) (12/17--)
 Volkswagen Passat (3C_) (03/05-01/12)
 Volkswagen Polo (AW1) (06/17--)
 Volkswagen Sharan (7N) (05/10--)
 Volkswagen Taos (CL1, CQ1) (10/20--)
 Volkswagen Tiguan II (AD1, BW2) (01/16--)
 Volkswagen Touran II (5T1) (05/15--)
 Audi A3 III (8V_) (04/12--)
 Audi Q2 (06/16--)
 Audi Q3 II (F3_) (07/18--)
 Seat Alhambra II (710) (06/10--)
 Seat Leon II / Toledo III / Altea (1P_,5P_) (03/04--)
 Seat Leon IV (KL_) (11/19--)
 Skoda Karoq (07/17--)
 Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Octavia IV (NX_) (11/19--)
 Skoda Superb II (3T) (03/08-05/15)
 Skoda Yeti (5L) (05/09-12/17)
 Volkswagen Beetle (5C1) (04/11-07/19)
 Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
 Volkswagen Eos (03/06-08/15)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen Golf VIII (CB1) (07/19--)
 Volkswagen Jetta IV (162) (01/08--)
 Volkswagen Passat (362, 365) (08/10-12/15)
 Volkswagen Passat (B8) (08/14--)
 Volkswagen Scirocco III (137) (05/08-11/17)
 Volkswagen T-Roc (A11) (07/17--)
 Volkswagen Tiguan I (5N) (09/07-07/18)
 Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Tie rod end

116 020 0026/HD

MTE0122HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 94
 Paired article number 116 020 0025/HD | MTE0121HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

- | | |
|--------------------------------|--------------------------------|
| Audi 1K0 423 812 E | Audi 1K0 423 812 J |
| Audi 1K0 423 812 K | Audi (FAW) 1K0 423 812 K |
| Seat 1K0 423 812 E | Seat 1K0 423 812 J |
| Seat 1K0 423 812 K | Skoda 1K0 423 812 E |
| Skoda 1K0 423 812 J | Skoda 1K0 423 812 K |
| Skoda (SVW) 1K0 423 812 G | Skoda (SVW) 1K0 423 812 K |
| Volkswagen 1K0 423 812 A | Volkswagen 1K0 423 812 C |
| Volkswagen 1K0 423 812 E | Volkswagen 1K0 423 812 G |
| Volkswagen 1K0 423 812 J | Volkswagen 1K0 423 812 K |
| Volkswagen (FAW) 1K0 423 812 E | Volkswagen (FAW) 1K0 423 812 G |
| Volkswagen (SVW) 1K0 423 812 G | |

Application info

- Audi A3 II (8P_) (05/03-12/15)
- Audi A3 IV (8Y_) (11/19--)
- Audi Q3 I (8U_) (06/11-12/18)
- CUPRA ATECA (KH7_KHP) (09/18--)
- Seat Ateca (04/16--)
- Seat Leon III (5F_) (09/12--)
- Seat Tarraco (09/18--)
- Skoda Kodiaq I (10/16--)
- Skoda Octavia III (5E_) (11/12--)
- Skoda Superb I (3U) (12/01-03/08)
- Skoda Superb III (3V_) (03/15--)
- Volkswagen Arteon (03/17--)
- Volkswagen CC (11/11-12/16)
- Volkswagen Caddy IV (SA_) (05/15--)
- Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
- Volkswagen Golf VII (5G1,BA5) (08/12--)
- Volkswagen Jetta III (1K2) (09/04-12/13)
- Volkswagen Jetta VII (BU3) (12/17--)
- Volkswagen Passat (3C_) (03/05-01/12)
- Volkswagen Polo (AW1) (06/17--)
- Volkswagen Sharan (7N) (05/10--)
- Volkswagen Taos (CL1, CQ1) (10/20--)
- Volkswagen Tiguan II (AD1, BW2) (01/16--)
- Volkswagen Touran II (5T1) (05/15--)
- Audi A3 III (8V_) (04/12--)
- Audi Q2 (06/16--)
- Audi Q3 II (F3_) (07/18--)
- Seat Alhambra II (710) (06/10--)
- Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
- Seat Leon IV (KL_) (11/19--)
- Skoda Karoq (07/17--)
- Skoda Octavia II (1Z_) (02/04-06/13)
- Skoda Octavia IV (NX_) (11/19--)
- Skoda Superb II (3T) (03/08-05/15)
- Skoda Yeti (5L) (05/09-12/17)
- Volkswagen Beetle (5C1) (04/11-07/19)
- Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
- Volkswagen Eos (03/06-08/15)
- Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
- Volkswagen Golf VIII (CB1) (07/19--)
- Volkswagen Jetta IV (162) (01/08--)
- Volkswagen Passat (362, 365) (08/10-12/15)
- Volkswagen Passat (B8) (08/14--)
- Volkswagen Scirocco III (137) (05/08-11/17)
- Volkswagen T-Roc (A11) (07/17--)
- Volkswagen Tiguan I (5N) (09/07-07/18)
- Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Tie rod end

116 020 0029/HD

MTE0125HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 206
 Paired article number 116 020 0030/HD | MTE0126HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5



reinforced version
 replacement in pairs recommended

References

- Audi 4G0 423 812 A
- Audi 8K0 422 818 B
- Audi (FAW) 8K0 422 818 B
- Volkswagen (SVW) 4G0 423 812 A
- Audi 8K0 422 818 A
- Audi (FAW) 8K0 422 818 A
- Porsche 4G0 423 812 A

Application info

Audi A4 IV (8K_) (08/07-05/16)

Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)

Audi Q5 I (8R_) (11/08-12/17)

Audi A5 I (8F_ , 8T_) (06/07-01/17)

Audi A7 I Sportback (4G_) (07/10-05/18)

Porsche Macan (95B) (02/14--)

Tie rod end

116 020 0030/HD

MTE0126HD

Notes

Carbon Neutral

Front Axle Left

Length [mm]

206

Paired article number

116 020 0029/HD | MTE0125HD

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended



References

Audi 4G0 423 811 A

Audi 8K0 422 817 B

Audi (FAW) 8K0 422 817 B

Volkswagen (SVW) 4G0 423 811 A

Audi 8K0 422 817 A

Audi (FAW) 8K0 422 817 A

Porsche 4G0 423 811 A

Application info

Audi A4 IV (8K_) (08/07-05/16)

Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)

Audi Q5 I (8R_) (11/08-12/17)

Audi A5 I (8F_ , 8T_) (06/07-01/17)

Audi A7 I Sportback (4G_) (07/10-05/18)

Porsche Macan (95B) (02/14--)

Tie rod end

116 020 0031

MTE0127

Notes

Front Axle Left

Length [mm]

200

Paired article number

116 020 0032 | MTE0128

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended



References

Audi 8J0 423 811

Application info

Audi TT II (8J_) (07/06-01/15)

Tie rod end

116 020 0032

MTE0128

Notes

Front Axle Right

Length [mm]

200

Paired article number

116 020 0031 | MTE0127

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended

**References**

Audi 8J0 423 812

Application info

Audi TT II (8J_) (07/06-01/15)

Tie rod end

116 020 0035

MTE0131

Notes

Front Axle Left

Length [mm]

94

Paired article number

116 020 0036 | MTE0132

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Audi 1S0 423 811 A

Skoda 1S0 423 811 A

Seat 1S0 423 811 A

Volkswagen 1S0 423 811 A

Application info

Audi A1 I (8X_) (05/10-10/18)

Skoda Citigo (10/11--)

Seat Mii (10/11--)

Volkswagen UP (08/11--)

Tie rod end

116 020 0038

MTE0896

Notes

Front Axle Right
 Length [mm] 211
 Paired article number 116 020 0037 | MTE0895
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Audi 4H0 422 818 A

Audi 4H0 423 812

Application info

Audi A8 III (4H_) (11/09-01/18)

Tie rod end

116 020 0040/HD

MTE0721HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 94
 Paired article number 116 020 0041/HD | MTE0722HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Audi 6R0 423 812 A
 Seat 6Q0 423 812 C
 Seat 6RD 423 812 B
 Skoda 6Q0 423 812
 Skoda 6R0 423 812
 Skoda 6RD 423 812 B
 Volkswagen 6Q0 419 812 C
 Volkswagen 6Q0 423 812
 Volkswagen 6Q0 423 812 C
 Volkswagen 6R0 423 812
 Volkswagen 6RD 422 812
 Volkswagen 6RD 423 812 B
 Volkswagen (SVW) 6Q0 423 812

Seat 6Q0 423 812
 Seat 6R0 423 812
 Skoda 6Q0 419 812 C
 Skoda 6Q0 423 812 C
 Skoda 6RD 423 812 A
 Skoda (SVW) 6R0 423 812
 Volkswagen 6Q0 419 814 C
 Volkswagen 6Q0 423 812 A
 Volkswagen 6Q0 423 812 D
 Volkswagen 6R0 423 812 A
 Volkswagen 6RD 423 812 A
 Volkswagen (FAW) 6Q0 423 812 C
 Volkswagen (SVW) 6R0 423 812

Application info

Audi A1 I (8X_) (05/10-10/18)
 Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)
 Skoda Fabia I (6Y_) (08/99-03/08)
 Skoda Rapid II (N_) (07/12-12/19)
 Volkswagen Fox/Lupo (Z51) (08/03--)
 Volkswagen Polo (9N_) (10/01--)
 Volkswagen Polo Vivo (6R1, 6RS) (07/17--)

Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)
 Seat Toledo IV (KG3) (07/12-04/19)
 Skoda Fabia II (54_) (12/06-12/14)
 Skoda Roomster (03/06-05/15)
 Volkswagen Polo (6R_) (03/09--)
 Volkswagen Polo Vivo (6S1, 6S3) (02/10-09/17)

Tie rod end

116 020 0041/HD

MTE0722HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 94
 Paired article number 116 020 0040/HD | MTE0721HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

- | | |
|--------------------------------|--------------------------------|
| Audi 6R0 423 811 A | Seat 6Q0 423 811 |
| Seat 6Q0 423 811 C | Seat 6R0 423 811 |
| Seat 6RD 423 811 B | Skoda 6Q0 419 811 C |
| Skoda 6Q0 423 811 | Skoda 6Q0 423 811 C |
| Skoda 6R0 423 811 | Skoda 6R0 423 811 A |
| Skoda 6RD 423 811 B | Skoda (SVW) 6R0 423 811 |
| Volkswagen 6Q0 419 811 C | Volkswagen 6Q0 419 813 C |
| Volkswagen 6Q0 423 811 | Volkswagen 6Q0 423 811 A |
| Volkswagen 6Q0 423 811 C | Volkswagen 6Q0 423 811 D |
| Volkswagen 6R0 423 811 | Volkswagen 6R0 423 811 A |
| Volkswagen 6RD 422 811 | Volkswagen 6RD 423 811 A |
| Volkswagen 6RD 423 811 B | Volkswagen (FAW) 6Q0 423 811 C |
| Volkswagen (SVW) 6Q0 423 811 A | Volkswagen (SVW) 6R0 423 811 |

Application info

- | | |
|---|---|
| Audi A1 I (8X_) (05/10-10/18) | Seat Ibiza III / Cordoba II (6L_) (02/02-11/09) |
| Seat Ibiza IV (6J_ ,6P_) (03/08-12/18) | Seat Toledo IV (KG3) (07/12-04/19) |
| Skoda Fabia I (6Y_) (08/99-03/08) | Skoda Fabia II (54_) (12/06-12/14) |
| Skoda Rapid II (N_) (07/12-12/19) | Skoda Roomster (03/06-05/15) |
| Volkswagen Fox/Lupo (Z51) (08/03--) | Volkswagen Polo (6R_) (03/09--) |
| Volkswagen Polo (9N_) (10/01--) | Volkswagen Polo Vivo (6S1, 6S3) (02/10-09/17) |
| Volkswagen Polo Vivo (6R1, 6RS) (07/17--) | |

Tie rod end

116 020 0046

MTE0734

Notes

- | | |
|----------------------------------|------------------|
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 155 |
| Required quantity | 2 |
| Thread Size 1 | M8x1,25 |
| Thread Size 2 | M14x1,5 |
| replacement in pairs recommended | |



References

- | | |
|--------------------------------|--------------------------------|
| Audi 4B0 419 811 G | Audi 4B0 419 811 Q |
| Audi 4D0 419 811 J | Audi 4F0 419 811 A |
| Audi 4F0 419 811 C | Audi 4F0 419 811 D |
| Audi 4F0 498 811 | Audi 4F0 498 811 A |
| Audi 4F0 498 811 C | Audi 8E0 419 811 |
| Audi (FAW) 4F0 419 811 C | Audi (FAW) 4F0 419 811 D |
| Audi (FAW) 4F0 498 811 | Audi (FAW) 4F0 498 811 A |
| Seat 4B0 419 811 G | Seat 4D0 419 811 J |
| Seat 4F0 419 811 A | Seat 4F0 419 811 D |
| Seat 4F0 498 811 A | Seat 4F0 498 811 C |
| Seat 8E0 419 811 | Skoda 4F0 419 811 A |
| Skoda 4F0 419 811 C | Skoda 4F0 419 811 D |
| Skoda 4F0 498 811 A | Volkswagen 4F0 419 811 E |
| Volkswagen 4F0 498 811 | Volkswagen 4F0 498 811 A |
| Volkswagen (SVW) 4F0 419 811 C | Volkswagen (SVW) 4F0 419 811 E |
| Volkswagen (SVW) 4F0 498 811 | Volkswagen (SVW) 4F0 498 811 A |
| Volkswagen (SVW) 8E0 419 811 | |

Application info

- | | |
|---------------------------------------|---|
| Audi A4 Cabriolet (8H_) (01/02-12/09) | Audi A4 I (8D_) (11/94-12/02) |
| Audi A4 II (8E_) (02/00-12/05) | Audi A4 III (8E_) (11/04-06/08) |
| Audi A6 II (4B, C5) (01/97-12/05) | Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11) |
| Audi A8 I (4D_) (03/94-12/05) | Audi Allroad (4BH) (05/00-08/05) |
| Seat Exeo (3R) (12/08-05/13) | Skoda Superb I (3U) (12/01-03/08) |
| Volkswagen Passat (3B_) (08/96-12/05) | |

Tie rod end

116 020 0047

MTE0735

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	156
Required quantity	2
Thread Size 1	M8x1,25
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Audi 4B0 419 811 F

Audi (FAW) 8E0 419 811 B

Volkswagen 4B0 419 811 B

Volkswagen 4B0 419 811 F

Volkswagen 4D0 419 811 B

Volkswagen 8E0 419 811 B

Volkswagen (SVW) 8E0 419 811 B

Audi 8E0 419 811 B

Skoda 8E0 419 811 B

Volkswagen 4B0 419 811 E

Volkswagen 4D0 419 811 A

Volkswagen 8D0 498 998 A

Volkswagen (SVW) 4B0 419 811 E

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)

Audi A4 II (8E_) (02/00-12/05)

Audi A8 I (4D_) (03/94-12/05)

Skoda Superb I (3U) (12/01-03/08)

Audi A4 I (8D_) (11/94-12/02)

Audi A6 II (4B, C5) (01/97-12/05)

Audi Allroad (4BH) (05/00-08/05)

Volkswagen Passat (3B_) (08/96-12/05)

Tie rod end**116 020 0048/HD****MTE0844HD****Notes**Carbon Neutral
Front Axle Right
outer

Length [mm]

202

Paired article number

116 020 0049/HD | MTE0845HD

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended

**References**

Audi 8S0 423 812 A

Application info

Audi TT III (8S_) (07/14--)

Tie rod end

116 020 0049/HD

MTE0845HD

Notes

Carbon Neutral
 Front Axle Left
 outer
 Length [mm] 202
 Paired article number 116 020 0048/HD | MTE0844HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Audi 8S0 423 811 A

Application info

Audi TT III (8S_) (07/14--)

Tie rod end

116 020 0050/HD

MTE0840HD

Notes

Carbon Neutral
 Front Axle Right
 outer
 Length [mm] 219
 Paired article number 116 020 0051/HD | MTE0841HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Audi 4M0 423 812 B
 Audi 4M0 423 812 D
 Volkswagen 4M0 423 812 C

Audi 4M0 423 812 C
 Volkswagen 4M0 423 812 B
 Volkswagen 4M0 423 812 D

Application info

Audi A8 IV (4N_) (06/17--)
 Audi Q7 II (4M_) (01/15--)
 Audi Q8 E-TRON (11/22--)

Audi E-TRON (GE_) (09/18--)
 Audi Q8 (4MN) (02/18--)
 Volkswagen Touareg III (CR7) (11/17--)

Tie rod end

116 020 0051/HD

MTE0841HD

Notes

Carbon Neutral
Front Axle Left
outer

Length [mm] 219
Paired article number 116 020 0050/HD | MTE0840HD
Required quantity 1
Thread Size 1 M14x1,5
Thread Size 2 M16x1,5
reinforced version
replacement in pairs recommended



References

Audi 4M0 423 811 B
Audi 4M0 423 811 D
Volkswagen 4M0 423 811 C

Audi 4M0 423 811 C
Volkswagen 4M0 423 811 B
Volkswagen 4M0 423 811 D

Application info

Audi A8 IV (4N_) (06/17--)
Audi Q7 II (4M_) (01/15--)
Audi Q8 E-TRON (11/22--)

Audi E-TRON (GE_) (09/18--)
Audi Q8 (4MN) (02/18--)
Volkswagen Touareg III (CR7) (11/17--)

Tie rod end

116 020 0052/HD

MTE0848HD

Notes

Carbon Neutral
Front Axle Right
outer

Length [mm] 207
Paired article number 116 020 0053/HD | MTE0849HD
Required quantity 1
Thread Size 1 M14x1,5
Thread Size 2 M16x1,5
reinforced version
replacement in pairs recommended



References

Audi 8W0 423 812 B
Audi (FAW) 8W0 423 812 B

Audi 8W0 423 812 C
Audi (FAW) 8W0 423 812 C

Application info

Audi A4 V (8W_) (05/15--)
 Audi A6 V (C8, 4A2) (02/18--)
 Audi Q5 II (FY_) (05/16--)

Audi A5 II (F5_) (06/16--)
 Audi A7 II Sportback (4K_) (10/17--)

Tie rod end**116 020 0053/HD****MTE0849HD****Notes**

Carbon Neutral
 Front Axle Left
 outer
 Length [mm] 207
 Paired article number 116 020 0052/HD | MTE0848HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5

reinforced version
 replacement in pairs recommended

**References**

Audi 8W0 423 811 B
 Audi (FAW) 8W0 423 811 B

Audi 8W0 423 811 C
 Audi (FAW) 8W0 423 811 C

Application info

Audi A4 V (8W_) (05/15--)
 Audi A6 V (C8, 4A2) (02/18--)
 Audi Q5 II (FY_) (05/16--)

Audi A5 II (F5_) (06/16--)
 Audi A7 II Sportback (4K_) (10/17--)

Tie rod end**116 020 0054/HD****MTE0836HD****Notes**

Carbon Neutral
 Front Axle Right
 Cone Size [mm] 16
 Length [mm] 210
 Paired article number 116 020 0055/HD | MTE0837HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M20x1,5

reinforced version
 replacement in pairs recommended

**References**

MAN 65.46710.0002

Volkswagen 2N0 423 812

Application info

MAN TGE (11/16--)

Volkswagen Crafter II (SY_) (09/16--)

Tie rod end**116 020 0055/HD****MTE0837HD****Notes**

Carbon Neutral

Front Axle Left

Cone Size [mm]

16

Length [mm]

210

Paired article number

116 020 0054/HD | MTE0836HD

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M20x1,5

reinforced version

replacement in pairs recommended

**References**

MAN 65.46710.0001

Volkswagen 2N0 423 811

Application info

MAN TGE (11/16--)

Volkswagen Crafter II (SY_) (09/16--)

Tie rod end**116 020 0056/HD****MTE0897HD****Notes**

Carbon Neutral

Front Axle Right

Length [mm]

94

Paired article number

116 020 0057/HD | MTE0898HD

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended

**References**

Audi 2Q0 423 812

Seat 2Q0 423 812

Skoda 2Q0 423 812

Volkswagen 2Q0 423 812

Application info

Audi A1 II (GB_) (07/18--)
 Seat Ibiza V (KJ1) (01/17--)
 Skoda Kamiq (07/19--)
 Volkswagen Nivus / Taigo (11/21--)
 Volkswagen T-Cross (12/18--)

Seat Arona (KJ7) (07/17--)
 Skoda Fabia IV (PJ3) (06/21--)
 Skoda Scala (02/19--)
 Volkswagen Polo (AW1) (06/17--)

Tie rod end

116 020 0057/HD

MTE0898HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 94
 Paired article number 116 020 0056/HD | MTE0897HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Audi 2Q0 423 811
 Skoda 2Q0 423 811

Seat 2Q0 423 811
 Volkswagen 2Q0 423 811

Application info

Audi A1 II (GB_) (07/18--)
 Seat Ibiza V (KJ1) (01/17--)
 Skoda Kamiq (07/19--)
 Volkswagen Nivus / Taigo (11/21--)
 Volkswagen T-Cross (12/18--)

Seat Arona (KJ7) (07/17--)
 Skoda Fabia IV (PJ3) (06/21--)
 Skoda Scala (02/19--)
 Volkswagen Polo (AW1) (06/17--)

Tie rod end

116 020 0058/HD

MTE0932HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Length [mm] 120
 Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Audi 420 419 811 A

Application info

Audi R8 I (42_) (04/07-07/15)

Tie rod end

116 020 0059/HD

MTE0979HD

Notes

Carbon Neutral

Front Axle Left

94

Length [mm]

Paired article number

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended

**References**

Audi 5WA 423 811 D

CUPRA 5WA 423 811 C

Seat 5WA 423 811 B

Seat 5WA 423 811 E

Skoda 5WA 423 811 C

Skoda 5WA 423 811 E

Volkswagen 3QF 423 811 B

Volkswagen 5WA 423 811 B

Volkswagen 5WA 423 811 E

Audi 5WA 423 811 E

CUPRA 5WA 423 811 E

Seat 5WA 423 811 D

Skoda 5WA 423 811 B

Skoda 5WA 423 811 D

Volkswagen 3QF 423 811 A

Volkswagen 3QF 423 811 C

Volkswagen 5WA 423 811 D

Application info

Audi A3 IV (8Y_) (11/19--)

Seat Leon IV (KL_) (11/19--)

Volkswagen Atlas (12/16--)

Volkswagen Golf VIII (CB1) (07/19--)

CUPRA FORMENTOR (KM_) (07/20--)

Skoda Octavia IV (NX_) (11/19--)

Volkswagen Caddy V (SBB, SBJ) (09/20--)

Volkswagen Tiguan II (AD1, BW2) (01/16--)

Tie rod end

116 020 0060/HD

MTE0980HD

Notes

Front Axle Right
outer

Length [mm] 94

Paired article number 116 020 0059/HD | MTE0979HD

Required quantity 1

Thread Size 1 M12x1,5

Thread Size 2 M16x1,5

replacement in pairs recommended



References

Audi 5WA 423 812 E	CUPRA 5WA 423 812 C
CUPRA 5WA 423 812 E	Seat 5WA 423 812 E
Skoda 5WA 423 812 B	Skoda 5WA 423 812 C
Skoda 5WA 423 812 D	Skoda 5WA 423 812 E
Volkswagen 3QF 423 812 A	Volkswagen 3QF 423 812 B
Volkswagen 3QF 423 812 C	Volkswagen 5WA 423 812 B
Volkswagen 5WA 423 812 D	Volkswagen 5WA 423 812 E

Application info

Audi A3 IV (8Y_) (11/19--)	CUPRA FORMENTOR (KM_) (07/20--)
Seat Leon IV (KL_) (11/19--)	Skoda Octavia IV (NX_) (11/19--)
Volkswagen Atlas (12/16--)	Volkswagen Caddy V (SBB, SBJ) (09/20--)
Volkswagen Golf VIII (CB1) (07/19--)	Volkswagen Tiguan II (AD1, BW2) (01/16--)

Tie rod end

116 020 0061

MTE0990

Notes

Front Axle Left
Front Axle Right

Length [mm] 98

Required quantity 2

Thread Size 1 M16x1,5

Thread Size 2 M12x1,5

replacement in pairs recommended



References

Audi 1EA 423 811 B	Audi 1EB 422 811 A
CUPRA 1EA 423 811 B	CUPRA 1EB 422 811 A
Skoda 1EA 423 811 B	Skoda 1EB 422 811 A
Volkswagen 1EA 423 811 B	

Application info

Audi Q4 (F4_) (03/21--)
 Skoda Enyaq iV (5A_) (10/20--)
 Volkswagen ID.4 (E21) (05/20--)
 Volkswagen ID.7 (06/23--)

CUPRA BORN (K11) (08/21--)
 Volkswagen ID.3 (E11_) (11/19--)
 Volkswagen ID.5 (E39) (07/21--)

Tie rod end

116 020 0062/HD

MTE0993HD

Notes

Front Axle Right
 outer
 Length [mm] 192
 Paired article number 116 020 0063/HD | MTE0994HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Audi 9J1 423 812 A
 Porsche 9J1 423 812 A

Audi 9J1 423 812 B
 Porsche 9J1 423 812 B

Application info

Audi E-TRON (GE_) (09/18--)

Porsche Taycan (Y1_) (05/19--)

Tie rod end

116 020 0063/HD

MTE0994HD

Notes

Front Axle Left
 outer
 Length [mm] 192
 Paired article number 116 020 0062/HD | MTE0993HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Audi 9J1 423 811 A
 Porsche 9J1 423 811 A

Audi 9J1 423 811 B
 Porsche 9J1 423 811 B

Application info

Audi E-TRON (GE_) (09/18--)

Porsche Taycan (Y1_) (05/19--)

Tie rod end **116 020 7106** **MTE0141**

Notes

	Front Axle Right
Length [mm]	75
Paired article number	116 020 7139 MTE0142
Required quantity	1
Thread Size 1	M12x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Seat 191 419 812	Seat 3A0 422 812
Seat 6N0 419 812	Seat 6N0 422 812
Volkswagen 191 419 812	Volkswagen 3A0 422 812
Volkswagen 6N0 419 812	Volkswagen 6N0 422 812
Volkswagen (FAW) 191 419 812	

Application info

Seat Arosa (6H) (05/97-06/04)	Seat Ibiza II / Cordoba I / Inca (6K_) (02/93-11/03)
Seat Toledo I (1L_) (01/91-10/99)	Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09)
Volkswagen Corrado (53I) (08/87-12/95)	Volkswagen Golf II (19E) (08/83-12/92)
Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)	Volkswagen Jetta II (19E) (08/83-12/92)
Volkswagen Lupo (09/98-07/05)	Volkswagen Passat (35I) (02/88-12/97)
Volkswagen Polo (6K_) (01/95-11/09)	Volkswagen Polo (6N_) (09/94-10/01)
Volkswagen Polo Playa (01/95-11/09)	Volkswagen Santana (02/93-09/12)
Volkswagen Vento (11/91-09/98)	

Tie rod end **116 020 7139** **MTE0142**

Notes

	Front Axle Left
Length [mm]	75
Paired article number	116 020 7106 MTE0141
Required quantity	1
Thread Size 1	M12x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

- Seat 191 419 811
- Seat 6N0 419 811
- Volkswagen 191 419 811
- Volkswagen 3A0 422 811 A
- Volkswagen 6N0 422 811
- Seat 3A0 422 811
- Seat 6N0 422 811
- Volkswagen 3A0 422 811
- Volkswagen 6N0 419 811
- Volkswagen (FAW) 191 419 811

Application info

- Seat Arosa (6H) (05/97-06/04)
- Seat Toledo I (1L_) (01/91-10/99)
- Volkswagen Corrado (53I) (08/87-12/95)
- Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)
- Volkswagen Lupo (09/98-07/05)
- Volkswagen Polo (6K_) (01/95-11/09)
- Volkswagen Polo Playa (01/95-11/09)
- Volkswagen Vento (11/91-09/98)
- Seat Ibiza II / Cordoba I / Inca (6K_) (02/93-11/03)
- Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09)
- Volkswagen Golf II (19E) (08/83-12/92)
- Volkswagen Jetta II (19E) (08/83-12/92)
- Volkswagen Passat (35I) (02/88-12/97)
- Volkswagen Polo (6N_) (09/94-10/01)
- Volkswagen Santana (02/93-09/12)

Tie rod end

116 020 8122

MTE0147

Notes

- Front Axle
- Length [mm] 94
- Paired article number 116 020 8123 | MTE0148
- Required quantity 1
- Thread Size 1 M12x1,5
- Thread Size 2 M14x1,5
- replacement in pairs recommended



References

- Audi 8Z0 419 812 A
- Seat 6K0 422 811
- Volkswagen 6E0 419 812
- Volkswagen 6X0 422 811
- Seat 6E0 419 812
- Seat 6X0 422 811
- Volkswagen 6K0 422 811

Application info

- Audi A2 (8Z0) (02/00-08/05)
- Seat Ibiza II / Cordoba I / Inca (6K_) (02/93-11/03)
- Volkswagen Lupo (09/98-07/05)
- Volkswagen Polo (6N_) (09/94-10/01)
- Seat Arosa (6H) (05/97-06/04)
- Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09)
- Volkswagen Polo (6K_) (01/95-11/09)
- Volkswagen Polo Playa (01/95-11/09)

Tie rod end

116 020 8123

MTE0148

Notes

	Front Axle
Length [mm]	94
Paired article number	116 020 8122 MTE0147
Required quantity	1
Thread Size 1	M12x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Audi 8Z0 419 811 A	Seat 6E0 419 811
Seat 6K0 422 812	Seat 6X0 422 812
Volkswagen 6E0 419 811	Volkswagen 6K0 422 812
Volkswagen 6X0 422 812	

Application info

Audi A2 (8Z0) (02/00-08/05)	Seat Arosa (6H) (05/97-06/04)
Seat Ibiza II / Cordoba I / Inca (6K_) (02/93-11/03)	Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09)
Volkswagen Lupo (09/98-07/05)	Volkswagen Polo (6K_) (01/95-11/09)
Volkswagen Polo (6N_) (09/94-10/01)	Volkswagen Polo Playa (01/95-11/09)

Tie rod end

116 020 8203/HD

MTE0149HD

Notes

	Carbon Neutral
	Front Axle Right
Length [mm]	86
Paired article number	116 020 8204/HD MTE0150HD
Required quantity	1
Thread Size 1	M12x1,5
Thread Size 2	M16x1,5
reinforced version	
replacement in pairs recommended	



References

Volkswagen 701 419 812 D	Volkswagen 702 419 804 C
--------------------------	--------------------------

Application info

Volkswagen Transporter IV (07/90-06/03)

Tie rod end 116 020 8204/HD MTE0150HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 86
 Paired article number 116 020 8203/HD | MTE0149HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Volkswagen 701 419 803 E Volkswagen 701 419 811 E

Application info

Volkswagen Transporter IV (07/90-06/03)

Tie rod end 116 020 8215 MTE0153

Notes

Front Axle Left
 Length [mm] 85
 Paired article number 116 020 8217 | MTE0155
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Volkswagen 701 419 803 C Volkswagen 701 419 811 A
 Volkswagen 702 419 803 A

Application info

Volkswagen Transporter IV (07/90-06/03)

Tie rod end		116 020 8216	MTE0154
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 85</p> <p>Paired article number 116 020 8218 MTE0156</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Volkswagen 701 419 811 B</p>			
<p>Application info</p> <p>Volkswagen Transporter IV (07/90-06/03)</p>			
Tie rod end		116 020 8217	MTE0155
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 85</p> <p>Paired article number 116 020 8215 MTE0153</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Volkswagen 701 419 804 C Volkswagen 701 419 812</p>			
<p>Application info</p> <p>Volkswagen Transporter IV (07/90-06/03)</p>			

Tie rod end

116 020 8218

MTE0156

Notes

Front Axle Right
 Length [mm] 85
 Paired article number 116 020 8216 | MTE0154
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Volkswagen 701 419 812 A

Application info

Volkswagen Transporter IV (07/90-06/03)

Tie rod end

116 020 8228/HD

MTE0158HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Length [mm] 155
 Required quantity 2
 Thread Size 1 M8x1,25
 Thread Size 2 M14x1,5

reinforced version
 replacement in pairs recommended



References

Audi 4B0 419 811 F
 Audi 4F0 419 811 E
 Audi 8E0 419 811 B
 Skoda 8E0 419 811 B
 Volkswagen 4B0 419 811 E
 Volkswagen 4D0 419 811 A
 Volkswagen 4F0 419 811 E
 Volkswagen 8E0 419 811 B
 Volkswagen (SVW) 8E0 419 811 B

Audi 4D0 419 811 H
 Audi 4F0 498 811
 Audi (FAW) 8E0 419 811 B
 Volkswagen 4B0 419 811 B
 Volkswagen 4B0 419 811 F
 Volkswagen 4D0 419 811 B
 Volkswagen 8D0 498 998 A
 Volkswagen (SVW) 4B0 419 811 E

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)
 Audi A4 II (8E_) (02/00-12/05)
 Audi A8 I (4D_) (03/94-12/05)
 Skoda Superb I (3U) (12/01-03/08)

Audi A4 I (8D_) (11/94-12/02)
 Audi A6 II (4B, C5) (01/97-12/05)
 Audi Allroad (4BH) (05/00-08/05)
 Volkswagen Passat (3B_) (08/96-12/05)

Tie rod end

116 020 8260/HD

MTE0159HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 220
 Paired article number 116 020 8261/HD | MTE0160HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Ford 1 058 378	Ford 1 092 377
Ford 1 234 258	Ford 3M21-3280-AA
Ford 95VW-3280-BB	Ford 95VW-3280-BC
Seat 7M0 422 818 A	Seat 7M0 422 818 B
Seat 7M3 422 818	Volkswagen 7M0 422 818 A
Volkswagen 7M0 422 818 B	Volkswagen 7M3 422 818

Application info

Ford Galaxy I (03/95-05/06)
 Volkswagen Sharan (7M) (05/95-03/10)
 Seat Alhambra I (7V8, 7V9) (03/96-03/10)

Tie rod end

116 020 8261/HD

MTE0160HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 220
 Paired article number 116 020 8260/HD | MTE0159HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Ford 1 058 380	Ford 1 092 380
Ford 1 234 259	Ford 3M21-3281-AA
Ford 95VW-3281-BB	Ford 95VW-3281-BC
Seat 7M0 422 817 A	Seat 7M0 422 817 B
Seat 7M3 422 817	Volkswagen 7M0 422 817 A
Volkswagen 7M0 422 817 B	Volkswagen 7M3 422 817

Application info

Ford Galaxy I (03/95-05/06)	Seat Alhambra I (7V8, 7V9) (03/96-03/10)
Volkswagen Sharan (7M) (05/95-03/10)	

Tie rod end

116 020 8283

MTE0162

Notes

Front Axle Left
for vehicles with power steering

Length [mm]	75
Manufacturer Restriction	ZF
Paired article number	116 020 8285 MTE0163
Required quantity	1
Thread Size 1	M12x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Audi 1J0 422 811 A	Skoda 1J0 422 811 A
Volkswagen 1J0 422 811	Volkswagen 1J0 422 811 A

Application info

Audi A3 I (8L_) (09/96-09/06)	Skoda Octavia I (1U_) (09/96-12/10)
Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)	Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Tie rod end

116 020 8285

MTE0163

Notes

Front Axle Right
for vehicles with power steering
with left-hand thread

Length [mm] 75
Manufacturer Restriction ZF
Paired article number 116 020 8283 | MTE0162
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Audi 1J0 422 812 A
Volkswagen 1J0 422 812

Skoda 1J0 422 812 A
Volkswagen 1J0 422 812 A

Application info

Audi A3 I (8L_) (09/96-09/06)
Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Skoda Octavia I (1U_) (09/96-12/10)
Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Tie rod end

116 020 8502

MTE0164

Notes

Length [mm] 94
Paired article number 116 020 8503 | MTE0165
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Audi 1J0 422 811 B
Seat 1J0 422 811 B
Skoda 1J0 422 811 B
Volkswagen 1J0 422 811 E
Volkswagen (FAW) 1JD 422 811
Volkswagen (SVW) 1JD 422 811

Audi 8Z0 423 812 A
Seat 1J0 422 811 E
Volkswagen 1J0 422 811 B
Volkswagen (FAW) 1J0 422 811 B
Volkswagen (FAW) L1JD 422 811

Application info

Audi A2 (8Z0) (02/00-08/05)

Seat Leon I / Toledo II (1M_) (10/98-06/06)

Volkswagen Bora (1J2, 1J6) (10/98-12/13)

Volkswagen Jetta City (09/06-12/09)

Audi A3 I (8L_) (09/96-09/06)

Skoda Octavia I (1U_) (09/96-12/10)

Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Tie rod end

116 020 8503

MTE0165

Notes

Length [mm] 94
 Paired article number 116 020 8502 | MTE0164
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Audi 1J0 422 812 B

Seat 1J0 422 812 B

Skoda 1J0 422 812 B

Volkswagen 1J0 422 812 E

Volkswagen (FAW) 1JD 422 812

Volkswagen (SVW) 1JD 422 812

Audi 8Z0 423 811 A

Seat 1J0 422 812 E

Volkswagen 1J0 422 812 B

Volkswagen (FAW) 1J0 422 812 B

Volkswagen (FAW) L1JD 422 812

Application info

Audi A2 (8Z0) (02/00-08/05)

Seat Leon I / Toledo II (1M_) (10/98-06/06)

Volkswagen Bora (1J2, 1J6) (10/98-12/13)

Volkswagen Jetta City (09/06-12/09)

Audi A3 I (8L_) (09/96-09/06)

Skoda Octavia I (1U_) (09/96-12/10)

Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Tie rod end

116 020 9029

MTE0169

Notes

Front Axle Left
 inner
 Length [mm] 88
 Paired article number 116 020 9024 | MTE0167
 Required quantity 1
 Thread Size 1 M10x1,0
 Thread Size 2 M14x1,5
 replacement in pairs recommended



DRIVER'S BEST FRIEND

MEYLE

References

Volkswagen 113 415 821

Volkswagen 113 415 821 A

Application info

Volkswagen Käfer / Karmann Ghia (12/47-08/03)

Suspension

Axle support bushing

014 710 0007

MAB0169

Notes

Front
Hydro Mount
Rear Axle Left
Rear Axle Right

Height [mm] 77
Inner Diameter [mm] 18
Outer Diameter [mm] 77
Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 204 351 03 42
Mercedes-Benz A 204 351 03 42
Mercedes-Benz (BBDC) 204 351 08 42

Mercedes-Benz 204 351 08 42
Mercedes-Benz A 204 351 08 42
Mercedes-Benz (BBDC) A 204 351 08 42

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)
Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
Mercedes-Benz BM 218 (CLS) (01/11-12/17)

Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
Mercedes-Benz BM 212 (E-Class) (01/09-12/16)
Mercedes-Benz BM 231 (SL) (01/12--)

Axle support bushing

100 710 0024

MAB0188

Notes

Front
Rear Axle Left
Rear Axle Right

Height [mm] 76
Inner Diameter [mm] 18
Outer Diameter [mm] 61
Required quantity 2
replacement in pairs recommended



References

Volkswagen 3C0 505 145

Application info

Volkswagen CC (11/11-12/16)
Volkswagen Passat (3C_) (03/05-01/12)

Volkswagen Passat (362, 365) (08/10-12/15)

Axle support bushing		100 710 0025	MAB0189
<p>Notes</p> <p>Rear Rear Axle Left Rear Axle Right</p> <p>Height [mm] 76 Inner Diameter [mm] 18 Outer Diameter [mm] 54 Required quantity 2 replacement in pairs recommended</p>		 	
<p>References</p> <p>Volkswagen 3C0 505 145 A</p>			
<p>Application info</p> <p>Volkswagen CC (11/11-12/16) Volkswagen Passat (362, 365) (08/10-12/15) Volkswagen Passat (3C_) (03/05-01/12)</p>			
Axle support bushing		100 710 0028	MAB0200
<p>Notes</p> <p>Rear Axle Left Rear Axle Right</p> <p>Height [mm] 64 Inner Diameter [mm] 10 Outer Diameter [mm] 58 Required quantity 2 replacement in pairs recommended</p>		 	
<p>References</p> <p>Seat 1S0 501 541 B Seat 1S0 501 541 F Skoda 1S0 501 541 B Skoda 1S0 501 541 F Volkswagen 1S0 501 541 B Volkswagen 1S0 501 541 F</p>			
<p>Application info</p> <p>Seat Mii (10/11--) Skoda Citigo (10/11--) Volkswagen UP (08/11--)</p>			

Axle support bushing

11-14 710 0005

MAB0215

Notes

Rear Axle Left
Rear Axle RightHeight [mm] 84.8
Inner Diameter [mm] 12
Outer Diameter [mm] 59
Required quantity 2
replacement in pairs recommended

References

Citroën 5131 C9

Peugeot 5131.C9

Toyota 48725-0H010

Application info

Citroën C1 (06/05-09/14)

Citroën C1 II (04/14--)

Peugeot 107 (06/05-05/14)

Peugeot 108 (05/14--)

Toyota Aygo I (02/05-05/14)

Toyota Aygo II (05/14--)

Axle support bushing

11-14 710 0019

MAB0195

Notes

Rear Axle Left
Rear Axle RightHeight [mm] 78.5
Inner Diameter [mm] 14
Outer Diameter [mm] 82.5
Required quantity 2
replacement in pairs recommended

References

Citroën 5131.H1

Citroën 96 810 170 80

Peugeot 5131.H1

Peugeot 96 81 017 080

Application info

Citroën Berlingo II (04/08--)

Peugeot Partner II (04/08--)

Axle support bushing

11-14 710 0024

MAB0181

Notes

	Rear Axle Left
	Rear Axle Right
Height [mm]	82.5
Inner Diameter [mm]	12
Outer Diameter [mm]	72
Required quantity	2
replacement in pairs recommended	



References

Citroën 5131.G4

Peugeot 5131.G4

Application info

Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck
(11/04--)

Citroën C4 II / DS4 (02/09--)

Peugeot 308 I (09/07--)

Peugeot RCZ (03/10-12/15)

Axle support bushing

11-14 710 0025

MAB0182

Notes

	Rear Axle Left
	Rear Axle Right
Height [mm]	30
Inner Diameter [mm]	12
Outer Diameter [mm]	47
Required quantity	2
replacement in pairs recommended	



References

Citroën 5131.47

Peugeot 5131.47

Application info

Citroën Berlingo I (07/96-12/11)

Peugeot 405 (01/87-12/99)

Peugeot Partner I (05/96--)

Ball joint

016 010 0000

MBJ0001

Notes

Front Axle Left
 Front Axle Right
 Upper
 with accessories
 with right-hand thread

Length [mm] 28
 Required quantity 2
 Thread Size M12x1,5
 replacement in pairs recommended



References

Mercedes-Benz 168 330 01 27
 Mercedes-Benz 168 333 02 27
 Mercedes-Benz A 168 333 01 27

Mercedes-Benz 168 333 01 27
 Mercedes-Benz A 168 330 01 27
 Mercedes-Benz A 168 333 02 27

Application info

Mercedes-Benz BM 168 (A-Class) (07/97-08/05)

Ball joint

016 010 0002/HD

MBJ0003HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 outer
 with accessories

Cone Size [mm] 17.3
 Height [mm] 91.8
 Outer Diameter [mm] 41
 Required quantity 2
 Thread Size M14x1,5
 reinforced version
 replacement in pairs recommended



References

- | | |
|------------------------------------|--------------------------------------|
| Mercedes-Benz 211 330 02 35 | Mercedes-Benz 211 330 04 35 |
| Mercedes-Benz 220 333 01 27 | Mercedes-Benz 220 333 02 27 |
| Mercedes-Benz 220 333 03 27 | Mercedes-Benz 220 333 04 27 |
| Mercedes-Benz 220 333 07 27 | Mercedes-Benz A 211 330 02 35 |
| Mercedes-Benz A 211 330 04 35 | Mercedes-Benz A 220 333 01 27 |
| Mercedes-Benz A 220 333 02 27 | Mercedes-Benz A 220 333 03 27 |
| Mercedes-Benz A 220 333 04 27 | Mercedes-Benz A 220 333 07 27 |
| Mercedes-Benz (BBDC) 211 330 04 35 | Mercedes-Benz (BBDC) A 211 330 04 35 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 211 (E-Class) (03/02-07/09) | Mercedes-Benz BM 215 (S-Class) (03/99-12/06) |
| Mercedes-Benz BM 219 (CLS) (10/04-02/11) | Mercedes-Benz BM 220 (S-Class) (09/98-08/05) |
| Mercedes-Benz BM 230 (SL) (10/01-01/12) | |

Ball joint

016 010 0003

MBJ0004

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

- | | |
|------------------------------------|--------------------------------------|
| Mercedes-Benz 212 330 01 35 | Mercedes-Benz A 212 330 01 35 |
| Mercedes-Benz (BBDC) 212 330 01 35 | Mercedes-Benz (BBDC) A 212 330 01 35 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 212 (E-Class) (01/09-12/16) | Mercedes-Benz BM 218 (CLS) (01/11-12/17) |
|--|--|

Ball joint

016 010 0004/HD

MBJ0005HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Lower
with accessories

Required quantity 2
Thread Size M14x1,5
reinforced version
replacement in pairs recommended



References

Mercedes-Benz 163 330 00 35
Mercedes-Benz A 163 330 00 35

Mercedes-Benz 163 330 01 35
Mercedes-Benz A 163 330 01 35

Application info

Mercedes-Benz BM 163 (M-Class) (02/98-07/05)

Ball joint

016 010 0005/HD

MBJ0006HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Required quantity 2
Thread Size M12x1,5
reinforced version
replacement in pairs recommended



References

Smart 0014224V002
Smart 0015642V002000000
Smart 14224V002000000

Smart 0014224V002000000
Smart 14224V001000
Smart 2271V007000005

Application info

Smart City Coupé / Cabrio (07/98-01/04)
Smart Fortwo I (01/04-02/07)

Smart Crossblade (06/02-12/03)
Smart Roadster (04/03-11/05)

Ball joint

016 010 0006/HD

MBJ0007HD

Notes

Carbon Neutral
Lower
Rear Axle Left
Rear Axle Right
with accessories

Required quantity 2
Thread Size M14x1,5
reinforced version
replacement in pairs recommended



References

Mercedes-Benz 163 350 00 13
Mercedes-Benz A 163 350 00 13

Mercedes-Benz 163 350 01 13
Mercedes-Benz A 163 350 01 13

Application info

Mercedes-Benz BM 163 (M-Class) (02/98-07/05)

Ball joint

016 010 0009

MBJ0008

Notes

Front Axle Left
Front Axle Right
Upper
with accessories

Required quantity 2
Thread Size M10x1,5
replacement in pairs recommended



References

Mercedes-Benz 000 330 10 07
Mercedes-Benz 211 331 00 83
Mercedes-Benz A 211 330 99 07
Mercedes-Benz (BBDC) 000 330 10 07
Mercedes-Benz (BBDC) A 000 330 10 07

Mercedes-Benz 211 330 99 07
Mercedes-Benz A 000 330 10 07
Mercedes-Benz A 211 331 00 83
Mercedes-Benz (BBDC) 211 330 99 07
Mercedes-Benz (BBDC) A 211 330 99 07

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)
Mercedes-Benz BM 230 (SL) (10/01-01/12)

Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Ball joint		016 010 0010	MBJ0009
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower inner</p> <p>Required quantity 2 Thread Size M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 211 323 00 68 Mercedes-Benz 211 323 03 68 Mercedes-Benz 220 323 03 68 Mercedes-Benz A 211 323 00 68 Mercedes-Benz A 211 323 03 68 Mercedes-Benz A 220 323 03 68</p>			
<p>Application info</p> <p>Mercedes-Benz BM 211 (E-Class) (03/02-07/09) Mercedes-Benz BM 219 (CLS) (10/04-02/11) Mercedes-Benz BM 220 (S-Class) (09/98-08/05) Mercedes-Benz BM 230 (SL) (10/01-01/12) Mercedes-Benz BM 231 (SL) (01/12--)</p>			
Ball joint		016 010 0011	MBJ0010
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower</p> <p>Required quantity 2 Thread Size M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 169 333 00 27 Mercedes-Benz 169 333 01 27 Mercedes-Benz 169 333 03 27 Mercedes-Benz A 169 333 00 27 Mercedes-Benz A 169 333 01 27 Mercedes-Benz A 169 333 03 27</p>			
<p>Application info</p> <p>Mercedes-Benz BM 169 (A-Class) (09/04-06/12) Mercedes-Benz BM 245 (B-Class) (03/05-11/11)</p>			

Ball joint

016 010 0012

MBJ0011

Notes

Front Axle Left
 Front Axle Right
 Lower
 with retaining ring

Outer Diameter [mm] 40
 Required quantity 2
 Thread Size M12x1,5
 replacement in pairs recommended



References

Mitsubishi MN186217	Smart 454 330 07 07
Smart 454 330 08 07	Smart 454 330 99 99
Smart A 454 330 07 07	Smart A 454 330 08 07
Smart A 454 330 99 99	

Application info

Mitsubishi Colt VI (10/02-12/12)	Smart Forfour (01/04-06/06)
----------------------------------	-----------------------------

Ball joint

016 010 0013/HD

MBJ0012HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity 2
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 639 330 04 10	Mercedes-Benz 639 330 05 10
Mercedes-Benz 639 330 08 10	Mercedes-Benz 639 330 09 10
Mercedes-Benz 639 333 02 27	Mercedes-Benz A 639 330 04 10
Mercedes-Benz A 639 330 05 10	Mercedes-Benz A 639 330 08 10
Mercedes-Benz A 639 330 09 10	Mercedes-Benz A 639 333 02 27

Application info

Mercedes-Benz BM 639 (Vito / Viano) (08/03--)

Ball joint**016 010 0014****MBJ0013****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity

2

Thread Size

M14x1,5

replacement in pairs recommended

**References**

Mercedes-Benz 414 333 01 27

Mercedes-Benz A 414 333 01 27

Mercedes-Benz 414 333 02 27

Mercedes-Benz A 414 333 02 27

Application info

Mercedes-Benz BM 414 (Vaneo) (02/02-07/05)

Ball joint**016 010 0015****MBJ0014****Notes**

Front Axle Left
 Front Axle Right

Height [mm]

106

Outer Diameter [mm]

45

Required quantity

2

Thread Size

M20x1,5

replacement in pairs recommended

**References**

Mercedes-Benz 903 330 41 07

Mercedes-Benz A 903 330 41 07

Volkswagen 2E0 407 151 M

Mercedes-Benz 906 330 40 07

Mercedes-Benz A 906 330 40 07

Volkswagen 2E0 407 152 M

Application info

Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Mercedes-Benz BM 906 (Sprinter II) (06/06--)

Volkswagen Crafter I (2E) (04/06-12/16)

Ball joint

016 010 0016

MBJ0015

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Height [mm] 87
 Outer Diameter [mm] 45
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M42x1,5
 replacement in pairs recommended



References

Mercedes-Benz 164 330 09 35

Mercedes-Benz A 164 330 09 35

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)

Mercedes-Benz BM 164 (M-Class) (02/05-12/12)

Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Ball joint

016 010 0017

MBJ0016

Notes

Rear Axle Left
 Rear Axle Right
 with accessories

Height [mm] 87
 Outer Diameter [mm] 45
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M42x1,5
 replacement in pairs recommended



References

Mercedes-Benz 164 352 01 27

Mercedes-Benz 164 352 03 27

Mercedes-Benz A 164 352 01 27

Mercedes-Benz A 164 352 03 27

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)

Mercedes-Benz BM 164 (M-Class) (02/05-12/12)

Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Ball joint

016 010 0018/HD

MBJ0017HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with accessories

Required quantity 2
Thread Size M12x1,5
reinforced version
replacement in pairs recommended



References

Smart 0014224V002	Smart 0014224V002000000
Smart 0015642V002000000	Smart 14224V001000
Smart 14224V002000000	Smart 2271V007000005

Application info

Smart City Coupé / Cabrio (07/98-01/04)	Smart Crossblade (06/02-12/03)
Smart Fortwo I (01/04-02/07)	Smart Roadster (04/03-11/05)

Ball joint

016 010 0020

MBJ0018

Notes

Front Axle Left
Front Axle Right

Height [mm] 76
Required quantity 2
Thread Size M12x1,5
replacement in pairs recommended



References

Smart 451 330 00 10	Smart A 451 330 00 10
---------------------	-----------------------

Application info

Smart Fortwo II (01/07--)

Ball joint

016 010 0021

MBJ0427

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer
 with accessories

Cone Size [mm] 17.3
 Height [mm] 91.8
 Outer Diameter [mm] 41
 Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended



References

Mercedes-Benz 211 330 02 35
 Mercedes-Benz 220 333 01 27
 Mercedes-Benz 220 333 03 27
 Mercedes-Benz 220 333 07 27
 Mercedes-Benz A 211 330 04 35
 Mercedes-Benz A 220 333 02 27
 Mercedes-Benz A 220 333 04 27
 Mercedes-Benz (BBDC) 211 330 04 35

Mercedes-Benz 211 330 04 35
 Mercedes-Benz 220 333 02 27
 Mercedes-Benz 220 333 04 27
 Mercedes-Benz A 211 330 02 35
 Mercedes-Benz A 220 333 01 27
 Mercedes-Benz A 220 333 03 27
 Mercedes-Benz A 220 333 07 27
 Mercedes-Benz (BBDC) A 211 330 04 35

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)
 Mercedes-Benz BM 219 (CLS) (10/04-02/11)
 Mercedes-Benz BM 230 (SL) (10/01-01/12)

Mercedes-Benz BM 215 (S-Class) (03/99-12/06)
 Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Ball joint

016 010 0022

MBJ0428

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended



References

Mercedes-Benz 163 330 00 35
 Mercedes-Benz A 163 330 00 35

Mercedes-Benz 163 330 01 35
 Mercedes-Benz A 163 330 01 35

Application info

Mercedes-Benz BM 163 (M-Class) (02/98-07/05)

Ball joint

016 010 0023

MBJ0429

Notes

Front Axle Left
 Front Axle Right
 Lower

Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Chrysler 05099237AA
 Chrysler 5099237AA
 Mercedes-Benz 202 333 00 27
 Mercedes-Benz 210 330 04 27
 Mercedes-Benz 211 330 03 35
 Mercedes-Benz A 210 330 00 35
 Mercedes-Benz A 210 333 04 27

Chrysler 05099237AB
 Chrysler 5099237AB
 Mercedes-Benz 210 330 00 35
 Mercedes-Benz 210 333 04 27
 Mercedes-Benz A 202 333 00 27
 Mercedes-Benz A 210 330 04 27
 Mercedes-Benz A 211 330 03 35

Application info

Chrysler Crossfire (07/03-12/08)
 Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
 Mercedes-Benz BM 210 (E-Class) (06/95-08/03)
 Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Mercedes-Benz BM 170 (SLK) (04/96-04/04)
 Mercedes-Benz BM 208 (CLK) (06/97-12/03)
 Mercedes-Benz BM 211 (E-Class) (03/02-07/09)

Ball joint		016 010 0026/HD	MBJ0487HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left Front Axle Right Lower outer</p> <p>Required quantity 2 Thread Size M18x1,5 replacement in pairs recommended</p>			
References		Mercedes-Benz A 910 333 04 00	
Application info		Mercedes-Benz 910 333 04 00	
Ball joint		016 010 0028	MBJ0482
<p>Notes</p> <p>Front Axle Left Front Axle Right Rear Axle Left Rear Axle Right</p> <p>Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M16x1,5 replacement in pairs recommended</p>			
References		Mercedes-Benz A 167 330 63 00	
Application info		Mercedes-Benz 167 330 63 00	
References		Mercedes-Benz A 167 330 63 00	
Application info		Mercedes-Benz BM 167 (GLE) (10/18--)	
		Mercedes-Benz BM 167 (GLS) (04/19--)	

Ball joint **016 010 0030** **MBJ0478**

Notes

Front Axle Left
 Front Axle Right
 Required quantity 2
 Thread Size M16x1,5
 replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| Mercedes-Benz 447 330 14 07 | Mercedes-Benz 447 330 15 07 |
| Mercedes-Benz 447 330 34 00 | Mercedes-Benz 447 330 35 00 |
| Mercedes-Benz 447 330 75 00 | Mercedes-Benz 447 330 76 00 |
| Mercedes-Benz 447 333 01 27 | Mercedes-Benz A 447 330 14 07 |
| Mercedes-Benz A 447 330 15 07 | Mercedes-Benz A 447 330 34 00 |
| Mercedes-Benz A 447 330 35 00 | Mercedes-Benz A 447 330 75 00 |
| Mercedes-Benz A 447 330 76 00 | Mercedes-Benz A 447 333 01 27 |

Application info

Mercedes-Benz BM 447 (V-Class) (03/14--)

Mercedes-Benz BM 447 (Vito) (10/14--)

Ball joint **016 010 0235** **MBJ0484**

Notes

Front Axle Left
 Front Axle Right
 Lower outer
 Required quantity 2
 Thread Size M16x1,5
 replacement in pairs recommended



References

- | | |
|-----------------------------|-------------------------------|
| Mercedes-Benz 166 330 02 35 | Mercedes-Benz A 166 330 02 35 |
|-----------------------------|-------------------------------|

Application info

Mercedes-Benz BM 166 (GL) (07/12-12/15)	Mercedes-Benz BM 166 (GLE) (03/15-10/19)
Mercedes-Benz BM 166 (GLS) (11/15-04/19)	Mercedes-Benz BM 166 (M-Class) (06/11-12/15)

Ball joint

016 010 6327/HD

MBJ0023HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M18x1,5

reinforced version

replacement in pairs recommended



References

Mercedes-Benz 140 333 03 27

Mercedes-Benz A 140 333 03 27

Application info

Mercedes-Benz BM 140 (S-Class) (02/91-12/99)

Ball joint

016 010 6331/HD

MBJ0024HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

Chrysler 05099237AA

Chrysler 05099237AB

Chrysler 5099237AA

Chrysler 5099237AB

Mercedes-Benz 202 333 00 27

Mercedes-Benz 210 330 00 35

Mercedes-Benz 210 330 04 27

Mercedes-Benz 210 333 04 27

Mercedes-Benz 211 330 03 35

Mercedes-Benz A 202 333 00 27

Mercedes-Benz A 210 330 00 35

Mercedes-Benz A 210 330 04 27

Mercedes-Benz A 210 333 04 27

Mercedes-Benz A 211 330 03 35

Application info

Chrysler Crossfire (07/03-12/08)

Mercedes-Benz BM 202 (C-Class) (03/93-03/01)

Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Mercedes-Benz BM 170 (SLK) (04/96-04/04)

Mercedes-Benz BM 208 (CLK) (06/97-12/03)

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)

Ball joint

034 010 0003

MBJ0025

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity
 replacement in pairs recommended

2



References

Mercedes-Benz 638 330 00 10

Mercedes-Benz 638 330 01 10

Mercedes-Benz 638 330 06 10

Mercedes-Benz A 638 330 00 10

Mercedes-Benz A 638 330 01 10

Mercedes-Benz A 638 330 06 10

Mercedes-Benz 638 330 00 27

Mercedes-Benz 638 330 05 10

Mercedes-Benz 638 333 00 27

Mercedes-Benz A 638 330 00 27

Mercedes-Benz A 638 330 05 10

Mercedes-Benz A 638 333 00 27

Application info

Mercedes-Benz BM 638 (V-Class / Vito) (02/96-07/03)

Ball joint

036 010 0001

MBJ0026

Notes

Front Axle Left
 Front Axle Right

Height [mm]

103

Outer Diameter [mm]

50

Required quantity

2

Thread Size

M16x1,5

replacement in pairs recommended



References

Mercedes-Benz 000 320 00 28
 Mercedes-Benz 608 320 00 28
 Mercedes-Benz 631 320 00 28
 Mercedes-Benz A 000 320 00 28
 Mercedes-Benz A 608 320 00 28
 Mercedes-Benz A 631 320 00 28

Mercedes-Benz 000 320 01 28
 Mercedes-Benz 608 320 01 28
 Mercedes-Benz 631 320 02 28
 Mercedes-Benz A 000 320 01 28
 Mercedes-Benz A 608 320 01 28
 Mercedes-Benz A 631 320 02 28

Application info

Mercedes-Benz BM 631 (02/88-04/96)

Ball joint**036 010 0113/HD****MBJ0027HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Required quantity

2

Thread Size

M20x1,5

reinforced version

replacement in pairs recommended

**References**

Mercedes-Benz 901 333 06 27
 Mercedes-Benz 901 333 10 27
 Mercedes-Benz 901 333 12 27
 Mercedes-Benz A 901 333 07 27
 Mercedes-Benz A 901 333 11 27
 Volkswagen 2D0 407 361
 Volkswagen 2D0 407 361 B

Mercedes-Benz 901 333 07 27
 Mercedes-Benz 901 333 11 27
 Mercedes-Benz A 901 333 06 27
 Mercedes-Benz A 901 333 10 27
 Mercedes-Benz A 901 333 12 27
 Volkswagen 2D0 407 361 A

Application info

Mercedes-Benz BM 901 / 902 (Sprinter I) (01/95-05/06)
 Mercedes-Benz BM 904 (Sprinter I) (02/95-05/12)
 Volkswagen LT II (04/96-07/06)

Mercedes-Benz BM 903 (Sprinter I) (01/95-05/12)
 Mercedes-Benz BM 909 (Sprinter) (09/13--)

Ball joint **036 020 0113** **MBJ0028**

Notes

Front Axle Left
 Front Axle Right
 Height [mm] 52
 Required quantity 2
 Thread Size M20x1,5
 replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| Mercedes-Benz 901 333 06 27 | Mercedes-Benz 901 333 07 27 |
| Mercedes-Benz 901 333 10 27 | Mercedes-Benz 901 333 11 27 |
| Mercedes-Benz 901 333 12 27 | Mercedes-Benz A 901 333 06 27 |
| Mercedes-Benz A 901 333 07 27 | Mercedes-Benz A 901 333 10 27 |
| Mercedes-Benz A 901 333 11 27 | Mercedes-Benz A 901 333 12 27 |
| Volkswagen 2D0 407 361 | Volkswagen 2D0 407 361 A |
| Volkswagen 2D0 407 361 B | |

Application info

- | | |
|---|---|
| Mercedes-Benz BM 901 / 902 (Sprinter I) (01/95-05/06) | Mercedes-Benz BM 903 (Sprinter I) (01/95-05/12) |
| Mercedes-Benz BM 904 (Sprinter I) (02/95-05/12) | Mercedes-Benz BM 909 (Sprinter) (09/13--) |
| Volkswagen LT II (04/96-07/06) | |

Ball joint **11-16 010 0000** **MBJ0029**

Notes

Front Axle Left
 Front Axle Right
 Lower
 Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended



References

CITROËN (DF-PSA) 3640.60
 Citroën 16 072 974 80
 Citroën 3640.68
 Citroën 3640.73
 DS 3640 73
 Peugeot 3640.60
 Peugeot 3640.70
 Peugeot 98 17 375 080
 Peugeot (DF-PSA) 3640.70

CITROËN (DF-PSA) 3640.70
 Citroën 3640.60
 Citroën 3640.70
 Citroën 98 173 750 80
 Peugeot 3640.53
 Peugeot 3640.68
 Peugeot 3640.73
 Peugeot (DF-PSA) 3640.60

Application info

Citroën Berlingo II (04/08--)
 Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck
 (11/04--)
 Citroën DS5 (09/11-07/15)
 DS DS 5 (04/15-12/18)
 Peugeot 307 (08/00-12/12)
 Peugeot 5008 I (06/09-03/17)
 Peugeot Partner II (04/08--)

Citroën C4 Grand Picasso II (01/13--)
 Citroën C4 II / DS4 (02/09--)
 DS DS 4 I (07/15-12/18)
 Peugeot 3008 I (05/09-12/17)
 Peugeot 308 I (09/07--)
 Peugeot 508 I (11/10--)
 Peugeot RCZ (03/10-12/15)

Ball joint**11-16 010 0004****MBJ0030****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories
 Required quantity 2
 Thread Size M18x1,5
 replacement in pairs recommended

**References**

Citroën 13 004 730 80
 Fiat 1300473080

Citroën 3640.33
 Peugeot 3640.33

Application info

Citroën Jumper I (02/94-08/02)
 Fiat Ducato (244) (04/02--)

Fiat Ducato (230) (03/94-05/05)
 Peugeot Boxer I (03/94-08/05)

Ball joint

11-16 010 0005/HD

MBJ0031HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Lower
with accessories

Required quantity

2

Thread Size

M16x1,5

reinforced version

replacement in pairs recommended

**References**

Citroën 13 023 680 80

Citroën 3640.32

Fiat 1302368080

Peugeot 3640.32

Application info

Citroën Jumper I (02/94-08/02)

Fiat Ducato (230) (03/94-05/05)

Peugeot Boxer I (03/94-08/05)

Ball joint

11-16 010 0007

MBJ0032

Notes

Front Axle Left
Front Axle Right
Lower
with accessories

Required quantity

2

replacement in pairs recommended

**References**

Peugeot 3640.48

Peugeot 3640.49

Peugeot 3840.37

Application info

Peugeot 306 (01/93-10/03)

References

Citroën 16 072 984 80

Citroën 3640.56

Citroën 3640.61

Citroën 3640.65

DS 3640 62

Peugeot 16 07 298 580

Peugeot 3640.59

Peugeot 3640.62

Peugeot 3640.66

Citroën 16 072 985 80

Citroën 3640.59

Citroën 3640.62

Citroën 3640.66

Peugeot 16 07 298 480

Peugeot 3640.56

Peugeot 3640.61

Peugeot 3640.65

Application info

Citroën C2 / C3 I / Pluriel (02/02--)

Citroën C3 Picasso (02/09--)

Citroën DS3 (11/09-12/16)

Peugeot 1007 (04/05--)

Peugeot 207 (02/06--)

Citroën C3 III (07/16--)

Citroën C4 Cactus (09/14--)

DS DS 3 (04/15-07/19)

Peugeot 2008 I (03/13--)

Peugeot 208 I (03/12--)

Ball joint**11-16 010 0014****MBJ0036****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity

2

Thread Size

M16x1,5

replacement in pairs recommended

**References**

Citroën 16 109 346 80

Citroën 3640.76

Fiat 93501837

Peugeot 3640.67

Citroën 3640.67

Fiat 50705629

Peugeot 16 10 934 680

Peugeot 3640.76

Application info

Citroën Jumper III (04/06--)

Peugeot Boxer III (09/05--)

Fiat Ducato (250) (07/06--)

Ball joint

11-16 010 0017

MBJ0037

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity 2
 replacement in pairs recommended



References

Citroën 3640.77
 Citroën 98 194 181 80
 DS 3640 77
 GENERAL MOTORS 3647087
 Opel 36 47 087

Citroën 98 093 384 80
 Citroën 98 194 182 80
 GENERAL MOTORS 3647086
 Opel 36 47 086
 Peugeot 3640.77

Application info

Citroën C Elyse (11/12--)
 Citroën C3 II (09/09--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 2008 I (03/13--)
 Peugeot 301 (11/12--)

Citroën C3 AIRCROSS II (06/17--)
 Citroën C3 III (07/16--)
 Citroën DS3 (11/09-12/16)
 Opel Crossland X (03/17--)
 Peugeot 208 I (03/12--)
 Vauxhall Crossland X (03/17--)

Ball joint

11-16 010 0018

MBJ0038

Notes

Front Axle Left
 Front Axle Right
 Lower

Required quantity 2
 replacement in pairs recommended



References

Citroën 3640.58
 Citroën 3640.72
 Peugeot 3640.69

Citroën 3640.69
 Peugeot 3640.58
 Peugeot 3640.72

Application info

Citroën C5 III (RD_, TD_) (02/08--)
 Peugeot 407 (02/04--)

Citroën C6 (09/05-12/12)
 Peugeot 508 I (11/10--)

Ball joint

11-16 010 0020

MBJ0039

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Flange Hole Diameter [mm] 12
 Required quantity 2
 replacement in pairs recommended



References

Peugeot 3640.83

Application info

Peugeot 508 I (11/10--)

Ball joint

11-16 010 0025

MBJ0439

Notes

Front Axle Left
 Front Axle Right
 with accessories

Required quantity 2
 replacement in pairs recommended



References

Citroën 3640.78
 Peugeot 3640.78

DS 3640.78

Application info

Citroën C3 III (07/16--)
 DS DS 3 (04/15-07/19)

Citroën DS3 (11/09-12/16)
 Peugeot 208 I (03/12--)

Ball joint

11-16 010 0026

MBJ0456

Notes

Front Axle Left
 Front Axle Right
 Lower
 for control arm
 outer

Required quantity
 replacement in pairs recommended



References

Citroën 98 073 060 99
 Citroën 98 310 885 80
 GENERAL MOTORS 39188665
 Opel 39188665
 Peugeot 96 72 192 480
 Peugeot 98 17 689 680
 Peugeot 98 31 088 580
 Vauxhall 39 18 8665

Citroën 98 176 896 80
 Citroën 98 317 938 80
 GENERAL MOTORS 98 310 885 80
 Opel 98 310 882 80
 Peugeot 98 07 306 099
 Peugeot 98 31 088 280
 Peugeot 98 31 793 880
 Vauxhall 98 310 885 80

Application info

Citroën Berlingo III (06/18--)
 Opel Combo E (K9) (06/18--)
 Peugeot 308 II (09/13--)
 Peugeot Rifter (09/18--)
 Vauxhall Combo Mk IV (06/18--)

Opel Astra L (10/21--)
 Peugeot 308 I (09/07--)
 Peugeot 308 III (07/21--)
 Vauxhall Astra Mk VIII (10/21--)

Ball joint

11-16 010 0027

MBJ0467

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer

Required quantity
 2

Thread Size
 M14x1,5

replacement in pairs recommended



References

Citroën 98 186 575 80
 Peugeot 98 18 657 580
 Toyota SU001-A6525

Citroën 98 345 990 80
 Peugeot 98 34 599 080
 Toyota SU001-A8260

Application info

Citroën Jumpy III (04/16--)
 Opel Vivaro C (03/19--)
 Peugeot Traveller (04/16--)
 Vauxhall Vivaro C (03/19--)

Citroën Spacetourer (04/16--)
 Peugeot Expert III (04/16--)
 Toyota Proace II (02/16--)

Ball joint

11-16 010 0035

MBJ0513

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer
 2

Required quantity
 replacement in pairs recommended



References

DS 98 153 962 80

Peugeot 98 15 396 280

Application info

DS DS 7 (09/17--)
 Peugeot 508 II (09/18--)

DS DS 9 (09/20--)

Ball joint

11-16 010 3347

MBJ0040

Notes

Front Axle Left
 Front Axle Right
 Lower
 Height [mm]
 37
 Required quantity
 2
 Thread Size
 M14x1,5

replacement in pairs recommended



References

Citroën 3640 28
 Citroën 3640.71
 Citroën 96 233 739
 Peugeot 3640.34

Citroën 3640 34
 Citroën 95 028 039
 Peugeot 3640.28
 Peugeot 3640.71

Application info

Citroën C5 I / C5 II (03/01--)
 Citroën Xantia (03/93-04/03)
 Peugeot 406 (08/95-02/05)
 Peugeot 607 (01/00--)

Citroën XM (05/89-10/00)
 Peugeot 405 (01/87-12/99)
 Peugeot 605 (06/89-09/99)

Ball joint**11-16 010 3356****MBJ0041****Notes**

Front Axle Left
 Front Axle Right
 Lower

Height [mm] 51
 Outer Diameter [mm] 37
 Required quantity 2
 replacement in pairs recommended

**References**

Citroën 16 144 392 80
 Citroën 96 093 233
 Peugeot 3640.36

Citroën 3640.36
 Peugeot 16 144 392 80

Application info

Citroën AX (07/86-12/98)
 Peugeot 106 (08/91-05/05)

Citroën Saxo (02/96-04/04)

Ball joint 11-16 010 4087/HD MBJ0043HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity 2
 Thread Size M16x1,5

reinforced version
 replacement in pairs recommended



References

Citroën 7 567 284 Fiat 7567284
 Peugeot 3640.26

Application info

Citroën C25 (07/81-07/94) Fiat Ducato (280) (01/82-09/90)
 Fiat Ducato / Talento (290) (03/89-05/94) Peugeot J5 (280) (09/81-09/90)
 Peugeot J5 (290) (09/90-03/94)

Ball joint 11-16 010 6909 MBJ0045

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity 2
 replacement in pairs recommended



References

Peugeot 3640.30 Peugeot 3640.31
 Peugeot 3640.37 Peugeot 3640.44
 Peugeot 96 109 681

Application info

Peugeot 306 (01/93-10/03)

Ball joint		11-16 050 0035	MBJ0046
Notes Front Axle Left Front Axle Right Upper Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M42x1,5 replacement in pairs recommended		 	
References Citroën 3640.57 Peugeot 3640.57		Citroën 3640.74 Peugeot 3640.74	
Application info Citroën C5 III (RD_, TD_) (02/08--) Peugeot 407 (02/04--)		Citroën C6 (09/05-12/12) Peugeot 508 I (11/10--)	
Ball joint		116 010 0000	MBJ0047
Notes Front Axle Left Front Axle Right Cone Size [mm] 17.2 Height [mm] 109 Outer Diameter [mm] 42 Required quantity 2 Thread Size M14x1,5 replacement in pairs recommended		 	
References Audi 4G0 407 689 A Audi 8W0 407 689 A Audi (FAW) 4G0 407 689 A Porsche 4G0 407 689 A Porsche PAB 407 689		Audi 4G0 407 689 C Audi 8W0 407 689 B Audi (FAW) 8W0 407 689 A Porsche 4G0 407 689 C Volkswagen (SVW) 4G0 407 689 C	
Application info Audi A4 IV (8K_) (08/07-05/16) Audi A5 I (8F_, 8T_) (06/07-01/17) Audi A6 IV (4G2, 4G5, C7) (11/10-09/18) Audi Q5 I (8R_) (11/08-12/17)		Audi A4 V (8W_) (05/15--) Audi A5 II (F5_) (06/16--) Audi A7 I Sportback (4G_) (07/10-05/18) Porsche Macan (95B) (02/14--)	

Ball joint **116 010 0005** **MBJ0048**

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity 2
 Thread Size M12x1,5
 replacement in pairs recommended



References

Audi 8N0 407 365 B Audi 8N0 407 365 C
 Seat 8N0 407 365 B Seat 8N0 407 365 C
 Volkswagen 8N0 407 365 C

Application info

Audi A3 I (8L_) (09/96-09/06) Audi TT I (8N_) (10/98-12/06)
 Seat Leon I / Toledo II (1M_) (10/98-06/06) Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)
 Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Ball joint **116 010 0007** **MBJ0049**

Notes

Front Axle Left
 Lower
 with accessories

Paired article number 116 010 0008 | MBJ0050
 Required quantity 1
 Thread Size M12x1,5
 replacement in pairs recommended



References

Audi 8Z0 407 365 A Seat 6Q0 407 365 A
 Seat 6Q0 407 365 M Skoda 6Q0 407 365 A
 Skoda 6Q0 407 365 M Volkswagen 5Z0 407 365 B
 Volkswagen 6Q0 407 365 A Volkswagen 6Q0 407 365 D
 Volkswagen 6Q0 407 365 F Volkswagen 6Q0 407 365 M
 Volkswagen (SVW) 6Q0 407 365 A Volkswagen (SVW) 6Q0 407 365 M

Application info

Audi A2 (8Z0) (02/00-08/05)
 Skoda Fabia I (6Y_) (08/99-03/08)
 Skoda Roomster (03/06-05/15)
 Volkswagen Polo (9N_) (10/01--)

Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)
 Skoda Fabia II (54_) (12/06-12/14)
 Volkswagen Fox/Lupo (Z51) (08/03--)

Ball joint

116 010 0008

MBJ0050

Notes

Front Axle Right
 Lower
 with accessories
 Paired article number 116 010 0007 | MBJ0049
 Required quantity 1
 Thread Size M12x1,5
 replacement in pairs recommended



References

Audi 8Z0 407 366 A
 Seat 6Q0 407 366 M
 Skoda 6Q0 407 366 M
 Volkswagen 6Q0 407 366 A
 Volkswagen 6Q0 407 366 F
 Volkswagen (SVW) 6Q0 407 366 A

Seat 6Q0 407 366 A
 Skoda 6Q0 407 366 A
 Volkswagen 5Z0 407 366 B
 Volkswagen 6Q0 407 366 D
 Volkswagen 6Q0 407 366 M
 Volkswagen (SVW) 6Q0 407 366 M

Application info

Audi A2 (8Z0) (02/00-08/05)
 Skoda Fabia I (6Y_) (08/99-03/08)
 Skoda Roomster (03/06-05/15)
 Volkswagen Polo (9N_) (10/01--)

Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)
 Skoda Fabia II (54_) (12/06-12/14)
 Volkswagen Fox/Lupo (Z51) (08/03--)

Ball joint

116 010 0009

MBJ0051

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories
 Length [mm] 33
 Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended



References

Ford 1 111 156

Ford 95VW-3395-AA

Seat 7M3 407 365 A

Volkswagen 7M0 407 365 A

Volkswagen 7M3 407 365 C

Ford 7 200 946

Ford YM21-3395-BA

Seat 7M3 407 365 C

Volkswagen 7M3 407 365 A

Application info

Ford Galaxy I (03/95-05/06)

Volkswagen Sharan (7M) (05/95-03/10)

Seat Alhambra I (7V8, 7V9) (03/96-03/10)

Ball joint

116 010 0012/HD

MBJ0052HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Lower
with accessories

Required quantity

2

Thread Size

M14x1,5

reinforced version

replacement in pairs recommended



References

Volkswagen 7E0 407 361

Volkswagen 7H0 407 361

Volkswagen 7E0 407 361 A

Volkswagen 7H0 407 361 A

Application info

Volkswagen Multivan T7 (STM, STN) (08/21--)

Volkswagen Transporter VI (04/15--)

Volkswagen Transporter V (04/03-08/15)

Ball joint

116 010 0013/HD

MBJ0053HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Lower
with accessories

Required quantity

2

Thread Size

M14x1,5

reinforced version

replacement in pairs recommended



References

Volkswagen 7E8 407 361
 Volkswagen 7H8 407 361 A

Volkswagen 7H8 407 361

Application info

Volkswagen Transporter V (04/03-08/15)

Volkswagen Transporter VI (04/15--)

Ball joint

116 010 0015

MBJ0054

Notes

Front Axle Left
 Lower
 with accessories
 Paired article number 116 010 0016 | MBJ0055
 Required quantity 1
 Thread Size M12x1,5
 replacement in pairs recommended



References

Audi 1K0 407 365 B
 Audi 1K0 407 365 E
 Skoda 1K0 407 365 C
 Volkswagen 1K0 407 365 B
 Volkswagen 1K0 407 365 E
 Volkswagen (SVW) 1K0 407 365 C

Audi 1K0 407 365 C
 Seat 1K0 407 365 C
 Skoda (SVW) 1K0 407 365 C
 Volkswagen 1K0 407 365 C
 Volkswagen (FAW) 1KD 407 365
 Volkswagen (SVW) 1KD 407 365

Application info

Audi A3 II (8P_) (05/03-12/15)
 Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
 Skoda Superb II (3T) (03/08-05/15)
 Volkswagen Beetle (5C1) (04/11-07/19)
 Volkswagen Caddy IV (SA_) (05/15--)
 Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
 Volkswagen Jetta III (1K2) (09/04-12/13)
 Volkswagen Passat (A32) (01/11--)
 Volkswagen Tiguan I (5N) (09/07-07/18)

Audi Q3 I (8U_) (06/11-12/18)
 Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Yeti (5L) (05/09-12/17)
 Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
 Volkswagen Eos (03/06-08/15)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen Jetta IV (162) (01/08--)
 Volkswagen Scirocco III (137) (05/08-11/17)
 Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Ball joint

116 010 0016

MBJ0055

Notes

Front Axle Right
Lower
with accessories
Paired article number 116 010 0015 | MBJ0054
Required quantity 1
Thread Size M12x1,5
replacement in pairs recommended



References

- | | |
|--------------------------------|------------------------------|
| Audi 1K0 407 366 B | Audi 1K0 407 366 C |
| Audi 1K0 407 366 E | Seat 1K0 407 366 C |
| Skoda 1K0 407 366 C | Skoda (SVW) 1K0 407 366 C |
| Volkswagen 1K0 407 366 B | Volkswagen 1K0 407 366 C |
| Volkswagen 1K0 407 366 E | Volkswagen (FAW) 1KD 407 366 |
| Volkswagen (SVW) 1K0 407 366 C | Volkswagen (SVW) 1KD 407 366 |

Application info

- | | |
|--|--|
| Audi A3 II (8P_) (05/03-12/15) | Audi Q3 I (8U_) (06/11-12/18) |
| Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--) | Skoda Octavia II (1Z_) (02/04-06/13) |
| Skoda Superb II (3T) (03/08-05/15) | Skoda Yeti (5L) (05/09-12/17) |
| Volkswagen Beetle (5C1) (04/11-07/19) | Volkswagen Caddy III (2KA, 2KB) (03/04-05/15) |
| Volkswagen Caddy IV (SA_) (05/15--) | Volkswagen Eos (03/06-08/15) |
| Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14) | Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16) |
| Volkswagen Jetta III (1K2) (09/04-12/13) | Volkswagen Jetta IV (162) (01/08--) |
| Volkswagen Passat (A32) (01/11--) | Volkswagen Scirocco III (137) (05/08-11/17) |
| Volkswagen Tiguan I (5N) (09/07-07/18) | Volkswagen Touran I (1T1/2/3) (02/03-05/15) |

Ball joint

116 010 0017

MBJ0056

Notes

Front Axle Left
Lower
with accessories
Paired article number 116 010 0018 | MBJ0057
Required quantity 1
Thread Size M12x1,5
replacement in pairs recommended



References

- | | |
|--------------------------|--------------------------|
| Audi 3C0 407 365 A | Audi 3C0 407 365 B |
| Audi 5QD 407 365 | Audi (FAW) 3C0 407 365 B |
| Seat 3C0 407 365 A | Seat 3C0 407 365 B |
| Skoda 3C0 407 365 B | Volkswagen 3C0 407 365 A |
| Volkswagen 3C0 407 365 B | Volkswagen 5QM 407 365 |

Application info

- | | |
|--|--|
| Audi A3 II (8P_) (05/03-12/15) | Audi A3 III (8V_) (04/12--) |
| Audi A3 IV (8Y_) (11/19--) | Audi Q2 (06/16--) |
| Audi Q3 I (8U_) (06/11-12/18) | Audi Q3 II (F3_) (07/18--) |
| CUPRA ATECA (KH7_KHP) (09/18--) | Seat Alhambra II (710) (06/10--) |
| Seat Ateca (04/16--) | Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--) |
| Seat Leon III (5F_) (09/12--) | Seat Tarraco (09/18--) |
| Skoda Karoq (07/17--) | Skoda Kodiaq I (10/16--) |
| Skoda Octavia III (5E_) (11/12--) | Skoda Octavia IV (NX_) (11/19--) |
| Skoda Superb III (3V_) (03/15--) | Volkswagen Arteon (03/17--) |
| Volkswagen CC (11/11-12/16) | Volkswagen Golf VII (5G1,BA5) (08/12--) |
| Volkswagen Golf VIII (CB1) (07/19--) | Volkswagen Jetta VII (BU3) (12/17--) |
| Volkswagen Passat (362, 365) (08/10-12/15) | Volkswagen Passat (3C_) (03/05-01/12) |
| Volkswagen Passat (B8) (08/14--) | Volkswagen Sharan (7N) (05/10--) |
| Volkswagen T-Roc (A11) (07/17--) | Volkswagen Taos (CL1, CQ1) (10/20--) |
| Volkswagen Tiguan II (AD1, BW2) (01/16--) | Volkswagen Touran II (5T1) (05/15--) |

Ball joint

116 010 0018

MBJ0057

Notes

Front Axle Right
 Lower
 with accessories
 Paired article number 116 010 0017 | MBJ0056
 Required quantity 1
 Thread Size M12x1,5

replacement in pairs recommended



References

- | | |
|--------------------------|--------------------------|
| Audi 3C0 407 366 A | Audi 3C0 407 366 B |
| Audi 5QD 407 366 | Audi (FAW) 3C0 407 366 B |
| Seat 3C0 407 366 A | Seat 3C0 407 366 B |
| Skoda 3C0 407 366 B | Volkswagen 3C0 407 366 A |
| Volkswagen 3C0 407 366 B | Volkswagen 5QM 407 366 |

Application info

Audi A3 II (8P_) (05/03-12/15)	Audi A3 III (8V_) (04/12--)
Audi A3 IV (8Y_) (11/19--)	Audi Q2 (06/16--)
Audi Q3 I (8U_) (06/11-12/18)	Audi Q3 II (F3_) (07/18--)
CUPRA ATECA (KH7_KHP) (09/18--)	Seat Alhambra II (710) (06/10--)
Seat Ateca (04/16--)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Seat Leon III (5F_) (09/12--)	Seat Tarraco (09/18--)
Skoda Karoq (07/17--)	Skoda Kodiaq I (10/16--)
Skoda Octavia III (5E_) (11/12--)	Skoda Octavia IV (NX_) (11/19--)
Skoda Superb III (3V_) (03/15--)	Volkswagen Arteon (03/17--)
Volkswagen CC (11/11-12/16)	Volkswagen Golf VII (5G1,BA5) (08/12--)
Volkswagen Golf VIII (CB1) (07/19--)	Volkswagen Jetta VII (BU3) (12/17--)
Volkswagen Passat (362, 365) (08/10-12/15)	Volkswagen Passat (3C_) (03/05-01/12)
Volkswagen Passat (B8) (08/14--)	Volkswagen Sharan (7N) (05/10--)
Volkswagen T-Roc (A11) (07/17--)	Volkswagen Taos (CL1, CQ1) (10/20--)
Volkswagen Tiguan II (AD1, BW2) (01/16--)	Volkswagen Touran II (5T1) (05/15--)

Ball joint**116 010 0019****MBJ0058****Notes**

Front Axle Left
 Front Axle Right
 Lower
 Cone Size [mm] 13.8
 Height [mm] 109
 Outer Diameter [mm] 42
 Required quantity 2
 Thread Size M12x1,5

replacement in pairs recommended

**References**

Audi 8K0 407 689 D	Audi 8K0 407 689 E
Audi 8K0 407 689 F	Audi 8K0 407 689 G
Audi (FAW) 8K0 407 689 E	Audi (FAW) 8K0 407 689 F
Audi (FAW) 8K0 407 689 G	

Application info

Audi A4 IV (8K_) (08/07-05/16)	Audi A5 I (8F_ , 8T_) (06/07-01/17)
Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)	Audi A7 I Sportback (4G_) (07/10-05/18)
Audi Q5 I (8R_) (11/08-12/17)	

Ball joint**116 010 0024****MBJ0061****Notes**

Front Axle Left
Lower
outer
with accessories

Paired article number 116 010 0025 | MBJ0062
Required quantity 1
Thread Size M12x1,5
replacement in pairs recommended

**References**

Audi 6R0 407 365
Audi 6R0 407 365 B
Seat 6R0 407 365 A
Skoda 6R0 407 365
Skoda 6R0 407 365 B
Volkswagen 6R0 407 365 A

Audi 6R0 407 365 A
Seat 6R0 407 365
Seat 6R0 407 365 B
Skoda 6R0 407 365 A
Volkswagen 6R0 407 365
Volkswagen 6R0 407 365 B

Application info

Audi A1 I (8X_) (05/10-10/18)
Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)
Seat Toledo IV (KG3) (07/12-04/19)
Skoda Fabia II (54_) (12/06-12/14)
Skoda Rapid II (N_) (07/12-12/19)
Volkswagen Polo (6R_) (03/09--)
Volkswagen Polo Vivo (6R1, 6RS) (07/17--)

Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)
Seat Mii (10/11--)
Skoda Citigo (10/11--)
Skoda Fabia III (NJ_) (08/14--)
Skoda Roomster (03/06-05/15)
Volkswagen Polo (9N_) (10/01--)
Volkswagen UP (08/11--)

Ball joint**116 010 0025****MBJ0062****Notes**

Front Axle Right
Lower
outer
with accessories

Paired article number 116 010 0024 | MBJ0061
Required quantity 1
Thread Size M12x1,5
replacement in pairs recommended



References

Audi 6R0 407 366
 Audi 6R0 407 366 B
 Seat 6R0 407 366 A
 Skoda 6R0 407 366
 Skoda 6R0 407 366 B
 Volkswagen 6R0 407 366 A

Audi 6R0 407 366 A
 Seat 6R0 407 366
 Seat 6R0 407 366 B
 Skoda 6R0 407 366 A
 Volkswagen 6R0 407 366
 Volkswagen 6R0 407 366 B

Application info

Audi A1 I (8X_) (05/10-10/18)
 Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)
 Seat Toledo IV (KG3) (07/12-04/19)
 Skoda Fabia II (54_) (12/06-12/14)
 Skoda Rapid II (N_) (07/12-12/19)
 Volkswagen Polo (6R_) (03/09--)
 Volkswagen Polo Vivo (6R1, 6RS) (07/17--)

Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)
 Seat Mii (10/11--)
 Skoda Citigo (10/11--)
 Skoda Fabia III (NJ_) (08/14--)
 Skoda Roomster (03/06-05/15)
 Volkswagen Polo (9N_) (10/01--)
 Volkswagen UP (08/11--)

Ball joint**116 010 0033****MBJ0063****Notes**

Front Axle Left
 with accessories
 Paired article number 116 010 0034 | MBJ0064
 Required quantity 1
 Thread Size M12x1,5
 replacement in pairs recommended

**References**

Audi 5Q0 407 365 A
 Seat 5Q0 407 365 A
 Skoda (SVW) 5Q0 407 365 A

Audi (FAW) 5Q0 407 365 A
 Skoda 5Q0 407 365 A
 Volkswagen 5Q0 407 365 A

Application info

Audi A1 II (GB_) (07/18--)
 Audi Q2 (06/16--)
 Seat Ibiza V (KJ1) (01/17--)
 Skoda Fabia IV (PJ3) (06/21--)
 Skoda Octavia III (5E_) (11/12--)
 Volkswagen Caddy IV (SA_) (05/15--)
 Volkswagen Golf VIII (CB1) (07/19--)
 Volkswagen Polo (AW1) (06/17--)
 Volkswagen T-Roc (A11) (07/17--)

Audi A3 III (8V_) (04/12--)
 Seat Arona (KJ7) (07/17--)
 Seat Leon III (5F_) (09/12--)
 Skoda Kamiq (07/19--)
 Skoda Scala (02/19--)
 Volkswagen Golf VII (5G1,BA5) (08/12--)
 Volkswagen Nivus / Taigo (11/21--)
 Volkswagen T-Cross (12/18--)
 Volkswagen Taos (CL1, CQ1) (10/20--)

Ball joint

116 010 0034

MBJ0064

Notes

Front Axle Right
with accessories
Paired article number 116 010 0033 | MBJ0063
Required quantity 1
Thread Size M12x1,5
replacement in pairs recommended



References

Audi 5Q0 407 366 A Audi (FAW) 5Q0 407 366 A
Seat 5Q0 407 366 A Skoda 5Q0 407 366 A
Skoda (SVW) 5Q0 407 366 A Volkswagen 5Q0 407 366 A

Application info

Audi A1 II (GB_) (07/18--)
Audi Q2 (06/16--)
Seat Ibiza V (KJ1) (01/17--)
Skoda Fabia IV (PJ3) (06/21--)
Skoda Octavia III (5E_) (11/12--)
Volkswagen Caddy IV (SA_) (05/15--)
Volkswagen Golf VIII (CB1) (07/19--)
Volkswagen Polo (AW1) (06/17--)
Volkswagen T-Roc (A11) (07/17--)
Audi A3 III (8V_) (04/12--)
Seat Arona (KJ7) (07/17--)
Seat Leon III (5F_) (09/12--)
Skoda Kamiq (07/19--)
Skoda Scala (02/19--)
Volkswagen Golf VII (5G1,BA5) (08/12--)
Volkswagen Nivus / Taigo (11/21--)
Volkswagen T-Cross (12/18--)
Volkswagen Taos (CL1, CQ1) (10/20--)

Ball joint

116 010 0035

MBJ0303

Notes

Front Axle Left
Front Axle Right
Lower
Outer Diameter [mm] 49
Required quantity 2
Thread Size M14x1,5
replacement in pairs recommended



References

Volkswagen 2H0 407 151 A Volkswagen 2H0 407 152 A

Application info

Volkswagen Amarok I (09/10--)

Ball joint

116 010 0036

MBJ0306

Notes

Front Axle Left
 Front Axle Right
 Upper
 Outer Diameter [mm] 45
 Required quantity 2
 Thread Size M12x1,5

replacement in pairs recommended



References

Volkswagen 2H0 407 021 B

Volkswagen 2H0 407 022 B

Application info

Volkswagen Amarok I (09/10--)

Ball joint

116 010 0037

MBJ0430

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories
 Required quantity 2
 Thread Size M14x1,5

replacement in pairs recommended



References

Volkswagen 7E0 407 361
 Volkswagen 7H0 407 361

Volkswagen 7E0 407 361 A
 Volkswagen 7H0 407 361 A

Application info

Volkswagen Transporter V (04/03-08/15)

Volkswagen Transporter VI (04/15--)

Ball joint

116 010 0038

MBJ0431

Notes

Front Axle Left
 Front Axle Right
 Upper
 with accessories

Height [mm] 106
 Outer Diameter [mm] 46
 Required quantity 2
 Thread Size M16x1,5
 replacement in pairs recommended



References

Volkswagen 701 407 187 Volkswagen 701 407 187 A
 Volkswagen 701 407 187 B

Application info

Volkswagen Transporter IV (07/90-06/03)

Ball joint

116 010 0039

MBJ0432

Notes

Front Axle Left
 Lower
 with accessories

Paired article number 116 010 0040 | MBJ0433
 Required quantity 1
 Thread Size M12x1,5
 replacement in pairs recommended



References

Audi 1J0 407 365 A	Audi 1J0 407 365 C
Audi 1J0 407 365 D	Audi 1J0 407 365 J
Seat 1J0 407 365 C	Seat 1J0 407 365 H
Seat 1J0 407 365 J	Skoda 1J0 407 365 C
Skoda 1J0 407 365 D	Skoda 1J0 407 365 H
Skoda 1J0 407 365 J	Volkswagen 1J0 407 365 A
Volkswagen 1J0 407 365 C	Volkswagen 1J0 407 365 D
Volkswagen 1J0 407 365 H	Volkswagen 1J0 407 365 J
Volkswagen (FAW) 1J0 407 365 C	Volkswagen (SVW) 1JD 407 365

Application info

Audi A3 I (8L_) (09/96-09/06)
 Skoda Octavia I (1U_) (09/96-12/10)
 Volkswagen Bora V (Mex) (01/07--)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Seat Leon I / Toledo II (1M_) (10/98-06/06)
 Volkswagen Bora (1J2, 1J6) (10/98-12/13)
 Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)
 Volkswagen Jetta City (09/06-12/09)

Ball joint

116 010 0040

MBJ0433

Notes

Front Axle Right
 Lower
 with accessories
 Paired article number 116 010 0039 | MBJ0432
 Required quantity 1
 Thread Size M12x1,5
 replacement in pairs recommended



References

Audi 1J0 407 366 A
 Audi 1J0 407 366 D
 Seat 1J0 407 366 C
 Seat 1J0 407 366 J
 Skoda 1J0 407 366 D
 Skoda 1J0 407 366 J
 Volkswagen 1J0 407 366 A
 Volkswagen 1J0 407 366 D
 Volkswagen 1J0 407 366 J
 Volkswagen (SVW) 1JD 407 366

Audi 1J0 407 366 C
 Audi 1J0 407 366 J
 Seat 1J0 407 366 H
 Skoda 1J0 407 366 C
 Skoda 1J0 407 366 H
 Skoda 1J0 422 366 C
 Volkswagen 1J0 407 366 C
 Volkswagen 1J0 407 366 H
 Volkswagen (FAW) 1J0 407 366 C

Application info

Audi A3 I (8L_) (09/96-09/06)
 Skoda Octavia I (1U_) (09/96-12/10)
 Volkswagen Bora V (Mex) (01/07--)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Seat Leon I / Toledo II (1M_) (10/98-06/06)
 Volkswagen Bora (1J2, 1J6) (10/98-12/13)
 Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)
 Volkswagen Jetta City (09/06-12/09)

Ball joint

116 010 0052

MBJ0510

Notes

Front Axle Left
 Lower
 outer
 Paired article number 116 010 0053 | MBJ0511
 Required quantity 1
 Thread Size M12x1,5
 replacement in pairs recommended



References

Volkswagen 3QF 407 365

Application info

Volkswagen Atlas (12/16--)

Ball joint

116 010 0053

MBJ0511

Notes

Front Axle Right
 Lower
 outer
 Paired article number 116 010 0052 | MBJ0510
 Required quantity 1
 Thread Size M12x1,5
 replacement in pairs recommended



References

Volkswagen 3QF 407 366

Application info

Volkswagen Atlas (12/16--)

Ball joint

116 010 0600

MBJ0065

Notes

Front Axle Left
 Front Axle Right
 Lower

Height [mm] 39
 Outer Diameter [mm] 38.4
 Required quantity 2
 Thread Size M12x1,5
 replacement in pairs recommended



References

Volkswagen 181 405 371 C

Application info

Volkswagen 181 (09/69-11/83)

Ball joint

116 010 0633

MBJ0069

Notes

Front Axle Left
 Front Axle Right
 Lower

Height [mm] 81
 Outer Diameter [mm] 47
 Required quantity 2
 Thread Size M20x1,5
 replacement in pairs recommended



References

Volkswagen 311 405 371

Volkswagen 311 405 371 A

Volkswagen 311 405 371 C

Application info

Volkswagen 1500,1600 (04/61-03/75)

Ball joint 116 010 0657/HD MBJ0070HD

Notes

	Carbon Neutral
	Front Axle Left
	Front Axle Right
	Lower
	Upper
Outer Diameter [mm]	48.6
Required quantity	4
Thread Size	M18x1,5
reinforced version	
replacement in pairs recommended	



References

Volkswagen 211 405 371 A Volkswagen 211 405 371 B

Application info

Volkswagen Transporter II (08/67-09/79)

Ball joint 116 010 0657 MBJ0070

Notes

	Front Axle Left
	Front Axle Right
	Lower
	Upper
Height [mm]	118
Outer Diameter [mm]	48.3
Required quantity	2
Thread Size	M18x1,5 mm
replacement in pairs recommended	



References

Volkswagen 211 405 371 A Volkswagen 211 405 371 B

Application info

Volkswagen Transporter II (08/67-09/79)

Ball joint 116 010 3222 MBJ0072

Notes

Front Axle Left
 Front Axle Right
 Lower

Height [mm] 66
 Outer Diameter [mm] 38
 Required quantity 2
 replacement in pairs recommended



References
 Volkswagen 133 407 361

Application info
 Volkswagen Käfer / Karmann Ghia (12/47-08/03)

Ball joint 116 010 3254 MBJ0075

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity 2
 replacement in pairs recommended



References
 Porsche 171 407 365 G
 Volkswagen 171 407 365 G

Volkswagen 171 407 365 F

Application info

Porsche 924 (11/75-08/89)
 Volkswagen Caddy I (14) (08/79-07/92)
 Volkswagen Jetta I (16) (08/78-12/87)
 Volkswagen Scirocco II (53B) (08/80-07/92)

Porsche 944 (06/81-07/91)
 Volkswagen Golf I (17, 155) (04/74-08/93)
 Volkswagen Scirocco I (53) (02/74-07/80)

Ball joint

116 010 3269/HD

MBJ0076HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower

Outer Diameter [mm]

48

Required quantity

2

Thread Size

M18x1,5

reinforced version

replacement in pairs recommended

**References**

Volkswagen 251 407 187

Volkswagen 251 407 187 A

Volkswagen 251 407 187 B

Application info

Volkswagen Transporter III (05/79-12/02)

Ball joint

116 010 3270

MBJ0077

Notes

Front Axle Left
 Front Axle Right
 Upper
 with accessories

Length [mm]

18.5

Required quantity

2

Thread Size

M16x1,5

replacement in pairs recommended

**References**

Volkswagen 251 407 361

Application info

Volkswagen Transporter III (05/79-12/02)

Ball joint 116 010 3270/HD MBJ0077HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Upper
 with accessories

Required quantity 2
 Thread Size M16x1,5
 reinforced version
 replacement in pairs recommended



References

Volkswagen 251 407 361

Application info

Volkswagen Transporter III (05/79-12/02)

Ball joint 116 010 3915 MBJ0078

Notes

Front Axle Right
 Lower
 for vehicles without power steering
 with accessories

Cone Size [mm] 17
 Length [mm] 42
 Paired article number 116 010 3916 | MBJ0079
 Required quantity 1
 replacement in pairs recommended



References

Audi 855 407 366

Application info

Audi 80/90 (81, 85, B2) (08/78-10/88)

Audi 80/90 (89, 89Q, 8A, B3) (06/86-12/96)

Ball joint		116 010 3918	MBJ0081
<p>Notes</p> <p>Front Axle Right Lower for vehicles with power steering with accessories</p> <p>Length [mm] 51 Paired article number 116 010 3917 MBJ0080 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Audi 855 407 366 A Volkswagen 855 407 366 A Volkswagen 855 407 366 B</p>			
<p>Application info</p> <p>Audi 80/90 (81, 85, B2) (08/78-10/88) Audi 80/90 (85) (07/80-07/91) Audi 80/90 (89, 89Q, 8A, B3) (06/86-12/96) Volkswagen Passat (32B) (09/79-06/89)</p>			
Ball joint		116 010 7001/HD	MBJ0082HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left Front Axle Right Lower with accessories</p> <p>Required quantity 2 Thread Size M16x1,5 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>Volkswagen 7D0 407 361</p>			
<p>Application info</p> <p>Volkswagen Transporter IV (07/90-06/03)</p>			

Ball joint

116 010 7108

MBJ0083

Notes

Front Axle Left
Front Axle Right
Lower
with accessories

Required quantity 2
replacement in pairs recommended



References

Seat 191 407 365
Volkswagen 191 407 365 A

Volkswagen 191 407 365
Volkswagen 191 407 365 B

Application info

Volkswagen Golf II (19E) (08/83-12/92)

Volkswagen Jetta II (19E) (08/83-12/92)

Ball joint

116 010 7154

MBJ0084

Notes

Front Axle Left
Front Axle Right
Lower
with accessories

Required quantity 2
replacement in pairs recommended



References

Seat 357 407 365
Volkswagen 357 407 365

Seat 357 407 365 S
Volkswagen 357 407 365 A

Application info

Seat Ibiza II / Cordoba I / Inca (6K_) (02/93-11/03)
Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09)
Volkswagen Golf II (19E) (08/83-12/92)
Volkswagen Jetta II (19E) (08/83-12/92)
Volkswagen Polo (6K_) (01/95-11/09)
Volkswagen Vento (11/91-09/98)

Seat Toledo I (1L_) (01/91-10/99)
Volkswagen Corrado (53I) (08/87-12/95)
Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)
Volkswagen Passat (35I) (02/88-12/97)
Volkswagen Polo Playa (01/95-11/09)

Ball joint **116 010 7175** **MBJ0091**

Notes

Front Axle Left
Lower
for vehicles with power steering
with accessories

Cone Size [mm] 19
Length [mm] 48
Paired article number 116 010 7177 | MBJ0092
Required quantity 1
replacement in pairs recommended



References

Audi 895 407 365 Audi 8A0 407 365

Application info

Audi 80 (8C, 8G7, B4) (05/91-08/00) Audi 80/90 (89, 89Q, 8A, B3) (06/86-12/96)

Ball joint **116 010 7177** **MBJ0092**

Notes

Front Axle Right
Lower
for vehicles with power steering
with accessories

Cone Size [mm] 19
Length [mm] 48
Paired article number 116 010 7175 | MBJ0091
Required quantity 1
replacement in pairs recommended



References

Audi 895 407 366 Audi 8A0 407 366

Application info

Audi 80 (8C, 8G7, B4) (05/91-08/00) Audi 80/90 (89, 89Q, 8A, B3) (06/86-12/96)

Ball joint**116 010 7184****MBJ0093****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity

2

Thread Size

M12x1,5

replacement in pairs recommended

**References**

Seat 1H0 407 365

Volkswagen 1H0 407 365

Volkswagen 1H0 407 365 A

Application info

Seat Toledo I (1L_) (01/91-10/99)

Volkswagen Corrado (53I) (08/87-12/95)

Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)

Volkswagen Passat (35I) (02/88-12/97)

Volkswagen Vento (11/91-09/98)

Ball joint**116 010 7192/HD****MBJ0094HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Upper
 with accessories

Height [mm]

106

Outer Diameter [mm]

46

Required quantity

2

Thread Size

M16x1,5

reinforced version

replacement in pairs recommended

**References**

Volkswagen 701 407 187

Volkswagen 701 407 187 A

Volkswagen 701 407 187 B

Application info

Volkswagen Transporter IV (07/90-06/03)

Ball joint

116 010 7193

MBJ0095

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Cone Size [mm]

20.3

Length [mm]

40

Required quantity

2

Thread Size

M16x1,5

replacement in pairs recommended



References

Volkswagen 701 407 361 B

Application info

Volkswagen Transporter IV (07/90-06/03)

Ball joint

116 010 7193/HD

MBJ0095HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 with accessories

Length [mm]

40

Required quantity

2

Thread Size

M16x1,5

reinforced version

replacement in pairs recommended



References

Volkswagen 701 407 361 B

Application info

Volkswagen Transporter IV (07/90-06/03)

Ball joint		116 010 8223	MBJ0096
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower with accessories</p> <p>Required quantity 2 replacement in pairs recommended</p>			
<p>References</p> <p>Skoda 6U0 407 365 Volkswagen 6U0 407 365</p>			
<p>Application info</p> <p>Skoda Favorit (06/88-06/97) Skoda Felicia (10/94-04/02) Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09)</p>			
Ball joint		116 010 8248	MBJ0097
<p>Notes</p> <p>with accessories</p> <p>Paired article number 116 010 8249 MBJ0098 Required quantity 1 Thread Size M10x10 replacement in pairs recommended</p>			
<p>References</p> <p>Seat 6N0 407 365 A Volkswagen 6N0 407 365 A</p>			
<p>Application info</p> <p>Seat Arosa (6H) (05/97-06/04) Volkswagen Lupo (09/98-07/05) Volkswagen Polo (6N_) (09/94-10/01)</p>			

Ball joint		116 010 8249	MBJ0098
<p>Notes</p> <p>with accessories</p> <p>Paired article number 116 010 8248 MBJ0097</p> <p>Required quantity 1</p> <p>Thread Size M10x1,0</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Seat 6N0 407 365</p> <p>Volkswagen 6N0 407 365</p>			
<p>Application info</p> <p>Seat Arosa (6H) (05/97-06/04)</p> <p>Volkswagen Polo (6N_) (09/94-10/01)</p> <p>Volkswagen Lupo (09/98-07/05)</p>			
Ball joint		116 010 8287/HD	MBJ0099HD
<p>Notes</p> <p>Carbon Neutral</p> <p>Front Axle Left</p> <p>Lower</p> <p>with accessories</p> <p>Paired article number 116 010 8288/HD MBJ0100HD</p> <p>Required quantity 1</p> <p>Thread Size M12x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Audi 1J0 407 365 A</p> <p>Audi 1J0 407 365 D</p> <p>Seat 1J0 407 365 C</p> <p>Seat 1J0 407 365 J</p> <p>Skoda 1J0 407 365 D</p> <p>Skoda 1J0 407 365 J</p> <p>Volkswagen 1J0 407 365 C</p> <p>Volkswagen (FAW) 1J0 407 365 C</p>		<p>Audi 1J0 407 365 C</p> <p>Audi 1J0 407 365 J</p> <p>Seat 1J0 407 365 H</p> <p>Skoda 1J0 407 365 C</p> <p>Skoda 1J0 407 365 H</p> <p>Volkswagen 1J0 407 365 A</p> <p>Volkswagen 1J0 407 365 D</p> <p>Volkswagen 1J0 407 365 J</p> <p>Volkswagen (SVW) 1JD 407 365</p>	

Application info

Audi A3 I (8L_) (09/96-09/06)

Skoda Octavia I (1U_) (09/96-12/10)

Volkswagen Bora V (Mex) (01/07--)

Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)

Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Seat Leon I / Toledo II (1M_) (10/98-06/06)

Volkswagen Bora (1J2, 1J6) (10/98-12/13)

Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Volkswagen Jetta City (09/06-12/09)

Ball joint

116 010 8288/HD

MBJ0100HD

Notes

Carbon Neutral

Front Axle Right

Lower

with accessories

116 010 8287/HD | MBJ0099HD

1

M12x1,5

Paired article number

Required quantity

Thread Size

reinforced version

replacement in pairs recommended



References

Audi 1J0 407 366 A

Audi 1J0 407 366 D

Seat 1J0 407 366 C

Seat 1J0 407 366 J

Skoda 1J0 407 366 D

Skoda 1J0 407 366 J

Volkswagen 1J0 407 366 A

Volkswagen 1J0 407 366 D

Volkswagen 1J0 407 366 J

Volkswagen (SVW) 1JD 407 366

Audi 1J0 407 366 C

Audi 1J0 407 366 J

Seat 1J0 407 366 H

Skoda 1J0 407 366 C

Skoda 1J0 407 366 H

Skoda 1J0 422 366 C

Volkswagen 1J0 407 366 C

Volkswagen 1J0 407 366 H

Volkswagen (FAW) 1J0 407 366 C

Application info

Audi A3 I (8L_) (09/96-09/06)

Skoda Octavia I (1U_) (09/96-12/10)

Volkswagen Bora V (Mex) (01/07--)

Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)

Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Seat Leon I / Toledo II (1M_) (10/98-06/06)

Volkswagen Bora (1J2, 1J6) (10/98-12/13)

Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Volkswagen Jetta City (09/06-12/09)

Ball joint

116 010 9001

MBJ0101

Notes

Front Axle Left
 Front Axle Right
 Upper

Height [mm] 45
 Outer Diameter [mm] 38.3
 Required quantity 2
 Thread Size M12x1,5
 replacement in pairs recommended

**References**

Volkswagen 131 405 361 F

Application info

Volkswagen Käfer / Karmann Ghia (12/47-08/03)

Ball joint

116 010 9002

MBJ0102

Notes

Front Axle Left
 Front Axle Right
 Lower

Height [mm] 54
 Outer Diameter [mm] 38.3
 Required quantity 2
 Thread Size M12x1,5
 replacement in pairs recommended

**References**

Volkswagen 131 405 371 G

Application info

Volkswagen Käfer / Karmann Ghia (12/47-08/03)

Control arm	016 035 0008	MCA0001
--------------------	---------------------	----------------

Notes

Aluminium
Control Arm
Front
Front Axle Left
Lower
with rubber mount

Paired article number
Required quantity
replacement in pairs recommended

016 035 0009 | MCA0002
1



References

- | | |
|-------------------------------|-------------------------------|
| Mercedes-Benz 220 330 18 11 | Mercedes-Benz 220 330 33 11 |
| Mercedes-Benz 220 330 43 11 | Mercedes-Benz 220 330 57 11 |
| Mercedes-Benz A 220 330 18 11 | Mercedes-Benz A 220 330 33 11 |
| Mercedes-Benz A 220 330 43 11 | Mercedes-Benz A 220 330 57 11 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 215 (S-Class) (03/99-12/06) | Mercedes-Benz BM 220 (S-Class) (09/98-08/05) |
|--|--|

Control arm	016 035 0009	MCA0002
--------------------	---------------------	----------------

Notes

Aluminium
Control Arm
Front
Front Axle Right
Lower
with rubber mount

Paired article number
Required quantity
replacement in pairs recommended

016 035 0008 | MCA0001
1



References

- | | |
|-------------------------------|-------------------------------|
| Mercedes-Benz 220 330 17 11 | Mercedes-Benz 220 330 34 11 |
| Mercedes-Benz 220 330 44 11 | Mercedes-Benz 220 330 58 11 |
| Mercedes-Benz A 220 330 17 11 | Mercedes-Benz A 220 330 34 11 |
| Mercedes-Benz A 220 330 44 11 | Mercedes-Benz A 220 330 58 11 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 215 (S-Class) (03/99-12/06) | Mercedes-Benz BM 220 (S-Class) (09/98-08/05) |
|--|--|

Control arm		016 035 0025	MSR0124
<p>Notes</p> <p>Rear Axle Left Rear Axle Right Semi-Trailing Arm Sheet Steel Upper outer</p> <p>Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Infiniti 55120 5DA0A Mercedes-Benz A 246 350 10 06</p>		<p>Mercedes-Benz 246 350 10 06</p>	
<p>Application info</p> <p>Infiniti Q30 (11/15--) Mercedes-Benz BM 117 (CLA) (01/13-03/19) Mercedes-Benz BM 176 (A-Class) (06/12-05/18)</p>		<p>Infiniti QX30 (04/16--) Mercedes-Benz BM 156 (GLA-Class) (12/13--) Mercedes-Benz BM 246 (B-Class) (10/11-12/18)</p>	
Control arm		016 050 0000	MCA0003
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Upper with ball joint with rubber mount</p> <p>Paired article number Required quantity Thread Size replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 251 330 07 07 Mercedes-Benz A 251 330 07 07</p>		<p>Mercedes-Benz 251 330 25 00 Mercedes-Benz A 251 330 25 00</p>	
<p>Application info</p> <p>Mercedes-Benz BM 164 (GL-Class) (09/06-12/12) Mercedes-Benz BM 251 (R-Class) (08/05-10/17)</p>		<p>Mercedes-Benz BM 164 (M-Class) (02/05-12/12)</p>	

Control arm **016 050 0000/S** **MCA1092**

Notes

Aluminium
Control Arm
Front Axle Left
Upper
with ball joint
with fastening material
with rubber mount

Paired article number 016 050 0001/S | MCA1093
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

Mercedes-Benz 251 330 07 07 Mercedes-Benz 251 330 25 00
Mercedes-Benz A 251 330 07 07 Mercedes-Benz A 251 330 25 00

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12) Mercedes-Benz BM 164 (M-Class) (02/05-12/12)
Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Control arm **016 050 0001** **MCA0004**

Notes

Aluminium
Control Arm
Front Axle Right
Upper
with ball joint
with rubber mount

Paired article number 016 050 0000 | MCA0003
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

Mercedes-Benz 251 330 08 07 Mercedes-Benz 251 330 26 00
Mercedes-Benz A 251 330 08 07 Mercedes-Benz A 251 330 26 00

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12) Mercedes-Benz BM 164 (M-Class) (02/05-12/12)
Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Control arm **016 050 0001/S** **MCA1093**

Notes

Aluminium
Control Arm
Front Axle Right
Upper
with ball joint
with fastening material
with rubber mount

Paired article number 016 050 0000/S | MCA1092
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

Mercedes-Benz 251 330 08 07	Mercedes-Benz 251 330 26 00
Mercedes-Benz A 251 330 08 07	Mercedes-Benz A 251 330 26 00

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)	Mercedes-Benz BM 164 (M-Class) (02/05-12/12)
Mercedes-Benz BM 251 (R-Class) (08/05-10/17)	

Control arm **016 050 0006** **MCA0007**

Notes

Control Arm
Front Axle Left
Front Axle Right
Lower
Sheet Steel
with rubber mount
without ball joint

Required quantity 2
replacement in pairs recommended



References

Smart 0007001V004000000	Smart 0007001V006
Smart 0007001V006000000	Smart 0007001V007
Smart 0007001V007000000	Smart 0014141V001
Smart 0014141V001000000	Smart 0014141V002
Smart 0014141V002000000	Smart 07001V006000
Smart 07001V007000	Smart 14141V001000
Smart 14141V002000000	Smart 7001V006000000

Application info

Smart City Coupé / Cabrio (07/98-01/04)
 Smart Fortwo I (01/04-02/07)

Smart Crossblade (06/02-12/03)
 Smart Roadster (04/03-11/05)

Control arm

016 050 0007

MCA0008

Notes

Cast Steel
 Control Arm
 Front Axle Left
 Lower
 Rear
 with rubber mount
 without ball joint

Length [mm]

409


Paired article number

016 050 0008 | MCA0009

Required quantity

1

replacement in pairs recommended



References

Mercedes-Benz 212 330 29 11

Mercedes-Benz 212 330 39 00

Mercedes-Benz A 212 330 29 11

Mercedes-Benz A 212 330 39 00

Mercedes-Benz (BBDC) 212 330 29 11

Mercedes-Benz (BBDC) 212 330 39 00

Mercedes-Benz (BBDC) A 212 330 29 11

Mercedes-Benz (BBDC) A 212 330 39 00

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Control arm

016 050 0008

MCA0009

Notes

Cast Steel
 Control Arm
 Front Axle Right
 Lower
 Rear
 with rubber mount
 without ball joint

Length [mm]

409


Paired article number

016 050 0007 | MCA0008

Required quantity

1

replacement in pairs recommended



References

- Mercedes-Benz 212 330 30 11
- Mercedes-Benz A 212 330 30 11
- Mercedes-Benz (BBDC) 212 330 30 11
- Mercedes-Benz (BBDC) A 212 330 30 11
- Mercedes-Benz 212 330 40 00
- Mercedes-Benz A 212 330 40 00
- Mercedes-Benz (BBDC) 212 330 40 00
- Mercedes-Benz (BBDC) A 212 330 40 00

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Control arm


016 050 0017

MCA0014

Notes

Control Arm
 Front Axle Left
 Lower
 Rear
 Steel
 with ball joint
 with rubber mount

Paired article number 016 050 0018 | MCA0015
 Required quantity 1
 replacement in pairs recommended



References

- Mercedes-Benz 211 330 81 07
- Mercedes-Benz A 211 330 81 07
- Mercedes-Benz (BBDC) 211 330 91 07
- Mercedes-Benz 211 330 91 07
- Mercedes-Benz A 211 330 91 07
- Mercedes-Benz (BBDC) A 211 330 91 07

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09) Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Control arm

016 050 0018

MCA0015

Notes

Control Arm
 Front Axle Right
 Lower
 Rear
 Steel
 with ball joint
 with rubber mount

Paired article number 016 050 0017 | MCA0014
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 211 330 82 07

Mercedes-Benz A 211 330 82 07

Mercedes-Benz (BBDC) 211 330 92 07

Mercedes-Benz 211 330 92 07

Mercedes-Benz A 211 330 92 07

Mercedes-Benz (BBDC) A 211 330 92 07

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)

Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Control arm

016 050 0021

MCA0018

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with right-hand thread
 with rubber mount
 Paired article number 016 050 0022 | MCA0019
 Required quantity 1
 Thread Size M12x1,5

Paired article number

Required quantity

Thread Size

replacement in pairs recommended



References

Mercedes-Benz 168 330 08 07

Mercedes-Benz 168 330 11 07

Mercedes-Benz 168 330 23 07

Mercedes-Benz A 168 330 08 27

Mercedes-Benz A 168 330 17 07

Mercedes-Benz 168 330 08 27

Mercedes-Benz 168 330 17 07

Mercedes-Benz A 168 330 08 07

Mercedes-Benz A 168 330 11 07

Mercedes-Benz A 168 330 23 07

Application info

Mercedes-Benz BM 168 (A-Class) (07/97-08/05)

Control arm

016 050 0022

MCA0019

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with right-hand thread
 with rubber mount

Paired article number 016 050 0021 | MCA0018
 Required quantity 1
 Thread Size M12x1,5
 replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| Mercedes-Benz 168 330 09 07 | Mercedes-Benz 168 330 09 27 |
| Mercedes-Benz 168 330 12 07 | Mercedes-Benz 168 330 18 07 |
| Mercedes-Benz 168 330 24 07 | Mercedes-Benz A 168 330 09 07 |
| Mercedes-Benz A 168 330 09 27 | Mercedes-Benz A 168 330 12 07 |
| Mercedes-Benz A 168 330 18 07 | Mercedes-Benz A 168 330 24 07 |

Application info

Mercedes-Benz BM 168 (A-Class) (07/97-08/05)

Control arm

016 050 0023/HD

MCA0020HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 with ball joint
 with rubber mount

Paired article number 016 050 0024/HD | MCA0021HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

- | | |
|-------------------------------|-------------------------------|
| Mercedes-Benz 221 330 01 41 | Mercedes-Benz 221 330 23 11 |
| Mercedes-Benz 221 330 63 11 | Mercedes-Benz A 221 330 01 41 |
| Mercedes-Benz A 221 330 23 11 | Mercedes-Benz A 221 330 63 11 |

Application info

Mercedes-Benz BM 216 (S-Class) (05/06-12/13)
 Mercedes-Benz BM 221 (S-Class) (09/05-12/13)

Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Control arm

016 050 0024/HD

MCA0021HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 with ball joint
 with rubber mount

Paired article number 016 050 0023/HD | MCA0020HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Mercedes-Benz 221 330 02 41
 Mercedes-Benz 221 330 64 11
 Mercedes-Benz A 221 330 24 11

Mercedes-Benz 221 330 24 11
 Mercedes-Benz A 221 330 02 41
 Mercedes-Benz A 221 330 64 11

Application info

Mercedes-Benz BM 216 (S-Class) (05/06-12/13)
 Mercedes-Benz BM 221 (S-Class) (09/05-12/13)

Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Control arm

016 050 0025/HD

MCA0022HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Upper
 with ball joint
 with fastening material
 with rubber mount

Cone Size [mm] 14
 Paired article number 016 050 0026/HD | MCA0023HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Mercedes-Benz 221 330 03 07
 Mercedes-Benz A 221 330 03 07

Mercedes-Benz 221 330 89 07
 Mercedes-Benz A 221 330 89 07

Application info

Mercedes-Benz BM 216 (S-Class) (05/06-12/13)

Mercedes-Benz BM 221 (S-Class) (09/05-12/13)

Control arm

016 050 0026/HD

MCA0023HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Right
 Upper
 with ball joint
 with fastening material
 with rubber mount
 Cone Size [mm] 14
 Paired article number 016 050 0025/HD | MCA0022HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Mercedes-Benz 221 330 04 07
 Mercedes-Benz A 221 330 04 07

Mercedes-Benz 221 330 90 07
 Mercedes-Benz A 221 330 90 07

Application info

Mercedes-Benz BM 216 (S-Class) (05/06-12/13)

Mercedes-Benz BM 221 (S-Class) (09/05-12/13)

Control arm		016 050 0027/HD	MCA0024HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Left Lower with ball joint with rubber mount</p> <p>Length [mm] 401 Paired article number 016 050 0028/HD MCA0025HD Replace in pairs only Required quantity 1 Thread Size M14x1,5 reinforced version</p>		 	
<p>References</p> <p>Mercedes-Benz 212 330 27 11 Mercedes-Benz A 212 330 27 11 Mercedes-Benz (BBDC) 212 330 27 11 Mercedes-Benz (BBDC) A 212 330 27 11</p>			
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16)</p>			
Control arm		016 050 0028/HD	MCA0025HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Right Lower with ball joint with rubber mount</p> <p>Length [mm] 401 Paired article number 016 050 0027/HD MCA0024HD Replace in pairs only Required quantity 1 Thread Size M14x1,5 reinforced version</p>		 	

References

Mercedes-Benz 212 330 28 11

Mercedes-Benz (BBDC) 212 330 28 11

Mercedes-Benz A 212 330 28 11

Mercedes-Benz (BBDC) A 212 330 28 11

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Control arm

016 050 0029

MCA0026

Notes

Control Arm

Front Axle Left

Lower

Rear

Steel

with rubber mount

Paired article number

016 050 0030 | MCA0027

Required quantity

1

replacement in pairs recommended



References

Mercedes-Benz 203 330 19 11

Mercedes-Benz 204 330 19 11

Mercedes-Benz A 203 330 33 11

Mercedes-Benz 203 330 33 11

Mercedes-Benz A 203 330 19 11

Mercedes-Benz A 204 330 19 11

Application info

Mercedes-Benz BM 171 (SLK) (03/04-12/11)

Mercedes-Benz BM 209 (CLK) (05/02-03/10)

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

Control arm

016 050 0030

MCA0027

Notes

Control Arm

Front Axle Right

Lower

Rear

Steel

with rubber mount

Paired article number

016 050 0029 | MCA0026

Required quantity

1

replacement in pairs recommended



References

Mercedes-Benz 203 330 20 11
 Mercedes-Benz 204 330 20 11
 Mercedes-Benz A 203 330 34 11

Mercedes-Benz 203 330 34 11
 Mercedes-Benz A 203 330 20 11
 Mercedes-Benz A 204 330 20 11

Application info

Mercedes-Benz BM 171 (SLK) (03/04-12/11)
 Mercedes-Benz BM 209 (CLK) (05/02-03/10)

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

Control arm

016 050 0031/HD

MCA0028HD


Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front
 Front Axle Left
 Lower
 with rubber mount

Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

016 050 0032/HD | MCA0029HD

1



References

Mercedes-Benz 203 330 01 11
 Mercedes-Benz 203 330 35 11
 Mercedes-Benz 204 330 33 11
 Mercedes-Benz 204 330 57 11
 Mercedes-Benz A 203 330 01 11
 Mercedes-Benz A 203 330 35 11
 Mercedes-Benz A 204 330 33 11
 Mercedes-Benz A 204 330 57 11
 Mercedes-Benz (BBDC) 204 330 43 11
 Mercedes-Benz (BBDC) A 204 330 43 11

Mercedes-Benz 203 330 16 11
 Mercedes-Benz 203 330 39 11
 Mercedes-Benz 204 330 43 11
 Mercedes-Benz 204 330 87 11
 Mercedes-Benz A 203 330 16 11
 Mercedes-Benz A 203 330 39 11
 Mercedes-Benz A 204 330 43 11
 Mercedes-Benz A 204 330 87 11
 Mercedes-Benz (BBDC) 204 330 87 11
 Mercedes-Benz (BBDC) A 204 330 87 11

Application info

Mercedes-Benz BM 171 (SLK) (03/04-12/11)
 Mercedes-Benz BM 172 (SLK) (01/11--)
 Mercedes-Benz BM 204 (C-Class) (01/07--)
 Mercedes-Benz BM 209 (CLK) (05/02-03/10)

Mercedes-Benz BM 172 (SLK) (01/16--)
 Mercedes-Benz BM 203 (C-Class) (05/00-06/11)
 Mercedes-Benz BM 207 (E-Class) (01/09-12/16)

Control arm

016 050 0032/HD

MCA0029HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
Lower
with rubber mount



Paired article number 016 050 0031/HD | MCA0028HD
Replace in pairs only
Required quantity 1
reinforced version

References

- | | |
|--------------------------------------|--------------------------------------|
| Mercedes-Benz 203 330 02 11 | Mercedes-Benz 203 330 17 11 |
| Mercedes-Benz 203 330 36 11 | Mercedes-Benz 203 330 40 11 |
| Mercedes-Benz 204 330 34 11 | Mercedes-Benz 204 330 44 11 |
| Mercedes-Benz 204 330 58 11 | Mercedes-Benz 204 330 88 11 |
| Mercedes-Benz A 203 330 02 11 | Mercedes-Benz A 203 330 17 11 |
| Mercedes-Benz A 203 330 36 11 | Mercedes-Benz A 203 330 40 11 |
| Mercedes-Benz A 204 330 34 11 | Mercedes-Benz A 204 330 44 11 |
| Mercedes-Benz A 204 330 58 11 | Mercedes-Benz A 204 330 88 11 |
| Mercedes-Benz (BBDC) 204 330 44 11 | Mercedes-Benz (BBDC) 204 330 88 11 |
| Mercedes-Benz (BBDC) A 204 330 44 11 | Mercedes-Benz (BBDC) A 204 330 88 11 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 171 (SLK) (03/04-12/11) | Mercedes-Benz BM 172 (SLC) (01/16--) |
| Mercedes-Benz BM 172 (SLK) (01/11--) | Mercedes-Benz BM 203 (C-Class) (05/00-06/11) |
| Mercedes-Benz BM 204 (C-Class) (01/07--) | Mercedes-Benz BM 207 (E-Class) (01/09-12/16) |
| Mercedes-Benz BM 209 (CLK) (05/02-03/10) | |

Control arm		016 050 0033/HD	MCA0030HD
Notes	<p>Aluminium Carbon Neutral Control Arm Front Front Axle Right Lower with rubber mount</p>	 	
<p>Paired article number Replace in pairs only Required quantity reinforced version</p>	<p>016 050 0034/HD MCA0031HD 1</p>		

References	
Mercedes-Benz 211 330 12 11	Mercedes-Benz 211 330 16 11
Mercedes-Benz 211 330 30 11	Mercedes-Benz 211 330 44 11
Mercedes-Benz 211 330 50 11	Mercedes-Benz A 211 330 12 11
Mercedes-Benz A 211 330 16 11	Mercedes-Benz A 211 330 30 11
Mercedes-Benz A 211 330 44 11	Mercedes-Benz A 211 330 50 11
Mercedes-Benz (BBDC) 211 330 50 11	Mercedes-Benz (BBDC) A 211 330 50 11

Application info	
Mercedes-Benz BM 211 (E-Class) (03/02-07/09)	Mercedes-Benz BM 219 (CLS) (10/04-02/11)
Mercedes-Benz BM 230 (SL) (10/01-01/12)	

Control arm		016 050 0033	MCA0030
Notes	<p>Aluminium Control Arm Front Front Axle Right Lower with rubber mount</p>	 	
<p>Paired article number Required quantity replacement in pairs recommended</p>	<p>016 050 0034 MCA0031 1</p>		

References

- Mercedes-Benz 211 330 12 11
- Mercedes-Benz 211 330 30 11
- Mercedes-Benz 211 330 50 11
- Mercedes-Benz A 211 330 16 11
- Mercedes-Benz A 211 330 44 11
- Mercedes-Benz (BBDC) 211 330 50 11
- Mercedes-Benz 211 330 16 11
- Mercedes-Benz 211 330 44 11
- Mercedes-Benz A 211 330 12 11
- Mercedes-Benz A 211 330 30 11
- Mercedes-Benz A 211 330 50 11
- Mercedes-Benz (BBDC) A 211 330 50 11

Application info

- Mercedes-Benz BM 211 (E-Class) (03/02-07/09)
- Mercedes-Benz BM 230 (SL) (10/01-01/12)
- Mercedes-Benz BM 219 (CLS) (10/04-02/11)
- Mercedes-Benz BM 231 (SL) (01/12--)

Control arm


016 050 0034

MCA0031

Notes

Aluminium
Control Arm
Front
Front Axle Left
Lower
with rubber mount

Paired article number 016 050 0033 | MCA0030
Required quantity 1
replacement in pairs recommended



References

- Mercedes-Benz 211 330 11 11
- Mercedes-Benz 211 330 29 11
- Mercedes-Benz 211 330 49 11
- Mercedes-Benz A 211 330 15 11
- Mercedes-Benz A 211 330 43 11
- Mercedes-Benz (BBDC) 211 330 49 11
- Mercedes-Benz 211 330 15 11
- Mercedes-Benz 211 330 43 11
- Mercedes-Benz A 211 330 11 11
- Mercedes-Benz A 211 330 29 11
- Mercedes-Benz A 211 330 49 11
- Mercedes-Benz (BBDC) A 211 330 49 11

Application info

- Mercedes-Benz BM 211 (E-Class) (03/02-07/09)
- Mercedes-Benz BM 230 (SL) (10/01-01/12)
- Mercedes-Benz BM 219 (CLS) (10/04-02/11)
- Mercedes-Benz BM 231 (SL) (01/12--)

Control arm

016 050 0034/HD

MCA0031HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
Lower
with rubber mount



Paired article number 016 050 0033/HD | MCA0030HD
Replace in pairs only
Required quantity 1
reinforced version

References

- Mercedes-Benz 211 330 11 11
- Mercedes-Benz 211 330 29 11
- Mercedes-Benz 211 330 49 11
- Mercedes-Benz A 211 330 15 11
- Mercedes-Benz A 211 330 43 11
- Mercedes-Benz (BBDC) 211 330 49 11
- Mercedes-Benz 211 330 15 11
- Mercedes-Benz 211 330 43 11
- Mercedes-Benz A 211 330 11 11
- Mercedes-Benz A 211 330 29 11
- Mercedes-Benz A 211 330 49 11
- Mercedes-Benz (BBDC) A 211 330 49 11

Application info

- Mercedes-Benz BM 211 (E-Class) (03/02-07/09)
- Mercedes-Benz BM 230 (SL) (10/01-01/12)
- Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Control arm

016 050 0041

MCA0034

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount



Paired article number 016 050 0042 | MCA0035
Required quantity 1
replacement in pairs recommended

References

- Mercedes-Benz 169 330 05 07
- Mercedes-Benz 169 330 09 07
- Mercedes-Benz A 169 330 07 07
- Mercedes-Benz 169 330 07 07
- Mercedes-Benz A 169 330 05 07
- Mercedes-Benz A 169 330 09 07

Application info

Mercedes-Benz BM 169 (A-Class) (09/04-06/12)

Mercedes-Benz BM 245 (B-Class) (03/05-11/11)

Control arm

016 050 0042

MCA0035

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 016 050 0041 | MCA0034
Required quantity 1
replacement in pairs recommended



References

Mercedes-Benz 169 330 06 07
Mercedes-Benz 169 330 10 07
Mercedes-Benz A 169 330 08 07

Mercedes-Benz 169 330 08 07
Mercedes-Benz A 169 330 06 07
Mercedes-Benz A 169 330 10 07

Application info

Mercedes-Benz BM 169 (A-Class) (09/04-06/12)

Mercedes-Benz BM 245 (B-Class) (03/05-11/11)

Control arm

016 050 0046

MCA0038

Notes

Aluminium
Control Arm
Front Axle Left
Upper
with ball joint
with rubber mount

Paired article number 016 050 0047 | MCA0039
Required quantity 1
replacement in pairs recommended



References

Mercedes-Benz 220 330 14 07
Mercedes-Benz 220 330 93 07
Mercedes-Benz A 220 330 83 07

Mercedes-Benz 220 330 83 07
Mercedes-Benz A 220 330 14 07
Mercedes-Benz A 220 330 93 07

Application info

Mercedes-Benz BM 215 (S-Class) (03/99-12/06)
Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Control arm **016 050 0047** **MCA0039**

Notes

Aluminium
Control Arm
Front Axle Right
Upper
with ball joint
with rubber mount

Paired article number
Required quantity
replacement in pairs recommended

016 050 0046 | MCA0038
1



References

- | | |
|-------------------------------|-------------------------------|
| Mercedes-Benz 220 330 15 07 | Mercedes-Benz 220 330 84 07 |
| Mercedes-Benz 220 330 94 07 | Mercedes-Benz A 220 330 15 07 |
| Mercedes-Benz A 220 330 84 07 | Mercedes-Benz A 220 330 94 07 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 215 (S-Class) (03/99-12/06) | Mercedes-Benz BM 219 (CLS) (10/04-02/11) |
| Mercedes-Benz BM 220 (S-Class) (09/98-08/05) | |

Control arm **016 050 0054/HD** **MCA0040HD**

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number
Replace in pairs only
Required quantity
reinforced version

016 050 0056/HD | MCA0041HD
1



References

- | | |
|-------------------------------|-------------------------------|
| Mercedes-Benz 901 330 17 07 | Mercedes-Benz 901 330 19 07 |
| Mercedes-Benz 901 330 25 07 | Mercedes-Benz A 901 330 17 07 |
| Mercedes-Benz A 901 330 19 07 | Mercedes-Benz A 901 330 25 07 |
| Volkswagen 2D0 407 022 | Volkswagen 2D0 407 022 A |
| Volkswagen 2D0 407 022 B | Volkswagen 2D0 407 022 C |

Application info

Mercedes-Benz BM 901 / 902 (Sprinter I) (01/95-05/06)
 Mercedes-Benz BM 904 (Sprinter I) (02/95-05/12)
 Volkswagen LT II (04/96-07/06)

Mercedes-Benz BM 903 (Sprinter I) (01/95-05/12)
 Mercedes-Benz BM 909 (Sprinter) (09/13--)

Control arm

016 050 0056/HD

MCA0041HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 016 050 0054/HD | MCA0040HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Mercedes-Benz 901 330 16 07
 Mercedes-Benz 901 330 24 07
 Mercedes-Benz A 901 330 18 07
 Volkswagen 2D0 407 021
 Volkswagen 2D0 407 021 B

Mercedes-Benz 901 330 18 07
 Mercedes-Benz A 901 330 16 07
 Mercedes-Benz A 901 330 24 07
 Volkswagen 2D0 407 021 A
 Volkswagen 2D0 407 021 C

Application info

Mercedes-Benz BM 901 / 902 (Sprinter I) (01/95-05/06)
 Mercedes-Benz BM 904 (Sprinter I) (02/95-05/12)
 Volkswagen LT II (04/96-07/06)

Mercedes-Benz BM 903 (Sprinter I) (01/95-05/12)
 Mercedes-Benz BM 909 (Sprinter) (09/13--)

Control arm		016 050 0060/HD	MCA0042HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Left Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>	<p>016 050 0061/HD MCA0043HD</p> <p>1</p>		

References			
Mercedes-Benz 639 330 04 10	Mercedes-Benz 639 330 08 10	Mercedes-Benz A 639 330 04 10	Mercedes-Benz A 639 330 08 10

Application info	
Mercedes-Benz BM 639 (Vito / Viano) (08/03--)	

Control arm		016 050 0061/HD	MCA0043HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Right Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>	<p>016 050 0060/HD MCA0042HD</p> <p>1</p>		

References			
Mercedes-Benz 639 330 05 10	Mercedes-Benz 639 330 09 10	Mercedes-Benz A 639 330 05 10	Mercedes-Benz A 639 330 09 10

Application info	
Mercedes-Benz BM 639 (Vito / Viano) (08/03--)	

Control arm		016 050 0066	MCA0048
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Lower Rear with ball joint with rubber mount</p> <p>Paired article number 016 050 0067 MCA0049 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 204 330 31 11 Mercedes-Benz 204 330 67 11 Mercedes-Benz A 204 330 31 11 Mercedes-Benz A 204 330 67 11 Mercedes-Benz (BBDC) 204 330 67 11 Mercedes-Benz (BBDC) A 204 330 67 11</p>			
<p>Application info</p> <p>Mercedes-Benz BM 172 (SLC) (01/16--) Mercedes-Benz BM 172 (SLK) (01/11--) Mercedes-Benz BM 204 (C-Class) (01/07--) Mercedes-Benz BM 207 (E-Class) (01/09-12/16)</p>			
Control arm		016 050 0067	MCA0049
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right Lower Rear with ball joint with rubber mount</p> <p>Paired article number 016 050 0066 MCA0048 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 204 330 32 11 Mercedes-Benz 204 330 68 11 Mercedes-Benz A 204 330 32 11 Mercedes-Benz A 204 330 68 11 Mercedes-Benz (BBDC) 204 330 68 11 Mercedes-Benz (BBDC) A 204 330 68 11</p>			
<p>Application info</p> <p>Mercedes-Benz BM 172 (SLC) (01/16--) Mercedes-Benz BM 172 (SLK) (01/11--) Mercedes-Benz BM 204 (C-Class) (01/07--) Mercedes-Benz BM 207 (E-Class) (01/09-12/16)</p>			

Control arm		016 050 0068	MCA0050
<p>Notes</p> <p>Cast Steel Control Arm Front Axle Left Lower Rear for vehicles without electronic suspension control with ball joint with rubber mount</p> <p>Paired article number 016 050 0069 MCA0051 Required quantity 1 replacement in pairs recommended</p>		 	

<p>References</p> <p>Mercedes-Benz 221 330 67 07 Mercedes-Benz 221 330 81 07 Mercedes-Benz A 221 330 67 07 Mercedes-Benz A 221 330 81 07</p>			
---	--	--	--

<p>Application info</p> <p>Mercedes-Benz BM 221 (S-Class) (09/05-12/13)</p>			
--	--	--	--

Control arm		016 050 0069	MCA0051
<p>Notes</p> <p>Cast Steel Control Arm Front Axle Right Lower Rear for vehicles without electronic suspension control with ball joint with rubber mount</p> <p>Paired article number 016 050 0068 MCA0050 Required quantity 1 replacement in pairs recommended</p>		 	

<p>References</p> <p>Mercedes-Benz 221 330 68 07 Mercedes-Benz 221 330 82 07 Mercedes-Benz A 221 330 68 07 Mercedes-Benz A 221 330 82 07</p>			
---	--	--	--

<p>Application info</p> <p>Mercedes-Benz BM 221 (S-Class) (09/05-12/13)</p>			
--	--	--	--

Control arm

016 050 0071

MCA0053

Notes

Control Arm
 Front Axle Left
 Front Axle Right
 Sheet Steel
 with ball joint
 with rubber mount

Required quantity 2
 Thread Size M12x1,5
 replacement in pairs recommended



References

Smart 451 330 00 10

Smart A 451 330 00 10

Application info

Smart Fortwo II (01/07--)

Control arm

016 050 0072

MCA0762

Notes

Aluminium
 Control Arm
 Front Axle Left
 with ball joint
 with rubber mount

Paired article number 016 050 0073 | MCA0763
 Required quantity 1
 Thread Size M14x1,5
 replacement in pairs recommended



References

Mercedes-Benz 156 330 01 00
 Mercedes-Benz 246 330 47 00
 Mercedes-Benz A 246 330 17 07
 Mercedes-Benz (BBDC) 156 330 01 00

Mercedes-Benz 246 330 17 07
 Mercedes-Benz A 156 330 01 00
 Mercedes-Benz A 246 330 47 00
 Mercedes-Benz (BBDC) A 156 330 01 00

Application info

Mercedes-Benz BM 117 (CLA) (01/13-03/19)
 Mercedes-Benz BM 176 (A-Class) (06/12-05/18)

Mercedes-Benz BM 156 (GLA-Class) (12/13--)
 Mercedes-Benz BM 246 (B-Class) (10/11-12/18)

Control arm		016 050 0073	MCA0763								
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right with ball joint with rubber mount</p> <p>Paired article number 016 050 0072 MCA0762 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended</p>		 									
<p>References</p> <table border="0"> <tr> <td>Mercedes-Benz 156 330 02 00</td> <td>Mercedes-Benz 246 330 18 07</td> </tr> <tr> <td>Mercedes-Benz 246 330 48 00</td> <td>Mercedes-Benz A 156 330 02 00</td> </tr> <tr> <td>Mercedes-Benz A 246 330 18 07</td> <td>Mercedes-Benz A 246 330 48 00</td> </tr> <tr> <td>Mercedes-Benz (BBDC) 156 330 02 00</td> <td>Mercedes-Benz (BBDC) A 156 330 02 00</td> </tr> </table>				Mercedes-Benz 156 330 02 00	Mercedes-Benz 246 330 18 07	Mercedes-Benz 246 330 48 00	Mercedes-Benz A 156 330 02 00	Mercedes-Benz A 246 330 18 07	Mercedes-Benz A 246 330 48 00	Mercedes-Benz (BBDC) 156 330 02 00	Mercedes-Benz (BBDC) A 156 330 02 00
Mercedes-Benz 156 330 02 00	Mercedes-Benz 246 330 18 07										
Mercedes-Benz 246 330 48 00	Mercedes-Benz A 156 330 02 00										
Mercedes-Benz A 246 330 18 07	Mercedes-Benz A 246 330 48 00										
Mercedes-Benz (BBDC) 156 330 02 00	Mercedes-Benz (BBDC) A 156 330 02 00										
<p>Application info</p> <table border="0"> <tr> <td>Mercedes-Benz BM 117 (CLA) (01/13-03/19)</td> <td>Mercedes-Benz BM 156 (GLA-Class) (12/13--)</td> </tr> <tr> <td>Mercedes-Benz BM 176 (A-Class) (06/12-05/18)</td> <td>Mercedes-Benz BM 246 (B-Class) (10/11-12/18)</td> </tr> </table>				Mercedes-Benz BM 117 (CLA) (01/13-03/19)	Mercedes-Benz BM 156 (GLA-Class) (12/13--)	Mercedes-Benz BM 176 (A-Class) (06/12-05/18)	Mercedes-Benz BM 246 (B-Class) (10/11-12/18)				
Mercedes-Benz BM 117 (CLA) (01/13-03/19)	Mercedes-Benz BM 156 (GLA-Class) (12/13--)										
Mercedes-Benz BM 176 (A-Class) (06/12-05/18)	Mercedes-Benz BM 246 (B-Class) (10/11-12/18)										
Control arm		016 050 0077	MCA0981								
<p>Notes</p> <p>Cast Steel Control Arm Front Axle Left Lower with rubber mount</p> <p>Paired article number 016 050 0078 MCA0982 Required quantity 1 replacement in pairs recommended</p>		 									
<p>References</p> <table border="0"> <tr> <td>Mercedes-Benz 164 330 17 07</td> <td>Mercedes-Benz 164 330 25 07</td> </tr> <tr> <td>Mercedes-Benz 164 330 29 07</td> <td>Mercedes-Benz 164 330 34 07</td> </tr> <tr> <td>Mercedes-Benz A 164 330 17 07</td> <td>Mercedes-Benz A 164 330 25 07</td> </tr> <tr> <td>Mercedes-Benz A 164 330 29 07</td> <td>Mercedes-Benz A 164 330 34 07</td> </tr> </table>				Mercedes-Benz 164 330 17 07	Mercedes-Benz 164 330 25 07	Mercedes-Benz 164 330 29 07	Mercedes-Benz 164 330 34 07	Mercedes-Benz A 164 330 17 07	Mercedes-Benz A 164 330 25 07	Mercedes-Benz A 164 330 29 07	Mercedes-Benz A 164 330 34 07
Mercedes-Benz 164 330 17 07	Mercedes-Benz 164 330 25 07										
Mercedes-Benz 164 330 29 07	Mercedes-Benz 164 330 34 07										
Mercedes-Benz A 164 330 17 07	Mercedes-Benz A 164 330 25 07										
Mercedes-Benz A 164 330 29 07	Mercedes-Benz A 164 330 34 07										
<p>Application info</p> <table border="0"> <tr> <td>Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)</td> <td>Mercedes-Benz BM 164 (M-Class) (02/05-12/12)</td> </tr> </table>				Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)	Mercedes-Benz BM 164 (M-Class) (02/05-12/12)						
Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)	Mercedes-Benz BM 164 (M-Class) (02/05-12/12)										

Control arm		016 050 0078	MCA0982
<p>Notes</p> <p>Cast Steel Control Arm Front Axle Right Lower with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		  	
<p>References</p> <p>Mercedes-Benz 164 330 18 07 Mercedes-Benz 164 330 30 07 Mercedes-Benz A 164 330 18 07 Mercedes-Benz A 164 330 30 07</p>		<p>Mercedes-Benz 164 330 26 07 Mercedes-Benz 164 330 35 07 Mercedes-Benz A 164 330 26 07 Mercedes-Benz A 164 330 35 07</p>	
<p>Application info</p> <p>Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)</p>		<p>Mercedes-Benz BM 164 (M-Class) (02/05-12/12)</p>	
Control arm		016 050 0079/HD	MCA1144HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Left Lower with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		  	
<p>References</p> <p>Mercedes-Benz 204 330 81 11 Mercedes-Benz A 204 330 81 11 Mercedes-Benz (BBDC) 204 330 81 11 Mercedes-Benz (BBDC) A 204 330 81 11</p>		<p>Mercedes-Benz 204 330 83 11 Mercedes-Benz A 204 330 83 11 Mercedes-Benz (BBDC) 204 330 83 11 Mercedes-Benz (BBDC) A 204 330 83 11</p>	

Application info

Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)

Control arm

016 050 0080/HD

MCA1145HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
Lower
with ball joint
with rubber mount

Paired article number 016 050 0079/HD | MCA1144HD
Replace in pairs only
Required quantity 1
reinforced version



References

Mercedes-Benz 204 330 82 11	Mercedes-Benz 204 330 84 11
Mercedes-Benz A 204 330 82 11	Mercedes-Benz A 204 330 84 11
Mercedes-Benz (BBDC) 204 330 82 11	Mercedes-Benz (BBDC) 204 330 84 11
Mercedes-Benz (BBDC) A 204 330 82 11	Mercedes-Benz (BBDC) A 204 330 84 11

Application info

Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)

Control arm

016 050 0081/S

MCA1026

Notes

Aluminium
Control Arm
Front Axle Left
Front Axle Right
Lower
Rear
with accessories
with ball joint
with rubber mount

Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 204 330 80 11

Mercedes-Benz (BBDC) 204 330 80 11

Mercedes-Benz A 204 330 80 11

Mercedes-Benz (BBDC) A 204 330 80 11

Application info

Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)

Control arm

016 050 0086/HD

MCA1186HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number

016 050 0087/HD | MCA1187HD

Replace in pairs only

Required quantity

1



References

Mercedes-Benz 639 330 13 07

Mercedes-Benz A 639 330 13 07

Mercedes-Benz 639 330 15 01

Mercedes-Benz A 639 330 15 01

Application info

Mercedes-Benz BM 639 (Vito / Viano) (08/03--)

Control arm

016 050 0087/HD

MCA1187HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Sheet Steel
with ball joint
with rubber mount

Paired article number

016 050 0086/HD | MCA1186HD

Replace in pairs only

Required quantity

1



References

Mercedes-Benz 639 330 12 07

Mercedes-Benz A 639 330 12 07

Mercedes-Benz 639 330 14 01

Mercedes-Benz A 639 330 14 01

Application info

Mercedes-Benz BM 639 (Vito / Viano) (08/03--)

Control arm

016 050 0092

MCA1134

Notes

Control Arm
Front Axle Right
Grey Cast Iron
Lower
with rubber mount

Paired article number 016 050 0093 | MCA1135
Required quantity 1
replacement in pairs recommended



References

- Mercedes-Benz 251 330 12 07
- Mercedes-Benz 251 330 16 07
- Mercedes-Benz A 251 330 12 07
- Mercedes-Benz A 251 330 16 07
- Mercedes-Benz 251 330 14 07
- Mercedes-Benz 251 330 20 07
- Mercedes-Benz A 251 330 14 07
- Mercedes-Benz A 251 330 20 07

Application info

Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Control arm

016 050 0093

MCA1135

Notes

Control Arm
Front Axle Left
Grey Cast Iron
Lower
with rubber mount

Paired article number 016 050 0092 | MCA1134
Required quantity 1
replacement in pairs recommended



References

- Mercedes-Benz 251 330 11 07
- Mercedes-Benz 251 330 15 07
- Mercedes-Benz A 251 330 11 07
- Mercedes-Benz A 251 330 15 07
- Mercedes-Benz 251 330 13 07
- Mercedes-Benz 251 330 19 07
- Mercedes-Benz A 251 330 13 07
- Mercedes-Benz A 251 330 19 07

Application info

Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Control arm		016 050 0097/S	MCA1142
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Upper with accessories with ball joint with rubber mount</p> <p>Paired article number 016 050 0098/S MCA1143</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 166 330 17 07</p>		<p>Mercedes-Benz A 166 330 17 07</p>	
<p>Application info</p> <p>Mercedes-Benz BM 166 (GL) (07/12-12/15)</p> <p>Mercedes-Benz BM 166 (GLS) (11/15-04/19)</p>		<p>Mercedes-Benz BM 166 (GLE) (03/15-10/19)</p> <p>Mercedes-Benz BM 166 (M-Class) (06/11-12/15)</p>	
Control arm		016 050 0098/S	MCA1143
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right Upper with accessories with ball joint with rubber mount</p> <p>Paired article number 016 050 0097/S MCA1142</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 166 330 18 07</p>		<p>Mercedes-Benz A 166 330 18 07</p>	
<p>Application info</p> <p>Mercedes-Benz BM 166 (GL) (07/12-12/15)</p> <p>Mercedes-Benz BM 166 (GLS) (11/15-04/19)</p>		<p>Mercedes-Benz BM 166 (GLE) (03/15-10/19)</p> <p>Mercedes-Benz BM 166 (M-Class) (06/11-12/15)</p>	

Control arm		016 050 0101	MCA1059
Notes	<p>Aluminium Control Arm Front Front Axle Left Lower with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 
	<p>016 050 0102 MCA1060</p> <p>1</p>		

References	
Mercedes-Benz 203 330 01 11	Mercedes-Benz 203 330 16 11
Mercedes-Benz 203 330 35 11	Mercedes-Benz 203 330 39 11
Mercedes-Benz 204 330 33 11	Mercedes-Benz 204 330 43 11
Mercedes-Benz 204 330 57 11	Mercedes-Benz 204 330 87 11
Mercedes-Benz A 203 330 01 11	Mercedes-Benz A 203 330 16 11
Mercedes-Benz A 203 330 35 11	Mercedes-Benz A 203 330 39 11
Mercedes-Benz A 204 330 33 11	Mercedes-Benz A 204 330 43 11
Mercedes-Benz A 204 330 57 11	Mercedes-Benz A 204 330 87 11
Mercedes-Benz (BBDC) 204 330 43 11	Mercedes-Benz (BBDC) 204 330 87 11
Mercedes-Benz (BBDC) A 204 330 43 11	Mercedes-Benz (BBDC) A 204 330 87 11

Application info	
Mercedes-Benz BM 171 (SLK) (03/04-12/11)	Mercedes-Benz BM 172 (SLC) (01/16--)
Mercedes-Benz BM 172 (SLK) (01/11--)	Mercedes-Benz BM 203 (C-Class) (05/00-06/11)
Mercedes-Benz BM 204 (C-Class) (01/07--)	Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
Mercedes-Benz BM 209 (CLK) (05/02-03/10)	

Control arm		016 050 0102	MCA1060
Notes	<p>Aluminium Control Arm Front Front Axle Right Lower with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 
	<p>016 050 0101 MCA1059</p> <p>1</p>		

References

- | | |
|--------------------------------------|--------------------------------------|
| Mercedes-Benz 203 330 02 11 | Mercedes-Benz 203 330 17 11 |
| Mercedes-Benz 203 330 36 11 | Mercedes-Benz 203 330 40 11 |
| Mercedes-Benz 204 330 34 11 | Mercedes-Benz 204 330 44 11 |
| Mercedes-Benz 204 330 58 11 | Mercedes-Benz 204 330 88 11 |
| Mercedes-Benz A 203 330 02 11 | Mercedes-Benz A 203 330 17 11 |
| Mercedes-Benz A 203 330 36 11 | Mercedes-Benz A 203 330 40 11 |
| Mercedes-Benz A 204 330 34 11 | Mercedes-Benz A 204 330 44 11 |
| Mercedes-Benz A 204 330 58 11 | Mercedes-Benz A 204 330 88 11 |
| Mercedes-Benz (BBDC) 204 330 44 11 | Mercedes-Benz (BBDC) 204 330 88 11 |
| Mercedes-Benz (BBDC) A 204 330 44 11 | Mercedes-Benz (BBDC) A 204 330 88 11 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 171 (SLK) (03/04-12/11) | Mercedes-Benz BM 172 (SLC) (01/16--) |
| Mercedes-Benz BM 172 (SLK) (01/11--) | Mercedes-Benz BM 203 (C-Class) (05/00-06/11) |
| Mercedes-Benz BM 204 (C-Class) (01/07--) | Mercedes-Benz BM 207 (E-Class) (01/09-12/16) |
| Mercedes-Benz BM 209 (CLK) (05/02-03/10) | |

Control arm

016 050 0109

MCA1330

Notes

Control Arm
 Front Axle Left
 Steel
 Length [mm] 347
 Paired article number 016 050 0110 | MCA1331
 Required quantity 1
 Thread Size M16x1,5
 Width [mm] 313

replacement in pairs recommended



References

- | | |
|------------------------------------|--------------------------------------|
| MERCEDES-BENZ (FJDA) 447 330 14 07 | MERCEDES-BENZ (FJDA) A 447 330 14 07 |
| Mercedes-Benz 447 330 14 07 | Mercedes-Benz A 447 330 14 07 |

Application info

- | | |
|--|---------------------------------------|
| Mercedes-Benz BM 447 (V-Class) (03/14--) | Mercedes-Benz BM 447 (Vito) (10/14--) |
|--|---------------------------------------|

Control arm		016 050 0110	MCA1331
<p>Notes</p> <p>Control Arm Front Axle Right Steel</p> <p>Length [mm] 347 Paired article number 016 050 0109 MCA1330 Paired article number 016 050 0109/HD Required quantity 1 Thread Size M16x1,5 Width [mm] 313 replacement in pairs recommended</p>		  	
<p>References</p> <p>MERCEDES-BENZ (FJDA) 447 330 15 07 Mercedes-Benz 447 330 15 07</p>		<p>MERCEDES-BENZ (FJDA) A 447 330 15 07 Mercedes-Benz A 447 330 15 07</p>	
<p>Application info</p> <p>Mercedes-Benz BM 447 (V-Class) (03/14--)</p>		<p>Mercedes-Benz BM 447 (Vito) (10/14--)</p>	
Control arm		016 050 0135	MCA1335
<p>Notes</p> <p>Cast Steel Control Arm Front Axle Left Front Axle Right Lower</p> <p>Required quantity 2 replacement in pairs recommended</p>		  	
<p>References</p> <p>Mercedes-Benz 212 330 19 11</p>		<p>Mercedes-Benz A 212 330 19 11</p>	
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16)</p>		<p>Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>	

Control arm **016 050 0137** **MCA1391**

Notes

Control Arm
Rear Axle Left
Rear Axle Right
Steel

Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 124 350 54 06
Mercedes-Benz A 124 350 54 06

Mercedes-Benz 202 350 02 06
Mercedes-Benz A 202 350 02 06

Application info

Mercedes-Benz BM 124 (12/84-12/93)
Mercedes-Benz BM 129 (SL) (03/89-09/04)
Mercedes-Benz BM 171 (SLK) (03/04-12/11)
Mercedes-Benz BM 172 (SLK) (01/11--)
Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
Mercedes-Benz BM 208 (CLK) (06/97-12/03)
Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Mercedes-Benz BM 124 (E-Class) (02/93-03/98)
Mercedes-Benz BM 170 (SLK) (04/96-04/04)
Mercedes-Benz BM 172 (SLC) (01/16--)
Mercedes-Benz BM 201 (190) (10/82-08/93)
Mercedes-Benz BM 203 (C-Class) (05/00-06/11)
Mercedes-Benz BM 209 (CLK) (05/02-03/10)

Control arm **016 050 0139** **MCA1306**

Notes

Centre
Control Arm
Rear Axle Left
Steel
Upper

Paired article number 016 050 0140 | MCA1307
Required quantity 1
replacement in pairs recommended



References

Mercedes-Benz 166 350 01 06


Mercedes-Benz A 166 350 01 06



Application info

Mercedes-Benz BM 166 (GL) (07/12-12/15)
Mercedes-Benz BM 166 (GLS) (11/15-04/19)

Mercedes-Benz BM 166 (GLE) (03/15-10/19)
Mercedes-Benz BM 166 (M-Class) (06/11-12/15)

Control arm		016 050 0140	MCA1307
<p>Notes</p> <p>Centre Control Arm Rear Axle Right Steel Upper</p> <p>Paired article number 016 050 0139 MCA1306 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 166 350 02 06</p>		<p>Mercedes-Benz A 166 350 02 06</p>	
<p>Application info</p> <p>Mercedes-Benz BM 166 (GL) (07/12-12/15) Mercedes-Benz BM 166 (GLS) (11/15-04/19)</p>		<p>Mercedes-Benz BM 166 (GLE) (03/15-10/19) Mercedes-Benz BM 166 (M-Class) (06/11-12/15)</p>	
Control arm		016 050 0141/HD	MCA1263HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Left Upper</p> <p>Paired article number 016 050 0142/HD MCA1264HD Replace in pairs only Required quantity 1</p>		 	
<p>References</p> <p>Mercedes-Benz 205 330 55 01 Mercedes-Benz (BBDC) 205 330 55 01</p>		<p>Mercedes-Benz A 205 330 55 01 Mercedes-Benz (BBDC) A 205 330 55 01</p>	
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--) Mercedes-Benz BM 238 (E-Class) (06/17--) Mercedes-Benz BM 257 (CLS-Class) (12/17--)</p>		<p>Mercedes-Benz BM 213 (E-Class) (01/16--) Mercedes-Benz BM 253 (GLC) (06/15--) Mercedes-Benz BM 293 (EQC) (05/19--)</p>	

Control arm		016 050 0142/HD	MCA1264HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Right Upper</p> <p>Paired article number 016 050 0141/HD MCA1263HD</p> <p>Replace in pairs only</p> <p>Required quantity 1</p>			
<p>References</p> <p>Mercedes-Benz 205 330 56 01 Mercedes-Benz A 205 330 56 01</p> <p>Mercedes-Benz (BBDC) 205 330 56 01 Mercedes-Benz (BBDC) A 205 330 56 01</p>			
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--)</p> <p>Mercedes-Benz BM 238 (E-Class) (06/17--)</p> <p>Mercedes-Benz BM 257 (CLS-Class) (12/17--)</p> <p>Mercedes-Benz BM 213 (E-Class) (01/16--)</p> <p>Mercedes-Benz BM 253 (GLC) (06/15--)</p> <p>Mercedes-Benz BM 293 (EQC) (05/19--)</p>			
Control arm		016 050 0152/HD	MCA1275HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Right Lower Rear</p> <p>Paired article number 016 050 0153/HD MCA1276HD</p> <p>Replace in pairs only</p> <p>Required quantity 1</p>			
<p>References</p> <p>Mercedes-Benz 212 330 32 11 Mercedes-Benz A 212 330 32 11</p> <p>Mercedes-Benz (BBDC) 212 330 32 11 Mercedes-Benz (BBDC) A 212 330 32 11</p>			
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16)</p> <p>Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>			

Control arm		016 050 0153/HD	MCA1276HD
Notes Aluminium Carbon Neutral Control Arm Front Axle Left Lower Rear Paired article number 016 050 0152/HD MCA1275HD Replace in pairs only Required quantity 1			
References Mercedes-Benz 212 330 31 11 Mercedes-Benz (BBDC) 212 330 31 11		Mercedes-Benz A 212 330 31 11 Mercedes-Benz (BBDC) A 212 330 31 11	
Application info Mercedes-Benz BM 212 (E-Class) (01/09-12/16)		Mercedes-Benz BM 218 (CLS) (01/11-12/17)	
Control arm		016 050 0154	MCA1292
Notes Control Arm Front Rear Axle Left Rear Axle Right Steel Required quantity 2 replacement in pairs recommended			
References Mercedes-Benz 166 350 03 06		Mercedes-Benz A 166 350 03 06	
Application info Mercedes-Benz BM 166 (GL) (07/12-12/15) Mercedes-Benz BM 166 (GLS) (11/15-04/19)		Mercedes-Benz BM 166 (GLE) (03/15-10/19) Mercedes-Benz BM 166 (M-Class) (06/11-12/15)	

Control arm		016 050 0160/HD	MCA1298HD
<p>Notes</p> <p>Aluminium Carbon Neutral Centre Control Arm Front Axle Right with rubber mount</p> <p>Paired article number 016 050 0161 Paired article number 016 050 0161/HD MCA1299HD Replace in pairs only Required quantity 1</p>			
<p>References</p> <p>Mercedes-Benz 205 330 20 07 Mercedes-Benz 205 330 62 01 Mercedes-Benz 205 330 66 10 Mercedes-Benz A 205 330 20 07 Mercedes-Benz A 205 330 62 01 Mercedes-Benz A 205 330 66 10 Mercedes-Benz (BBDC) 205 330 20 07 Mercedes-Benz (BBDC) A 205 330 20 07</p>			
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--) Mercedes-Benz BM 238 (E-Class) (06/17--)</p> <p>Mercedes-Benz BM 213 (E-Class) (01/16--) Mercedes-Benz BM 257 (CLS-Class) (12/17--)</p>			
Control arm		016 050 0161/HD	MCA1299HD
<p>Notes</p> <p>Aluminium Carbon Neutral Centre Control Arm Front Axle Left</p> <p>Paired article number 016 050 0160/HD MCA1298HD Paired article number 016 050 0210/HD MCA1621HD Replace in pairs only Required quantity 1</p>			
<p>References</p> <p>Mercedes-Benz 205 330 19 07 Mercedes-Benz 205 330 59 01 Mercedes-Benz 205 330 61 01 Mercedes-Benz 205 330 65 10 Mercedes-Benz A 205 330 19 07 Mercedes-Benz A 205 330 59 01 Mercedes-Benz A 205 330 61 01 Mercedes-Benz A 205 330 65 10 Mercedes-Benz (BBDC) 205 330 19 07 Mercedes-Benz (BBDC) 205 330 61 01 Mercedes-Benz (BBDC) A 205 330 19 07 Mercedes-Benz (BBDC) A 205 330 61 01</p>			

Application info

Mercedes-Benz BM 205 (C-Class) (12/13--)
 Mercedes-Benz BM 238 (E-Class) (06/17--)

Mercedes-Benz BM 213 (E-Class) (01/16--)
 Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Control arm

016 050 0162

MCA1374

Notes

Rear Axle Right
 Sheet Steel
 Trailing Arm

Paired article number 016 050 0163 | MCA1375
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 246 350 05 06

Mercedes-Benz A 246 350 05 06

Application info

Mercedes-Benz BM 117 (CLA) (01/13-03/19)
 Mercedes-Benz BM 176 (A-Class) (06/12-05/18)

Mercedes-Benz BM 156 (GLA-Class) (12/13--)
 Mercedes-Benz BM 246 (B-Class) (10/11-12/18)

Control arm

016 050 0163

MCA1375

Notes

Rear Axle Left
 Sheet Steel
 Trailing Arm

Paired article number 016 050 0162 | MCA1374
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 246 350 04 06

Mercedes-Benz A 246 350 04 06

Application info

Mercedes-Benz BM 117 (CLA) (01/13-03/19)
 Mercedes-Benz BM 176 (A-Class) (06/12-05/18)

Mercedes-Benz BM 156 (GLA-Class) (12/13--)
 Mercedes-Benz BM 246 (B-Class) (10/11-12/18)

Control arm


016 050 0164

MCA1287

Notes

Centre
Control Arm
Rear Axle Left
Rear Axle Right
Steel

Length [mm] 258
Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 172 350 01 53

Mercedes-Benz A 172 350 01 53

Application info

Mercedes-Benz BM 172 (SLC) (01/16--)

Mercedes-Benz BM 172 (SLK) (01/11--)

Control arm

016 050 0169/HD

MCA1376HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Front Axle Right
Lower
Rear

Replace in pairs only
Required quantity 2
reinforced version



References

Mercedes-Benz 205 330 45 07

Mercedes-Benz 205 330 58 01

Mercedes-Benz 205 330 67 10

Mercedes-Benz A 205 330 45 07

Mercedes-Benz A 205 330 58 01

Mercedes-Benz A 205 330 67 10

Mercedes-Benz (BBDC) 205 330 58 01

Mercedes-Benz (BBDC) A 205 330 58 01

Application info

Mercedes-Benz BM 205 (C-Class) (12/13--)

Mercedes-Benz BM 207 (E-Class) (01/09-12/16)


Mercedes-Benz BM 213 (E-Class) (01/16--)


Mercedes-Benz BM 238 (E-Class) (06/17--)

Mercedes-Benz BM 253 (GLC) (06/15--)

Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Mercedes-Benz BM 293 (EQC) (05/19--)

Control arm		016 050 0175	MCA1360
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Left Lower</p> <p>Paired article number 016 050 0176 MCA1361</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 205 330 17 05 Mercedes-Benz A 205 330 17 05</p>			
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--)</p> <p>Mercedes-Benz BM 238 (E-Class) (06/17--)</p> <p>Mercedes-Benz BM 293 (EQC) (05/19--)</p> <p>Mercedes-Benz BM 213 (E-Class) (01/16--)</p> <p>Mercedes-Benz BM 253 (GLC) (06/15--)</p>			
Control arm		016 050 0176	MCA1361
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Right Lower</p> <p>Paired article number 016 050 0175 MCA1360</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 205 330 18 05 Mercedes-Benz A 205 330 18 05</p>			
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--)</p> <p>Mercedes-Benz BM 238 (E-Class) (06/17--)</p> <p>Mercedes-Benz BM 293 (EQC) (05/19--)</p> <p>Mercedes-Benz BM 213 (E-Class) (01/16--)</p> <p>Mercedes-Benz BM 253 (GLC) (06/15--)</p>			

Control arm		016 050 0181	MCA1362
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Left Lower for left-hand drive vehicles</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 205 330 19 05 Mercedes-Benz (BBDC) 205 330 19 05</p>		<p>Mercedes-Benz A 205 330 19 05 Mercedes-Benz (BBDC) A 205 330 19 05</p>	
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--) Mercedes-Benz BM 238 (E-Class) (06/17--)</p>		<p>Mercedes-Benz BM 213 (E-Class) (01/16--)</p>	
Control arm		016 050 0182	MCA1363
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Right Lower for left-hand drive vehicles</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 205 330 20 05 Mercedes-Benz (BBDC) 205 330 20 05</p>		<p>Mercedes-Benz A 205 330 20 05 Mercedes-Benz (BBDC) A 205 330 20 05</p>	
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--) Mercedes-Benz BM 238 (E-Class) (06/17--)</p>		<p>Mercedes-Benz BM 213 (E-Class) (01/16--)</p>	

Control arm

016 050 0185/HD

MCA1442HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Length [mm] 386.4
 Paired article number 016 050 0186/HD | MCA1443HD
 Replace in pairs only
 Required quantity 1
 Thread Size M14x1,5
 Width [mm] 366.6
 reinforced version



References

- | | |
|--------------------------------------|--------------------------------------|
| Mercedes-Benz 177 330 03 02 | Mercedes-Benz 177 330 05 02 |
| Mercedes-Benz 177 330 73 00 | Mercedes-Benz 177 330 75 00 |
| Mercedes-Benz 247 330 05 00 | Mercedes-Benz 247 330 53 00 |
| Mercedes-Benz 247 330 73 02 | Mercedes-Benz 247 330 75 02 |
| Mercedes-Benz A 177 330 03 02 | Mercedes-Benz A 177 330 05 02 |
| Mercedes-Benz A 177 330 73 00 | Mercedes-Benz A 177 330 75 00 |
| Mercedes-Benz A 247 330 05 00 | Mercedes-Benz A 247 330 53 00 |
| Mercedes-Benz A 247 330 73 02 | Mercedes-Benz A 247 330 75 02 |
| Mercedes-Benz (BBDC) 247 330 05 00 | Mercedes-Benz (BBDC) 247 330 73 02 |
| Mercedes-Benz (BBDC) A 247 330 05 00 | Mercedes-Benz (BBDC) A 247 330 73 02 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 177 (A-Class) (03/18--) | Mercedes-Benz BM 247 (B-Class) (12/18--) |
|--|--|

Control arm

016 050 0186/HD

MCA1443HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Lower

Length [mm] 386.4
Paired article number 016 050 0185/HD | MCA1442HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
Width [mm] 366.6
reinforced version



References

- | | |
|--------------------------------------|--------------------------------------|
| Mercedes-Benz 177 330 04 02 | Mercedes-Benz 177 330 06 02 |
| Mercedes-Benz 177 330 74 00 | Mercedes-Benz 177 330 76 00 |
| Mercedes-Benz 247 330 06 00 | Mercedes-Benz 247 330 54 00 |
| Mercedes-Benz 247 330 74 02 | Mercedes-Benz 247 330 76 02 |
| Mercedes-Benz A 177 330 04 02 | Mercedes-Benz A 177 330 06 02 |
| Mercedes-Benz A 177 330 74 00 | Mercedes-Benz A 177 330 76 00 |
| Mercedes-Benz A 247 330 06 00 | Mercedes-Benz A 247 330 54 00 |
| Mercedes-Benz A 247 330 74 02 | Mercedes-Benz A 247 330 76 02 |
| Mercedes-Benz (BBDC) 247 330 06 00 | Mercedes-Benz (BBDC) 247 330 74 02 |
| Mercedes-Benz (BBDC) A 247 330 06 00 | Mercedes-Benz (BBDC) A 247 330 74 02 |

Application info

Mercedes-Benz BM 177 (A-Class) (03/18--)

Mercedes-Benz BM 247 (B-Class) (12/18--)

Control arm

016 050 0187/HD

MCA1569HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint

Length [mm] 442
Paired article number 016 050 0188/HD | MCA1570HD
Replace in pairs only
Required quantity 1
Width [mm] 390



References

Mercedes-Benz 910 330 25 00

Mercedes-Benz A 910 330 25 00

Application info

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Control arm

016 050 0187

MCA1569

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
without ball joint

Length [mm]

442

Paired article number

016 050 0188 | MCA1570

Required quantity

1

Width [mm]

390

replacement in pairs recommended



References

Mercedes-Benz 910 330 25 00

Mercedes-Benz A 910 330 25 00

Application info

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Control arm

016 050 0188

MCA1570

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel
without ball joint

Length [mm]

442

Paired article number

016 050 0187 | MCA1569

Required quantity

1

Width [mm]

390

replacement in pairs recommended



References

Mercedes-Benz 910 330 26 00

Mercedes-Benz A 910 330 26 00

Application info

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Control arm 016 050 0188/HD MCA1570HD

Notes

	Carbon Neutral
	Control Arm
	Front Axle Right
	Lower
	Sheet Steel
	with ball joint
Length [mm]	442
Paired article number	016 050 0187/HD MCA1569HD
Replace in pairs only	
Required quantity	1
Width [mm]	390



References

Mercedes-Benz 910 330 26 00	Mercedes-Benz A 910 330 26 00
-----------------------------	-------------------------------


Application info

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Control arm 016 050 0189 MCA1412

Notes

	Control Arm
	Front
	Lower
	Rear Axle Left
	Rear Axle Right
	Sheet Steel
	with rubber mount
Bore Diameter [mm]	12.2
Hole Spacing 1/Hole Spacing 2	207
Length [mm]	207
Required quantity	2
replacement in pairs recommended	



References

Mercedes-Benz 247 350 18 00	Mercedes-Benz A 247 350 18 00
Mercedes-Benz (BBDC) 247 350 18 00	Mercedes-Benz (BBDC) A 247 350 18 00

Application info

Mercedes-Benz BM 118 (CLA) (03/19--)

Mercedes-Benz BM 243 (EQA) (02/21--)

Mercedes-Benz BM 247 (B-Class) (12/18--)

Mercedes-Benz BM 247 (GLB-Class) (08/19--)

Mercedes-Benz BM 177 (A-Class) (03/18--)

Mercedes-Benz BM 243 (EQB) (12/21--)

Mercedes-Benz BM 247 (GLA-Class) (02/20--)

Control arm

016 050 0191

MCA1366

Notes

Aluminium
Control Arm
Front
Front Axle Left
Lower
for left-hand drive vehicles


Paired article number

016 050 0192 | MCA1367

Required quantity

1

replacement in pairs recommended



References

Mercedes-Benz 213 330 21 00

Mercedes-Benz A 213 330 21 00

Application info

Mercedes-Benz BM 213 (E-Class) (01/16--)

Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Control arm

016 050 0192

MCA1367

Notes

Aluminium
Control Arm
Front
Front Axle Right
Lower
for left-hand drive vehicles


Paired article number

016 050 0191 | MCA1366

Required quantity

1

replacement in pairs recommended



References

Mercedes-Benz 213 330 22 00

Mercedes-Benz A 213 330 22 00

Application info

Mercedes-Benz BM 213 (E-Class) (01/16--)

Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Control arm


016 050 0194/HD

MCA1355HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Lower
Rear

Paired article number 016 050 0195/HD | MCA1356HD
Replace in pairs only
Required quantity 1
reinforced version



References

Mercedes-Benz 218 330 12 11

Mercedes-Benz A 218 330 12 11

Application info

Mercedes-Benz BM 218 (CLS) (01/11-12/17)

Control arm

016 050 0195/HD

MCA1356HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Lower
Rear

Paired article number
Replace in pairs only
Required quantity 1
reinforced version



References

Mercedes-Benz 218 330 11 11

Mercedes-Benz A 218 330 11 11

Application info

Mercedes-Benz BM 218 (CLS) (01/11-12/17)

Control arm		016 050 0196	MCA1473
<p>Notes</p> <p>Control Arm Front Front Axle Right Lower Steel without ball joint</p> <p>Length [mm] 367.4 Paired article number 016 050 0197 MCA1474 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 218 330 08 11 Mercedes-Benz 218 330 74 00 Mercedes-Benz A 218 330 08 11 Mercedes-Benz A 218 330 74 00</p>			
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16) Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>			
Control arm		016 050 0197	MCA1474
<p>Notes</p> <p>Control Arm Front Front Axle Left Lower Steel without ball joint</p> <p>Length [mm] 367.4 Paired article number 016 050 0196 MCA1473 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 218 330 07 11 Mercedes-Benz 218 330 73 00 Mercedes-Benz A 218 330 07 11 Mercedes-Benz A 218 330 73 00</p>			
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16) Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>			

Control arm **016 050 0198** **MCA1504**

Notes

	Aluminium
	Rear Axle Right
	Semi-Trailing Arm
Bore Diameter [mm]	12.2
Length [mm]	371.8
Paired article number	016 050 0199 MCA1505
Required quantity	1
replacement in pairs recommended	



References

Mercedes-Benz 167 350 10 01	Mercedes-Benz A 167 350 10 01
-----------------------------	-------------------------------

Application info

Mercedes-Benz BM 167 (GLE) (10/18--)

Control arm **016 050 0199** **MCA1505**

Notes

	Aluminium
	Rear Axle Left
	Semi-Trailing Arm
Bore Diameter [mm]	12.2
Length [mm]	371.8
Paired article number	016 050 0198 MCA1504
Required quantity	1
replacement in pairs recommended	



References

Mercedes-Benz 167 350 09 01	Mercedes-Benz A 167 350 09 01
-----------------------------	-------------------------------

Application info

Mercedes-Benz BM 167 (GLE) (10/18--)

Control arm		016 050 0203	MCA1486
<p>Notes</p> <p>Aluminium Control Arm Front Rear Axle Left</p> <p>Paired article number 016 050 0204 MCA1487</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 167 350 29 00</p>		<p>Mercedes-Benz A 167 350 29 00</p>	
<p>Application info</p> <p>Mercedes-Benz BM 167 (GLE) (10/18--)</p>		<p>Mercedes-Benz BM 167 (GLS) (04/19--)</p>	
Control arm		016 050 0204	MCA1487
<p>Notes</p> <p>Aluminium Control Arm Front Rear Axle Right</p> <p>Paired article number 016 050 0203 MCA1486</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 167 350 30 00</p>		<p>Mercedes-Benz A 167 350 30 00</p>	
<p>Application info</p> <p>Mercedes-Benz BM 167 (GLE) (10/18--)</p>		<p>Mercedes-Benz BM 167 (GLS) (04/19--)</p>	

Control arm		016 050 0205	MCA1535
<p>Notes</p> <p>Control Arm Rear Rear Axle Left Rear Axle Right Steel Pipe</p> <p>Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 167 350 25 00</p>		<p>Mercedes-Benz A 167 350 25 00</p>	
<p>Application info</p> <p>Mercedes-Benz BM 167 (GLE) (10/18--)</p>		<p>Mercedes-Benz BM 167 (GLS) (04/19--)</p>	
Control arm		016 050 0210/HD	MCA1621HD
<p>Notes</p> <p>Aluminium Carbon Neutral Centre Control Arm Front Axle Right with ball joints</p> <p>Paired article number Paired article number Replace in pairs only Required quantity</p>		 	
<p>References</p> <p>Mercedes-Benz 205 330 22 07 Mercedes-Benz A 205 330 22 07 Mercedes-Benz (BBDC) 205 330 22 07 Mercedes-Benz (BBDC) A 205 330 22 07</p>		<p>Mercedes-Benz 205 330 64 01 Mercedes-Benz A 205 330 64 01 Mercedes-Benz (BBDC) 205 330 64 01 Mercedes-Benz (BBDC) A 205 330 64 01</p>	
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--) Mercedes-Benz BM 238 (E-Class) (06/17--)</p>		<p>Mercedes-Benz BM 213 (E-Class) (01/16--) Mercedes-Benz BM 257 (CLS-Class) (12/17--)</p>	

Control arm		016 050 0211/HD	MCA1622HD
<p>Notes</p> <p>Aluminium Carbon Neutral Centre Control Arm Front Axle Left</p> <p>Paired article number 016 050 0210/HD MCA1621HD</p> <p>Replace in pairs only</p> <p>Required quantity 1</p>		 	
<p>References</p> <p>Mercedes-Benz 205 330 21 07 Mercedes-Benz 205 330 63 01 Mercedes-Benz A 205 330 21 07 Mercedes-Benz A 205 330 63 01 Mercedes-Benz (BBDC) 205 330 21 07 Mercedes-Benz (BBDC) 205 330 63 01 Mercedes-Benz (BBDC) A 205 330 21 07 Mercedes-Benz (BBDC) A 205 330 63 01</p>			
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--) Mercedes-Benz BM 238 (E-Class) (06/17--)</p> <p>Mercedes-Benz BM 213 (E-Class) (01/16--) Mercedes-Benz BM 257 (CLS-Class) (12/17--)</p>			
Control arm		016 050 2103/HD	MCA0058HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Left Sheet Steel Upper with rubber mount</p> <p>Paired article number 016 050 2104/HD MCA0059HD</p> <p>Replace in pairs only</p> <p>Required quantity 1</p> <p>reinforced version</p>		 	

References

Chrysler 05101056AA
 Mercedes-Benz 202 330 48 07
 Mercedes-Benz 208 330 13 07
 Mercedes-Benz 210 330 13 07
 Mercedes-Benz 210 330 25 07
 Mercedes-Benz 210 330 50 07
 Mercedes-Benz A 202 330 48 07
 Mercedes-Benz A 208 330 13 07
 Mercedes-Benz A 210 330 13 07
 Mercedes-Benz A 210 330 25 07
 Mercedes-Benz A 210 330 50 07

Chrysler 5101056AA
 Mercedes-Benz 208 330 04 07
 Mercedes-Benz 210 330 04 07
 Mercedes-Benz 210 330 22 07
 Mercedes-Benz 210 330 48 07
 Mercedes-Benz 210 330 87 07
 Mercedes-Benz A 208 330 04 07
 Mercedes-Benz A 210 330 04 07
 Mercedes-Benz A 210 330 22 07
 Mercedes-Benz A 210 330 48 07
 Mercedes-Benz A 210 330 87 07

Application info

Chrysler Crossfire (07/03-12/08)
 Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
 Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Mercedes-Benz BM 170 (SLK) (04/96-04/04)
 Mercedes-Benz BM 208 (CLK) (06/97-12/03)

Control arm

016 050 2104/HD

MCA0059HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Sheet Steel
 Upper
 with rubber mount
 Paired article number
 016 050 2103/HD | MCA0058HD

Replace in pairs only
 Required quantity
 reinforced version

1



References

Chrysler 05101057AA
 Mercedes-Benz 202 330 49 07
 Mercedes-Benz 208 330 14 07
 Mercedes-Benz 210 330 14 07
 Mercedes-Benz 210 330 26 07
 Mercedes-Benz 210 330 49 07
 Mercedes-Benz 210 330 88 07
 Mercedes-Benz A 208 330 05 07
 Mercedes-Benz A 210 330 05 07
 Mercedes-Benz A 210 330 23 07
 Mercedes-Benz A 210 330 37 07
 Mercedes-Benz A 210 330 51 07

Chrysler 5101057AA
 Mercedes-Benz 208 330 05 07
 Mercedes-Benz 210 330 05 07
 Mercedes-Benz 210 330 23 07
 Mercedes-Benz 210 330 37 07
 Mercedes-Benz 210 330 51 07
 Mercedes-Benz A 202 330 49 07
 Mercedes-Benz A 208 330 14 07
 Mercedes-Benz A 210 330 14 07
 Mercedes-Benz A 210 330 26 07
 Mercedes-Benz A 210 330 49 07
 Mercedes-Benz A 210 330 88 07

Application info

Chrysler Crossfire (07/03-12/08)
 Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
 Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Mercedes-Benz BM 170 (SLK) (04/96-04/04)
 Mercedes-Benz BM 208 (CLK) (06/97-12/03)

Control arm

016 050 6336

MCA0064

Notes

Aluminium
 Control Arm
 Front Axle Left
 Upper
 with rubber mount
 Paired article number 016 050 6337 | MCA0065
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 140 330 54 07
 Mercedes-Benz 140 330 76 07
 Mercedes-Benz A 140 330 58 07

Mercedes-Benz 140 330 58 07
 Mercedes-Benz A 140 330 54 07
 Mercedes-Benz A 140 330 76 07

Application info

Mercedes-Benz BM 140 (S-Class) (02/91-12/99)

Control arm

016 050 6337

MCA0065

Notes

Aluminium
Control Arm
Front Axle Right
Upper
with rubber mount
Paired article number 016 050 6336 | MCA0064
Required quantity 1
replacement in pairs recommended



References

Mercedes-Benz 140 330 55 07 Mercedes-Benz 140 330 59 07
Mercedes-Benz 140 330 77 07 Mercedes-Benz A 140 330 55 07
Mercedes-Benz A 140 330 59 07 Mercedes-Benz A 140 330 77 07

Application info

Mercedes-Benz BM 140 (S-Class) (02/91-12/99)

Control arm

100 407 0003/S

MCA0073

Notes

Control Arm
Front Axle Left
Front Axle Right
Lower
Set
Sheet Steel
with ball joint
with rubber mount
with suspension rod

Cone Size [mm] 19
Required quantity 2
replacement in pairs recommended



References

Seat 191 407 151 B Volkswagen 191 407 151 B
Volkswagen 191 407 153

Application info

Seat Ibiza II / Cordoba I / Inca (6K_) (02/93-11/03)
 Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09)
 Volkswagen Golf II (19E) (08/83-12/92)
 Volkswagen Polo (6K_) (01/95-11/09)

Seat Toledo I (1L_) (01/91-10/99)
 Volkswagen Corrado (53I) (08/87-12/95)
 Volkswagen Jetta II (19E) (08/83-12/92)

Control arm

100 407 0016

MCA0074

Notes

Control Arm
 Front Axle Left
 Front Axle Right
 Lower
 Sheet Steel
 without bearing

Required quantity
 replacement in pairs recommended

2



References

Porsche 171 407 153 D

Volkswagen 171 407 153 D

Application info

Porsche 924 (11/75-08/89)
 Volkswagen Caddy I (14) (08/79-07/92)
 Volkswagen Jetta I (16) (08/78-12/87)
 Volkswagen Scirocco II (53B) (08/80-07/92)

Porsche 944 (06/81-07/91)
 Volkswagen Golf I (17, 155) (04/74-08/93)
 Volkswagen Scirocco I (53) (02/74-07/80)

Control arm

11-16 050 0003/HD

MCA0076HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 for vehicles with power steering
 with ball joint
 with rubber mount

Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

11-16 050 0004/HD | MCA0077HD

1



References

Peugeot 16 144 473 80	Peugeot 3521.55
Peugeot 3521.56	Peugeot 3521.68
Peugeot 3521.E3	Peugeot 3521.E4
Peugeot 3521.E5	

Application info

Peugeot 306 (01/93-10/03)

Control arm

11-16 050 0004/HD

MCA0077HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 for vehicles with power steering
 with ball joint
 with rubber mount

Paired article number 11-16 050 0003/HD | MCA0076HD
 Paired article number 11-16 050 0070
 Replace in pairs only
 Required quantity 1



References

Peugeot 16 144 472 80	Peugeot 3520.83
Peugeot 3520.84	Peugeot 3520.98
Peugeot 3520.99	Peugeot 3520.F3
Peugeot 3520.H3	Peugeot 3520.H4

Application info

Peugeot 306 (01/93-10/03)

Control arm 11-16 050 0007/HD MCA0078HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Steel
with ball joint
with rubber mount

Paired article number 11-16 050 0008/HD | MCA0079HD

Replace in pairs only

Required quantity 1

reinforced version



- References**
- | | |
|-----------------|-----------------|
| Peugeot 3521.S1 | Peugeot 3521.C8 |
| Peugeot 3521.E7 | Peugeot 3521.H9 |
| Peugeot 3521.J0 | Peugeot 3521.K2 |
| Peugeot 3521.P4 | Peugeot 3521.P5 |
| Peugeot 3521.R7 | Peugeot 3521.R9 |

Application info

Peugeot 206 (08/98--)

Control arm 11-16 050 0008/HD MCA0079HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Steel
with ball joint
with rubber mount

Paired article number 11-16 050 0007/HD | MCA0078HD

Replace in pairs only

Required quantity 1

reinforced version



References

Peugeot 3520.G8
 Peugeot 3520.L7
 Peugeot 3520.P2
 Peugeot 3520.S4
 Peugeot 3520.V7
 Peugeot 3528.V6

Peugeot 3520.H7
 Peugeot 3520.L8
 Peugeot 3520.S3
 Peugeot 3520.V6
 Peugeot 3520.W0
 Peugeot 3528.W8

Application info

Peugeot 206 (08/98--)

Control arm

11-16 050 0009/HD

MCA0080HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Steel
 with rubber mount

Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

11-16 050 0010/HD | MCA0081HD

1

**References**

CITROËN (DF-PSA) 3521.G8
 Citroën 16 431 889 80
 Citroën 3521.K3
 Peugeot 16 43 188 980
 Peugeot 3521.G8
 Peugeot 3521.K3
 Peugeot (DF-PSA) 3521.G8

CITROËN (DF-PSA) 3521.P3
 Citroën 3521.G8
 Citroën 3521.P3
 Peugeot 3521 Q1
 Peugeot 3521.J5
 Peugeot 3521.P3
 Peugeot (DF-PSA) 3521.P3

Application info

Citroën Berlingo II (04/08--)

Peugeot 307 (08/00-12/12)

Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck
 (11/04--)

Peugeot Partner II (04/08--)

Control arm

11-16 050 0010/HD

MCA0081HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Steel
with rubber mount



Paired article number 11-16 050 0009/HD | MCA0080HD
Replace in pairs only
Required quantity 1
reinforced version

References

CITROËN (DF-PSA) 3520.K8
Citroën 16 431 885 80
Citroën 3520.P3
Peugeot 16 43 188 580
Peugeot 3520.N5
Peugeot 3520.S2
Peugeot (DF-PSA) 3520.K8

CITROËN (DF-PSA) 3520.S2
Citroën 3520.K8
Citroën 3520.S2
Peugeot 3520.K8
Peugeot 3520.P3
Peugeot 3520.T0
Peugeot (DF-PSA) 3520.S2

Application info

Citroën Berlingo II (04/08--)
Peugeot 307 (08/00-12/12)

Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck (11/04--)
Peugeot Partner II (04/08--)

Control arm

11-16 050 0013

MCA0082

Notes

Control Arm
Front Axle Right
Lower
Steel
with rubber mount



Paired article number 11-16 050 0023 | MCA0089
Required quantity 1
replacement in pairs recommended

References

Citroën 3521.64
 Citroën 3521.85
 Citroën 3521.K4
 Fiat 1313084080
 Fiat 1317390080
 Fiat 1333755080
 Fiat 71737048
 Lancia 1313084080
 Lancia 1317390080
 Lancia 1333755080
 Peugeot 3521.64
 Peugeot 3521.85
 Peugeot 3521.K4

Citroën 3521.83
 Citroën 3521.C9
 Citroën 3521.L0
 Fiat 1316736080
 Fiat 1322664080
 Fiat 1356066080
 Fiat 93500973
 Lancia 1316736080
 Lancia 1322664080
 Lancia 71737048
 Peugeot 3521.83
 Peugeot 3521.C9
 Peugeot 3521.L0

Application info

Citroën Evasion (03/94-10/02)
 Fiat Scudo I (220) (02/96-12/06)
 Lancia Zeta (05/95-10/03)
 Peugeot Expert I (07/95-03/08)

Citroën Jumpy I (06/94-12/06)
 Fiat Ulysse I (220) (06/94-08/02)
 Peugeot 806 (06/94-02/03)

Control arm**11-16 050 0014****MCA0083****Notes**

Control Arm
 Front Axle Right
 Lower
 Steel
 with rubber mount

Paired article number

11-16 050 0047 | MCA0104

Required quantity

1

replacement in pairs recommended

**References**

Citroën 3521.65
 Citroën 3521.J3
 Fiat 1339467080
 Peugeot 3521.65
 Peugeot 3521.J3

Citroën 3521.H2
 Fiat 1320787080
 Peugeot 16 07 301 180
 Peugeot 3521.H2

Application info

Citroën Jumper I (02/94-08/02)
 Fiat Ducato (230) (03/94-05/05)
 Peugeot Boxer I (03/94-08/05)

Citroën Jumper II (02/02--)
 Fiat Ducato (244) (04/02--)
 Peugeot Boxer II (12/01--)

Control arm		11-16 050 0015/HD	MCA0084HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Left Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>			
<p>11-16 050 0017/HD MCA0086HD</p> <p>1</p>			
<p>References</p> <p>Peugeot 3520.F1</p>			
<p>Application info</p> <p>Peugeot 306 (01/93-10/03)</p>			
Control arm		11-16 050 0017/HD	MCA0086HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Right Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>			
<p>11-16 050 0015/HD MCA0084HD</p> <p>1</p>			
<p>References</p> <p>Peugeot 3521.69 Peugeot 3521.A1</p>			
<p>Application info</p> <p>Peugeot 306 (01/93-10/03)</p>			

Control arm

11-16 050 0023

MCA0089

Notes

Control Arm
 Front Axle Left
 Lower
 Steel
 with rubber mount

Paired article number 11-16 050 0013 | MCA0082
 Required quantity 1
 replacement in pairs recommended



References

Citroën 3520.94	Citroën 3520.C3
Citroën 3520.C5	Citroën 3520.G9
Citroën 3520.P4	Citroën 3520.P8
Fiat 1313083080	Fiat 1316735080
Fiat 1317389080	Fiat 1322663080
Fiat 1333754080	Fiat 1356065080
Fiat 71737047	Fiat 93500972
Lancia 1313083080	Lancia 1316735080
Lancia 1317389080	Lancia 1322663080
Lancia 1333754080	Lancia 71737047
Peugeot 3520.94	Peugeot 3520.C3
Peugeot 3520.C5	Peugeot 3520.C9
Peugeot 3520.G9	Peugeot 3520.P4
Peugeot 3520.P8	

Application info

Citroën Evasion (03/94-10/02)	Citroën Jumpy I (06/94-12/06)
Fiat Scudo I (220) (02/96-12/06)	Fiat Ulysse I (220) (06/94-08/02)
Lancia Zeta (05/95-10/03)	Peugeot 806 (06/94-02/03)
Peugeot Expert I (07/95-03/08)	

Control arm		11-16 050 0030	MCA0094
<p>Notes</p> <p>Control Arm Front Axle Right Lower Steel with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		  	
<p>References</p> <p>Citroën 3521.L2 Peugeot 3520.S8 Peugeot 3521.J6 Peugeot 3521.J7</p>			
<p>Application info</p> <p>Citroën C6 (09/05-12/12) Peugeot 407 (02/04--) Peugeot 508 I (11/10--)</p>			
Control arm		11-16 050 0031	MCA0095
<p>Notes</p> <p>Control Arm Front Axle Left Lower Steel with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		  	
<p>References</p> <p>Citroën 3520.Q1 Citroën 96 502 568 80 Peugeot 3520.N6 Peugeot 3520.N7 Peugeot 96 50 256 880</p>			
<p>Application info</p> <p>Citroën C6 (09/05-12/12) Peugeot 407 (02/04--) Peugeot 508 I (11/10--)</p>			

Control arm **11-16 050 0032** **MCA0096**

Notes

Control Arm
 Front Axle Left
 Lower
 Steel
 with rubber mount
 Paired article number 11-16 050 0033 | MCA0097
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-----------------|-----------------|
| Citroën 3520.96 | Citroën 3520.L1 |
| Citroën 3520.N4 | Fiat 1308759080 |
| Fiat 1317238080 | Fiat 1320755080 |
| Fiat 1331937080 | Fiat 1339464080 |
| Peugeot 3520.96 | Peugeot 3520.L1 |
| Peugeot 3520.N4 | |

Application info

- | | |
|---------------------------------|-----------------------------|
| Citroën Jumper I (02/94-08/02) | Citroën Jumper II (02/02--) |
| Fiat Ducato (230) (03/94-05/05) | Fiat Ducato (244) (04/02--) |
| Peugeot Boxer I (03/94-08/05) | Peugeot Boxer II (12/01--) |

Control arm **11-16 050 0033** **MCA0097**

Notes

Control Arm
 Front Axle Right
 Lower
 Steel
 with rubber mount
 Paired article number 11-16 050 0032 | MCA0096
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-----------------|-----------------|
| Citroën 3521.66 | Citroën 3521.H3 |
| Citroën 3521.J4 | Fiat 1308760080 |
| Fiat 1317239080 | Fiat 1320756080 |
| Fiat 1331939080 | Fiat 1339466080 |
| Peugeot 3521.66 | Peugeot 3521.H3 |
| Peugeot 3521.J4 | |

Application info

Citroën Jumper I (02/94-08/02)
 Fiat Ducato (230) (03/94-05/05)
 Peugeot Boxer I (03/94-08/05)

Citroën Jumper II (02/02--)
 Fiat Ducato (244) (04/02--)
 Peugeot Boxer II (12/01--)

Control arm

11-16 050 0036/HD

MCA0098HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 11-16 050 0037/HD | MCA0099HD

Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

1



References

Citroën 3520.F7
 Citroën 95 685 512

Citroën 3520.F8
 Peugeot 3520.H5

Application info

Citroën Berlingo I (07/96-12/11)
 Citroën Xsara Picasso (09/99-06/12)
 Peugeot Partner II (04/08--)

Citroën Xsara (04/97-03/10)
 Peugeot Partner I (05/96--)

Control arm

11-16 050 0037/HD

MCA0099HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 11-16 050 0036/HD | MCA0098HD

Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

1



References

Citroën 3521.A7
Citroën 95 685 513

Citroën 3521.A8
Peugeot 3521.E5

Application info

Citroën Berlingo I (07/96-12/11)
Citroën Xsara Picasso (09/99-06/12)
Peugeot Partner II (04/08--)

Citroën Xsara (04/97-03/10)
Peugeot Partner I (05/96--)

Control arm**11-16 050 0038****MCA0100****Notes**

Control Arm
Front Axle Left
Lower
Steel
with rubber mount

Paired article number
Required quantity
replacement in pairs recommended

11-16 050 0039 | MCA0101
1

**References**

Citroën 3520.P6
Fiat 1346384080
Lancia 1346384080
Peugeot 3520.P6

Citroën 3521.H0
Fiat 93501487
Lancia 93501487
Peugeot 3521.H0

Application info

Citroën C8 (06/02--)
Lancia Phedra (09/02-11/10)

Fiat Ulysse II (179) (08/02-06/11)
Peugeot 807 (06/02--)

Control arm**11-16 050 0039****MCA0101****Notes**

Control Arm
Front Axle Right
Lower
Steel
with rubber mount

Paired article number
Required quantity
replacement in pairs recommended

11-16 050 0038 | MCA0100
1



References

Citroën 3521.H1
 Fiat 134 638 5080
 Lancia 1346385080
 Peugeot 3521.H1

Citroën 3521.K6
 Fiat 93501488
 Lancia 93501488
 Peugeot 3521.K6

Application info

Citroën C8 (06/02--)
 Lancia Phedra (09/02-11/10)

Fiat Ulysse II (179) (08/02-06/11)
 Peugeot 807 (06/02--)

Control arm

11-16 050 0040

MCA0102

Notes

Paired article number
 Required quantity
 replacement in pairs recommended

Control Arm
 Front Axle Left
 Lower
 Steel
 with rubber mount
 11-16 050 0041 | MCA0103
 1



References

Citroën 3520.K3

Citroën 3520.P0

Application info

Citroën C5 I / C5 II (03/01--)

Control arm

11-16 050 0041

MCA0103

Notes

Paired article number
 Required quantity
 replacement in pairs recommended

Control Arm
 Front Axle Right
 Lower
 Steel
 with rubber mount
 11-16 050 0040 | MCA0102
 1



References

Citroën 3521.G3

Citroën 3521.K0

Application info

Citroën C5 I / C5 II (03/01--)

Control arm

11-16 050 0047

MCA0104

Notes

Control Arm
Front Axle Left
Lower
Steel
with rubber mount

Paired article number 11-16 050 0014 | MCA0083
Required quantity 1
replacement in pairs recommended



References

Citroën 3520.95	Citroën 3520.L0
Citroën 3520.N3	Fiat 1320786080
Fiat 1339465080	Peugeot 16 07 301 280
Peugeot 3520.95	Peugeot 3520.L0
Peugeot 3520.N3	

Application info

Citroën Jumper I (02/94-08/02)	Citroën Jumper II (02/02--)
Fiat Ducato (230) (03/94-05/05)	Fiat Ducato (244) (04/02--)
Peugeot Boxer I (03/94-08/05)	Peugeot Boxer II (12/01--)

Control arm

11-16 050 0048/HD

MCA0105HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Steel
with rubber mount

Paired article number 11-16 050 0049/HD | MCA0106HD
Replace in pairs only
Required quantity 1
reinforced version



References

CITROËN (DF-PSA) 3520.V3
 Citroën 3520.J3
 Citroën 3520.K9
 Citroën 3520.Q4
 Citroën 3520.Q8
 Citroën 3520.V4
 Peugeot 3520.J3
 Peugeot 3520.Q5
 Peugeot (DF-PSA) 3520.V3

Citroën 16 073 141 80
 Citroën 3520.J4
 Citroën 3520.Q3
 Citroën 3520.Q5
 Citroën 3520.V3
 Peugeot 16 07 314 180
 Peugeot 3520.Q3
 Peugeot 3520.V3

Application info

Citroën Berlingo I (07/96-12/11)
 Peugeot Partner I (05/96--)

Citroën Xsara Picasso (09/99-06/12)
 Peugeot Partner II (04/08--)

Control arm**11-16 050 0049/HD****MCA0106HD****Notes**

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Steel
 with rubber mount

Paired article number
 11-16 050 0048/HD | MCA0105HD

Replace in pairs only
 Required quantity
 1
 reinforced version

**References**

CITROËN (DF-PSA) 3521.R4
 Citroën 3521.F3
 Citroën 3521.L4
 Citroën 3521.L6
 Citroën 3521.R4
 Peugeot 16 07 314 280
 Peugeot 3521.L4
 Peugeot 3521.R4

Citroën 16 073 142 80
 Citroën 3521.F4
 Citroën 3521.L5
 Citroën 3521.L9
 Citroën 3521.R5
 Peugeot 3521.F3
 Peugeot 3521.L6
 Peugeot (DF-PSA) 3521.R4

Application info

Citroën Berlingo I (07/96-12/11)
 Peugeot Partner I (05/96--)

Citroën Xsara Picasso (09/99-06/12)
 Peugeot Partner II (04/08--)

Control arm

11-16 050 0052

MCA0107

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 11-16 050 0053 | MCA0108
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-----------------------|-----------------------|
| Citroën 16 073 051 80 | Citroën 3521 N0 |
| Citroën 3521.N8 | Citroën 3521.S8 |
| Citroën 98 105 881 80 | DS 98 105 881 80 |
| Peugeot 16 073 051 80 | Peugeot 3521 N0 |
| Peugeot 3521 S8 | Peugeot 3521.N8 |
| Peugeot 3521.Q2 | Peugeot 98 10 588 180 |

Application info

- | | |
|-----------------------------|------------------------------|
| Citroën C3 III (07/16--) | Citroën C3 Picasso (02/09--) |
| Citroën C4 Cactus (09/14--) | Citroën DS3 (11/09-12/16) |
| DS DS 3 (04/15-07/19) | Peugeot 2008 I (03/13--) |
| Peugeot 207 (02/06--) | Peugeot 208 I (03/12--) |

Control arm

11-16 050 0053

MCA0108

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 11-16 050 0052 | MCA0107
 Required quantity 1
 replacement in pairs recommended



References

Citroën 16 073 050 80
 Citroën 3520.R7
 Citroën 98 105 882 80
 Peugeot 16 073 050 80
 Peugeot 3520 W5
 Peugeot 3520.T1

Citroën 3520 Q9
 Citroën 3520.W5
 DS 98 105 882 80
 Peugeot 3520 Q9
 Peugeot 3520.R7
 Peugeot 98 10 588 280

Application info

Citroën C3 III (07/16--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 207 (02/06--)

Citroën C3 Picasso (02/09--)
 Citroën DS3 (11/09-12/16)
 Peugeot 2008 I (03/13--)
 Peugeot 208 I (03/12--)

Control arm

11-16 050 0065

MCA0111

Notes

Paired article number
 Required quantity
 replacement in pairs recommended

Control Arm
 Front Axle Right
 Lower
 Steel
 with rubber mount
 11-16 050 0066 | MCA0112
 1



References

Citroën 3521.P1
 Fiat 1352225080
 Fiat 6001070755
 Peugeot 16 109 349 80
 Peugeot 3521.P2

Citroën 3521.P2
 Fiat 1352226080
 Fiat 6001070756
 Peugeot 3521.P1

Application info

Citroën Jumper III (04/06--)
 Peugeot Boxer III (09/05--)

Fiat Ducato (250) (07/06--)

Control arm

11-16 050 0066

MCA0112

Notes

Control Arm
Front Axle Left
Lower
Steel

with rubber mount

Paired article number

11-16 050 0065 | MCA0111

Required quantity

1

replacement in pairs recommended



References

Citroën 3520.S0

Citroën 3520.S1

Fiat 1352227080

Fiat 1352228080

Fiat 6001070757

Fiat 6001070758

Peugeot 16 109 347 80

Peugeot 3520.S0

Peugeot 3520.S1

Application info

Citroën Jumper III (04/06--)

Fiat Ducato (250) (07/06--)

Peugeot Boxer III (09/05--)

Control arm

11-16 050 0067

MCA0113

Notes

Control Arm
Front Axle Right
Lower
Steel

with rubber mount

Cone Size [mm]

19

Paired article number

11-16 050 0068 | MCA0114

Required quantity

1

replacement in pairs recommended



References

Citroën 3521.N9

Citroën 3521.S0

Fiat 1401239480

Fiat 1497407080

Lancia 1401239480

Peugeot 16 109 405 80

Peugeot 3521.N9

Peugeot 3521.S0

Toyota SU001-A0993

Application info

Citroën C8 (06/02--)

Fiat Scudo II (270) (01/07--)

Lancia Phedra (09/02-11/10)

Peugeot Expert II (01/07--)

Toyota Proace II (02/16--)

Citroën Jumpy II (01/07--)

Fiat Ulysse II (179) (08/02-06/11)

Peugeot 807 (06/02--)

Toyota Proace I (06/13-03/16)

Control arm**11-16 050 0068****MCA0114****Notes**

Control Arm
 Front Axle Left
 Lower
 Steel
 with rubber mount

Cone Size [mm]

19

Paired article number

11-16 050 0067 | MCA0113

Required quantity

1

replacement in pairs recommended

**References**

Citroën 3520.R8

Fiat 1401239580

Lancia 1401239580

Peugeot 3520.R8

Toyota SU001-A0992

Citroën 3520.V8

Fiat 1497408080

Peugeot 16 109 406 80

Peugeot 3520.V8

Application info

Citroën C8 (06/02--)

Fiat Scudo II (270) (01/07--)

Lancia Phedra (09/02-11/10)

Peugeot Expert II (01/07--)

Toyota Proace II (02/16--)

Citroën Jumpy II (01/07--)

Fiat Ulysse II (179) (08/02-06/11)

Peugeot 807 (06/02--)

Toyota Proace I (06/13-03/16)

Control arm**11-16 050 0071/HD****MCA0809HD****Notes**

Carbon Neutral
Control Arm
Front Axle Right
Steel
with rubber mount

Paired article number 11-16 050 0072/HD | MCA0810HD
Replace in pairs only
Required quantity 1
reinforced version

**References**

Citroën 16 431 891 80
DS 16 431 891 80
Peugeot 16 43 189 180

Citroën 3521.R3
DS 3521.R3
Peugeot 3521.R3

Application info

Citroën C4 II / DS4 (02/09--)
Peugeot 3008 I (05/09-12/17)
Peugeot 5008 I (06/09-03/17)

DS DS 4 I (07/15-12/18)
Peugeot 308 I (09/07--)

Control arm**11-16 050 0072/HD****MCA0810HD****Notes**

Carbon Neutral
Control Arm
Front Axle Left
Steel
with rubber mount

Paired article number 11-16 050 0071/HD | MCA0809HD
Replace in pairs only
Required quantity 1
reinforced version

**References**

Citroën 16 431 887 80
DS 16 431 887 80
Peugeot 16 43 188 780

Citroën 3520.V2
DS 3520.V2
Peugeot 3520.V2

Application info

Citroën C4 II / DS4 (02/09--)
Peugeot 3008 I (05/09-12/17)
Peugeot 5008 I (06/09-03/17)

DS DS 4 I (07/15-12/18)
Peugeot 308 I (09/07--)

Control arm		11-16 050 0073	MCA0115
<p>Notes</p> <p>Control Arm Front Axle Left Lower Steel with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Citroën 3520.S9 Citroën 3520.W2 Citroën 96 639 808 80</p>		<p>Citroën 3520.W1 Citroën 96 639 806 80</p>	
<p>Application info</p> <p>Citroën C5 III (RD_, TD_) (02/08--)</p>		<p>Citroën C6 (09/05-12/12)</p>	
Control arm		11-16 050 0074	MCA0116
<p>Notes</p> <p>Control Arm Front Axle Right Lower Steel with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Citroën 3521.Q0 Citroën 3521.S5 Citroën 96 639 809 80</p>		<p>Citroën 3521.S4 Citroën 96 639 807 80</p>	
<p>Application info</p> <p>Citroën C5 III (RD_, TD_) (02/08--)</p>		<p>Citroën C6 (09/05-12/12)</p>	

Control arm 11-16 050 0075 MCA0117

Notes

Control Arm
 Front Axle Left
 Lower
 Steel
 with rubber mount

Paired article number 11-16 050 0076 | MCA0118
 Required quantity 1
 replacement in pairs recommended



References

Citroën 3520.X6 Citroën 96 662 440 80

Application info

Citroën C5 III (RD_, TD_) (02/08--)

Control arm 11-16 050 0076 MCA0118

Notes

Control Arm
 Front Axle Right
 Lower
 Steel
 with rubber mount

Paired article number 11-16 050 0075 | MCA0117
 Required quantity 1
 replacement in pairs recommended



References

Citroën 3521.T7 Citroën 96 662 439 80

Application info

Citroën C5 III (RD_, TD_) (02/08--)

Control arm

11-16 050 0079/HD

MCA0784HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount



Paired article number 11-16 050 0080/HD | MCA0785HD
Replace in pairs only
Required quantity 1
reinforced version

References

- | | |
|-----------------------|-----------------------|
| Citroën 3520.W7 | Citroën 3520.W8 |
| Citroën 3520.X1 | Citroën 3520.Y1 |
| Citroën 98 032 865 80 | DS 3520 W8 |
| DS 3520 X1 | DS 3520 Y1 |
| DS 3520.W7 | DS 98 032 865 80 |
| Peugeot 98 032 865 80 | Peugeot 98 13 612 780 |

Application info

- | | |
|-----------------------------|---------------------------|
| Citroën C3 II (09/09--) | Citroën C3 III (07/16--) |
| Citroën C4 Cactus (09/14--) | Citroën DS3 (11/09-12/16) |
| DS DS 3 (04/15-07/19) | Peugeot 2008 I (03/13--) |
| Peugeot 208 I (03/12--) | |

Control arm

11-16 050 0080/HD

MCA0785HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount



Paired article number 11-16 050 0079/HD | MCA0784HD
Replace in pairs only
Required quantity 1
reinforced version

References

Citroën 3521.S9	Citroën 3521.T0
Citroën 3521.T3	Citroën 3521.V2
Citroën 98 032 864 80	DS 3521 T0
DS 3521 T3	DS 3521 V2
DS 3521.S9	DS 98 032 864 80
Peugeot 98 032 864 80	Peugeot 98 13 612 580

Application info

Citroën C3 II (09/09--)	Citroën C3 III (07/16--)
Citroën C4 Cactus (09/14--)	Citroën DS3 (11/09-12/16)
DS DS 3 (04/15-07/19)	Peugeot 2008 I (03/13--)
Peugeot 208 I (03/12--)	

Control arm

11-16 050 0081/HD

MCA0786HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 11-16 050 0082/HD | MCA0787HD
Replace in pairs only
Required quantity 1
reinforced version



References

Citroën 16 139 915 80	Citroën 3520.T2
Citroën 3520.T5	Citroën 3520.T6
Citroën 3520.T7	Citroën 3520.T8
Citroën 3520.T9	Peugeot 3520.T2
Peugeot 3520.T3	

Application info

Citroën C2 / C3 I / Pluriel (02/02--)	Peugeot 1007 (04/05--)
---------------------------------------	------------------------

Control arm		11-16 050 0082/HD	MCA0787HD
Notes	Carbon Neutral Control Arm Front Axle Right Lower Sheet Steel with ball joint with rubber mount	  	
Paired article number	11-16 050 0081/HD MCA0786HD		
Replace in pairs only			
Required quantity reinforced version	1		

References	
Citroën 16 139 914 80	Citroën 3521 Q3
Citroën 3521 Q6	Citroën 3521 Q7
Citroën 3521 Q8	Citroën 3521 Q9
Citroën 3521 R0	Peugeot 3521 Q3
Peugeot 3521 Q4	

Application info	
Citroën C2 / C3 I / Pluriel (02/02--)	Peugeot 1007 (04/05--)

Control arm		11-16 050 0083	MCA0121
Notes	Control Arm Front Axle Right Lower Steel with rubber mount	  	
Cone Size [mm]	17		
Paired article number	11-16 050 0084 MCA0122		
Required quantity replacement in pairs recommended	1		

References

Citroën 16 075 107 80

Citroën 3521.S7

Fiat 1356 061 080

Fiat 1363 096 080

Fiat 6001070762

Lancia 1359 399 080

Lancia 1368 629 080

Peugeot 16 07 510 780

Peugeot 3521.S7

Citroën 3521.P6

Citroën 3521.T2

Fiat 1359 399 080

Fiat 1368 629 080

Lancia 1356 061 080

Lancia 1363 096 080

Lancia 6001070762

Peugeot 3521.P6

Peugeot 3521.T2

Application info

Citroën C8 (06/02--)

Lancia Phedra (09/02-11/10)

Fiat Ulysse II (179) (08/02-06/11)

Peugeot 807 (06/02--)

Control arm**11-16 050 0084****MCA0122****Notes**

Control Arm
Front Axle Left
Lower
Steel
with rubber mount

Cone Size [mm]

17

Paired article number

11-16 050 0083 | MCA0121

Required quantity

1

replacement in pairs recommended

**References**

Citroën 16 075 106 80

Citroën 3520.W4

Fiat 1356 060 080

Fiat 1363 095 080

Fiat 6001070761

Lancia 1359 398 080

Lancia 1368 628 080

Peugeot 16 07 510 680

Peugeot 3520.W4

Citroën 3520.S5

Citroën 3520.X0

Fiat 1359 398 080

Fiat 1368 628 080

Lancia 1356 060 080

Lancia 1363 095 080

Lancia 6001070761

Peugeot 3520.S5

Peugeot 3520.X0

Application info

Citroën C8 (06/02--)

Lancia Phedra (09/02-11/10)

Fiat Ulysse II (179) (08/02-06/11)

Peugeot 807 (06/02--)

Control arm		11-16 050 0085/HD	MCA1120HD
Notes	Carbon Neutral Control Arm Front Axle Right Lower Steel with ball joint with rubber mount		
Paired article number	11-16 050 0086/HD MCA1121HD		
Replace in pairs only			
Required quantity reinforced version	1		

References	
Peugeot 3521.V1	Peugeot 96 66 681 380

Application info	
Peugeot 508 I (11/10--)	

Control arm		11-16 050 0086/HD	MCA1121HD
Notes	Carbon Neutral Control Arm Front Axle Left Lower Steel with ball joint with rubber mount		
Paired article number	11-16 050 0085/HD MCA1120HD		
Replace in pairs only			
Required quantity reinforced version	1		

References	
Peugeot 3520.Y0	Peugeot 96 66 681 480

Application info	
Peugeot 508 I (11/10--)	

Control arm

11-16 050 0102

MCA1174

Notes

Control Arm
Front Axle Right
Sheet Steel
with ball joint

Paired article number 11-16 050 0103 | MCA1175
Required quantity 1
replacement in pairs recommended



References

Citroën 96 750 288 80
Citroën 98 194 182 80
GENERAL MOTORS 3647088
Opel 36 47 086
Peugeot 96 75 028 880

Citroën 98 194 180 80
GENERAL MOTORS 3647086
GENERAL MOTORS 9819418280
Opel 36 47 088

Application info

Citroën C Elyse (11/12--)
Opel Crossland X (03/17--)
Vauxhall Crossland X (03/17--)

Citroën C3 AIRCROSS II (06/17--)
Peugeot 301 (11/12--)

Control arm

11-16 050 0103

MCA1175

Notes

Control Arm
Front Axle Left
Sheet Steel
with ball joint

Paired article number 11-16 050 0102 | MCA1174
Required quantity 1
replacement in pairs recommended



References

Citroën 96 750 318 80
Citroën 98 194 181 80
GENERAL MOTORS 3647089
Opel 36 47 087
Peugeot 96 75 031 880

Citroën 98 194 179 80
GENERAL MOTORS 3647087
GENERAL MOTORS 9819418180
Opel 36 47 089

Application info

Citroën C Elyse (11/12--)
 Opel Crossland X (03/17--)
 Vauxhall Crossland X (03/17--)

Citroën C3 AIRCROSS II (06/17--)
 Peugeot 301 (11/12--)
 Vauxhall Grandland X (75) (06/17--)

Control arm


11-16 050 0106

MCA1222

Notes

Aluminium
 Control Arm
 Rear Axle Right
 Upper
 outer

Paired article number 11-16 050 0107 | MCA1223
 Required quantity 1
 replacement in pairs recommended



References

Citroën 5175.CP Peugeot 5175.CH

Application info

Citroën C5 III (RD_, TD_) (02/08--)
 Peugeot 407 (02/04--)

Citroën C6 (09/05-12/12)
 Peugeot 508 I (11/10--)

Control arm


11-16 050 0107

MCA1223

Notes

Aluminium
 Control Arm
 Rear Axle Left
 Upper
 outer

Paired article number 11-16 050 0106 | MCA1222
 Required quantity 1
 replacement in pairs recommended



References

Citroën 5175.CN Peugeot 5175.CG

Application info

Citroën C5 III (RD_, TD_) (02/08--)
 Peugeot 407 (02/04--)

Citroën C6 (09/05-12/12)
 Peugeot 508 I (11/10--)

Control arm		11-16 050 0110/HD	MCA1234HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Left Lower Steel with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		 <p>MEYLE Carbon Neutral HD Product</p>	
<p>11-16 050 0111/HD MCA1235HD</p> <p>1</p>			
<p>References</p> <p>Citroën 98 056 074 80 DS 98 056 074 80 Peugeot 98 056 074 80</p>			
<p>Application info</p> <p>Citroën C4 II / DS4 (02/09--) Peugeot 5008 I (06/09-03/17)</p> <p>DS DS 4 I (07/15-12/18)</p>			
Control arm		11-16 050 0111/HD	MCA1235HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Right Steel with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		 <p>MEYLE Carbon Neutral HD Product</p>	
<p>11-16 050 0110/HD MCA1234HD</p> <p>1</p>			
<p>References</p> <p>Citroën 16 431 893 80 Citroën 98 056 073 80 DS 16 431 893 80 DS 98 056 073 80 Peugeot 16 43 189 380 Peugeot 98 056 073 80</p>			
<p>Application info</p> <p>Citroën C4 II / DS4 (02/09--) Peugeot 5008 I (06/09-03/17)</p> <p>DS DS 4 I (07/15-12/18)</p>			

Control arm

11-16 050 0114

MCA1288

Notes

Control Arm
 Front Axle Right
 Steel
 for left-hand drive vehicles
 for right-hand drive vehicles
 with ball joint

Manufacturer Exclusion
 Paired article number
 Required quantity
 replacement in pairs recommended

CITROËN
 11-16 050 0115 | MCA1289
 1



References

Opel 98 463 292 80 Peugeot 96 78 311 280
 Peugeot 98 07 914 180 Peugeot 98 20 381 580
 Peugeot 98 46 329 280

Application info

Opel Astra L (10/21--)
 Peugeot 308 II (09/13--)
 Vauxhall Astra Mk VIII (10/21--)
 Peugeot 308 I (09/07--)
 Peugeot 308 III (07/21--)

Control arm

11-16 050 0115

MCA1289

Notes

Control Arm
 Front Axle Left
 Steel
 for left-hand drive vehicles
 for right-hand drive vehicles
 with ball joint

Manufacturer Exclusion
 Paired article number
 Required quantity
 replacement in pairs recommended

CITROËN
 11-16 050 0114 | MCA1288
 1



References

Opel 98 463 297 80 Peugeot 96 78 311 380
 Peugeot 98 07 914 280 Peugeot 98 20 381 680
 Peugeot 98 46 329 780

Application info

Opel Astra L (10/21--)
 Peugeot 308 II (09/13--)
 Vauxhall Astra Mk VIII (10/21--)

Peugeot 308 I (09/07--)
 Peugeot 308 III (07/21--)

Control arm

11-16 050 3198

MCA0125

Notes

Control Arm
 Front Axle Left
 Lower
 Steel
 with rubber mount

Length [mm] 304
 Paired article number 11-16 050 3199 | MCA0126
 Required quantity 1
 replacement in pairs recommended



References

Citroën 3520.51	Citroën 91 504 358
Citroën 91 516 335	Citroën 91 516 336
Peugeot 3520.48	Peugeot 3520.49
Peugeot 3520.50	Peugeot 3520.51

Application info

Citroën C15 / Visa (09/78-10/06) Peugeot 205 (02/83-12/00)

Control arm

11-16 050 3199

MCA0126

Notes

Control Arm
 Front Axle Right
 Lower
 Steel
 with rubber mount

Length [mm] 304
 Paired article number 11-16 050 3198 | MCA0125
 Required quantity 1
 replacement in pairs recommended



References

Citroën 3521.34	Citroën 91 516 334
Citroën 91 516 337	Peugeot 3521.31
Peugeot 3521.33	Peugeot 3521.34

Application info

Citroën C15 / Visa (09/78-10/06)

Peugeot 205 (02/83-12/00)

Control arm

11-16 050 6979

MCA0127

Notes

Control Arm
 Front Axle Right
 Lower
 Steel
 with rubber mount

Paired article number

11-16 050 6980 | MCA0128

Required quantity

1

replacement in pairs recommended

**References**

Citroën 3520.79

Citroën 95 658 979

Peugeot 3520.79

Application info

Citroën AX (07/86-12/98)

Citroën Saxo (02/96-04/04)

Peugeot 106 (08/91-05/05)

Control arm

11-16 050 6980

MCA0128

Notes

Control Arm
 Front Axle Left
 Lower
 Steel
 with rubber mount

Paired article number

11-16 050 6979 | MCA0127

Required quantity

1

replacement in pairs recommended

**References**

Citroën 3520.78

Citroën 95 658 978

Peugeot 3520.78

Application info

Citroën AX (07/86-12/98)

Citroën Saxo (02/96-04/04)

Peugeot 106 (08/91-05/05)

Control arm

116 050 0000/HD

MCA0131HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
Front Axle Right
Lower
with accessories
with rubber mount

Length [mm]

364

Replace in pairs only

Required quantity

2

reinforced version



References

Audi 8E0 407 151 E

Audi 8E0 407 151 K

Audi 8E0 407 151 L

Audi 8E0 407 151 M

Audi 8E0 407 151 N

Audi 8E0 407 151 R

Audi (FAW) 8E0 407 151 M

Audi (FAW) 8E0 407 151 R

Seat 8E0 407 151 R

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)

Audi A4 II (8E_) (02/00-12/05)

Audi A4 III (8E_) (11/04-06/08)

Seat Exeo (3R) (12/08-05/13)

Control arm

116 050 0002/HD

MCA0132HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Sheet Steel
with rubber mount

Article number of recommended accessories 100 654 0008

Paired article number

116 050 0003/HD | MCA0133HD

Replace in pairs only

Required quantity

1

reinforced version



References

Audi 1K0 407 151 AA	Audi 1K0 407 151 AB
Audi 1K0 407 151 AE	Audi 1K0 407 151 AH
Audi 1K0 407 151 BC	Audi 1K0 407 151 BD
Audi 1K0 407 151 N	Audi 1K0 407 151 P
Seat 1K0 407 151 AA	Seat 1K0 407 151 AB
Seat 1K0 407 151 AE	Seat 1K0 407 151 AH
Seat 1K0 407 151 BC	Seat 1K0 407 151 BD
Seat 1K0 407 151 N	Seat 1K0 407 151 P
Skoda 1K0 407 151 AA	Skoda 1K0 407 151 AB
Skoda 1K0 407 151 AE	Skoda 1K0 407 151 AH
Skoda 1K0 407 151 BC	Skoda 1K0 407 151 N
Skoda 1K0 407 151 P	Skoda (SVW) 1K0 407 151 BC
Volkswagen 1K0 407 151 AA	Volkswagen 1K0 407 151 AB
Volkswagen 1K0 407 151 AE	Volkswagen 1K0 407 151 AH
Volkswagen 1K0 407 151 BC	Volkswagen 1K0 407 151 BD
Volkswagen 1K0 407 151 N	Volkswagen 1K0 407 151 P
Volkswagen 2K0 407 151 B	Volkswagen (FAW) 1K0 407 151 AA

Application info

Audi A3 II (8P_) (05/03-12/15)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Superb II (3T) (03/08-05/15)
Skoda Yeti (5L) (05/09-12/17)	Vauxhall Movano Mk I (10/98-12/10)
Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)	Volkswagen Eos (03/06-08/15)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)	Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Scirocco III (137) (05/08-11/17)
Volkswagen Touran I (1T1/2/3) (02/03-05/15)	

Control arm**116 050 0003/HD****MCA0133HD****Notes**

Carbon Neutral
Control Arm
Front Axle Right
Sheet Steel
with rubber mount
without ball joint

Article number of recommended accessories	100 654 0008
Paired article number	116 050 0002/HD MCA0132HD
Replace in pairs only	
Required quantity	1
reinforced version	



References

- | | |
|---------------------------|---------------------------------|
| Audi 1K0 407 152 AA | Audi 1K0 407 152 AB |
| Audi 1K0 407 152 AE | Audi 1K0 407 152 AH |
| Audi 1K0 407 152 BC | Audi 1K0 407 152 BD |
| Audi 1K0 407 152 N | Audi 1K0 407 152 P |
| Seat 1K0 407 152 AA | Seat 1K0 407 152 AB |
| Seat 1K0 407 152 AE | Seat 1K0 407 152 AH |
| Seat 1K0 407 152 BC | Seat 1K0 407 152 BD |
| Seat 1K0 407 152 N | Seat 1K0 407 152 P |
| Skoda 1K0 407 152 AA | Skoda 1K0 407 152 AB |
| Skoda 1K0 407 152 AE | Skoda 1K0 407 152 AH |
| Skoda 1K0 407 152 BC | Skoda 1K0 407 152 N |
| Skoda 1K0 407 152 P | Skoda (SVW) 1K0 407 152 BC |
| Volkswagen 1K0 407 152 AA | Volkswagen 1K0 407 152 AB |
| Volkswagen 1K0 407 152 AE | Volkswagen 1K0 407 152 AH |
| Volkswagen 1K0 407 152 BC | Volkswagen 1K0 407 152 BD |
| Volkswagen 1K0 407 152 N | Volkswagen 1K0 407 152 P |
| Volkswagen 2K0 407 152 B | Volkswagen (FAW) 1K0 407 152 AA |

Application info

- | | |
|---|--|
| Audi A3 II (8P_) (05/03-12/15) | Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--) |
| Skoda Octavia II (1Z_) (02/04-06/13) | Skoda Superb II (3T) (03/08-05/15) |
| Skoda Yeti (5L) (05/09-12/17) | Vauxhall Movano Mk I (10/98-12/10) |
| Volkswagen Caddy III (2KA, 2KB) (03/04-05/15) | Volkswagen Eos (03/06-08/15) |
| Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14) | Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16) |
| Volkswagen Jetta III (1K2) (09/04-12/13) | Volkswagen Scirocco III (137) (05/08-11/17) |
| Volkswagen Touran I (1T1/2/3) (02/03-05/15) | |

Control arm

116 050 0005

MCA0134

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 116 050 0006 | MCA0135
 Required quantity 1

replacement in pairs recommended



References

Skoda 007 304 447
 Skoda 6U0 407 151 A
 Volkswagen 6U0 407 151
 Volkswagen 6U0 407 151 B

Skoda 6U0 407 151
 Skoda 6U0 407 151 B
 Volkswagen 6U0 407 151 A

Application info

Skoda Felicia (10/94-04/02)

Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09)

Control arm

116 050 0006

MCA0135

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount
 Paired article number 116 050 0005 | MCA0134
 Required quantity 1

Paired article number
 Required quantity
 replacement in pairs recommended



References

Skoda 007 304 448
 Skoda 6U0 407 152 A
 Volkswagen 6U0 407 152
 Volkswagen 6U0 407 152 B

Skoda 6U0 407 152
 Skoda 6U0 407 152 B
 Volkswagen 6U0 407 152 A

Application info

Skoda Felicia (10/94-04/02)

Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09)

Control arm

116 050 0007/HD

MCA0136HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Steel
 with rubber mount
 Paired article number 116 050 0008/HD | MCA0137HD

Paired article number
 Replace in pairs only
 Required quantity
 reinforced version



References

Ford 1 012 632
Seat 7M0 407 152 B

Ford 95VW-3078-AC
Volkswagen 7M0 407 152 B

Application info

Ford Galaxy I (03/95-05/06)
Volkswagen Sharan (7M) (05/95-03/10)

Seat Alhambra I (7V8, 7V9) (03/96-03/10)

Control arm

116 050 0008/HD

MCA0137HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Steel
with rubber mount

Paired article number 116 050 0007/HD | MCA0136HD
Replace in pairs only
Required quantity 1
reinforced version



References

Ford 1 007 602
Seat 7M0 407 151 B

Ford 95VW-3079-AC
Volkswagen 7M0 407 151 B

Application info

Ford Galaxy I (03/95-05/06)
Volkswagen Sharan (7M) (05/95-03/10)

Seat Alhambra I (7V8, 7V9) (03/96-03/10)

Control arm

116 050 0009/HD

MCA0138HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Sheet Steel
with ball joint

Length [mm] 347
Paired article number 116 050 0010/HD | MCA0139HD
Replace in pairs only
Required quantity 1
Thread Size M12x1,5
Width [mm] 277
reinforced version



References

Audi 1J0 407 151 A

Audi 1J0 407 151 C

Skoda 1J0 407 151 C

Volkswagen 1J0 407 151 B

Volkswagen (FAW) 1J0 407 151 C

Audi 1J0 407 151 B

Seat 1J0 407 151 C

Volkswagen 1J0 407 151 A

Volkswagen 1J0 407 151 C

Volkswagen (SVW) 1JD 407 151 A

Application info

Audi A3 I (8L_) (09/96-09/06)

Skoda Octavia I (1U_) (09/96-12/10)

Volkswagen Bora V (Mex) (01/07--)

Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)

Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Seat Leon I / Toledo II (1M_) (10/98-06/06)

Volkswagen Bora (1J2, 1J6) (10/98-12/13)

Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Volkswagen Jetta City (09/06-12/09)

Control arm**116 050 0010/HD****MCA0139HD****Notes**

Carbon Neutral
Control Arm
Front Axle Right
Sheet Steel
with ball joint

Length [mm]

347

Paired article number

116 050 0009/HD | MCA0138HD

Replace in pairs only

Required quantity

1

Thread Size

M12x1,5

Width [mm]

277

reinforced version

**References**

Audi 1J0 407 151 A

Audi 1J0 407 151 C

Skoda 1J0 407 151 C

Volkswagen 1J0 407 151 B

Volkswagen (FAW) 1J0 407 151 C

Audi 1J0 407 151 B

Seat 1J0 407 151 C

Volkswagen 1J0 407 151 A

Volkswagen 1J0 407 151 C

Volkswagen (SVW) 1JD 407 151 A

Application info

Audi A3 I (8L_) (09/96-09/06)

Skoda Octavia I (1U_) (09/96-12/10)

Volkswagen Bora V (Mex) (01/07--)

Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)

Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Seat Leon I / Toledo II (1M_) (10/98-06/06)

Volkswagen Bora (1J2, 1J6) (10/98-12/13)

Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Volkswagen Jetta City (09/06-12/09)

Control arm		116 050 0012	MCA0140
<p>Notes</p> <p>Control Arm Front Axle Left Front Axle Right Lower Sheet Steel with rubber mount</p> <p>Article number of recommended accessories: 100 654 0021 Required quantity: 2 replacement in pairs recommended</p>		 	

References	
Seat 6X0 407 151 A	Volkswagen 6N0 407 151 A
Volkswagen 6X0 407 151 A	

Application info	
Seat Arosa (6H) (05/97-06/04)	Volkswagen Lupo (09/98-07/05)
Volkswagen Polo (6N_) (09/94-10/01)	

Control arm		116 050 0015/HD	MCA0142HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Left Rear Upper with accessories with rubber mount</p> <p>Length [mm]: 256 Paired article number: 116 050 0016/HD MCA0143HD Replace in pairs only Required quantity: 1 reinforced version</p>		 	

References

- | | |
|---------------------------|--------------------------|
| Audi 4E0 407 509 B | Audi 4E0 407 509 E |
| Audi 4E0 407 509 F | Audi 4E0 407 509 G |
| Audi 4E0 407 509 H | Audi 4E0 407 509 K |
| Audi (FAW) 4E0 407 509 B | Audi (FAW) 4E0 407 509 E |
| Audi (FAW) 4E0 407 509 G | Audi (FAW) 4E0 407 509 K |
| Audi (FAW) L4E0 407 509 B | Volkswagen 4E0 407 509 B |
| Volkswagen 4E0 407 509 E | Volkswagen 4E0 407 509 G |

Application info

- | | |
|---|--------------------------------|
| Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11) | Audi A8 II (4E_) (10/02-12/10) |
| Volkswagen Phaeton (3D) (04/02-03/16) | |

Control arm

116 050 0016/HD

MCA0143HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Rear
Upper
with accessories
with rubber mount



- | | |
|-----------------------|-----------------------------|
| Length [mm] | 257 |
| Paired article number | 116 050 0015/HD MCA0142HD |
| Replace in pairs only | |
| Required quantity | 1 |
| reinforced version | |

References

- | | |
|---------------------------|--------------------------|
| Audi 4E0 407 510 B | Audi 4E0 407 510 E |
| Audi 4E0 407 510 F | Audi 4E0 407 510 G |
| Audi 4E0 407 510 H | Audi 4E0 407 510 K |
| Audi (FAW) 4E0 407 510 B | Audi (FAW) 4E0 407 510 E |
| Audi (FAW) 4E0 407 510 G | Audi (FAW) 4E0 407 510 K |
| Audi (FAW) L4E0 407 510 B | Volkswagen 4E0 407 510 B |
| Volkswagen 4E0 407 510 E | Volkswagen 4E0 407 510 G |

Application info

- | | |
|---|--------------------------------|
| Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11) | Audi A8 II (4E_) (10/02-12/10) |
| Volkswagen Phaeton (3D) (04/02-03/16) | |

Control arm		116 050 0017	MCA0144
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Front Axle Right Upper with ball joint with rubber mount</p> <p>Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Audi 7L0 407 021 Audi 7L0 407 021 B Porsche 955 341 027 01 Volkswagen 7L0 407 021 Volkswagen 7L0 407 021 B</p>		<p>Audi 7L0 407 021 A Porsche 955 341 027 00 Porsche 955 341 027 02 Volkswagen 7L0 407 021 A</p>	
<p>Application info</p> <p>Audi Q7 I (4L_) (03/06-01/16) Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)</p>		<p>Porsche Cayenne I (955) (09/02-12/10)</p>	
Control arm		116 050 0017/S	MCA0983
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Front Axle Right Upper with accessories with ball joint with rubber mount</p> <p>Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Audi 7L0 407 021 Audi 7L0 407 021 B Porsche 955 341 027 01 Volkswagen 7L0 407 021 Volkswagen 7L0 407 021 B</p>		<p>Audi 7L0 407 021 A Porsche 955 341 027 00 Porsche 955 341 027 02 Volkswagen 7L0 407 021 A</p>	

Application info

Audi Q7 I (4L_) (03/06-01/16)

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Control arm

116 050 0018

MCA0145

Notes

Control Arm
Front Axle Left
Sheet Steel
with ball joint
with rubber mount

Article number of recommended accessories 100 654 0020
Paired article number 116 050 0019 | MCA0146
Required quantity 1
replacement in pairs recommended



References

Seat 6Q0 407 151 E

Seat 6Q0 407 151 L

Skoda 6Q0 407 151 E

Skoda 6Q0 407 151 L

Volkswagen 6Q0 407 151 D

Volkswagen 6Q0 407 151 E

Volkswagen 6Q0 407 151 L

Volkswagen (SVW) 6Q0 407 151 L

Application info

Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)

Skoda Fabia I (6Y_) (08/99-03/08)

Skoda Fabia II (54_) (12/06-12/14)

Skoda Roomster (03/06-05/15)

Volkswagen Fox/Lupo (Z51) (08/03--)

Volkswagen Polo (9N_) (10/01--)

Control arm

116 050 0019

MCA0146

Notes

Control Arm
Front Axle Right
Sheet Steel
with ball joint
with rubber mount

Article number of recommended accessories 100 654 0020
Paired article number 116 050 0018 | MCA0145
Required quantity 1
replacement in pairs recommended



References

Seat 6Q0 407 151 E
 Skoda 6Q0 407 151 E
 Volkswagen 6Q0 407 151 D
 Volkswagen 6Q0 407 151 L

Seat 6Q0 407 151 L
 Skoda 6Q0 407 151 L
 Volkswagen 6Q0 407 151 E
 Volkswagen (SVW) 6Q0 407 151 L

Application info

Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)
 Skoda Fabia II (54_) (12/06-12/14)
 Volkswagen Fox/Lupo (Z51) (08/03--)

Skoda Fabia I (6Y_) (08/99-03/08)
 Skoda Roomster (03/06-05/15)
 Volkswagen Polo (9N_) (10/01--)

Control arm

116 050 0028

MCA0149

Notes

Control Arm
 Front Axle Left
 Front Axle Right
 Lower
 Sheet Steel
 with rubber mount
 2

Required quantity
 replacement in pairs recommended



References

Seat 6Q0 407 151 E
 Skoda 6Q0 407 151 E
 Volkswagen 6Q0 407 151 D
 Volkswagen 6Q0 407 151 L

Seat 6Q0 407 151 L
 Skoda 6Q0 407 151 L
 Volkswagen 6Q0 407 151 E
 Volkswagen (SVW) 6Q0 407 151 L

Application info

Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)
 Skoda Fabia II (54_) (12/06-12/14)
 Volkswagen Fox/Lupo (Z51) (08/03--)

Skoda Fabia I (6Y_) (08/99-03/08)
 Skoda Roomster (03/06-05/15)
 Volkswagen Polo (9N_) (10/01--)

Control arm set

014 035 0017

M CX0031

Notes

Rear Axle Left
Rear Axle Right
for trailing arm
with accessories

Full Set

Required quantity

1



References

Mercedes-Benz 210 350 21 53

Mercedes-Benz 210 350 34 06

Mercedes-Benz A 210 350 21 53

Mercedes-Benz A 210 350 34 06

Mercedes-Benz 210 350 33 06

Mercedes-Benz 210 350 38 06

Mercedes-Benz A 210 350 33 06

Mercedes-Benz A 210 350 38 06

Application info

Mercedes-Benz BM 124 (12/84-12/93)

Mercedes-Benz BM 129 (SL) (03/89-09/04)

Mercedes-Benz BM 201 (190) (10/82-08/93)

Mercedes-Benz BM 208 (CLK) (06/97-12/03)

Mercedes-Benz BM 124 (E-Class) (02/93-03/98)

Mercedes-Benz BM 170 (SLK) (04/96-04/04)

Mercedes-Benz BM 202 (C-Class) (03/93-03/01)

Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Control arm set

016 050 0090/HD

M CK0040HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Full Set

Required quantity
reinforced version

1



References

Mercedes-Benz 203 320 04 89
 Mercedes-Benz 203 320 28 89
 Mercedes-Benz 203 330 01 11
 Mercedes-Benz 203 330 16 11
 Mercedes-Benz 203 330 19 11
 Mercedes-Benz 203 330 33 11
 Mercedes-Benz 203 330 35 11
 Mercedes-Benz 203 330 39 11
 Mercedes-Benz 204 330 19 11
 Mercedes-Benz 204 330 33 11
 Mercedes-Benz 204 330 43 11
 Mercedes-Benz A 203 320 04 89
 Mercedes-Benz A 203 320 28 89
 Mercedes-Benz A 203 330 01 11
 Mercedes-Benz A 203 330 16 11
 Mercedes-Benz A 203 330 19 11
 Mercedes-Benz A 203 330 33 11
 Mercedes-Benz A 203 330 35 11
 Mercedes-Benz A 203 330 39 11
 Mercedes-Benz A 204 330 19 11
 Mercedes-Benz A 204 330 33 11
 Mercedes-Benz A 204 330 43 11

Mercedes-Benz 203 320 25 89
 Mercedes-Benz 203 320 38 89
 Mercedes-Benz 203 330 02 11
 Mercedes-Benz 203 330 17 11
 Mercedes-Benz 203 330 20 11
 Mercedes-Benz 203 330 34 11
 Mercedes-Benz 203 330 36 11
 Mercedes-Benz 203 330 40 11
 Mercedes-Benz 204 330 20 11
 Mercedes-Benz 204 330 34 11
 Mercedes-Benz 204 330 44 11
 Mercedes-Benz A 203 320 25 89
 Mercedes-Benz A 203 320 38 89
 Mercedes-Benz A 203 330 02 11
 Mercedes-Benz A 203 330 17 11
 Mercedes-Benz A 203 330 20 11
 Mercedes-Benz A 203 330 34 11
 Mercedes-Benz A 203 330 36 11
 Mercedes-Benz A 203 330 40 11
 Mercedes-Benz A 204 330 20 11
 Mercedes-Benz A 204 330 34 11
 Mercedes-Benz A 204 330 44 11

Application info

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

Mercedes-Benz BM 209 (CLK) (05/02-03/10)

Control arm set

016 050 0091/HD

MCK0041HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Full Set

Required quantity
 reinforced version

1



References

Mercedes-Benz 203 330 01 11
 Mercedes-Benz 203 330 16 11
 Mercedes-Benz 203 330 19 11
 Mercedes-Benz 203 330 33 11
 Mercedes-Benz 203 330 35 11
 Mercedes-Benz 203 330 39 11
 Mercedes-Benz 204 330 19 11
 Mercedes-Benz 204 330 33 11
 Mercedes-Benz 204 330 43 11
 Mercedes-Benz A 203 330 01 11
 Mercedes-Benz A 203 330 16 11
 Mercedes-Benz A 203 330 19 11
 Mercedes-Benz A 203 330 33 11
 Mercedes-Benz A 203 330 35 11
 Mercedes-Benz A 203 330 39 11
 Mercedes-Benz A 204 330 19 11
 Mercedes-Benz A 204 330 33 11
 Mercedes-Benz A 204 330 43 11

Mercedes-Benz 203 330 02 11
 Mercedes-Benz 203 330 17 11
 Mercedes-Benz 203 330 20 11
 Mercedes-Benz 203 330 34 11
 Mercedes-Benz 203 330 36 11
 Mercedes-Benz 203 330 40 11
 Mercedes-Benz 204 330 20 11
 Mercedes-Benz 204 330 34 11
 Mercedes-Benz 204 330 44 11
 Mercedes-Benz A 203 330 02 11
 Mercedes-Benz A 203 330 17 11
 Mercedes-Benz A 203 330 20 11
 Mercedes-Benz A 203 330 34 11
 Mercedes-Benz A 203 330 36 11
 Mercedes-Benz A 203 330 40 11
 Mercedes-Benz A 204 330 20 11
 Mercedes-Benz A 204 330 34 11
 Mercedes-Benz A 204 330 44 11

Application info

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

Mercedes-Benz BM 209 (CLK) (05/02-03/10)

Control arm set

016 050 0092/HD

MCK0043HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Full Set
 Required quantity
 reinforced version

1



References

- | | |
|------------------------------------|--------------------------------------|
| Mercedes-Benz 203 330 01 11 | Mercedes-Benz 203 330 02 11 |
| Mercedes-Benz 203 330 16 11 | Mercedes-Benz 203 330 17 11 |
| Mercedes-Benz 203 330 35 11 | Mercedes-Benz 203 330 36 11 |
| Mercedes-Benz 203 330 39 11 | Mercedes-Benz 203 330 40 11 |
| Mercedes-Benz 204 330 31 11 | Mercedes-Benz 204 330 32 11 |
| Mercedes-Benz 204 330 33 11 | Mercedes-Benz 204 330 34 11 |
| Mercedes-Benz 204 330 43 11 | Mercedes-Benz 204 330 44 11 |
| Mercedes-Benz 204 330 67 11 | Mercedes-Benz 204 330 68 11 |
| Mercedes-Benz 204 330 87 11 | Mercedes-Benz 204 330 88 11 |
| Mercedes-Benz A 203 330 01 11 | Mercedes-Benz A 203 330 02 11 |
| Mercedes-Benz A 203 330 16 11 | Mercedes-Benz A 203 330 17 11 |
| Mercedes-Benz A 203 330 35 11 | Mercedes-Benz A 203 330 36 11 |
| Mercedes-Benz A 203 330 39 11 | Mercedes-Benz A 203 330 40 11 |
| Mercedes-Benz A 204 330 31 11 | Mercedes-Benz A 204 330 32 11 |
| Mercedes-Benz A 204 330 33 11 | Mercedes-Benz A 204 330 34 11 |
| Mercedes-Benz A 204 330 43 11 | Mercedes-Benz A 204 330 44 11 |
| Mercedes-Benz A 204 330 67 11 | Mercedes-Benz A 204 330 68 11 |
| Mercedes-Benz A 204 330 87 11 | Mercedes-Benz A 204 330 88 11 |
| Mercedes-Benz (BBDC) 204 330 67 11 | Mercedes-Benz (BBDC) A 204 330 67 11 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 204 (C-Class) (01/07--) | Mercedes-Benz BM 207 (E-Class) (01/09-12/16) |
|--|--|

Control arm set

016 050 0093/HD

MCK0044HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Full Set
Required quantity
reinforced version

1



References

- | | |
|------------------------------------|--------------------------------------|
| Mercedes-Benz 212 330 27 11 | Mercedes-Benz 212 330 28 11 |
| Mercedes-Benz 212 330 29 11 | Mercedes-Benz 212 330 30 11 |
| Mercedes-Benz 212 330 39 00 | Mercedes-Benz 212 330 40 00 |
| Mercedes-Benz A 212 330 27 11 | Mercedes-Benz A 212 330 28 11 |
| Mercedes-Benz A 212 330 29 11 | Mercedes-Benz A 212 330 30 11 |
| Mercedes-Benz A 212 330 39 00 | Mercedes-Benz A 212 330 40 00 |
| Mercedes-Benz (BBDC) 212 330 39 00 | Mercedes-Benz (BBDC) A 212 330 39 00 |

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Control arm set

016 050 0094/HD

MCK0042HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Full Set

Required quantity
reinforced version

1



References

- Mercedes-Benz 203 330 01 11
- Mercedes-Benz 203 330 16 11
- Mercedes-Benz 203 330 19 11
- Mercedes-Benz 203 330 33 11
- Mercedes-Benz 203 330 35 11
- Mercedes-Benz 203 330 39 11
- Mercedes-Benz 204 330 19 11
- Mercedes-Benz 204 330 33 11
- Mercedes-Benz 204 330 43 11
- Mercedes-Benz 204 330 87 11
- Mercedes-Benz A 203 330 01 11
- Mercedes-Benz A 203 330 16 11
- Mercedes-Benz A 203 330 19 11
- Mercedes-Benz A 203 330 33 11
- Mercedes-Benz A 203 330 35 11
- Mercedes-Benz A 203 330 39 11
- Mercedes-Benz A 204 330 19 11
- Mercedes-Benz A 204 330 33 11
- Mercedes-Benz A 204 330 43 11
- Mercedes-Benz A 204 330 87 11

- Mercedes-Benz 203 330 02 11
- Mercedes-Benz 203 330 17 11
- Mercedes-Benz 203 330 20 11
- Mercedes-Benz 203 330 34 11
- Mercedes-Benz 203 330 36 11
- Mercedes-Benz 203 330 40 11
- Mercedes-Benz 204 330 20 11
- Mercedes-Benz 204 330 34 11
- Mercedes-Benz 204 330 44 11
- Mercedes-Benz 204 330 88 11
- Mercedes-Benz A 203 330 02 11
- Mercedes-Benz A 203 330 17 11
- Mercedes-Benz A 203 330 20 11
- Mercedes-Benz A 203 330 34 11
- Mercedes-Benz A 203 330 36 11
- Mercedes-Benz A 203 330 40 11
- Mercedes-Benz A 204 330 20 11
- Mercedes-Benz A 204 330 34 11
- Mercedes-Benz A 204 330 44 11
- Mercedes-Benz A 204 330 88 11

Application info

Mercedes-Benz BM 171 (SLK) (03/04-12/11)

Control arm set

016 050 0225/HD

MCK0061HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 for vehicles without Airmatic DC

Full Set
 Required quantity
 reinforced version

1



References

- Mercedes-Benz 205 330 13 05
- Mercedes-Benz 205 330 43 03
- Mercedes-Benz 205 330 55 01
- Mercedes-Benz 205 330 59 01
- Mercedes-Benz 205 330 62 01
- Mercedes-Benz 205 330 66 10
- Mercedes-Benz A 205 330 14 05
- Mercedes-Benz A 205 330 44 03
- Mercedes-Benz A 205 330 56 01
- Mercedes-Benz A 205 330 61 01
- Mercedes-Benz A 205 330 65 10

- Mercedes-Benz 205 330 14 05
- Mercedes-Benz 205 330 44 03
- Mercedes-Benz 205 330 56 01
- Mercedes-Benz 205 330 61 01
- Mercedes-Benz 205 330 65 10
- Mercedes-Benz A 205 330 13 05
- Mercedes-Benz A 205 330 43 03
- Mercedes-Benz A 205 330 55 01
- Mercedes-Benz A 205 330 59 01
- Mercedes-Benz A 205 330 62 01
- Mercedes-Benz A 205 330 66 10

Application info

- Mercedes-Benz BM 205 (C-Class) (12/13--)
- Mercedes-Benz BM 238 (E-Class) (06/17--)

- Mercedes-Benz BM 213 (E-Class) (01/16--)
- Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Control arm set

016 050 0231/HD

MCK0062HD

Notes

Front Axle Left
 Front Axle Right
 for vehicles with Airmatic DC

Full Set
 Required quantity
 reinforced version

1



References

Mercedes-Benz 205 330 13 05	Mercedes-Benz 205 330 14 05
Mercedes-Benz 205 330 21 07	Mercedes-Benz 205 330 22 07
Mercedes-Benz 205 330 43 03	Mercedes-Benz 205 330 44 03
Mercedes-Benz 205 330 55 01	Mercedes-Benz 205 330 56 01
Mercedes-Benz 205 330 63 01	Mercedes-Benz 205 330 64 01
Mercedes-Benz A 205 330 13 05	Mercedes-Benz A 205 330 14 05
Mercedes-Benz A 205 330 21 07	Mercedes-Benz A 205 330 22 07
Mercedes-Benz A 205 330 43 03	Mercedes-Benz A 205 330 44 03
Mercedes-Benz A 205 330 55 01	Mercedes-Benz A 205 330 56 01
Mercedes-Benz A 205 330 63 01	Mercedes-Benz A 205 330 64 01

Application info

Mercedes-Benz BM 205 (C-Class) (12/13--)	Mercedes-Benz BM 213 (E-Class) (01/16--)
Mercedes-Benz BM 238 (E-Class) (06/17--)	Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Control arm set

116 050 0022/HD


MCK0004HD

Notes

Aluminium
Carbon Neutral
Front Axle Left
Front Axle Right
Lower
with accessories

Required quantity
Slim Set
reinforced version

1



References

Audi 3B0 498 798 A	Skoda 3B0 498 798 A
Volkswagen 3B0 498 798 A	

Application info

Audi A4 I (8D_) (11/94-12/02)	Audi A6 II (4B, C5) (01/97-12/05)
Audi A8 I (4D_) (03/94-12/05)	Skoda Superb I (3U) (12/01-03/08)
Volkswagen Passat (3B_) (08/96-12/05)	

Mount, axle rod

014 035 0085

MAM0005

Notes

Rear Axle Left
Rear Axle Right
Upper
inner

Height [mm] 38
Inner Diameter [mm] 12
Outer Diameter [mm] 38
Required quantity 2
replacement in pairs recommended



References

- | | |
|--------------------------------------|--------------------------------------|
| Mercedes-Benz 204 353 00 43 | Mercedes-Benz 205 352 05 08 |
| Mercedes-Benz 230 352 15 65 | Mercedes-Benz A 204 353 00 43 |
| Mercedes-Benz A 205 352 05 08 | Mercedes-Benz A 230 352 15 65 |
| Mercedes-Benz (BBDC) 205 352 05 08 | Mercedes-Benz (BBDC) 230 352 15 65 |
| Mercedes-Benz (BBDC) A 205 352 05 08 | Mercedes-Benz (BBDC) A 230 352 15 65 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 204 (C-Class) (01/07--) | Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15) |
| Mercedes-Benz BM 205 (C-Class) (12/13--) | Mercedes-Benz BM 207 (E-Class) (01/09-12/16) |
| Mercedes-Benz BM 211 (E-Class) (03/02-07/09) | Mercedes-Benz BM 212 (E-Class) (01/09-12/16) |
| Mercedes-Benz BM 213 (E-Class) (01/16--) | Mercedes-Benz BM 218 (CLS) (01/11-12/17) |
| Mercedes-Benz BM 219 (CLS) (10/04-02/11) | Mercedes-Benz BM 230 (SL) (10/01-01/12) |
| Mercedes-Benz BM 238 (E-Class) (06/17--) | Mercedes-Benz BM 253 (GLC) (06/15--) |
| Mercedes-Benz BM 257 (CLS-Class) (12/17--) | Mercedes-Benz BM 293 (EQC) (05/19--) |

Mount, axle rod

014 710 0013

MAM0008

Notes

Front
Rear Axle Left
Rear Axle Right
Upper
inner

Height [mm] 73
Inner Diameter [mm] 12
Outer Diameter [mm] 40
Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 204 350 05 53	Mercedes-Benz 204 350 06 53
Mercedes-Benz 205 350 65 03	Mercedes-Benz 205 350 66 03
Mercedes-Benz A 204 350 05 53	Mercedes-Benz A 204 350 06 53
Mercedes-Benz A 205 350 65 03	Mercedes-Benz A 205 350 66 03
Mercedes-Benz (BBDC) 205 350 65 03	Mercedes-Benz (BBDC) A 205 350 65 03

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)	Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
Mercedes-Benz BM 205 (C-Class) (12/13--)	Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
Mercedes-Benz BM 212 (E-Class) (01/09-12/16)	Mercedes-Benz BM 213 (E-Class) (01/16--)
Mercedes-Benz BM 218 (CLS) (01/11-12/17)	Mercedes-Benz BM 238 (E-Class) (06/17--)
Mercedes-Benz BM 253 (GLC) (06/15--)	Mercedes-Benz BM 257 (CLS-Class) (12/17--)
Mercedes-Benz BM 293 (EQC) (05/19--)	

Mount, axle rod

014 710 0014

MAM0009

Notes

Front
Rear Axle Left
Rear Axle Right
Upper
outer

Height [mm]	37
Inner Diameter [mm]	12
Outer Diameter [mm]	40
Required quantity	2
replacement in pairs recommended	



References

Mercedes-Benz 204 350 05 53	Mercedes-Benz 204 350 06 53
Mercedes-Benz 205 350 65 03	Mercedes-Benz 205 350 66 03
Mercedes-Benz A 204 350 05 53	Mercedes-Benz A 204 350 06 53
Mercedes-Benz A 205 350 65 03	Mercedes-Benz A 205 350 66 03
Mercedes-Benz (BBDC) 205 350 66 03	Mercedes-Benz (BBDC) A 205 350 66 03

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)	Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
Mercedes-Benz BM 205 (C-Class) (12/13--)	Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
Mercedes-Benz BM 212 (E-Class) (01/09-12/16)	Mercedes-Benz BM 213 (E-Class) (01/16--)
Mercedes-Benz BM 218 (CLS) (01/11-12/17)	Mercedes-Benz BM 238 (E-Class) (06/17--)
Mercedes-Benz BM 253 (GLC) (06/15--)	Mercedes-Benz BM 257 (CLS-Class) (12/17--)
Mercedes-Benz BM 293 (EQC) (05/19--)	

Mount, axle rod

014 710 0015

MAM0010

Notes

Rear Axle Left
Rear Axle Right
Upper
inner

Height [mm] 41
Inner Diameter [mm] 12
Outer Diameter [mm] 44
Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 204 350 21 06	Mercedes-Benz 204 350 22 06
Mercedes-Benz A 204 350 21 06	Mercedes-Benz A 204 350 22 06
Mercedes-Benz (BBDC) 204 350 21 06	Mercedes-Benz (BBDC) 204 350 22 06
Mercedes-Benz (BBDC) A 204 350 21 06	Mercedes-Benz (BBDC) A 204 350 22 06

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)	Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
Mercedes-Benz BM 205 (C-Class) (12/13--)	Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
Mercedes-Benz BM 212 (E-Class) (01/09-12/16)	Mercedes-Benz BM 213 (E-Class) (01/16--)
Mercedes-Benz BM 218 (CLS) (01/11-12/17)	Mercedes-Benz BM 238 (E-Class) (06/17--)
Mercedes-Benz BM 253 (GLC) (06/15--)	Mercedes-Benz BM 257 (CLS-Class) (12/17--)
Mercedes-Benz BM 293 (EQC) (05/19--)	

Mount, axle rod

014 710 0016

MAM0011

Notes

Rear Axle Left
Rear Axle Right
Upper
outer

Height [mm] 38
Inner Diameter [mm] 12
Outer Diameter [mm] 44
Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 204 350 21 06	Mercedes-Benz 204 350 22 06
Mercedes-Benz A 204 350 21 06	Mercedes-Benz A 204 350 22 06
Mercedes-Benz (BBDC) 204 350 21 06	Mercedes-Benz (BBDC) A 204 350 21 06

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)
 Mercedes-Benz BM 205 (C-Class) (12/13--)
 Mercedes-Benz BM 212 (E-Class) (01/09-12/16)
 Mercedes-Benz BM 218 (CLS) (01/11-12/17)
 Mercedes-Benz BM 253 (GLC) (06/15--)
 Mercedes-Benz BM 293 (EQC) (05/19--)

Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
 Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
 Mercedes-Benz BM 213 (E-Class) (01/16--)
 Mercedes-Benz BM 238 (E-Class) (06/17--)
 Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Mount, axle rod

100 710 0016

MAM0019

Notes

Front
 Rear Axle Left
 Rear Axle Right
 outer

Height [mm] 40
 Inner Diameter [mm] 14
 Outer Diameter [mm] 44
 Required quantity 2
 replacement in pairs recommended



References

Audi 7L0 505 323 A

Volkswagen 7L0 505 323 A

Application info

Audi Q7 I (4L_) (03/06-01/16)
 Porsche Cayenne II (92A) (06/10--)
 Volkswagen Touareg II (7P5) (01/10-12/18)

Porsche Cayenne I (955) (09/02-12/10)
 Volkswagen Touareg I (7LA, 7L6, 7L7) (10/02-01/13)

Mount, axle rod

100 710 0017

MAM0020

Notes

Front
 Rear Axle Left
 Rear Axle Right
 inner

Height [mm] 40
 Inner Diameter [mm] 12
 Outer Diameter [mm] 44
 Required quantity 2
 replacement in pairs recommended



References

Audi 7L0 505 323 A

Volkswagen 7L0 505 323 A

Application info

Audi Q7 I (4L_) (03/06-01/16)

Porsche Cayenne II (92A) (06/10--)

Volkswagen Touareg II (7P5) (01/10-12/18)

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Touareg I (7LA, 7L6, 7L7) (10/02-01/13)

Mount, control arm

014 033 0090

MCB0012

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 inner
 without holder

Height [mm] 45
 Inner Diameter [mm] 24
 Outer Diameter [mm] 70
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 211 333 11 14

Mercedes-Benz (BBDC) 211 333 11 14

Mercedes-Benz A 211 333 11 14

Mercedes-Benz (BBDC) A 211 333 11 14

Application info

Mercedes-Benz BM 171 (SLK) (03/04-12/11)

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)

Mercedes-Benz BM 231 (SL) (01/12--)

Mercedes-Benz BM 172 (SLC) (01/16--)

Mercedes-Benz BM 204 (C-Class) (01/07--)

Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Mount, control arm

014 033 0115/HD

MCB0016HD

Notes

Carbon Neutral
 Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 80
 Inner Diameter [mm] 18
 Outer Diameter [mm] 70
 Replace in pairs only
 Required quantity 2
 reinforced version



References

- Mercedes-Benz 203 333 02 14
- Mercedes-Benz 204 333 10 14
- Mercedes-Benz A 203 333 02 14
- Mercedes-Benz A 204 333 10 14
- Mercedes-Benz (BBDC) 203 333 10 14
- Mercedes-Benz 203 333 10 14
- Mercedes-Benz 211 333 29 14
- Mercedes-Benz A 203 333 10 14
- Mercedes-Benz A 211 333 29 14
- Mercedes-Benz (BBDC) A 203 333 10 14

Application info

- Mercedes-Benz BM 171 (SLK) (03/04-12/11)
- Mercedes-Benz BM 172 (SLK) (01/11--)
- Mercedes-Benz BM 204 (C-Class) (01/07--)
- Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
- Mercedes-Benz BM 211 (E-Class) (03/02-07/09)
- Mercedes-Benz BM 219 (CLS) (10/04-02/11)
- Mercedes-Benz BM 231 (SL) (01/12--)
- Mercedes-Benz BM 172 (SLC) (01/16--)
- Mercedes-Benz BM 203 (C-Class) (05/00-06/11)
- Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
- Mercedes-Benz BM 209 (CLK) (05/02-03/10)
- Mercedes-Benz BM 212 (E-Class) (01/09-12/16)
- Mercedes-Benz BM 230 (SL) (10/01-01/12)

Mount, control arm

014 033 0149

MCB0017

Notes

- Front Axle Left
- Front Axle Right
- Lower
- Rear
- without holder

- Height [mm] 80
- Inner Diameter [mm] 24
- Outer Diameter [mm] 70
- Required quantity 2
- replacement in pairs recommended



References

- Mercedes-Benz 203 333 03 14
- Mercedes-Benz A 203 333 03 14
- Mercedes-Benz 203 333 09 14
- Mercedes-Benz A 203 333 09 14

Application info

- Mercedes-Benz BM 171 (SLK) (03/04-12/11)
- Mercedes-Benz BM 209 (CLK) (05/02-03/10)
- Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

Mount, control arm

014 033 0157

MCB0018

Notes

Front
Front Axle Left
Front Axle Right
Lower
without holder

Height [mm] 80
Inner Diameter [mm] 18
Outer Diameter [mm] 70
Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 211 333 10 14	Mercedes-Benz 211 333 25 14
Mercedes-Benz 211 333 28 14	Mercedes-Benz 211 333 29 14
Mercedes-Benz A 211 333 10 14	Mercedes-Benz A 211 333 25 14
Mercedes-Benz A 211 333 28 14	Mercedes-Benz A 211 333 29 14
Mercedes-Benz (BBDC) 211 333 29 14	Mercedes-Benz (BBDC) A 211 333 29 14

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)	Mercedes-Benz BM 219 (CLS) (10/04-02/11)
Mercedes-Benz BM 230 (SL) (10/01-01/12)	Mercedes-Benz BM 231 (SL) (01/12--)

Mount, control arm

014 610 0007

MCB0028

Notes

Front Axle Left
Front Axle Right
Lower
Rear
inner
without holder

Height [mm] 80
Inner Diameter [mm] 23
Outer Diameter [mm] 61
Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 221 333 07 14	Mercedes-Benz A 221 333 07 14
-----------------------------	-------------------------------

Application info

Mercedes-Benz BM 216 (S-Class) (05/06-12/13)
 Mercedes-Benz BM 221 (S-Class) (09/05-12/13)

Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Mount, control arm

014 610 0008

MCB0029

Notes

Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 42
 Inner Diameter [mm] 20
 Outer Diameter [mm] 46
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 169 330 05 07
 Mercedes-Benz 169 330 07 07
 Mercedes-Benz 169 330 09 07
 Mercedes-Benz A 169 330 05 07
 Mercedes-Benz A 169 330 07 07
 Mercedes-Benz A 169 330 09 07

Mercedes-Benz 169 330 06 07
 Mercedes-Benz 169 330 08 07
 Mercedes-Benz 169 330 10 07
 Mercedes-Benz A 169 330 06 07
 Mercedes-Benz A 169 330 08 07
 Mercedes-Benz A 169 330 10 07

Application info

Mercedes-Benz BM 169 (A-Class) (09/04-06/12)

Mercedes-Benz BM 245 (B-Class) (03/05-11/11)

Mount, control arm

014 610 0012

MCB0031

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 80
 Inner Diameter [mm] 23
 Outer Diameter [mm] 70
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 221 333 08 14

Mercedes-Benz A 221 333 08 14

Application info

Mercedes-Benz BM 216 (S-Class) (05/06-12/13)
 Mercedes-Benz BM 221 (S-Class) (09/05-12/13)

Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Mount, control arm

014 610 0013

MCB0032

Notes

Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 80
 Inner Diameter [mm] 15
 Outer Diameter [mm] 53
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 204 330 31 11
 Mercedes-Benz 204 330 67 11
 Mercedes-Benz A 204 330 31 11
 Mercedes-Benz A 204 330 67 11
 Mercedes-Benz (BBDC) 204 330 67 11
 Mercedes-Benz (BBDC) A 204 330 67 11

Mercedes-Benz 204 330 32 11
 Mercedes-Benz 204 330 68 11
 Mercedes-Benz A 204 330 32 11
 Mercedes-Benz A 204 330 68 11
 Mercedes-Benz (BBDC) 204 330 68 11
 Mercedes-Benz (BBDC) A 204 330 68 11

Application info

Mercedes-Benz BM 172 (SLC) (01/16--)
 Mercedes-Benz BM 204 (C-Class) (01/07--)

Mercedes-Benz BM 172 (SLK) (01/11--)
 Mercedes-Benz BM 207 (E-Class) (01/09-12/16)

Mount, control arm

014 610 0014

MCB0033

Notes

Front Axle Left
 Front Axle Right
 without holder

Height [mm] 42
 Inner Diameter [mm] 10
 Outer Diameter [mm] 46
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 166 333 00 00
 Mercedes-Benz 251 333 01 14
 Mercedes-Benz A 166 333 07 14

Mercedes-Benz 166 333 07 14
 Mercedes-Benz A 166 333 00 00
 Mercedes-Benz A 251 333 01 14

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)
 Mercedes-Benz BM 166 (GL) (07/12-12/15)
 Mercedes-Benz BM 166 (GLS) (11/15-04/19)
 Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Mercedes-Benz BM 164 (M-Class) (02/05-12/12)
 Mercedes-Benz BM 166 (GLE) (03/15-10/19)
 Mercedes-Benz BM 166 (M-Class) (06/11-12/15)

Mount, control arm

014 610 0015

MCB0034

Notes

Front Axle Left
 Front Axle Right
 Lower
 inner
 without holder

Height [mm] 37
 Inner Diameter [mm] 12
 Outer Diameter [mm] 39
 Required quantity 2
 replacement in pairs recommended



References

Smart 450 333 00 14
 Smart A 450 333 00 14
 Smart Q0014141V002000000

Smart 451 330 00 10
 Smart A 451 330 00 10

Application info

Smart City Coupé / Cabrio (07/98-01/04)
 Smart Fortwo I (01/04-02/07)
 Smart Roadster (04/03-11/05)

Smart Crossblade (06/02-12/03)
 Smart Fortwo II (01/07--)

Mount, control arm

014 610 0016

MCB0035

Notes

Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 80
 Inner Diameter [mm] 14
 Outer Diameter [mm] 53
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 212 330 29 11
 Mercedes-Benz 212 333 05 14
 Mercedes-Benz A 212 330 30 11

Mercedes-Benz 212 330 30 11
 Mercedes-Benz A 212 330 29 11
 Mercedes-Benz A 212 333 05 14

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Mercedes-Benz BM 218 (CLS) (01/11-12/17)

Mount, control arm

014 610 0017/HD

MCB0036HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 80
 Inner Diameter [mm] 14
 Outer Diameter [mm] 75
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Mercedes-Benz 212 333 00 14
 Mercedes-Benz A 212 333 00 14
 Mercedes-Benz (BBDC) 212 333 00 14
 Mercedes-Benz (BBDC) A 212 333 00 14

Mercedes-Benz 212 333 03 14
 Mercedes-Benz A 212 333 03 14
 Mercedes-Benz (BBDC) 212 333 03 14
 Mercedes-Benz (BBDC) A 212 333 03 14

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Mercedes-Benz BM 218 (CLS) (01/11-12/17)

Mount, control arm

014 610 0020

MCB0348

Notes

Front
Front Axle Left
Front Axle Right
Set
without holder

Height [mm] 39
Inner Diameter [mm] 20
Outer Diameter [mm] 46
Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 246 330 17 07
Mercedes-Benz 246 330 47 00
Mercedes-Benz A 246 330 17 07
Mercedes-Benz A 246 330 47 00

Mercedes-Benz 246 330 18 07
Mercedes-Benz 246 330 48 00
Mercedes-Benz A 246 330 18 07
Mercedes-Benz A 246 330 48 00

Application info

Mercedes-Benz BM 117 (CLA) (01/13-03/19)
Mercedes-Benz BM 176 (A-Class) (06/12-05/18)

Mercedes-Benz BM 156 (GLA-Class) (12/13--)
Mercedes-Benz BM 246 (B-Class) (10/11-12/18)


Mount, control arm

014 610 0021

MCM0001

Notes

Front Axle Left
Rear
with holder
Height [mm] 62
Inner Diameter [mm] 14
Paired article number 014 610 0022 | MCM0002
Required quantity 1
replacement in pairs recommended



References

Mercedes-Benz 246 333 00 14
Mercedes-Benz 246 333 05 14
Mercedes-Benz A 246 333 01 00
Mercedes-Benz (BBDC) 246 333 05 14

Mercedes-Benz 246 333 01 00
Mercedes-Benz A 246 333 00 14
Mercedes-Benz A 246 333 05 14
Mercedes-Benz (BBDC) A 246 333 05 14

Application info

Mercedes-Benz BM 117 (CLA) (01/13-03/19)
Mercedes-Benz BM 176 (A-Class) (06/12-05/18)

Mercedes-Benz BM 156 (GLA-Class) (12/13--)
Mercedes-Benz BM 246 (B-Class) (10/11-12/18)


Mount, control arm

014 610 0022

MCM0002

Notes

Front Axle Right
Rear
with holder
Height [mm] 62
Inner Diameter [mm] 14
Paired article number 014 610 0021 | MCM0001
Required quantity 1
replacement in pairs recommended



References

Mercedes-Benz 246 333 02 00
Mercedes-Benz 246 333 06 14
Mercedes-Benz A 246 333 02 14
Mercedes-Benz (BBDC) 246 333 06 14

Mercedes-Benz 246 333 02 14
Mercedes-Benz A 246 333 02 00
Mercedes-Benz A 246 333 06 14
Mercedes-Benz (BBDC) A 246 333 06 14

Application info

Mercedes-Benz BM 117 (CLA) (01/13-03/19)
Mercedes-Benz BM 176 (A-Class) (06/12-05/18)

Mercedes-Benz BM 156 (GLA-Class) (12/13--)
Mercedes-Benz BM 246 (B-Class) (10/11-12/18)

Mount, control arm

014 610 0024

MCB0460

Notes

Front Axle Left
Front Axle Right
Hydro Mount
Rear
without holder
Height [mm] 67
Inner Diameter [mm] 16
Outer Diameter [mm] 70
Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 251 330 07 43
Mercedes-Benz 251 333 08 43
Mercedes-Benz A 251 333 08 14

Mercedes-Benz 251 333 08 14
Mercedes-Benz A 251 330 07 43
Mercedes-Benz A 251 333 08 43

Application info

Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Mount, control arm

014 610 0029

MCB0397

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer
 without holder

Height [mm] 82
 Inner Diameter [mm] 16.2
 Outer Diameter [mm] 52.3
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 164 333 03 14

Mercedes-Benz A 164 333 03 14

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)

Mercedes-Benz BM 164 (M-Class) (02/05-12/12)

Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Mount, control arm

014 610 0030

MCB0400

Notes

Front Axle Left
 Front Axle Right
 Lower
 inner
 without holder

Height [mm] 64.5
 Inner Diameter [mm] 14.1
 Outer Diameter [mm] 57.3
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 164 333 04 14

Mercedes-Benz A 164 333 04 14

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)

Mercedes-Benz BM 164 (M-Class) (02/05-12/12)

Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Mount, control arm		014 610 0031	MCM0148										
<p>Notes</p> <p>Front Axle Left with holder</p> <p>Height [mm] 55.5</p> <p>Inner Diameter [mm] 30</p> <p>Outer Diameter [mm] 70</p> <p>Paired article number 014 610 0032 MCM0149</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 											
<p>References</p> <table border="0"> <tr> <td>Mercedes-Benz 164 330 17 07</td> <td>Mercedes-Benz 164 330 25 07</td> </tr> <tr> <td>Mercedes-Benz 164 330 29 07</td> <td>Mercedes-Benz 164 330 34 07</td> </tr> <tr> <td>Mercedes-Benz 164 333 12 14</td> <td>Mercedes-Benz A 164 330 17 07</td> </tr> <tr> <td>Mercedes-Benz A 164 330 25 07</td> <td>Mercedes-Benz A 164 330 29 07</td> </tr> <tr> <td>Mercedes-Benz A 164 330 34 07</td> <td>Mercedes-Benz A 164 333 12 14</td> </tr> </table>				Mercedes-Benz 164 330 17 07	Mercedes-Benz 164 330 25 07	Mercedes-Benz 164 330 29 07	Mercedes-Benz 164 330 34 07	Mercedes-Benz 164 333 12 14	Mercedes-Benz A 164 330 17 07	Mercedes-Benz A 164 330 25 07	Mercedes-Benz A 164 330 29 07	Mercedes-Benz A 164 330 34 07	Mercedes-Benz A 164 333 12 14
Mercedes-Benz 164 330 17 07	Mercedes-Benz 164 330 25 07												
Mercedes-Benz 164 330 29 07	Mercedes-Benz 164 330 34 07												
Mercedes-Benz 164 333 12 14	Mercedes-Benz A 164 330 17 07												
Mercedes-Benz A 164 330 25 07	Mercedes-Benz A 164 330 29 07												
Mercedes-Benz A 164 330 34 07	Mercedes-Benz A 164 333 12 14												
<p>Application info</p> <table border="0"> <tr> <td>Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)</td> <td>Mercedes-Benz BM 164 (M-Class) (02/05-12/12)</td> </tr> </table>				Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)	Mercedes-Benz BM 164 (M-Class) (02/05-12/12)								
Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)	Mercedes-Benz BM 164 (M-Class) (02/05-12/12)												
Mount, control arm		014 610 0032	MCM0149										
<p>Notes</p> <p>Front Axle Right with holder</p> <p>Height [mm] 55.5</p> <p>Inner Diameter [mm] 30</p> <p>Outer Diameter [mm] 70</p> <p>Paired article number 014 610 0031 MCM0148</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 											
<p>References</p> <table border="0"> <tr> <td>Mercedes-Benz 164 330 18 07</td> <td>Mercedes-Benz 164 330 26 07</td> </tr> <tr> <td>Mercedes-Benz 164 330 30 07</td> <td>Mercedes-Benz 164 330 35 07</td> </tr> <tr> <td>Mercedes-Benz 164 333 12 14</td> <td>Mercedes-Benz A 164 330 18 07</td> </tr> <tr> <td>Mercedes-Benz A 164 330 26 07</td> <td>Mercedes-Benz A 164 330 30 07</td> </tr> <tr> <td>Mercedes-Benz A 164 330 35 07</td> <td>Mercedes-Benz A 164 333 12 14</td> </tr> </table>				Mercedes-Benz 164 330 18 07	Mercedes-Benz 164 330 26 07	Mercedes-Benz 164 330 30 07	Mercedes-Benz 164 330 35 07	Mercedes-Benz 164 333 12 14	Mercedes-Benz A 164 330 18 07	Mercedes-Benz A 164 330 26 07	Mercedes-Benz A 164 330 30 07	Mercedes-Benz A 164 330 35 07	Mercedes-Benz A 164 333 12 14
Mercedes-Benz 164 330 18 07	Mercedes-Benz 164 330 26 07												
Mercedes-Benz 164 330 30 07	Mercedes-Benz 164 330 35 07												
Mercedes-Benz 164 333 12 14	Mercedes-Benz A 164 330 18 07												
Mercedes-Benz A 164 330 26 07	Mercedes-Benz A 164 330 30 07												
Mercedes-Benz A 164 330 35 07	Mercedes-Benz A 164 333 12 14												
<p>Application info</p> <table border="0"> <tr> <td>Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)</td> <td>Mercedes-Benz BM 164 (M-Class) (02/05-12/12)</td> </tr> </table>				Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)	Mercedes-Benz BM 164 (M-Class) (02/05-12/12)								
Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)	Mercedes-Benz BM 164 (M-Class) (02/05-12/12)												

Mount, control arm

014 610 0033

MCB0470

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 Rubber-Metal Mount
 without holder

Height [mm] 60
 Inner Diameter [mm] 14
 Outer Diameter [mm] 70
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| Mercedes-Benz 447 330 14 07 | Mercedes-Benz 447 330 15 07 |
| Mercedes-Benz 447 330 34 00 | Mercedes-Benz 447 330 35 00 |
| Mercedes-Benz 447 330 75 00 | Mercedes-Benz 447 330 76 00 |
| Mercedes-Benz 447 333 01 00 | Mercedes-Benz 639 330 12 07 |
| Mercedes-Benz 639 330 13 07 | Mercedes-Benz 639 330 14 01 |
| Mercedes-Benz 639 330 15 01 | Mercedes-Benz A 447 330 14 07 |
| Mercedes-Benz A 447 330 15 07 | Mercedes-Benz A 447 330 34 00 |
| Mercedes-Benz A 447 330 35 00 | Mercedes-Benz A 447 330 75 00 |
| Mercedes-Benz A 447 330 76 00 | Mercedes-Benz A 447 333 01 00 |
| Mercedes-Benz A 639 330 12 07 | Mercedes-Benz A 639 330 13 07 |
| Mercedes-Benz A 639 330 14 01 | Mercedes-Benz A 639 330 15 01 |

Application info

- | | |
|---|---------------------------------------|
| Mercedes-Benz BM 447 (V-Class) (03/14--) | Mercedes-Benz BM 447 (Vito) (10/14--) |
| Mercedes-Benz BM 639 (Vito / Viano) (08/03--) | |

Mount, control arm

014 610 0034

MCM0168

Notes

Front
 Front Axle Right
 Hydro Mount
 Lower
 with holder

Height [mm] 63
 Inner Diameter [mm] 15
 Paired article number 014 610 0035 | MCM0169
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 639 330 13 07
 Mercedes-Benz A 639 330 13 07

Mercedes-Benz 639 330 15 01
 Mercedes-Benz A 639 330 15 01

Application info

Mercedes-Benz BM 639 (Vito / Viano) (08/03--)


Mount, control arm

014 610 0035

MCM0169

Notes

Front
 Front Axle Left
 Hydro Mount
 Lower
 with holder
 Height [mm] 63
 Inner Diameter [mm] 15
 Paired article number 014 610 0034 | MCM0168
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 639 330 12 07
 Mercedes-Benz A 639 330 12 07

Mercedes-Benz 639 330 14 01
 Mercedes-Benz A 639 330 14 01

Application info

Mercedes-Benz BM 639 (Vito / Viano) (08/03--)

Mount, control arm

014 610 0037

MCM0171

Notes

Front Axle Left
 Lower
 with holder
 Height [mm] 67
 Inner Diameter [mm] 16
 Paired article number 014 610 0038 | MCM0172
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 251 330 07 43

Mercedes-Benz A 251 330 07 43

Application info

Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Mount, control arm

014 610 0038

MCM0172

Notes

Front Axle Right
 Lower
 with holder
 Height [mm] 67
 Inner Diameter [mm] 16
 Paired article number 014 610 0037 | MCM0171
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 251 330 08 43

Mercedes-Benz A 251 330 08 43

Application info

Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Mount, control arm

014 610 0039

MCB0481

Notes

Front Axle Left
 Front Axle Right
 Lower
 inner
 without holder

Height [mm] 60
 Inner Diameter [mm] 14
 Outer Diameter [mm] 60
 Quantity per axle 2
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 205 333 38 00

Mercedes-Benz A 205 333 38 00

Mercedes-Benz (BBDC) 205 333 38 00

Mercedes-Benz (BBDC) A 205 333 38 00

Application info

Mercedes-Benz BM 205 (C-Class) (12/13--)

Mercedes-Benz BM 213 (E-Class) (01/16--)

Mercedes-Benz BM 238 (E-Class) (06/17--)

Mercedes-Benz BM 253 (GLC) (06/15--)

Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Mount, control arm

014 610 0051

MCB0561

Notes

Front Axle Left
 Front Axle Right
 Molecular Bearing
 outer
 without holder

Height [mm] 48
 Inner Diameter [mm] 14
 Outer Diameter [mm] 43
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 205 330 58 01
 Mercedes-Benz A 205 330 58 01
 Mercedes-Benz (BBDC) 205 330 58 01

Mercedes-Benz 205 333 04 14
 Mercedes-Benz A 205 333 04 14
 Mercedes-Benz (BBDC) A 205 330 58 01

Application info

Mercedes-Benz BM 205 (C-Class) (12/13--)
 Mercedes-Benz BM 213 (E-Class) (01/16--)
 Mercedes-Benz BM 253 (GLC) (06/15--)
 Mercedes-Benz BM 293 (EQC) (05/19--)

Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
 Mercedes-Benz BM 238 (E-Class) (06/17--)
 Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Mount, control arm

014 610 0055

MCB0526

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rubber/Metal
 without holder

Height [mm] 60
 Inner Diameter [mm] 14.9
 Outer Diameter [mm] 55.4
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 212 330 19 11

Mercedes-Benz A 212 330 19 11

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Mercedes-Benz BM 218 (CLS) (01/11-12/17)


Mount, control arm

014 610 0067/HD

MCM0190HD

Notes

Carbon Neutral
Front Axle Left
Lower
Rear
Rubber/Metal
for control arm
with holder



Height [mm]	59
Inner Diameter [mm]	14
Length [mm]	178
Paired article number	014 610 0068/HD MCM0191HD
Replace in pairs only	
Required quantity	1
reinforced version	

References

Mercedes-Benz 247 333 05 00	Mercedes-Benz 247 333 11 00
Mercedes-Benz A 247 333 05 00	Mercedes-Benz A 247 333 11 00
Mercedes-Benz (BBDC) 247 333 05 00	Mercedes-Benz (BBDC) 247 333 11 00
Mercedes-Benz (BBDC) A 247 333 05 00	Mercedes-Benz (BBDC) A 247 333 11 00

Application info

Mercedes-Benz BM 118 (CLA) (03/19--)	Mercedes-Benz BM 177 (A-Class) (03/18--)
Mercedes-Benz BM 243 (EQA) (02/21--)	Mercedes-Benz BM 243 (EQB) (12/21--)
Mercedes-Benz BM 247 (B-Class) (12/18--)	Mercedes-Benz BM 247 (GLA-Class) (02/20--)
Mercedes-Benz BM 247 (GLB-Class) (08/19--)	

Mount, control arm

014 610 0068/HD

MCM0191HD

Notes

Carbon Neutral
Front Axle Right
Lower
Rear
Rubber/Metal
with holder

Height [mm] 59
Inner Diameter [mm] 14
Length [mm] 178
Paired article number 014 610 0067/HD | MCM0190HD
Replace in pairs only
Required quantity 1
reinforced version



References

Mercedes-Benz 247 333 06 00	Mercedes-Benz 247 333 12 00
Mercedes-Benz A 247 333 06 00	Mercedes-Benz A 247 333 12 00
Mercedes-Benz (BBDC) 247 333 06 00	Mercedes-Benz (BBDC) 247 333 12 00
Mercedes-Benz (BBDC) A 247 333 06 00	Mercedes-Benz (BBDC) A 247 333 12 00

Application info

Mercedes-Benz BM 118 (CLA) (03/19--)	Mercedes-Benz BM 177 (A-Class) (03/18--)
Mercedes-Benz BM 243 (EQA) (02/21--)	Mercedes-Benz BM 243 (EQB) (12/21--)
Mercedes-Benz BM 247 (B-Class) (12/18--)	Mercedes-Benz BM 247 (GLA-Class) (02/20--)
Mercedes-Benz BM 247 (GLB-Class) (08/19--)	

Mount, control arm

014 610 0070

MCB0549

Notes

Front
Front Axle Left
Front Axle Right
Lower
Rubber/Metal
without holder

Height [mm] 68
Inner Diameter [mm] 14.5
Outer Diameter [mm] 50
Required quantity 2
replacement in pairs recommended



References

- | | |
|------------------------------------|--------------------------------------|
| Mercedes-Benz 247 330 06 00 | Mercedes-Benz 247 330 54 00 |
| Mercedes-Benz 247 330 74 02 | Mercedes-Benz 247 330 76 02 |
| Mercedes-Benz 247 333 30 00 | Mercedes-Benz A 247 330 06 00 |
| Mercedes-Benz A 247 330 54 00 | Mercedes-Benz A 247 330 74 02 |
| Mercedes-Benz A 247 330 76 02 | Mercedes-Benz A 247 333 30 00 |
| Mercedes-Benz (BBDC) 247 330 76 02 | Mercedes-Benz (BBDC) A 247 330 76 02 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 177 (A-Class) (03/18--) | Mercedes-Benz BM 247 (B-Class) (12/18--) |
|--|--|

Mount, control arm

014 610 0072

MCB0545

Notes

- Front
- Front Axle Left
- Front Axle Right
- Lower
- without holder

- Height [mm] 80
- Inner Diameter [mm] 14
- Outer Diameter [mm] 75
- Required quantity 2
- replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| Mercedes-Benz 205 333 21 00 | Mercedes-Benz 213 330 21 00 |
| Mercedes-Benz 213 330 22 00 | Mercedes-Benz A 205 333 21 00 |
| Mercedes-Benz A 213 330 21 00 | Mercedes-Benz A 213 330 22 00 |

Application info

- | | |
|--|--|
| Mercedes-Benz BM 213 (E-Class) (01/16--) | Mercedes-Benz BM 257 (CLS-Class) (12/17--) |
|--|--|

Mount, control arm

014 610 0073/HD

MCB0565HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 59
 Inner Diameter [mm] 14
 Outer Diameter [mm] 71.5
 Replace in pairs only
 Required quantity 2



References

Mercedes-Benz 247 333 06 00	Mercedes-Benz 247 333 12 00
Mercedes-Benz A 247 333 06 00	Mercedes-Benz A 247 333 12 00
Mercedes-Benz (BBDC) 247 333 06 00	Mercedes-Benz (BBDC) 247 333 12 00
Mercedes-Benz (BBDC) A 247 333 06 00	Mercedes-Benz (BBDC) A 247 333 12 00

Application info

Mercedes-Benz BM 118 (CLA) (03/19--)	Mercedes-Benz BM 177 (A-Class) (03/18--)
Mercedes-Benz BM 243 (EQA) (02/21--)	Mercedes-Benz BM 243 (EQB) (12/21--)
Mercedes-Benz BM 247 (B-Class) (12/18--)	Mercedes-Benz BM 247 (GLA-Class) (02/20--)
Mercedes-Benz BM 247 (GLB-Class) (08/19--)	

Mount, control arm

014 610 0076

MCM0194

Notes

Rear Axle Left
 Rear Axle Right

Height [mm] 48
 Inner Diameter [mm] 12
 Outer Diameter [mm] 45
 Paired article number 014 710 0046 | MCB0571
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 167 350 25 00	Mercedes-Benz A 167 350 25 00
-----------------------------	-------------------------------

Application info

Mercedes-Benz BM 167 (GLE) (10/18--)	Mercedes-Benz BM 167 (GLS) (04/19--)
--------------------------------------	--------------------------------------

Mount, control arm

014 610 0077

MCB0577

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 Rubber-Metal Mount
 Rubber/Metal
 without holder

Height [mm] 85
 Inner Diameter [mm] 16.5
 Outer Diameter [mm] 77
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 910 330 25 00
 Mercedes-Benz A 910 330 25 00

Mercedes-Benz 910 330 26 00
 Mercedes-Benz A 910 330 26 00

Application info

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Mount, control arm

014 610 0078

MCB0578

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 Rubber-Metal Mount
 Rubber/Metal
 without holder

Height [mm] 79
 Inner Diameter [mm] 16
 Outer Diameter [mm] 59.3
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 910 330 25 00
 Mercedes-Benz A 910 330 25 00

Mercedes-Benz 910 330 26 00
 Mercedes-Benz A 910 330 26 00

Application info

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Mount, control arm

014 710 0004

MCB0472

Notes

Lower
Rear Axle Left
Rear Axle Right
inner
without holder

Height [mm] 58
Inner Diameter [mm] 12
Outer Diameter [mm] 51
Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 203 352 00 65

Mercedes-Benz A 203 352 00 65

Application info

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

Mercedes-Benz BM 209 (CLK) (05/02-03/10)

Mount, control arm

014 710 0023

MCB0442

Notes

Rear Axle Left
Rear Axle Right
Upper
for trailing arm
inner
without holder

Height [mm] 38
Inner Diameter [mm] 12
Outer Diameter [mm] 39.5
Quantity per axle 2
Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 164 350 13 06

Mercedes-Benz 164 350 16 06

Mercedes-Benz 164 352 03 65

Mercedes-Benz 166 353 19 00

Mercedes-Benz 167 352 18 00

Mercedes-Benz A 164 350 13 06

Mercedes-Benz A 164 350 16 06

Mercedes-Benz A 164 352 03 65

Mercedes-Benz A 166 353 19 00

Mercedes-Benz A 167 352 18 00

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)
 Mercedes-Benz BM 166 (GL) (07/12-12/15)
 Mercedes-Benz BM 166 (GLS) (11/15-04/19)
 Mercedes-Benz BM 167 (GLE) (10/18--)
 Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Mercedes-Benz BM 164 (M-Class) (02/05-12/12)
 Mercedes-Benz BM 166 (GLE) (03/15-10/19)
 Mercedes-Benz BM 166 (M-Class) (06/11-12/15)
 Mercedes-Benz BM 167 (GLS) (04/19--)

Mount, control arm

014 710 0033

MCB0486

Notes

Rear Axle Left
 Rear Axle Right
 Rubber/Metal
 without holder

Height [mm] 62
 Inner Diameter [mm] 16
 Outer Diameter [mm] 50
 Quantity per axle 2
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 164 326 06 81
 Mercedes-Benz A 164 326 06 81

Mercedes-Benz 166 326 02 81
 Mercedes-Benz A 166 326 02 81

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)
 Mercedes-Benz BM 166 (GL) (07/12-12/15)
 Mercedes-Benz BM 166 (GLS) (11/15-04/19)
 Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Mercedes-Benz BM 164 (M-Class) (02/05-12/12)
 Mercedes-Benz BM 166 (GLE) (03/15-10/19)
 Mercedes-Benz BM 166 (M-Class) (06/11-12/15)

Mount, control arm

014 710 0036

MCB0524

Notes

Rear Axle Left
 Rear Axle Right
 Upper
 outer
 without holder

Height [mm] 41
 Inner Diameter [mm] 12
 Outer Diameter [mm] 39.5
 Quantity per axle 8
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 166 352 09 00
 Mercedes-Benz A 166 352 09 00

Mercedes-Benz 167 352 19 00
 Mercedes-Benz A 167 352 19 00

Application info

Mercedes-Benz BM 167 (GLE) (10/18--)
 Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Mercedes-Benz BM 167 (GLS) (04/19--)

Mount, control arm


014 710 0043

MCB0539

Notes

Front
 Rear Axle Left
 Rear Axle Right
 Rubber/Metal
 without holder

Height [mm] 38
 Inner Diameter [mm] 40
 Outer Diameter [mm] 82
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 246 350 04 06
 Mercedes-Benz A 246 350 04 06

Mercedes-Benz 246 350 05 06
 Mercedes-Benz A 246 350 05 06

Application info

Mercedes-Benz BM 117 (CLA) (01/13-03/19)
 Mercedes-Benz BM 176 (A-Class) (06/12-05/18)

Mercedes-Benz BM 156 (GLA-Class) (12/13--)
 Mercedes-Benz BM 246 (B-Class) (10/11-12/18)

Mount, control arm

014 710 0046

MCB0571

Notes

Rear Axle Left
 Rear Axle Right
 for control arm
 without holder

Height [mm] 43
 Inner Diameter [mm] 12.1
 Outer Diameter [mm] 39.9
 Paired article number 014 610 0076 | MCM0194
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 167 350 25 00

Mercedes-Benz A 167 350 25 00

Application info

Mercedes-Benz BM 167 (GLE) (10/18--)

Mercedes-Benz BM 167 (GLS) (04/19--)

Mount, control arm


100 199 0085/HD

MCM0003HD

Notes

Carbon Neutral
Front Axle Left
Rear
with holder
with rubber mount

Height [mm] 50
Inner Diameter [mm] 18
Paired article number 100 199 0086/HD | MCM0004HD
Replace in pairs only
Required quantity 1
reinforced version



References

Audi 1K0 199 231 G

Audi 1K0 199 231 J

Audi 1K0 199 231 K

Seat 1K0 199 231 J

Seat 1K0 199 231 K

Skoda 1K0 199 231 J

Skoda (SVW) 1K0 199 231 J

Volkswagen 1K0 199 231 G

Volkswagen 1K0 199 231 J

Volkswagen 1K0 199 231 K

Volkswagen 2K0 199 231

Volkswagen (FAW) 1K0 199 231

Application info

Audi A3 II (8P_) (05/03-12/15)

Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)

Skoda Octavia II (1Z_) (02/04-06/13)

Skoda Superb II (3T) (03/08-05/15)

Skoda Yeti (5L) (05/09-12/17)

Volkswagen Beetle (5C1) (04/11-07/19)

Volkswagen Bora V (Mex) (01/07--)

Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)

Volkswagen Caddy IV (SA_) (05/15--)

Volkswagen Eos (03/06-08/15)

Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)

Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)

Volkswagen Jetta III (1K2) (09/04-12/13)

Volkswagen Scirocco III (137) (05/08-11/17)

Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Mount, control arm

100 199 0086/HD

MCM0004HD

Notes

Carbon Neutral
Front Axle Right
Rear
with holder
with rubber mount

Height [mm] 50
Inner Diameter [mm] 18
Paired article number 100 199 0085/HD | MCM0003HD
Replace in pairs only
Required quantity 1
reinforced version



References

Audi 1K0 199 232 G	Audi 1K0 199 232 J
Audi 1K0 199 232 K	Seat 1K0 199 232 J
Seat 1K0 199 232 K	Skoda 1K0 199 232 J
Skoda (SVW) 1K0 199 232 J	Volkswagen 1K0 199 232 G
Volkswagen 1K0 199 232 J	Volkswagen 1K0 199 232 K
Volkswagen 2K0 199 232	Volkswagen (FAW) 1K0 199 232 J

Application info

Audi A3 II (8P_) (05/03-12/15)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Superb II (3T) (03/08-05/15)
Skoda Yeti (5L) (05/09-12/17)	Volkswagen Beetle (5C1) (04/11-07/19)
Volkswagen Bora V (Mex) (01/07--)	Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
Volkswagen Caddy IV (SA_) (05/15--)	Volkswagen Eos (03/06-08/15)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)	Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Scirocco III (137) (05/08-11/17)
Volkswagen Touran I (1T1/2/3) (02/03-05/15)	

Mount, control arm

100 407 0022/HD

MCB0050HD

Notes

Carbon Neutral
 Front
 Front Axle Left
 Front Axle Right
 Lower
 inner
 without holder

Height [mm]

60

Inner Diameter [mm]

32

Outer Diameter [mm]

50

Replace in pairs only

Required quantity

2

reinforced version



References

Audi 4D0 407 182 E

Audi 4D0 407 182 G

Audi 4Z7 407 182

Audi (FAW) 4D0 407 182 E

Audi (FAW) 4D0 407 182 G

Seat 4D0 407 182 G

Skoda 4D0 407 182 E

Skoda 4D0 407 182 G

Volkswagen 4D0 407 182 E

Volkswagen 4D0 407 182 G

Volkswagen (SVW) 4D0 407 182 E

Volkswagen (SVW) 4D0 407 182 G

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)

Audi A4 I (8D_) (11/94-12/02)

Audi A4 II (8E_) (02/00-12/05)

Audi A4 III (8E_) (11/04-06/08)

Audi A6 II (4B, C5) (01/97-12/05)

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Audi A8 I (4D_) (03/94-12/05)

Audi Allroad (4BH) (05/00-08/05)

Seat Exeo (3R) (12/08-05/13)

Skoda Superb I (3U) (12/01-03/08)

Volkswagen Passat (3B_) (08/96-12/05)

Mount, control arm

100 407 0024/HD

MCB0051HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Upper
 without holder

Height [mm] 40
 Inner Diameter [mm] 10
 Outer Diameter [mm] 47
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Audi 4B0 407 515	Audi 4D0 407 515 C
Audi (FAW) 4B0 407 515	Audi (FAW) 4D0 407 515 C
Skoda 4B0 407 515	Skoda 4D0 407 515 C
Volkswagen 4B0 407 515	Volkswagen 4D0 407 515 C
Volkswagen (SVW) 4B0 407 515	

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)	Audi A4 I (8D_) (11/94-12/02)
Audi A4 II (8E_) (02/00-12/05)	Audi A6 II (4B, C5) (01/97-12/05)
Audi A8 I (4D_) (03/94-12/05)	Audi Allroad (4BH) (05/00-08/05)
Skoda Superb I (3U) (12/01-03/08)	Volkswagen Passat (3B_) (08/96-12/05)

Mount, control arm

100 407 0041

MCB0058

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 46
 Inner Diameter [mm] 17
 Outer Diameter [mm] 61
 Required quantity 2
 replacement in pairs recommended



References

Seat 6N0 407 181	Volkswagen 6N0 407 181
------------------	------------------------

Application info

Seat Arosa (6H) (05/97-06/04)

Volkswagen Lupo (09/98-07/05)

Volkswagen Polo (6N_) (09/94-10/01)

Mount, control arm

100 407 0043

MCB0060

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 41
 Inner Diameter [mm] 13
 Outer Diameter [mm] 60
 Required quantity 2
 replacement in pairs recommended



References

Audi 1J0 407 181
 Seat 1J0 407 181
 Skoda 1J0 407 181
 Skoda (SVW) 180 407 181
 Volkswagen 1J0 407 181 A
 Volkswagen (FAW) L1J0 407 181

Audi 1J0 407 181 A
 Seat 1J0 407 181 A
 Skoda 1J0 407 181 A
 Volkswagen 1J0 407 181
 Volkswagen (FAW) 1J0 407 181
 Volkswagen (SVW) 180 407 181

Application info

Audi A1 I (8X_) (05/10-10/18)
 Audi TT I (8N_) (10/98-12/06)
 Seat Leon I / Toledo II (1M_) (10/98-06/06)
 Seat Toledo IV (KG3) (07/12-04/19)
 Skoda Fabia II (54_) (12/06-12/14)
 Skoda Octavia I (1U_) (09/96-12/10)
 Skoda Roomster (03/06-05/15)
 Volkswagen Bora V (Mex) (01/07--)
 Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)
 Volkswagen Jetta City (09/06-12/09)
 Volkswagen Passat (3B_) (08/96-12/05)
 Volkswagen Polo (9N_) (10/01--)
 Volkswagen UP (08/11--)

Audi A3 I (8L_) (09/96-09/06)
 Seat Ibiza IV (6J_, 6P_) (03/08-12/18)
 Seat Mii (10/11--)
 Skoda Citigo (10/11--)
 Skoda Fabia III (NJ_) (08/14--)
 Skoda Rapid II (N_) (07/12-12/19)
 Volkswagen Bora (1J2, 1J6) (10/98-12/13)
 Volkswagen Gol III (06/08--)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)
 Volkswagen Polo (6R_) (03/09--)
 Volkswagen Polo Vivo (6R1, 6RS) (07/17--)

Mount, control arm

100 407 0047/HD

MCB0061HD

Notes

Carbon Neutral
Front
Front Axle Left
Front Axle Right
Lower
outer
without holder

Height [mm] 50
Inner Diameter [mm] 12
Outer Diameter [mm] 40
Replace in pairs only
Required quantity 2
reinforced version



References

Audi 4D0 407 181 F
Audi (FAW) 4D0 407 181 H
Skoda 4D0 407 181 H
Volkswagen 4D0 407 181 H

Audi 4D0 407 181 H
Skoda 4D0 407 181 F
Volkswagen 4D0 407 181 F
Volkswagen (SVW) 4D0 407 181 H

Application info

Audi A4 I (8D_) (11/94-12/02)
Audi A8 I (4D_) (03/94-12/05)
Skoda Superb I (3U) (12/01-03/08)

Audi A6 II (4B, C5) (01/97-12/05)
Audi Allroad (4BH) (05/00-08/05)
Volkswagen Passat (3B_) (08/96-12/05)

Mount, control arm

100 407 0049

MCB0062

Notes

Aluminium
Front Axle Left
Front Axle Right
Lower
Rear
without holder

Height [mm] 41
Inner Diameter [mm] 17
Outer Diameter [mm] 60
Required quantity 2
replacement in pairs recommended



References

- Seat 191 407 181 A
- Seat 191 407 181 D
- Seat 357 407 181
- Volkswagen 191 407 181 B
- Volkswagen 191 407 181 E
- Volkswagen (FAW) 191 407 181 D
- Seat 191 407 181 B
- Seat 191 407 181 E
- Volkswagen 191 407 181 A
- Volkswagen 191 407 181 D
- Volkswagen 357 407 181

Application info

- Seat Ibiza II / Cordoba I / Inca (6K_) (02/93-11/03)
- Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09)
- Volkswagen Golf II (19E) (08/83-12/92)
- Volkswagen Jetta II (19E) (08/83-12/92)
- Volkswagen Polo (6K_) (01/95-11/09)
- Volkswagen Vento (11/91-09/98)
- Seat Toledo I (1L_) (01/91-10/99)
- Volkswagen Corrado (53I) (08/87-12/95)
- Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)
- Volkswagen Passat (35I) (02/88-12/97)
- Volkswagen Polo Playa (01/95-11/09)

Mount, control arm

100 407 0049/S

MCB0063

Notes

- Aluminium
- Front Axle Left
- Front Axle Right
- Lower
- Rear
- Set
- without holder

- Height [mm] 41
- Inner Diameter [mm] 17
- Outer Diameter [mm] 60
- Required quantity 2
- replacement in pairs recommended



References

- Seat 191 407 181 A
- Seat 191 407 181 D
- Seat 357 407 181
- Volkswagen 191 407 181 B
- Volkswagen 191 407 181 E
- Seat 191 407 181 B
- Seat 191 407 181 E
- Volkswagen 191 407 181 A
- Volkswagen 191 407 181 D
- Volkswagen 357 407 181

Application info

Seat Ibiza II / Cordoba I / Inca (6K_) (02/93-11/03)
 Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09)
 Volkswagen Golf II (19E) (08/83-12/92)
 Volkswagen Jetta II (19E) (08/83-12/92)
 Volkswagen Polo (6K_) (01/95-11/09)
 Volkswagen Vento (11/91-09/98)

Seat Toledo I (1L_) (01/91-10/99)
 Volkswagen Corrado (53I) (08/87-12/95)
 Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)
 Volkswagen Passat (35I) (02/88-12/97)
 Volkswagen Polo Playa (01/95-11/09)

Mount, control arm

100 407 0060/HD

MCB0069HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 80
 Inner Diameter [mm] 12
 Outer Diameter [mm] 65
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Audi 4D0 407 183 AA
 Audi 4D0 407 183 AC
 Audi 4D0 407 183 Q
 Audi (FAW) 4D0 407 183 AB
 Skoda 4D0 407 183 AB
 Skoda 4D0 407 183 P
 Skoda 4F0 407 183 A
 Volkswagen 4D0 407 183 AB
 Volkswagen 4D0 407 183 P
 Volkswagen 4F0 407 183 A
 Volkswagen (SVW) 4D0 407 183 AB

Audi 4D0 407 183 AB
 Audi 4D0 407 183 P
 Audi 4F0 407 183 A
 Audi (FAW) 4D0 407 183 AC
 Skoda 4D0 407 183 AC
 Skoda 4D0 407 183 Q
 Volkswagen 4D0 407 183 AA
 Volkswagen 4D0 407 183 AC
 Volkswagen 4D0 407 183 Q
 Volkswagen 4F0 407 183 B
 Volkswagen (SVW) 4D0 407 183 AC

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)
 Audi A4 II (8E_) (02/00-12/05)
 Audi A6 II (4B, C5) (01/97-12/05)
 Audi Allroad (4BH) (05/00-08/05)
 Volkswagen Passat (3B_) (08/96-12/05)

Audi A4 I (8D_) (11/94-12/02)
 Audi A4 III (8E_) (11/04-06/08)
 Audi A8 I (4D_) (03/94-12/05)
 Skoda Superb I (3U) (12/01-03/08)

Mount, control arm

100 407 0070/HD

MCB0071HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Upper
 without holder

Height [mm]

40

Inner Diameter [mm]

10

Outer Diameter [mm]

47

Replace in pairs only

Required quantity

2

reinforced version



References

Audi 4E0 407 515 D

Audi 4H0 407 515 A

Audi 8D0 407 515 A

Audi 8D0 407 515 C

Audi 8R0 407 515

Audi (FAW) 8D0 407 515 B

Porsche 8D0 407 515 C

Volkswagen 8D0 407 515 A

Volkswagen 8D0 407 515 C

Audi 4H0 407 515

Audi 4H0 407 515 B

Audi 8D0 407 515 B

Audi 8K0 407 515

Audi (FAW) 4GD 407 515

Audi (FAW) 8D0 407 515 C

Seat 8D0 407 515 C

Volkswagen 8D0 407 515 B

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)

Audi A4 II (8E_) (02/00-12/05)

Audi A4 IV (8K_) (08/07-05/16)

Audi A6 II (4B, C5) (01/97-12/05)

Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)

Audi A8 I (4D_) (03/94-12/05)

Audi A8 III (4H_) (11/09-01/18)

Porsche Macan (95B) (02/14--)

Volkswagen Phaeton (3D) (04/02-03/16)

Audi A4 I (8D_) (11/94-12/02)

Audi A4 III (8E_) (11/04-06/08)

Audi A5 I (8F_, 8T_) (06/07-01/17)

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Audi A7 I Sportback (4G_) (07/10-05/18)

Audi A8 II (4E_) (10/02-12/10)

Audi Q5 I (8R_) (11/08-12/17)

Seat Exeo (3R) (12/08-05/13)

Mount, control arm

100 407 0073/HD

MCB0072HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 41
 Inner Diameter [mm] 13
 Outer Diameter [mm] 60
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Audi 6R0 407 181 B	Audi 8N0 407 181 B
Seat 6R0 407 181 B	Seat 8N0 407 181 B
Skoda 6R0 407 181 B	Volkswagen 8N0 407 181 B

Application info

Audi A1 I (8X_) (05/10-10/18)	Audi A3 I (8L_) (09/96-09/06)
Audi TT I (8N_) (10/98-12/06)	Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)
Skoda Fabia II (54_) (12/06-12/14)	Skoda Fabia III (NJ_) (08/14--)
Skoda Rapid II (N_) (07/12-12/19)	Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)
Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)	Volkswagen Polo (6R_) (03/09--)
Volkswagen Polo Vivo (6R1, 6RS) (07/17--)	

Mount, control arm

100 407 0082

MCB0074

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 outer
 without holder

Height [mm] 37
 Inner Diameter [mm] 12
 Outer Diameter [mm] 40
 Required quantity 2
 replacement in pairs recommended



References

Audi 8E0 407 181 B
 Audi 8E0 407 181 D
 Seat 8E0 407 181 C

Audi 8E0 407 181 C
 Audi (FAW) 8E0 407 181 C

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)
 Audi A4 III (8E_) (11/04-06/08)

Audi A4 II (8E_) (02/00-12/05)
 Seat Exeo (3R) (12/08-05/13)

Mount, control arm

100 407 0084/HD

MCB0076HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 50
 Inner Diameter [mm] 18
 Outer Diameter [mm] 60
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Ford 1 044 571
 Ford 95VW-3A262-BA
 Seat 7M0 407 181 A

Ford 7 396 830
 Ford 95VW-5A638-DA
 Volkswagen 7M0 407 181 A

Application info

Ford Galaxy I (03/95-05/06)
 Volkswagen Sharan (7M) (05/95-03/10)

Seat Alhambra I (7V8, 7V9) (03/96-03/10)

Mount, control arm

100 407 0086

MCB0077

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 54
 Inner Diameter [mm] 12
 Outer Diameter [mm] 40
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|------------------------------|------------------------------|
| Audi 1K0 407 182 | Audi 1K0 407 182 A |
| Audi 1K0 407 182 F | Audi 5Q0 407 182 |
| Audi 5Q0 407 182 A | Audi (FAW) 1K0407182F |
| Audi (FAW) 5Q0 407 182 | Seat 1K0 407 182 |
| Seat 1K0 407 182 A | Seat 1K0 407 182 F |
| Seat 5Q0 407 182 A | Skoda 1K0 407 182 |
| Skoda 1K0 407 182 A | Skoda 1K0 407 182 F |
| Skoda 5Q0 407 182 | Skoda 5Q0 407 182 A |
| Skoda (SVW) 1K0 407 182 | Volkswagen 1K0 407 182 |
| Volkswagen 1K0 407 182 A | Volkswagen 1K0 407 182 F |
| Volkswagen 5Q0 407 182 | Volkswagen 5Q0 407 182 A |
| Volkswagen (FAW) 1K0407182F | Volkswagen (FAW) 1KD 407 182 |
| Volkswagen (FAW) 5Q0 407 182 | Volkswagen (SVW) 1K0 407 182 |
| Volkswagen (SVW) 1K0407182F | |

Application info

Audi A3 II (8P_) (05/03-12/15)	Audi A3 III (8V_) (04/12--)
Audi A3 IV (8Y_) (11/19--)	Audi Q2 (06/16--)
Audi Q3 I (8U_) (06/11-12/18)	Audi Q3 II (F3_) (07/18--)
Audi TT II (8J_) (07/06-01/15)	Audi TT III (8S_) (07/14--)
CUPRA ATECA (KH7_KHP) (09/18--)	CUPRA FORMENTOR (KM_) (07/20--)
Seat Alhambra II (710) (06/10--)	Seat Ateca (04/16--)
Seat Ibiza II / Cordoba I / Inca (6K_) (02/93-11/03)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Seat Leon III (5F_) (09/12--)	Seat Tarraco (09/18--)
Skoda Karoq (07/17--)	Skoda Kodiaq I (10/16--)
Skoda Kodiaq II (01/24--)	Skoda Octavia II (1Z_) (02/04-06/13)
Skoda Octavia III (5E_) (11/12--)	Skoda Octavia IV (NX_) (11/19--)
Skoda Superb II (3T) (03/08-05/15)	Skoda Superb III (3V_) (03/15--)
Skoda Superb IV (NZ_) (11/23--)	Skoda Yeti (5L) (05/09-12/17)
Volkswagen Arteon (03/17--)	Volkswagen Beetle (5C1) (04/11-07/19)
Volkswagen Bora V (Mex) (01/07--)	Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
Volkswagen Caddy IV (SA_) (05/15--)	Volkswagen Eos (03/06-08/15)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)	Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Golf VII (5G1,BA5) (08/12--)	Volkswagen Golf VIII (CB1) (07/19--)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Jetta IV (162) (01/08--)
Volkswagen Jetta VII (BU3) (12/17--)	Volkswagen Passat (362, 365) (08/10-12/15)
Volkswagen Passat (3C_) (03/05-01/12)	Volkswagen Passat (A32) (01/11--)
Volkswagen Passat (B8) (08/14--)	Volkswagen Scirocco III (137) (05/08-11/17)
Volkswagen Sharan (7N) (05/10--)	Volkswagen T-Roc (A11) (07/17--)
Volkswagen Taos (CL1, CQ1) (10/20--)	Volkswagen Tiguan I (5N) (09/07-07/18)
Volkswagen Tiguan II (AD1, BW2) (01/16--)	Volkswagen Touran I (1T1/2/3) (02/03-05/15)
Volkswagen Touran II (5T1) (05/15--)	

Mount, control arm

100 407 0089

MCB0078

Notes

Front Axle Left
 Front Axle Right
 Lower
 for control arm
 without holder

Height [mm]	48
Inner Diameter [mm]	15
Outer Diameter [mm]	36
Required quantity	2
replacement in pairs recommended	



References

Audi 8Z0 407 182 B
Audi 8Z0 407 195 D

Audi 8Z0 407 182 C

Application info

Audi A2 (8Z0) (02/00-08/05)

Mount, control arm

100 407 0094

MCB0081

Notes

Front
Front Axle Left
Front Axle Right
Lower
without holder

Height [mm] 54
Inner Diameter [mm] 12
Outer Diameter [mm] 34
Required quantity 2
replacement in pairs recommended



References

Seat 6Q0 407 182 A
Volkswagen 6Q0 407 182 A

Skoda 6Q0 407 182 A
Volkswagen (SVW) 6Q0 407 151 L

Application info

Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)
Skoda Roomster (03/06-05/15)
Volkswagen Polo (9N_) (10/01--)

Skoda Fabia I (6Y_) (08/99-03/08)
Volkswagen Fox/Lupo (Z51) (08/03--)

Mount, control arm

100 407 0095/HD

MCB0082HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Lower
Rear
without holder

Height [mm] 80
Inner Diameter [mm] 12
Outer Diameter [mm] 65
Replace in pairs only
Required quantity 2
reinforced version



References

Audi 4F0 407 183 C
 Audi 4F0 407 183 F
 Audi 8K0 407 183 B
 Audi (FAW) 4F0 407 183 E

Audi 4F0 407 183 E
 Audi 8K0 407 183 A
 Audi (FAW) 4F0 407 183 C
 Seat 4F0 407 183 E

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)
 Audi A4 IV (8K_) (08/07-05/16)
 Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)
 Audi Q5 I (8R_) (11/08-12/17)
 Volkswagen Phaeton (3D) (04/02-03/16)

Audi A4 III (8E_) (11/04-06/08)
 Audi A5 I (8F_ , 8T_) (06/07-01/17)
 Audi A8 II (4E_) (10/02-12/10)
 Seat Exeo (3R) (12/08-05/13)

Mount, control arm**100 505 0014****MCM0011****Notes**

Rear Axle Left
 Rear Axle Right
 for trailing arm
 without holder

Height [mm] 64
 Inner Diameter [mm] 12
 Outer Diameter [mm] 60
 Required quantity 2
 replacement in pairs recommended

**References**

Audi 1K0 505 541 B
 Audi 1K0 505 541 D
 Seat 1K0 505 541 B
 Seat 1K0 505 541 D
 Skoda 1K0 505 541 B
 Skoda 1K0 505 541 D
 Volkswagen 1K0 505 541 B
 Volkswagen 1K0 505 541 D

Audi 1K0 505 541 C
 Audi 5Q0 505 541 A
 Seat 1K0 505 541 C
 Seat 5Q0 505 541 A
 Skoda 1K0 505 541 C
 Skoda 5Q0 505 541 A
 Volkswagen 1K0 505 541 C
 Volkswagen 5Q0 505 541 A

Application info

- Audi A1 I (8X_) (05/10-10/18)
- Audi A3 III (8V_) (04/12--)
- Audi Q2 (06/16--)
- Audi Q3 II (F3_) (07/18--)
- Audi TT III (8S_) (07/14--)
- Seat Alhambra II (710) (06/10--)
- Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
- Seat Tarraco (09/18--)
- Skoda Kodiaq I (10/16--)
- Skoda Octavia III (5E_) (11/12--)
- Skoda Superb II (3T) (03/08-05/15)
- Skoda Yeti (5L) (05/09-12/17)
- Volkswagen Beetle (5C1) (04/11-07/19)
- Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)
- Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
- Volkswagen Golf VIII (CB1) (07/19--)
- Volkswagen Jetta IV (162) (01/08--)
- Volkswagen Passat (3C_) (03/05-01/12)
- Volkswagen Passat (B8) (08/14--)
- Volkswagen Sharan (7N) (05/10--)
- Volkswagen Taos (CL1, CQ1) (10/20--)
- Volkswagen Tiguan II (AD1, BW2) (01/16--)
- Volkswagen Touran II (5T1) (05/15--)
- Audi A3 II (8P_) (05/03-12/15)
- Audi A3 IV (8Y_) (11/19--)
- Audi Q3 I (8U_) (06/11-12/18)
- Audi TT II (8J_) (07/06-01/15)
- CUPRA ATECA (KH7_KHP) (09/18--)
- Seat Ateca (04/16--)
- Seat Leon III (5F_) (09/12--)
- Skoda Karoq (07/17--)
- Skoda Octavia II (1Z_) (02/04-06/13)
- Skoda Octavia IV (NX_) (11/19--)
- Skoda Superb III (3V_) (03/15--)
- Volkswagen Arteon (03/17--)
- Volkswagen Eos (03/06-08/15)
- Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
- Volkswagen Golf VII (5G1,BA5) (08/12--)
- Volkswagen Jetta III (1K2) (09/04-12/13)
- Volkswagen Jetta VII (BU3) (12/17--)
- Volkswagen Passat (A32) (01/11--)
- Volkswagen Scirocco III (137) (05/08-11/17)
- Volkswagen T-Roc (A11) (07/17--)
- Volkswagen Tiguan I (5N) (09/07-07/18)
- Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Mount, control arm

100 610 0002/HD

MCB0458HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 64
 Inner Diameter [mm] 14
 Outer Diameter [mm] 60
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Volkswagen 7H0 407 182

Volkswagen 7H0 407 182 A

Application info

Volkswagen Transporter V (04/03-08/15)

Volkswagen Transporter VI (04/15--)

Mount, control arm

100 610 0003/HD

MCB0095HD

Notes

Carbon Neutral
 Front
 Front Axle Left
 Front Axle Right
 Lower
 outer
 without holder

Height [mm] 45
 Inner Diameter [mm] 12
 Outer Diameter [mm] 44
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Audi 4E0 407 181 B

Audi (FAW) 4GD 407 181

Audi (FAW) 4E0 407 181 B

Porsche 4E0 407 181 B

Application info

Audi A4 IV (8K_) (08/07-05/16)

Audi A5 I (8F_, 8T_) (06/07-01/17)

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Audi A7 I Sportback (4G_) (07/10-05/18)

Audi A8 III (4H_) (11/09-01/18)

Porsche Macan (95B) (02/14--)

Audi A4 V (8W_) (05/15--)

Audi A5 II (F5_) (06/16--)

Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)

Audi A8 II (4E_) (10/02-12/10)

Audi Q5 I (8R_) (11/08-12/17)

Mount, control arm

100 610 0004/HD

MCB0096HD

Notes

Carbon Neutral
 Front
 Front Axle Left
 Front Axle Right
 Lower
 inner
 without holder

Height [mm] 60
 Inner Diameter [mm] 12
 Outer Diameter [mm] 55
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Audi 4E0 407 182 C

Audi (FAW) 4E0 407 182 C

Volkswagen 4E0 407 182 C

Application info

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Audi A7 I Sportback (4G_) (07/10-05/18)

Audi A8 II (4E_) (10/02-12/10)

Volkswagen Phaeton (3D) (04/02-03/16)

Mount, control arm

100 610 0008

MCB0098

Notes

Front
 Front Axle Left
 Front Axle Right
 Rubber-Metal Mount
 without holder

Height [mm] 47
 Inner Diameter [mm] 14
 Outer Diameter [mm] 40
 Required quantity 2
 replacement in pairs recommended



References

Volkswagen 2H0 407 183 A

Volkswagen 7H0 407 151 B

Volkswagen 7H0 407 152 B

Volkswagen 7H0 407 183

Application info

Volkswagen Amarok I (09/10--)

Volkswagen Transporter VI (04/15--)

Volkswagen Transporter V (04/03-08/15)

Mount, control arm

100 610 0011

MCB0100

Notes

Front
Front Axle Left
Front Axle Right
Lower
without holder

Height [mm] 60
Inner Diameter [mm] 14
Outer Diameter [mm] 40
Required quantity 2
replacement in pairs recommended



References

Audi 7L0 407 183 A

Porsche 955 341 588 10

Audi 7L8 407 183

Volkswagen 7L0 407 183 A

Application info

Audi Q7 I (4L_) (03/06-01/16)

Porsche Cayenne II (92A) (06/10--)

Volkswagen Touareg II (7P5) (01/10-12/18)

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Touareg I (7LA, 7L6, 7L7) (10/02-01/13)

Mount, control arm

100 610 0012

MCB0101

Notes

Front Axle Left
Front Axle Right
Lower
outer
without holder

Height [mm] 74
Inner Diameter [mm] 14
Outer Diameter [mm] 47
Required quantity 2
replacement in pairs recommended



References

Audi 7L0 412 333 A

Volkswagen 7L0 412 333 A

Porsche 955 343 243 01

Application info

Audi Q7 I (4L_) (03/06-01/16)

Porsche Cayenne II (92A) (06/10--)

Volkswagen Touareg II (7P5) (01/10-12/18)

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Touareg I (7LA, 7L6, 7L7) (10/02-01/13)

Mount, control arm

100 610 0014/HD

MCM0014HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Rear
 with holder
 with rubber mount

Height [mm]

50

Inner Diameter [mm]


19

Replace in pairs only

Required quantity

2

reinforced version



References

Audi 3C0 199 231 D

Audi 3C0 199 231 F

Seat 3C0 199 231 E

Volkswagen 3C0 199 231 A

Volkswagen 3C0 199 231 D

Volkswagen 3C0 199 231 F

Audi 3C0 199 231 E

Seat 3C0 199 231 D

Seat 3C0 199 231 F

Volkswagen 3C0 199 231 B

Volkswagen 3C0 199 231 E

Volkswagen (FAW) 3C0 199 231 D

Application info

Audi Q3 I (8U_) (06/11-12/18)

Volkswagen CC (11/11-12/16)

Volkswagen Passat (3C_) (03/05-01/12)

Volkswagen Tiguan I (5N) (09/07-07/18)

Seat Alhambra II (710) (06/10--)

Volkswagen Passat (362, 365) (08/10-12/15)

Volkswagen Sharan (7N) (05/10--)

Mount, control arm

100 610 0018/HD

MCB0103HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 80
 Inner Diameter [mm] 12
 Outer Diameter [mm] 75
 Replace in pairs only
 Required quantity 2
 reinforced version



References

- | | |
|--------------------------|--------------------------------|
| Audi 4E0 407 183 A | Audi 4E0 407 183 B |
| Audi 4E0 407 183 H | Audi 4G0 407 183 |
| Audi 4G0 407 183 A | Audi 4G0 407 183 B |
| Audi 4H0 407 183 | Audi 4H0 407 183 B |
| Audi 4H0 407 183 C | Audi (FAW) 4G0 407 183 B |
| Volkswagen 4E0 407 183 A | Volkswagen 4E0 407 183 B |
| Volkswagen 4E0 407 183 H | Volkswagen (SVW) 4G0 407 183 C |

Application info

- | | |
|---|---|
| Audi A4 IV (8K_) (08/07-05/16) | Audi A5 I (8F_ , 8T_) (06/07-01/17) |
| Audi A6 IV (4G2, 4G5, C7) (11/10-09/18) | Audi A7 I Sportback (4G_) (07/10-05/18) |
| Audi A8 II (4E_) (10/02-12/10) | Audi A8 III (4H_) (11/09-01/18) |
| Audi Q5 I (8R_) (11/08-12/17) | Volkswagen Phaeton (3D) (04/02-03/16) |

Mount, control arm

100 610 0020

MCB0104

Notes

Front Axle Left
 Front Axle Right
 inner
 without holder

Height [mm] 75
 Inner Diameter [mm] 25
 Outer Diameter [mm] 52
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 906 333 00 14
 Mercedes-Benz A 906 333 00 14
 Volkswagen 2E0 407 523

Mercedes-Benz 906 333 01 14
 Mercedes-Benz A 906 333 01 14
 Volkswagen 2E0 407 523 A

Application info

Mercedes-Benz BM 906 (Sprinter II) (06/06--)
 Volkswagen Crafter I (2E) (04/06-12/16)

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)

Mount, control arm

100 610 0021

MCB0105

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 inner
 without holder

Height [mm] 55
 Inner Diameter [mm] 12
 Outer Diameter [mm] 50
 Required quantity 2
 replacement in pairs recommended



References

Audi 8K0 407 182 A
 Audi 8K0 407 182 C
 Audi (FAW) 8K0 407 182 C
 Porsche 8K0 407 182 B

Audi 8K0 407 182 B
 Audi (FAW) 8K0 407 182 B
 Audi (FAW) L8K0 407 182 B
 Volkswagen (SVW) 8K0 407 182 B

Application info

Audi A4 IV (8K_) (08/07-05/16)
 Audi A5 I (8F_, 8T_) (06/07-01/17)
 Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)
 Audi Q5 I (8R_) (11/08-12/17)

Audi A4 V (8W_) (05/15--)
 Audi A5 II (F5_) (06/16--)
 Audi A7 I Sportback (4G_) (07/10-05/18)
 Porsche Macan (95B) (02/14--)

Mount, control arm

100 610 0027/HD

MCB0108HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 50
 Inner Diameter [mm] 19
 Outer Diameter [mm] 63
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Audi 1K0 199 231 G	Audi 1K0 199 231 J
Audi 1K0 199 231 K	Audi 1K0 199 232 G
Audi 1K0 199 232 J	Audi 1K0 199 232 K
Seat 1K0 199 231 J	Seat 1K0 199 231 K
Seat 1K0 199 232 J	Seat 1K0 199 232 K
Seat 1K0 407 183 E	Seat 6Q0 407 183
Seat 6Q0 407 183 A	Seat 6Q0 407 183 B
Skoda 1K0 199 231 J	Skoda 1K0 199 232 J
Skoda 1K0 407 183 E	Skoda 6Q0 407 183
Skoda 6Q0 407 183 A	Skoda 6Q0 407 183 B
Skoda (SVW) 1K0 199 231 J	Skoda (SVW) 1K0 199 232 J
Skoda (SVW) 1KD 199 231	Volkswagen 1K0 199 231 G
Volkswagen 1K0 199 231 J	Volkswagen 1K0 199 231 K
Volkswagen 1K0 199 232 G	Volkswagen 1K0 199 232 J
Volkswagen 1K0 199 232 K	Volkswagen 1K0 407 183
Volkswagen 1K0 407 183 E	Volkswagen 3C0 199 231 E
Volkswagen 3C0 199 231 F	Volkswagen 6Q0 407 183
Volkswagen 6Q0 407 183 A	Volkswagen 6Q0 407 183 B
Volkswagen (FAW) 1K0 199 231	Volkswagen (FAW) 1K0 199 232
Volkswagen (FAW) 1KD 199 231	

Application info

Audi A3 II (8P_) (05/03-12/15)	Audi A3 III (8V_) (04/12--)
Audi Q3 I (8U_) (06/11-12/18)	Seat Alhambra II (710) (06/10--)
Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Fabia I (6Y_) (08/99-03/08)	Skoda Fabia II (54_) (12/06-12/14)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Roomster (03/06-05/15)
Skoda Superb II (3T) (03/08-05/15)	Skoda Yeti (5L) (05/09-12/17)
Volkswagen Beetle (5C1) (04/11-07/19)	Volkswagen Bora V (Mex) (01/07--)
Volkswagen CC (11/11-12/16)	Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
Volkswagen Eos (03/06-08/15)	Volkswagen Fox/Lupo (Z51) (08/03--)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)	Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Passat (362, 365) (08/10-12/15)
Volkswagen Passat (3C_) (03/05-01/12)	Volkswagen Polo (9N_) (10/01--)
Volkswagen Scirocco III (137) (05/08-11/17)	Volkswagen Sharan (7N) (05/10--)
Volkswagen Tiguan I (5N) (09/07-07/18)	Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Mount, control arm**100 610 0028****MCM0016****Notes**

Front Axle Left
 Front Axle Right
 with holder

Height [mm]	50
Inner Diameter [mm]	19
Required quantity	2
replacement in pairs recommended	

**References**

Audi 8J0 199 231

Application info

Audi TT II (8J_) (07/06-01/15)

Mount, control arm

100 610 0030

MCB0401

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer
 without holder

Height [mm] 84
 Inner Diameter [mm] 14.4
 Outer Diameter [mm] 46.5
 Required quantity 2
 replacement in pairs recommended



References

Volkswagen 2H0 412 333 A

Application info

Volkswagen Amarok I (09/10--)

Mount, control arm

100 610 0032

MCB0393

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 inner
 without holder

Height [mm] 64
 Inner Diameter [mm] 14.4
 Outer Diameter [mm] 60.5
 Required quantity 2
 replacement in pairs recommended



References

Volkswagen 2H0 407 182 A

Application info

Volkswagen Amarok I (09/10--)

Mount, control arm

100 610 0033

MCB0394

Notes

Front Axle Left
 Front Axle Right
 Upper
 without holder

Height [mm] 60
 Inner Diameter [mm] 10
 Outer Diameter [mm] 40.5
 Required quantity 2
 replacement in pairs recommended



References

Volkswagen 2H0 407 077 A

Application info

Volkswagen Amarok I (09/10--)

Mount, control arm

100 610 0034

MCB0109

Notes

Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 50
 Inner Diameter [mm] 14
 Outer Diameter [mm] 64
 Required quantity 2
 replacement in pairs recommended



References

Skoda 1K0 407 183 M
 Skoda 5C0 407 183 A
 Volkswagen 1K0 407 183 P
 Volkswagen (SVW) 1K0 407 183 P

Skoda 1K0 407 183 P
 Volkswagen 1K0 407 183 M
 Volkswagen 5C0 407 183 A

Application info

Skoda Superb II (3T) (03/08-05/15)
 Volkswagen Beetle (5C1) (04/11-07/19)
 Volkswagen Caddy IV (SA_) (05/15--)
 Volkswagen Passat (A32) (01/11--)

Skoda Yeti (5L) (05/09-12/17)
 Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
 Volkswagen Jetta IV (162) (01/08--)

Mount, control arm

100 610 0036

MCB0389

Notes

Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 50
 Inner Diameter [mm] 13
 Outer Diameter [mm] 65
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|--------------------------------|--------------------------------|
| Audi 5Q0 407 183 E | Audi 5Q0 407 183 L |
| Audi (FAW) 5Q0 407 183 E | Seat 5Q0 407 183 E |
| Seat 5Q0 407 183 J | Seat 5Q0 407 183 K |
| Seat 5Q0 407 183 L | Skoda 5Q0 407 183 E |
| Skoda 5Q0 407 183 G | Skoda 5Q0 407 183 J |
| Skoda 5Q0 407 183 K | Skoda 5Q0 407 183 L |
| Skoda 5Q0 407 183 M | Volkswagen 5Q0 407 183 D |
| Volkswagen 5Q0 407 183 E | Volkswagen 5Q0 407 183 G |
| Volkswagen 5Q0 407 183 J | Volkswagen 5Q0 407 183 K |
| Volkswagen 5Q0 407 183 L | Volkswagen 5Q0 407 183 M |
| Volkswagen (FAW) 5Q0 407 183 E | Volkswagen (SVW) 5Q0 407 183 E |
| Volkswagen (SVW) 5Q0 407 183 K | |

Application info

- | | |
|---|---|
| Audi A1 II (GB_) (07/18--) | Audi A3 III (8V_) (04/12--) |
| Audi A3 IV (8Y_) (11/19--) | Audi Q2 (06/16--) |
| Audi Q3 II (F3_) (07/18--) | CUPRA FORMENTOR (KM_) (07/20--) |
| Seat Arona (KJ7) (07/17--) | Seat Ateca (04/16--) |
| Seat Ibiza V (KJ1) (01/17--) | Seat Leon III (5F_) (09/12--) |
| Seat Tarraco (09/18--) | Skoda Kamiq (07/19--) |
| Skoda Karoq (07/17--) | Skoda Kodiaq I (10/16--) |
| Skoda Kodiaq II (01/24--) | Skoda Octavia III (5E_) (11/12--) |
| Skoda Octavia IV (NX_) (11/19--) | Skoda Scala (02/19--) |
| Skoda Superb III (3V_) (03/15--) | Skoda Superb IV (NZ_) (11/23--) |
| Volkswagen Arteon (03/17--) | Volkswagen Golf VII (5G1,BA5) (08/12--) |
| Volkswagen Golf VIII (CB1) (07/19--) | Volkswagen Jetta VII (BU3) (12/17--) |
| Volkswagen Nivus / Taigo (11/21--) | Volkswagen Passat (B8) (08/14--) |
| Volkswagen Polo (AW1) (06/17--) | Volkswagen T-Cross (12/18--) |
| Volkswagen T-Roc (A11) (07/17--) | Volkswagen Taos (CL1, CQ1) (10/20--) |
| Volkswagen Tiguan II (AD1, BW2) (01/16--) | Volkswagen Touran II (5T1) (05/15--) |

Mount, control arm

100 610 0038/HD

MCB0390HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
without holder

Height [mm] 80
Inner Diameter [mm] 12
Outer Diameter [mm] 75
Replace in pairs only
Required quantity 2
reinforced version



References

Audi 8K0 407 183 D Audi 8K0 407 183 F
Audi 8K0 407 183 G Audi (FAW) 8K0 407 183 D
Audi (FAW) 8K0 407 183 F Porsche 8K0 407 183 D

Application info

Audi A4 IV (8K_) (08/07-05/16) Audi A4 V (8W_) (05/15--)
Audi A5 I (8F_, 8T_) (06/07-01/17) Audi A5 II (F5_) (06/16--)
Audi Q5 I (8R_) (11/08-12/17) Porsche Macan (95B) (02/14--)

Mount, control arm

100 610 0039/HD

MCB0426HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
without holder

Height [mm] 90
Inner Diameter [mm] 12
Outer Diameter [mm] 75
Replace in pairs only
Required quantity 2
reinforced version



References

Audi 4K0 407 183 Audi 4K0 407 183 A
Audi 80A 407 183

Application info

Audi A6 V (C8, 4A2) (02/18--)
Audi A7 II Sportback (4K_) (10/17--)
Audi Q5 II (FY_) (05/16--)

Mount, control arm

100 610 0041

MCM0156

Notes

Front Axle Left
with holder
with rubber mount

Height [mm] 50
Inner Diameter [mm] 18
Paired article number 100 610 0042 | MCM0157
Required quantity 1
replacement in pairs recommended



References

- | | |
|------------------------------|--------------------------|
| Audi 1K0 199 231 G | Audi 1K0 199 231 J |
| Audi 1K0 199 231 K | Seat 1K0 199 231 J |
| Seat 1K0 199 231 K | Skoda 1K0 199 231 J |
| Skoda (SVW) 1K0 199 231 J | Volkswagen 1K0 199 231 G |
| Volkswagen 1K0 199 231 J | Volkswagen 1K0 199 231 K |
| Volkswagen (FAW) 1K0 199 231 | |

Application info

- | | |
|---|--|
| Audi A3 II (8P_) (05/03-12/15) | Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--) |
| Skoda Octavia II (1Z_) (02/04-06/13) | Skoda Superb II (3T) (03/08-05/15) |
| Skoda Yeti (5L) (05/09-12/17) | Volkswagen Beetle (5C1) (04/11-07/19) |
| Volkswagen Caddy III (2KA, 2KB) (03/04-05/15) | Volkswagen Eos (03/06-08/15) |
| Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14) | Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16) |
| Volkswagen Jetta III (1K2) (09/04-12/13) | Volkswagen Scirocco III (137) (05/08-11/17) |
| Volkswagen Touran I (1T1/2/3) (02/03-05/15) | |

Mount, control arm

100 610 0042

MCM0157

Notes

Front Axle Right
with holder
with rubber mount

Height [mm] 50
Inner Diameter [mm] 18
Paired article number 100 610 0041 | MCM0156
Required quantity 1
replacement in pairs recommended



References

Audi 1K0 199 232 G	Audi 1K0 199 232 J
Audi 1K0 199 232 K	Seat 1K0 199 232 J
Seat 1K0 199 232 K	Skoda 1K0 199 232 J
Skoda (SVW) 1K0 199 232 J	Volkswagen 1K0 199 232 G
Volkswagen 1K0 199 232 J	Volkswagen 1K0 199 232 K
Volkswagen (FAW) 1K0 199 232 J	

Application info

Audi A3 II (8P_) (05/03-12/15)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Superb II (3T) (03/08-05/15)
Skoda Yeti (5L) (05/09-12/17)	Volkswagen Beetle (5C1) (04/11-07/19)
Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)	Volkswagen Eos (03/06-08/15)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)	Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Scirocco III (137) (05/08-11/17)
Volkswagen Touran I (1T1/2/3) (02/03-05/15)	

Mount, control arm**100 610 0043****MCB0441****Notes**

Front Axle Left
 Front Axle Right
 without holder

Height [mm]	50
Inner Diameter [mm]	19
Outer Diameter [mm]	63
Required quantity	2
replacement in pairs recommended	



References

Audi 1K0 199 231 G	Audi 1K0 199 231 J
Audi 1K0 199 231 K	Audi 1K0 199 232 G
Audi 1K0 199 232 J	Audi 1K0 199 232 K
Seat 1K0 199 231 J	Seat 1K0 199 231 K
Seat 1K0 199 232 J	Seat 1K0 199 232 K
Seat 1K0 407 183 E	Seat 6Q0 407 183
Seat 6Q0 407 183 A	Skoda 1K0 199 231 J
Skoda 1K0 199 232 J	Skoda 1K0 407 183 E
Skoda 6Q0 407 183	Skoda 6Q0 407 183 A
Skoda (SVW) 1K0 199 231 J	Skoda (SVW) 1K0 199 232 J
Volkswagen 1K0 199 231 G	Volkswagen 1K0 199 231 J
Volkswagen 1K0 199 231 K	Volkswagen 1K0 199 232 G
Volkswagen 1K0 199 232 J	Volkswagen 1K0 199 232 K
Volkswagen 1K0 407 183	Volkswagen 1K0 407 183 E
Volkswagen 3C0 199 231 E	Volkswagen 3C0 199 231 F
Volkswagen 6Q0 407 183	Volkswagen 6Q0 407 183 A
Volkswagen 6Q0 407 183 B	Volkswagen (FAW) 1K0 199 231
Volkswagen (FAW) 1K0 199 232	

Application info

Audi A3 II (8P_) (05/03-12/15)	Seat Alhambra II (710) (06/10--)
Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Fabia I (6Y_) (08/99-03/08)	Skoda Fabia II (54_) (12/06-12/14)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Roomster (03/06-05/15)
Skoda Superb II (3T) (03/08-05/15)	Skoda Yeti (5L) (05/09-12/17)
Volkswagen Beetle (5C1) (04/11-07/19)	Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
Volkswagen Eos (03/06-08/15)	Volkswagen Fox/Lupo (Z51) (08/03--)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)	Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Passat (362, 365) (08/10-12/15)
Volkswagen Passat (3C_) (03/05-01/12)	Volkswagen Polo (9N_) (10/01--)
Volkswagen Scirocco III (137) (05/08-11/17)	Volkswagen Sharan (7N) (05/10--)
Volkswagen Tiguan I (5N) (09/07-07/18)	Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Mount, control arm

100 610 0044

MCM0158

Notes

Front Axle Left
Front Axle Right
with holder
with rubber mount

Height [mm] 50
Inner Diameter [mm] 19
Required quantity 2
replacement in pairs recommended



References

Audi 3C0 199 231 D
Seat 3C0 199 231 D
Seat 3C0 199 231 F
Volkswagen 3C0 199 231 B
Volkswagen 3C0 199 231 E
Volkswagen (FAW) 3C0 199 231 D

Audi 3C0 199 231 E
Seat 3C0 199 231 E
Volkswagen 3C0 199 231 A
Volkswagen 3C0 199 231 D
Volkswagen 3C0 199 231 F

Application info

Audi Q3 I (8U_) (06/11-12/18)
Volkswagen CC (11/11-12/16)
Volkswagen Passat (3C_) (03/05-01/12)
Volkswagen Tiguan I (5N) (09/07-07/18)

Seat Alhambra II (710) (06/10--)
Volkswagen Passat (362, 365) (08/10-12/15)
Volkswagen Sharan (7N) (05/10--)

Mount, control arm

100 610 0049

MCB0525

Notes

Front
Front Axle Left
Front Axle Right
Rubber/Metal
inner
without holder

Height [mm] 55
Inner Diameter [mm] 12.1
Outer Diameter [mm] 55.4
Required quantity 2
replacement in pairs recommended



References

Audi 4H0 407 182 B

Audi 4H0 407 182 C

Application info

Audi A8 III (4H_) (11/09-01/18)

Mount, control arm

100 610 0050

MCB0503

Notes

Front Axle Left
 Front Axle Right
 Upper
 without holder

Height [mm] 50
 Inner Diameter [mm] 10
 Outer Diameter [mm] 46
 Required quantity 2
 replacement in pairs recommended



References

Audi 4N0 407 515

Audi 8W0 407 515

Audi (FAW) 8W0 407 515

Application info

Audi A4 V (8W_) (05/15--)

Audi A5 II (F5_) (06/16--)

Audi A8 IV (4N_) (06/17--)

Mount, control arm

100 610 0051/HD

MCB0491HD

Notes

Carbon Neutral
 Front
 Front Axle Left
 Front Axle Right
 Lower
 outer
 without holder

Height [mm] 45
 Inner Diameter [mm] 12
 Outer Diameter [mm] 44
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Audi 80A 407 181

Application info

Audi A4 V (8W_) (05/15--)
 Audi A6 V (C8, 4A2) (02/18--)
 Audi Q5 II (FY_) (05/16--)

Audi A5 II (F5_) (06/16--)
 Audi A7 II Sportback (4K_) (10/17--)

Mount, control arm

100 610 0054/HD

MCB0492HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 70
 Inner Diameter [mm] 16
 Outer Diameter [mm] 70.5
 Quantity per axle 2
 Replace in pairs only
 Required quantity 2



References

MAN 65.43316.0004
 Volkswagen 2N0 407 182 B
 Volkswagen 2N0 407 182 D

MAN 65.43316.0007
 Volkswagen 2N0 407 182 C

Application info

MAN TGE (11/16--)

Volkswagen Crafter II (SY_) (09/16--)

Mount, control arm

100 610 0055

MCB0482

Notes

Front
 Front Axle Left
 Front Axle Right
 without holder

Height [mm] 70
 Inner Diameter [mm] 16
 Outer Diameter [mm] 50
 Required quantity 2
 replacement in pairs recommended



References

MAN 65.43316.0005
 Volkswagen 2N0 407 183 B

Volkswagen 2N0 407 183 A

Application info

MAN TGE (11/16--)

Volkswagen Crafter II (SY_) (09/16--)

Mount, control arm

100 610 0070

MCB0567

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 50
 Inner Diameter [mm] 13.1
 Outer Diameter [mm] 60
 Required quantity 2
 replacement in pairs recommended



References

Audi 2Q0 407 183
 Seat 2Q0 407 183
 Skoda 2Q0 407 183
 Volkswagen 2Q0 407 183

Audi 2Q0 407 183 B
 Seat 2Q0 407 183 B
 Skoda 2Q0 407 183 B
 Volkswagen 2Q0 407 183 B

Application info

Audi A1 II (GB_) (07/18--)
 Seat Ibiza V (KJ1) (01/17--)
 Skoda Kamiq (07/19--)
 Volkswagen Polo (AW1) (06/17--)

Seat Arona (KJ7) (07/17--)
 Skoda Fabia IV (PJ3) (06/21--)
 Skoda Scala (02/19--)
 Volkswagen T-Cross (12/18--)

Mount, control arm

100 610 0087

MCB0534

Notes

Rear Axle Left
 Rear Axle Right
 Rubber/Metal
 outer
 without holder

Height [mm] 42
 Inner Diameter [mm] 12.5
 Outer Diameter [mm] 45.5
 Quantity per axle 2
 Required quantity 2
 replacement in pairs recommended



References

Audi 4M0 505 291 D
 Audi 4M0 505 541 K
 Audi 80A 505 292
 Audi 8W0 505 397 E
 Audi 8W0 505 398 C
 Audi 8W0 505 398 F

Audi 4M0 505 292 D
 Audi 80A 505 291
 Audi 8W0 505 397 C
 Audi 8W0 505 397 F
 Audi 8W0 505 398 E

Application info

Audi A4 V (8W_) (05/15--)
 Audi Q5 II (FY_) (05/16--)

Audi A5 II (F5_) (06/16--)
 Audi Q7 II (4M_) (01/15--)

Mount, control arm**100 610 0088****MCB0572****Notes**

Rear Axle Left
 Rear Axle Right
 Rubber/Metal
 inner
 without holder

Height [mm] 42
 Inner Diameter [mm] 10
 Outer Diameter [mm] 40
 Quantity per axle 2
 Required quantity 2
 replacement in pairs recommended

**References**

Audi 4M0 505 291 D
 Audi 4M0 505 323 G
 Audi 8W0 505 323 F
 Audi (FAW) 8W0 505 323 F
 Volkswagen 4M0 505 323 G

Audi 4M0 505 292 D
 Audi 4M0 505 543 A
 Audi 8W0 505 324 F
 Audi (FAW) 8W0 505 324 F

Application info

Audi A4 V (8W_) (05/15--)
 Audi A6 V (C8, 4A2) (02/18--)
 Audi E-TRON (GE_) (09/18--)
 Audi Q7 II (4M_) (01/15--)
 Volkswagen Touareg III (CR7) (11/17--)

Audi A5 II (F5_) (06/16--)
 Audi A7 II Sportback (4K_) (10/17--)
 Audi Q5 II (FY_) (05/16--)
 Audi Q8 (4MN) (02/18--)

Mount, control arm

100 710 0035

MCB0395

Notes

Rear Axle Left
Rear Axle Right
without holder

Height [mm] 70
Inner Diameter [mm] 14
Outer Diameter [mm] 60.5
Required quantity 2
replacement in pairs recommended



References

Audi 7L0 505 311 B
Porsche 955 331 017 11
Volkswagen 7P0 505 311 E

Audi 7L0 505 312 B
Volkswagen 7L0 505 311 B

Application info

Audi Q7 I (4L_) (03/06-01/16)
Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Porsche Cayenne I (955) (09/02-12/10)
Volkswagen Touareg II (7P5) (01/10-12/18)

Mount, control arm

100 710 0052

MCB0527

Notes

Rear Axle Left
Rear Axle Right
inner
without holder

Height [mm] 60
Inner Diameter [mm] 12
Outer Diameter [mm] 40
Required quantity 2
replacement in pairs recommended



References

Audi 1K0 501 529 F
Seat 1K0 501 529 F
Seat 7N0 501 530
Volkswagen 1K0 501 529 E
Volkswagen 1K0 501 530 C

Audi (FAW) 1K0 501 529 F
Seat 7N0 501 529
Skoda 1K0 501 529 F
Volkswagen 1K0 501 529 F
Volkswagen 7N0 501 529

Application info

Audi A3 II (8P_) (05/03-12/15)	Audi Q3 I (8U_) (06/11-12/18)
Audi TT II (8J_) (07/06-01/15)	Seat Alhambra II (710) (06/10--)
Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)	Skoda Octavia II (1Z_) (02/04-06/13)
Skoda Superb II (3T) (03/08-05/15)	Volkswagen CC (11/11-12/16)
Volkswagen Eos (03/06-08/15)	Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Passat (362, 365) (08/10-12/15)
Volkswagen Passat (3C_) (03/05-01/12)	Volkswagen Passat (A32) (01/11--)
Volkswagen Sharan (7N) (05/10--)	Volkswagen Tiguan I (5N) (09/07-07/18)
Volkswagen Touran I (1T1/2/3) (02/03-05/15)	

Mount, control arm

100 710 0054

MCB0573

Notes

Lower
Rear Axle
outer
without holder

Height [mm] 42.2
Inner Diameter [mm] 12.1
Outer Diameter [mm] 45
Required quantity 2
replacement in pairs recommended



References

Audi 4M0 505 291 F	Audi 4M0 505 292 F
Audi (FAW) 4M0 505 291 F	Audi (FAW) 4M0 505 292 F

Application info

Audi A6 V (C8, 4A2) (02/18--)	Audi A7 II Sportback (4K_) (10/17--)
Audi E-TRON (GE_) (09/18--)	Audi Q5 II (FY_) (05/16--)
Audi Q7 II (4M_) (01/15--)	Audi Q8 (4MN) (02/18--)

Mount, control arm

100 710 0055

MCB0535

Notes

Rear Axle Left
Rear Axle Right
Rubber/Metal
inner
without holder

Height [mm] 45.8
Inner Diameter [mm] 12.1
Outer Diameter [mm] 42.2
Required quantity 2
replacement in pairs recommended



References

Audi 8W0 505 397 C	Audi 8W0 505 397 E
Audi 8W0 505 397 F	Audi 8W0 505 398 C
Audi 8W0 505 398 E	Audi 8W0 505 398 F

Application info

Audi A4 V (8W_) (05/15--)	Audi A5 II (F5_) (06/16--)
---------------------------	----------------------------

Mount, control arm

100 711 0017

MCB0112

Notes

Rear
Rear Axle
Upper
inner
without holder

Height [mm] 46
Inner Diameter [mm] 12
Outer Diameter [mm] 36
Required quantity 4
replacement in pairs recommended



References

Audi 8E0 501 541 K	Audi (FAW) 8E0 501 541 K
--------------------	--------------------------

Application info

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Mount, control arm

11-14 035 2320

MCB0113

Notes

Front Axle Left
 Front Axle Right
 Lower
 inner
 without holder

Height [mm] 34
 Inner Diameter [mm] 10
 Outer Diameter [mm] 28
 Required quantity 2
 replacement in pairs recommended



References

Citroën 3523.20 Citroën 3523.73
 Peugeot 3523.20 Peugeot 3523.73

Application info

Citroën C15 / Visa (09/78-10/06) Peugeot 205 (02/83-12/00)

Mount, control arm

11-14 352 0005

MCB0118

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer
 without holder

Height [mm] 26
 Inner Diameter [mm] 12
 Outer Diameter [mm] 36
 Required quantity 2
 replacement in pairs recommended



References

Citroën 3523.49 Citroën 91 515 653
 Peugeot 3523.25 Peugeot 3523.27
 Peugeot 3523.29 Peugeot 3523.35
 Peugeot 3523.49 Peugeot 3523.58

Application info

Citroën C15 / Visa (09/78-10/06) Peugeot 205 (02/83-12/00)
 Peugeot 309 (10/85-12/93)

Mount, control arm

11-14 610 0012/HD

MCM0025HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 with holder

Height [mm] 38
 Inner Diameter [mm] 19
 Replace in pairs only
 Required quantity 2
 Thread Size M8x1.25
 reinforced version



References

Citroën 3523.75 Peugeot 1215144
 Peugeot 3520 H5 Peugeot 3521 E5
 Peugeot 3523.75

Application info

Citroën Berlingo I (07/96-12/11) Citroën Xsara (04/97-03/10)
 Citroën Xsara Picasso (09/99-06/12) Citroën ZX (03/91-07/99)
 Peugeot 306 (01/93-10/03) Peugeot Partner I (05/96--)
 Peugeot Partner II (04/08--)

Mount, control arm

11-14 610 0013/HD

MCB0126HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 48
 Inner Diameter [mm] 14
 Outer Diameter [mm] 55
 Replace in pairs only
 Required quantity 2
 reinforced version



References

CITROËN (DF-PSA) 3523.92
 DS 3523 92
 Peugeot (DF-PSA) 3523.92

Citroën 3523.92
 Peugeot 3523.92

Application info

Citroën Berlingo II (04/08--)
 Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck
 (11/04--)
 Citroën DS5 (09/11-07/15)
 Peugeot 3008 I (05/09-12/17)
 Peugeot 308 I (09/07--)
 Peugeot 5008 I (06/09-03/17)
 Peugeot RCZ (03/10-12/15)

Citroën C4 Grand Picasso II (01/13--)
 Citroën C4 II / DS4 (02/09--)
 DS DS 5 (04/15-12/18)
 Peugeot 307 (08/00-12/12)
 Peugeot 308 II (09/13--)
 Peugeot Partner II (04/08--)

Mount, control arm**11-14 610 0014/HD****MCM0026HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 with holder
 Height [mm] 45
 Inner Diameter [mm] 18
 Replace in pairs only
 Required quantity 2
 Thread Size M12x175

reinforced version

**References**

Peugeot 3523.42
 Peugeot 3523.89

Peugeot 3523.54

Application info

Peugeot 405 (01/87-12/99)

Mount, control arm

11-14 610 0015/HD

MCB0127HD

Notes

Carbon Neutral
 Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 31
 Inner Diameter [mm] 12
 Outer Diameter [mm] 33
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Citroën 96 110 483
 Peugeot 1215145

Citroën 96 111 043

Application info

Citroën Berlingo I (07/96-12/11)
 Citroën Xsara Picasso (09/99-06/12)
 Peugeot 306 (01/93-10/03)
 Peugeot Partner II (04/08--)

Citroën Xsara (04/97-03/10)
 Citroën ZX (03/91-07/99)
 Peugeot Partner I (05/96--)

Mount, control arm

11-14 610 0016/HD

MCB0128HD

Notes

Carbon Neutral
 Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 56
 Inner Diameter [mm] 14
 Outer Diameter [mm] 56
 Replace in pairs only
 Required quantity 2
 reinforced version



References

CITROËN (DF-PSA) 3523.91
 Citroën 3523.CW
 DS 3523.CW
 Peugeot 3523.AJ
 Peugeot (DF-PSA) 3523.91

Citroën 3523.91
 DS 3523 91
 Peugeot 3523.91
 Peugeot 3523.CW

Application info

Citroën Berlingo II (04/08--)
 Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck (11/04--)
 Citroën DS5 (09/11-07/15)
 DS DS 5 (04/15-12/18)
 Peugeot 307 (08/00-12/12)
 Peugeot 308 II (09/13--)
 Peugeot Partner II (04/08--)

Citroën C4 Grand Picasso II (01/13--)
 Citroën C4 II / DS4 (02/09--)
 DS DS 4 I (07/15-12/18)
 Peugeot 3008 I (05/09-12/17)
 Peugeot 308 I (09/07--)
 Peugeot 5008 I (06/09-03/17)
 Peugeot RCZ (03/10-12/15)

Mount, control arm

11-14 610 0020

MCB0131

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 48
 Inner Diameter [mm] 14
 Outer Diameter [mm] 57
 Required quantity 2
 replacement in pairs recommended



References

Citroën 3523.CC
 Citroën 98 105 881 80
 DS 96 770 405 80
 DS 98 105 882 80
 Peugeot 96 770 405 80
 Peugeot 98 105 882 80

Citroën 96 770 405 80
 Citroën 98 105 882 80
 DS 98 105 881 80
 Peugeot 3523.CC
 Peugeot 98 105 881 80

Application info

Citroën C Elyse (11/12--)
 Citroën C3 III (07/16--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 2008 I (03/13--)
 Peugeot 208 I (03/12--)
 Vauxhall Crossland X (03/17--)

Citroën C3 AIRCROSS II (06/17--)
 Citroën C3 Picasso (02/09--)
 Citroën DS3 (11/09-12/16)
 Opel Crossland X (03/17--)
 Peugeot 207 (02/06--)
 Peugeot 301 (11/12--)
 Vauxhall Grandland X (75) (06/17--)

Mount, control arm**11-14 610 0021****MCB0132****Notes**

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 48
 Inner Diameter [mm] 14
 Outer Diameter [mm] 57
 Required quantity 2
 replacement in pairs recommended

**References**

Citroën 3523.CE
 Citroën 98 105 881 80
 DS 98 105 881 80
 Peugeot 3523.CE
 Peugeot 98 105 881 80

Citroën 96 770 410 80
 Citroën 98 105 882 80
 DS 98 105 882 80
 Peugeot 96 770 410 80
 Peugeot 98 105 882 80

Application info

Citroën C Elyse (11/12--)
 Citroën C3 III (07/16--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 2008 I (03/13--)
 Peugeot 208 I (03/12--)

Citroën C3 AIRCROSS II (06/17--)
 Citroën C3 Picasso (02/09--)
 Citroën DS3 (11/09-12/16)
 Opel Crossland X (03/17--)
 Peugeot 207 (02/06--)
 Peugeot 301 (11/12--)

Mount, control arm

11-14 610 0025

MCB0133

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 65
 Inner Diameter [mm] 18
 Outer Diameter [mm] 57
 Required quantity 2
 replacement in pairs recommended



References

Citroën 3520.S0	Citroën 3520.S1
Citroën 3521.P1	Citroën 3521.P2
Fiat 1352225080	Fiat 1352226080
Fiat 1352227080	Fiat 1352228080
Peugeot 3520.S0	Peugeot 3520.S1
Peugeot 3521.P1	Peugeot 3521.P2

Application info

Citroën Jumper III (04/06--)	Fiat Ducato (250) (07/06--)
Peugeot Boxer III (09/05--)	

Mount, control arm

11-14 610 0026

MCB0134

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 76
 Inner Diameter [mm] 19
 Outer Diameter [mm] 73
 Required quantity 2
 replacement in pairs recommended



References

Citroën 3520.S0	Citroën 3520.S1
Citroën 3521.P1	Citroën 3521.P2
Fiat 1352225080	Fiat 1352226080
Fiat 1352227080	Fiat 1352228080
Peugeot 3520.S0	Peugeot 3520.S1
Peugeot 3521.P1	Peugeot 3521.P2

Application info

Citroën Jumper III (04/06--)	Fiat Ducato (250) (07/06--)
Peugeot Boxer III (09/05--)	

Mount, control arm

11-14 610 0032 MCM0030

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 with holder
 with rubber mount

Height [mm] 42
 Inner Diameter [mm] 20
 Required quantity 2
 Thread Size M12x1,75
 Thread Size M14x2
 replacement in pairs recommended



References

Peugeot 3520.N6	Peugeot 3520.S8
Peugeot 3521.J6	Peugeot 3521.P9
Peugeot 9649591680	

Application info

Peugeot 407 (02/04--)	Peugeot 508 I (11/10--)
-----------------------	-------------------------

Mount, control arm**11-14 610 0034****MCM0031****Notes**

Front
 Front Axle Left
 Front Axle Right
 with holder
 with rubber mount

Height [mm]

50

Inner Diameter [mm]

23

Required quantity

2

Thread Size

M14x1,5

replacement in pairs recommended

**References**

Citroën 3520.R8

Fiat 1401239480

Fiat 1497407080

Lancia 1401239480

Peugeot 16 075 106 80

Peugeot 16 109 405 80

Peugeot 3520 S5

Peugeot 3520 W4

Peugeot 3520.R8

Peugeot 3521 S0

Peugeot 3521 T2

Citroën 3521.N9

Fiat 1401239580

Fiat 1497408080

Lancia 1401239580

Peugeot 16 075 107 80

Peugeot 16 109 406 80

Peugeot 3520 V8

Peugeot 3520 X0

Peugeot 3521 P6

Peugeot 3521 S7

Peugeot 3521.N9

Application info

Citroën C8 (06/02--)

Fiat Scudo II (270) (01/07--)

Lancia Phedra (09/02-11/10)

Peugeot Expert II (01/07--)

Citroën Jumpy II (01/07--)

Fiat Ulysse II (179) (08/02-06/11)

Peugeot 807 (06/02--)

Mount, control arm

11-14 610 0037

MCB0436

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 59.5
 Inner Diameter [mm] 14
 Outer Diameter [mm] 43
 Required quantity 2
 replacement in pairs recommended



References

Citroën 96 760 321 80
 Citroën 98 168 655 80
 Citroën 98 463 295 80
 Peugeot 98 168 654 80
 Peugeot 98 200 812 80
 Peugeot 98 203 815 80
 Peugeot 98 463 290 80
 Peugeot 98 463 295 80

Citroën 98 168 654 80
 Citroën 98 463 290 80
 Peugeot 96 760 321 80
 Peugeot 98 168 655 80
 Peugeot 98 200 813 80
 Peugeot 98 203 816 80
 Peugeot 98 463 292 80
 Peugeot 98 463 297 80

Application info

Citroën Berlingo III (06/18--)
 Citroën C4 II / DS4 (02/09--)

 Citroën C5 AIRCROSS (11/18--)
 Opel Combo E (K9) (06/18--)
 Peugeot 3008 II (05/16--)
 Peugeot 308 II (09/13--)
 Peugeot 5008 II (12/16--)
 Peugeot Rifter (09/18--)
 Vauxhall Grandland X (75) (06/17--)

Citroën C4 Grand Picasso II (01/13--)
 Citroën C4 SPACETOURER / GRAND SPACETOURER
 (04/18--)
 Opel Astra L (10/21--)
 Opel Grandland X (75) (06/17--)
 Peugeot 308 I (09/07--)
 Peugeot 308 III (07/21--)
 Peugeot 508 II (09/18--)
 Vauxhall Combo Mk IV (06/18--)

Mount, control arm

11-14 610 0038

MCM0032

Notes

Front Axle Left
Rear
with holder
with rubber mount

Height [mm] 61.5
Inner Diameter [mm] 23
Paired article number 11-14 610 0039 | MCM0033
Required quantity 1
Thread Size M12x1,25
replacement in pairs recommended



References

Citroën 3520.P6	Citroën 3520.R8
Citroën 3521.H0	Fiat 1346384080
Fiat 1401239480	Fiat 1401239580
Fiat 1497408080	Fiat 93501487
Lancia 1346384080	Lancia 1401239480
Lancia 1401239580	Lancia 93501487
Peugeot 16 075 106 80	Peugeot 16 109 406 80
Peugeot 3520 S5	Peugeot 3520 V8
Peugeot 3520 W4	Peugeot 3520 X0
Peugeot 3520.P6	Peugeot 3520.R8
Peugeot 3521.H0	

Application info

Citroën C8 (06/02--)	Citroën Jumpy II (01/07--)
Fiat Scudo II (270) (01/07--)	Fiat Ulysse II (179) (08/02-06/11)
Lancia Phedra (09/02-11/10)	Peugeot 807 (06/02--)
Peugeot Expert II (01/07--)	

Mount, control arm

11-14 610 0039

MCM0033

Notes

Front Axle Right
Rear
with holder
with rubber mount

Height [mm] 61.5
Inner Diameter [mm] 23
Paired article number 11-14 610 0038 | MCM0032
Required quantity 1
Thread Size M12x1,25
replacement in pairs recommended



References

Citroën 3521.H1	Citroën 3521.K6
Citroën 3521.N9	Fiat 134 638 5080
Fiat 1497407080	Fiat 93501488
Lancia 1346385080	Lancia 93501488
Peugeot 16 075 107 80	Peugeot 16 109 405 80
Peugeot 3521 P6	Peugeot 3521 S0
Peugeot 3521 S7	Peugeot 3521 T2
Peugeot 3521.H1	Peugeot 3521.K6
Peugeot 3521.N9	

Application info

Citroën C8 (06/02--)	Citroën Jumpy II (01/07--)
Fiat Scudo II (270) (01/07--)	Fiat Ulysse II (179) (08/02-06/11)
Lancia Phedra (09/02-11/10)	Peugeot 807 (06/02--)
Peugeot Expert II (01/07--)	

Mount, control arm

11-14 610 0040

MCM0034

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 with holder
 with rubber mount

Height [mm] 42
 Inner Diameter [mm] 20
 Required quantity 2
 Thread Size M12x1,75
 Thread Size M14x2
 replacement in pairs recommended



References

Citroën 3520.S9 Citroën 3520.W1
 Citroën 3520.W2 Citroën 3521.Q0
 Citroën 3521.S4 Citroën 3521.S5

Application info

Citroën C5 III (RD_, TD_) (02/08--)
 Citroën C6 (09/05-12/12)

Mount, control arm

11-14 610 0041

MCM0035

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 with holder
 with rubber mount

Height [mm] 42
 Inner Diameter [mm] 20
 Required quantity 2
 Thread Size M12x1,75
 Thread Size M14x2
 replacement in pairs recommended



References

Citroën 3520.X6 Citroën 3521.T7

Application info

Citroën C5 III (RD_, TD_) (02/08--)

Mount, control arm

11-14 610 0042

MCM0036

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 with holder
 with rubber mount



Height [mm] 42
 Inner Diameter [mm] 20
 Required quantity 2
 Thread Size M12x1,75
 Thread Size M14x2
 replacement in pairs recommended

References

Peugeot 3520.X7

Peugeot 3521.T8

Application info

Peugeot 407 (02/04--)

Peugeot 508 I (11/10--)

Mount, control arm

11-14 610 0043

MCB0349

Notes

Front
 Front Axle Left
 Front Axle Right
 without holder



Height [mm] 48
 Inner Diameter [mm] 18
 Outer Diameter [mm] 55
 Required quantity 2
 replacement in pairs recommended

References

Citroën 3523 CZ

Citroën 3523 EA

Citroën 3523.CN

DS 3523 CZ

Peugeot 3523 CN

Peugeot 96 707 714 80

Peugeot 96 707 720 80

Peugeot 98 032 864 80

Peugeot 98 032 865 80

Application info

Citroën C2 / C3 I / Pluriel (02/02--)
 Citroën C3 III (07/16--)
 Citroën DS3 (11/09-12/16)
 Peugeot 1007 (04/05--)
 Peugeot 208 I (03/12--)

Citroën C3 II (09/09--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 2008 I (03/13--)

Mount, control arm

11-14 610 0047/HD

MCM0166HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 with holder

Height [mm]
 Inner Diameter [mm]
 Outer Diameter [mm]
 Replace in pairs only
 Required quantity
 reinforced version

61
 21
 70
 2



References

Peugeot 3520.Y0
 Peugeot 96 77 547 880

Peugeot 3521.V1
 Peugeot 96 77 548 980

Application info

Peugeot 508 I (11/10--)

Mount, control arm

11-14 610 0054

MCB0459

Notes

Front Axle Left
 Front Axle Right
 without holder

Height [mm]
 Inner Diameter [mm]
 Outer Diameter [mm]
 Required quantity
 replacement in pairs recommended

65
 14
 52
 2



References

Citroën 96 76 035 280
 Citroën 98 168 654 80
 Citroën 98 463 290 80
 Peugeot 96 76 035 280
 Peugeot 98 168 654 80
 Peugeot 98 200 812 80
 Peugeot 98 203 815 80
 Peugeot 98 463 290 80
 Peugeot 98 463 295 80

Citroën 98 163 803 80
 Citroën 98 168 655 80
 Citroën 98 463 295 80
 Peugeot 98 16 380 380
 Peugeot 98 168 655 80
 Peugeot 98 200 813 80
 Peugeot 98 203 816 80
 Peugeot 98 463 292 80
 Peugeot 98 463 297 80

Application info

Citroën Berlingo III (06/18--)
 Citroën C4 II / DS4 (02/09--)

Citroën C5 AIRCROSS (11/18--)
 Opel Combo E (K9) (06/18--)
 Peugeot 3008 II (05/16--)
 Peugeot 308 II (09/13--)
 Peugeot 5008 II (12/16--)
 Peugeot Rifter (09/18--)
 Vauxhall Grandland X (75) (06/17--)

Citroën C4 Grand Picasso II (01/13--)
 Citroën C4 SPACETOURER / GRAND SPACETOURER
 (04/18--)
 Opel Astra L (10/21--)
 Opel Grandland X (75) (06/17--)
 Peugeot 308 I (09/07--)
 Peugeot 308 III (07/21--)
 Peugeot 508 II (09/18--)
 Vauxhall Combo Mk IV (06/18--)

Mount, control arm

11-14 610 0055/HD

MCB0463HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 48
 Inner Diameter [mm] 18
 Outer Diameter [mm] 55
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Citroën 3523 EC
 Citroën 3523.CP
 Peugeot 3523.CR
 Peugeot 96 707 720 80
 Peugeot 98 032 865 80

Citroën 3523 EE
 DS 3523 EC
 Peugeot 96 707 714 80
 Peugeot 98 032 864 80

Application info

Citroën C2 / C3 I / Pluriel (02/02--)
 Citroën C3 III (07/16--)
 Citroën DS3 (11/09-12/16)
 Peugeot 1007 (04/05--)
 Peugeot 208 I (03/12--)

Citroën C3 II (09/09--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 2008 I (03/13--)

Mount, control arm

114 610 0000

MCB0446

Notes

Front Axle Left
 Front Axle Right
 Rear
 inner
 without holder

Height [mm] 50
 Inner Diameter [mm] 13.5
 Outer Diameter [mm] 66
 Required quantity 2
 replacement in pairs recommended



References

Audi 5Q0 407 183 F
 Volkswagen 5Q0 407 183 F

Audi 81A 407 183
 Volkswagen 81A 407 183

Application info

Audi A3 III (8V_) (04/12--)
 Audi Q2 (06/16--)
 Audi TT III (8S_) (07/14--)
 Volkswagen Golf VIII (CB1) (07/19--)
 Volkswagen Tiguan II (AD1, BW2) (01/16--)

Audi A3 IV (8Y_) (11/19--)
 Audi Q3 II (F3_) (07/18--)
 Volkswagen Golf VII (5G1,BA5) (08/12--)
 Volkswagen T-Roc (A11) (07/17--)

Mount, wheel bearing housing

016 010 6313

MCX0046

Notes

Height [mm] 48
 Inner Diameter [mm] 14
 Outer Diameter [mm] 40
 Required quantity 2
 replacement in pairs recommended



References

Jaguar C2C12119

Jaguar C2C36866

Mercedes-Benz 201 352 00 27

Mercedes-Benz 211 350 18 06

Mercedes-Benz 220 352 02 27

Mercedes-Benz 221 352 01 27

Mercedes-Benz 231 333 02 27

Mercedes-Benz A 204 352 00 27

Mercedes-Benz A 220 352 00 27

Mercedes-Benz A 221 352 00 27

Mercedes-Benz A 230 352 00 27

Mercedes-Benz (BBDC) 204 352 00 27

Jaguar C2C18350

Jaguar C2D4013

Mercedes-Benz 204 352 00 27

Mercedes-Benz 220 352 00 27

Mercedes-Benz 221 352 00 27

Mercedes-Benz 230 352 00 27

Mercedes-Benz A 201 352 00 27

Mercedes-Benz A 211 350 18 06

Mercedes-Benz A 220 352 02 27

Mercedes-Benz A 221 352 01 27

Mercedes-Benz A 231 333 02 27

Mercedes-Benz (BBDC) A 204 352 00 27

Application info

Jaguar S-Type (CCX) (10/98-12/08)

Jaguar XJ (X351) (10/09--)

Mercedes-Benz BM 124 (12/84-12/93)

Mercedes-Benz BM 129 (SL) (03/89-09/04)

Mercedes-Benz BM 170 (SLK) (04/96-04/04)

Mercedes-Benz BM 172 (SLC) (01/16--)

Mercedes-Benz BM 201 (190) (10/82-08/93)

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)

Mercedes-Benz BM 207 (E-Class) (01/09-12/16)

Mercedes-Benz BM 209 (CLK) (05/02-03/10)

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)

Mercedes-Benz BM 213 (E-Class) (01/16--)

Mercedes-Benz BM 216 (S-Class) (05/06-12/13)

Mercedes-Benz BM 218 (CLS) (01/11-12/17)

Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Mercedes-Benz BM 222 (S-Class) (05/13--)

Mercedes-Benz BM 231 (SL) (01/12--)

Mercedes-Benz BM 253 (GLC) (06/15--)

Jaguar XF I (X250) (03/08--)

Jaguar XK (03/06-12/14)

Mercedes-Benz BM 124 (E-Class) (02/93-03/98)

Mercedes-Benz BM 140 (S-Class) (02/91-12/99)

Mercedes-Benz BM 171 (SLK) (03/04-12/11)

Mercedes-Benz BM 172 (SLK) (01/11--)

Mercedes-Benz BM 202 (C-Class) (03/93-03/01)

Mercedes-Benz BM 204 (C-Class) (01/07--)

Mercedes-Benz BM 205 (C-Class) (12/13--)

Mercedes-Benz BM 208 (CLK) (06/97-12/03)

Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Mercedes-Benz BM 215 (S-Class) (03/99-12/06)

Mercedes-Benz BM 217 (S-Class) (12/15--)

Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Mercedes-Benz BM 221 (S-Class) (09/05-12/13)

Mercedes-Benz BM 230 (SL) (10/01-01/12)

Mercedes-Benz BM 238 (E-Class) (06/17--)

Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Mounting kit, control arm

100 610 0000/HD

MCX0166HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Lower
for control arm
with accessories

Required quantity
reinforced version

2



References

Audi 4A0 399 347 C
Audi 4A0 407 181 A
Audi (FAW) 4A0 407 181 A

Audi 4A0 399 413 A
Audi 4A0 407 201
Audi (FAW) 4A0 407 201

Application info

Audi 100 (4A, C4) (12/90-11/94)

Audi A6 I (4A, C4) (06/94-12/97)

Repair kit, ball joint

016 010 0019/HD

MCX0045HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Required quantity

2



References

Smart 0014224V002
Smart 0015642V002000000
Smart 14224V002000000

Smart 0014224V002000000
Smart 14224V001000
Smart 2271V007000005

Application info

Smart City Coupé / Cabrio (07/98-01/04)
Smart Fortwo I (01/04-02/07)

Smart Crossblade (06/02-12/03)
Smart Roadster (04/03-11/05)

Repair kit, ball joint

016 010 0029/HD

MAX0147HD

Notes

Front Axle Left
Front Axle Right
with mounting tool



References

Mercedes-Benz 163 350 00 13
Mercedes-Benz A 163 350 00 13

Mercedes-Benz 163 350 01 13
Mercedes-Benz A 163 350 01 13

Application info

Mercedes-Benz BM 163 (M-Class) (02/98-07/05)

Repair kit, ball joint

016 010 0033/HD

MCX0696HD

Notes

Front Axle



References

Mercedes-Benz 163 330 00 35
Mercedes-Benz A 163 330 00 35

Mercedes-Benz 163 330 01 35
Mercedes-Benz A 163 330 01 35

Application info

Mercedes-Benz BM 163 (M-Class) (02/98-07/05)

Repair kit, ball joint **11-16 010 0018/S** **MCX0428**

Notes

Front Axle Left
 Front Axle Right
 Lower
 without ball joint

Required quantity

2



References

Citroën 3640.58
 Citroën 3640.72
 Peugeot 3640.69

Citroën 3640.69
 Peugeot 3640.58
 Peugeot 3640.72

Application info

Citroën C5 III (RD_, TD_) (02/08--)
 Peugeot 407 (02/04--)

Citroën C6 (09/05-12/12)
 Peugeot 508 I (11/10--)

Repair kit, ball joint **11-16 010 0019** **MCX0189**

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer

Required quantity

2



References

Citroën 3640.57
 Citroën 3640.72
 Peugeot 3640.57
 Peugeot 3640.72

Citroën 3640.69
 Citroën 3640.74
 Peugeot 3640.69
 Peugeot 3640.74

Application info

Citroën C5 III (RD_, TD_) (02/08--)
 Peugeot 407 (02/04--)

Citroën C6 (09/05-12/12)
 Peugeot 508 I (11/10--)

Repair kit, ball joint		11-16 010 0030	MAX0148
Notes	<p>Front Axle Left Front Axle Right Lower outer with mounting tool</p> <p>Thread Size M14x1,5</p>		
References	<p>Citroën 98 186 575 80 Peugeot 98 18 657 580 Toyota SU001-A6525</p>	<p>Citroën 98 345 990 80 Peugeot 98 34 599 080 Toyota SU001-A8260</p>	
Application info	<p>Citroën Jumpy III (04/16--) Peugeot Expert III (04/16--) Toyota Proace II (02/16--)</p>	<p>Citroën Spacetourer (04/16--) Peugeot Traveller (04/16--)</p>	
Repair kit, ball joint		11-16 010 0031	MAX0150
Notes	<p>Front Axle Left Front Axle Right Lower outer with mounting tool</p> <p>Thread Size 1 M14x1,5 Thread Size 2 M42x1,5</p>		
References	<p>Citroën 3640.57 Peugeot 3640.57</p>	<p>Citroën 3640.74 Peugeot 3640.74</p>	
Application info	<p>Citroën C5 III (RD_, TD_) (02/08--) Peugeot 407 (02/04--)</p>	<p>Citroën C6 (09/05-12/12) Peugeot 508 I (11/10--)</p>	

Repair kit, ball joint

11-16 010 0032

MAX0151

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer
 with mounting tool



References

Citroën 3640.57
 Citroën 3640.72
 Peugeot 3640.57
 Peugeot 3640.72

Citroën 3640.69
 Citroën 3640.74
 Peugeot 3640.69
 Peugeot 3640.74

Application info

Citroën C5 III (RD_, TD_) (02/08--)
 Peugeot 407 (02/04--)

Citroën C6 (09/05-12/12)
 Peugeot 508 I (11/10--)

Repair kit, strut mount

100 641 1002/HD

MCX0561HD

Notes

reinforced version

Front Axle
 Set
 with rolling bearing



References

Volkswagen 7E0 412 249
 Volkswagen 7E0 412 249 B
 Volkswagen 7E0 412 331 A
 Volkswagen 7H0 412 341 A
 Volkswagen 7LA 412 331

Volkswagen 7E0 412 249 A
 Volkswagen 7E0 412 331
 Volkswagen 7H0 412 249 A
 Volkswagen 7LA 412 249
 Volkswagen 7LA 412 331 A

Application info

Volkswagen Transporter V (04/03-08/15)

Volkswagen Transporter VI (04/15--)

Repair kit, stub axle

016 754 0001

MCX0655

Notes

Rear Axle Left
Rear Axle Right
with mounting sleeves
2

Required quantity
replacement in pairs recommended



References

- | | |
|--------------------------------------|------------------------------------|
| Jaguar C2C12119 | Jaguar C2C18350 |
| Jaguar C2C36866 | Mercedes-Benz 201 352 00 27 |
| Mercedes-Benz 204 352 00 27 | Mercedes-Benz 211 350 18 06 |
| Mercedes-Benz 220 352 00 27 | Mercedes-Benz 220 352 02 27 |
| Mercedes-Benz 221 352 00 27 | Mercedes-Benz 221 352 01 27 |
| Mercedes-Benz 230 352 00 27 | Mercedes-Benz 231 333 02 27 |
| Mercedes-Benz A 201 352 00 27 | Mercedes-Benz A 204 352 00 27 |
| Mercedes-Benz A 211 350 18 06 | Mercedes-Benz A 220 352 00 27 |
| Mercedes-Benz A 220 352 02 27 | Mercedes-Benz A 221 352 00 27 |
| Mercedes-Benz A 221 352 01 27 | Mercedes-Benz A 230 352 00 27 |
| Mercedes-Benz A 231 333 02 27 | Mercedes-Benz (BBDC) 204 352 00 27 |
| Mercedes-Benz (BBDC) A 204 352 00 27 | |

Application info

- Jaguar S-Type (CCX) (10/98-12/08)
- Jaguar XK (03/06-12/14)
- Mercedes-Benz BM 124 (E-Class) (02/93-03/98)
- Mercedes-Benz BM 140 (S-Class) (02/91-12/99)
- Mercedes-Benz BM 171 (SLK) (03/04-12/11)
- Mercedes-Benz BM 172 (SLK) (01/11--)
- Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
- Mercedes-Benz BM 204 (C-Class) (01/07--)
- Mercedes-Benz BM 205 (C-Class) (12/13--)
- Mercedes-Benz BM 208 (CLK) (06/97-12/03)
- Mercedes-Benz BM 210 (E-Class) (06/95-08/03)
- Mercedes-Benz BM 212 (E-Class) (01/09-12/16)
- Mercedes-Benz BM 215 (S-Class) (03/99-12/06)
- Mercedes-Benz BM 217 (S-Class) (12/15--)
- Mercedes-Benz BM 219 (CLS) (10/04-02/11)
- Mercedes-Benz BM 221 (S-Class) (09/05-12/13)
- Mercedes-Benz BM 230 (SL) (10/01-01/12)
- Mercedes-Benz BM 238 (E-Class) (06/17--)
- Mercedes-Benz BM 257 (CLS-Class) (12/17--)
- Jaguar XF I (X250) (03/08--)
- Mercedes-Benz BM 124 (12/84-12/93)
- Mercedes-Benz BM 129 (SL) (03/89-09/04)
- Mercedes-Benz BM 170 (SLK) (04/96-04/04)
- Mercedes-Benz BM 172 (SLC) (01/16--)
- Mercedes-Benz BM 201 (190) (10/82-08/93)
- Mercedes-Benz BM 203 (C-Class) (05/00-06/11)
- Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
- Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
- Mercedes-Benz BM 209 (CLK) (05/02-03/10)
- Mercedes-Benz BM 211 (E-Class) (03/02-07/09)
- Mercedes-Benz BM 213 (E-Class) (01/16--)
- Mercedes-Benz BM 216 (S-Class) (05/06-12/13)
- Mercedes-Benz BM 218 (CLS) (01/11-12/17)
- Mercedes-Benz BM 220 (S-Class) (09/98-08/05)
- Mercedes-Benz BM 222 (S-Class) (05/13--)
- Mercedes-Benz BM 231 (SL) (01/12--)
- Mercedes-Benz BM 253 (GLC) (06/15--)

Rod/strut, suspension


016 030 0011

MSR0001

Notes

Aluminium
Guide Rod
Lower
Rear Axle Left

Length [mm] 440
Paired article number 016 030 0012 | MSR0002
Required quantity 1
replacement in pairs recommended



References

- Mercedes-Benz 230 350 03 29
- Mercedes-Benz (BBDC) 230 350 03 29
- Mercedes-Benz A 230 350 03 29
- Mercedes-Benz (BBDC) A 230 350 03 29

Application info


- Mercedes-Benz BM 211 (E-Class) (03/02-07/09)
- Mercedes-Benz BM 230 (SL) (10/01-01/12)
- Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Rod/strut, suspension **016 030 0012** **MSR0002**

Notes

Aluminium
Guide Rod
Lower
Rear Axle Right

Length [mm] 440
Paired article number 016 030 0011 | MSR0001
Required quantity 1
replacement in pairs recommended



References

Mercedes-Benz 230 350 04 29 Mercedes-Benz A 230 350 04 29
Mercedes-Benz (BBDC) 230 350 04 29 Mercedes-Benz (BBDC) A 230 350 04 29

Application info


Mercedes-Benz BM 211 (E-Class) (03/02-07/09) Mercedes-Benz BM 219 (CLS) (10/04-02/11)
Mercedes-Benz BM 230 (SL) (10/01-01/12)

Rod/strut, suspension **016 035 0001** **MSR0003**

Notes

Aluminium
Guide Rod
Rear Axle Left
with rubber mount

Inner Diameter [mm] 12
Length [mm] 265
Paired article number 016 035 0002 | MSR0004
Required quantity 1
replacement in pairs recommended



References

Mercedes-Benz 204 350 05 53 Mercedes-Benz 205 350 65 03
Mercedes-Benz A 204 350 05 53 Mercedes-Benz A 205 350 65 03

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--) Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
Mercedes-Benz BM 205 (C-Class) (12/13--) Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
Mercedes-Benz BM 212 (E-Class) (01/09-12/16) Mercedes-Benz BM 213 (E-Class) (01/16--)
Mercedes-Benz BM 218 (CLS) (01/11-12/17) Mercedes-Benz BM 238 (E-Class) (06/17--)
Mercedes-Benz BM 253 (GLC) (06/15--) Mercedes-Benz BM 257 (CLS-Class) (12/17--)
Mercedes-Benz BM 293 (EQC) (05/19--)

Rod/strut, suspension		016 035 0002	MSR0004
<p>Notes</p> <p>Aluminium Guide Rod Rear Axle Right with rubber mount</p> <p>Inner Diameter [mm] 12 Length [mm] 265 Paired article number 016 035 0001 MSR0003 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 204 350 06 53 Mercedes-Benz A 204 350 06 53</p>		<p>Mercedes-Benz 205 350 66 03 Mercedes-Benz A 205 350 66 03</p>	
<p>Application info</p> <p>Mercedes-Benz BM 204 (C-Class) (01/07--) Mercedes-Benz BM 205 (C-Class) (12/13--) Mercedes-Benz BM 212 (E-Class) (01/09-12/16) Mercedes-Benz BM 218 (CLS) (01/11-12/17) Mercedes-Benz BM 253 (GLC) (06/15--) Mercedes-Benz BM 293 (EQC) (05/19--)</p> <p>Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15) Mercedes-Benz BM 207 (E-Class) (01/09-12/16) Mercedes-Benz BM 213 (E-Class) (01/16--) Mercedes-Benz BM 238 (E-Class) (06/17--) Mercedes-Benz BM 257 (CLS-Class) (12/17--)</p>			
Rod/strut, suspension		016 035 0003	MSR0005
<p>Notes</p> <p>Aluminium Front Guide Rod Rear Axle Left Upper</p> <p>Length [mm] 312 Paired article number 016 035 0004 MSR0006 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 204 350 21 06 Mercedes-Benz (BBDC) 204 350 21 06</p>		<p>Mercedes-Benz A 204 350 21 06 Mercedes-Benz (BBDC) A 204 350 21 06</p>	

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)
 Mercedes-Benz BM 205 (C-Class) (12/13--)
 Mercedes-Benz BM 212 (E-Class) (01/09-12/16)
 Mercedes-Benz BM 218 (CLS) (01/11-12/17)
 Mercedes-Benz BM 253 (GLC) (06/15--)
 Mercedes-Benz BM 293 (EQC) (05/19--)

Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
 Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
 Mercedes-Benz BM 213 (E-Class) (01/16--)
 Mercedes-Benz BM 238 (E-Class) (06/17--)
 Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Rod/strut, suspension

016 035 0004

MSR0006

Notes

Aluminium
 Front
 Guide Rod
 Rear Axle Right
 Upper

Length [mm] 312
 Paired article number 016 035 0003 | MSR0005
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 204 350 22 06
 Mercedes-Benz (BBDC) 204 350 22 06

Mercedes-Benz A 204 350 22 06
 Mercedes-Benz (BBDC) A 204 350 22 06

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)
 Mercedes-Benz BM 205 (C-Class) (12/13--)
 Mercedes-Benz BM 212 (E-Class) (01/09-12/16)
 Mercedes-Benz BM 218 (CLS) (01/11-12/17)
 Mercedes-Benz BM 253 (GLC) (06/15--)
 Mercedes-Benz BM 293 (EQC) (05/19--)

Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
 Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
 Mercedes-Benz BM 213 (E-Class) (01/16--)
 Mercedes-Benz BM 238 (E-Class) (06/17--)
 Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Rod/strut, suspension


016 035 0005

MSR0007

Notes

Aluminium
 Guide Rod
 Rear
 Rear Axle Left
 Upper

Length [mm] 343
 Paired article number 016 035 0006 | MSR0008
 Required quantity 1
 replacement in pairs recommended



References

- Mercedes-Benz 204 350 15 06
- Mercedes-Benz 205 350 61 03
- Mercedes-Benz A 204 350 30 06
- Mercedes-Benz (BBDC) 205 350 61 03
- Mercedes-Benz 204 350 30 06
- Mercedes-Benz A 204 350 15 06
- Mercedes-Benz A 205 350 61 03
- Mercedes-Benz (BBDC) A 205 350 61 03

Application info

- Mercedes-Benz BM 204 (C-Class) (01/07--)
- Mercedes-Benz BM 205 (C-Class) (12/13--)
- Mercedes-Benz BM 212 (E-Class) (01/09-12/16)
- Mercedes-Benz BM 218 (CLS) (01/11-12/17)
- Mercedes-Benz BM 238 (E-Class) (06/17--)
- Mercedes-Benz BM 257 (CLS-Class) (12/17--)
- Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
- Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
- Mercedes-Benz BM 213 (E-Class) (01/16--)
- Mercedes-Benz BM 231 (SL) (01/12--)
- Mercedes-Benz BM 253 (GLC) (06/15--)
- Mercedes-Benz BM 293 (EQC) (05/19--)

Rod/strut, suspension


016 035 0006

MSR0008

Notes

Aluminium
 Guide Rod
 Rear
 Rear Axle Right
 Upper

Length [mm] 343
 Paired article number 016 035 0005 | MSR0007
 Required quantity 1
 replacement in pairs recommended



References

- Mercedes-Benz 204 350 16 06
- Mercedes-Benz 205 350 62 03
- Mercedes-Benz A 204 350 31 06
- Mercedes-Benz (BBDC) 205 350 62 03
- Mercedes-Benz 204 350 31 06
- Mercedes-Benz A 204 350 16 06
- Mercedes-Benz A 205 350 62 03
- Mercedes-Benz (BBDC) A 205 350 62 03

Application info


- Mercedes-Benz BM 204 (C-Class) (01/07--)
- Mercedes-Benz BM 205 (C-Class) (12/13--)
- Mercedes-Benz BM 212 (E-Class) (01/09-12/16)
- Mercedes-Benz BM 218 (CLS) (01/11-12/17)
- Mercedes-Benz BM 238 (E-Class) (06/17--)
- Mercedes-Benz BM 257 (CLS-Class) (12/17--)
- Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
- Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
- Mercedes-Benz BM 213 (E-Class) (01/16--)
- Mercedes-Benz BM 231 (SL) (01/12--)
- Mercedes-Benz BM 253 (GLC) (06/15--)
- Mercedes-Benz BM 293 (EQC) (05/19--)

Rod/strut, suspension **016 035 0010** **MSR0009**

Notes

Aluminium
 Guide Rod
 Rear
 Rear Axle Left
 Upper
 with rubber mount

Length [mm] 325
 Paired article number 016 035 0011 | MSR0010
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 230 350 27 06 Mercedes-Benz A 230 350 27 06
 Mercedes-Benz (BBDC) 230 350 27 06 Mercedes-Benz (BBDC) A 230 350 27 06

Application info


Mercedes-Benz BM 211 (E-Class) (03/02-07/09) Mercedes-Benz BM 219 (CLS) (10/04-02/11)
 Mercedes-Benz BM 230 (SL) (10/01-01/12)

Rod/strut, suspension **016 035 0011** **MSR0010**

Notes

Aluminium
 Guide Rod
 Rear
 Rear Axle Right
 Upper
 with rubber mount

Length [mm] 325
 Paired article number 016 035 0010 | MSR0009
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 230 350 28 06 Mercedes-Benz A 230 350 28 06
 Mercedes-Benz (BBDC) 230 350 28 06 Mercedes-Benz (BBDC) A 230 350 28 06

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09) Mercedes-Benz BM 219 (CLS) (10/04-02/11)
 Mercedes-Benz BM 230 (SL) (10/01-01/12)

Rod/strut, suspension **016 035 0012** **MSR0011**

Notes

Aluminium
 Front
 Guide Rod
 Rear Axle Left
 Upper
 with rubber mount

Length [mm] 261
 Paired article number 016 035 0013 | MSR0012
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 230 350 35 06 Mercedes-Benz A 230 350 35 06
 Mercedes-Benz (BBDC) 230 350 35 06 Mercedes-Benz (BBDC) A 230 350 35 06

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09) Mercedes-Benz BM 219 (CLS) (10/04-02/11)
 Mercedes-Benz BM 230 (SL) (10/01-01/12)

Rod/strut, suspension **016 035 0013** **MSR0012**

Notes

Aluminium
 Front
 Guide Rod
 Rear Axle Right
 Upper
 with rubber mount

Length [mm] 261
 Paired article number 016 035 0012 | MSR0011
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 230 350 36 06 Mercedes-Benz A 230 350 36 06
 Mercedes-Benz (BBDC) 230 350 36 06 Mercedes-Benz (BBDC) A 230 350 36 06

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09) Mercedes-Benz BM 219 (CLS) (10/04-02/11)
 Mercedes-Benz BM 230 (SL) (10/01-01/12)

Rod/strut, suspension

016 035 0014

MSR0013

Notes

Front
 Guide Rod
 Lower
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 with rubber mount

Length [mm] 332
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 204 350 00 29
 Mercedes-Benz 205 350 63 03
 Mercedes-Benz A 204 350 27 06
 Mercedes-Benz (BBDC) 204 350 27 06

Mercedes-Benz 204 350 27 06
 Mercedes-Benz A 204 350 00 29
 Mercedes-Benz A 205 350 63 03
 Mercedes-Benz (BBDC) A 204 350 27 06

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)
 Mercedes-Benz BM 205 (C-Class) (12/13--)
 Mercedes-Benz BM 212 (E-Class) (01/09-12/16)
 Mercedes-Benz BM 218 (CLS) (01/11-12/17)
 Mercedes-Benz BM 253 (GLC) (06/15--)
 Mercedes-Benz BM 293 (EQC) (05/19--)

Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)
 Mercedes-Benz BM 207 (E-Class) (01/09-12/16)
 Mercedes-Benz BM 213 (E-Class) (01/16--)
 Mercedes-Benz BM 238 (E-Class) (06/17--)
 Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Rod/strut, suspension

016 035 0016

MSR0014

Notes

Aluminium
 Front
 Guide Rod
 Rear Axle Left
 Rear Axle Right

Length [mm] 367.5
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 230 350 20 06
 Mercedes-Benz (BBDC) 230 350 20 06

Mercedes-Benz A 230 350 20 06
 Mercedes-Benz (BBDC) A 230 350 20 06

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)
 Mercedes-Benz BM 230 (SL) (10/01-01/12)

Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Rod/strut, suspension


016 035 0016/S

MSR0133

Notes

Aluminium
 Front
 Guide Rod
 Rear Axle Left
 Rear Axle Right
 with accessories

Length [mm] 367.5
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 230 350 20 06
 Mercedes-Benz (BBDC) 230 350 20 06

Mercedes-Benz A 230 350 20 06
 Mercedes-Benz (BBDC) A 230 350 20 06

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)
 Mercedes-Benz BM 230 (SL) (10/01-01/12)

Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Rod/strut, suspension

016 035 0017

MSR0123

Notes

Front
 Guide Rod
 Lower
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 with rubber mount

Length [mm] 207.5
 Required quantity 2
 replacement in pairs recommended



References

Infiniti 551A05DA0A
 Mercedes-Benz A 246 350 00 53
 Mercedes-Benz (BBDC) A 246 350 00 53

Mercedes-Benz 246 350 00 53
 Mercedes-Benz (BBDC) 246 350 00 53

Application info

Infiniti Q30 (11/15--)

Mercedes-Benz BM 117 (CLA) (01/13-03/19)

Mercedes-Benz BM 176 (A-Class) (06/12-05/18)

Infiniti QX30 (04/16--)

Mercedes-Benz BM 156 (GLA-Class) (12/13--)

Mercedes-Benz BM 246 (B-Class) (10/11-12/18)

Rod/strut, suspension

016 035 0020

MSR0015

Notes

Aluminium
Guide Rod
Rear
Rear Axle Left
Rear Axle Right
Upper

Length [mm]

322

Required quantity

2

replacement in pairs recommended



References

Mercedes-Benz 220 350 24 06

Mercedes-Benz A 220 350 24 06

Application info

Mercedes-Benz BM 215 (S-Class) (03/99-12/06)

Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Rod/strut, suspension

016 035 0021

MSR0016

Notes

Aluminium
Guide Rod
Rear
Rear Axle Left
Rear Axle Right
Upper
with rubber mount

Length [mm]

395

Required quantity

2

replacement in pairs recommended



References

Mercedes-Benz 220 350 22 06

Mercedes-Benz A 220 350 22 06

Application info

Mercedes-Benz BM 215 (S-Class) (03/99-12/06)

Mercedes-Benz BM 220 (S-Class) (09/98-08/05)

Rod/strut, suspension


016 035 0022

MSR0017

Notes

Guide Rod
 Lower
 Rear
 Rear Axle Left
 Rear Axle Right
 Steel

Length [mm] 257
 Required quantity 2
 Thread Size M10x1,5
 replacement in pairs recommended



References

Mercedes-Benz 203 350 03 53
 Mercedes-Benz A 203 350 03 53

Mercedes-Benz 203 350 07 53
 Mercedes-Benz A 203 350 07 53

Application info

Mercedes-Benz BM 171 (SLK) (03/04-12/11)
 Mercedes-Benz BM 208 (CLK) (06/97-12/03)

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)
 Mercedes-Benz BM 209 (CLK) (05/02-03/10)

Rod/strut, suspension

016 035 0027

MSR0112

Notes

Guide Rod
 Rear
 Rear Axle Left
 Rear Axle Right
 Steel

Length [mm] 522
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 164 350 00 53
 Mercedes-Benz A 164 350 00 53

Mercedes-Benz 166 350 00 53
 Mercedes-Benz A 166 350 00 53

Application info

Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)
 Mercedes-Benz BM 166 (GL) (07/12-12/15)
 Mercedes-Benz BM 166 (GLS) (11/15-04/19)
 Mercedes-Benz BM 251 (R-Class) (08/05-10/17)

Mercedes-Benz BM 164 (M-Class) (02/05-12/12)
 Mercedes-Benz BM 166 (GLE) (03/15-10/19)
 Mercedes-Benz BM 166 (M-Class) (06/11-12/15)

Rod/strut, suspension		016 035 0028	MSR0117
<p>Notes</p> <p>Front Guide Rod Rear Axle Left Rear Axle Right Steel Upper with rubber mount</p> <p>Length [mm] 383 Required quantity 2 replacement in pairs recommended</p>		 <p>A black metal guide rod with two circular mounting points at each end. A blue circular logo with 'MEYLE ORIGINAL PRODUCT' is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Mercedes-Benz 164 350 14 06</p>		<p>Mercedes-Benz A 164 350 14 06</p>	
<p>Application info</p> <p>Mercedes-Benz BM 164 (GL-Class) (09/06-12/12) Mercedes-Benz BM 251 (R-Class) (08/05-10/17)</p>		<p>Mercedes-Benz BM 164 (M-Class) (02/05-12/12)</p>	
Rod/strut, suspension		016 035 0038	MSR0019
<p>Notes</p> <p>Guide Rod Rear Rear Axle Left Rear Axle Right Sheet Steel Upper</p> <p>Length [mm] 298 Required quantity 2 replacement in pairs recommended</p>		 <p>A black metal guide rod with a ball joint at one end and a mounting eye at the other. A blue circular logo with 'MEYLE ORIGINAL PRODUCT' is visible in the top right corner of the image area.</p>	

References

Chrysler K05099786AA	Mercedes-Benz 124 350 08 06
Mercedes-Benz 124 350 59 06	Mercedes-Benz 124 350 70 06
Mercedes-Benz 124 350 76 06	Mercedes-Benz 124 350 77 06
Mercedes-Benz 129 350 04 06	Mercedes-Benz 129 350 05 06
Mercedes-Benz 210 350 16 06	Mercedes-Benz 210 350 17 06
Mercedes-Benz 210 350 24 06	Mercedes-Benz 210 350 25 06
Mercedes-Benz 210 350 34 06	Mercedes-Benz 210 350 35 06
Mercedes-Benz A 124 350 08 06	Mercedes-Benz A 124 350 59 06
Mercedes-Benz A 124 350 70 06	Mercedes-Benz A 124 350 76 06
Mercedes-Benz A 124 350 77 06	Mercedes-Benz A 129 350 04 06
Mercedes-Benz A 129 350 05 06	Mercedes-Benz A 210 350 16 06
Mercedes-Benz A 210 350 17 06	Mercedes-Benz A 210 350 24 06
Mercedes-Benz A 210 350 25 06	Mercedes-Benz A 210 350 34 06
Mercedes-Benz A 210 350 35 06	

Application info

Chrysler Crossfire (07/03-12/08)	Mercedes-Benz BM 124 (12/84-12/93)
Mercedes-Benz BM 124 (E-Class) (02/93-03/98)	Mercedes-Benz BM 129 (SL) (03/89-09/04)
Mercedes-Benz BM 170 (SLK) (04/96-04/04)	Mercedes-Benz BM 171 (SLK) (03/04-12/11)
Mercedes-Benz BM 201 (190) (10/82-08/93)	Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
Mercedes-Benz BM 203 (C-Class) (05/00-06/11)	Mercedes-Benz BM 208 (CLK) (06/97-12/03)
Mercedes-Benz BM 209 (CLK) (05/02-03/10)	Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Rod/strut, suspension

016 035 0038/S

MSR0020

Notes

Guide Rod
 Rear
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 Upper
 with accessories

Length [mm]

298

Required quantity

2

replacement in pairs recommended



References

Chrysler K05099786AA	Mercedes-Benz 124 350 08 06
Mercedes-Benz 124 350 59 06	Mercedes-Benz 124 350 70 06
Mercedes-Benz 124 350 76 06	Mercedes-Benz 124 350 77 06
Mercedes-Benz 129 350 04 06	Mercedes-Benz 129 350 05 06
Mercedes-Benz 210 350 16 06	Mercedes-Benz 210 350 17 06
Mercedes-Benz 210 350 24 06	Mercedes-Benz 210 350 25 06
Mercedes-Benz 210 350 34 06	Mercedes-Benz 210 350 35 06
Mercedes-Benz A 124 350 08 06	Mercedes-Benz A 124 350 59 06
Mercedes-Benz A 124 350 70 06	Mercedes-Benz A 124 350 76 06
Mercedes-Benz A 124 350 77 06	Mercedes-Benz A 129 350 04 06
Mercedes-Benz A 129 350 05 06	Mercedes-Benz A 210 350 16 06
Mercedes-Benz A 210 350 17 06	Mercedes-Benz A 210 350 24 06
Mercedes-Benz A 210 350 25 06	Mercedes-Benz A 210 350 34 06
Mercedes-Benz A 210 350 35 06	

Application info

Chrysler Crossfire (07/03-12/08)	Mercedes-Benz BM 124 (12/84-12/93)
Mercedes-Benz BM 124 (E-Class) (02/93-03/98)	Mercedes-Benz BM 129 (SL) (03/89-09/04)
Mercedes-Benz BM 170 (SLK) (04/96-04/04)	Mercedes-Benz BM 171 (SLK) (03/04-12/11)
Mercedes-Benz BM 201 (190) (10/82-08/93)	Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
Mercedes-Benz BM 203 (C-Class) (05/00-06/11)	Mercedes-Benz BM 208 (CLK) (06/97-12/03)
Mercedes-Benz BM 209 (CLK) (05/02-03/10)	Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Rod/strut, suspension

016 035 0039

MSR0021

Notes

Front
Guide Rod
Lower
Rear Axle Left
Rear Axle Right
Sheet Steel

Length [mm] 315
Required quantity 2
replacement in pairs recommended



References

Chrysler K051134572AA	Mercedes-Benz 124 350 01 29
Mercedes-Benz 210 350 00 29	Mercedes-Benz 210 350 38 06
Mercedes-Benz A 124 350 01 29	Mercedes-Benz A 210 350 00 29
Mercedes-Benz A 210 350 38 06	

Application info

Chrysler Crossfire (07/03-12/08)	Mercedes-Benz BM 124 (12/84-12/93)
Mercedes-Benz BM 124 (E-Class) (02/93-03/98)	Mercedes-Benz BM 129 (SL) (03/89-09/04)
Mercedes-Benz BM 170 (SLK) (04/96-04/04)	Mercedes-Benz BM 171 (SLK) (03/04-12/11)
Mercedes-Benz BM 201 (190) (10/82-08/93)	Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
Mercedes-Benz BM 203 (C-Class) (05/00-06/11)	Mercedes-Benz BM 208 (CLK) (06/97-12/03)
Mercedes-Benz BM 209 (CLK) (05/02-03/10)	Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Rod/strut, suspension

016 035 0039/S

MSR0022

Notes

Front
Guide Rod
Lower
Rear Axle Left
Rear Axle Right
Sheet Steel
with accessories

Length [mm] 315
Required quantity 2
replacement in pairs recommended



References

Chrysler K051134572AA	Mercedes-Benz 124 350 01 29
Mercedes-Benz 124 350 65 06	Mercedes-Benz 210 350 00 29
Mercedes-Benz 210 350 38 06	Mercedes-Benz A 124 350 01 29
Mercedes-Benz A 124 350 65 06	Mercedes-Benz A 210 350 00 29
Mercedes-Benz A 210 350 38 06	

Application info

Chrysler Crossfire (07/03-12/08)	Mercedes-Benz BM 124 (12/84-12/93)
Mercedes-Benz BM 124 (E-Class) (02/93-03/98)	Mercedes-Benz BM 129 (SL) (03/89-09/04)
Mercedes-Benz BM 170 (SLK) (04/96-04/04)	Mercedes-Benz BM 171 (SLK) (03/04-12/11)
Mercedes-Benz BM 201 (190) (10/82-08/93)	Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
Mercedes-Benz BM 203 (C-Class) (05/00-06/11)	Mercedes-Benz BM 208 (CLK) (06/97-12/03)
Mercedes-Benz BM 209 (CLK) (05/02-03/10)	Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Rod/strut, suspension

016 035 0040

MSR0023

Notes

Front
Guide Rod
Rear Axle Left
Rear Axle Right
Sheet Steel
Upper

Length [mm] 247
Required quantity 2
replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| Chrysler K05099785AA | Mercedes-Benz 124 350 42 06 |
| Mercedes-Benz 201 350 39 06 | Mercedes-Benz 201 350 43 06 |
| Mercedes-Benz 201 350 44 06 | Mercedes-Benz 201 350 47 06 |
| Mercedes-Benz 201 350 56 06 | Mercedes-Benz 210 350 33 06 |
| Mercedes-Benz A 124 350 42 06 | Mercedes-Benz A 201 350 39 06 |
| Mercedes-Benz A 201 350 43 06 | Mercedes-Benz A 201 350 44 06 |
| Mercedes-Benz A 201 350 47 06 | Mercedes-Benz A 201 350 56 06 |
| Mercedes-Benz A 210 350 33 06 | |

Application info

- | | |
|--|--|
| Chrysler Crossfire (07/03-12/08) | Mercedes-Benz BM 124 (12/84-12/93) |
| Mercedes-Benz BM 124 (E-Class) (02/93-03/98) | Mercedes-Benz BM 129 (SL) (03/89-09/04) |
| Mercedes-Benz BM 170 (SLK) (04/96-04/04) | Mercedes-Benz BM 171 (SLK) (03/04-12/11) |
| Mercedes-Benz BM 201 (190) (10/82-08/93) | Mercedes-Benz BM 202 (C-Class) (03/93-03/01) |
| Mercedes-Benz BM 203 (C-Class) (05/00-06/11) | Mercedes-Benz BM 208 (CLK) (06/97-12/03) |
| Mercedes-Benz BM 209 (CLK) (05/02-03/10) | Mercedes-Benz BM 210 (E-Class) (06/95-08/03) |

Rod/strut, suspension

016 035 0040/S

MSR0024

Notes

Front
Guide Rod
Rear Axle Left
Rear Axle Right
Sheet Steel
Upper
with accessories

Length [mm] 247
Required quantity 2
replacement in pairs recommended



References

Chrysler K05099785AA	Mercedes-Benz 124 350 42 06
Mercedes-Benz 201 350 39 06	Mercedes-Benz 201 350 43 06
Mercedes-Benz 201 350 44 06	Mercedes-Benz 201 350 47 06
Mercedes-Benz 201 350 56 06	Mercedes-Benz 210 350 33 06
Mercedes-Benz A 124 350 42 06	Mercedes-Benz A 201 350 39 06
Mercedes-Benz A 201 350 43 06	Mercedes-Benz A 201 350 44 06
Mercedes-Benz A 201 350 47 06	Mercedes-Benz A 201 350 56 06
Mercedes-Benz A 210 350 33 06	

Application info


Chrysler Crossfire (07/03-12/08)	Mercedes-Benz BM 124 (12/84-12/93)
Mercedes-Benz BM 124 (E-Class) (02/93-03/98)	Mercedes-Benz BM 129 (SL) (03/89-09/04)
Mercedes-Benz BM 170 (SLK) (04/96-04/04)	Mercedes-Benz BM 171 (SLK) (03/04-12/11)
Mercedes-Benz BM 201 (190) (10/82-08/93)	Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
Mercedes-Benz BM 203 (C-Class) (05/00-06/11)	Mercedes-Benz BM 208 (CLK) (06/97-12/03)
Mercedes-Benz BM 209 (CLK) (05/02-03/10)	Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Rod/strut, suspension

016 035 0046 MSR0029

Notes

	Aluminium
	Guide Rod
	Rear Axle Left
Length [mm]	285
Paired article number	016 035 0047 MSR0030
Required quantity	1
replacement in pairs recommended	



References

Mercedes-Benz 221 350 11 53	Mercedes-Benz A 221 350 11 53
-----------------------------	-------------------------------

Application info

Mercedes-Benz BM 216 (S-Class) (05/06-12/13)	Mercedes-Benz BM 221 (S-Class) (09/05-12/13)
--	--


Rod/strut, suspension

016 035 0047

MSR0030

Notes

Aluminium
 Guide Rod
 Rear Axle Right
 Length [mm] 285
 Paired article number 016 035 0046 | MSR0029
 Required quantity 1
 replacement in pairs recommended



References

Mercedes-Benz 221 350 12 53

Mercedes-Benz A 221 350 12 53

Application info

Mercedes-Benz BM 216 (S-Class) (05/06-12/13)

Mercedes-Benz BM 221 (S-Class) (09/05-12/13)


Rod/strut, suspension

016 039 6300

MSR0039

Notes

Guide Rod
 Rear Axle Left
 Rear Axle Right
 Steel
 Length [mm] 245
 Required quantity 2
 Thread Size M10x1
 replacement in pairs recommended



References

Chrysler K05143012AA

Mercedes-Benz 201 350 19 53

Mercedes-Benz 201 350 32 53

Mercedes-Benz 210 350 18 53

Mercedes-Benz A 201 350 19 53

Mercedes-Benz A 201 350 32 53

Mercedes-Benz A 210 350 18 53

Application info

Chrysler Crossfire (07/03-12/08)

Mercedes-Benz BM 124 (12/84-12/93)

Mercedes-Benz BM 124 (E-Class) (02/93-03/98)

Mercedes-Benz BM 129 (SL) (03/89-09/04)

Mercedes-Benz BM 170 (SLK) (04/96-04/04)

Mercedes-Benz BM 201 (190) (10/82-08/93)

Mercedes-Benz BM 202 (C-Class) (03/93-03/01)

Mercedes-Benz BM 208 (CLK) (06/97-12/03)

Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Rod/strut, suspension

016 039 6301

MSR0040

Notes

Guide Rod
Rear Axle Left
Rear Axle Right
Steel
with accessories

Length [mm] 245
Required quantity 2
Thread Size M10x1
replacement in pairs recommended



References

Mercedes-Benz 124 350 01 53
Mercedes-Benz 210 350 21 53
Mercedes-Benz A 210 350 09 53

Mercedes-Benz 210 350 09 53
Mercedes-Benz A 124 350 01 53
Mercedes-Benz A 210 350 21 53

Application info

Mercedes-Benz BM 124 (12/84-12/93)
Mercedes-Benz BM 129 (SL) (03/89-09/04)
Mercedes-Benz BM 201 (190) (10/82-08/93)
Mercedes-Benz BM 208 (CLK) (06/97-12/03)

Mercedes-Benz BM 124 (E-Class) (02/93-03/98)
Mercedes-Benz BM 170 (SLK) (04/96-04/04)
Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Rod/strut, suspension


11-16 035 0000/HD

MSR0149HD

Notes

Aluminium
Carbon Neutral
Guide Rod
Lower
Rear Axle Right
with rubber mount

Bore Diameter 1 [mm] 12.5
Bore Diameter 2 [mm] 14.5
Length [mm] 392.4
Paired article number 11-16 035 0001/HD | MSR0150HD
Replace in pairs only
Required quantity 1



References

Citroën 5175.CE
DS 5175.CE
Peugeot 5175.CE

Citroën 98 011 457 80
DS 98 011 457 80
Peugeot 98 011 457 80

Application info

Citroën C5 III (RD_, TD_) (02/08--)
 Citroën DS5 (09/11-07/15)
 Peugeot 407 (02/04--)

Citroën C6 (09/05-12/12)
 DS DS 5 (04/15-12/18)
 Peugeot 508 I (11/10--)

Rod/strut, suspension

11-16 035 0001/HD

MSR0150HD

Notes

Aluminium
 Carbon Neutral
 Guide Rod
 Lower
 Rear Axle Left
 with rubber mount

Bore Diameter 1 [mm] 12.5
 Bore Diameter 2 [mm] 14.5
 Length [mm] 392.4
 Paired article number 11-16 035 0000/HD | MSR0149HD
 Replace in pairs only
 Required quantity 1



References

Citroën 5175.CC
 DS 5175.CC
 Peugeot 5175.CC

Citroën 98 011 458 80
 DS 98 011 458 80
 Peugeot 98 011 458 80

Application info

Citroën C5 III (RD_, TD_) (02/08--)
 Citroën DS5 (09/11-07/15)
 Peugeot 407 (02/04--)

Citroën C6 (09/05-12/12)
 DS DS 5 (04/15-12/18)
 Peugeot 508 I (11/10--)

Rod/strut, suspension

11-16 035 0002

MSR0141

Notes

Guide Rod
 Lower
 Rear
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 with rubber mount

Length [mm] 440
 Required quantity 2
 replacement in pairs recommended



References

Citroën 5175.CF

Peugeot 5175.CF

Application info

Citroën C5 III (RD_, TD_) (02/08--)

Citroën C6 (09/05-12/12)

Peugeot 407 (02/04--)

Peugeot 508 I (11/10--)

Rod/strut, suspension

116 035 0002

MSR0054

Notes

Guide Rod
Lower
Rear Axle Left
Sheet Steel
with rubber mount

Length [mm]

298

Paired article number

116 035 0003 | MSR0055

Required quantity

1

replacement in pairs recommended



References

Audi 1K0 501 529 F

Audi (FAW) 1K0 501 529 F

Seat 1K0 501 529 F

Seat 7N0 501 529

Skoda 1K0 501 529 F

Volkswagen 1K0 501 529 E

Volkswagen 1K0 501 529 F

Volkswagen 7N0 501 529

Application info

Audi A3 II (8P_) (05/03-12/15)

Audi Q3 I (8U_) (06/11-12/18)

Audi TT II (8J_) (07/06-01/15)

Seat Alhambra II (710) (06/10--)

Seat Leon II / Toledo III / Altea (1P_, 5P_) (03/04--)

Skoda Octavia II (1Z_) (02/04-06/13)

Skoda Superb II (3T) (03/08-05/15)

Volkswagen CC (11/11-12/16)

Volkswagen Eos (03/06-08/15)

Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)

Volkswagen Jetta III (1K2) (09/04-12/13)

Volkswagen Passat (362, 365) (08/10-12/15)

Volkswagen Passat (3C_) (03/05-01/12)

Volkswagen Passat (A32) (01/11--)

Volkswagen Sharan (7N) (05/10--)

Volkswagen Tiguan I (5N) (09/07-07/18)

Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Rod/strut, suspension

116 035 0003

MSR0055

Notes

Guide Rod
Lower
Rear Axle Right
Sheet Steel
with rubber mount

Length [mm] 298
Paired article number 116 035 0002 | MSR0054
Required quantity 1
replacement in pairs recommended



References

Audi 1K0 501 530 C	Audi (FAW) 1K0 501 530 C
Seat 1K0 501 530 C	Seat 7N0 501 530
Skoda 1K0 501 530 C	Volkswagen 1K0 501 530 B
Volkswagen 1K0 501 530 C	Volkswagen 7N0 501 530

Application info

Audi A3 II (8P_) (05/03-12/15)	Audi Q3 I (8U_) (06/11-12/18)
Audi TT II (8J_) (07/06-01/15)	Seat Alhambra II (710) (06/10--)
Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)	Skoda Octavia II (1Z_) (02/04-06/13)
Skoda Superb II (3T) (03/08-05/15)	Volkswagen CC (11/11-12/16)
Volkswagen Eos (03/06-08/15)	Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Passat (362, 365) (08/10-12/15)
Volkswagen Passat (3C_) (03/05-01/12)	Volkswagen Passat (A32) (01/11--)
Volkswagen Sharan (7N) (05/10--)	Volkswagen Tiguan I (5N) (09/07-07/18)
Volkswagen Touran I (1T1/2/3) (02/03-05/15)	

Rod/strut, suspension

116 035 0008

MSR0058

Notes

Aluminium
Front
Guide Rod
Rear Axle Left
Rear Axle Right
Upper
with rubber mount

Length [mm] 300
Required quantity 2
replacement in pairs recommended



References

Audi 7L0 505 323 A
Volkswagen 7L0 505 323 A

Porsche 955 331 047 10

Application info

Audi Q7 I (4L_) (03/06-01/16)
Porsche Cayenne II (92A) (06/10--)
Volkswagen Touareg II (7P5) (01/10-12/18)

Porsche Cayenne I (955) (09/02-12/10)
Volkswagen Touareg I (7LA, 7L6, 7L7) (10/02-01/13)

Rod/strut, suspension

116 035 0012 MSR0060

Notes

Aluminium
Guide Rod
Rear
Rear Axle Left
with rubber mount
Length [mm] 362
Paired article number 116 035 0013 | MSR0061
Required quantity 1

replacement in pairs recommended



References

Audi 8K0 505 323 D
Audi 8K0 505 323 H
Porsche 8K0 505 323 F

Audi 8K0 505 323 F
Audi (FAW) 8KD 505 323 C

Application info

Audi A4 IV (8K_) (08/07-05/16)
Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)
Audi A8 III (4H_) (11/09-01/18)
Porsche Macan (95B) (02/14--)

Audi A5 I (8F_, 8T_) (06/07-01/17)
Audi A7 I Sportback (4G_) (07/10-05/18)
Audi Q5 I (8R_) (11/08-12/17)

Rod/strut, suspension

116 035 0013 MSR0061

Notes

Aluminium
Guide Rod
Rear
Rear Axle Right
with rubber mount
Length [mm] 362
Paired article number 116 035 0012 | MSR0060
Required quantity 1

replacement in pairs recommended



References

Audi 8K0 505 324 D
 Audi 8K0 505 324 H
 Porsche 8K0 505 324 F

Audi 8K0 505 324 F
 Audi (FAW) 8KD 505 324 C

Application info

Audi A4 IV (8K_) (08/07-05/16)
 Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)
 Audi A8 III (4H_) (11/09-01/18)
 Porsche Macan (95B) (02/14--)

Audi A5 I (8F_ , 8T_) (06/07-01/17)
 Audi A7 I Sportback (4G_) (07/10-05/18)
 Audi Q5 I (8R_) (11/08-12/17)

Rod/strut, suspension


116 035 0015

MSR0115

Notes

Aluminium
 Guide Rod
 Rear Axle Left
 with rubber mount

Length [mm] 282
 Paired article number 116 035 0016 | MSR0116
 Required quantity 1
 replacement in pairs recommended



References

Audi 8K0 501 529 K
 Audi (FAW) 8K0 501 529 N

Audi 8K0 501 529 N

Application info

Audi A4 IV (8K_) (08/07-05/16)
 Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)
 Audi A8 III (4H_) (11/09-01/18)

Audi A5 I (8F_ , 8T_) (06/07-01/17)
 Audi A7 I Sportback (4G_) (07/10-05/18)
 Audi Q5 I (8R_) (11/08-12/17)

Rod/strut, suspension


116 035 0016

MSR0116

Notes

Aluminium
 Guide Rod
 Rear Axle Right
 with rubber mount

Length [mm] 282
 Paired article number 116 035 0015 | MSR0115
 Required quantity 1
 replacement in pairs recommended



References

Audi 8K0 501 530 K

Audi (FAW) 8K0 501 530 N

Audi 8K0 501 530 N

Application info

Audi A4 IV (8K_) (08/07-05/16)

Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)

Audi A8 III (4H_) (11/09-01/18)

Audi A5 I (8F_ , 8T_) (06/07-01/17)

Audi A7 I Sportback (4G_) (07/10-05/18)

Audi Q5 I (8R_) (11/08-12/17)

Rod/strut, suspension**116 035 0020****MSR0120****Notes**

Guide Rod
Rear Axle Left
Rear Axle Right
Sheet Steel
with rubber mount

Length [mm]

306

Required quantity

2

replacement in pairs recommended

**References**

Audi 1K0 505 323 H

Audi 5Q0 505 323 C

Audi (FAW) 5Q0 505 323 C

Seat 1K0 505 323 H

Seat 5Q0 505 323 C

Skoda 1K0 505 323 H

Skoda 5Q0 505 323 C

Volkswagen 1K0 505 323 H

Volkswagen 1K0 505 323 P

Volkswagen 5Q0 505 323 D

Volkswagen (FAW) 5Q0 505 323 D

Audi 1K0 505 323 N

Audi 5Q0 505 323 D

CUPRA 5Q0505323C

Seat 1K0 505 323 N

Seat 5Q0 505 323 D

Skoda 1K0 505 323 N

Skoda 5Q0 505 323 D

Volkswagen 1K0 505 323 N

Volkswagen 5Q0 505 323 C

Volkswagen (FAW) 5Q0 505 323 C

Application info

- Audi A1 I (8X_) (05/10-10/18)
- Audi A3 III (8V_) (04/12--)
- Audi Q2 (06/16--)
- Audi Q3 II (F3_) (07/18--)
- Audi TT III (8S_) (07/14--)
- CUPRA FORMENTOR (KM_) (07/20--)
- Seat Alhambra II (710) (06/10--)
- Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
- Seat Leon IV (KL_) (11/19--)
- Skoda Karoq (07/17--)
- Skoda Octavia II (1Z_) (02/04-06/13)
- Skoda Octavia IV (NX_) (11/19--)
- Skoda Superb III (3V_) (03/15--)
- Volkswagen Arteon (03/17--)
- Volkswagen CC (11/11-12/16)
- Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
- Volkswagen Golf VII (5G1,BA5) (08/12--)
- Volkswagen Jetta III (1K2) (09/04-12/13)
- Volkswagen Jetta VII (BU3) (12/17--)
- Volkswagen Passat (3C_) (03/05-01/12)
- Volkswagen Passat (B8) (08/14--)
- Volkswagen Sharan (7N) (05/10--)
- Volkswagen Taos (CL1, CQ1) (10/20--)
- Volkswagen Tiguan II (AD1, BW2) (01/16--)
- Volkswagen Touran II (5T1) (05/15--)
- Audi A3 II (8P_) (05/03-12/15)
- Audi A3 IV (8Y_) (11/19--)
- Audi Q3 I (8U_) (06/11-12/18)
- Audi TT II (8J_) (07/06-01/15)
- CUPRA ATECA (KH7_KHP) (09/18--)
- CUPRA LEON (KL_) (10/20--)
- Seat Ateca (04/16--)
- Seat Leon III (5F_) (09/12--)
- Seat Tarraco (09/18--)
- Skoda Kodiaq I (10/16--)
- Skoda Octavia III (5E_) (11/12--)
- Skoda Superb II (3T) (03/08-05/15)
- Skoda Yeti (5L) (05/09-12/17)
- Volkswagen Beetle (5C1) (04/11-07/19)
- Volkswagen Eos (03/06-08/15)
- Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
- Volkswagen Golf VIII (CB1) (07/19--)
- Volkswagen Jetta IV (162) (01/08--)
- Volkswagen Passat (362, 365) (08/10-12/15)
- Volkswagen Passat (A32) (01/11--)
- Volkswagen Scirocco III (137) (05/08-11/17)
- Volkswagen T-Roc (A11) (07/17--)
- Volkswagen Tiguan I (5N) (09/07-07/18)
- Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Rod/strut, suspension

116 035 0020/S

MSR0121

Notes

Guide Rod
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 with accessories
 with rubber mount

Length [mm] 306
 Required quantity 2
 replacement in pairs recommended



References

Audi 1K0 505 323 H	Audi 1K0 505 323 N
Audi 5Q0 505 323 C	Audi 5Q0 505 323 D
Audi (FAW) 5Q0 505 323 C	CUPRA 5Q0505323C
Seat 1K0 505 323 H	Seat 1K0 505 323 N
Seat 5Q0 505 323 C	Seat 5Q0 505 323 D
Skoda 1K0 505 323 H	Skoda 1K0 505 323 N
Skoda 5Q0 505 323 C	Skoda 5Q0 505 323 D
Volkswagen 1K0 505 323 H	Volkswagen 1K0 505 323 N
Volkswagen 1K0 505 323 P	Volkswagen 5Q0 505 323 C
Volkswagen 5Q0 505 323 D	Volkswagen (FAW) 5Q0 505 323 C
Volkswagen (FAW) 5Q0 505 323 D	

Application info

Audi A1 I (8X_) (05/10-10/18)	Audi A3 II (8P_) (05/03-12/15)
Audi A3 III (8V_) (04/12--)	Audi A3 IV (8Y_) (11/19--)
Audi Q2 (06/16--)	Audi Q3 I (8U_) (06/11-12/18)
Audi Q3 II (F3_) (07/18--)	Audi TT II (8J_) (07/06-01/15)
Audi TT III (8S_) (07/14--)	CUPRA ATECA (KH7_KHP) (09/18--)
CUPRA FORMENTOR (KM_) (07/20--)	CUPRA LEON (KL_) (10/20--)
Seat Alhambra II (710) (06/10--)	Seat Ateca (04/16--)
Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)	Seat Leon III (5F_) (09/12--)
Seat Leon IV (KL_) (11/19--)	Seat Tarraco (09/18--)
Skoda Karoq (07/17--)	Skoda Kodiaq I (10/16--)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Octavia III (5E_) (11/12--)
Skoda Octavia IV (NX_) (11/19--)	Skoda Superb II (3T) (03/08-05/15)
Skoda Superb III (3V_) (03/15--)	Skoda Yeti (5L) (05/09-12/17)
Volkswagen Arteon (03/17--)	Volkswagen Beetle (5C1) (04/11-07/19)
Volkswagen CC (11/11-12/16)	Volkswagen Eos (03/06-08/15)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)	Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Golf VII (5G1,BA5) (08/12--)	Volkswagen Golf VIII (CB1) (07/19--)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Jetta IV (162) (01/08--)
Volkswagen Jetta VII (BU3) (12/17--)	Volkswagen Passat (362, 365) (08/10-12/15)
Volkswagen Passat (3C_) (03/05-01/12)	Volkswagen Passat (A32) (01/11--)
Volkswagen Passat (B8) (08/14--)	Volkswagen Scirocco III (137) (05/08-11/17)
Volkswagen Sharan (7N) (05/10--)	Volkswagen T-Roc (A11) (07/17--)
Volkswagen Taos (CL1, CQ1) (10/20--)	Volkswagen Tiguan I (5N) (09/07-07/18)
Volkswagen Tiguan II (AD1, BW2) (01/16--)	Volkswagen Touran I (1T1/2/3) (02/03-05/15)
Volkswagen Touran II (5T1) (05/15--)	

Rod/strut, suspension		116 050 0023	MSR0064
<p>Notes</p> <p>Guide Rod Rear Axle Left Steel</p> <p>Paired article number 116 050 0024 MSR0065 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Audi 443 505 351 P</p>			
<p>Application info</p> <p>Audi 100 (4A, C4) (12/90-11/94) Audi 100/200 (44, 44Q, C3) (08/82-12/91) Audi A6 I (4A, C4) (06/94-12/97) Audi V8 (D1) (10/88-02/94)</p>			
Rod/strut, suspension		116 050 0024	MSR0065
<p>Notes</p> <p>Guide Rod Rear Axle Right Steel</p> <p>Paired article number 116 050 0023 MSR0064 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Audi 443 505 352 P</p>			
<p>Application info</p> <p>Audi 100 (4A, C4) (12/90-11/94) Audi 100/200 (44, 44Q, C3) (08/82-12/91) Audi A6 I (4A, C4) (06/94-12/97) Audi V8 (D1) (10/88-02/94)</p>			

Sleeve, control arm mount

014 035 0034

MCX0034

Notes

	Rear Axle
	Steel
Inner Diameter [mm]	12
Length [mm]	17.9
Outer Diameter [mm]	13
Required quantity	2



References

Mercedes-Benz 210 352 00 43

Mercedes-Benz A 210 352 00 43

Application info

Chrysler Crossfire (07/03-12/08)	Mercedes-Benz BM 124 (12/84-12/93)
Mercedes-Benz BM 124 (E-Class) (02/93-03/98)	Mercedes-Benz BM 129 (SL) (03/89-09/04)
Mercedes-Benz BM 170 (SLK) (04/96-04/04)	Mercedes-Benz BM 171 (SLK) (03/04-12/11)
Mercedes-Benz BM 201 (190) (10/82-08/93)	Mercedes-Benz BM 202 (C-Class) (03/93-03/01)
Mercedes-Benz BM 203 (C-Class) (05/00-06/11)	Mercedes-Benz BM 208 (CLK) (06/97-12/03)
Mercedes-Benz BM 209 (CLK) (05/02-03/10)	Mercedes-Benz BM 210 (E-Class) (06/95-08/03)

Sleeve, control arm mount

100 399 0020

MCX0141

Notes

	Front Axle Left
	Front Axle Right
	Steel
Inner Diameter [mm]	13
Length [mm]	56
Outer Diameter [mm]	15
Required quantity	2



References

Audi 4A0 399 413 A

Application info

Audi 100 (4A, C4) (12/90-11/94)	Audi A6 I (4A, C4) (06/94-12/97)
---------------------------------	----------------------------------

Stabilizer link **016 035 0000/HD** **MSL0003HD**

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 121
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Smart 0005102V005 Smart 0005102V005000000
Smart 5102V005000000

Application info

Smart City Coupé / Cabrio (07/98-01/04) Smart Crossblade (06/02-12/03)
Smart Fortwo I (01/04-02/07) Smart Roadster (04/03-11/05)

Stabilizer link **016 035 0056** **MSL0987**

Notes

Coupling Rod
Rear Axle Right

Length [mm] 318
Paired article number 016 035 0057 | MSL0988
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
replacement in pairs recommended



References

Mercedes-Benz 222 320 04 89 Mercedes-Benz A 222 320 04 89

Application info

Mercedes-Benz BM 217 (S-Class) (12/15--)
Mercedes-Benz BM 222 (S-Class) (05/13--)

Stabilizer link		016 035 0057	MSL0988
<p>Notes</p> <p>Coupling Rod Rear Axle Left</p> <p>Length [mm] 318</p> <p>Paired article number 016 035 0056 MSL0987</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 222 320 03 89 Mercedes-Benz A 222 320 03 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 217 (S-Class) (12/15--)</p> <p>Mercedes-Benz BM 222 (S-Class) (05/13--)</p>			
Stabilizer link		016 035 0058	MSL1000
<p>Notes</p> <p>Coupling Rod Front Axle Right</p> <p>Length [mm] 297</p> <p>Paired article number 016 035 0059 MSL1001</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 253 323 02 17 Mercedes-Benz A 253 323 02 17</p>			
<p>Application info</p> <p>Mercedes-Benz BM 253 (GLC) (06/15--)</p> <p>Mercedes-Benz BM 293 (EQC) (05/19--)</p>			

Stabilizer link		016 035 0059	MSL1001
<p>Notes</p> <p>Coupling Rod Front Axle Left</p> <p>Length [mm] 297</p> <p>Paired article number 016 035 0058 MSL1000</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 253 323 01 17 Mercedes-Benz A 253 323 01 17</p>			
<p>Application info</p> <p>Mercedes-Benz BM 253 (GLC) (06/15--)</p> <p>Mercedes-Benz BM 293 (EQC) (05/19--)</p>			
Stabilizer link		016 035 0060	MSL1002
<p>Notes</p> <p>Coupling Rod Front Axle Right</p> <p>Length [mm] 292</p> <p>Paired article number 016 035 0061 MSL1003</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 205 323 10 17 Mercedes-Benz A 205 323 10 17</p>			
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--)</p> <p>Mercedes-Benz BM 213 (E-Class) (01/16--)</p> <p>Mercedes-Benz BM 238 (E-Class) (06/17--)</p> <p>Mercedes-Benz BM 257 (CLS-Class) (12/17--)</p>			

Stabilizer link **016 035 0061** **MSL1003**

Notes

Coupling Rod
 Front Axle Left
 Length [mm] 292
 Paired article number 016 035 0060 | MSL1002
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 replacement in pairs recommended



References

Mercedes-Benz 205 323 09 17 Mercedes-Benz A 205 323 09 17
 Trade number N/A

Application info

Mercedes-Benz BM 205 (C-Class) (12/13--)
 Mercedes-Benz BM 238 (E-Class) (06/17--)
 Mercedes-Benz BM 213 (E-Class) (01/16--)
 Mercedes-Benz BM 257 (CLS-Class) (12/17--)

Stabilizer link **016 060 0001/HD** **MSL0004HD**

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment
 Length [mm] 220
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 168 320 03 89 Mercedes-Benz 168 320 05 89
 Mercedes-Benz 168 320 07 89 Mercedes-Benz 168 320 10 89
 Mercedes-Benz 168 320 11 89 Mercedes-Benz A 168 320 03 89
 Mercedes-Benz A 168 320 05 89 Mercedes-Benz A 168 320 07 89
 Mercedes-Benz A 168 320 10 89 Mercedes-Benz A 168 320 11 89

Application info

Mercedes-Benz BM 168 (A-Class) (07/97-08/05)

Stabilizer link **016 060 0002/HD** **MSL0005HD**

Notes	Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment	
Length [mm]	276	
Required quantity	2	
Thread Size 1	M10x1,5	
Thread Size 2	M10x1,5	
reinforced version		
replacement in pairs recommended		

References	
Mercedes-Benz 203 320 04 89	Mercedes-Benz 203 320 25 89
Mercedes-Benz 203 320 28 89	Mercedes-Benz 203 320 38 89
Mercedes-Benz A 203 320 04 89	Mercedes-Benz A 203 320 25 89
Mercedes-Benz A 203 320 28 89	Mercedes-Benz A 203 320 38 89

Application info	
Mercedes-Benz BM 203 (C-Class) (05/00-06/11)	Mercedes-Benz BM 209 (CLK) (05/02-03/10)

Stabilizer link **016 060 0005/HD** **MSL0008HD**

Notes	Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment	
Length [mm]	276	
Required quantity	2	
Thread Size 1	M12x1,5	
Thread Size 2	M12x1,5	
reinforced version		
replacement in pairs recommended		

References	
Mercedes-Benz 203 320 21 89	Mercedes-Benz 203 320 26 89
Mercedes-Benz 203 320 29 89	Mercedes-Benz A 203 320 21 89
Mercedes-Benz A 203 320 26 89	Mercedes-Benz A 203 320 29 89

Application info

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

Mercedes-Benz BM 209 (CLK) (05/02-03/10)

Stabilizer link

016 060 0007

MSL0010

Notes

Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 259
Pipe Diameter [mm] 10.5
Required quantity 2
Thread Size 1 M10x1,5
replacement in pairs recommended



References

Mercedes-Benz 211 320 08 89

Mercedes-Benz 211 320 33 89

Mercedes-Benz A 211 320 08 89

Mercedes-Benz A 211 320 33 89

Mercedes-Benz (BBDC) 211 320 33 89

Mercedes-Benz (BBDC) A 211 320 33 89

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)

Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Mercedes-Benz BM 230 (SL) (10/01-01/12)

Stabilizer link


016 060 0008

MSL0011

Notes

Coupling Rod
Front Axle Left

Length [mm] 129
Paired article number 016 060 0009 | MSL0012
Required quantity 1
replacement in pairs recommended



References

Mercedes-Benz 211 320 09 89

Mercedes-Benz 211 320 39 89

Mercedes-Benz A 211 320 09 89

Mercedes-Benz A 211 320 39 89

Mercedes-Benz (BBDC) 211 320 39 89

Mercedes-Benz (BBDC) A 211 320 39 89

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)


Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Stabilizer link		016 060 0009	MSL0012
<p>Notes</p> <p>Coupling Rod Front Axle Right</p> <p>Length [mm] 129</p> <p>Paired article number 016 060 0008 MSL0011</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 211 320 10 89 Mercedes-Benz 211 320 38 89</p> <p>Mercedes-Benz A 211 320 10 89 Mercedes-Benz A 211 320 38 89</p> <p>Mercedes-Benz (BBDC) 211 320 38 89 Mercedes-Benz (BBDC) A 211 320 38 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 211 (E-Class) (03/02-07/09) Mercedes-Benz BM 219 (CLS) (10/04-02/11)</p>			
Stabilizer link		016 060 0010	MSL0013
<p>Notes</p> <p>Coupling Rod Front Axle Right for vehicles without electronic suspension control</p> <p>Inner Diameter [mm] 14</p> <p>Length [mm] 177</p> <p>Paired article number 016 060 0011 MSL0014</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 220 320 15 89 Mercedes-Benz A 220 320 15 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 220 (S-Class) (09/98-08/05)</p>			

Stabilizer link		016 060 0011	MSL0014
<p>Notes</p> <p>Coupling Rod Front Axle Left Steel for vehicles without electronic suspension control</p> <p>Inner Diameter [mm] 14 Length [mm] 177 Paired article number 016 060 0010 MSL0013 Required quantity 1 replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 220 320 16 89</p>		<p>Mercedes-Benz A 220 320 16 89</p>	
<p>Application info</p> <p>Mercedes-Benz BM 220 (S-Class) (09/98-08/05)</p>			
Stabilizer link		016 060 0012/HD	MSL0701HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 257 Paired article number 016 060 0013/HD MSL0702HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 172 323 02 17</p>		<p>Mercedes-Benz A 172 323 02 17</p>	
<p>Application info</p> <p>Mercedes-Benz BM 172 (SLC) (01/16--)</p>			
<p>Mercedes-Benz BM 172 (SLK) (01/11--)</p>			

Stabilizer link		016 060 0013/HD	MSL0702HD
Notes Carbon Neutral Coupling Rod Front Axle Left with spanner attachment Length [mm] 257 Paired article number 016 060 0012/HD MSL0701HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended			
References Mercedes-Benz 172 323 01 17 Mercedes-Benz A 172 323 01 17			
Application info Mercedes-Benz BM 172 (SLC) (01/16--) Mercedes-Benz BM 172 (SLK) (01/11--)			
Stabilizer link		016 060 0014/HD	MSL0015HD
Notes Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment Length [mm] 207 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended			
References Mercedes-Benz 414 320 01 89 Mercedes-Benz 414 320 03 89 Mercedes-Benz A 414 320 01 89 Mercedes-Benz A 414 320 03 89			
Application info Mercedes-Benz BM 414 (Vaneo) (02/02-07/05)			

Stabilizer link		016 060 0015/HD	MSL0016HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 291</p> <p>Paired article number 016 060 0016/HD MSL0017HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 221 320 15 89 Mercedes-Benz A 221 320 15 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 216 (S-Class) (05/06-12/13) Mercedes-Benz BM 221 (S-Class) (09/05-12/13)</p>			
Stabilizer link		016 060 0016/HD	MSL0017HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 291</p> <p>Paired article number 016 060 0015/HD MSL0016HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 221 320 16 89 Mercedes-Benz A 221 320 16 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 216 (S-Class) (05/06-12/13) Mercedes-Benz BM 221 (S-Class) (09/05-12/13)</p>			

Stabilizer link		016 060 0017/HD	MSL0018HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 290 Paired article number 016 060 0018/HD MSL0019HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 204 320 07 89 Mercedes-Benz A 204 320 07 89 Mercedes-Benz (BBDC) 204 320 07 89 Mercedes-Benz (BBDC) A 204 320 07 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 204 (C-Class) (01/07--) Mercedes-Benz BM 207 (E-Class) (01/09-12/16)</p> <p>Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)</p>			
Stabilizer link		016 060 0018/HD	MSL0019HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 290 Paired article number 016 060 0017/HD MSL0018HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 204 320 22 89 Mercedes-Benz A 204 320 22 89 Mercedes-Benz (BBDC) 204 320 22 89 Mercedes-Benz (BBDC) A 204 320 22 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 204 (C-Class) (01/07--) Mercedes-Benz BM 207 (E-Class) (01/09-12/16)</p> <p>Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)</p>			

Stabilizer link

016 060 0021/HD

MSL0021HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm] 174
Required quantity 2
Thread Size M10x1,5
reinforced version
replacement in pairs recommended



References

Smart 0001802V004 Smart 0001802V004000000
Smart 01802V004000 Smart 1802V004000000

Application info

Smart City Coupé / Cabrio (07/98-01/04) Smart Crossblade (06/02-12/03)
Smart Fortwo I (01/04-02/07) Smart Roadster (04/03-11/05)

Stabilizer link

016 060 0024

MSL0024

Notes

Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 288
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M12x1,75
replacement in pairs recommended



References

Mercedes-Benz 203 320 18 89 Mercedes-Benz 203 320 30 89
Mercedes-Benz A 203 320 18 89 Mercedes-Benz A 203 320 30 89

Application info

Mercedes-Benz BM 203 (C-Class) (05/00-06/11)

Stabilizer link		016 060 0025	MSL0025
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 244 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 169 320 09 89 Mercedes-Benz 169 320 13 89 Mercedes-Benz A 169 320 09 89 Mercedes-Benz A 169 320 13 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 169 (A-Class) (09/04-06/12) Mercedes-Benz BM 245 (B-Class) (03/05-11/11)</p>			
Stabilizer link		016 060 0027/HD	MSL0027HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 255 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 171 323 00 17 Mercedes-Benz A 171 323 00 17</p>			
<p>Application info</p> <p>Mercedes-Benz BM 171 (SLK) (03/04-12/11) Mercedes-Benz BM 204 (C-Class) (01/07--)</p>			

Stabilizer link		016 060 0029/HD	MSL0028HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 325 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			

References	
Smart 454 320 00 10	Smart A 454 320 00 10

Application info	
Smart Forfour (01/04-06/06)	

Stabilizer link		016 060 0030/HD	MSL0029HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 280 Paired article number 016 060 0031/HD MSL0030HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			

References	
Mercedes-Benz 639 320 00 89	Mercedes-Benz 639 320 02 89
Mercedes-Benz 639 320 04 89	Mercedes-Benz A 639 320 00 89
Mercedes-Benz A 639 320 02 89	Mercedes-Benz A 639 320 04 89

Application info	
Mercedes-Benz BM 639 (Vito / Viano) (08/03--)	

Stabilizer link		016 060 0031/HD	MSL0030HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 280</p> <p>Paired article number 016 060 0030/HD MSL0029HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			

References			
Mercedes-Benz 639 320 01 89		Mercedes-Benz 639 320 03 89	
Mercedes-Benz 639 320 05 89		Mercedes-Benz A 639 320 01 89	
Mercedes-Benz A 639 320 03 89		Mercedes-Benz A 639 320 05 89	

Application info	
Mercedes-Benz BM 639 (Vito / Viano) (08/03--)	

Stabilizer link		016 060 0032	MSL0031
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 205</p> <p>Required quantity 2</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			

References			
Mercedes-Benz 164 320 13 32		Mercedes-Benz 164 320 21 32	
Mercedes-Benz 251 320 12 32		Mercedes-Benz A 164 320 13 32	
Mercedes-Benz A 164 320 21 32		Mercedes-Benz A 251 320 12 32	

Application info	
Mercedes-Benz BM 164 (GL-Class) (09/06-12/12)	Mercedes-Benz BM 164 (M-Class) (02/05-12/12)
Mercedes-Benz BM 251 (R-Class) (08/05-10/17)	

Stabilizer link		016 060 0033	MSL0032
<p>Notes</p> <p>Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 117 Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 164 320 12 32 Mercedes-Benz A 164 320 12 32</p>			
<p>Application info</p> <p>Mercedes-Benz BM 164 (GL-Class) (09/06-12/12) Mercedes-Benz BM 164 (M-Class) (02/05-12/12) Mercedes-Benz BM 166 (GL) (07/12-12/15) Mercedes-Benz BM 166 (GLE) (03/15-10/19) Mercedes-Benz BM 166 (GLS) (11/15-04/19) Mercedes-Benz BM 166 (M-Class) (06/11-12/15) Mercedes-Benz BM 251 (R-Class) (08/05-10/17)</p>			
Stabilizer link		016 060 0034/HD	MSL0033HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 264 Paired article number 016 060 0035/HD MSL0034HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 221 320 01 89 Mercedes-Benz A 221 320 01 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 220 (S-Class) (09/98-08/05) Mercedes-Benz BM 221 (S-Class) (09/05-12/13)</p>			

Stabilizer link		016 060 0035/HD	MSL0034HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 264 Paired article number 016 060 0034/HD MSL0033HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 221 320 02 89 Mercedes-Benz A 221 320 02 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 220 (S-Class) (09/98-08/05) Mercedes-Benz BM 221 (S-Class) (09/05-12/13)</p>			
Stabilizer link		016 060 0038	MSL0035
<p>Notes</p> <p>Coupling Rod Front Axle Left</p> <p>Length [mm] 138 Paired article number 016 060 0039 MSL0036 Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 906 320 17 89 Mercedes-Benz A 906 320 17 89 Volkswagen 2E0 411 317 C</p>			
<p>Application info</p> <p>Mercedes-Benz BM 906 (Sprinter II) (06/06--) Volkswagen Crafter I (2E) (04/06-12/16)</p> <p>Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)</p>			

Stabilizer link		016 060 0038/HD	MSL0035HD
Notes		 	
	Carbon Neutral		
	Coupling Rod		
	Front Axle Left		
Length [mm]	138		
Paired article number	016 060 0039 MSL0036		
Paired article number	016 060 0038/HD MSL0035HD		
Required quantity	1		
Thread Size 1	M12x1,5		
Thread Size 2	M12x1,5		
reinforced version			
replacement in pairs recommended			

References	
Mercedes-Benz 906 320 17 89	Mercedes-Benz A 906 320 17 89
Volkswagen 2E0 411 317 C	

Application info	
Mercedes-Benz BM 906 (Sprinter II) (06/06--)	Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)
Volkswagen Crafter I (2E) (04/06-12/16)	

Stabilizer link		016 060 0039/HD	MSL0036HD
Notes		 	
	Carbon Neutral		
	Coupling Rod		
	Front Axle Right		
Length [mm]	138		
Paired article number	016 060 0038/HD MSL0035HD		
Required quantity	1		
Thread Size 1	M12x1,5		
Thread Size 2	M12x1,5		
reinforced version			
replacement in pairs recommended			

References	
Mercedes-Benz 906 320 18 89	Mercedes-Benz A 906 320 18 89
Volkswagen 2E0 411 318 C	

Application info	
Mercedes-Benz BM 906 (Sprinter II) (06/06--)	Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)
Volkswagen Crafter I (2E) (04/06-12/16)	

Stabilizer link		016 060 0039	MSL0036
<p>Notes</p> <p>Coupling Rod Front Axle Right</p> <p>Length [mm] 138</p> <p>Paired article number 016 060 0038 MSL0035</p> <p>Paired article number 016 060 0038/HD MSL0035HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 906 320 18 89</p> <p>Volkswagen 2E0 411 318 C</p>		<p>Mercedes-Benz A 906 320 18 89</p>	
<p>Application info</p> <p>Mercedes-Benz BM 906 (Sprinter II) (06/06--)</p> <p>Volkswagen Crafter I (2E) (04/06-12/16)</p>		<p>Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)</p>	
Stabilizer link		016 060 0040/HD	MSL0037HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 228</p> <p>Required quantity 2</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Smart 451 320 01 89</p>		<p>Smart A 451 320 01 89</p>	
<p>Application info</p> <p>Smart Fortwo II (01/07--)</p>			

Stabilizer link

016 060 0041/HD

MSL0038HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 129
Paired article number 016 060 0042/HD | MSL0039HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Mercedes-Benz 905 320 05 89

Mercedes-Benz A 905 320 05 89

Application info

Mercedes-Benz BM 903 (Sprinter I) (01/95-05/12)

Mercedes-Benz BM 905 (Sprinter I) (04/01--)

Stabilizer link

016 060 0042/HD

MSL0039HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 129
Paired article number 016 060 0041/HD | MSL0038HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Mercedes-Benz 905 320 04 89

Mercedes-Benz A 905 320 04 89

Application info

Mercedes-Benz BM 903 (Sprinter I) (01/95-05/12)

Mercedes-Benz BM 905 (Sprinter I) (04/01--)

Stabilizer link		016 060 0043	MSL0040
<p>Notes</p> <p>Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Inner Diameter 1 [mm] 12 Inner Diameter 2 [mm] 12 Length [mm] 140 Required quantity 2 replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 906 320 14 89 Volkswagen 2E0 511 051 G</p>		<p>Mercedes-Benz A 906 320 14 89</p>	
<p>Application info</p> <p>Mercedes-Benz BM 906 (Sprinter II) (06/06--)</p>		<p>Volkswagen Crafter I (2E) (04/06-12/16)</p>	
Stabilizer link		016 060 0044/HD	MSL0041HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 307 Paired article number 016 060 0045/HD MSL0042HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 204 320 17 89 Mercedes-Benz A 204 320 17 89 Mercedes-Benz (BBDC) 204 320 37 89</p>		<p>Mercedes-Benz 204 320 37 89 Mercedes-Benz A 204 320 37 89 Mercedes-Benz (BBDC) A 204 320 37 89</p>	
<p>Application info</p> <p>Mercedes-Benz BM 204 (C-Class) (01/07--)</p>		<p>Mercedes-Benz BM 207 (E-Class) (01/09-12/16)</p>	

Stabilizer link		016 060 0045/HD	MSL0042HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 307 Paired article number 016 060 0044/HD MSL0041HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 204 320 18 89 Mercedes-Benz 204 320 38 89 Mercedes-Benz A 204 320 18 89 Mercedes-Benz A 204 320 38 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 204 (C-Class) (01/07--)</p> <p>Mercedes-Benz BM 207 (E-Class) (01/09-12/16)</p>			
Stabilizer link		016 060 0046	MSL0043
<p>Notes</p> <p>Coupling Rod Rear Axle Left</p> <p>Length [mm] 233 Paired article number 016 060 0047 MSL0044 Required quantity 1 Thread Size 1 M10x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 204 320 05 89 Mercedes-Benz A 204 320 05 89 Mercedes-Benz (BBDC) 204 320 05 89 Mercedes-Benz (BBDC) A 204 320 05 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 204 (C-Class) (01/07--)</p> <p>Mercedes-Benz BM 207 (E-Class) (01/09-12/16)</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16)</p> <p>Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)</p> <p>Mercedes-Benz BM 211 (E-Class) (03/02-07/09)</p> <p>Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>			

Stabilizer link**016 060 0047****MSL0044****Notes**

Coupling Rod
Rear Axle Right
Length [mm] 233
Paired article number 016 060 0046 | MSL0043
Required quantity 1
Thread Size 1 M10x1,5

replacement in pairs recommended

**References**

Mercedes-Benz 204 320 04 89

Mercedes-Benz (BBDC) 204 320 04 89

Mercedes-Benz A 204 320 04 89

Mercedes-Benz (BBDC) A 204 320 04 89

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)

Mercedes-Benz BM 207 (E-Class) (01/09-12/16)

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)

Mercedes-Benz BM 211 (E-Class) (03/02-07/09)

Mercedes-Benz BM 218 (CLS) (01/11-12/17)

Stabilizer link**016 060 0048/HD****MSL0045HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 326
Paired article number 016 060 0049/HD | MSL0046HD
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended

**References**

Mercedes-Benz 212 320 11 89

Mercedes-Benz (BBDC) 212 320 11 89

Mercedes-Benz A 212 320 11 89

Mercedes-Benz (BBDC) A 212 320 11 89

Application info


Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Mercedes-Benz BM 218 (CLS) (01/11-12/17)

Stabilizer link		016 060 0049/HD	MSL0046HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 326</p> <p>Paired article number 016 060 0048/HD MSL0045HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			

References	
Mercedes-Benz 212 320 12 89	Mercedes-Benz A 212 320 12 89
Mercedes-Benz (BBDC) 212 320 12 89	Mercedes-Benz (BBDC) A 212 320 12 89

Application info	
Mercedes-Benz BM 212 (E-Class) (01/09-12/16)	Mercedes-Benz BM 218 (CLS) (01/11-12/17)

Stabilizer link		016 060 0050/HD	MSL0047HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 275</p> <p>Paired article number 016 060 0051/HD MSL0048HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			

References	
Mercedes-Benz 212 320 25 89	Mercedes-Benz A 212 320 25 89
Mercedes-Benz (BBDC) 212 320 25 89	Mercedes-Benz (BBDC) A 212 320 25 89

Application info	
Mercedes-Benz BM 212 (E-Class) (01/09-12/16)	Mercedes-Benz BM 218 (CLS) (01/11-12/17)

Stabilizer link		016 060 0051/HD	MSL0048HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 275 Paired article number 016 060 0050/HD MSL0047HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 212 320 26 89 Mercedes-Benz A 212 320 26 89 Mercedes-Benz (BBDC) 212 320 26 89 Mercedes-Benz (BBDC) A 212 320 26 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16) Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>			
Stabilizer link		016 060 0056	MSL0566
<p>Notes</p> <p>Coupling Rod Rear Axle Left Rear Axle Right with fastening material</p> <p>Length [mm] 75 Required quantity 2 replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 246 320 01 00 Mercedes-Benz 246 320 04 89 Mercedes-Benz 246 320 07 89 Mercedes-Benz A 246 320 01 00 Mercedes-Benz A 246 320 04 89 Mercedes-Benz A 246 320 07 89 Mercedes-Benz (BBDC) 246 320 07 89 Mercedes-Benz (BBDC) A 246 320 07 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 117 (CLA) (01/13-03/19) Mercedes-Benz BM 156 (GLA-Class) (12/13--) Mercedes-Benz BM 176 (A-Class) (06/12-05/18) Mercedes-Benz BM 246 (B-Class) (10/11-12/18)</p>			

Stabilizer link		016 060 0057/HD	MSL0052HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 332 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 246 320 00 89 Mercedes-Benz 246 320 06 89 Mercedes-Benz A 246 320 00 89 Mercedes-Benz A 246 320 06 89 Mercedes-Benz (BBDC) 246 320 06 89 Mercedes-Benz (BBDC) A 246 320 06 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 117 (CLA) (01/13-03/19) Mercedes-Benz BM 156 (GLA-Class) (12/13--) Mercedes-Benz BM 176 (A-Class) (06/12-05/18) Mercedes-Benz BM 246 (B-Class) (10/11-12/18)</p>			
Stabilizer link		016 060 0065/HD	MSL0951HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left</p> <p>Length [mm] 325 Paired article number 016 060 0066/HD MSL0952HD Required quantity 1 Thread Size 1 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 166 320 07 89 Mercedes-Benz 166 320 11 00 Mercedes-Benz A 166 320 07 89 Mercedes-Benz A 166 320 11 00</p>			
<p>Application info</p> <p>Mercedes-Benz BM 166 (GL) (07/12-12/15) Mercedes-Benz BM 166 (GLE) (03/15-10/19) Mercedes-Benz BM 166 (GLS) (11/15-04/19) Mercedes-Benz BM 166 (M-Class) (06/11-12/15)</p>			

Stabilizer link		016 060 0066/HD	MSL0952HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right</p> <p>Length [mm] 325 Paired article number 016 060 0065/HD MSL0951HD Required quantity 1 Thread Size 1 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 166 320 08 89 Mercedes-Benz 166 320 12 00 Mercedes-Benz A 166 320 08 89 Mercedes-Benz A 166 320 12 00</p>			
<p>Application info</p> <p>Mercedes-Benz BM 166 (GL) (07/12-12/15) Mercedes-Benz BM 166 (GLE) (03/15-10/19) Mercedes-Benz BM 166 (GLS) (11/15-04/19) Mercedes-Benz BM 166 (M-Class) (06/11-12/15)</p>			
Stabilizer link		016 060 0067	MSL0710
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 276 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 203 320 04 89 Mercedes-Benz 203 320 25 89 Mercedes-Benz 203 320 28 89 Mercedes-Benz 203 320 38 89 Mercedes-Benz A 203 320 04 89 Mercedes-Benz A 203 320 25 89 Mercedes-Benz A 203 320 28 89 Mercedes-Benz A 203 320 38 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 203 (C-Class) (05/00-06/11) Mercedes-Benz BM 209 (CLK) (05/02-03/10)</p>			

Stabilizer link		016 060 0068	MSL0711										
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 220 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>		 											
<p>References</p> <table border="0"> <tr> <td>Mercedes-Benz 168 320 03 89</td> <td>Mercedes-Benz 168 320 05 89</td> </tr> <tr> <td>Mercedes-Benz 168 320 07 89</td> <td>Mercedes-Benz 168 320 10 89</td> </tr> <tr> <td>Mercedes-Benz 168 320 11 89</td> <td>Mercedes-Benz A 168 320 03 89</td> </tr> <tr> <td>Mercedes-Benz A 168 320 05 89</td> <td>Mercedes-Benz A 168 320 07 89</td> </tr> <tr> <td>Mercedes-Benz A 168 320 10 89</td> <td>Mercedes-Benz A 168 320 11 89</td> </tr> </table>				Mercedes-Benz 168 320 03 89	Mercedes-Benz 168 320 05 89	Mercedes-Benz 168 320 07 89	Mercedes-Benz 168 320 10 89	Mercedes-Benz 168 320 11 89	Mercedes-Benz A 168 320 03 89	Mercedes-Benz A 168 320 05 89	Mercedes-Benz A 168 320 07 89	Mercedes-Benz A 168 320 10 89	Mercedes-Benz A 168 320 11 89
Mercedes-Benz 168 320 03 89	Mercedes-Benz 168 320 05 89												
Mercedes-Benz 168 320 07 89	Mercedes-Benz 168 320 10 89												
Mercedes-Benz 168 320 11 89	Mercedes-Benz A 168 320 03 89												
Mercedes-Benz A 168 320 05 89	Mercedes-Benz A 168 320 07 89												
Mercedes-Benz A 168 320 10 89	Mercedes-Benz A 168 320 11 89												
<p>Application info</p> <p>Mercedes-Benz BM 168 (A-Class) (07/97-08/05)</p>													
Stabilizer link		016 060 0069	MSL0712										
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 276 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 replacement in pairs recommended</p>		 											
<p>References</p> <table border="0"> <tr> <td>Mercedes-Benz 203 320 21 89</td> <td>Mercedes-Benz 203 320 26 89</td> </tr> <tr> <td>Mercedes-Benz 203 320 29 89</td> <td>Mercedes-Benz A 203 320 21 89</td> </tr> <tr> <td>Mercedes-Benz A 203 320 26 89</td> <td>Mercedes-Benz A 203 320 29 89</td> </tr> </table>				Mercedes-Benz 203 320 21 89	Mercedes-Benz 203 320 26 89	Mercedes-Benz 203 320 29 89	Mercedes-Benz A 203 320 21 89	Mercedes-Benz A 203 320 26 89	Mercedes-Benz A 203 320 29 89				
Mercedes-Benz 203 320 21 89	Mercedes-Benz 203 320 26 89												
Mercedes-Benz 203 320 29 89	Mercedes-Benz A 203 320 21 89												
Mercedes-Benz A 203 320 26 89	Mercedes-Benz A 203 320 29 89												
<p>Application info</p> <table border="0"> <tr> <td>Mercedes-Benz BM 203 (C-Class) (05/00-06/11)</td> <td>Mercedes-Benz BM 209 (CLK) (05/02-03/10)</td> </tr> </table>				Mercedes-Benz BM 203 (C-Class) (05/00-06/11)	Mercedes-Benz BM 209 (CLK) (05/02-03/10)								
Mercedes-Benz BM 203 (C-Class) (05/00-06/11)	Mercedes-Benz BM 209 (CLK) (05/02-03/10)												

Stabilizer link		016 060 0072	MSL0715
<p>Notes</p> <p>Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 290</p> <p>Paired article number 016 060 0071 MSL0714</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 204 320 22 89</p> <p>Mercedes-Benz (BBDC) 204 320 22 89</p>		<p>Mercedes-Benz A 204 320 22 89</p> <p>Mercedes-Benz (BBDC) A 204 320 22 89</p>	
<p>Application info</p> <p>Mercedes-Benz BM 204 (C-Class) (01/07--)</p> <p>Mercedes-Benz BM 207 (E-Class) (01/09-12/16)</p>		<p>Mercedes-Benz BM 204 (GLK-Class) (06/08-12/15)</p>	
Stabilizer link		016 060 0076	MSL0719
<p>Notes</p> <p>Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 280</p> <p>Paired article number 016 060 0077 MSL0720</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 639 320 01 89</p> <p>Mercedes-Benz 639 320 05 89</p> <p>Mercedes-Benz A 639 320 03 89</p>		<p>Mercedes-Benz 639 320 03 89</p> <p>Mercedes-Benz A 639 320 01 89</p> <p>Mercedes-Benz A 639 320 05 89</p>	
<p>Application info</p> <p>Mercedes-Benz BM 639 (Vito / Viano) (08/03--)</p>			

Stabilizer link**016 060 0077****MSL0720****Notes**

Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 280
Paired article number 016 060 0076 | MSL0719
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5
replacement in pairs recommended

**References**

Mercedes-Benz 639 320 00 89
Mercedes-Benz 639 320 04 89
Mercedes-Benz A 639 320 02 89

Mercedes-Benz 639 320 02 89
Mercedes-Benz A 639 320 00 89
Mercedes-Benz A 639 320 04 89

Application info

Mercedes-Benz BM 639 (Vito / Viano) (08/03--)

Stabilizer link**016 060 0081****MSL0723****Notes**

Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 307
Paired article number 016 060 0082 | MSL0724
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5
replacement in pairs recommended

**References**

Mercedes-Benz 204 320 37 89
Mercedes-Benz (BBDC) 204 320 37 89

Mercedes-Benz A 204 320 37 89
Mercedes-Benz (BBDC) A 204 320 37 89

Application info

Mercedes-Benz BM 204 (C-Class) (01/07--)

Mercedes-Benz BM 207 (E-Class) (01/09-12/16)

Stabilizer link		016 060 0082	MSL0724
<p>Notes</p> <p>Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 307</p> <p>Paired article number 016 060 0081 MSL0723</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 204 320 38 89</p> <p>Mercedes-Benz (BBDC) 204 320 38 89</p>		<p>Mercedes-Benz A 204 320 38 89</p> <p>Mercedes-Benz (BBDC) A 204 320 38 89</p>	
<p>Application info</p> <p>Mercedes-Benz BM 204 (C-Class) (01/07--)</p>		<p>Mercedes-Benz BM 207 (E-Class) (01/09-12/16)</p>	
Stabilizer link		016 060 0083	MSL0725
<p>Notes</p> <p>Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 307</p> <p>Paired article number 016 060 0084 MSL0726</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 204 320 17 89</p>		<p>Mercedes-Benz A 204 320 17 89</p>	
<p>Application info</p> <p>Mercedes-Benz BM 204 (C-Class) (01/07--)</p>		<p>Mercedes-Benz BM 207 (E-Class) (01/09-12/16)</p>	

Stabilizer link		016 060 0084	MSL0726
<p>Notes</p> <p>Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 307</p> <p>Paired article number 016 060 0083 MSL0725</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 204 320 18 89</p>		<p>Mercedes-Benz A 204 320 18 89</p>	
<p>Application info</p> <p>Mercedes-Benz BM 204 (C-Class) (01/07--)</p>		<p>Mercedes-Benz BM 207 (E-Class) (01/09-12/16)</p>	
Stabilizer link		016 060 0085	MSL0727
<p>Notes</p> <p>Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 326</p> <p>Paired article number 016 060 0086 MSL0728</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 212 320 11 89</p> <p>Mercedes-Benz (BBDC) 212 320 11 89</p>		<p>Mercedes-Benz A 212 320 11 89</p> <p>Mercedes-Benz (BBDC) A 212 320 11 89</p>	
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16)</p>		<p>Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>	

Stabilizer link		016 060 0086	MSL0728
<p>Notes</p> <p>Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 326</p> <p>Paired article number 016 060 0085 MSL0727</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 212 320 12 89</p>		<p>Mercedes-Benz A 212 320 12 89</p>	
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16)</p>		<p>Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>	
Stabilizer link		016 060 0087	MSL0729
<p>Notes</p> <p>Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 275</p> <p>Paired article number 016 060 0088 MSL0730</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 212 320 25 89</p> <p>Mercedes-Benz (BBDC) 212 320 25 89</p>		<p>Mercedes-Benz A 212 320 25 89</p> <p>Mercedes-Benz (BBDC) A 212 320 25 89</p>	
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16)</p>		<p>Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>	

Stabilizer link		016 060 0088	MSL0730
<p>Notes</p> <p>Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 275</p> <p>Paired article number 016 060 0087 MSL0729</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 212 320 26 89 Mercedes-Benz A 212 320 26 89</p> <p>Mercedes-Benz (BBDC) 212 320 26 89 Mercedes-Benz (BBDC) A 212 320 26 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 212 (E-Class) (01/09-12/16) Mercedes-Benz BM 218 (CLS) (01/11-12/17)</p>			
Stabilizer link		016 060 0089	MSL0731
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 332</p> <p>Required quantity 2</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 246 320 00 89 Mercedes-Benz 246 320 06 89</p> <p>Mercedes-Benz A 246 320 00 89 Mercedes-Benz A 246 320 06 89</p> <p>Mercedes-Benz (BBDC) 246 320 06 89 Mercedes-Benz (BBDC) A 246 320 06 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 117 (CLA) (01/13-03/19) Mercedes-Benz BM 156 (GLA-Class) (12/13--)</p> <p>Mercedes-Benz BM 176 (A-Class) (06/12-05/18) Mercedes-Benz BM 246 (B-Class) (10/11-12/18)</p>			

Stabilizer link		016 060 0093	MSL0989
<p>Notes</p> <p>Coupling Rod Rear Axle Left</p> <p>Length [mm] 233</p> <p>Paired article number 016 060 0094 MSL0990</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 205 326 03 17 Mercedes-Benz A 205 326 03 17</p>			
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--)</p> <p>Mercedes-Benz BM 238 (E-Class) (06/17--)</p> <p>Mercedes-Benz BM 257 (CLS-Class) (12/17--)</p> <p>Mercedes-Benz BM 213 (E-Class) (01/16--)</p> <p>Mercedes-Benz BM 253 (GLC) (06/15--)</p> <p>Mercedes-Benz BM 293 (EQC) (05/19--)</p>			
Stabilizer link		016 060 0094	MSL0990
<p>Notes</p> <p>Coupling Rod Rear Axle Right</p> <p>Length [mm] 233</p> <p>Paired article number 016 060 0093 MSL0989</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 205 326 04 17 Mercedes-Benz A 205 326 04 17</p> <p>Mercedes-Benz (BBDC) 205 326 04 17 Mercedes-Benz (BBDC) A 205 326 04 17</p>			
<p>Application info</p> <p>Mercedes-Benz BM 205 (C-Class) (12/13--)</p> <p>Mercedes-Benz BM 238 (E-Class) (06/17--)</p> <p>Mercedes-Benz BM 257 (CLS-Class) (12/17--)</p> <p>Mercedes-Benz BM 213 (E-Class) (01/16--)</p> <p>Mercedes-Benz BM 253 (GLC) (06/15--)</p> <p>Mercedes-Benz BM 293 (EQC) (05/19--)</p>			

Stabilizer link

016 060 0097/HD

MSL0974HD

Notes

Carbon Neutral
 Front Axle Left
 Suspension Rod
 Length [mm] 325
 Paired article number 016 060 0098/HD | MSL0975HD
 Pipe Diameter [mm] 12
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M12x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 222 320 11 89

Mercedes-Benz A 222 320 11 89

Application info

Mercedes-Benz BM 222 (S-Class) (05/13--)

Stabilizer link

016 060 0098/HD

MSL0975HD

Notes

Carbon Neutral
 Front Axle Right
 Suspension Rod
 Length [mm] 325
 Paired article number 016 060 0097/HD | MSL0974HD
 Pipe Diameter [mm] 12
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M12x1,5
 reinforced version
 replacement in pairs recommended



References

Mercedes-Benz 222 320 10 89

Mercedes-Benz A 222 320 10 89

Application info

Mercedes-Benz BM 222 (S-Class) (05/13--)

Stabilizer link		016 060 0099/HD	MSL0913HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 363</p> <p>Paired article number 016 060 0100/HD MSL0914HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1.5</p> <p>Thread Size 2 M12x1.5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 447 320 00 89 Mercedes-Benz A 447 320 00 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 447 (V-Class) (03/14--)</p> <p>Mercedes-Benz BM 447 (Vito) (10/14--)</p>			
Stabilizer link		016 060 0100/HD	MSL0914HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 363</p> <p>Paired article number 016 060 0099/HD MSL0913HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 447 320 03 89 Mercedes-Benz A 447 320 03 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 447 (V-Class) (03/14--)</p> <p>Mercedes-Benz BM 447 (Vito) (10/14--)</p>			

Stabilizer link

016 060 0101/HD

MSL0915HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm]

347

Paired article number

016 060 0102/HD | MSL0916HD

Required quantity

1

Thread Size 1

M12x1.5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended

**References**

Mercedes-Benz 447 320 01 89

Mercedes-Benz A 447 320 01 89

Application info

Mercedes-Benz BM 447 (V-Class) (03/14--)

Mercedes-Benz BM 447 (Vito) (10/14--)

Stabilizer link

016 060 0102/HD

MSL0916HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm]

347

Paired article number

016 060 0101/HD | MSL0915HD

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended

**References**

Mercedes-Benz 447 320 02 89

Mercedes-Benz A 447 320 02 89

Application info

Mercedes-Benz BM 447 (V-Class) (03/14--)

Mercedes-Benz BM 447 (Vito) (10/14--)

Stabilizer link		016 060 0103/HD	MSL0917HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 316 Required quantity 2 Thread Size 1 M12x1.5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 447 320 04 89 Mercedes-Benz A 447 320 04 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 447 (V-Class) (03/14--)</p> <p>Mercedes-Benz BM 447 (Vito) (10/14--)</p>			
Stabilizer link		016 060 0104/HD	MSL0899HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 297 Paired article number 016 060 0105/HD MSL0918HD Required quantity 1 Thread Size 1 M12x1.5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 639 320 08 89 Mercedes-Benz A 639 320 08 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 639 (Vito / Viano) (08/03--)</p>			

Stabilizer link


016 060 0105/HD

MSL0918HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 297
Paired article number 016 060 0104/HD | MSL0899HD
Required quantity 1
Thread Size 1 M12x1.5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended

**References**

Mercedes-Benz 639 320 07 89

Mercedes-Benz A 639 320 07 89

Application info

Mercedes-Benz BM 639 (Vito / Viano) (08/03--)

Stabilizer link

016 060 0106/HD

MSL0919HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 285
Paired article number 016 060 0107/HD | MSL0920HD
Required quantity 1
Thread Size 1 M12x1.5
Thread Size 2 M12x1.5
reinforced version
replacement in pairs recommended

**References**

Mercedes-Benz 639 320 10 89

Mercedes-Benz A 639 320 10 89

Application info

Mercedes-Benz BM 639 (Vito / Viano) (08/03--)

Stabilizer link

016 060 0107/HD

MSL0920HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 285
Paired article number 016 060 0106/HD | MSL0919HD
Required quantity 1
Thread Size 1 M12x1.5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended

**References**

Mercedes-Benz 639 320 09 89

Mercedes-Benz A 639 320 09 89

Application info

Mercedes-Benz BM 639 (Vito / Viano) (08/03--)

Stabilizer link

016 060 0108/HD

MSL0965HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right

Length [mm] 310
Paired article number 016 060 0108
Paired article number 016 060 0109/HD | MSL0966HD
Pipe Diameter [mm] 10
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended

**References**

Mercedes-Benz 222 320 16 89

Mercedes-Benz A 222 320 16 89

Application info

Mercedes-Benz BM 217 (S-Class) (12/15--)

Mercedes-Benz BM 222 (S-Class) (05/13--)

Stabilizer link		016 060 0109/HD	MSL0966HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left</p> <p>Length [mm] 310 Paired article number 016 060 0108/HD MSL0965HD Pipe Diameter [mm] 10 Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 222 320 17 89 Mercedes-Benz A 222 320 17 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 217 (S-Class) (12/15--) Mercedes-Benz BM 222 (S-Class) (05/13--)</p>			
Stabilizer link		016 060 0110	MSL0976
<p>Notes</p> <p>Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 145 Pipe Diameter [mm] 10 Required quantity 2 replacement in pairs recommended</p>			
<p>References</p> <p>MERCEDES-BENZ (FJDA) 639 326 06 16 MERCEDES-BENZ (FJDA) A 639 326 06 16 Mercedes-Benz 639 326 06 16 Mercedes-Benz A 639 326 06 16</p>			
<p>Application info</p> <p>Mercedes-Benz BM 447 (V-Class) (03/14--) Mercedes-Benz BM 639 (Vito / Viano) (08/03--) Mercedes-Benz BM 447 (Vito) (10/14--)</p>			

Stabilizer link		016 060 0111/HD	MSL1005HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left</p> <p>Length [mm] 285</p> <p>Paired article number 016 060 0112/HD MSL1006HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 910 320 30 00 Mercedes-Benz A 910 320 30 00</p>			
<p>Application info</p> <p>Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)</p>			
Stabilizer link		016 060 0112/HD	MSL1006HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right</p> <p>Length [mm] 285</p> <p>Paired article number 016 060 0111/HD MSL1005HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 910 320 31 00 Mercedes-Benz A 910 320 31 00</p> <p>Trade number 1000068</p>			
<p>Application info</p> <p>Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)</p>			

Stabilizer link**016 060 0114/HD****MSL1066HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

339

Required quantity

2

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended

**References**

Mercedes-Benz 247 320 42 00

Mercedes-Benz 247 320 76 03

Mercedes-Benz A 247 320 75 03

Mercedes-Benz (BBDC) 247 320 42 00

Mercedes-Benz (BBDC) A 247 320 42 00

Mercedes-Benz 247 320 75 03

Mercedes-Benz A 247 320 42 00

Mercedes-Benz A 247 320 76 03

Mercedes-Benz (BBDC) 247 320 76 03

Mercedes-Benz (BBDC) A 247 320 76 03

Application info

Mercedes-Benz BM 118 (CLA) (03/19--)

Mercedes-Benz BM 243 (EQA) (02/21--)

Mercedes-Benz BM 247 (B-Class) (12/18--)

Mercedes-Benz BM 247 (GLB-Class) (08/19--)

Mercedes-Benz BM 177 (A-Class) (03/18--)

Mercedes-Benz BM 243 (EQB) (12/21--)

Mercedes-Benz BM 247 (GLA-Class) (02/20--)

Stabilizer link**016 060 0115/HD****MSL1094HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left

Length [mm]

327.2

Paired article number

016 060 0116/HD | MSL1095HD

Required quantity

1

Thread Size 1

M12x1,5

reinforced version

replacement in pairs recommended

**References**

Mercedes-Benz 167 320 01 89

Mercedes-Benz A 167 320 01 89

Mercedes-Benz 167 320 55 04

Mercedes-Benz A 167 320 55 04

Application info

Mercedes-Benz BM 167 (GLE) (10/18--)

Mercedes-Benz BM 167 (GLS) (04/19--)

Stabilizer link

016 060 0116/HD

MSL1095HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right

Length [mm] 327.2
Paired article number 016 060 0115/HD | MSL1094HD
Required quantity 1
Thread Size 1 M12x1,5
reinforced version
replacement in pairs recommended



References

Mercedes-Benz 167 320 02 89
Mercedes-Benz A 167 320 02 89

Mercedes-Benz 167 320 56 04
Mercedes-Benz A 167 320 56 04

Application info

Mercedes-Benz BM 167 (GLE) (10/18--)

Mercedes-Benz BM 167 (GLS) (04/19--)

Stabilizer link

016 060 0117/HD

MSL1149HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Steel

Inner Diameter [mm] 14.2
Length [mm] 124
Paired article number 016 060 0118/HD | MSL1150HD
Pipe Diameter [mm] 10
Required quantity 1
Thread Size 1 M14x1,5
reinforced version
replacement in pairs recommended



References

Mercedes-Benz 167 320 31 04
Mercedes-Benz A 167 320 31 04

Mercedes-Benz 167 320 87 00
Mercedes-Benz A 167 320 87 00

Application info

Mercedes-Benz BM 167 (GLE) (10/18--)

Mercedes-Benz BM 167 (GLS) (04/19--)

Stabilizer link

016 060 0118/HD

MSL1150HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Right
Steel

Inner Diameter [mm] 14.2
Length [mm] 124
Paired article number 016 060 0117/HD | MSL1149HD
Pipe Diameter [mm] 10
Required quantity 1
Thread Size 1 M14x1,5
reinforced version
replacement in pairs recommended

**References**

Mercedes-Benz 167 320 32 04
Mercedes-Benz A 167 320 32 04

Mercedes-Benz 167 320 88 00
Mercedes-Benz A 167 320 88 00

Application info

Mercedes-Benz BM 167 (GLE) (10/18--)

Mercedes-Benz BM 167 (GLS) (04/19--)

Stabilizer link

016 060 0119/HD

MSL1085HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 202
Required quantity 2
Thread Size 1 10x1,25
Thread Size 2 10x1,25
reinforced version
replacement in pairs recommended

**References**

Renault 546181179R
Smart A 453 320 00 89

Smart 453 320 00 89

Application info

Renault Twingo III (09/14--)
Smart Fortwo III (07/14--)

Smart Forfour II (07/14--)

Stabilizer link 016 060 0126/HD MSL1166HD

Notes

	Carbon Neutral
	Coupling Rod
	Front Axle Right
Length [mm]	137
Paired article number	016 060 0127/HD MSL1167HD
Pipe Diameter [mm]	10
Required quantity	1
Thread Size 1	M12x1,5
Thread Size 2	M12x1,5
reinforced version	
replacement in pairs recommended	



References

Mercedes-Benz 906 320 20 89	Mercedes-Benz A 906 320 20 89
-----------------------------	-------------------------------

Application info

Mercedes-Benz BM 906 (Sprinter II) (06/06--)	Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)
--	---

Stabilizer link 016 060 0127/HD MSL1167HD

Notes

	Carbon Neutral
	Coupling Rod
	Front Axle Left
Length [mm]	137
Paired article number	016 060 0126/HD MSL1166HD
Pipe Diameter [mm]	10
Required quantity	1
Thread Size 1	M12x1,5
Thread Size 2	M12x1,5
reinforced version	
replacement in pairs recommended	



References

Mercedes-Benz 906 320 19 89	Mercedes-Benz A 906 320 19 89
-----------------------------	-------------------------------

Application info

Mercedes-Benz BM 906 (Sprinter II) (06/06--)	Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)
--	---

Stabilizer link		016 060 0134/HD	MSL1193HD
<p>Notes</p> <p>Coupling Rod Front Axle Left</p> <p>Length [mm] 290</p> <p>Paired article number 016 060 0135/HD MSL1194HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 297 320 05 00 Mercedes-Benz 297 323 29 00</p> <p>Mercedes-Benz A 297 320 05 00 Mercedes-Benz A 297 320 29 00</p>			
<p>Application info</p> <p>Mercedes-Benz BM 294 (EQE SUV) (12/22--)</p> <p>Mercedes-Benz BM 297 (EQS) (08/21--)</p> <p>Mercedes-Benz BM 295 (EQE) (02/22--)</p>			
Stabilizer link		016 060 0135/HD	MSL1194HD
<p>Notes</p> <p>Coupling Rod Front Axle Right</p> <p>Length [mm] 290</p> <p>Paired article number 016 060 0134/HD MSL1193HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 297 320 06 00 Mercedes-Benz 297 323 30 00</p> <p>Mercedes-Benz A 297 320 06 00 Mercedes-Benz A 297 323 30 00</p>			
<p>Application info</p> <p>Mercedes-Benz BM 294 (EQE SUV) (12/22--)</p> <p>Mercedes-Benz BM 297 (EQS) (08/21--)</p> <p>Mercedes-Benz BM 295 (EQE) (02/22--)</p>			

Stabilizer link		016 060 0226	MSL0057
<p>Notes</p> <p>Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 230 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 140 320 08 89 Mercedes-Benz 140 320 35 89 Mercedes-Benz 220 320 36 89 Mercedes-Benz A 140 320 08 89 Mercedes-Benz A 140 320 35 89 Mercedes-Benz A 220 320 36 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 140 (S-Class) (02/91-12/99) Mercedes-Benz BM 220 (S-Class) (09/98-08/05)</p>			
Stabilizer link		016 060 6318/HD	MSL0058HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 152 Paired article number 016 060 6319/HD MSL0059HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 140 320 11 89 Mercedes-Benz A 140 320 11 89</p>			
<p>Application info</p> <p>Mercedes-Benz BM 140 (S-Class) (02/91-12/99)</p>			

Stabilizer link

016 060 6319/HD

MSL0059HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 152
Paired article number 016 060 6318/HD | MSL0058HD
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Mercedes-Benz 140 320 12 89

Mercedes-Benz A 140 320 12 89

Application info

Mercedes-Benz BM 140 (S-Class) (02/91-12/99)

Stabilizer link


036 060 0000/HD

MSL0061HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 230
Paired article number 036 060 0001/HD | MSL0062HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Mercedes-Benz 638 323 04 68

Mercedes-Benz A 638 323 04 68

Application info

Mercedes-Benz BM 638 (V-Class / Vito) (02/96-07/03)

Stabilizer link

036 060 0001/HD

MSL0062HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 230
Paired article number 036 060 0000/HD | MSL0061HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Mercedes-Benz 638 323 05 68

Mercedes-Benz A 638 323 05 68

Application info

Mercedes-Benz BM 638 (V-Class / Vito) (02/96-07/03)

Stabilizer link

036 060 0019

MSL0732

Notes

Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 230
Paired article number 036 060 0020 | MSL0733
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
replacement in pairs recommended

**References**

Mercedes-Benz 638 323 04 68

Mercedes-Benz A 638 323 04 68

Application info

Mercedes-Benz BM 638 (V-Class / Vito) (02/96-07/03)

Stabilizer link		036 060 0020	MSL0733
<p>Notes</p> <p>Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 230 Paired article number 036 060 0019 MSL0732 Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 638 323 05 68</p>		<p>Mercedes-Benz A 638 323 05 68</p>	
<p>Application info</p> <p>Mercedes-Benz BM 638 (V-Class / Vito) (02/96-07/03)</p>			
Stabilizer link		036 060 0268/HD	MSL0067HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 250 Paired article number 036 060 0368/HD MSL0069HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 638 323 02 68</p>		<p>Mercedes-Benz A 638 323 02 68</p>	
<p>Application info</p> <p>Mercedes-Benz BM 638 (V-Class / Vito) (02/96-07/03)</p>			

Stabilizer link


036 060 0368/HD

MSL0069HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 250
Paired article number 036 060 0268/HD | MSL0067HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Mercedes-Benz 638 323 03 68

Mercedes-Benz A 638 323 03 68

Application info

Mercedes-Benz BM 638 (V-Class / Vito) (02/96-07/03)

Stabilizer link

100 411 0007

MSL0074

Notes

Coupling Rod
Front Axle Left
Front Axle Right

Inner Diameter [mm] 10
Length [mm] 105
Required quantity 2
Stabiliser Diameter [mm] 23
Thread Size 1 M10x1,5
replacement in pairs recommended



References

Audi 1J0 411 315 B
Audi 1J0 411 315 G
Seat 1J0 411 315 C
Seat 1J0 411 315 J
Skoda 1J0 411 315 G
Volkswagen 1J0 411 315
Volkswagen 1J0 411 315 C
Volkswagen 1J0 411 315 G
Volkswagen (FAW) 1J0 411 315 C

Audi 1J0 411 315 C
Audi 1J0 411 315 J
Seat 1J0 411 315 G
Skoda 1J0 411 315 C
Skoda 1J0 411 315 J
Volkswagen 1J0 411 315 B
Volkswagen 1J0 411 315 E
Volkswagen 1J0 411 315 J
Volkswagen (FAW) 1J0 411 315 J

Application info

Audi A3 I (8L_) (09/96-09/06)

Skoda Octavia I (1U_) (09/96-12/10)

Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Seat Leon I / Toledo II (1M_) (10/98-06/06)

Volkswagen Bora (1J2, 1J6) (10/98-12/13)

Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Stabilizer link

11-16 010 0002

MSL0081

Notes

Coupling Rod
Rear Axle Left
Rear Axle Right

Inner Diameter [mm]

10

Length [mm]

245

Required quantity

2

Thread Size 1

M12x1,25

replacement in pairs recommended



References

Peugeot 16 07 325 980

Peugeot 5178.39

Peugeot 96 287 831

Application info

Peugeot 406 (08/95-02/05)

Stabilizer link

11-16 060 0000/HD

MSL0082HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

335

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

CITROËN (DF-PSA) 5087.62	Citroën 16 142 811 80
Citroën 5087.50	Citroën 5087.57
Citroën 5087.62	Citroën 5087.64
Citroën 5087.77	Citroën 98 049 474 80
DS 16 142 811 80	DS 5087 57
DS 5087 64	DS 98 049 474 80
GENERAL MOTORS 93485066	Opel 36 37 393
Peugeot 16 142 811 80	Peugeot 5087.50
Peugeot 5087.57	Peugeot 5087.62
Peugeot 5087.64	Peugeot 5087.77
Peugeot 96 347 856	Peugeot 98 049 474 80
Peugeot (DF-PSA) 5087.62	Vauxhall 36 37 393

Application info

Citroën Berlingo I (07/96-12/11)	Citroën Berlingo II (04/08--)
Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck (11/04--)	Citroën C4 II / DS4 (02/09--)
Citroën DS5 (09/11-07/15)	DS DS 4 I (07/15-12/18)
DS DS 5 (04/15-12/18)	Opel Combo E (K9) (06/18--)
Opel Grandland X (75) (06/17--)	Peugeot 3008 I (05/09-12/17)
Peugeot 307 (08/00-12/12)	Peugeot 308 I (09/07--)
Peugeot 5008 I (06/09-03/17)	Peugeot Partner II (04/08--)
Peugeot RCZ (03/10-12/15)	Vauxhall Combo Mk IV (06/18--)
Vauxhall Grandland X (75) (06/17--)	

Stabilizer link

11-16 060 0001/HD

MSL0083HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 335
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Citroën 16 466 219 80
 Citroën 5087.59
 Citroën 5087.71
 Citroën 96 288 787
 Citroën 98 088 682 80
 DS 5087 59
 DS 98 088 682 80
 Peugeot 5087 66
 Peugeot 5087.45
 Peugeot 5087.71
 Peugeot 98 000 861 80

Citroën 5087.45
 Citroën 5087.66
 Citroën 5087.74
 Citroën 98 000 861 80
 DS 16 466 219 80
 DS 5087 71
 Peugeot 16 46 621 980
 Peugeot 5087 74
 Peugeot 5087.59
 Peugeot 96 288 787
 Peugeot 98 088 682 80

Application info

Citroën C2 / C3 I / Pluriel (02/02--)
 Citroën C3 III (07/16--)
 Citroën DS3 (11/09-12/16)
 Peugeot 1007 (04/05--)
 Peugeot 206 (08/98--)

Citroën C3 II (09/09--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 2008 I (03/13--)
 Peugeot 208 I (03/12--)

Stabilizer link**11-16 060 0002/HD****MSL0084HD****Notes**

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 320
 Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 reinforced version
 replacement in pairs recommended

**References**

Citroën 5087.43
 Citroën 96 324 274
 Peugeot 5087.60

Citroën 5087.60
 Peugeot 5087.43

Application info

Citroën C5 I / C5 II (03/01--)
 Peugeot 607 (01/00--)

Peugeot 406 (08/95-02/05)

Stabilizer link

11-16 060 0009/HD

MSL0089HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm] 160
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Peugeot 5178.38

Application info

Peugeot 406 (08/95-02/05)

Stabilizer link

11-16 060 0013/HD

MSL0091HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 263
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Citroën 5087.51
Fiat 1991209080
Peugeot 5087.51


Fiat 1331209080
Lancia 1331209080

Application info

Citroën C8 (06/02--)
Lancia Phedra (09/02-11/10)

Fiat Ulysse II (179) (08/02-06/11)
Peugeot 807 (06/02--)


Stabilizer link 11-16 060 0016/HD MSL0094HD

Notes	Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right with spanner attachment	
Length [mm]	141	
Required quantity	2	
Thread Size 1	M10x1,5	
Thread Size 2	M10x1,5	
reinforced version		
replacement in pairs recommended		

References	
Citroën 5178.46	Citroën 5178.52
Citroën 98 071 300 80	Peugeot 5178.46
Peugeot 5178.52	Peugeot 98 071 300 80
Toyota 48830-05020	

Application info	
Citroën C5 III (RD_, TD_) (02/08--)	Citroën C6 (09/05-12/12)
Peugeot 407 (02/04--)	Peugeot 508 I (11/10--)
Toyota Avensis (T22) (09/97-02/03)	

Stabilizer link 11-16 060 0017/HD MSL0095HD

Notes	Carbon Neutral Coupling Rod Front Axle Left with spanner attachment	
Length [mm]	330	
Paired article number	11-16 060 0018/HD MSL0096HD	
Required quantity	1	
Thread Size 1	M10x1,5	
Thread Size 2	M10x1,5	
reinforced version		
replacement in pairs recommended		

References

Citroën 16 073 269 80
 Citroën 5087.69
 DS 5087 69
 Peugeot 16 073 269 80
 Peugeot 5087.69

Citroën 5087.54
 Citroën 98 101 594 80
 Opel 36 40 463
 Peugeot 5087.54
 Vauxhall 36 40 463

Application info

Citroën C Elyse (11/12--)
 Citroën C3 III (07/16--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 2008 I (03/13--)
 Peugeot 208 I (03/12--)
 Vauxhall Crossland X (03/17--)

Citroën C3 AIRCROSS II (06/17--)
 Citroën C3 Picasso (02/09--)
 Citroën DS3 (11/09-12/16)
 Opel Crossland X (03/17--)
 Peugeot 207 (02/06--)
 Peugeot 301 (11/12--)

Stabilizer link**11-16 060 0018/HD****MSL0096HD****Notes**

Carbon Neutral
 Coupling Rod
 Front Axle Right
 with spanner attachment
 Length [mm] 330
 Paired article number 11-16 060 0017/HD | MSL0095HD
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended

**References**

Citroën 16 073 268 80
 Citroën 5087.68
 DS 5087 68
 Peugeot 16 073 268 80
 Peugeot 5087.68

Citroën 5087.55
 Citroën 98 101 593 80
 Opel 36 40 462
 Peugeot 5087.55
 Vauxhall 36 40 462

Application info

Citroën C Elyse (11/12--)
 Citroën C3 III (07/16--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 2008 I (03/13--)
 Peugeot 208 I (03/12--)
 Vauxhall Crossland X (03/17--)

Citroën C3 AIRCROSS II (06/17--)
 Citroën C3 Picasso (02/09--)
 Citroën DS3 (11/09-12/16)
 Opel Crossland X (03/17--)
 Peugeot 207 (02/06--)
 Peugeot 301 (11/12--)

Stabilizer link**11-16 060 0020/HD****MSL0098HD****Notes**

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 263
 Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 reinforced version
 replacement in pairs recommended

**References**

Citroën 5087.56
 Peugeot 5087.56

Fiat 1400099680
 Toyota SU001 A1187

Application info

Citroën Jumpy II (01/07--)
 Peugeot Expert II (01/07--)

Fiat Scudo II (270) (01/07--)
 Toyota Proace I (06/13-03/16)

Stabilizer link**11-16 060 0021/HD****MSL0099HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 265
Required quantity 2
Thread Size 1 M10x1,25
Thread Size 2 M10x1,25
reinforced version
replacement in pairs recommended

**References**

Citroën 5087.58
Peugeot 5087.58
Renault 8200166160

Mitsubishi MN101368
Renault 546180007R
Renault 8200669066

Application info

Citroën C-Crosser (02/07--)
Mitsubishi ASX I (11/09--)
Mitsubishi Lancer VII (03/00-12/13)
Mitsubishi Outlander II (11/06-12/12)
Peugeot 4007 (02/07-03/13)
Renault Megane III (11/08--)
Renault Scénic II (06/03-07/10)

Citroën C4 AIRCROSS (08/10--)
Mitsubishi Eclipse Cross (10/17--)
Mitsubishi Lancer VIII (03/07--)
Mitsubishi Outlander III (11/10--)
Peugeot 4008 (05/12--)
Renault Mégane II (07/01--)
Renault Scénic III (12/08--)

Stabilizer link**11-16 060 0023/HD****MSL0101HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 345
Required quantity 2
Thread Size 1 M12 X 1,75
Thread Size 2 M12 X 1,75
reinforced version
replacement in pairs recommended



References

Peugeot 5087.76

Application info

Peugeot 508 I (11/10--)

Stabilizer link

11-16 060 0024/HD

MSL0700HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 334
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10X1,5
reinforced version
replacement in pairs recommended



References

Citroën 98 069 071 80
Citroën 98 328 669 80
Citroën 98 442 647 80
DS 98 090 457 80
DS 98 440 614 80
GENERAL MOTORS 9817224280
GENERAL MOTORS 9832866980
GENERAL MOTORS 9844264780
Peugeot 98 069 071 80
Peugeot 98 32 866 980
Peugeot 98 442 647 80
Toyota SU001-B4383

Citroën 98 090 457 80
Citroën 98 440 614 80
DS 98 069 071 80
DS 98 328 669 80
GENERAL MOTORS 9806907180
GENERAL MOTORS 9831547080
GENERAL MOTORS 9844061480
Opel 98 442 647 80
Peugeot 98 090 457 80
Peugeot 98 440 614 80
Toyota SU001-B1574
Vauxhall 98 32 866 980

Application info

Citroën Berlingo III (06/18--)
 Citroën C4 II / DS4 (02/09--)

Citroën C5 AIRCROSS (11/18--)
 DS DS 7 (09/17--)
 Opel Combo E (K9) (06/18--)
 Peugeot 308 I (09/07--)
 Peugeot 308 III (07/21--)
 Peugeot 5008 II (12/16--)
 Peugeot Rifter (09/18--)
 Vauxhall Astra Mk VIII (10/21--)

Citroën C4 Grand Picasso II (01/13--)
 Citroën C4 SPACETOURER / GRAND SPACETOURER
 (04/18--)
 DS DS 4 II (10/21--)
 Opel Astra L (10/21--)
 Peugeot 3008 II (05/16--)
 Peugeot 308 II (09/13--)
 Peugeot 408 II (07/22--)
 Peugeot 508 II (09/18--)
 Toyota Proace City (10/19--)

Stabilizer link

11-16 060 0025

MSL0736

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 335
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

CITROËN (DF-PSA) 5087.62
 Citroën 5087.62
 Citroën 5087.77
 DS 5087 64
 GENERAL MOTORS 93485066
 Peugeot 5087.50
 Peugeot 5087.64
 Peugeot 96 347 856
 Peugeot (DF-PSA) 5087.62

Citroën 5087.50
 Citroën 5087.64
 Citroën 98 315 470 80
 DS 98 315 470 80
 Opel 36 37 393
 Peugeot 5087.62
 Peugeot 5087.77
 Peugeot 98 31 547 080
 Vauxhall 36 37 393

Application info

Citroën Berlingo I (07/96-12/11)

Citroën C4 Grand Picasso II (01/13--)

Citroën C4 II / DS4 (02/09--)

Citroën C5 AIRCROSS (11/18--)

DS DS 7 (09/17--)

Opel Grandland X (75) (06/17--)

Peugeot 3008 II (05/16--)

Peugeot 308 I (09/07--)

Peugeot 5008 II (12/16--)

Peugeot Rifter (09/18--)

Vauxhall Grandland X (75) (06/17--)

Citroën Berlingo III (06/18--)

Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck
(11/04--)Citroën C4 SPACETOURER / GRAND SPACETOURER
(04/18--)

DS DS 4 I (07/15-12/18)

Opel Combo E (K9) (06/18--)

Peugeot 3008 I (05/09-12/17)

Peugeot 307 (08/00-12/12)

Peugeot 308 II (09/13--)

Peugeot 508 II (09/18--)

Vauxhall Combo Mk IV (06/18--)

Stabilizer link**11-16 060 0026****MSL0737****Notes**Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

335

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

replacement in pairs recommended

**References**

Citroën 16 073 234 80

Citroën 5087.45

Citroën 5087.66

Citroën 5087.74

Citroën 98 000 861 80

DS 16 466 219 80

DS 5087 71

Peugeot 16 07 323 480

Peugeot 5087 66

Peugeot 5087.45

Peugeot 5087.71

Peugeot 98 000 861 80

Citroën 16 466 219 80

Citroën 5087.59

Citroën 5087.71

Citroën 96 288 787

Citroën 98 088 682 80

DS 5087 59

DS 98 088 682 80

Peugeot 16 46 621 980

Peugeot 5087 74

Peugeot 5087.59

Peugeot 96 288 787

Peugeot 98 088 682 80

Application info

Citroën C2 / C3 I / Pluriel (02/02--)
 Citroën C3 III (07/16--)
 Citroën DS3 (11/09-12/16)
 Peugeot 1007 (04/05--)
 Peugeot 206 (08/98--)

Citroën C3 II (09/09--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 2008 I (03/13--)
 Peugeot 208 I (03/12--)

Stabilizer link

11-16 060 0028

MSL0738

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 335
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Citroën 5087.57
 DS 5087 57
 Peugeot 5087.57
 Toyota SU001B4383

Citroën 98 049 474 80
 DS 98 049 474 80
 Peugeot 98 049 474 80

Application info

Citroën Berlingo II (04/08--)
 Citroën DS5 (09/11-07/15)
 Peugeot 3008 I (05/09-12/17)
 Peugeot Partner II (04/08--)

Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck (11/04--)
 DS DS 5 (04/15-12/18)
 Peugeot 5008 I (06/09-03/17)
 Peugeot RCZ (03/10-12/15)

Stabilizer link

11-16 060 0030

MSL0740

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 320
 Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Citroën 5087.43
 Citroën 96 324 274
 Peugeot 5087.60

Citroën 5087.60
 Peugeot 5087.43

Application info

Citroën C5 I / C5 II (03/01--)
 Peugeot 406 (08/95-02/05)

Citroën Xantia (03/93-04/03)
 Peugeot 607 (01/00--)

Stabilizer link

11-16 060 0031

MSL0741

Notes

Coupling Rod
 Rear Axle Left
 Rear Axle Right
 with spanner attachment

Length [mm] 160
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Peugeot 5178.38

Application info

Peugeot 406 (08/95-02/05)

Stabilizer link

11-16 060 0032

MSL0742

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 263
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Citroën 16 073 253 80
 Fiat 1331209080
 Lancia 1331209080
 Peugeot 5087.51

Citroën 5087.51
 Fiat 1991209080
 Peugeot 16 07 325 380

Application info

Citroën C8 (06/02--)
 Lancia Phedra (09/02-11/10)

Fiat Ulysse II (179) (08/02-06/11)
 Peugeot 807 (06/02--)

Stabilizer link**11-16 060 0033****MSL0743****Notes**

Coupling Rod
 Rear Axle Left
 Rear Axle Right
 with spanner attachment

Length [mm] 141
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended

**References**

Citroën 16 073 260 80
 Citroën 5178.52
 Peugeot 16 073 260 80
 Peugeot 5178.52

Citroën 5178.46
 Citroën 98 071 300 80
 Peugeot 5178.46
 Peugeot 98 071 300 80

Application info

Citroën C5 III (RD_, TD_) (02/08--)
 Peugeot 407 (02/04--)

Citroën C6 (09/05-12/12)
 Peugeot 508 I (11/10--)

Stabilizer link**11-16 060 0034****MSL0744****Notes**

Coupling Rod
 Front Axle Right
 with spanner attachment

Length [mm] 330
 Paired article number 11-16 060 0035 | MSL0745
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Citroën 16 073 268 80
 Citroën 5087.68
 DS 5087 68
 Peugeot 16 073 268 80
 Peugeot 5087.68

Citroën 5087.55
 Citroën 98 101 593 80
 Opel 36 40 462
 Peugeot 5087.55
 Vauxhall 36 40 462

Application info

Citroën C Elyse (11/12--)
 Citroën C3 III (07/16--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 2008 I (03/13--)
 Peugeot 208 I (03/12--)
 Vauxhall Crossland X (03/17--)

Citroën C3 AIRCROSS II (06/17--)
 Citroën C3 Picasso (02/09--)
 Citroën DS3 (11/09-12/16)
 Opel Crossland X (03/17--)
 Peugeot 207 (02/06--)
 Peugeot 301 (11/12--)

Stabilizer link**11-16 060 0035****MSL0745****Notes**

Coupling Rod
 Front Axle Left
 with spanner attachment
 Length [mm] 330
 Paired article number 11-16 060 0034 | MSL0744
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5

replacement in pairs recommended

**References**

Citroën 16 073 269 80
 Citroën 5087.69
 DS 5087 69
 Peugeot 16 073 269 80
 Peugeot 5087.69

Citroën 5087.54
 Citroën 98 101 594 80
 Opel 36 40 463
 Peugeot 5087.54
 Vauxhall 36 40 463

Application info

Citroën C Elyse (11/12--)
 Citroën C3 III (07/16--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 2008 I (03/13--)
 Peugeot 208 I (03/12--)
 Vauxhall Crossland X (03/17--)

Citroën C3 AIRCROSS II (06/17--)
 Citroën C3 Picasso (02/09--)
 Citroën DS3 (11/09-12/16)
 Opel Crossland X (03/17--)
 Peugeot 207 (02/06--)
 Peugeot 301 (11/12--)

Stabilizer link

11-16 060 0036

MSL0746

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]

263

Required quantity

2

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

replacement in pairs recommended

**References**

Citroën 16 109 305 80

Citroën 5087.56

Fiat 1400099680

Peugeot 5087.56

Toyota SU001 A1187

Application info

Citroën Jumpy II (01/07--)

Fiat Scudo II (270) (01/07--)

Peugeot Expert II (01/07--)

Toyota Proace I (06/13-03/16)

Stabilizer link

11-16 060 0037

MSL0747

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]

265

Required quantity

2

Thread Size 1

M10x1,25

Thread Size 2

M10x1,25

replacement in pairs recommended

**References**

Citroën 5087.58

Mitsubishi MN101368

Peugeot 5087.58

Renault 546180007R

Renault 8200166160

Renault 8200669066

Application info

Citroën C-Crosser (02/07--)

Mitsubishi ASX I (11/09--)

Mitsubishi Lancer VII (03/00-12/13)

Mitsubishi Outlander II (11/06-12/12)

Peugeot 4007 (02/07-03/13)

Renault Megane III (11/08--)

Renault Scénic II (06/03-07/10)

Citroën C4 AIRCROSS (08/10--)

Mitsubishi Eclipse Cross (10/17--)

Mitsubishi Lancer VIII (03/07--)

Mitsubishi Outlander III (11/10--)

Peugeot 4008 (05/12--)

Renault Mégane II (07/01--)

Renault Scénic III (12/08--)

Stabilizer link**11-16 060 0040****MSL0750****Notes**

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]

300

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

replacement in pairs recommended

**References**

CITROËN (DF-PSA) 5087.61

Citroën 5087.39

Citroën 5087.46

Peugeot 16 07 322 580

Peugeot 5087.39

Peugeot 5087.46

Citroën 16 073 225 80

Citroën 5087.42

Citroën 5087.61

Peugeot 16 07 322 980

Peugeot 5087.42

Peugeot 5087.61

Application info

Citroën Berlingo I (07/96-12/11)

Citroën Xsara Picasso (09/99-06/12)

Peugeot 306 (01/93-10/03)

Peugeot Partner II (04/08--)

Citroën Xsara (04/97-03/10)

Citroën ZX (03/91-07/99)

Peugeot Partner I (05/96--)

Stabilizer link **11-16 060 0041/HD** **MSL1020HD**

Notes		
	Carbon Neutral	
	Coupling Rod	
	Front Axle Left	
	Front Axle Right	
Length [mm]	355	
Required quantity	2	
Thread Size 1	M12X1,5	
Thread Size 2	M12X1,5	
reinforced version		
replacement in pairs recommended		

References	
Citroën 98 090 901 80	Fiat 9809090180
GENERAL MOTORS 9809090180	Peugeot 98 09 090 180
Toyota SU001-A6492	

Application info	
Citroën Jumpy III (04/16--)	Citroën Spacetourer (04/16--)
Opel Vivaro C (03/19--)	Peugeot Expert III (04/16--)
Peugeot Traveller (04/16--)	Toyota Proace II (02/16--)
Vauxhall Vivaro C (03/19--)	

Stabilizer link **11-16 060 0045/HD** **MSL1083HD**

Notes		
	Carbon Neutral	
	Coupling Rod	
	Front Axle Left	
	Front Axle Right	
Length [mm]	324	
Required quantity	2	
Thread Size 1	M10x1,5	
Thread Size 2	M10x1,5	
reinforced version		
replacement in pairs recommended		

References	
Citroën 98 246 525 80	DS 98 246 525 80
GENERAL MOTORS 98 246 525 80	Opel 98 246 525 80
Peugeot 98 24 652 580	Vauxhall 98 246 525 80

Application info

Citroën C4 III (10/20--)
 DS DS 3 CROSSBACK (10/18--)
 Opel Mokka B (06/20--)
 Peugeot 208 II (06/19--)
 Vauxhall Mokka B (06/20--)

Citroën C4 X (09/22--)
 Opel Corsa F (07/19--)
 Peugeot 2008 II (08/19--)
 Vauxhall Corsa Mk V (F) (07/19--)

Stabilizer link

11-16 060 0046/HD

MSL1011HD

Notes

Carbon Neutral
 Coupling Rod
 Rear Axle Left
 Rear Axle Right

Length [mm] 170
 Required quantity 2
 Thread Size 1 M10X1,5
 Thread Size 2 M10X1,5
 reinforced version
 replacement in pairs recommended



References

DS 98 152 270 80 Peugeot 98 15 227 080

Application info

DS DS 7 (09/17--)
 Peugeot 508 II (09/18--)

Stabilizer link

11-16 060 0047/HD

MSL1129HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left

Length [mm] 240
 Paired article number 11-16 060 0048/HD | MSL1130HD
 Required quantity 1
 Thread Size 1 10x1,5
 Thread Size 2 10x1,5
 reinforced version
 replacement in pairs recommended



References

Citroën 5087.80 Mitsubishi 4056A065
 Peugeot 5087.80

Application info

Citroën C-Zero (10/10--)
Peugeot Ion (11/10--)

Mitsubishi i (01/06--)

Stabilizer link

11-16 060 0048/HD

MSL1130HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right

Length [mm] 240
Paired article number 11-16 060 0047/HD | MSL1129HD
Required quantity 1
Thread Size 1 10x1,5
Thread Size 2 10x1,5
replacement in pairs recommended



References

Citroën 5087.81
Peugeot 5087.81

Mitsubishi 4056A066

Application info

Citroën C-Zero (10/10--)
Peugeot Ion (11/10--)

Mitsubishi i (01/06--)

Stabilizer link

11-16 060 5041/HD

MSL0102HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 322
Required quantity 2
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended



References

Citroën 16 073 230 80
Citroën 96 177 836
Peugeot 5087.40

Citroën 5087.40
Peugeot 16 07 323 080

Application info

Citroën Saxo (02/96-04/04)
Peugeot 106 (08/91-05/05)

Citroën Xantia (03/93-04/03)
Peugeot 406 (08/95-02/05)

Stabilizer link**11-16 060 5046/HD****MSL0103HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 300
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

CITROËN (DF-PSA) 5087.61
Citroën 5084.38
Citroën 5087.38
Citroën 5087.42
Citroën 5087.48
Citroën 96 152 213
Peugeot 5015.48
Peugeot 5087.34
Peugeot 5087.39
Peugeot 5087.46
Peugeot 5087.61

Citroën 16 073 247 80
Citroën 5087.34
Citroën 5087.39
Citroën 5087.46
Citroën 5087.61
Peugeot 16 07 324 780
Peugeot 5087.31
Peugeot 5087.38
Peugeot 5087.42
Peugeot 5087.48
Peugeot (DF-PSA) 5087.61

Application info

Citroën Berlingo I (07/96-12/11)
Citroën Xantia (03/93-04/03)
Citroën Xsara Picasso (09/99-06/12)
Peugeot 306 (01/93-10/03)
Peugeot Partner I (05/96--)

Citroën C5 I / C5 II (03/01--)
Citroën Xsara (04/97-03/10)
Citroën ZX (03/91-07/99)
Peugeot 607 (01/00--)
Peugeot Partner II (04/08--)

Stabilizer link

11-16 060 5707

MSL0104

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right

Length [mm] 360
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended

**References**

Citroën 96 103 814
 Peugeot 5087.32

Peugeot 5087.23

Application info

Citroën C15 / Visa (09/78-10/06)
 Peugeot 309 (10/85-12/93)

Peugeot 205 (02/83-12/00)

Stabilizer link

116 031 0025

MSL0105

Notes

Coupling Rod
 Rear Axle Left

Paired article number 116 031 0026 | MSL0106
 Required quantity 1
 replacement in pairs recommended

**References**

Audi 4E0 505 547 A

Audi 4E0 505 547 L

Application info

Audi A8 II (4E_) (10/02-12/10)

Strut mount 100 741 0007 MSM0280

Notes

Rear Axle
without bearing

Housing Diameter [mm] 56

Required quantity 2

replacement in pairs recommended



References

Audi 5Q0 513 353 H	Seat 5Q0 513 353 H
Volkswagen 5Q0 513 353 H	Volkswagen (FAW) 5Q0 513 353 H

Application info

Audi A3 III (8V_) (04/12--)	Seat Leon III (5F_) (09/12--)
Volkswagen Golf VII (5G1,BA5) (08/12--)	

Suspension Kit 014 610 0061 MCR0053

Notes

Front Axle Left
Front Axle Right

Required quantity 2

replacement in pairs recommended



References

Mercedes-Benz 246 330 17 07	Mercedes-Benz 246 330 18 07
Mercedes-Benz 246 330 47 00	Mercedes-Benz 246 330 48 00
Mercedes-Benz 246 333 00 14	Mercedes-Benz 246 333 01 00
Mercedes-Benz 246 333 02 00	Mercedes-Benz 246 333 02 14
Mercedes-Benz 246 333 05 14	Mercedes-Benz 246 333 06 14
Mercedes-Benz A 246 330 17 07	Mercedes-Benz A 246 330 18 07
Mercedes-Benz A 246 330 47 00	Mercedes-Benz A 246 330 48 00
Mercedes-Benz A 246 333 00 14	Mercedes-Benz A 246 333 01 00
Mercedes-Benz A 246 333 02 00	Mercedes-Benz A 246 333 02 14
Mercedes-Benz A 246 333 05 14	Mercedes-Benz A 246 333 06 14

Application info

Mercedes-Benz BM 117 (CLA) (01/13-03/19)
 Mercedes-Benz BM 176 (A-Class) (06/12-05/18)

Mercedes-Benz BM 156 (GLA-Class) (12/13--)
 Mercedes-Benz BM 246 (B-Class) (10/11-12/18)

Suspension Kit

014 610 0062

MCR0054

Notes

Required quantity
 replacement in pairs recommended

Front Axle Left
 Front Axle Right
 2



References

Mercedes-Benz 203 333 02 14
 Mercedes-Benz 204 330 31 11
 Mercedes-Benz 204 330 67 11
 Mercedes-Benz 204 333 10 14
 Mercedes-Benz A 203 333 02 14
 Mercedes-Benz A 204 330 31 11
 Mercedes-Benz A 204 330 67 11
 Mercedes-Benz A 204 333 10 14
 Mercedes-Benz (BBDC) 203 333 10 14
 Mercedes-Benz (BBDC) 204 330 68 11
 Mercedes-Benz (BBDC) A 204 330 67 11

Mercedes-Benz 203 333 10 14
 Mercedes-Benz 204 330 32 11
 Mercedes-Benz 204 330 68 11
 Mercedes-Benz 211 333 29 14
 Mercedes-Benz A 203 333 10 14
 Mercedes-Benz A 204 330 32 11
 Mercedes-Benz A 204 330 68 11
 Mercedes-Benz A 211 333 29 14
 Mercedes-Benz (BBDC) 204 330 67 11
 Mercedes-Benz (BBDC) A 203 333 10 14
 Mercedes-Benz (BBDC) A 204 330 68 11

Application info

Mercedes-Benz BM 172 (SLC) (01/16--)
 Mercedes-Benz BM 204 (C-Class) (01/07--)

Mercedes-Benz BM 172 (SLK) (01/11--)
 Mercedes-Benz BM 207 (E-Class) (01/09-12/16)

Suspension Kit

014 610 0063

MCR0055

Notes

Required quantity
 replacement in pairs recommended

Front Axle Left
 Front Axle Right
 2



References

- | | |
|--------------------------------------|--------------------------------------|
| Mercedes-Benz 212 330 29 11 | Mercedes-Benz 212 330 30 11 |
| Mercedes-Benz 212 333 00 14 | Mercedes-Benz 212 333 03 14 |
| Mercedes-Benz A 212 330 29 11 | Mercedes-Benz A 212 330 30 11 |
| Mercedes-Benz A 212 333 00 14 | Mercedes-Benz A 212 333 03 14 |
| Mercedes-Benz (BBDC) 212 333 00 14 | Mercedes-Benz (BBDC) 212 333 03 14 |
| Mercedes-Benz (BBDC) A 212 333 00 14 | Mercedes-Benz (BBDC) A 212 333 03 14 |

Application info

Mercedes-Benz BM 212 (E-Class) (01/09-12/16)

Suspension Kit

014 610 0064

MCR0042

Notes

Front Axle Left
 Front Axle Right
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|--------------------------------------|--------------------------------------|
| Mercedes-Benz 211 330 81 07 | Mercedes-Benz 211 330 82 07 |
| Mercedes-Benz 211 330 91 07 | Mercedes-Benz 211 330 92 07 |
| Mercedes-Benz 211 333 10 14 | Mercedes-Benz 211 333 11 14 |
| Mercedes-Benz 211 333 19 14 | Mercedes-Benz 211 333 25 14 |
| Mercedes-Benz 211 333 28 14 | Mercedes-Benz 211 333 29 14 |
| Mercedes-Benz A 211 330 81 07 | Mercedes-Benz A 211 330 82 07 |
| Mercedes-Benz A 211 330 91 07 | Mercedes-Benz A 211 330 92 07 |
| Mercedes-Benz A 211 333 10 14 | Mercedes-Benz A 211 333 11 14 |
| Mercedes-Benz A 211 333 19 14 | Mercedes-Benz A 211 333 25 14 |
| Mercedes-Benz A 211 333 28 14 | Mercedes-Benz A 211 333 29 14 |
| Mercedes-Benz (BBDC) 211 330 91 07 | Mercedes-Benz (BBDC) 211 330 92 07 |
| Mercedes-Benz (BBDC) 211 333 11 14 | Mercedes-Benz (BBDC) 211 333 29 14 |
| Mercedes-Benz (BBDC) A 211 330 91 07 | Mercedes-Benz (BBDC) A 211 330 92 07 |
| Mercedes-Benz (BBDC) A 211 333 11 14 | Mercedes-Benz (BBDC) A 211 333 29 14 |

Application info

Mercedes-Benz BM 211 (E-Class) (03/02-07/09) Mercedes-Benz BM 219 (CLS) (10/04-02/11)

Suspension Kit		016 610 0002	MCR0088
<p>Notes</p> <p>Front Axle Left Front Axle Right for control arm with ball joint with rubber mount</p> <p>Required quantity replacement in pairs recommended</p> <p>2</p>			
<p>References</p> <p>Smart 450 333 00 14 Smart A 450 333 00 14</p>		<p>Smart 451 330 00 10 Smart A 451 330 00 10</p>	
<p>Application info</p> <p>Smart Fortwo II (01/07--)</p>			
Suspension Kit		016 610 0005	MCR0061
<p>Notes</p> <p>Front Axle Left for control arm with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p> <p>016 610 0006 MCR0062 1</p>			
<p>References</p> <p>Mercedes-Benz 639 330 12 07 Mercedes-Benz A 639 330 12 07</p>		<p>Mercedes-Benz 639 330 14 01 Mercedes-Benz A 639 330 14 01</p>	
<p>Application info</p> <p>Mercedes-Benz BM 639 (Vito / Viano) (08/03--)</p>			

Suspension Kit

016 610 0006

MCR0062

Notes

Front Axle Right
for control arm
with ball joint
with rubber mount

Paired article number
016 610 0005 | MCR0061

Required quantity
1

replacement in pairs recommended



References

Mercedes-Benz 639 330 13 07
Mercedes-Benz A 639 330 13 07

Mercedes-Benz 639 330 15 01
Mercedes-Benz A 639 330 15 01

Application info

Mercedes-Benz BM 639 (Vito / Viano) (08/03--)

Suspension Kit

016 610 0007

MCR0063

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
2

replacement in pairs recommended



References

Mercedes-Benz 901 330 16 07
Mercedes-Benz 901 330 18 07
Mercedes-Benz 901 330 24 07
Mercedes-Benz A 901 330 16 07
Mercedes-Benz A 901 330 18 07
Mercedes-Benz A 901 330 24 07
Volkswagen 2D0 407 021
Volkswagen 2D0 407 021 B
Volkswagen 2D0 407 022
Volkswagen 2D0 407 022 B

Mercedes-Benz 901 330 17 07
Mercedes-Benz 901 330 19 07
Mercedes-Benz 901 330 25 07
Mercedes-Benz A 901 330 17 07
Mercedes-Benz A 901 330 19 07
Mercedes-Benz A 901 330 25 07
Volkswagen 2D0 407 021 A
Volkswagen 2D0 407 021 C
Volkswagen 2D0 407 022 A
Volkswagen 2D0 407 022 C

Application info

Mercedes-Benz BM 901 / 902 (Sprinter I) (01/95-05/06)
 Mercedes-Benz BM 904 (Sprinter I) (02/95-05/12)
 Volkswagen LT II (04/96-07/06)

Mercedes-Benz BM 903 (Sprinter I) (01/95-05/12)
 Mercedes-Benz BM 909 (Sprinter) (09/13--)

Suspension Kit

100 610 0037/HD

MCR0017HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Rear
 with accessories

Replace in pairs only
 Required quantity
 reinforced version

2



References

Audi 3C0 199 231 D
 Audi 3C0 199 231 F
 Seat 3C0 199 231 E
 Volkswagen 3C0 199 231 A
 Volkswagen 3C0 199 231 D
 Volkswagen 3C0 199 231 F

Audi 3C0 199 231 E
 Seat 3C0 199 231 D
 Seat 3C0 199 231 F
 Volkswagen 3C0 199 231 B
 Volkswagen 3C0 199 231 E
 Volkswagen (FAW) 3C0 199 231 D

Application info

Audi Q3 I (8U_) (06/11-12/18)
 Volkswagen CC (11/11-12/16)
 Volkswagen Passat (3C_) (03/05-01/12)
 Volkswagen Tiguan I (5N) (09/07-07/18)

Seat Alhambra II (710) (06/10--)
 Volkswagen Passat (362, 365) (08/10-12/15)
 Volkswagen Sharan (7N) (05/10--)

Suspension Kit

100 610 0045

MCR0033

Notes

Front Axle Left
 with accessories
 with rubber mount

Paired article number
 Required quantity
 replacement in pairs recommended

100 610 0046 | MCR0034
 1



References

Audi 1K0 199 231 G
 Audi 1K0 199 231 K
 Seat 1K0 199 231 K
 Skoda (SVW) 1K0 199 231 J
 Volkswagen 1K0 199 231 J
 Volkswagen (FAW) 1K0 199 231

Audi 1K0 199 231 J
 Seat 1K0 199 231 J
 Skoda 1K0 199 231 J
 Volkswagen 1K0 199 231 G
 Volkswagen 1K0 199 231 K

Application info

Audi A3 II (8P_) (05/03-12/15)
 Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Yeti (5L) (05/09-12/17)
 Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
 Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
 Volkswagen Jetta III (1K2) (09/04-12/13)
 Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
 Skoda Superb II (3T) (03/08-05/15)
 Volkswagen Beetle (5C1) (04/11-07/19)
 Volkswagen Eos (03/06-08/15)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen Scirocco III (137) (05/08-11/17)

Suspension Kit

100 610 0046

MCR0034

Notes

Front Axle Right
 with accessories
 with rubber mount
 Paired article number 100 610 0045 | MCR0033
 Required quantity 1
 replacement in pairs recommended



References

Audi 1K0 199 232 G
 Seat 1K0 199 232 J
 Skoda (SVW) 1K0 199 232 J
 Volkswagen 1K0 199 232 J

Audi 1K0 199 232 J
 Skoda 1K0 199 232 J
 Volkswagen 1K0 199 232 G
 Volkswagen (FAW) 1K0 199 232 J

Application info

Audi A3 II (8P_) (05/03-12/15)
 Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Yeti (5L) (05/09-12/17)
 Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
 Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
 Volkswagen Jetta III (1K2) (09/04-12/13)
 Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
 Skoda Superb II (3T) (03/08-05/15)
 Volkswagen Beetle (5C1) (04/11-07/19)
 Volkswagen Eos (03/06-08/15)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen Scirocco III (137) (05/08-11/17)

Suspension Kit

100 610 0059/HD

MCR0041HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Replace in pairs only
Required quantity
reinforced version

2



References

- | | |
|---------------------------|--------------------------|
| Audi 4E0 407 181 B | Audi 4E0 407 183 A |
| Audi 4E0 407 183 B | Audi 4E0 407 183 H |
| Audi 4E0 407 515 D | Audi 4G0 407 183 |
| Audi 4G0 407 183 A | Audi 4H0 407 183 B |
| Audi 4H0 407 183 C | Audi 4H0 407 515 |
| Audi 4H0 407 515 A | Audi 4H0 407 515 B |
| Audi 8D0 407 515 A | Audi 8D0 407 515 B |
| Audi 8D0 407 515 C | Audi 8K0 407 182 A |
| Audi 8K0 407 182 B | Audi 8K0 407 182 C |
| Audi 8K0 407 515 | Audi 8R0 407 515 |
| Audi (FAW) 4E0 407 181 B | Audi (FAW) 4G0 407 183 B |
| Audi (FAW) 4GD 407 181 | Audi (FAW) 4GD 407 515 |
| Audi (FAW) 8D0 407 515 B | Audi (FAW) 8D0 407 515 C |
| Audi (FAW) 8K0 407 182 B | Audi (FAW) 8K0 407 182 C |
| Audi (FAW) L8K0 407 182 B | |

Application info

- | | |
|---|---|
| Audi A4 IV (8K_) (08/07-05/16) | Audi A5 I (8F_ , 8T_) (06/07-01/17) |
| Audi A6 IV (4G2, 4G5, C7) (11/10-09/18) | Audi A7 I Sportback (4G_) (07/10-05/18) |
| Audi Q5 I (8R_) (11/08-12/17) | |

Suspension Kit

100 610 0061

MCR0043

Notes

Required quantity
replacement in pairs recommended

Front Axle Left
Front Axle Right
2



References

Audi 1J0 407 181
Audi 357 407 182
Seat 1J0 407 181 A
Skoda 1J0 407 181
Skoda 357 407 182
Volkswagen 1J0 407 181
Volkswagen 357 407 182
Volkswagen (SVW) 180 407 182

Audi 1J0 407 181 A
Seat 1J0 407 181
Seat 357 407 182
Skoda 1J0 407 181 A
Skoda (SVW) 180 407 182
Volkswagen 1J0 407 181 A
Volkswagen (FAW) L357 407 182

Application info

Audi A1 I (8X_) (05/10-10/18)
Audi TT I (8N_) (10/98-12/06)
Seat Leon I / Toledo II (1M_) (10/98-06/06)
Seat Toledo IV (KG3) (07/12-04/19)
Skoda Fabia II (54_) (12/06-12/14)
Skoda Octavia I (1U_) (09/96-12/10)
Skoda Roomster (03/06-05/15)
Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)
Volkswagen Passat (3B_) (08/96-12/05)
Volkswagen Polo (9N_) (10/01--)

Audi A3 I (8L_) (09/96-09/06)
Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)
Seat Mii (10/11--)
Skoda Citigo (10/11--)
Skoda Fabia III (NJ_) (08/14--)
Skoda Rapid II (N_) (07/12-12/19)
Volkswagen Bora (1J2, 1J6) (10/98-12/13)
Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)
Volkswagen Polo (6R_) (03/09--)
Volkswagen UP (08/11--)

Suspension Kit

100 610 0062/HD

MCR0051HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Replace in pairs only

Required quantity

2



References

Audi 1K0 199 232 G
Audi 1K0 407 182
Audi 5Q0 407 182
Seat 1K0 199 232 J
Seat 1K0 407 182 A
Seat 5Q0 407 182 A
Skoda 1K0 407 182
Skoda 1K0 407 182 F
Skoda (SVW) 1K0 199 231 J
Skoda (SVW) 1K0 407 182
Volkswagen 1K0 199 232 J
Volkswagen 1K0 407 182 A
Volkswagen 5Q0 407 182
Volkswagen (FAW) 1KD 407 182

Audi 1K0 199 232 J
Audi 1K0 407 182 F
Audi 5Q0 407 182 A
Seat 1K0 407 182
Seat 1K0 407 182 F
Skoda 1K0 199 232 J
Skoda 1K0 407 182 A
Skoda 5Q0 407 182
Skoda (SVW) 1K0 199 232 J
Volkswagen 1K0 199 232 G
Volkswagen 1K0 407 182
Volkswagen 1K0 407 182 F
Volkswagen (FAW) 1K0 199 231
Volkswagen (FAW) 5Q0 407 182

Application info

Audi A3 II (8P_) (05/03-12/15)
Skoda Octavia II (1Z_) (02/04-06/13)
Skoda Yeti (5L) (05/09-12/17)
Volkswagen Bora V (Mex) (01/07--)
Volkswagen Eos (03/06-08/15)
Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Scirocco III (137) (05/08-11/17)

Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Superb II (3T) (03/08-05/15)
Volkswagen Beetle (5C1) (04/11-07/19)
Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
Volkswagen Jetta III (1K2) (09/04-12/13)
Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Suspension Kit

100 610 0068

MCR0057

Notes

Required quantity
replacement in pairs recommended

Front Axle Left
Front Axle Right
2



References

- | | |
|--------------------------------|------------------------------|
| Audi 1K0 407 182 | Audi 1K0 407 182 A |
| Audi 1K0 407 182 F | Audi 3C0 199 231 D |
| Audi 3C0 199 231 E | Audi 5Q0 407 182 |
| Audi 5Q0 407 182 A | Seat 1K0 407 182 |
| Seat 1K0 407 182 A | Seat 1K0 407 182 F |
| Seat 3C0 199 231 D | Seat 3C0 199 231 E |
| Seat 3C0 199 231 F | Seat 5Q0 407 182 A |
| Volkswagen 1K0 407 182 | Volkswagen 1K0 407 182 A |
| Volkswagen 1K0 407 182 F | Volkswagen 3C0 199 231 A |
| Volkswagen 3C0 199 231 B | Volkswagen 3C0 199 231 D |
| Volkswagen 3C0 199 231 E | Volkswagen 5Q0 407 182 |
| Volkswagen 5Q0 407 182 A | Volkswagen (FAW) 1KD 407 182 |
| Volkswagen (FAW) 3C0 199 231 D | Volkswagen (FAW) 5Q0 407 182 |

Application info

- | | |
|--|---|
| Audi Q3 I (8U_) (06/11-12/18) | Seat Alhambra II (710) (06/10--) |
| Volkswagen Passat (362, 365) (08/10-12/15) | Volkswagen Passat (3C_) (03/05-01/12) |
| Volkswagen Sharan (7N) (05/10--) | Volkswagen Tiguan I (5N) (09/07-07/18) |

Suspension Kit

100 610 0085/HD

MCR0018HD

Notes

Paired article number
Replace in pairs only
Required quantity
reinforced version

Carbon Neutral
Front Axle Left
with accessories
with rubber mount
100 610 0086/HD | MCR0019HD
1



References

Audi 1K0 199 231 G
 Audi 1K0 199 231 K
 Seat 1K0 199 231 K
 Skoda (SVW) 1K0 199 231 J
 Volkswagen 1K0 199 231 J
 Volkswagen (FAW) 1K0 199 231

Audi 1K0 199 231 J
 Seat 1K0 199 231 J
 Skoda 1K0 199 231 J
 Volkswagen 1K0 199 231 G
 Volkswagen 1K0 199 231 K

Application info

Audi A3 II (8P_) (05/03-12/15)
 Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Yeti (5L) (05/09-12/17)
 Volkswagen Bora V (Mex) (01/07--)
 Volkswagen Eos (03/06-08/15)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen Scirocco III (137) (05/08-11/17)

Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
 Skoda Superb II (3T) (03/08-05/15)
 Volkswagen Beetle (5C1) (04/11-07/19)
 Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
 Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
 Volkswagen Jetta III (1K2) (09/04-12/13)
 Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Suspension Kit**100 610 0086/HD****MCR0019HD****Notes**

Carbon Neutral
 Front Axle Right
 with accessories
 with rubber mount

Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

100 610 0085/HD | MCR0018HD
 1

**References**

Audi 1K0 199 232 G
 Seat 1K0 199 232 J
 Skoda (SVW) 1K0 199 232 J
 Volkswagen 1K0 199 232 J

Audi 1K0 199 232 J
 Skoda 1K0 199 232 J
 Volkswagen 1K0 199 232 G
 Volkswagen (FAW) 1K0 199 232 J

Application info

Audi A3 II (8P_) (05/03-12/15)
 Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Yeti (5L) (05/09-12/17)
 Volkswagen Bora V (Mex) (01/07--)
 Volkswagen Eos (03/06-08/15)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen Scirocco III (137) (05/08-11/17)

Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
 Skoda Superb II (3T) (03/08-05/15)
 Volkswagen Beetle (5C1) (04/11-07/19)
 Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
 Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
 Volkswagen Jetta III (1K2) (09/04-12/13)
 Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Suspension Kit

11-16 610 0002

MCR0090

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

Citroën 3520.W7
Citroën 3520.X1
Citroën 3521.S9
Citroën 3521.T3
Citroën 3523 CZ
Citroën 3523 EC
Citroën 3523.CN
Citroën 3640.77
Citroën 98 032 865 80
DS 3520 X1
DS 3520.W7
DS 3521 T3
DS 3521.S9
DS 3523 EC
DS 98 032 865 80
Peugeot 3523.CR
Peugeot 96 707 714 80
Peugeot 98 032 864 80

Citroën 3520.W8
Citroën 3520.Y1
Citroën 3521.T0
Citroën 3521.V2
Citroën 3523 EA
Citroën 3523 EE
Citroën 3523.CP
Citroën 98 032 864 80
DS 3520 W8
DS 3520 Y1
DS 3521 T0
DS 3521 V2
DS 3523 CZ
DS 98 032 864 80
Peugeot 3523 CN
Peugeot 3640.77
Peugeot 96 707 720 80
Peugeot 98 032 865 80

Application info

Citroën C3 II (09/09--)
Citroën C4 Cactus (09/14--)
DS DS 3 (04/15-07/19)
Peugeot 208 I (03/12--)

Citroën C3 III (07/16--)
Citroën DS3 (11/09-12/16)
Peugeot 2008 I (03/13--)

Suspension Kit

11-16 610 0003/HD

MCR0091HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Replace in pairs only
Required quantity
reinforced version

2



References

Peugeot 1215144
Peugeot 3520.F1
Peugeot 3521.A1
Peugeot 3640.48
Peugeot 3840.37

Peugeot 1215145
Peugeot 3521.69
Peugeot 3523.75
Peugeot 3640.49

Application info

Peugeot 306 (01/93-10/03)

Suspension Kit

11-16 610 0004/HD

MCR0092HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Replace in pairs only
Required quantity
reinforced version

2



References

Citroën 16 072 975 80
 Citroën 3520.F7
 Citroën 3521.A7
 Citroën 3523.75
 Citroën 3640.51
 Citroën 95 685 512
 Citroën 96 110 483
 Peugeot 1215144
 Peugeot 16 07 297 580
 Peugeot 3520.H5
 Peugeot 3523.75
 Peugeot 3640.51

Citroën 16 072 976 80
 Citroën 3520.F8
 Citroën 3521.A8
 Citroën 3640.50
 Citroën 3640.52
 Citroën 95 685 513
 Citroën 96 111 043
 Peugeot 1215145
 Peugeot 16 07 297 680
 Peugeot 3521.E5
 Peugeot 3640.50

Application info

Citroën Berlingo I (07/96-12/11)
 Citroën Xsara Picasso (09/99-06/12)
 Peugeot Partner II (04/08--)

Citroën Xsara (04/97-03/10)
 Peugeot Partner I (05/96--)

Suspension Kit

11-16 610 0005

MCR0093

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount
 2

Required quantity
 replacement in pairs recommended



References

Citroën 16 072 984 80
 Citroën 16 073 050 80
 Citroën 3520 Q9
 Citroën 3520.W5
 Citroën 3521.N8
 Citroën 3523.CC
 Citroën 3640.56
 Citroën 3640.61
 Citroën 3640.65
 Citroën 98 105 881 80
 DS 98 105 881 80
 Peugeot 16 07 298 480
 Peugeot 16 073 050 80
 Peugeot 3520 Q9
 Peugeot 3520 W5
 Peugeot 3521 N0
 Peugeot 3521 S8
 Peugeot 3523.CC
 Peugeot 3640.56
 Peugeot 3640.61
 Peugeot 3640.65
 Peugeot 98 10 588 180

Citroën 16 072 985 80
 Citroën 16 073 051 80
 Citroën 3520.R7
 Citroën 3521 N0
 Citroën 3521.S8
 Citroën 3523.CE
 Citroën 3640.59
 Citroën 3640.62
 Citroën 3640.66
 Citroën 98 105 882 80
 DS 98 105 882 80
 Peugeot 16 07 298 580
 Peugeot 16 073 051 80
 Peugeot 3520 T1
 Peugeot 3520.R7
 Peugeot 3521 Q2
 Peugeot 3521.N8
 Peugeot 3523.CE
 Peugeot 3640.59
 Peugeot 3640.62
 Peugeot 3640.66
 Peugeot 98 10 588 280

Application info

Citroën C3 III (07/16--)
 Citroën C4 Cactus (09/14--)
 DS DS 3 (04/15-07/19)
 Peugeot 207 (02/06--)

Citroën C3 Picasso (02/09--)
 Citroën DS3 (11/09-12/16)
 Peugeot 2008 I (03/13--)
 Peugeot 208 I (03/12--)

Suspension Kit

11-16 610 0006

MCR0094

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount
 2

Required quantity
 replacement in pairs recommended



References

Citroën 16 072 984 80
 Citroën 3520.T2
 Citroën 3520.T6
 Citroën 3520.T8
 Citroën 3521 Q3
 Citroën 3521 Q7
 Citroën 3521 Q9
 Citroën 3523 CZ
 Citroën 3523 EC
 Citroën 3523.CN
 Citroën 3640.56
 Citroën 3640.61
 Citroën 3640.65
 Peugeot 16 07 298 480
 Peugeot 3520.T2
 Peugeot 3521 Q3
 Peugeot 3523 CN
 Peugeot 3640.56
 Peugeot 3640.61
 Peugeot 3640.65
 Peugeot 96 707 714 80

Citroën 16 072 985 80
 Citroën 3520.T5
 Citroën 3520.T7
 Citroën 3520.T9
 Citroën 3521 Q6
 Citroën 3521 Q8
 Citroën 3521 R0
 Citroën 3523 EA
 Citroën 3523 EE
 Citroën 3523.CP
 Citroën 3640.59
 Citroën 3640.62
 Citroën 3640.66
 Peugeot 16 07 298 580
 Peugeot 3520.T3
 Peugeot 3521 Q4
 Peugeot 3523.CR
 Peugeot 3640.59
 Peugeot 3640.62
 Peugeot 3640.66
 Peugeot 96 707 720 80

Application info

Citroën C2 / C3 I / Pluriel (02/02--)

Peugeot 1007 (04/05--)

Suspension Kit

11-16 610 0007/HD

MCR0095HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Front Axle Right
 Lower
 Sheet Steel
 for vehicles with power steering
 with ball joint
 with rubber mount

Replace in pairs only
 Required quantity reinforced version

2



References

Peugeot 16 144 470 80
 Peugeot 3520.84
 Peugeot 3520.99
 Peugeot 3520.H3
 Peugeot 3521.55
 Peugeot 3521.68
 Peugeot 3521.E4

Peugeot 16 144 473 80
 Peugeot 3520.98
 Peugeot 3520.F3
 Peugeot 3520.H4
 Peugeot 3521.56
 Peugeot 3521.E3
 Peugeot 3521.E5

Application info

Peugeot 306 (01/93-10/03)

Suspension Kit

11-16 610 0008

MCR0096

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount
 2

Required quantity
 replacement in pairs recommended



References

Citroën 96 783 112 80
 Citroën 98 463 292 80
 Peugeot 96 721 924 80
 Peugeot 96 78 311 380
 Peugeot 98 079 142 80
 Peugeot 98 203 816 80
 Peugeot 98 463 292 80

Citroën 96 783 113 80
 Citroën 98 463 297 80
 Peugeot 96 78 311 280
 Peugeot 98 079 141 80
 Peugeot 98 203 815 80
 Peugeot 98 310 882 80
 Peugeot 98 463 297 80

Application info

Citroën C4 Grand Picasso II (01/13--)
 Citroën C4 SPACETOURER / GRAND SPACETOURER
 (04/18--)
 Peugeot 308 II (09/13--)
 Peugeot 508 II (09/18--)

Citroën C4 II / DS4 (02/09--)
 Peugeot 308 I (09/07--)
 Peugeot 308 III (07/21--)

Suspension Kit

11-16 610 0009

MCR0064

Notes

Front Axle Right
Left
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

1



References

Citroën 3520.Q2
Peugeot 3520.Q2
Toyota 48068-0H010

Citroën 3521.L3
Peugeot 3521.L3
Toyota 48069-0H010

Application info

Citroën C1 (06/05-09/14)
Toyota Aygo I (02/05-05/14)

Peugeot 107 (06/05-05/14)

Suspension Kit

11-16 610 0010

MCR0065

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

- | | |
|-----------------------|-----------------|
| Citroën 16 227 103 80 | Citroën 3520 L3 |
| Citroën 3520.L4 | Citroën 3520.L9 |
| Citroën 3520.N1 | Citroën 3520.P9 |
| Citroën 3520.Q0 | Citroën 3520.R0 |
| Citroën 3520.R1 | Citroën 3520.R2 |
| Citroën 3520.R3 | Citroën 3520.R4 |
| Citroën 3520.R5 | Citroën 3520.V1 |
| Citroën 3520.V5 | Citroën 3521 H5 |
| Citroën 3521 J2 | Citroën 3521 L1 |
| Citroën 3521 N1 | Citroën 3521 N2 |
| Citroën 3521 N3 | Citroën 3521 N4 |
| Citroën 3521 N5 | Citroën 3521 N6 |
| Citroën 3521 S2 | Citroën 3521.H6 |
| Citroën 3521.J1 | Citroën 3521.K8 |
| Citroën 3521.R2 | Peugeot 3520.P1 |
| Peugeot 3520.R6 | Peugeot 3521 N7 |
| Peugeot 3521.K1 | |

Application info

- | | |
|---------------------------------------|------------------------|
| Citroën C2 / C3 I / Pluriel (02/02--) | Peugeot 1007 (04/05--) |
|---------------------------------------|------------------------|

Suspension Kit

114 653 0000 MCR0022

Notes

- Front Axle Left
- Front Axle Right
- Lower
- 2

Required quantity
replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| Mercedes-Benz 903 330 41 07 | Mercedes-Benz 906 330 40 07 |
| Mercedes-Benz 906 333 00 14 | Mercedes-Benz 906 333 01 14 |
| Mercedes-Benz A 903 330 41 07 | Mercedes-Benz A 906 330 40 07 |
| Mercedes-Benz A 906 333 00 14 | Mercedes-Benz A 906 333 01 14 |
| Volkswagen 2E0 407 151 M | Volkswagen 2E0 407 152 M |
| Volkswagen 2E0 407 523 | Volkswagen 2E0 407 523 A |

DRIVER'S BEST FRIEND

MEYLE

Application info

Mercedes-Benz BM 906 (Sprinter II) (06/06--)

Volkswagen Crafter I (2E) (04/06-12/16)

Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)