

Steering

Axial rod

15-16 030 0003

MAR0089

Notes

Front Axle Left
Front Axle Right

Length [mm] 283
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M12x1,5
replacement in pairs recommended



References

Alfa Romeo 9944452 Alfa Romeo 9947361
Alfa Romeo 9947368 Fiat 994 44 52

Application info

Alfa Romeo 145 / 146 (07/94-10/01) Alfa Romeo 155 (01/92-12/97)
Alfa Romeo GTV (09/94-10/05) Alfa Romeo Spider (916) (09/94-04/05)
Fiat Coupé (11/93-08/00)

Axial rod

15-16 031 0002

MAR0091

Notes

Front Axle Left
Front Axle Right

Length [mm] 220
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Alfa Romeo 9948297 Alfa Romeo 9948905

Application info

Alfa Romeo 166 (09/98-06/07)

Axial rod

16-16 030 0006

MAR0098

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	255
Required quantity	2
Thread Size 1	M12x1
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Renault 7700759418
Renault 7702145337

Renault 7701463346

Application info

Renault R 19 (01/88-08/03)
Renault Super 5 (10/84-12/96)

Renault Rapid/Express (07/85-10/99)


Axial rod

16-16 030 0023

MAR0100

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	303
Required quantity	2
Thread Size 1	M12x1
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Renault 7701477878

Application info

Renault Twingo II / Wind (03/07--)

Axial rod		16-16 030 4298	MAR0101
Notes Front Axle Left Front Axle Right Length [mm] 270 Required quantity 2 Thread Size 1 M12x1 Thread Size 2 M14x1,5 replacement in pairs recommended			
References Renault 7701465915 Renault 7701467235		Renault 7701465917 Renault 7701467237	
Application info Renault R 19 (01/88-08/03)		Renault R 21 (03/86-07/97)	
Axial rod		16-16 030 7046	MAR0102
Notes Front Axle Left Front Axle Right Length [mm] 298 Required quantity 2 Thread Size 1 M12x1 Thread Size 2 M14x1,5 replacement in pairs recommended			
References Renault 7701467218 Renault 7701469517		Renault 7701467219	
Application info Renault Twingo I (03/93-10/12)			

Axial rod

16-16 030 7056

MAR0103

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	266
Required quantity	2
Thread Size 1	M12x1
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Renault 7701469251

Renault 7701469665

Application info

Renault Laguna I (11/93-08/02)

Axial rod

16-16 031 0000

MAR0104

Notes

	Front Axle Left
	Front Axle Right
	for vehicles with power steering
Length [mm]	242
Manufacturer Restriction	SMI
Required quantity	2
Thread Size 1	M12x1
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Renault 7701471125

Application info

Renault Clio I (05/90-09/98)

Renault Clio II / Thalia (02/98--)

Axial rod**16-16 031 0003/HD****MAR0107HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 193
 Required quantity 2
 Thread Size 1 M12x1
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended

**References**

Dacia 6001547606
 Lada 6001550441
 Renault 6001550441

Dacia 6001550441
 Renault 6001547606

Application info

Dacia Logan I (08/04--)
 Dacia Sandero I (06/08--)
 Lada Largus (03/12--)
 Renault Sandero/Stepway I (11/07--)

Dacia Logan II (10/12--)
 Dacia Sandero II (10/12--)
 Renault Logan I (09/04--)

Axial rod**16-16 031 0004****MAR0108****Notes**

Front Axle Left
 Front Axle Right

Length [mm] 263
 Required quantity 2
 Thread Size 1 M12x1
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

Fiat 6000617147
 Nissan 48520-00QAM
 Renault 7701473333
 Vauxhall 91 16 0037

GENERAL MOTORS 91160037
 Opel 44 08 474
 Vauxhall 44 08 474

Application info

Fiat Talento (06/16--)
 Nissan Primastar I (X83) (03/01--)
 Opel Vivaro A (08/01--)
 Renault Trafic II (03/01--)
 Vauxhall Vivaro A (08/01-07/14)

Nissan NV300 (09/16--)
 Nissan Primastar II (X82) (11/21--)
 Opel Vivaro B (06/14--)
 Renault Trafic III (05/14--)
 Vauxhall Vivaro B (05/14--)

Axial rod

16-16 031 0005

MAR0109

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 248
 Required quantity 2
 Thread Size 1 M12x1
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Citroën 3812.F6 DS 3812 F6
 Renault 7701474076 Renault 7701478552

Application info

Citroën C3 II (09/09--)
 DS DS 3 (04/15-07/19)
 Renault Vel Satis (06/02--)
 Citroën DS3 (11/09-12/16)
 Renault Espace IV (11/02--)

Axial rod

16-16 031 0006

MAR0110

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 215
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mazda D653-32-240 Renault 7701474448

Application info

Mazda 2 (DE) (07/07-06/15)
Renault Scénic II (06/03-07/10)

Renault Mégane II (07/01--)

Axial rod**16-16 031 0007****MAR0111****Notes**

Front Axle Left
Front Axle Right

Length [mm] 309
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended

**References**

Nissan 48001AX702
Nissan 48001BC43A
Renault 7701475841

Nissan 48001AY612
Nissan 48001BC46A

Application info

Nissan Micra (K12) (03/02--)

Renault Clio III / Modus (09/04--)

Axial rod**16-16 031 0008****MAR0112****Notes**

Front Axle Left
Front Axle Right

Length [mm] 303
Manufacturer Restriction SMI
Required quantity 2
Thread Size 1 M12x1
Thread Size 2 M14x1,5
replacement in pairs recommended

**References**

Nissan 48521-00QAG
Renault 7701473655

Renault 7701472120

Application info

Nissan Kubistar (08/03--)
Renault Kangoo I (08/97--)

Renault Clio II / Thalia (02/98--)

Axial rod

16-16 031 0009

MAR0113

Notes

Front Axle Left
 Front Axle Right
 for vehicles with power steering

Length [mm] 285
 Manufacturer Restriction TRW
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

Renault 7701472087

Renault 7701472089

Renault 7701476760

Application info

Renault Mégane I / Scénic I (08/95-07/10)

Axial rod

16-16 031 0010

MAR0114

Notes

Front Axle Left
 Front Axle Right

Length [mm] 242
 Manufacturer Restriction TRW
 Required quantity 2
 Thread Size 1 M12x1
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

Renault 7701471124

Application info

Renault Clio II / Thalia (02/98--)

Axial rod

16-16 031 0011

MAR0115

Notes

Front Axle Left
Front Axle Right

Length [mm] 303
Manufacturer Restriction TRW
Required quantity 2
Thread Size 1 M12x1
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Nissan 48521-00QAA

Renault 7701472113

Application info

Nissan Kubistar (08/03--)
Renault Kangoo I (08/97--)

Renault Clio II / Thalia (02/98--)

Axial rod

16-16 031 0013/HD

MAR0496HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 215
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

Mazda D653-32-240

Renault 7701474448

Application info

Mazda 2 (DE) (07/07-06/15)
Renault Scénic II (06/03-07/10)

Renault Mégane II (07/01--)

Axial rod		16-16 031 0014	MAR0116
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 207 Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 415 320 00 89 Renault 485215612R Renault 7701478406</p>		<p>Mercedes-Benz A 415 320 00 89 Renault 485215961R</p>	
<p>Application info</p> <p>Mercedes-Benz BM 415 (Citan) (11/12--) Renault Kangoo II (02/08--) Renault Mégane II (07/01--)</p>		<p>Renault Fluence (02/10--) Renault Megane III (11/08--) Renault Scénic III (12/08--)</p>	
Axial rod		16-16 031 0016/HD	MAR0118HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left Front Axle Right</p> <p>Length [mm] 255 Required quantity 2 Thread Size 1 M12x1 Thread Size 2 M14x1,5 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>Renault 6025370493</p>		<p>Renault 6025370494</p>	
<p>Application info</p> <p>Renault Avantime (09/01-05/03)</p>		<p>Renault Espace III (11/96-10/02)</p>	

Axial rod

16-16 031 0017

MAR0119

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	190
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Renault 485210001R

Application info

Renault Laguna III / Coupe / Grandtour (10/07-12/15)

Axial rod

16-16 031 0019

MAR0121

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	205
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Dacia 8201108350

Renault 8201108350

Application info

Dacia Duster I (04/10--)

Renault Duster I (01/11--)

Axial rod **16-16 031 0020** **MAR0122**

Notes	Front Axle Left Front Axle Right	
Length [mm]	250	
Required quantity	2	
Thread Size 1	M16x1,5	
Thread Size 2	M18x1,5	
replacement in pairs recommended		

References		
GENERAL MOTORS 93167687	Nissan 48521-00Q0E	
Opel 44 20 096	Renault 485212373R	
Vauxhall 44 20 096	Vauxhall 93 16 7687	

Application info		
Nissan Interstar II (X62B) (11/21--)	Nissan NV400 (11/11--)	
Opel Movano B (05/10--)	Renault Master III (02/10--)	
Vauxhall Movano Mk II (05/10--)		

Axial rod **16-16 031 0022** **MAR0123**

Notes	Front Axle Left Front Axle Right	
Length [mm]	320	
Required quantity	2	
Thread Size 1	M12x1	
Thread Size 2	M14x1,5	
replacement in pairs recommended		

References		
Renault 7701473498		

Application info		
Renault Twingo I (03/93-10/12)		

Axial rod

16-16 031 0024

MAR0125

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	291
Manufacturer Restriction	TRW
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Renault 7701472734

Renault 7701472735

Application info

Renault Clio II / Thalia (02/98--)

Axial rod

16-16 031 0025

MAR0359

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	230
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Renault 485211071R

Renault 485211375R

Application info

Renault Captur I (06/13--)

Renault Clio IV (11/12--)

Renault Zoe (06/12--)

Axial rod**16-16 031 0026****MAR0360****Notes**

Front Axle Left
Front Axle Right

Length [mm] 190
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended

**References**

Dacia 485211105R
Renault 485211105R

Dacia 485213172R
Renault 485213172R

Application info

Dacia Dokker (11/12--)
Dacia Logan II (10/12--)
Renault Dokker (12/13--)
Renault Lodgy (JS_) (07/13--)
Renault Logan II (09/12--)
Renault Thalia III (12/13--)

Dacia Lodgy (03/12--)
Dacia Sandero II (10/12--)
Renault Express (05/21--)
Renault Logan I (09/04--)
Renault Sandero/Stepway II (11/13--)

Axial rod**16-16 031 0033/HD****MAR0497HD****Notes**

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 309
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended

**References**

Nissan 48001AX702
Nissan 48001BC43A
Renault 7701475841

Nissan 48001AY612
Nissan 48001BC46A

Application info

Nissan Micra (K12) (03/02--)

Renault Clio III / Modus (09/04--)

Axial rod

16-16 031 0034/HD

MAR0498HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 320
Required quantity 2
Thread Size 1 M12x1
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended

**References**

Renault 7701473498

Application info

Renault Twingo I (03/93-10/12)

Axial rod

16-16 031 0037/HD

MAR0501HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 263
Required quantity 2
Thread Size 1 M12x1
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended

**References**

Fiat 6000617147

Nissan 48520-00QAM

Renault 7701473333

GENERAL MOTORS 91160037

Opel 44 08 474

Vauxhall 44 08 474

Application info

Fiat Talento (06/16--)

Nissan Primastar I (X83) (03/01--)

Opel Vivaro A (08/01--)

Renault Trafic II (03/01--)

Vauxhall Vivaro A (08/01-07/14)

Nissan NV300 (09/16--)

Nissan Primastar II (X82) (11/21--)

Opel Vivaro B (06/14--)

Renault Trafic III (05/14--)

Vauxhall Vivaro B (05/14--)

Axial rod

16-16 031 0038/HD

MAR0502HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

205

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended

**References**

Dacia 8201108350

Renault 8201108350

Application info

Dacia Duster I (04/10--)

Renault Duster I (01/11--)

Axial rod

16-16 031 0039/HD

MAR0503HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

303

Required quantity

2

Thread Size 1

M12x1

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended

**References**

Renault 7701477878

Application info

Renault Twingo II / Wind (03/07--)

Axial rod**16-16 031 0040/HD****MAR0504HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 190
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended

**References**

Dacia 485211105R
 Renault 485211105R

Dacia 485213172R
 Renault 485213172R

Application info

Dacia Dokker (11/12--)
 Dacia Logan II (10/12--)
 Renault Dokker (12/13--)
 Renault Lodgy (JS_) (07/13--)
 Renault Logan II (09/12--)
 Renault Thalia III (12/13--)

Dacia Lodgy (03/12--)
 Dacia Sandero II (10/12--)
 Renault Express (05/21--)
 Renault Logan I (09/04--)
 Renault Sandero/Stepway II (11/13--)

Axial rod**16-16 031 0041/HD****MAR0543HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 207
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended

**References**

Mercedes-Benz 415 320 00 89
 Renault 485215612R
 Renault 7701478406

Mercedes-Benz A 415 320 00 89
 Renault 485215961R

Application info

Mercedes-Benz BM 415 (Citan) (11/12--)
 Renault Kangoo II (02/08--)
 Renault Mégane II (07/01--)

Renault Fluence (02/10--)
 Renault Megane III (11/08--)
 Renault Scénic III (12/08--)

Axial rod**16-16 031 0042/HD****MAR0591HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Length [mm] 393
 Required quantity 2
 Thread Size 1 M12x1
 Thread Size 2 M14X1,5
 reinforced version
 replacement in pairs recommended

**References**

Renault 485215653R Smart 453 463 00 00
 Smart A 453 463 00 00

Application info

Renault Twingo III (09/14--)
 Smart Fortwo III (07/14--)

Smart Forfour II (07/14--)

Axial rod**16-16 031 0043/HD****MAR0560HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Length [mm] 210
 Required quantity 2
 Thread Size 1 14x1,5
 Thread Size 2 14X1,5
 reinforced version
 replacement in pairs recommended

**References**

Renault 485216564R

Application info

Renault Megane IV (11/15--)

Renault Scenic / Grand Scenic IV (09/16--)

Axial rod		16-16 031 0044/HD	MAR0633HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left Front Axle Right</p> <p>Length [mm] 214 Required quantity 2 Thread Size 1 M16X1,5 Thread Size 2 M14x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Nissan 48001-4EH0A Renault 485212518R</p>		<p>Nissan 48001-4EH0B</p>	
<p>Application info</p> <p>Nissan Qashqai II (J11_) (11/13--)</p>		<p>Renault Kadjar (06/15--)</p>	
Axial rod		16-16 031 0045	MAR0582
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 232 Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M14,1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Renault 485212309R</p>			
<p>Application info</p> <p>Renault Espace V (02/15--)</p>		<p>Renault Talisman (06/15--)</p>	

Axial rod

16-16 031 0046/HD

MAR0573HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

214

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

Dacia 485213285R

Renault 485213285R

Application info

Dacia Duster II (10/17--)

Renault Arkana (08/19--)

Renault Duster II (10/17--)

Axial rod

18-16 031 0000

MAR0357

Notes

Front Axle Left
 Front Axle Right

Length [mm]

295

Required quantity

2

Thread Size 1

13/16"-20UNF

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Jaguar JLM409

Application info

Jaguar XJS (09/73-09/97)

Axial rod

18-16 031 0001

MAR0443

Notes

Front Axle Left
Front Axle Right

Length [mm] 210
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended

**References**

Jaguar C2D28554
Jaguar C2D47149
Jaguar C2Z2215

Jaguar C2D44327
Jaguar C2Z2214

Application info

Jaguar F-Type (10/12--)
Jaguar XJ (X351) (10/09--)

Jaguar XF I (X250) (03/08--)
Jaguar XK (03/06-12/14)

Axial rod

18-16 031 0002

MAR0557

Notes

Front Axle Left
Front Axle Right

Length [mm] 201
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended

**References**

Jaguar T2H21418
Jaguar T2H4205

Jaguar T2H32619
Jaguar T2H5049

Application info

Jaguar XE (X760) (03/15--)

Jaguar XF II (X260) (05/15--)

Axial rod		18-16 031 0003	MAR0558
Notes Front Axle Left Front Axle Right Length [mm] 208 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References Jaguar T4A12526 Land Rover LR090900		Jaguar T4A12527	
Application info Jaguar F-Pace (X761) (09/15--) Land Rover Range Rover Velar (03/17--) References Fiat 9945562		Jaguar I-Pace (X590) (02/18--) Lancia 994 5562	
Axial rod		214 030 4686	MAR0126
Notes Front Axle Left Front Axle Right for vehicles with power steering Length [mm] 264 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M12x1,5 replacement in pairs recommended		 	
References Fiat 9945562		Lancia 994 5562	
Application info Fiat Punto I (09/93-06/00)		Lancia Y (11/95-09/03)	

Axial rod		216 020 0027	MAR0368
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 324 Required quantity 2 Thread Size 1 M18X1.5 Thread Size 2 M15x1.5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Chrysler 68028831AA Chrysler 68028831AC</p>		<p>Chrysler 68028831AB</p>	
<p>Application info</p> <p>Chrysler 300 C (09/04--)</p>			
Axial rod		216 030 3100	MAR0128
<p>Notes</p> <p>Front Axle Left Front Axle Right for vehicles without power steering</p> <p>Length [mm] 272 Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M12x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Fiat 7701491 Fiat 9946948</p>		<p>Fiat 9 948 343 Lancia 9946948</p>	
<p>Application info</p> <p>Fiat Barchetta (03/95-05/05) Fiat Punto II (09/99-07/12)</p>		<p>Fiat Punto I (09/93-06/00) Lancia Y (11/95-09/03)</p>	

Axial rod

216 031 0003

MAR0132

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	300
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Lancia 9948296

Application info

Lancia Lybra (07/99-10/05)

Axial rod

216 031 0008

MAR0137

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	226
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M12x1,5
replacement in pairs recommended	

**References**

Fiat 77362506

Application info

Fiat Panda II (09/03--)

Axial rod

216 031 0012

MAR0141

Notes

Front Axle Left
 Front Axle Right
 for vehicles with power steering

Length [mm] 296
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

Fiat 98845026

Application info

Fiat Doblo (119, 223) (11/00--)

Axial rod

216 031 0016

MAR0145

Notes

Front Axle Left
 Front Axle Right

Length [mm] 250
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M12x1,5
 replacement in pairs recommended

**References**

Fiat 51786814

Fiat 51786815

Fiat 51875886

Fiat 51875887

Ford 1 541 354

Ford 1 541 355

Ford 9S51-3A500-AA

Ford 9S51-3A500-BA

Application info

ABARTH 500 (01/08--)

Fiat 500 (07/07--)

Ford KA II (10/08-05/16)

Axial rod

216 031 0017

MAR0146

Notes

Front Axle Left
Front Axle Right

Length [mm] 272
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended

**References**

Citroën 4001 K6
Citroën 4001 PA
Fiat 9940260
Lancia 9941186
Peugeot 4001 K6
Peugeot 4001 PA

Citroën 4001 NZ
Citroën 4001.77
Lancia 9940260
Peugeot 4001 77
Peugeot 4001 NZ

Application info

Citroën Nemo (02/08--)
Fiat Fiorino Nuovo (225) (01/07--)
Lancia Thema I (11/84-07/94)

Fiat Croma I (12/85-12/96)
Fiat Linea (10/06--)
Peugeot Bipper (02/08--)

Axial rod

216 031 0018

MAR0147

Notes

Front Axle Left
Front Axle Right

Length [mm] 330
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended

**References**

Alfa Romeo 50519427
Alfa Romeo 50521639
Alfa Romeo 50547666

Alfa Romeo 50521026
Alfa Romeo 50526421

Application info

Alfa Romeo Giulietta (940) (04/10--)

Axial rod

216 031 0020

MAR0149

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	300
Required quantity	2
Thread Size 1	M18x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Fiat 26144989	Fiat 51854419
Fiat 51854420	Fiat 51885794
Fiat 51885795	Fiat 51885796
Fiat 51885797	Fiat 51938732

Application info

Fiat Doblo (263) (11/09--)	Opel Combo D (02/12--)
----------------------------	------------------------

Axial rod

216 031 0021

MAR0376

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	308
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Fiat K68040223AA	Fiat K68040223AB
Fiat K68040223AD	Fiat K68040223AE
Lancia K68040223AD	Lancia K68040223AE

Application info

Fiat Freemont (JC) (08/11--)	Lancia Flavia (03/12-12/14)
------------------------------	-----------------------------

Axial rod

216 031 0026/HD

MAR0505HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 250
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended



References

Fiat 51786814	Fiat 51786815
Fiat 51875886	Fiat 51875887
Ford 1 541 354	Ford 1 541 355
Ford 9S51-3A500-AA	Ford 9S51-3A500-BA

Application info

ABARTH 500 (01/08--)	Fiat 500 (07/07--)
Ford KA II (10/08-05/16)	

Axial rod

216 031 0027/HD

MAR0506HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
for vehicles with power steering

Length [mm] 296
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

Fiat 98845026

Application info

Fiat Doblo (119, 223) (11/00--)

Axial rod

216 031 0028/HD

MAR0507HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

330

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended

**References**

Fiat 98845024

Fiat 98845025

Application info

Fiat Doblo (119, 223) (11/00--)

Axial rod

216 031 0029/HD

MAR0508HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

252

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended

**References**

Lancia 51706968

Lancia 51832250

Lancia 51893013

Lancia 77362380

Application info

Lancia Ypsilon (843) (10/03-12/11)

Axial rod**216 031 0030/HD****MAR0509HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

272

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended

**References**

Citroën 4001 K6

Citroën 4001 PA

Fiat 9940260

Peugeot 4001 77

Peugeot 4001 NZ

Citroën 4001 NZ

Citroën 4001.77

Lancia 9940260

Peugeot 4001 K6

Peugeot 4001 PA

Application info

Citroën Nemo (02/08--)

Fiat Fiorino Nuovo (225) (01/07--)

Lancia Thema I (11/84-07/94)

Fiat Croma I (12/85-12/96)

Fiat Linea (10/06--)

Peugeot Bipper (02/08--)

Axial rod**216 031 0031/HD****MAR0544HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

288

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14X1,5

reinforced version

replacement in pairs recommended

**References**

Fiat 51885439

Fiat 51909794

Application info

Fiat 500L (09/12--)

Axial rod

216 031 0032/HD

MAR0574HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

234

Required quantity

2

Thread Size 1


M14x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended



References

Fiat 51907994

Fiat 51965753

Fiat 51965755

Fiat 6810 5871 AB

Fiat K68105871AA

Fiat K68105871AB

Lancia 51965753

Lancia 51965755

Application info

Fiat Panda III (02/12--)

Lancia Ypsilon (846) (05/11--)

Axial rod

216 031 0033/HD

MAR0634HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

298

Required quantity

2

Thread Size 1

M14X1,5

Thread Size 2

M14X1,5

reinforced version

replacement in pairs recommended



References

Fiat 51967456

Fiat 52005180

Jeep 51967456

Jeep 52005180

Application info

Fiat 500X (09/14--)

Jeep Renegade (BU, B1) (07/14--)

Axial rod**216 031 0036****MAR0667****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	298
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

ABARTH 52169265	ABARTH 52169676
ABARTH 52225924	Fiat 52169265
Fiat 52169676	Fiat 52225924

Application info

ABARTH 500E (02/23--)	Fiat 500e (332_) (10/20--)
-----------------------	----------------------------

Axial rod**28-16 031 0011****MAR0156****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	162
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Hyundai 56540-2H000	Kia 56540 2H000
---------------------	-----------------

Application info

Hyundai Elantra IV (09/05--)	Hyundai i30 I (10/07-06/12)
Kia Cee'd I (12/06-02/13)	Kia Cerato II (TD) (01/09--)

Axial rod

28-16 031 0015

MAR0562

Notes

Front Axle Left

Length [mm] 188
 Paired article number 28-16 031 0016 | MAR0563
 Required quantity 1
 Thread Size 1 M18x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Kia 57724 2P100

Application info

Kia Sorento II (06/09--)

Axial rod

28-16 031 0016

MAR0563

Notes

Front Axle Right

Length [mm] 188
 Paired article number 28-16 031 0015 | MAR0562
 Required quantity 1
 Thread Size 1 M18x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Kia 57724 2P000

Application info

Kia Sorento II (06/09--)

Axial rod

28-16 031 0024/HD

MAR0511HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 162
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

Hyundai 56540-2H000

Kia 56540 2H000

Application info

Hyundai Elantra IV (09/05--)
Kia Cee'd I (12/06-02/13)

Hyundai i30 I (10/07-06/12)
Kia Cerato II (TD) (01/09--)

Axial rod

28-16 031 0025/HD

MAR0512HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 170
Required quantity 2
Thread Size 1 M18x1,5
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

Kia 57731 3E010

Kia 57732 3E010

Application info

Kia Sorento I (08/02--)

Axial rod

28-16 031 0026/HD

MAR0513HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

290

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M12x1,25

reinforced version

replacement in pairs recommended

**References**

Kia 57724 07000

Kia 57724 07001

Kia 57724 07100

Kia 57724 07101

Application info

Kia Picanto I (04/04--)

Axial rod

28-16 031 0028/HD

MAR0620HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

198.1

Required quantity

2

Thread Size 1

M16X1,5

Thread Size 2

M14X1,5

reinforced version

replacement in pairs recommended

**References**

Kia 56540 G6000

Application info

Kia Picanto III (03/17--)

Axial rod

28-16 031 0029/HD

MAR0650HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

278

Required quantity

2

Thread Size 1

M16X1,5

Thread Size 2

M14X1,5

reinforced version

replacement in pairs recommended



References

Hyundai 56540-H8000

Kia 56540 H8000

Kia 56540 H8100

Application info

Hyundai Accent V (01/18--)

Hyundai Solaris (01/17--)

Kia Rio IV (01/17--)

Kia Stonic (07/17--)

Axial rod

28-16 031 0031/HD

MAR0610HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

223

Observe service information

Required quantity

2

Thread Size 1

18x1,5

Thread Size 2

16x1,5

replacement in pairs recommended



References

Kia 57724 D4000

Application info

Kia Optima IV (09/15--)

Axial rod

28-16 031 0032/HD

MAR0571HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

253

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M16X1,5

reinforced version

replacement in pairs recommended



References

Kia 57724 C5100

Kia 57724 C5600

Application info

Kia Sorento III (01/15--)

Kia Sorento IV (03/20--)

Axial rod

28-16 031 0033/HD

MAR0566HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

243

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended



References

Kia 57724 C5000

Kia 57724 C5500

Application info

Kia Sorento III (01/15--)

Axial rod

28-16 031 0034/HD

MAR0645HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

230

Required quantity

2

Thread Size 1

M16X1,5

Thread Size 2

M16X1,5

reinforced version

replacement in pairs recommended



References

Hyundai 57724-3Z000

Hyundai 57724-3Z100

Hyundai 57724-C1000

Kia 57724 C1000

Application info

Hyundai Sonata VII (06/14--)

Hyundai i40 (07/11--)

Kia Optima IV (09/15--)

Axial rod

28-16 031 0035

MAR0607

Notes

Front Axle Left
 Front Axle Right

Length [mm]

187

Required quantity

2

Thread Size 1

20x1,5

Thread Size 2

14x1,5

replacement in pairs recommended



References

Kia 57724 1Y500


Kia 57724 1Y501

Application info

Kia Picanto II (05/11--)

Axial rod**28-16 031 0036****MAR0646****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	186
Required quantity	2
Thread Size 1	M16X1,5
Thread Size 2	M14X1,5
replacement in pairs recommended	

**References**

Kia 57724 1Y600

Application info

Kia Picanto II (05/11--)

Axial rod**28-16 031 0037/HD****MAR0615HD****Notes**

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	208
Observe service information	
Required quantity	2
Thread Size 1	M16X1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

Kia 57724 A4000

Application info

Kia Carens IV (03/13--)

Axial rod		29-16 031 0002	MAR0158
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 358 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Chevrolet 520808 Chevrolet 93740618 Chevrolet 93740701 Daewoo 520808 Daewoo 93740701 Daewoo 95710894</p>			
<p>Application info</p> <p>Chevrolet Epica (01/05--) Chevrolet Lacetti (03/03--) Daewoo Lacetti (02/02--)</p> <p>Chevrolet Evanda (03/05--) Daewoo Evanda / Magnus (08/02--) Daewoo Leganza (03/97-04/04)</p>			
Axial rod		29-16 031 0006	MAR0161
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 200 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M12x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Chevrolet 96425093 Chevrolet 96535300 Daewoo 96535300</p>			
<p>Application info</p> <p>Chevrolet Astro I (02/03-05/08) Daewoo Kalos (09/02--)</p> <p>Chevrolet Aveo I (01/03--)</p>			

Axial rod

29-16 031 0007/HD

MAR0621HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

244.5

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M12x1,25

reinforced version

replacement in pairs recommended

**References**

Chevrolet 95967277

Chevrolet 95967294

Application info

Chevrolet Spark (M300) (12/09--)

Axial rod

29-16 031 0008/HD

MAR0637HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

328

Required quantity

2

Thread Size 1

M16X1,5

Thread Size 2

M14X1,5

reinforced version

replacement in pairs recommended

**References**

CHEVROLET (SGM) 95218372

Chevrolet 95218372

Application info

Chevrolet Aveo II (03/11--)

Axial rod

29-16 031 0009/HD

MAR0625HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 for vehicles without electric power steering

Length [mm]

303.1

Required quantity

2

Thread Size 1

M16X1,5

Thread Size 2

M16X1,5

reinforced version

replacement in pairs recommended



References

Chevrolet 13314170

Application info

Chevrolet Orlando (J309) (12/10--)

Axial rod

30-16 030 0009

MAR0164

Notes

Front Axle Left
 Front Axle Right

Length [mm]

240

Manufacturer Restriction

ZF

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Toyota 45503-05010

Toyota 45503-990DL

Application info

Toyota Carina (T19) (02/92-09/97)

Axial rod

30-16 031 0028/HD

MAR0178HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

294

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M15x1,5

reinforced version

replacement in pairs recommended

**References**

Toyota 45503-09320

Toyota 45503-09321

Toyota 45503-09331

Toyota 45503-09340

Toyota 45503-09410

Application info

Toyota Hilux (KUN) (08/04--)

Axial rod

30-16 031 0029/HD

MAR0514HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

305

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended

**References**

Toyota 45503-0F010

Toyota 45503-20170

Application info

Toyota Avensis (T25) (01/03-11/08)

Toyota Corolla Verso (03/04-04/09)

Axial rod**30-16 031 0031****MAR0664****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	296
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

Toyota 45503-0K130

Application info

Toyota Fortuner (_N15_, _N16_) (05/15--)

Toyota Hilux (Gun1, Gun13) (05/15--)

Toyota Hilux VIII (_N1_) (05/15--)

Axial rod**30-16 031 0059/HD****MAR0179HD****Notes**

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	240
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M14x1,5
reinforced version	
replacement in pairs recommended	

**References**

Toyota 45500-0D110

Toyota 45500-0D111

Toyota 45503-0D080

Toyota 45503-52070

Application info

Toyota Yaris II (01/05-12/14)

Axial rod

30-16 031 0075

MAR0182

Notes

Front Axle Left
Front Axle Right

Length [mm] 240
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M12x1,25
replacement in pairs recommended

**References**

Toyota 45503-0D030
Toyota 45503-59045

Toyota 45503-52010

Application info

Toyota Yaris I (01/99-12/05)

Axial rod

30-16 031 0084/HD

MAR0551HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 261
Required quantity 2
Thread Size 1 M24x1,5
Thread Size 2 M16x1,5
reinforced version
replacement in pairs recommended

**References**

Lexus 45503-60040

Toyota 45503-60040

Application info

Lexus GX II (11/09--)

Toyota Land Cruiser (J15) (07/09--)

Axial rod

31-16 030 0019

MAR0188

Notes

Front Axle Left
 Length [mm] 210
 Paired article number 31-16 030 0020 | MAR0189
 Required quantity 1
 Thread Size 1 M20x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Honda 53010-SMG-E01

Application info

Honda Civic VIII (09/05--)

Axial rod

31-16 030 0020

MAR0189

Notes

Front Axle Right
 Length [mm] 210
 Paired article number 31-16 030 0019 | MAR0188
 Required quantity 1
 Thread Size 1 M20x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Honda 53011-SMG-E01

Application info

Honda Civic VIII (09/05--)

Axial rod

31-16 030 0021

MAR0190

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	320
Required quantity	2
Thread Size 1	M20x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Honda 53010-SWA-A01

Application info

Honda CR-V III (06/06--)

Honda Civic V (10/91-02/01)

Honda Civic VI (06/95-03/01)

Axial rod

31-16 031 0009/HD

MAR0516HD

Notes

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	122
Required quantity	2
Thread Size 1	M18x1,5
Thread Size 2	M14x1,5
reinforced version	
replacement in pairs recommended	

**References**

Honda 53010-SDA-A01

Honda 53010-SEA-900

Application info

Honda Accord VIII (09/02--)

Axial rod

31-16 031 0010/HD

MAR0517HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

202

Required quantity

2

Thread Size 1

M12x1,25

Thread Size 2

M14 x1,25

reinforced version

replacement in pairs recommended



References

Honda 53010-S10-000

Application info

Honda CR-V I (10/95-07/02)

Axial rod

31-16 031 0033/HD

MAR0606HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

250

Required quantity

2

Thread Size 1

14x1,5

Thread Size 2

14x1,5

reinforced version

replacement in pairs recommended



References

Honda 53410-T5B-003

Application info

Honda HR-V II (11/14--)

Honda Jazz IV (09/13--)

Axial rod

31-16 031 0034/HD

MAR0647HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

255

Required quantity

2

Thread Size 1

M16X1,0

Thread Size 2

M14X1,5

reinforced version

replacement in pairs recommended



References

Honda 53010-T0A-A01

Application info

Honda CR-V IV (01/12--)

Honda CR-V V (12/16--)

Axial rod

31-16 031 0035/HD

MAR0644HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

270

Required quantity

2

Thread Size 1

M14X1,5

Thread Size 2

M14X1,5

reinforced version

replacement in pairs recommended



References

Honda 53010-T7W-003

Application info

Honda HR-V II (11/14--)

Axial rod

31-16 031 0036

MAR0622

Notes

Front Axle Left
Front Axle Right

Length [mm]

196.5

Required quantity

2

Thread Size 1

M18X1,5

Thread Size 2

M14X1,5

replacement in pairs recommended

**References**

Honda 53521-TEA-A51

Application info

Honda Civic X (09/15--)

Axial rod

31-16 031 0038

MAR0597

Notes

Front Axle Left
Front Axle Right

Length [mm]

182

Required quantity

2

Thread Size 1

20x1,5

Thread Size 2

14x1,5

replacement in pairs recommended

**References**

Honda 53010-TV0-E01

Application info

Honda Civic IX (09/11--)

Axial rod

31-16 031 0039

MAR0656

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 235.5
 Required quantity 2
 Thread Size 1 M18x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Honda 53010-TF0-003

Application info

Honda Insight II (04/09--)

Honda Jazz III (10/07--)

Tie rod assembly

16-16 030 0032/HD

MTA0299HD

Notes

Front Axle Right
 Paired article number 16-16 030 0027/HD
 Paired article number 16-16 030 0033/HD | MTA0300HD
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M12x1,0
 reinforced version
 replacement in pairs recommended



References

GENERAL MOTORS 91160037
 GENERAL MOTORS 91160044
 Nissan 48203-00QAE
 Nissan 48520-00QAM
 Opel 44 08 511
 Opel 4408476
 Renault 77 01 473 334
 Renault 7701473333
 Vauxhall 91160044

GENERAL MOTORS 91160038
 GENERAL MOTORS 93198896
 Nissan 48520-00QAL
 Opel 44 08 474
 Opel 44 53 052
 Renault 485209446R
 Renault 7701049283
 Vauxhall 44 08 474
 Vauxhall 93198896

Application info

Nissan Primastar I (X83) (03/01--)
 Opel Vivaro A (08/01--)
 Renault Trafic II (03/01--)
 Vauxhall Vivaro A (08/01-07/14)

Nissan Primastar II (X82) (11/21--)
 Opel Vivaro B (06/14--)
 Renault Trafic III (05/14--)
 Vauxhall Vivaro B (05/14--)

Tie rod assembly**16-16 030 0033/HD****MTA0300HD****Notes**

Front Axle Left

Paired article number
 Required quantity
 Thread Size 1
 Thread Size 2
 reinforced version
 replacement in pairs recommended

1
 M10x1,25
 M12X1,0

**References**

GENERAL MOTORS 91160037
 GENERAL MOTORS 91160043
 Nissan 48203-00QAE
 Nissan 48520-00QAM
 Opel 44 08 510
 Opel 4408476
 Renault 77 01 473 334
 Renault 7701473333
 Vauxhall 91160043

GENERAL MOTORS 91160038
 GENERAL MOTORS 93198895
 Nissan 48520-00QAK
 Opel 44 08 474
 Opel 44 53 051
 Renault 485202714R
 Renault 7701049282
 Vauxhall 44 08 474
 Vauxhall 93198895

Application info

Nissan Primastar I (X83) (03/01--)
 Opel Vivaro A (08/01--)
 Renault Trafic II (03/01--)
 Vauxhall Vivaro A (08/01-07/14)

Nissan Primastar II (X82) (11/21--)
 Opel Vivaro B (06/14--)
 Renault Trafic III (05/14--)
 Vauxhall Vivaro B (05/14--)

Tie rod assembly

16-16 030 4280

MTA0141

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	261
Required quantity	2
Thread Size 1	M10x1,25
Thread Size 2	M12x1
replacement in pairs recommended	

**References**

Renault 6025171486
Renault 7701464313

Renault 7701463195
Renault 7701469229

Application info

Renault Espace II (01/91-10/97)

Renault R 25 (04/84-12/93)

Tie rod assembly

16-16 030 7022

MTA0143

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	306
Required quantity	2
Thread Size 1	M10x1,25
Thread Size 2	M12x1
replacement in pairs recommended	

**References**

Renault 7701463346

Application info

Renault Rapid/Express (07/85-10/99)

Renault Super 5 (10/84-12/96)

Tie rod end		15-16 020 0001	MTE0175
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 75</p> <p>Paired article number 15-16 020 0002 MTE0176</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Alfa Romeo 9947920 Alfa Romeo 9951289</p> <p>Lancia 9947920</p>			
<p>Application info</p> <p>Alfa Romeo 147 (10/00-12/10) Alfa Romeo 156 (02/97-05/06)</p> <p>Alfa Romeo 166 (09/98-06/07) Alfa Romeo GT (937) (11/03-09/10)</p> <p>Lancia Thesis (07/02-07/09)</p>			
Tie rod end		15-16 020 0002	MTE0176
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 75</p> <p>Paired article number 15-16 020 0001 MTE0175</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Alfa Romeo 9947919 Alfa Romeo 9951288</p> <p>Lancia 9947919</p>			
<p>Application info</p> <p>Alfa Romeo 147 (10/00-12/10) Alfa Romeo 156 (02/97-05/06)</p> <p>Alfa Romeo 166 (09/98-06/07) Alfa Romeo GT (937) (11/03-09/10)</p> <p>Lancia Thesis (07/02-07/09)</p>			

Tie rod end		15-16 020 0004	MTE0178
Notes Front Axle Left Length [mm] 115 Paired article number 15-16 020 0005 MTE0179 Required quantity 1 Thread Size 1 M12x1,75 Thread Size 2 M20x1,5 replacement in pairs recommended		 	
References Alfa Romeo 77363706			
Application info Alfa Romeo 159 (06/05-12/12) Alfa Romeo Brera (01/06-05/11) Alfa Romeo Spider (939) (03/06-03/11)			
Tie rod end		15-16 020 0005	MTE0179
Notes Front Axle Right Length [mm] 115 Paired article number 15-16 020 0004 MTE0178 Required quantity 1 Thread Size 1 M12x1,75 Thread Size 2 M20x1,5 replacement in pairs recommended		 	
References Alfa Romeo 77363707			
Application info Alfa Romeo 159 (06/05-12/12) Alfa Romeo Brera (01/06-05/11) Alfa Romeo Spider (939) (03/06-03/11)			

Tie rod end

15-16 020 0007

MTE0181

Notes

Front Axle Right

Length [mm]

95

Paired article number

15-16 020 0008 | MTE0182

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended



References

Alfa Romeo 50520353

Alfa Romeo 77365591

Application info

Alfa Romeo Giulietta (940) (04/10--)

Tie rod end

15-16 020 0008

MTE0182

Notes

Front Axle Left

Length [mm]

95

Paired article number

15-16 020 0007 | MTE0181

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended



References

Alfa Romeo 50520352

Alfa Romeo 77365592

Application info

Alfa Romeo Giulietta (940) (04/10--)

Tie rod end

15-16 020 0015/HD

MTE0981HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 169
Required quantity 2
Thread Size 1 M12x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Alfa Romeo 77368151

Application info

Alfa Romeo Stelvio (949) (12/16--)

Tie rod end

16-16 020 0000

MTE0183

Notes

Front Axle Right

Length [mm] 90
Paired article number 16-16 020 0006 | MTE0187
Required quantity 1
Thread Size 1 M10x1,25
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Nissan 48520-00QAF
Renault 485200151R
Renault 7701047416
Renault 7701474493
Renault 7701474813
Smart A 453 330 70 00

Nissan 48520-00QAP
Renault 485208910R
Renault 7701047813
Renault 7701474642
Smart 453 330 70 00

Application info

Nissan Kubistar (08/03--)
Renault Kangoo I (08/97--)
Renault Twingo I (03/93-10/12)
Renault Twingo III (09/14--)
Smart Fortwo III (07/14--)

Renault Clio II / Thalia (02/98--)
Renault Mégane I / Scénic I (08/95-07/10)
Renault Twingo II / Wind (03/07--)
Smart Forfour II (07/14--)

Tie rod end

16-16 020 0006

MTE0187

Notes

Front Axle Left
 Length [mm] 90
 Paired article number 16-16 020 0000 | MTE0183
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Nissan 48520-00QAE
 Renault 485202478R
 Renault 7701047415
 Renault 7701474492
 Renault 7701474812
 Smart A 453 330 71 00

Nissan 48520-00QAN
 Renault 485204628R
 Renault 7701047812
 Renault 7701474641
 Smart 453 330 71 00

Application info

Nissan Kubistar (08/03--)
 Renault Kangoo I (08/97--)
 Renault Twingo I (03/93-10/12)
 Renault Twingo III (09/14--)
 Smart Fortwo III (07/14--)

Renault Clio II / Thalia (02/98--)
 Renault Mégane I / Scénic I (08/95-07/10)
 Renault Twingo II / Wind (03/07--)
 Smart Forfour II (07/14--)

Tie rod end

16-16 020 0008/HD

MTE0189HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 210
 Paired article number 16-16 020 0009/HD | MTE0190HD
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Fiat 6000617475

GENERAL MOTORS 93198896

Opel 44 08 511

Renault 485209446R

Vauxhall 91160044

GENERAL MOTORS 91160044

Nissan 48520-00QAL

Opel 44 53 052

Renault 7701049283

Vauxhall 93198896

Application info

Fiat Talento (06/16--)

Nissan Primastar I (X83) (03/01--)

Opel Vivaro A (08/01--)

Renault Espace IV (11/02--)

Renault Trafic II (03/01--)

Renault Vel Satis (06/02--)

Vauxhall Vivaro B (05/14--)

Nissan NV300 (09/16--)

Nissan Primastar II (X82) (11/21--)

Opel Vivaro B (06/14--)

Renault Laguna II (03/01-12/07)

Renault Trafic III (05/14--)

Vauxhall Vivaro A (08/01-07/14)

Tie rod end**16-16 020 0009/HD****MTE0190HD****Notes**

Carbon Neutral

Front Axle Left

Length [mm]

210

Paired article number

16-16 020 0008/HD | MTE0189HD

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended

**References**

Fiat 6000617476

GENERAL MOTORS 93198895

Opel 44 08 510

Renault 485202714R

Vauxhall 91160043

GENERAL MOTORS 91160043

Nissan 48520-00QAK

Opel 44 53 051

Renault 7701049282

Vauxhall 93198895

Application info

Fiat Talento (06/16--)

Nissan Primastar I (X83) (03/01--)

Opel Vivaro A (08/01--)

Renault Espace IV (11/02--)

Renault Trafic II (03/01--)

Renault Vel Satis (06/02--)

Vauxhall Vivaro B (05/14--)

Nissan NV300 (09/16--)

Nissan Primastar II (X82) (11/21--)

Opel Vivaro B (06/14--)

Renault Laguna II (03/01-12/07)

Renault Trafic III (05/14--)

Vauxhall Vivaro A (08/01-07/14)

Tie rod end

16-16 020 0011

MTE0192

Notes

Front Axle Left

Length [mm]

213

Paired article number

16-16 020 0012 | MTE0193

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Dacia 485202867R

Dacia 6001 547 610

Dacia 6001550442

Lada 6001550442

Renault 6001547610

Renault 6001550442

Application info

Dacia Dokker (11/12--)

Dacia Lodgy (03/12--)

Dacia Logan I (08/04--)

Dacia Logan II (10/12--)

Dacia Sandero I (06/08--)

Dacia Sandero II (10/12--)

Lada Largus (03/12--)

Renault Dokker (12/13--)

Renault Express (05/21--)

Renault Lodgy (JS_) (07/13--)

Renault Logan I (09/04--)

Renault Logan II (09/12--)

Renault Sandero/Stepway I (11/07--)

Renault Sandero/Stepway II (11/13--)

Renault Thalia III (12/13--)

Tie rod end

16-16 020 0011/HD

MTE0192HD

Notes

Carbon Neutral

Front Axle Left

Length [mm]

213

Paired article number

16-16 020 0012/HD | MTE0193HD

Required quantity

1

Thread Size 1


M10x1,25

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

Dacia 485202867R

Dacia 6001547610

Dacia 6001550442

Renault 485202867R

Renault 6001547610

Renault 6001550442

Application info

Dacia Dokker (11/12--)	Dacia Lodgy (03/12--)
Dacia Logan I (08/04--)	Dacia Logan II (10/12--)
Dacia Sandero I (06/08--)	Dacia Sandero II (10/12--)
Lada Largus (03/12--)	Renault Dokker (12/13--)
Renault Express (05/21--)	Renault Lodgy (JS_) (07/13--)
Renault Logan I (09/04--)	Renault Logan II (09/12--)
Renault Sandero/Stepway I (11/07--)	Renault Sandero/Stepway II (11/13--)
Renault Thalia III (12/13--)	

Tie rod end**16-16 020 0012/HD****MTE0193HD****Notes**

Carbon Neutral
 Front Axle Right
 Length [mm] 213
 Paired article number 16-16 020 0011/HD | MTE0192HD
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5

reinforced version
 replacement in pairs recommended

**References**

Dacia 485200410R	Dacia 6001547611
Dacia 6001550443	Lada 8660003542
Lada 8660005229	Renault 485200410R
Renault 6001547611	Renault 6001550443

Application info

Dacia Dokker (11/12--)	Dacia Lodgy (03/12--)
Dacia Logan I (08/04--)	Dacia Logan II (10/12--)
Dacia Sandero I (06/08--)	Dacia Sandero II (10/12--)
Lada Largus (03/12--)	Renault Dokker (12/13--)
Renault Express (05/21--)	Renault Lodgy (JS_) (07/13--)
Renault Logan I (09/04--)	Renault Logan II (09/12--)
Renault Sandero/Stepway I (11/07--)	Renault Sandero/Stepway II (11/13--)
Renault Thalia III (12/13--)	

Tie rod end

16-16 020 0012

MTE0193

Notes

Front Axle Right

Length [mm]

213

Paired article number

16-16 020 0011 | MTE0192

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Dacia 485200410R

Dacia 6001550443

Lada 8660003542

Renault 6001547611

Dacia 6001 547 611

Lada 6001550443

Lada 8660005229

Renault 6001550443

Application info

Dacia Dokker (11/12--)

Dacia Logan I (08/04--)

Dacia Sandero I (06/08--)

Lada Largus (03/12--)

Renault Express (05/21--)

Renault Logan I (09/04--)

Renault Sandero/Stepway I (11/07--)

Renault Thalia III (12/13--)

Dacia Lodgy (03/12--)

Dacia Logan II (10/12--)

Dacia Sandero II (10/12--)

Renault Dokker (12/13--)

Renault Lodgy (JS_) (07/13--)

Renault Logan II (09/12--)

Renault Sandero/Stepway II (11/13--)

Tie rod end

16-16 020 0013/HD

MTE0194HD

Notes

Carbon Neutral

Front Axle Left

Length [mm]

200

Paired article number

16-16 020 0015/HD | MTE0196HD

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

Renault 7701054583

Renault 7701474795

Renault 7701054585

Application info

Renault Mégane II (07/01--)

Renault Scénic II (06/03-07/10)

Tie rod end

16-16 020 0013

MTE0194

Notes

Front Axle Left

Length [mm]

200

Paired article number

16-16 020 0015 | MTE0196

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Renault 7701054583

Renault 7701054585

Renault 7701474795

Application info

Renault Mégane II (07/01--)

Renault Scénic II (06/03-07/10)

Tie rod end

16-16 020 0014

MTE0195

Notes

Front Axle Left

Length [mm]

90

Paired article number

16-16 020 0016 | MTE0197

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Nissan 48640-AX602

Renault 7701475842

Application info

Nissan Micra (K12) (03/02--)

Renault Clio III / Modus (09/04--)

Tie rod end		16-16 020 0015	MTE0196
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 200</p> <p>Paired article number 16-16 020 0013 MTE0194</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>		  	
<p>References</p> <p>Renault 7701054584</p>		<p>Renault 7701474796</p>	
<p>Application info</p> <p>Renault Mégane II (07/01--)</p>		<p>Renault Scénic II (06/03-07/10)</p>	
Tie rod end		16-16 020 0015/HD	MTE0196HD
<p>Notes</p> <p>Carbon Neutral</p> <p>Front Axle Right</p> <p>Length [mm] 200</p> <p>Paired article number 16-16 020 0013/HD MTE0194HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M14x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		  	
<p>References</p> <p>Renault 7701054584</p>		<p>Renault 7701474796</p>	
<p>Application info</p> <p>Renault Mégane II (07/01--)</p>		<p>Renault Scénic II (06/03-07/10)</p>	

Tie rod end

16-16 020 0016

MTE0197

Notes

Front Axle Right

Length [mm]

90

Paired article number

16-16 020 0014 | MTE0195

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Nissan 48520-AX602

Renault 7701475843

Application info

Nissan Micra (K12) (03/02--)

Renault Clio III / Modus (09/04--)

Tie rod end

16-16 020 0017

MTE0198

Notes

Front Axle Left

Length [mm]

158

Paired article number

16-16 020 0018 | MTE0199

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Renault 7701471126

Renault 7701471145

Renault 7701476762

Application info

Renault Clio II / Thalia (02/98--)

Tie rod end		16-16 020 0018	MTE0199
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 158</p> <p>Paired article number 16-16 020 0017 MTE0198</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Renault 7701471127 Renault 7701471146</p> <p>Renault 7701476763</p>			
<p>Application info</p> <p>Renault Clio II / Thalia (02/98--)</p>			
Tie rod end		16-16 020 0019/HD	MTE0200HD
<p>Notes</p> <p>Carbon Neutral</p> <p>Front Axle Left</p> <p>Length [mm] 204</p> <p>Paired article number 16-16 020 0020/HD MTE0201HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M14x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Renault 6025370229</p>			
<p>Application info</p> <p>Renault Avantime (09/01-05/03) Renault Espace III (11/96-10/02)</p>			

Tie rod end		16-16 020 0020/HD	MTE0201HD
<p>Notes</p> <p>Carbon Neutral Front Axle Right</p> <p>Length [mm] 204</p> <p>Paired article number 16-16 020 0019/HD MTE0200HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M14x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Renault 6025370230</p>			
<p>Application info</p> <p>Renault Avantime (09/01-05/03) Renault Espace III (11/96-10/02)</p>			
Tie rod end		16-16 020 0021	MTE0202
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 200</p> <p>Paired article number 16-16 020 0022 MTE0203</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mercedes-Benz 415 460 01 05 Mercedes-Benz A 415 460 01 05</p> <p>Renault 7701478408</p>			
<p>Application info</p> <p>Mercedes-Benz BM 415 (Citan) (11/12--)</p> <p>Renault Kangoo II (02/08--)</p>			

Tie rod end

16-16 020 0022

MTE0203

Notes

	Front Axle Left
Length [mm]	200
Paired article number	16-16 020 0021 MTE0202
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Mercedes-Benz 415 460 00 05
Renault 7701478407

Mercedes-Benz A 415 460 00 05

Application info

Mercedes-Benz BM 415 (Citan) (11/12--)

Renault Kangoo II (02/08--)

Tie rod end

16-16 020 0023/HD

MTE0204HD

Notes

	Carbon Neutral
	Front Axle Right
Length [mm]	240
Paired article number	16-16 020 0024/HD MTE0205HD
Required quantity	1
Thread Size 1	M12x1,25
Thread Size 2	M14x1,5
reinforced version	
replacement in pairs recommended	



References

Renault 485200002R

Renault 485202733R

Application info

Renault Laguna III / Coupe / Grandtour (10/07-12/15)

Renault Latitude (07/10--)

Tie rod end		16-16 020 0024/HD	MTE0205HD
Notes Carbon Neutral Front Axle Left Length [mm] 240 Paired article number 16-16 020 0023/HD MTE0204HD Required quantity 1 Thread Size 1 M12x1,25 Thread Size 2 M14x1,5 reinforced version replacement in pairs recommended			
References Renault 485200001R		Renault 485201502R	
Application info Renault Laguna III / Coupe / Grandtour (10/07-12/15)		Renault Latitude (07/10--)	
Tie rod end		16-16 020 0025	MTE0206
Notes Front Axle Left Length [mm] 209 Paired article number 16-16 020 0026 MTE0207 Required quantity 1 Thread Size 1 M10x1,25 Thread Size 2 M14x1,5 replacement in pairs recommended			
References Renault 485202710R		Renault 485209049R	
Application info Renault Fluence (02/10--) Renault Scénic III (12/08--)		Renault Megane III (11/08--)	

Tie rod end

16-16 020 0026

MTE0207

Notes

	Front Axle Right
Length [mm]	209
Paired article number	16-16 020 0025 MTE0206
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Renault 485204680R

Renault 485205192R

Application info

Renault Fluence (02/10--)
Renault Scénic III (12/08--)

Renault Megane III (11/08--)

Tie rod end

16-16 020 0027

MTE0208

Notes

	Front Axle Right
Length [mm]	220
Paired article number	16-16 020 0028 MTE0209
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Dacia 82 01 108 332

Renault 8201108332

Application info

Dacia Duster I (04/10--)
Renault Kaptur (03/16--)

Renault Duster I (01/11--)

Tie rod end

16-16 020 0028

MTE0209

Notes

	Front Axle Left
Length [mm]	220
Paired article number	16-16 020 0027 MTE0208
Required quantity	1
Thread Size 1	M10x1.25
Thread Size 2	M14x1.5
replacement in pairs recommended	



References

Dacia 82 01 108 339

Renault 8201108339

Application info

Dacia Duster I (04/10--)

Renault Duster I (01/11--)

Renault Kaptur (03/16--)

Tie rod end

16-16 020 0029

MTE0210

Notes

	Front Axle Right
Length [mm]	224
Paired article number	16-16 020 0030 MTE0211
Required quantity	1
Thread Size 1	M14x1,5
Thread Size 2	M18x1,5
replacement in pairs recommended	



References

GENERAL MOTORS 93167689

Nissan 48520-00Q0E

Opel 44 20 098

Renault 485200780R

Vauxhall 44 20 098

Application info

Nissan Interstar II (X62B) (11/21--)

Nissan NV400 (11/11--)

Opel Movano B (05/10--)

Renault Master III (02/10--)

Vauxhall Movano Mk II (05/10--)

Tie rod end

16-16 020 0030

MTE0211

Notes

	Front Axle Left
Length [mm]	224
Paired article number	16-16 020 0029 MTE0210
Required quantity	1
Thread Size 1	M14x1,5
Thread Size 2	M18x1,5
replacement in pairs recommended	



References

GENERAL MOTORS 93167688	Nissan 48520-00Q0F
Opel 44 20 097	Renault 485206730R
Vauxhall 44 20 097	

Application info

Nissan Interstar II (X62B) (11/21--)	Nissan NV400 (11/11--)
Opel Movano B (05/10--)	Renault Master III (02/10--)
Vauxhall Movano Mk II (05/10--)	

Tie rod end

16-16 020 0037/HD

MTE0805HD

Notes

	Carbon Neutral
	Front Axle Left
	outer
Length [mm]	193
Paired article number	16-16 020 0038/HD MTE0806HD
Required quantity	1
Thread Size 1	10x1,25
Thread Size 2	14x1,5
reinforced version	
replacement in pairs recommended	



References

Nissan D8640-4EA0A	Renault 486404EA0A
--------------------	--------------------

Application info

Nissan Qashqai II (J11_) (11/13--)	Renault Kadjar (06/15--)
------------------------------------	--------------------------

Tie rod end

16-16 020 0038/HD

MTE0806HD

Notes

Carbon Neutral
Front Axle Right
outer

Length [mm] 193
Paired article number 16-16 020 0037/HD | MTE0805HD
Required quantity 1
Thread Size 1 10x1,25
Thread Size 2 14x1,5
reinforced version
replacement in pairs recommended



References

Nissan D8520-4EA0A

Renault 485204EA0A

Application info

Nissan Qashqai II (J11_) (11/13--)

Renault Kadjar (06/15--)

Tie rod end

16-16 020 0039/HD

MTE0826HD

Notes

Carbon Neutral
Front Axle Left
outer

Length [mm] 211
Paired article number 16-16 020 0040/HD | MTE0827HD
Required quantity 1
Thread Size 1 10x1x25
Thread Size 2 14x1,5
reinforced version
replacement in pairs recommended



References

Renault 485206481R

Application info

Renault Espace V (02/15--)

Renault Megane IV (11/15--)

Renault Scenic / Grand Scenic IV (09/16--)

Renault Talisman (06/15--)

Tie rod end

16-16 020 0040/HD

MTE0827HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 211
 Paired article number 16-16 020 0039/HD | MTE0826HD
 Required quantity 1
 Thread Size 1 10x1,25
 Thread Size 2 14x1,5
 reinforced version
 replacement in pairs recommended



References

Renault 485201340R

Application info

Renault Espace V (02/15--)

Renault Scenic / Grand Scenic IV (09/16--)

Renault Megane IV (11/15--)

Renault Talisman (06/15--)

Tie rod end

16-16 020 0041/HD

MTE0761HD

Notes

Carbon Neutral
Front Axle Left

Length [mm] 210
 Paired article number 16-16 020 0042/HD | MTE0762HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Citroën 16 099 482 80

Peugeot 16 09 948 280

Citroën 3817.80

Peugeot 3817.80

Application info

Citroën C5 III (RD_, TD_) (02/08--)

Peugeot 508 I (11/10--)

Tie rod end		16-16 020 0042/HD	MTE0762HD
Notes			
	Carbon Neutral		
	Front Axle Right		
Length [mm]	210		
Paired article number	16-16 020 0041/HD MTE0761HD		
Required quantity	1		
Thread Size 1	M12x1,5		
Thread Size 2	M14x1,5		
reinforced version			
replacement in pairs recommended			
References			
Citroën 16 09 948 380		Citroën 3817.81	
Peugeot 16 09 948 380		Peugeot 3817.81	
Application info			
Citroën C5 III (RD_, TD_) (02/08--)		Peugeot 508 I (11/10--)	
Tie rod end		16-16 020 0043/HD	MTE0817HD
Notes			
	Carbon Neutral		
	Front Axle Right		
Length [mm]	185		
Paired article number	16-16 020 0044/HD MTE0818HD		
Required quantity	1		
Thread Size 1	M10x1,25		
Thread Size 2	M14x1,5		
reinforced version			
replacement in pairs recommended			
References			
Renault 485208355R			
Application info			
Renault Captur I (06/13--)		Renault Clio IV (11/12--)	
Renault Kaptur (03/16--)		Renault Zoe (06/12--)	

Tie rod end

16-16 020 0044/HD

MTE0818HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 185
 Paired article number 16-16 020 0043/HD | MTE0817HD
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Renault 485200368R

Application info

Renault Captur I (06/13--)
 Renault Kaptur (03/16--)

Renault Clio IV (11/12--)
 Renault Zoe (06/12--)

Tie rod end

16-16 020 0045/HD

MTE0953HD

Notes

Carbon Neutral
 Front Axle Left
 Lower
 outer
 Length [mm] 179
 Paired article number 16-16 020 0046/HD | MTE0954HD
 Required quantity 1
 Thread Size 1 M10X1,25
 Thread Size 2 M14X1,5
 reinforced version
 replacement in pairs recommended



References

Renault 485205594R

Application info

Renault Arkana (08/19--)
 Renault Clio V (06/19--)

Renault Captur II (01/20--)

Tie rod end

16-16 020 0048/HD

MTE0971HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 209
 Paired article number 16-16 020 0047/HD | MTE0970HD
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14X1,5
 reinforced version
 replacement in pairs recommended



References

Dacia 485207921R

Renault 485207921R

Application info

Dacia Duster II (10/17--)
 Renault Duster II (10/17--)

Renault Arkana (08/19--)

Tie rod end

16-16 020 0049

MTE0999

Notes

Front Axle Left
outer

Length [mm] 209
 Paired article number 16-16 020 0050 | MTE1000
 Required quantity 1
 Thread Size 1 M10 x 1,25
 Thread Size 2 M14 x 1,5
 replacement in pairs recommended



References

Dacia 486401937R

Renault 486401937R

Application info

Dacia Jogger (03/22--)
 Dacia Sandero III (01/21--)

Dacia Logan III (05/21--)
 Renault Taliant (08/21--)

Tie rod end		16-16 020 0050	MTE1000
Notes		 	
	Front Axle Right		
	outer		
Length [mm]	209		
Paired article number	16-16 020 0049 MTE0999		
Required quantity	1		
Thread Size 1	M10 x 1,25		
Thread Size 2	M14 x 1,5		
replacement in pairs recommended			
References			
Dacia 485204998R		Renault 485204998R	
Application info			
Dacia Jogger (03/22--)		Dacia Logan III (05/21--)	
Dacia Sandero III (01/21--)		Renault Taliant (08/21--)	
Tie rod end		16-16 020 0051/HD	MTE1001HD
Notes		 	
	Front Axle Left		
	183		
Length [mm]	183		
Paired article number	16-16 020 0052/HD MTE1002HD		
Required quantity	1		
Thread Size 1	M14x1,5		
Thread Size 2	M14x1,5		
reinforced version			
replacement in pairs recommended			
References			
Mercedes-Benz 470 460 48 00		Mercedes-Benz A 470 460 48 00	
Nissan 48640-4JA0A		Renault 48640-4JA0A	
Renault D86404JA0A			
Application info			
Mercedes-Benz BM 470 (X-Class) (09/17--)		Nissan Navara (D40) (10/04--)	
Renault Alaskan (10/16--)			

Tie rod end		16-16 020 0052/HD	MTE1002HD
Notes			
	Front Axle Right		
Length [mm]	183		
Paired article number	16-16 020 0051/HD MTE1001HD		
Required quantity	1		
Thread Size 1	M14x1,5		
Thread Size 2	M14x1,5		
reinforced version			
replacement in pairs recommended			
References			
Mercedes-Benz 470 460 48 00		Mercedes-Benz A 470 460 48 00	
Nissan 48520-4JA0A		Renault 48520-4JA0A	
Application info			
Mercedes-Benz BM 470 (X-Class) (09/17--)		Nissan Navara (D40) (10/04--)	
Renault Alaskan (10/16--)			
Tie rod end		16-16 020 4273	MTE0214
Notes			
	Front Axle Left		
	Front Axle Right		
Length [mm]	96		
Required quantity	2		
Thread Size 1	M10x1,25		
Thread Size 2	M14x1,5		
replacement in pairs recommended			
References			
GENERAL MOTORS 9111661		Opel 44 03 661	
Renault 7701461770		Vauxhall 44 03 661	
Application info			
Opel Arena (01/97-12/01)		Renault Trafic I (03/80-10/02)	
Vauxhall Arena (01/97-08/01)			

Tie rod end		16-16 020 7053	MTE0221
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 131</p> <p>Manufacturer Restriction SMI / TRW</p> <p>Paired article number 16-16 020 7054 MTE0222</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Renault 6000022752</p> <p>Renault 7701041311</p>		<p>Renault 7700834566</p> <p>Renault 7701470765</p>	
<p>Application info</p> <p>Renault Kangoo I (08/97--)</p>		<p>Renault Mégane I / Scénic I (08/95-07/10)</p>	
Tie rod end		18-16 010 0002	MTE0225
<p>Notes</p> <p>Front Axle Left</p> <p>Front Axle Right</p> <p>outer</p> <p>Length [mm] 74</p> <p>Required quantity 2</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>DAIMLER JLM1098</p> <p>Jaguar JLM1098</p>		<p>DAIMLER JLM9660</p> <p>Jaguar JLM9660</p>	
<p>Application info</p> <p>DAIMLER XJ 40, 81 (10/86-09/94)</p> <p>Jaguar XJ (X308) (09/96-06/03)</p> <p>Jaguar XJS (09/73-09/97)</p>		<p>Jaguar XJ (X300) (09/94-12/99)</p> <p>Jaguar XJ (XJ40) (10/86-12/95)</p> <p>Jaguar XK 8 (QDV, QEV) (03/96-12/06)</p>	

Tie rod end		18-16 020 0000/HD	MTE0226HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left</p> <p>Length [mm] 188</p> <p>Paired article number 18-16 020 0001/HD MTE0227HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,75</p> <p>Thread Size 2 M14x1,75</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>DAIMLER C2C20177 Jaguar C2C15228</p> <p>Jaguar C2C20177 Jaguar C2C35783</p> <p>Jaguar C2C8371 Jaguar C2D47155</p>			
<p>Application info</p> <p>DAIMLER Super eight (X350) (09/05-12/09) Jaguar S-Type (CCX) (10/98-12/08)</p> <p>Jaguar XJ (X350) (03/03-03/09) Jaguar XK (03/06-12/14)</p>			
Tie rod end		18-16 020 0001/HD	MTE0227HD
<p>Notes</p> <p>Carbon Neutral Front Axle Right</p> <p>Length [mm] 188</p> <p>Paired article number 18-16 020 0000/HD MTE0226HD</p> <p>Paired article number 18-16 020 0001 MTE0227</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,75</p> <p>Thread Size 2 M14x1,75</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>DAIMLER C2C20176 Jaguar C2C15277</p> <p>Jaguar C2C20176 Jaguar C2C8370</p> <p>Jaguar C2D47153</p>			
<p>Application info</p> <p>DAIMLER Super eight (X350) (09/05-12/09) Jaguar S-Type (CCX) (10/98-12/08)</p> <p>Jaguar XJ (X350) (03/03-03/09) Jaguar XK (03/06-12/14)</p>			

Tie rod end

18-16 020 0002/HD

MTE0553HD

Notes

Carbon Neutral

Front Axle Left

Length [mm]

188

Paired article number

18-16 020 0003/HD | MTE0554HD

Required quantity

1

Thread Size 1

M14x2,0

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

Jaguar C2D47154

Jaguar C2Z5518

Application info

Jaguar XF I (X250) (03/08--)

Jaguar XK (03/06-12/14)

Tie rod end

18-16 020 0003/HD

MTE0554HD

Notes

Carbon Neutral

Front Axle Right

Length [mm]

188

Paired article number

18-16 020 0002/HD | MTE0553HD

Required quantity

1

Thread Size 1

M14x2,0

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

Jaguar C2D47152

Jaguar C2Z5517

Application info

Jaguar XF I (X250) (03/08--)

Jaguar XK (03/06-12/14)

Tie rod end **18-16 020 0008/HD** **MTE0901HD**

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 197
 Paired article number 18-16 020 0009/HD | MTE0902HD
 Required quantity 1
 Thread Size 1 M14x2,0
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Jaguar C2D47158 Jaguar T2R1326

Application info

Jaguar F-Type (10/12--)

Tie rod end **18-16 020 0009/HD** **MTE0902HD**

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 197
 Paired article number 18-16 020 0008/HD | MTE0901HD
 Required quantity 1
 Thread Size 1 M14x2,0
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Jaguar C2D47159 Jaguar T2R1328

Application info

Jaguar F-Type (10/12--)

Tie rod end

18-16 020 0010/HD

MTE0882HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 215
 Paired article number 18-16 020 0011/HD | MTE0883HD
 Required quantity 1
 Thread Size 1 M14x2,0
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Jaguar C2D47156

Jaguar C2D7778

Application info

Jaguar XJ (X351) (10/09--)

Tie rod end

18-16 020 0011/HD

MTE0883HD

Notes

Carbon Neutral
Front Axle Left

Length [mm] 215
 Paired article number 18-16 020 0010/HD | MTE0882HD
 Required quantity 1
 Thread Size 1 M14x2,0
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Jaguar C2D47157

Jaguar C2D7779

Application info

Jaguar XJ (X351) (10/09--)

Tie rod end		216 010 0001	MTE0228
Notes Front Axle Left Front Axle Right Length [mm] 92 Required quantity 2 Thread Size 1 M10x1,25 Thread Size 2 M12x1,5 replacement in pairs recommended			
References Fiat 5960834 Fiat 5960835 Seat SE-141162410A			
Application info Fiat Panda I (03/80-07/04) Seat Marbella (08/86-05/99)			
Tie rod end		216 020 0000	MTE0229
Notes Front Axle Left Front Axle Right Length [mm] 111 Required quantity 2 Thread Size 1 M10x1,25 Thread Size 2 M14x1,5 replacement in pairs recommended			
References Alfa Romeo 9947720 Alfa Romeo 9950775 Fiat 9947720 Fiat 9947926 Fiat 9950775 Lancia 9947926			
Application info Fiat Marea / Multipla (05/96-06/10) Lancia Lybra (07/99-10/05)			

Tie rod end		216 020 0007	MTE0232
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 95 Required quantity 2 Thread Size 1 M10x1,25 Thread Size 2 M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Chrysler 9949218 Fiat 9949218 Lancia 9949218</p>			
<p>Application info</p> <p>Chrysler Delta (08/11--) Fiat Bravo (198) (11/06--) Lancia Delta III (08/08-08/14)</p> <p>Fiat Brava / Bravo (182) (10/95-06/03) Fiat Stilo (10/01-11/10)</p>			
Tie rod end		216 020 0008	MTE0233
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 145 Paired article number 216 020 0009 MTE0234 Required quantity 1 Thread Size 1 M10x1,25 Thread Size 2 M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 46456660 Fiat 46745364 Fiat 98845031</p>			
<p>Application info</p> <p>Fiat Doblo (119, 223) (11/00--)</p> <p>Fiat Palio / Albea / Siena / Strada (04/96--)</p>			

Tie rod end		216 020 0009	MTE0234
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 145</p> <p>Paired article number 216 020 0008 MTE0233</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 46456189 Fiat 46745365</p> <p>Fiat 98845032</p>			
<p>Application info</p> <p>Fiat Doblo (119, 223) (11/00--)</p> <p>Fiat Palio / Albea / Siena / Strada (04/96--)</p>			
Tie rod end		216 020 0013/HD	MTE0748HD
<p>Notes</p> <p>Carbon Neutral</p> <p>Front Axle Left</p> <p>Length [mm] 135</p> <p>Paired article number 216 020 0014/HD MTE0749HD</p> <p>Required quantity 1</p> <p>Thread Size 1 10x1.5</p> <p>Thread Size 2 14x1.5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 77366165</p>			
<p>Application info</p> <p>Fiat 500L (09/12--)</p>			

Tie rod end

216 020 0014/HD

MTE0749HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 135

Paired article number 216 020 0013/HD | MTE0748HD

Required quantity 1

Thread Size 1 10x1.5

Thread Size 2 14x1.5

reinforced version

replacement in pairs recommended



References

Fiat 77366166

Application info

Fiat 500L (09/12--)

Tie rod end

216 020 0015

MTE0237

Notes

Front Axle Left

Length [mm] 115

Paired article number 216 020 0016 | MTE0238

Required quantity 1

Thread Size 1 M10x1,5

Thread Size 2 M14x1,5

replacement in pairs recommended



References

Alfa Romeo 77363829

Fiat 51861102

Fiat 77363828

Fiat 77364568

GENERAL MOTORS 93189023

GENERAL MOTORS 93196541

Opel 16 03 544

Opel 16 09 456

Peugeot 3817.86

Vauxhall 16 03 544

Vauxhall 16 09 457

Citroën 3817.86

Fiat 52049738

Fiat 77363829

GENERAL MOTORS 93189022

GENERAL MOTORS 93196540

Opel 16 03 543

Opel 16 09 347

Opel 16 09 457

Vauxhall 16 03 543

Vauxhall 16 09 456

Vauxhall 93 18 9041

Application info

ABARTH Grande Punto (12/07-12/12)
 Alfa Romeo Mito (08/08--)
 Fiat Fiorino Nuovo (225) (01/07--)
 Fiat Linea (10/06--)
 Fiat Qubo (02/08--)
 Opel Corsa D (07/06-08/14)
 Peugeot Bipper (02/08--)
 Vauxhall Combo Mk III (07/06--)
 Vauxhall Corsa Mk IV (08/14--)

ABARTH Punto III (03/12--)
 Citroën Nemo (02/08--)
 Fiat Grande Punto (06/05--)
 Fiat Punto Evo (07/08--)
 Opel Adam (10/12-02/19)
 Opel Corsa E (09/14--)
 Vauxhall Adam (10/12-04/19)
 Vauxhall Corsa Mk III (07/06-08/14)

Tie rod end

216 020 0016

MTE0238

Notes

Front Axle Right

Length [mm] 115
 Paired article number 216 020 0015 | MTE0237
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Alfa Romeo 77363830
 Fiat 77363830
 GENERAL MOTORS 93189024
 Opel 16 03 545
 Opel 931 965 42
 Vauxhall 16 03 545
 Vauxhall 93 19 6542

Citroën 3817.87
 Fiat 77364569
 GENERAL MOTORS 93196542
 Opel 16 09 458
 Peugeot 3817.87
 Vauxhall 16 09 458

Application info

ABARTH Grande Punto (12/07-12/12)
 Alfa Romeo Mito (08/08--)
 Fiat Fiorino Nuovo (225) (01/07--)
 Fiat Linea (10/06--)
 Fiat Qubo (02/08--)
 Opel Corsa D (07/06-08/14)
 Peugeot Bipper (02/08--)
 Vauxhall Combo Mk III (07/06--)
 Vauxhall Corsa Mk IV (08/14--)

ABARTH Punto III (03/12--)
 Citroën Nemo (02/08--)
 Fiat Grande Punto (06/05--)
 Fiat Punto Evo (07/08--)
 Opel Adam (10/12-02/19)
 Opel Corsa E (09/14--)
 Vauxhall Adam (10/12-04/19)
 Vauxhall Corsa Mk III (07/06-08/14)

Tie rod end		216 020 0017	MTE0239
Notes Front Axle Left Front Axle Right Length [mm] 153 Required quantity 2 Thread Size 1 M10x1,25 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References Fiat 77362503		Lancia 77362503	
Application info Fiat Idea (12/03--)		Lancia Musa (10/04-09/12)	
Tie rod end		216 020 0023	MTE0244
Notes Front Axle Right Length [mm] 110 Paired article number 216 020 0024 MTE0245 Required quantity 1 Thread Size 1 M10x1,25 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References Fiat 77365224 Opel 95512976		Opel 16 09 192 Vauxhall 95 51 2976	
Application info Fiat Doblo (263) (11/09--) Vauxhall Combo Mk III (07/06--)		Opel Combo D (02/12--)	

Tie rod end

216 020 0024

MTE0245

Notes

Front Axle Left

Length [mm]

110

Paired article number

216 020 0023 | MTE0244

Required quantity

1

Thread Size 1

10x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Fiat 77365223

Opel 16 09 193

Opel 95512977

Vauxhall 95 51 2977

Application info

Fiat Doblo (263) (11/09--)

Opel Combo D (02/12--)

Vauxhall Combo Mk III (07/06--)

Tie rod end

216 020 0041/HD

MTE0764HD

Notes

Carbon Neutral

Front Axle Left

Length [mm]

135

Paired article number

216 020 0042/HD | MTE0765HD

Required quantity

1

Thread Size 1

10x1,5

Thread Size 2

14x1,5

reinforced version

replacement in pairs recommended



References

Fiat 52169263

Fiat 77366698

Jeep 77366698

Application info

Fiat 500X (09/14--)

Fiat 500e (332_) (10/20--)

Jeep Renegade (BU, B1) (07/14--)

Tie rod end

216 020 0042/HD

MTE0765HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 135
 Paired article number 216 020 0041/HD | MTE0764HD
 Required quantity 1
 Thread Size 1 10x1,5
 Thread Size 2 14x1,5
 reinforced version
 replacement in pairs recommended



References

Fiat 52169264
 Jeep 77366699

Fiat 77366699

Application info

Fiat 500X (09/14--)
 Jeep Renegade (BU, B1) (07/14--)

Fiat 500e (332_) (10/20--)

Tie rod end

216 020 0043/HD

MTE0773HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 outer
 Length [mm] 108.5
 Required quantity 2
 Thread Size 1 14x1,5
 Thread Size 2 16x1,5
 reinforced version
 replacement in pairs recommended



References

Iveco 4256 9563

Application info

Iveco Daily VI (03/14--)

Tie rod end

216 020 0044/HD

MTE0776HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 outer

Length [mm]

87

Required quantity

2

Thread Size 1

14x1,5

Thread Size 2

16x1,5

reinforced version

replacement in pairs recommended



References

Iveco 4256 9562

Application info

Iveco Daily VI (03/14--)

Tie rod end

216 020 0045/HD

MTE0779HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 outer

Length [mm]

100

Required quantity

2

Thread Size 1

14x1,5

Thread Size 2

16x1,5

reinforced version

replacement in pairs recommended



References

Iveco 4256 9564

Application info

Iveco Daily VI (03/14--)

Tie rod end **216 020 0046** **MTE0775**

Notes

Front Axle Left
 Front Axle Right
 outer
 Length [mm] 135
 Required quantity 2
 Thread Size 1 10x1,5
 Thread Size 2 14x1,5
 replacement in pairs recommended



References

Fiat 77367379

Application info

Fiat Tipo (356) (10/15--)

Tie rod end **216 020 0047/HD** **MTE0903HD**

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 135
 Paired article number 216 020 0048/HD | MTE0904HD
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Alfa Romeo 77368518 Fiat 77368518
 Jeep 77368518

Application info

Jeep Renegade (BU, B1) (07/14--)

Tie rod end		216 020 0048/HD	MTE0904HD
Notes Carbon Neutral Front Axle Right Length [mm] 135 Paired article number 216 020 0047/HD MTE0903HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M16x1,5 reinforced version replacement in pairs recommended		 	
References Alfa Romeo 77369143 Fiat 77369143 Jeep 77368517			
Application info Jeep Renegade (BU, B1) (07/14--)			
Tie rod end		216 020 0049	MTE0909
Notes Front Axle Left outer Length [mm] 135 Paired article number 216 020 0050 MTE0910 Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M14X1,5 replacement in pairs recommended		 	
References Jeep 68351149AA Jeep K68351149AA			
Application info Jeep Compass (MP) (01/16--)			

Tie rod end		216 020 4684	MTE0254
Notes Front Axle Left Front Axle Right Length [mm] 140 Required quantity 2 Thread Size 1 M10x1,25 Thread Size 2 M12x1,5 replacement in pairs recommended		 	
References Fiat 7752285 Fiat 9946949 Lancia 7752285 Lancia 9946949			
Application info Fiat Barchetta (03/95-05/05) Fiat Punto I (09/93-06/00) Fiat Punto II (09/99-07/12) Lancia Y (11/95-09/03)			
Tie rod end		216 060 0007	MTE0255
Notes Front Axle Left Front Axle Right for vehicles with power steering Length [mm] 120 Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M16x1,5 replacement in pairs recommended		 	
References Citroën 4018.E0 Fiat 77362278 Peugeot 4018.E0			
Application info Citroën Jumper II (02/02--) Fiat Ducato (244) (04/02--) Peugeot Boxer II (12/01--)			

Tie rod end

28-16 020 0000

MTE0258

Notes

Front Axle Left
outer
Length [mm] 156
Paired article number 28-16 020 0001 | MTE0259
Required quantity 1
Thread Size 1 M12x1,25
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Kia 56820 3E000

Application info

Kia Sorento I (08/02--)

Tie rod end

28-16 020 0001

MTE0259

Notes

Front Axle Right
outer
Length [mm] 156
Paired article number 28-16 020 0000 | MTE0258
Required quantity 1
Thread Size 1 M12x1,25
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Kia 56820 3E900

Application info

Kia Sorento I (08/02--)

Tie rod end		28-16 020 0009	MTE0263
<p>Notes</p> <p>Front Axle Left Front Axle Right outer</p> <p>Length [mm] 73 Required quantity 2 Thread Size 1 M10x1,25 Thread Size 2 M12x1,25 replacement in pairs recommended</p>			
<p>References</p> <p>Kia 56820 07000 Kia K9921 1201</p>		<p>Kia F4BZ3 A130A Kia MDX50 32280</p>	
<p>Application info</p> <p>Kia Picanto I (04/04--)</p>		<p>Kia Rio I (07/00-04/06)</p>	
Tie rod end		28-16 020 0010	MTE0264
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 230 Paired article number 28-16 020 0011 MTE0265 Required quantity 1 Thread Size 1 M10x1,25 Thread Size 2 M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Hyundai 56820-2H000</p>		<p>Kia 56820 2H000</p>	
<p>Application info</p> <p>Hyundai Elantra IV (09/05--) Kia Cee'd I (12/06-02/13)</p>		<p>Hyundai i30 I (10/07-06/12) Kia Cerato II (TD) (01/09--)</p>	

Tie rod end

28-16 020 0028/HD

MTE0885HD

Notes

Carbon Neutral
Front Axle Right

Length [mm]

186

Paired article number

Required quantity

1

Thread Size 1

10x1,25

Thread Size 2

16x1,5

reinforced version

replacement in pairs recommended



References

Hyundai 56825-C1790

Hyundai 56825-D3000

Hyundai 56825-D3500

Hyundai 56825-D3600

Kia 56825 C1790

Kia 56825 D3000

Kia 56825 D3500

Kia 56825 D3600

Application info

Hyundai Sonata VII (06/14--)

Hyundai Tucson II (05/15--)

Kia Sorento III (01/15--)

Kia Sportage IV (09/15--)

Tie rod end

28-16 020 0029/HD

MTE0893HD

Notes

Carbon Neutral
Front Axle Left

Length [mm]

120

Paired article number

28-16 020 0030/HD | MTE0894HD

Required quantity

1

Thread Size 1

10x1,25

Thread Size 2

14x1,5

reinforced version

replacement in pairs recommended



References

Hyundai 56820-H8000

Kia 56820 H8000

Application info

Hyundai Accent V (01/18--)

Hyundai Solaris (01/17--)

Kia Rio IV (01/17--)

Kia Stonic (07/17--)

Tie rod end

28-16 020 0030/HD

MTE0894HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 120
 Paired article number 28-16 020 0029/HD | MTE0893HD
 Required quantity 1
 Thread Size 1 10x1,25
 Thread Size 2 14X1,5
 reinforced version
 replacement in pairs recommended



References

Hyundai 56825-H8000

Kia 56825 H8000

Application info

Hyundai Accent V (01/18--)
 Kia Rio IV (01/17--)

Hyundai Solaris (01/17--)
 Kia Stonic (07/17--)

Tie rod end

28-16 020 0031/HD

MTE0891HD

Notes

Carbon Neutral
Front Axle Left

Length [mm] 173
 Paired article number 28-16 020 0032/HD | MTE0892HD
 Required quantity 1
 Thread Size 1 10x1,25
 Thread Size 2 14x1,5
 reinforced version
 replacement in pairs recommended



References

Kia 56820 G6000

Application info

Kia Picanto III (03/17--)

Tie rod end		28-16 020 0032/HD	MTE0892HD
Notes			
	Carbon Neutral		
	Front Axle Right		
Length [mm]	173		
Paired article number	28-16 020 0031/HD MTE0891HD		
Required quantity	1		
Thread Size 1	10x1,25		
Thread Size 2	14x1,5		
reinforced version			
replacement in pairs recommended			
References			
Kia 56825 G6900			
Application info			
Kia Picanto III (03/17--)			
Tie rod end		28-16 020 0033/HD	MTE0945HD
Notes			
	Carbon Neutral		
	Front Axle Left		
Length [mm]	186		
Paired article number	28-16 020 0034/HD MTE0946HD		
Required quantity	1		
Thread Size 1	M16X1,5		
Thread Size 2	M12X1,25		
reinforced version			
replacement in pairs recommended			
References			
Hyundai 56820-E6000		Kia 56820 E6000	
Application info			
Hyundai Sonata VII (06/14--)		Kia Optima IV (09/15--)	

Tie rod end

28-16 020 0034/HD

MTE0946HD

Notes

	Carbon Neutral
	Front Axle Right
Length [mm]	186
Paired article number	28-16 020 0033/HD MTE0945HD
Required quantity	1
Thread Size 1	M16X1,5
Thread Size 2	M12X1,25
reinforced version	
replacement in pairs recommended	



References

Hyundai 56825-E6090

Kia 56825 E6090

Application info

Hyundai Sonata VII (06/14--)

Kia Optima IV (09/15--)

Tie rod end

29-16 020 0000

MTE0268

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	72
Required quantity	2
Thread Size 1	M12x1,25
Thread Size 2	M12x1,5
replacement in pairs recommended	



References

Chevrolet 521136

Chevrolet 93741077

Daewoo 48810-A78B00

Daewoo 4881078BX0

Daewoo 48810A78B00000

Daewoo 521136

Daewoo 93741077

Daewoo 93741091

Application info

Chevrolet Matiz (03/05--)

Chevrolet Spark / Matiz (09/00--)

Daewoo Matiz (08/98--)

Daewoo Tico (02/95-12/00)

Tie rod end

29-16 020 0001

MTE0269

Notes

Front Axle Left
Front Axle Right

Length [mm] 75
Required quantity 2
Thread Size 1 M12x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Chevrolet 93740710
Daewoo 520262
Daewoo 96129753
Daewoo 96446586

Chevrolet 96446586
Daewoo 93740710
Daewoo 96205809

Application info

Chevrolet Epica (01/05--)
Daewoo Evanda / Magnus (08/02--)
Daewoo Nubira (KLAJ) (04/97--)

Chevrolet Evanda (03/05--)
Daewoo Leganza (03/97-04/04)

Tie rod end

29-16 020 0010/HD

MTE0833HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 73
Required quantity 2
Thread Size 1 M12x1,25
Thread Size 2 M12x1,25
reinforced version
replacement in pairs recommended



References

Chevrolet 95967285

Application info

Chevrolet Spark (M300) (12/09--)

Tie rod end

29-16 020 0012

MTE0766

Notes

Front Axle Left
Front Axle Right

Length [mm] 73
Required quantity 2
Thread Size 1 12x1,75
Thread Size 2 14x1,5
replacement in pairs recommended



References

CHEVROLET (SGM) 95218373
Chevrolet 95218393

Chevrolet 95218373

Application info

Chevrolet Aveo II (03/11--)

Tie rod end

30-16 020 0004

MTE0275

Notes

Front Axle Left
Front Axle Right
outer
with left-hand thread

Length [mm] 95
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M17x1,5
replacement in pairs recommended



References

Toyota 45046-29115
Toyota 45046-39105
Toyota 45046-39125
Toyota 45046-39165
Toyota 45046-39215
Toyota 45046-39355
Toyota 45046-39385

Toyota 45046-29125
Toyota 45046-39106
Toyota 45046-39135
Toyota 45046-39175
Toyota 45046-39235
Toyota 45046-39375
Volkswagen J45 046 393 75

Application info

Toyota 4 Runner II (08/87-12/96)

Toyota Hilux (YN58, YN80, RZN) (11/82-03/06)

Volkswagen Taro (04/89-03/97)

Toyota Hiace II (11/82-11/89)

Toyota Hilux V Pick-up (LN_, KZN1_, VZN1_) (09/88-01/99)

Tie rod end

30-16 020 0006

MTE0276

Notes

Front Axle Left

Length [mm]

170

Paired article number

30-16 020 0018 | MTE0283

Required quantity

1

Thread Size 1

M12x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Daihatsu 45047-09220

Toyota 45047-09150

Toyota 45047-09230

Toyota 45047-19115

Toyota 45047-59135

Toyota 45047-09050

Toyota 45047-09220

Toyota 45047-09360

Toyota 45047-49045

Toyota 45047-59165

Application info

Daihatsu Charade V (05/11--)

Toyota Yaris II (01/05-12/14)

Toyota Corolla (E12) (08/00-12/08)

Toyota Yaris III (12/10--)

Tie rod end

30-16 020 0018

MTE0283

Notes

Front Axle Right

Length [mm]

170

Paired article number

30-16 020 0006 | MTE0276

Required quantity

1

Thread Size 1

M12x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Daihatsu 45046-09480	Toyota 45046-09160
Toyota 45046-09360	Toyota 45046-09480
Toyota 45046-09490	Toyota 45046-0D40
Toyota 45046-19265	Toyota 45046-49115
Toyota 45046-59195	Toyota 45046-59255

Application info

Daihatsu Charade V (05/11--)	Toyota Corolla (E12) (08/00-12/08)
Toyota Yaris II (01/05-12/14)	Toyota Yaris III (12/10--)

Tie rod end

30-16 020 0039

MTE0290

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 84
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M15x1,5

replacement in pairs recommended



References

Toyota 45046-09280	Toyota 45046-09281
Toyota 45046-09310	

Application info

Toyota Hilux (KUN) (08/04--)

Tie rod end

30-16 020 0085/HD

MTE0929HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Length [mm] 83
 Required quantity 2
 Thread Size 1 M14X1,5
 Thread Size 2 M16X1,5

reinforced version
 replacement in pairs recommended



References

Toyota 45046-09800

Application info

Toyota Hilux (Gun1, Gun13) (05/15--)

Tie rod end

30-16 020 0117

MTE0299

Notes

Front Axle Left

Length [mm]

145

Paired article number

30-16 020 0140 | MTE0308

Required quantity

1


Thread Size 1

M12x1,25

Thread Size 2

M16x1,5

replacement in pairs recommended



References

Toyota 45046-49125

Application info

Toyota Avensis Verso (05/01-12/11)

Tie rod end

30-16 020 0140

MTE0308

Notes

Front Axle Right

Length [mm]

145

Paired article number

30-16 020 0117 | MTE0299

Required quantity

1

Thread Size 1

M12x1,25

Thread Size 2

M16x1,5

replacement in pairs recommended



References

Toyota 45047-49055

Application info

Toyota Avensis Verso (05/01-12/11)

Tie rod end

30-16 020 0159

MTE0784

Notes

Front Axle Left
outer
Length [mm] 163
Paired article number 30-16 020 0160 | MTE0785
Required quantity 1
Thread Size 1 12x1,25
Thread Size 2 15x1,5
replacement in pairs recommended



References

Subaru 4504759145
Toyota 45047-59145

Toyota 45047-02030

Application info

Subaru Trezia (11/10--)
Toyota Yaris III (12/10--)

Toyota Verso S (NCP12, NSP12) (11/10-10/16)

Tie rod end

30-16 020 0160

MTE0785

Notes

Front Axle Right
outer
Length [mm] 163
Paired article number 30-16 020 0159 | MTE0784
Required quantity 1
Thread Size 1 12x1,25
Thread Size 2 15x1,5
replacement in pairs recommended



References

Subaru 4504659205
Toyota 45046-59205

Toyota 45046-02070

Application info

Subaru Trezia (11/10--)
Toyota Yaris III (12/10--)

Toyota Verso S (NCP12, NSP12) (11/10-10/16)

Tie rod end		30-16 020 0161/HD	MTE0819HD
Notes			
	Carbon Neutral		
	Front Axle Left		
Length [mm]	186		
Paired article number	30-16 020 0162/HD MTE0820HD		
Required quantity	1		
Thread Size 1	M12x1,25		
Thread Size 2	M15x1,5		
reinforced version			
replacement in pairs recommended			
References			
Toyota 45047-02050		Toyota 45047-09270	
Toyota 45047-19205		Toyota 45047-19215	
Application info			
Toyota Auris I (10/06-09/12)		Toyota Auris II (10/12-12/18)	
Toyota Corolla (E14, E15) (10/06--)		Toyota Corolla (E170) (06/13-08/19)	
Toyota Prius Plus (ZVW4) (05/11--)			
Tie rod end		30-16 020 0162/HD	MTE0820HD
Notes			
	Carbon Neutral		
	Front Axle Right		
Length [mm]	186		
Paired article number	30-16 020 0161/HD MTE0819HD		
Required quantity	1		
Thread Size 1	M12x1,25		
Thread Size 2	M15x1,5		
reinforced version			
replacement in pairs recommended			
References			
Toyota 45046-02080		Toyota 45046-09570	
Toyota 45046-19405		Toyota 45046-19415	
Application info			
Toyota Auris I (10/06-09/12)		Toyota Auris II (10/12-12/18)	
Toyota Corolla (E14, E15) (10/06--)		Toyota Corolla (E170) (06/13-08/19)	
Toyota Prius Plus (ZVW4) (05/11--)			

Tie rod end		30-16 020 0163/HD	MTE0821HD
Notes Carbon Neutral Front Axle Left Length [mm] 180 Paired article number 30-16 020 0164/HD MTE0822HD Required quantity 1 Thread Size 1 M12x1,25 Thread Size 2 M16x1,5 reinforced version replacement in pairs recommended		 	
References Toyota 45047-05060		Toyota 45047-09320	
Application info Toyota Avensis (T27) (11/08-10/18)		Toyota Verso (AUR2, ZGR2) (04/09-08/18)	
Tie rod end		30-16 020 0164/HD	MTE0822HD
Notes Carbon Neutral Front Axle Right Length [mm] 180 Paired article number 30-16 020 0163/HD MTE0821HD Required quantity 1 Thread Size 1 M12x1,25 Thread Size 2 M16x1,5 reinforced version replacement in pairs recommended		 	
References Toyota 45046-05070		Toyota 45046-09660	
Application info Toyota Avensis (T27) (11/08-10/18)		Toyota Verso (AUR2, ZGR2) (04/09-08/18)	

Tie rod end

30-16 020 0168/HD

MTE0930HD

Notes

Carbon Neutral
Front Axle Left

Length [mm]

165

Observe service information

Paired article number

30-16 020 0169/HD | MTE0931HD

Required quantity

1

Thread Size 1

12X1,25

Thread Size 2

16X1,5

replacement in pairs recommended



References

Suzuki T45047F901

Toyota 45047-F4010

Toyota 45047-F9010

Application info

Suzuki Swace (AMZ_) (10/20--)

Toyota CH-R I (10/16--)

Toyota Corolla (_E21_) (10/18--)

Tie rod end

30-16 020 0169/HD

MTE0931HD

Notes

Carbon Neutral
Front Axle Right

Length [mm]

165

Paired article number

30-16 020 0168/HD | MTE0930HD

Required quantity

1

Thread Size 1

12X1,25

Thread Size 2

16X1,5

reinforced version

replacement in pairs recommended



References

Suzuki 45046-F4010

Suzuki T4504-6F901

Toyota 45046-F4010

Toyota 45046-F9010

Application info

Suzuki Swace (AMZ_) (10/20--)

Toyota CH-R I (10/16--)

Toyota Corolla (_E21_) (10/18--)

Tie rod end


30-16 020 0170/HD

MTE0899HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 165
 Paired article number 30-16 020 0171/HD | MTE0900HD
 Required quantity 1
 Thread Size 1 12x1,25
 Thread Size 2 16x1,5
 reinforced version
 replacement in pairs recommended



References

Lexus 45046-49255

Toyota 45046-49255

Application info

Lexus UX (_AA1_, _AH1_) (10/18--)
 Toyota Yaris IV (02/20--)

Toyota Prius IV (09/15--)

Tie rod end

30-16 020 0171/HD

MTE0900HD

Notes

Carbon Neutral
Front Axle Left

Length [mm] 165
 Paired article number 30-16 020 0170/HD | MTE0899HD
 Required quantity 1
 Thread Size 1 12x1,25
 Thread Size 2 16x1,5
 reinforced version
 replacement in pairs recommended



References

Lexus 45047-49195

Toyota 45047-49195

Application info

Lexus UX (_AA1_, _AH1_) (10/18--)

Toyota Prius IV (09/15--)

Tie rod end

30-16 020 0172

MTE0966

Notes

Front Axle Left
outer
Length [mm] 186
Paired article number 30-16 020 0173 | MTE0967
Required quantity 1
Thread Size 1 M12X1,25
Thread Size 2 M14X1,5
replacement in pairs recommended



References

Lexus 45047-49165

Toyota 45047-49165

Application info

Lexus CT (ZWA1) (12/10--)

Toyota Prius III (06/08--)

Tie rod end

30-16 020 0173

MTE0967

Notes

Front Axle Right
outer
Length [mm] 186
Paired article number 30-16 020 0172 | MTE0966
Required quantity 1
Thread Size 1 M12X1,25
Thread Size 2 M14X1,5
replacement in pairs recommended



References

Lexus 45046-49225

Toyota 45046-49225

Application info

Lexus CT (ZWA1) (12/10--)

Toyota Prius III (06/08--)

Tie rod end **30-16 020 0174/HD** **MTE1003HD**

Notes

Front Axle Right
 outer
 Length [mm] 165
 Paired article number 30-16 020 0175/HD | MTE1004HD
 Required quantity 1
 Thread Size 1 M12 x 1,25
 Thread Size 2 M16 x 1,5
 reinforced version
 replacement in pairs recommended



References

Toyota 45046-09A20 Toyota 45046-0D190

Application info

Toyota Yaris IV (02/20--)

Tie rod end **30-16 020 0175/HD** **MTE1004HD**

Notes

Front Axle Left
 outer
 Length [mm] 165
 Paired article number 30-16 020 0174/HD | MTE1003HD
 Required quantity 1
 Thread Size 1 M12 x 1,25
 Thread Size 2 M16 x 1,5
 reinforced version
 replacement in pairs recommended



References

Toyota 45047-09450 Toyota 45047-0D150

Application info

Toyota Yaris IV (02/20--)

Tie rod end **31-16 020 0007** **MTE0314**

Notes

Front Axle Left
 Length [mm] 217
 Paired article number 31-16 020 0010 | MTE0315
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Honda 53560-SM4-003	Honda 53560-SM4-004
Honda 53560-SM4-J62	Honda 53560-SN4-004
Honda 53560-SV4-003	Honda 53560-SV4-013
Honda 53560-SX0-003	Honda 53560-SX0-013
Rover GSJ407	

Application info

Honda Accord IV (05/89-02/94)	Honda Accord V / VI (06/92-12/98)
Honda Accord VII (03/97-09/05)	Honda Shuttle I (06/94-06/04)
Rover 600 (RH) (08/93-10/00)	

Tie rod end **31-16 020 0010** **MTE0315**

Notes

Front Axle Right
 Length [mm] 217
 Paired article number 31-16 020 0007 | MTE0314
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Honda 53540-S84-A01	Honda 53540-SM4-003
Honda 53540-SM4-004	Honda 53540-SM4-J62
Honda 53540-SV4-003	Honda 53540-SV4-013
Honda 53540-SV7-003	Honda 53540-SX0-003
Honda 53540-SX0-013	Rover GSJ408

Application info

Honda Accord IV (05/89-02/94)
 Honda Accord VII (03/97-09/05)
 Rover 600 (RH) (08/93-10/00)

Honda Accord V / VI (06/92-12/98)
 Honda Shuttle I (06/94-06/04)

Tie rod end

31-16 020 0045/HD

MTE0811HD

Notes

Carbon Neutral
 Front Axle Left
 outer

Length [mm] 210
 Paired article number 31-16 020 0046/HD | MTE0812HD
 Required quantity 1
 Thread Size 1 12x1,25
 Thread Size 2 14x1,5
 replacement in pairs recommended



References

Honda 53560-TV0-G01

Honda 53560-TV0-G02

Application info

Honda Civic IX (09/11--)

Tie rod end

31-16 020 0046/HD

MTE0812HD

Notes

Carbon Neutral
 Front Axle Right
 outer

Length [mm] 210
 Paired article number 31-16 020 0045/HD | MTE0811HD
 Required quantity 1
 Thread Size 1 12x1,25
 Thread Size 2 14x1,5
 replacement in pairs recommended



References

Honda 53540-TV0-G01

Honda 53540-TV0-G02

Application info

Honda Civic IX (09/11--)

Tie rod end		31-16 020 0051/HD	MTE0856HD
Notes Carbon Neutral Front Axle Left Length [mm] 165 Observe service information Paired article number 31-16 020 0052/HD MTE0857HD Required quantity 1 Thread Size 1 M12x1,25 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References Honda 53560-T7J-003			
Application info Honda HR-V II (11/14--)			
Tie rod end		31-16 020 0052/HD	MTE0857HD
Notes Carbon Neutral Front Axle Right Length [mm] 165 Observe service information Paired article number 31-16 020 0051/HD MTE0856HD Required quantity 1 Thread Size 1 M12x1,25 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References Honda 53540-T7J-003			
Application info Honda HR-V II (11/14--)			

Tie rod end**31-16 020 0054/HD****MTE0823HD****Notes**Carbon Neutral
Front Axle Right

Length [mm]

195

Paired article number

31-16 020 0055/HD | MTE0824HD

Required quantity

1

Thread Size 1

M12x1,25

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended

**References**

Honda 53540-SMG-003

Honda 53540-SMJ-003

Application info

Honda Civic VIII (09/05--)

Tie rod end**31-16 020 0055/HD****MTE0824HD****Notes**Carbon Neutral
Front Axle Left

Length [mm]

195

Paired article number

31-16 020 0054/HD | MTE0823HD

Required quantity

1

Thread Size 1

M12x1,25

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended

**References**

Honda 53560-SMG-003

Honda 53560-SMJ-003

Application info

Honda Civic VIII (09/05--)

Tie rod end	31-16 020 0056/HD	MTE0858HD
--------------------	--------------------------	------------------

Notes	Carbon Neutral
	Front Axle Right
Length [mm]	169
Paired article number	31-16 020 0057/HD MTE0859HD
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M14x1,5
reinforced version	
replacement in pairs recommended	



References
Honda 53540-T5A-003

Application info
Honda Jazz IV (09/13--)

Tie rod end	31-16 020 0057/HD	MTE0859HD
--------------------	--------------------------	------------------

Notes	Carbon Neutral
	Front Axle Left
Length [mm]	169
Observe service information	
Paired article number	31-16 020 0056/HD MTE0858HD
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M14x1,5
replacement in pairs recommended	



References
Honda 53560-T5A-003

Application info
Honda Jazz IV (09/13--)

Tie rod end

31-16 020 0058/HD

MTE0915HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 209
Paired article number 31-16 020 0059/HD | MTE0916HD
Required quantity 1
Thread Size 1 12x1,25
Thread Size 2 14x1,5
reinforced version
replacement in pairs recommended



References

Honda 53540-TBA-A01

Application info

Honda Civic X (09/15--)

Tie rod end

31-16 020 0059/HD

MTE0916HD

Notes

Carbon Neutral
Front Axle Left

Length [mm] 209
Paired article number 31-16 020 0058/HD | MTE0915HD
Required quantity 1
Thread Size 1 12x1,25
Thread Size 2 14x1,5
reinforced version
replacement in pairs recommended



References

Honda 53560-TBA-A01

Application info

Honda Civic X (09/15--)

Tie rod end 31-16 020 0060/HD MTE0927HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 164
 Observe service information
 Paired article number 31-16 020 0061/HD | MTE0928HD
 Required quantity 1
 Thread Size 1 12x1,25
 Thread Size 2 14x1,5
 replacement in pairs recommended



References

Honda 53540-TLA-A51

Application info

Honda CR-V V (12/16--)

Tie rod end 31-16 020 0061/HD MTE0928HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 164
 Observe service information
 Paired article number 31-16 020 0060/HD | MTE0927HD
 Required quantity 1
 Thread Size 1 12x1,25
 Thread Size 2 14x1,5
 replacement in pairs recommended



References

Honda 53560-TLA-A01

Honda 53560-TLA-A51

Application info

Honda CR-V V (12/16--)

Suspension

Axle support bushing

16-14 710 0003

MAB0199

Notes

Rear Axle Left
Rear Axle Right

Height [mm] 89
Inner Diameter [mm] 12
Outer Diameter [mm] 69
Required quantity 2
replacement in pairs recommended



References

Renault 480800003R
Renault 550454053R

Renault 550445344R
Renault 8200589986

Application info

Renault Megane III (11/08--)

Renault Scénic III (12/08--)

Axle support bushing

214 710 0003

MAB0198

Notes

Rear Axle Left
Rear Axle Right

Height [mm] 52
Inner Diameter [mm] 12
Outer Diameter [mm] 54
Required quantity 2
replacement in pairs recommended



References

ABARTH 50703271
Fiat 50703271
Ford 1 619 916

ABARTH 51796664
Fiat 51796664
Ford 9S51-5K653-AA

Application info

ABARTH 500 (01/08--)
Fiat 500L (09/12--)
Ford KA II (10/08-05/16)

Fiat 500 (07/07--)
Fiat 500X (09/14--)

Axle support bushing

214 710 0009/HD

MAB0217HD

Notes

Carbon Neutral
Rear Axle Left
Rear Axle Right
Rubber/Metal

Height [mm] 100
Inner Diameter [mm] 12
Outer Diameter [mm] 68
Replace in pairs only
Required quantity 2
reinforced version



References

Fiat 51725622	Fiat 51808684
Fiat 52019133	Fiat 52044307
Fiat 52051193	Fiat 52094869
Jeep 68198289AA	Jeep 68201314AA
Jeep 68333284AA	Jeep 68417207AA
Jeep K68198289AA	Jeep K68201314AA
Jeep K68333284AA	Jeep K68417207AA

Application info

Fiat 500L (09/12--)	Fiat Linea (10/06--)
Fiat Tipo (356) (10/15--)	

Axle support bushing

31-14 710 0001

MAB0202

Notes

Plastic
Rear Axle

Height [mm] 87
Inner Diameter [mm] 14
Outer Diameter [mm] 72
Required quantity 2
replacement in pairs recommended



References

Honda 42100-SMG-E04	Honda 42100-SMG-E05
Honda 42100-SMG-E06	Honda 42100-TF0-G04
Honda 42100-TF0-G05	Honda 42100-TM0-T12
Honda 42100-TM8-G02	Honda 42100-TM8-G03
Honda ZTT-HD-034B	

Application info

Honda Civic VIII (09/05--)	Honda Insight II (04/09--)
Honda Jazz III (10/07--)	

Axle support bushing

314 710 0016 MAB0214

Notes

Rear
Rear Axle Left
Rear Axle Right

Height [mm]	84
Inner Diameter [mm]	18.5
Outer Diameter [mm]	80.5
Paired article number	314 710 0015
Required quantity	2
replacement in pairs recommended	



References

BMW 33 30 6 786 972	BMW 6 786 972
---------------------	---------------

Application info

BMW X3 (F25) (09/10-08/17)	BMW X4 (F26) (05/13-03/18)
----------------------------	----------------------------

Axle support bushing

314 710 0027 MAB0205

Notes

Front
Rear Axle

Height [mm]	54
Inner Diameter [mm]	12
Outer Diameter [mm]	50
Required quantity	2
replacement in pairs recommended	



References

BMW 33 31 6 792 513	BMW 6 792 513
BMW (Brilliance) 33 31 6 792 513	BMW (Brilliance) 6 792 513

Application info

BMW 1 (F20, F21) (07/11--)

BMW 3 (F30, F31) (11/11-06/19)

BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)

BMW 3 (F34) (07/12--)

Ball joint

16-16 010 0001

MBJ0103

Notes

Front Axle Left
 Front Axle Right
 Lower
 for control arm

Height [mm]

48

Outer Diameter [mm]

38.25

Required quantity

2

Thread Size

M12x1,25

replacement in pairs recommended



References

Renault 7700413493

Renault 7700418693

Renault 7700807194

Renault 7700807581

Renault 7700823098

Renault 7700823581

Renault 7700413494

Renault 7700421804

Renault 7700807580

Renault 7700823097

Renault 7700823580

Renault 7700829322

Application info

Renault Laguna I (11/93-08/02)

Renault Safrane (04/92-12/00)

Ball joint

16-16 010 0002

MBJ0443

Notes

Front Axle Left
 Front Axle Right

Required quantity

2

Thread Size

M12x1,25

replacement in pairs recommended



References

Renault 54 50 485 06 R
 Renault 545044506R
 Renault 545050794R

Renault 54 50 505 10 R
 Renault 545049968R
 Renault 545058191R

Application info

Renault Clio IV (11/12--)

Ball joint

16-16 010 0004/S

MBJ0426

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer
 with attachment material

Cone Size [mm] 18
 Outer Diameter [mm] 38
 Required quantity 2
 replacement in pairs recommended



References

Dacia 401604793R
 Dacia 545019294R
 Dacia 6001547520
 Dacia 6001549182
 Dacia 6001550912
 Dacia 8200749461
 Dacia 8200792640
 Dacia 8200910717
 Renault 401604793R
 Renault 545004269R
 Renault 545019294R
 Renault 6001549182
 Renault 8200216377
 Renault 8200298455
 Renault 8200346942
 Renault 8200457209
 Renault 8200615058
 Renault 8200679067
 Renault 8200910716

Dacia 545000794R
 Dacia 6001547519
 Dacia 6001549181
 Dacia 6001550911
 Dacia 8200749459
 Dacia 8200792639
 Dacia 8200910716
 Lada 401604793R
 Renault 545000794R
 Renault 545011362R
 Renault 6001549181
 Renault 8200216376
 Renault 8200298454
 Renault 8200346941
 Renault 8200457208
 Renault 8200615057
 Renault 8200679063
 Renault 8200744092
 Renault 8200910717

Application info

Dacia Dokker (11/12--)
 Dacia Logan I (08/04--)
 Dacia Sandero I (06/08--)
 Lada Largus (03/12--)
 Renault Dokker (12/13--)
 Renault Logan I (09/04--)
 Renault Megane III (11/08--)
 Renault Sandero/Stepway II (11/13--)
 Renault Thalia III (12/13--)

Dacia Lodgy (03/12--)
 Dacia Logan II (10/12--)
 Dacia Sandero II (10/12--)
 Renault Clio III / Modus (09/04--)
 Renault Lodgy (JS_) (07/13--)
 Renault Logan II (09/12--)
 Renault Sandero/Stepway I (11/07--)
 Renault Scénic II (06/03-07/10)
 Renault Twizy (04/12--)

Ball joint**16-16 010 0005/HD****MBJ0105HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 for control arm
 with accessories
 Cone Size [mm] 19.5
 Flange Hole Diameter [mm] 10
 Required quantity 2
 Thread Size M16x1,5

reinforced version
 replacement in pairs recommended

**References**

GENERAL MOTORS 93196923
 Nissan 54502-00Q0B
 Nissan 54503-00Q0A
 Nissan 54503-00QAA
 Renault 401606676R
 Renault 7701476576
 Vauxhall 44 19 075

Nissan 54502-00Q0A
 Nissan 54502-00QAA
 Nissan 54503-00Q0B
 Opel 44 19 075
 Renault 6040002105
 Renault 7701478029

Application info

Nissan Primastar I (X83) (03/01--)
 Renault Espace IV (11/02--)
 Renault Trafic II (03/01--)
 Vauxhall Vivaro A (08/01-07/14)

Opel Vivaro A (08/01--)
 Renault Laguna II (03/01-12/07)
 Renault Vel Satis (06/02--)

Ball joint

16-16 010 0006

MBJ0106

Notes

Front Axle Left
 Front Axle Right
 Lower
 for control arm

Cone Size [mm] 16
 Outer Diameter [mm] 38.2
 Required quantity 2
 replacement in pairs recommended



References

Renault 8200041279	Renault 8200041282
Renault 8200255760	Renault 8200255761
Renault 8200739482	Renault 8200739484

Application info

Renault Mégane II (07/01--)

Ball joint

16-16 010 0007

MBJ0107

Notes

Front Axle Left
 Front Axle Right

Flange Hole Diameter [mm] 12
 Required quantity 2
 replacement in pairs recommended



References

Renault 6020010350
 Renault 6040002292
 Renault 7700314679
 Renault 7700430766
 Renault 7700781036
 Renault 7700818054
 Renault 7701474869
 Renault 8200123885
 Renault 8200123887
 Renault 8200254108
 Renault 8200254163
 Renault 8200737112
 Renault 8200737123
 Renault 8200737132
 Renault 8200739491
 Renault 8200739494
 Renault 8200942407
 Renault 8200942413
 Renault 8200942420

Renault 6020010351
 Renault 7700314678
 Renault 7700430765
 Renault 7700430832
 Renault 7700781037
 Renault 7700829842
 Renault 7701474870
 Renault 8200123886
 Renault 8200123888
 Renault 8200254109
 Renault 8200254166
 Renault 8200737114
 Renault 8200737129
 Renault 8200737133
 Renault 8200739492
 Renault 8200739495
 Renault 8200942408
 Renault 8200942417
 Renault 8200942422

Application info

Renault Clio II / Thalia (02/98--)

Renault Mégane I / Scénic I (08/95-07/10)

Renault Kangoo I (08/97--)

Ball joint

16-16 010 0009

MBJ0109

Notes

Front Axle Left
 Front Axle Right
 Lower
 for control arm

Cone Size [mm] 22
 Outer Diameter [mm] 43
 Required quantity 2
 replacement in pairs recommended



References

GENERAL MOTORS 9109909
 Nissan 40160-000AC
 Nissan 40160-00QAC
 Opel 44 01 909
 Renault 7700312852
 Vauxhall 44 01 909

GENERAL MOTORS 9160555
 Nissan 40160-000AD
 Nissan 40160-00QAD
 Opel 45 00 255
 Renault 7701056969
 Vauxhall 45 00 255

Application info

Nissan Interstar I (X70) (04/02--)
Renault Master II (03/98--)

Opel Movano A (07/98--)
Vauxhall Movano Mk I (10/98-12/10)

Ball joint**16-16 010 0010****MBJ0110****Notes**

Front Axle Left
Front Axle Right
Lower
for control arm

Flange Hole Diameter [mm] 12
Required quantity 2
Thread Size 1 M16x1,5
replacement in pairs recommended

**References**

GENERAL MOTORS 93161884
Nissan 40160-00Q0C
Renault 7701477385
Vauxhall 44 31 869

Nissan 40160-00Q0A
Opel 44 31 869
Renault 8200667278

Application info

Nissan Primastar I (X83) (03/01--)
Renault Trafic II (03/01--)

Opel Vivaro A (08/01--)
Vauxhall Vivaro A (08/01-07/14)

Ball joint**16-16 010 0011****MBJ0111****Notes**

Front Axle Left
Front Axle Right

Required quantity 2
Thread Size M12x1,25
replacement in pairs recommended

**References**

Renault 401600004R

Application info

Renault Laguna III / Coupe / Grandtour (10/07-12/15)

Ball joint		16-16 010 0012	MBJ0112
<p>Notes</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		<p>Front Axle Left with accessories 16-16 010 0013 MBJ0113 1</p>  	
<p>References</p> <p>Mercedes-Benz 415 330 03 00 Renault 8200586561</p>		<p>Mercedes-Benz A 415 330 03 00</p>	
<p>Application info</p> <p>Mercedes-Benz BM 415 (Citan) (11/12--)</p>		<p>Renault Kangoo II (02/08--)</p>	
Ball joint		16-16 010 0013	MBJ0113
<p>Notes</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		<p>Front Axle Right with accessories 16-16 010 0012 MBJ0112 1</p>  	
<p>References</p> <p>Mercedes-Benz 415 330 02 00 Renault 8200586567</p>		<p>Mercedes-Benz A 415 330 02 00</p>	
<p>Application info</p> <p>Mercedes-Benz BM 415 (Citan) (11/12--)</p>		<p>Renault Kangoo II (02/08--)</p>	

Ball joint

16-16 010 0014

MBJ0114

Notes

Front Axle Left
Front Axle Right
with accessories

Required quantity
replacement in pairs recommended

2



References

Renault 401609060R
Renault 545006560R
Renault 545009207R
Renault 545014055R
Renault 545016838R
Renault 545019389R

Renault 545000399R
Renault 545008682R
Renault 545009795R
Renault 545016101R
Renault 545018194R

Application info

Renault Fluence (02/10--)
Renault Scénic III (12/08--)

Renault Megane III (11/08--)

Ball joint

16-16 010 0015

MBJ0115

Notes

Front Axle Left
Front Axle Right
with accessories

Required quantity
Thread Size 1
replacement in pairs recommended

2
M12x1,25



References

Dacia 401602308R
Dacia 545016746R
Renault 545001535R
Renault 545011697R
Renault 545019969R

Dacia 545006542R
Renault 545000138R
Renault 545006542R
Renault 545016746R

Application info

Dacia Duster I (04/10--)

Renault Duster I (01/11--)

Ball joint

16-16 010 0018

MBJ0116

Notes

Front Axle Left
Front Axle Right

Flange Hole Diameter [mm] 12
Required quantity 2
replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Renault 8200663581 | Renault 8200663584 |
| Renault 8200763290 | Renault 8200763294 |
| Renault 8200763296 | Renault 8200763301 |
| Renault 8200799709 | Renault 8200799710 |
| Renault 8200942392 | Renault 8200942396 |
| Renault 8200942403 | Renault 8200942405 |
| Renault 8200942406 | Renault 8200942423 |

Application info

Renault Twingo II / Wind (03/07--)

Ball joint

16-16 010 0019

MBJ0117

Notes

Front Axle Left
Lower
with right-hand thread

Required quantity 1
Thread Size M16x1,5
replacement in pairs recommended



References

GENERAL MOTORS 93197233
 Nissan 40160-00Q0K
 Opel 44 19 219
 Renault 401613416R
 Vauxhall 93197233

Nissan 40160-00Q0E
 Nissan 40160-00Q1C
 Renault 401611363R
 Renault 8200688877

Application info

Nissan Interstar II (X62B) (11/21--)
 Opel Movano B (05/10--)
 Vauxhall Movano Mk II (05/10--)

Nissan NV400 (11/11--)
 Renault Master III (02/10--)

Ball joint

16-16 010 0020

MBJ0118

Notes

Front Axle Left
 Front Axle Right
 Lower
 Cone Size [mm] 24
 Outer Diameter [mm] 43
 Required quantity 2

replacement in pairs recommended



References

GENERAL MOTORS 93194857
 Opel 44 18 631
 Vauxhall 44 18 631

Nissan 40160-00Q0B
 Renault 7701070154

Application info

Nissan Interstar I (X70) (04/02--)
 Renault Master II (03/98--)

Opel Movano A (07/98--)
 Vauxhall Movano Mk I (10/98-12/10)

Ball joint

16-16 010 0021

MBJ0305

Notes

Front Axle Left
 Front Axle Right
 Height [mm] 80
 Outer Diameter [mm] 39
 Required quantity 2

replacement in pairs recommended



References

Renault 545046162R
 Renault 545049968R
 Renault 545050510R
 Renault 545055711R

Renault 545046817R
 Renault 545050399R
 Renault 545052354R

Application info

Renault Clio IV (11/12--)

Renault Zoe (06/12--)

Ball joint

16-16 010 0031

MBJ0394

Notes

Required quantity
 Thread Size
 replacement in pairs recommended

Front Axle Right
 Lower
 with left-hand thread
 1
 M16x1,5



References

GENERAL MOTORS 95509251
 Nissan 40160-00Q0F
 Nissan 40160-00Q1B
 Opel 44 23 894
 Renault 401608374R
 Vauxhall 95519325

GENERAL MOTORS 95519325
 Nissan 40160-00Q0J
 Opel 44 08 252
 Renault 401602379R
 Vauxhall 95509251

Application info

Nissan NV400 (11/11--)
 Renault Master III (02/10--)

Opel Movano B (05/10--)
 Vauxhall Movano Mk II (05/10--)

Ball joint

16-16 010 0033/S

MBJ0457

Notes

Required quantity
 replacement in pairs recommended

Cone Size [mm]
 Outer Diameter [mm]

Front Axle Left
 Front Axle Right
 Lower
 with attachment material
 18
 38
 2



References

Renault 545003037R
 Renault 545047954R
 Renault 8200298454
 Renault 8200457208
 Renault 8200679063

Renault 545017775R
 Renault 545052737R
 Renault 8200298455
 Renault 8200457209
 Renault 8200679067

Application info

Renault Captur I (06/13--)
 Renault Scénic II (06/03-07/10)

Renault Mégane II (07/01--)

Ball joint

16-16 010 0034

MBJ0500

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer
 2

Required quantity
 replacement in pairs recommended



References

Renault 545042021R
 Renault 545057449R

Renault 545045297R
 Renault 545058992R

Application info

Renault Megane IV (11/15--)

Ball joint

16-16 010 0035

MBJ0491

Notes

Front Axle Left
 Front Axle Right
 Lower
 with attachment material
 2

Required quantity
 replacement in pairs recommended



References

Dacia 545040280R
Renault 545040280R

Dacia 545055413R
Renault 545055413R

Application info

Dacia Duster I (04/10--)
Renault Arkana (08/19--)
Renault Kaptur (03/16--)

Dacia Duster II (10/17--)
Renault Duster II (10/17--)

Ball joint**16-16 010 0037****MBJ0504****Notes**

Front Axle Left
Front Axle Right
Lower
for control arm
outer

Required quantity
replacement in pairs recommended

2

**References**

Renault 545051097R
Smart 453 330 29 00
Smart A 453 330 29 00

Renault 545057345R
Smart 453 330 31 00
Smart A 453 330 31 00

Application info

Renault Twingo III (09/14--)
Smart Fortwo III (07/14--)

Smart Forfour II (07/14--)

Ball joint**16-16 010 4264****MBJ0119****Notes**

Front Axle Left
Front Axle Right
Lower
with accessories

Flange Hole Diameter [mm]
Required quantity
replacement in pairs recommended

10

2



References

Dacia 6001547918
 Nissan 54501-00Q0L
 Renault 7701462182
 Renault 7701468883

Nissan 54501-00Q0G
 Nissan 54501-00QAH
 Renault 7701468411
 Renault 7701472038

Application info

Dacia Solenza (02/03--)
 Renault Clio I (05/90-09/98)
 Renault Kangoo I (08/97--)
 Renault R 11 (03/83-09/95)
 Renault R 21 (03/86-07/97)
 Renault Rapid/Express (07/85-10/99)
 Renault Twingo I (03/93-10/12)

Nissan Kubistar (08/03--)
 Renault Clio II / Thalia (02/98--)
 Renault Mégane I / Scénic I (08/95-07/10)
 Renault R 19 (01/88-08/03)
 Renault R 9 (09/81-02/97)
 Renault Super 5 (10/84-12/96)

Ball joint**16-16 010 4281****MBJ0121****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Length [mm] 20
 Required quantity 2
 Thread Size M12x1,25
 replacement in pairs recommended

**References**

Renault 7701463230

Renault 7701465689

Application info

Renault Espace I (07/84-12/92)
 Renault R 25 (04/84-12/93)

Renault Espace II (01/91-10/97)

Ball joint		16-16 010 4295	MBJ0122
Notes Front Axle Left Front Axle Right Upper with accessories Required quantity 2 Thread Size M12x1,25 replacement in pairs recommended			
References Renault 7700706628 Renault 7701463229 Renault 7701469228			
Application info Renault Espace I (07/84-12/92) Renault Espace II (01/91-10/97) Renault R 25 (04/84-12/93)			
Ball joint		18-16 010 0001	MBJ0123
Notes Front Axle Left Front Axle Right Lower Height [mm] 108 Outer Diameter [mm] 48 Required quantity 2 Thread Size M14x2,0 replacement in pairs recommended			
References Jaguar XR852807 Jaguar XR852808			
Application info Jaguar S-Type (CCX) (10/98-12/08)			

Ball joint

216 010 0004

MBJ0126

Notes

Front Axle Left
Front Axle Right
Lower
with accessories

Required quantity

2

Thread Size

M12x1,25

replacement in pairs recommended



References

Fiat 46543045

Fiat 46779293

Fiat 46842581

Fiat 7081835

Fiat 7082812

Application info

Fiat Doblo (119, 223) (11/00--)

Fiat Palio / Albea / Siena / Strada (04/96--)

Ball joint

216 010 0006/HD

MBJ0127HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Upper

Required quantity

2

Thread Size

M16x1,5

reinforced version

replacement in pairs recommended



References

Iveco 5 0033 4710

Iveco 5 0033 4711

Iveco 5 0033 4713

Iveco 5 0033 4714

Iveco 5 0034 4887

Iveco 5 0034 4888

Iveco 5 0037 9801

Iveco 5 0037 9802

Application info

Iveco Daily III (11/97-10/09)

Iveco Daily IV (05/06-03/12)

Iveco Daily V (09/11-02/14)

Ball joint **216 010 0009** **MBJ0130**

Notes

Front Axle Left
 Front Axle Right
 with accessories
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|-------------------|-------------------|
| Fiat 51810664 | Fiat 51810665 |
| Fiat 51885660 | Fiat 51885737 |
| Fiat 51932035 | Fiat 51932036 |
| Fiat 52008282 | Fiat 52008283 |
| Fiat 52026316 | Fiat 52026317 |
| Opel 3 52 537 | Opel 3 52 538 |
| Vauxhall 95514536 | Vauxhall 95514537 |

Application info

- | | |
|------------------------|---------------------------------|
| Fiat 500L (09/12--) | Fiat Doblo (263) (11/09--) |
| Opel Combo D (02/12--) | Vauxhall Combo Mk III (07/06--) |

Ball joint **216 010 0010** **MBJ0319**

Notes

Front Axle Left
 Front Axle Right
 Outer Diameter [mm] 45
 Required quantity 2
 Thread Size M12x1,5
 replacement in pairs recommended



References

Chrysler 5085914AB	Chrysler 5085914AD
Chrysler K05085914AB	Chrysler K05085914AC
Dodge 05090033AA	Dodge 05090033AB
Dodge 5085914AD	Dodge 5090033AA
Dodge 5090033AB	Fiat K05085914AB
Fiat K05085914AC	Fiat K05085914AD
Fiat K05090033AA	Fiat K05090033AB
Lancia K05090033AA	Lancia K05090033AB

Application info

Chrysler Sebring (JS) (09/06-12/10)	Dodge Avenger II (06/07-12/14)
Dodge Journey (06/08--)	Fiat Freemont (JC) (08/11--)
Lancia Flavia (03/12-12/14)	

Ball joint

216 010 0011

MBJ0492

Notes

Front Axle Left
 Front Axle Right
 Upper
 Required quantity 2
 Thread Size 1 M18x1,5
 Thread Size 2 M20x1

replacement in pairs recommended



References

Iveco 504212584	Iveco 504212586
-----------------	-----------------

Application info

Iveco Daily III (11/97-10/09)	Iveco Daily IV (05/06-03/12)
Iveco Daily V (09/11-02/14)	Iveco Daily VI (03/14--)

Ball joint **216 010 0012** **MBJ0343**

Notes

Front Axle Left
 Front Axle Right
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|-----------------|-----------------|
| Fiat 51849600 | Fiat 51849602 |
| Fiat 51928527 | Fiat 51928536 |
| Fiat 51957400 | Fiat 51957401 |
| Lancia 51890706 | Lancia 51890709 |
| Lancia 51905057 | Lancia 51905058 |
| Lancia 51932474 | Lancia 51932475 |
| Lancia 51956709 | Lancia 51956712 |

Application info

- | | |
|--------------------------------|--------------------------|
| Chrysler Ypsilon (05/11--) | Fiat Panda III (02/12--) |
| Lancia Ypsilon (846) (05/11--) | |

Ball joint **216 010 0015** **MBJ0442**

Notes

Front Axle Left
 Front Axle Right
 with attachment material
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|---------------|---------------|
| Fiat 52026562 | Fiat 52055603 |
|---------------|---------------|

Application info

- Fiat Tipo (356) (10/15--)

Ball joint		26-16 010 0000	MBJ0136
<p>Notes</p> <p>Front Axle Left Front Axle Right with accessories</p> <p>Required quantity 2 Thread Size 1 M12x1,25 replacement in pairs recommended</p>			
<p>References</p> <p>Chevrolet 96535089</p>		<p>Daewoo 96535089</p>	
<p>Application info</p> <p>Chevrolet Astro I (02/03-05/08) Chevrolet Aveo II (03/11--)</p>		<p>Chevrolet Aveo I (01/03--) Daewoo Kalos (09/02--)</p>	
Ball joint		26-16 010 0004	MBJ0138
<p>Notes</p> <p>Front Axle Left Front Axle Right with accessories</p> <p>Cone Size [mm] 18 Required quantity 2 replacement in pairs recommended</p>			
<p>References</p> <p>Buick 96490218 Daewoo 96490218</p>		<p>Chevrolet 96490218</p>	
<p>Application info</p> <p>Chevrolet Lacetti (03/03--) Daewoo Lacetti (02/02--)</p>		<p>Chevrolet Nubira (01/05-12/11) Daewoo Nubira (KLAN) (07/03--)</p>	

Ball joint		28-16 010 0000	MBJ0140
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower</p> <p>Outer Diameter [mm] 40 Required quantity 2 replacement in pairs recommended</p>		 	
<p>References</p> <p>Hyundai 54530-07000 Kia 54530 07000</p>		<p>Hyundai 54530-0X000</p>	
<p>Application info</p> <p>Hyundai i10 I (10/07--)</p>		<p>Kia Picanto I (04/04--)</p>	
Ball joint		28-16 010 0001	MBJ0141
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower</p> <p>Required quantity 2 replacement in pairs recommended</p>		 	
<p>References</p> <p>Hyundai 54530-3J000 Kia 54530 3J000</p>		<p>Hyundai 54530-4D000 Kia 54530 4D000</p>	
<p>Application info</p> <p>Hyundai H-1 II (09/07--) Kia Carnival III (09/05--)</p>		<p>Hyundai ix55 (09/06--)</p>	

Ball joint		28-16 010 0010	MBJ0469
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower</p> <p>Required quantity replacement in pairs recommended</p> <p>2</p>			
<p>References</p> <p>Hyundai 54530-2K000</p>		<p>Kia 54530-2K000</p>	
<p>Application info</p> <p>Hyundai i10 II (08/13--) Kia Picanto II (05/11--) Kia Soul I (01/09--)</p>		<p>Hyundai i10 III (09/19--) Kia Rio III (09/10--)</p>	
Ball joint		28-16 010 0011/HD	MBJ0466HD
<p>Notes</p> <p>Carbon Neutral</p> <p>Front Axle Left Front Axle Right for control arm</p> <p>Required quantity reinforced version replacement in pairs recommended</p> <p>2</p>			
<p>References</p> <p>Hyundai 54530-2K000 Kia 54530-2K000</p>		<p>Kia 54530 H8000</p>	
<p>Application info</p> <p>Hyundai i10 II (08/13--) Kia Picanto II (05/11--) Kia Rio IV (01/17--) Kia Soul III (SK3) (01/19--)</p>		<p>Hyundai i10 III (09/19--) Kia Rio III (09/10--) Kia Soul I (01/09--) Kia Stonic (07/17--)</p>	

Ball joint		28-16 010 0011	MBJ0466
<p>Notes</p> <p>Front Axle Left Front Axle Right for control arm</p> <p>Required quantity replacement in pairs recommended</p> <p>2</p>			
<p>References</p> <p>Kia 54530H8000</p>			
<p>Application info</p> <p>Kia Rio IV (01/17--)</p> <p style="text-align: right;">Kia Stonic (07/17--)</p>			
Ball joint		28-16 010 0012	MBJ0470
<p>Notes</p> <p>Front Axle Right Lower outer</p> <p>Paired article number Required quantity replacement in pairs recommended</p> <p>28-16 010 0013 MBJ0471</p> <p>1</p>			
<p>References</p> <p>Hyundai 54530-C1100 Kia 54530 C1100</p> <p style="text-align: right;">Hyundai 54530-D7100 Kia 54530 D7100</p>			
<p>Application info</p> <p>Hyundai Sonata VII (06/14--)</p> <p>Kia Optima IV (09/15--)</p> <p style="text-align: right;">Hyundai Tucson II (05/15--) Kia Sportage IV (09/15--)</p>			

Ball joint

28-16 010 0016

MBJ0485

Notes

Front Axle Left
 Front Axle Right
 Lower
 Required quantity 2
 replacement in pairs recommended



References

Kia 54530 G6000

Application info

Kia Picanto III (03/17--)

Ball joint

30-16 010 0021

MBJ0156

Notes

Front Axle Left
 Front Axle Right
 Upper
 with accessories
 Outer Diameter [mm] 45
 Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended



References

Toyota 43310-60010

Toyota 43310-60020

Toyota 43310-60030

Toyota 43310-60050

Application info

Toyota Land Cruiser (J12) (09/02-12/10)

Ball joint

30-16 010 0029

MBJ0158

Notes

Front Axle Left
 Front Axle Right
 Lower
 with attachment material

Required quantity

2

Thread Size

M16x1,5

replacement in pairs recommended



References

Toyota 43330-29125

Toyota 43330-29155

Toyota 43330-29295

Toyota 43330-29515

Toyota 43330-29535

Toyota 43340-29105

Application info

Toyota Hiace II (11/82-11/89)

Toyota Hiace III (08/87-02/05)

Toyota Hiace IV (08/95-12/12)

Ball joint

30-16 010 0034

MBJ0159

Notes

Front Axle Left
 Front Axle Right
 Lower

Required quantity

2

Thread Size

M14x1,5

replacement in pairs recommended



References

Toyota 43330-02020

Toyota 43330-09030

Toyota 43330-09130

Toyota 43330-19095

Toyota 43330-29265

Toyota 43330-29315

Toyota 43330-29375

Application info

Toyota Avensis (T22) (09/97-02/03)

Toyota Carina (T19) (02/92-09/97)

Toyota Celica (T20) (09/93-11/99)

Toyota Corolla (E10) (06/91-12/99)

Toyota Corona (T190) (10/91-04/98)

Toyota Picnic (05/96-12/01)

Ball joint

30-16 010 0083/HD

MBJ0498HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower

Required quantity
 reinforced version
 replacement in pairs recommended

2



References

- Citroën 16 141 914 80
- Citroën 3520.Q2
- Citroën B0 007 701 80
- Daihatsu 48068-09041
- Peugeot 16 14 191 480
- Peugeot 3520.Q2
- Peugeot B0 00 770 180
- Subaru 4806859145
- Toyota 48068-09015
- Toyota 48068-09040
- Toyota 48068-09150
- Toyota 48068-0H020
- Toyota 48068-59035
- Toyota 48068-59095
- Toyota 48068-59145
- Toyota 48068-79018
- Toyota 48069-09030
- Toyota 48069-09041
- Toyota 48069-0H010
- Toyota 48069-0H021
- Toyota 48069-59055
- Toyota 48069-59125
- Toyota 48069-59145
- Toyota 48069-79018

- Citroën 16 141 916 80
- Citroën 3521.L3
- Citroën B0 007 702 80
- Daihatsu 48069-09041
- Peugeot 16 14 191 680
- Peugeot 3521.L3
- Peugeot B0 00 770 280
- Subaru 4806959135
- Toyota 48068-09030
- Toyota 48068-09041
- Toyota 48068-0H010
- Toyota 48068-0H021
- Toyota 48068-59055
- Toyota 48068-59135
- Toyota 48068-79015
- Toyota 48069-09015
- Toyota 48069-09040
- Toyota 48069-09140
- Toyota 48069-0H020
- Toyota 48069-59035
- Toyota 48069-59095
- Toyota 48069-59135
- Toyota 48069-79015

Application info

Citroën C1 (06/05-09/14)

Daihatsu Charade V (05/11--)

Peugeot 108 (05/14--)

Toyota Aygo I (02/05-05/14)

Toyota Prius C (NHP10) (09/11--)

Toyota Verso S (NCP12, NSP12) (11/10-10/16)

Toyota Yaris II (01/05-12/14)

Toyota iQ (11/08-12/15)

Citroën C1 II (04/14--)

Peugeot 107 (06/05-05/14)

Subaru Trezia (11/10--)

Toyota Aygo II (05/14--)

Toyota Urban Cruiser (NCP11) (07/07-03/16)

Toyota Yaris I (01/99-12/05)

Toyota Yaris III (12/10--)

Ball joint

30-16 010 0084/HD

MBJ0503HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Lower
outer

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M12x1,25

reinforced version

replacement in pairs recommended



References

Lexus 43330-49185

Toyota 43330-49185

Application info

Lexus CT (ZWA1) (12/10--)

Toyota Prius III (06/08--)

Ball joint

30-16 010 0085

MBJ0493

Notes

Front Axle Left
Front Axle Right
Lower
for control arm
outer
with retaining ring

Required quantity

2

replacement in pairs recommended



References

Toyota 43330-49225

Application info

Toyota RAV 4 V (_A5_) (12/18--)

Toyota bZ4X (12/21--)

Ball joint

30-16 010 0086/HD

MBJ0489HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Lower
for control arm
outer

Required quantity 2
replacement in pairs recommended



References

Toyota 43330-09A50

Application info

Toyota Aygo III (X) (10/21--)

Toyota Corolla (_E21_) (10/18--)

Toyota Yaris IV (02/20--)

Ball joint

30-16 010 0087

MBJ0499

Notes

Front Axle Left
Front Axle Right
Lower
for control arm

Height [mm] 100.3
Outer Diameter [mm] 47
Required quantity 2
Thread Size M16x1,5
replacement in pairs recommended



References

Toyota 43330-09295

Toyota 43330-09490

Toyota 43330-09510

Toyota 43330-09A20

Application info

Toyota Fortuner (_N5_,_N6_) (06/04-09/15)

Toyota Fortuner (_N15_,_N16_) (05/15--)

Toyota Hilux (Gun1, Gun13) (05/15--)

Toyota Hilux (KUN) (08/04--)

Toyota Hilux VIII (_N1_) (05/15--)

Ball joint

31-16 010 0001

MBJ0170

Notes

Front Axle Left
Front Axle Right
Lower

Outer Diameter [mm] 40
Required quantity 2
Thread Size M12x1,25
replacement in pairs recommended



References

Honda 51220-FF1-000
Honda 51220-SB0-003
Honda 51220-SBO-023
Honda 51220-SE0-003
Honda 51220-SF1-100
Honda 51220-SH3-003
Honda 51220-SK7-013

Honda 51220-SA0-A01
Honda 51220-SB0-023
Honda 51220-SE0-000
Honda 51220-SF1-000
Honda 51220-SH0-A01
Honda 51220-SK7-003
Honda 51220-SM0-A01

Application info

Honda Accord III (11/85-12/89)
Honda Civic IV (09/87-02/95)
Honda Prelude IV (12/91-02/97)

Honda CRX II (10/87-02/92)
Honda Prelude III (04/86-11/96)
Honda Prelude V (10/96-04/01)

Ball joint

31-16 010 0002

MBJ0171

Notes

Front Axle Left
Front Axle Right
Lower

Outer Diameter [mm] 42
Required quantity 2
Thread Size M12x1,25
replacement in pairs recommended



References

Honda 51220-S0A-J01
 Honda 51220-S84-305
 Honda 51220-S84-A02
 Honda 51220-SM1-A02
 Honda 51220-SM4-013
 Rover GSJ404

Honda 51220-S4K-A00
 Honda 51220-S84-A01
 Honda 51220-SM1-A01
 Honda 51220-SM4-003
 Honda 52220-SF1-003

Application info

Honda Accord IV (05/89-02/94)
 Honda Accord VII (03/97-09/05)
 Rover 600 (RH) (08/93-10/00)

Honda Accord V / VI (06/92-12/98)
 Honda Shuttle I (06/94-06/04)

Ball joint

31-16 010 0013

MBJ0175

Notes

Front Axle Left
 Front Axle Right
 Lower
 Outer Diameter [mm] 35
 Required quantity 2
 Thread Size M12x1,25

replacement in pairs recommended



References

Honda 51220-SAA-013
 Honda 51360-SAA-G02

Honda 51350-SAA-G02

Application info

Honda HR-V I (03/99--)

Honda Jazz II (06/01-12/08)

Ball joint

31-16 010 0015

MBJ0176

Notes

Front Axle Left
 Front Axle Right
 Lower
 Outer Diameter [mm] 43
 Required quantity 2
 Thread Size M12x1,25

replacement in pairs recommended



References

Honda 51220-SDA-A02

Application info

Honda Accord VIII (09/02--)

Honda FR-V (08/04--)

Ball joint

31-16 010 0022

MBJ0473

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer

Required quantity
 replacement in pairs recommended



References

Honda 06510-TBA-A00

Honda 51220-TBA-A01

Application info

Honda Civic X (09/15--)

Ball joint

31-16 010 0023

MBJ0475

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer

Required quantity
 replacement in pairs recommended



References

Honda 51220-TEA-T01

Application info

Honda Civic X (09/15--)

Ball joint

31-16 010 0025/HD

MBJ0488HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower

Required quantity
 replacement in pairs recommended

2



References

Honda 51220-TNY-J01

Application info

Honda CR-V V (12/16--)

Bracket, control arm

300 311 2604/HD

MBC0003HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Set
 with accessories
 with rubber mount

Required quantity
 reinforced version

2



References

BMW 1 095 277	BMW 1 095 278
BMW 1 096 284	BMW 1 096 983
BMW 1 096 984	BMW 31 12 1 095 277
BMW 31 12 1 095 278	BMW 31 12 1 096 284
BMW 31 12 1 096 983	BMW 31 12 1 096 984
BMW 31 12 4 004 359	BMW 31 12 4 004 360
BMW 31 12 6 750 221	BMW 31 12 6 750 222
BMW 31 12 6 751 435	BMW 31 12 6 751 436
BMW 31 12 6 753 059	BMW 31 12 6 753 060
BMW 31 12 6 754 899	BMW 31 12 6 754 900
BMW 31 12 6 757 623	BMW 31 12 6 777 850
BMW 31 12 6 783 376	BMW 4 004 359
BMW 4 004 360	BMW 6 750 221
BMW 6 750 222	BMW 6 751 435
BMW 6 751 436	BMW 6 753 059
BMW 6 753 060	BMW 6 754 899
BMW 6 754 900	BMW 6 757 623
BMW 6 777 850	BMW 6 783 376
BMW (Brilliance) 1 095 277	BMW (Brilliance) 1 095 278
BMW (Brilliance) 1 096 284	BMW (Brilliance) 1 096 983
BMW (Brilliance) 1 096 984	BMW (Brilliance) 31 12 1 095 277
BMW (Brilliance) 31 12 1 095 278	BMW (Brilliance) 31 12 1 096 284
BMW (Brilliance) 31 12 1 096 983	BMW (Brilliance) 31 12 1 096 984
BMW (Brilliance) 31 12 4 004 359	BMW (Brilliance) 31 12 4 004 360
BMW (Brilliance) 31 12 6 750 221	BMW (Brilliance) 31 12 6 750 222
BMW (Brilliance) 31 12 6 751 435	BMW (Brilliance) 31 12 6 751 436
BMW (Brilliance) 31 12 6 753 059	BMW (Brilliance) 31 12 6 753 060
BMW (Brilliance) 31 12 6 754 899	BMW (Brilliance) 31 12 6 754 900
BMW (Brilliance) 31 12 6 757 623	BMW (Brilliance) 31 12 6 777 850
BMW (Brilliance) 31 12 6 783 376	BMW (Brilliance) 4 004 359
BMW (Brilliance) 4 004 360	BMW (Brilliance) 6 750 221
BMW (Brilliance) 6 750 222	BMW (Brilliance) 6 751 435
BMW (Brilliance) 6 751 436	BMW (Brilliance) 6 753 059
BMW (Brilliance) 6 753 060	BMW (Brilliance) 6 754 899
BMW (Brilliance) 6 754 900	BMW (Brilliance) 6 757 623
BMW (Brilliance) 6 777 850	BMW (Brilliance) 6 783 376

Application info

BMW 3 (E46) (12/97-12/07)	BMW Z4 (E85) (09/02-12/09)
BMW Z4 (E86) (03/06-01/09)	


Control arm

116 050 0031/HD

MCA0150HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
Front Axle Right
Lower
with accessories
with rubber mount



Cone Size [mm]

16

Length [mm]

365

Replace in pairs only

Required quantity

2

reinforced version

References

Audi 4B0 407 151
Audi 4B3 407 151 C
Audi 4B3 407 151 F
Audi (FAW) 4B0 407 151
Audi (FAW) 4B3 407 151 F
Skoda 4B0 407 151
Skoda 4B3 407 151 C
Skoda 4B3 407 151 F
Volkswagen 4B0 407 151
Volkswagen 4B3 407 151 C
Volkswagen 4B3 407 151 F
Volkswagen (SVW) 4B3 407 151 K

Audi 4B3 407 151 A
Audi 4B3 407 151 E
Audi 4B3 407 151 K
Audi (FAW) 4B3 407 151 C
Audi (FAW) 4B3 407 151 K
Skoda 4B3 407 151 A
Skoda 4B3 407 151 E
Skoda 4B3 407 151 K
Volkswagen 4B3 407 151 A
Volkswagen 4B3 407 151 E
Volkswagen 4B3 407 151 K

Application info

Audi A4 I (8D_) (11/94-12/02)
Audi A8 I (4D_) (03/94-12/05)
Volkswagen Passat (3B_) (08/96-12/05)

Audi A6 II (4B, C5) (01/97-12/05)
Skoda Superb I (3U) (12/01-03/08)

Control arm

116 050 0032/HD

MCA0151HD

Notes

Carbon Neutral
Cast Steel
Control Arm
Front Axle Left
with rubber mount
without ball joint

Article number of recommended accessories 100 654 0008
Paired article number 116 050 0033/HD | MCA0152HD
Replace in pairs only
Required quantity 1
reinforced version



References

Audi 1K0 407 151 AC	Audi 1K0 407 151 AD
Audi 1K0 407 151 AK	Audi 1K0 407 151 BF
Seat 1K0 407 151 AC	Seat 1K0 407 151 AD
Seat 1K0 407 151 AK	Seat 1K0 407 151 BF
Seat 1K0 407 151 R	Skoda 1K0 407 151 AC
Skoda 1K0 407 151 T	Volkswagen 1K0 407 151 AC
Volkswagen 1K0 407 151 M	Volkswagen 1K0 407 151 R

Application info

Audi A3 II (8P_) (05/03-12/15)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Superb II (3T) (03/08-05/15)
Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)	Volkswagen Eos (03/06-08/15)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)	Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Scirocco III (137) (05/08-11/17)
Volkswagen Touran I (1T1/2/3) (02/03-05/15)	

Control arm

116 050 0033/HD

MCA0152HD

Notes

Carbon Neutral
 Cast Steel
 Control Arm
 Front Axle Right
 with rubber mount
 without ball joint

Article number of recommended accessory 100 654 0008
 Paired article number 116 050 0032/HD | MCA0151HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Audi 1K0 407 152 AC	Audi 1K0 407 152 AD
Audi 1K0 407 152 AK	Audi 1K0 407 152 BF
Seat 1K0 407 152 AC	Seat 1K0 407 152 AD
Seat 1K0 407 152 AK	Seat 1K0 407 152 BF
Seat 1K0 407 152 R	Skoda 1K0 407 152 AC
Skoda 1K0 407 152 T	Volkswagen 1K0 407 152 AC
Volkswagen 1K0 407 152 M	Volkswagen 1K0 407 152 R

Application info

Audi A3 II (8P_) (05/03-12/15)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Superb II (3T) (03/08-05/15)
Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)	Volkswagen Eos (03/06-08/15)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)	Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Scirocco III (137) (05/08-11/17)
Volkswagen Touran I (1T1/2/3) (02/03-05/15)	

Control arm		116 050 0042/HD	MCA0153HD								
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Left Upper with accessories with rubber mount</p> <p>Length [mm] 301</p> <p>Paired article number 116 050 0063/HD MCA0161HD</p> <p>Replace in pairs only</p> <p>Required quantity 1</p> <p>reinforced version</p>											
<p>References</p> <table border="0"> <tr> <td>Audi 4E0 407 505 B</td> <td>Audi 4E0 407 505 E</td> </tr> <tr> <td>Audi 4E0 407 505 F</td> <td>Audi (FAW) 4E0 407 505 B</td> </tr> <tr> <td>Audi (FAW) 4E0 407 505 E</td> <td>Audi (FAW) L4E0 407 505 B</td> </tr> <tr> <td>Volkswagen 4E0 407 505 B</td> <td>Volkswagen 4E0 407 505 E</td> </tr> </table>				Audi 4E0 407 505 B	Audi 4E0 407 505 E	Audi 4E0 407 505 F	Audi (FAW) 4E0 407 505 B	Audi (FAW) 4E0 407 505 E	Audi (FAW) L4E0 407 505 B	Volkswagen 4E0 407 505 B	Volkswagen 4E0 407 505 E
Audi 4E0 407 505 B	Audi 4E0 407 505 E										
Audi 4E0 407 505 F	Audi (FAW) 4E0 407 505 B										
Audi (FAW) 4E0 407 505 E	Audi (FAW) L4E0 407 505 B										
Volkswagen 4E0 407 505 B	Volkswagen 4E0 407 505 E										
<p>Application info</p> <table border="0"> <tr> <td>Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)</td> <td>Audi A8 II (4E_) (10/02-12/10)</td> </tr> <tr> <td>Volkswagen Phaeton (3D) (04/02-03/16)</td> <td></td> </tr> </table>				Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)	Audi A8 II (4E_) (10/02-12/10)	Volkswagen Phaeton (3D) (04/02-03/16)					
Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)	Audi A8 II (4E_) (10/02-12/10)										
Volkswagen Phaeton (3D) (04/02-03/16)											
Control arm		116 050 0043/HD	MCA0154HD								
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Left Front Axle Right Lower with accessories with rubber mount</p> <p>Length [mm] 469</p> <p>Replace in pairs only</p> <p>Required quantity 2</p> <p>reinforced version</p>											

References

Audi 4F0 407 151	Audi 4F0 407 151 A
Audi (FAW) 4F0 407 151	Audi (FAW) 4F0 407 151 A
Audi (FAW) L4F0 407 151 A	

Application info

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Control arm

116 050 0044/HD

MCA0155HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Lower
Rear
with accessories
with rubber mount



Article number of recommended accessories	100 654 0023
Length [mm]	392
Paired article number	116 050 0064/HD MCA0162HD
Replace in pairs only	
Required quantity	1
reinforced version	

References

Audi 4F0 407 693	Audi 4F0 407 693 B
Audi 4F0 407 693 C	Audi 4F0 407 693 G
Audi 4F0 407 693 H	Audi 4F0 407 693 J
Audi (FAW) 4F0 407 693	Audi (FAW) 4F0 407 693 B
Audi (FAW) 4F0 407 693 C	Audi (FAW) 4F0 407 693 G
Audi (FAW) 4F0 407 693 H	Audi (FAW) L 4FD 407 693

Application info

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Control arm		116 050 0048/HD	MCA0156HD
Notes	<p>Aluminium Carbon Neutral Control Arm Front Axle Left Lower Rear with accessories with rubber mount</p>		
<p>Length [mm] Paired article number Replace in pairs only Required quantity reinforced version</p>	<p>383 116 050 0073/HD MCA0168HD 1</p>		

References	
Audi 8E0 407 693 AA	Audi 8E0 407 693 AC
Audi 8E0 407 693 AJ	Audi 8E0 407 693 AK
Audi 8E0 407 693 AL	Audi 8E0 407 693 AM
Audi 8E0 407 693 N	Audi 8E0 407 693 T
Audi (FAW) 8E0 407 693 AL	Seat 8E0 407 693 AL
Volkswagen (SVW) 8E0 407 693 AA	Volkswagen (SVW) 8E0 407 693 AK
Volkswagen (SVW) 8E0 407 693 AL	Volkswagen (SVW) 8E0 407 693 T

Application info	
Audi A4 Cabriolet (8H_) (01/02-12/09)	Audi A4 III (8E_) (11/04-06/08)
Seat Exeo (3R) (12/08-05/13)	

Control arm		116 050 0049	MCA0157
Notes	<p>Cast Steel Control Arm Front Axle Left Lower with ball joint with rubber mount</p>		
<p>Paired article number Required quantity replacement in pairs recommended</p>	<p>116 050 0071 MCA0166 1</p>		

References

Audi 7L8 407 151 B
 Porsche 955 341 017 31
 Porsche 955 341 017 33
 Volkswagen 7L0 407 151 E

Porsche 955 341 017 30
 Porsche 955 341 017 32
 Volkswagen 7L0 407 151 C
 Volkswagen 7L0 407 151 H

Application info

Audi Q7 I (4L_) (03/06-01/16)
 Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Porsche Cayenne I (955) (09/02-12/10)

Control arm

116 050 0049/S

MCA1103

Notes

Cast Steel
 Control Arm
 Front Axle Left
 Lower
 with ball joint
 with fastening material
 with rubber mount

Paired article number
 Required quantity
 replacement in pairs recommended

116 050 0071/S | MCA1104
 1



References

Audi 7L8 407 151 B
 Porsche 955 341 017 32
 Volkswagen 7L0 407 151 C
 Volkswagen 7L0 407 151 H

Porsche 955 341 017 30
 Porsche 955 341 017 33
 Volkswagen 7L0 407 151 E

Application info

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Control arm		116 050 0063/HD	MCA0161HD								
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Right Upper with accessories with rubber mount</p> <p>Length [mm] 301</p> <p>Paired article number 116 050 0042/HD MCA0153HD</p> <p>Replace in pairs only</p> <p>Required quantity 1</p> <p>reinforced version</p>											
<p>References</p> <table border="0"> <tr> <td>Audi 4E0 407 506 B</td> <td>Audi 4E0 407 506 E</td> </tr> <tr> <td>Audi 4E0 407 506 F</td> <td>Audi (FAW) 4E0 407 506 B</td> </tr> <tr> <td>Audi (FAW) 4E0 407 506 E</td> <td>Audi (FAW) L4E0 407 506 B</td> </tr> <tr> <td>Volkswagen 4E0 407 506 B</td> <td>Volkswagen 4E0 407 506 E</td> </tr> </table>				Audi 4E0 407 506 B	Audi 4E0 407 506 E	Audi 4E0 407 506 F	Audi (FAW) 4E0 407 506 B	Audi (FAW) 4E0 407 506 E	Audi (FAW) L4E0 407 506 B	Volkswagen 4E0 407 506 B	Volkswagen 4E0 407 506 E
Audi 4E0 407 506 B	Audi 4E0 407 506 E										
Audi 4E0 407 506 F	Audi (FAW) 4E0 407 506 B										
Audi (FAW) 4E0 407 506 E	Audi (FAW) L4E0 407 506 B										
Volkswagen 4E0 407 506 B	Volkswagen 4E0 407 506 E										
<p>Application info</p> <table border="0"> <tr> <td>Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)</td> <td>Audi A8 II (4E_) (10/02-12/10)</td> </tr> <tr> <td>Volkswagen Phaeton (3D) (04/02-03/16)</td> <td></td> </tr> </table>				Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)	Audi A8 II (4E_) (10/02-12/10)	Volkswagen Phaeton (3D) (04/02-03/16)					
Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)	Audi A8 II (4E_) (10/02-12/10)										
Volkswagen Phaeton (3D) (04/02-03/16)											
Control arm		116 050 0064/HD	MCA0162HD								
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Right Lower Rear with accessories with rubber mount</p> <p>Article number of recommended accessory 100 654 0023</p> <p>Length [mm] 392</p> <p>Paired article number 116 050 0044/HD MCA0155HD</p> <p>Replace in pairs only</p> <p>Required quantity 1</p> <p>reinforced version</p>											

References

- Audi 4F0 407 694
- Audi 4F0 407 694 C
- Audi 4F0 407 694 H
- Audi (FAW) 4F0 407 694
- Audi (FAW) 4F0 407 694 G
- Audi (FAW) L 4FD 407 694
- Audi 4F0 407 694 B
- Audi 4F0 407 694 G
- Audi 4F0 407 694 J
- Audi (FAW) 4F0 407 694 B
- Audi (FAW) 4F0 407 694 H

Application info

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Control arm

116 050 0065/HD

MCA0163HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Lower
Rear
with accessories
with rubber mount



Length [mm] 397
Paired article number 116 050 0066/HD | MCA0164HD
Replace in pairs only
Required quantity 1
reinforced version

References

- Audi 4E0 407 693 F
- Audi 4E0 407 693 M
- Audi 4E0 407 693 R
- Volkswagen 4E0 407 693 E
- Volkswagen 4E0 407 693 N
- Audi 4E0 407 693 L
- Audi 4E0 407 693 N
- Volkswagen 4E0 407 693 C
- Volkswagen 4E0 407 693 F

Application info

Audi A8 II (4E_) (10/02-12/10) Volkswagen Phaeton (3D) (04/02-03/16)

Control arm		116 050 0066/HD	MCA0164HD
Notes			
	Aluminium		
	Carbon Neutral		
	Control Arm		
	Front Axle Right		
	Lower		
	Rear		
	with accessories		
	with rubber mount		
Length [mm]	397		
Paired article number	116 050 0065/HD MCA0163HD		
Replace in pairs only			
Required quantity	1		
reinforced version			

References	
Audi 4E0 407 694 F	Audi 4E0 407 694 L
Audi 4E0 407 694 M	Audi 4E0 407 694 N
Audi 4E0 407 694 R	Volkswagen 4E0 407 694 C
Volkswagen 4E0 407 694 E	Volkswagen 4E0 407 694 F
Volkswagen 4E0 407 694 N	

Application info	
Audi A8 II (4E_) (10/02-12/10)	Volkswagen Phaeton (3D) (04/02-03/16)

Control arm		116 050 0067/HD	MCA0165HD
Notes			
	Aluminium		
	Carbon Neutral		
	Control Arm		
	Front		
	Front Axle Left		
	Front Axle Right		
	Lower		
	with accessories		
	with rubber mount		
Length [mm]	470		
Replace in pairs only			
Required quantity	2		
reinforced version			

References

Audi 4E0 407 151 G

Audi 4E0 407 151 L

Application info

Audi A8 II (4E_) (10/02-12/10)

Control arm

116 050 0071

MCA0166

Notes

Cast Steel
Control Arm
Front Axle Right
Lower
with ball joint
with rubber mount

Paired article number

116 050 0049 | MCA0157

Required quantity

1

replacement in pairs recommended



References

Audi 7L8 407 152 B

Porsche 955 341 018 30

Porsche 955 341 018 32

Porsche 955 341 018 33

Volkswagen 7L0 407 152 C

Volkswagen 7L0 407 152 E

Volkswagen 7L0 407 152 H

Application info

Audi Q7 I (4L_) (03/06-01/16)

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Control arm

116 050 0071/S

MCA1104

Notes

Cast Steel
Control Arm
Front Axle Right
Lower
with ball joint
with fastening material
with rubber mount

Paired article number

116 050 0049/S | MCA1103

Required quantity

1

replacement in pairs recommended



References

Audi 7L8 407 152 B
 Porsche 955 341 018 32
 Volkswagen 7L0 407 152 C
 Volkswagen 7L0 407 152 H

Porsche 955 341 018 30
 Porsche 955 341 018 33
 Volkswagen 7L0 407 152 E

Application info

Audi Q7 I (4L_) (03/06-01/16)
 Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Porsche Cayenne I (955) (09/02-12/10)

Control arm

116 050 0072/HD

MCA0167HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Front Axle Right
 with rubber mount

Article number of recommended accessori 100 654 0009
 Paired article number 100 654 0009
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Audi 3C0 407 151 G
 Seat 3C0 407 151 E
 Seat 3C0 407 151 H
 Volkswagen 3C0 407 151 B
 Volkswagen 3C0 407 151 G
 Volkswagen (FAW) 3C0 407 151 E

Audi 3C0 407 151 H
 Seat 3C0 407 151 G
 Volkswagen 3C0 407 151 A
 Volkswagen 3C0 407 151 E
 Volkswagen 3C0 407 151 H

Application info

Audi Q3 I (8U_) (06/11-12/18)
 Volkswagen CC (11/11-12/16)
 Volkswagen Passat (3C_) (03/05-01/12)
 Volkswagen Tiguan I (5N) (09/07-07/18)

Seat Alhambra II (710) (06/10--)
 Volkswagen Passat (362, 365) (08/10-12/15)
 Volkswagen Sharan (7N) (05/10--)

Control arm		116 050 0073/HD	MCA0168HD
Notes	Aluminium Carbon Neutral Control Arm Front Axle Right Lower Rear with accessories with rubber mount		
Length [mm]	383		
Paired article number	116 050 0048/HD MCA0156HD		
Replace in pairs only			
Required quantity reinforced version	1		

References	
Audi 8E0 407 694 AA	Audi 8E0 407 694 AC
Audi 8E0 407 694 AJ	Audi 8E0 407 694 AK
Audi 8E0 407 694 AL	Audi 8E0 407 694 AM
Audi 8E0 407 694 N	Audi 8E0 407 694 T
Audi (FAW) 8E0 407 694 AL	Seat 8E0 407 694 AL
Volkswagen (SVW) 8E0 407 694 AA	Volkswagen (SVW) 8E0 407 694 AK
Volkswagen (SVW) 8E0 407 694 AL	Volkswagen (SVW) 8E0 407 694 T

Application info	
Audi A4 Cabriolet (8H_) (01/02-12/09)	Audi A4 III (8E_) (11/04-06/08)
Seat Exeo (3R) (12/08-05/13)	

Control arm		116 050 0076/HD	MCA0169HD
Notes	Carbon Neutral Control Arm Front Axle Left Lower Steel with rubber mount		
Article number of recommended accessories	100 654 0019		
Paired article number	116 050 0077/HD MCA0170HD		
Replace in pairs only			
Required quantity reinforced version	1		

References

Volkswagen 7H0 407 151 E
 Volkswagen 7H0 407 151 G

Volkswagen 7H0 407 151 F
 Volkswagen 7H8 407 151 B

Application info

Volkswagen Transporter V (04/03-08/15)

Control arm

116 050 0077/HD

MCA0170HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Steel
 with rubber mount

Article number of recommended accessory 100 654 0019
 Paired article number 116 050 0076/HD | MCA0169HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Volkswagen 7H0 407 152 E
 Volkswagen 7H0 407 152 G

Volkswagen 7H0 407 152 F
 Volkswagen 7H8 407 152 B

Application info

Volkswagen Transporter V (04/03-08/15)

Control arm

116 050 0079

MCA0172

Notes

Control Arm
 Lower
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 with rubber mount

Required quantity 2
 replacement in pairs recommended



References

Audi 1K0 505 311 AB
 Seat 1K0 505 311 AA
 Skoda 1K0 505 311 AB
 Volkswagen 1K0 505 311 AA
 Volkswagen 1K0 505 311 H
 Volkswagen 1K0 505 311 R
 Volkswagen 1K0 505 311 T

Audi (FAW) 1K0 505 311 AB
 Seat 1K0 505 311 AB
 Skoda 1K0 505 311 S
 Volkswagen 1K0 505 311 AB
 Volkswagen 1K0 505 311 J
 Volkswagen 1K0 505 311 S
 Volkswagen 1K0 506 311 S

Application info

Audi A1 I (8X_) (05/10-10/18)
 Audi Q3 I (8U_) (06/11-12/18)
 Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
 Skoda Superb II (3T) (03/08-05/15)
 Volkswagen Beetle (5C1) (04/11-07/19)
 Volkswagen Eos (03/06-08/15)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen Jetta IV (162) (01/08--)
 Volkswagen Passat (3C_) (03/05-01/12)
 Volkswagen Scirocco III (137) (05/08-11/17)
 Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Audi A3 II (8P_) (05/03-12/15)
 Audi TT II (8J_) (07/06-01/15)
 Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Yeti (5L) (05/09-12/17)
 Volkswagen CC (11/11-12/16)
 Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
 Volkswagen Jetta III (1K2) (09/04-12/13)
 Volkswagen Passat (362, 365) (08/10-12/15)
 Volkswagen Passat (A32) (01/11--)
 Volkswagen Tiguan I (5N) (09/07-07/18)

Control arm

116 050 0079/S

MCA0800

Notes

Control Arm
 Lower
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 with accessories
 with rubber mount

Required quantity
 replacement in pairs recommended

2



References

Audi 1K0 505 311 AB
 Seat 1K0 505 311 AA
 Skoda 1K0 505 311 AB
 Volkswagen 1K0 505 311 AA
 Volkswagen 1K0 505 311 H
 Volkswagen 1K0 505 311 R
 Volkswagen 1K0 505 311 T

Audi (FAW) 1K0 505 311 AB
 Seat 1K0 505 311 AB
 Skoda 1K0 505 311 S
 Volkswagen 1K0 505 311 AB
 Volkswagen 1K0 505 311 J
 Volkswagen 1K0 505 311 S
 Volkswagen 1K0 506 311 S

Application info

- | | |
|--|---|
| Audi A1 I (8X_) (05/10-10/18) | Audi A3 II (8P_) (05/03-12/15) |
| Audi Q3 I (8U_) (06/11-12/18) | Audi TT II (8J_) (07/06-01/15) |
| Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--) | Skoda Octavia II (1Z_) (02/04-06/13) |
| Skoda Superb II (3T) (03/08-05/15) | Skoda Yeti (5L) (05/09-12/17) |
| Volkswagen Beetle (5C1) (04/11-07/19) | Volkswagen CC (11/11-12/16) |
| Volkswagen Eos (03/06-08/15) | Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14) |
| Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16) | Volkswagen Jetta III (1K2) (09/04-12/13) |
| Volkswagen Jetta IV (162) (01/08--) | Volkswagen Passat (362, 365) (08/10-12/15) |
| Volkswagen Passat (3C_) (03/05-01/12) | Volkswagen Passat (A32) (01/11--) |
| Volkswagen Scirocco III (137) (05/08-11/17) | Volkswagen Tiguan I (5N) (09/07-07/18) |
| Volkswagen Touran I (1T1/2/3) (02/03-05/15) | |

Control arm

116 050 0080/HD

MCA0173HD

Notes

Carbon Neutral
 Front
 Rear Axle Left
 Sheet Steel
 Trailing Arm
 with fastening material
 with rubber mount



Article number of recommended accessori 100 754 0005
 Paired article number 116 050 0081/HD | MCA0174HD
 Replace in pairs only
 Required quantity 1
 reinforced version

References

- | | |
|--------------------------|--------------------------|
| Audi 1K0 505 223 K | Seat 1K0 505 223 E |
| Seat 1K0 505 223 K | Skoda 1K0 505 223 E |
| Skoda 1K0 505 223 H | Skoda 1K0 505 223 K |
| Volkswagen 1K0 505 223 E | Volkswagen 1K0 505 223 F |
| Volkswagen 1K0 505 223 H | Volkswagen 1K0 505 223 K |
| Volkswagen 1T0 505 223 F | |

Application info

Audi A1 I (8X_) (05/10-10/18)

Audi TT II (8J_) (07/06-01/15)

Skoda Octavia II (1Z_) (02/04-06/13)

Skoda Yeti (5L) (05/09-12/17)

Volkswagen Eos (03/06-08/15)

Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)

Volkswagen Jetta IV (162) (01/08--)

Volkswagen Scirocco III (137) (05/08-11/17)

Audi A3 II (8P_) (05/03-12/15)

Seat Leon II / Toledo III / Altea (1P_,5P_) (03/04--)

Skoda Superb II (3T) (03/08-05/15)

Volkswagen Beetle (5C1) (04/11-07/19)

Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)

Volkswagen Jetta III (1K2) (09/04-12/13)

Volkswagen Passat (A32) (01/11--)

Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Control arm**116 050 0080****MCA0173****Notes**

Front
Rear Axle Left
Sheet Steel
Trailing Arm
with rubber mount

Paired article number

116 050 0081 | MCA0174

Required quantity

1

replacement in pairs recommended

**References**

Audi 1K0 505 223 K

Seat 1K0 505 223 K

Skoda 1K0 505 223 H

Volkswagen 1K0 505 223 E

Volkswagen 1K0 505 223 H

Volkswagen 1T0 505 223 F

Seat 1K0 505 223 E

Skoda 1K0 505 223 E

Skoda 1K0 505 223 K

Volkswagen 1K0 505 223 F

Volkswagen 1K0 505 223 K

Application info

Audi A1 I (8X_) (05/10-10/18)

Audi TT II (8J_) (07/06-01/15)

Skoda Octavia II (1Z_) (02/04-06/13)

Skoda Yeti (5L) (05/09-12/17)

Volkswagen Eos (03/06-08/15)

Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)

Volkswagen Jetta IV (162) (01/08--)

Volkswagen Scirocco III (137) (05/08-11/17)

Audi A3 II (8P_) (05/03-12/15)

Seat Leon II / Toledo III / Altea (1P_,5P_) (03/04--)

Skoda Superb II (3T) (03/08-05/15)

Volkswagen Beetle (5C1) (04/11-07/19)

Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)

Volkswagen Jetta III (1K2) (09/04-12/13)

Volkswagen Passat (A32) (01/11--)

Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Control arm

116 050 0081

MCA0174

Notes

Front
Rear Axle Right
Sheet Steel
Trailing Arm
with rubber mount
Paired article number 116 050 0080 | MCA0173
Required quantity 1
replacement in pairs recommended



References

Audi 1K0 505 224 K	Seat 1K0 505 224 E
Seat 1K0 505 224 K	Skoda 1K0 505 224 E
Skoda 1K0 505 224 H	Skoda 1K0 505 224 K
Volkswagen 1K0 505 224 E	Volkswagen 1K0 505 224 F
Volkswagen 1K0 505 224 H	Volkswagen 1K0 505 224 K
Volkswagen 1T0 505 224 F	

Application info

Audi A1 I (8X_) (05/10-10/18)	Audi A3 II (8P_) (05/03-12/15)
Audi TT II (8J_) (07/06-01/15)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Superb II (3T) (03/08-05/15)
Skoda Yeti (5L) (05/09-12/17)	Volkswagen Beetle (5C1) (04/11-07/19)
Volkswagen Eos (03/06-08/15)	Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)	Volkswagen Jetta III (1K2) (09/04-12/13)
Volkswagen Jetta IV (162) (01/08--)	Volkswagen Passat (A32) (01/11--)
Volkswagen Scirocco III (137) (05/08-11/17)	Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Control arm

116 050 0081/HD

MCA0174HD

Notes

Carbon Neutral
 Front
 Rear Axle Right
 Sheet Steel
 Trailing Arm
 with fastening material
 with rubber mount



Article number of recommended accessories 100 754 0005
 Paired article number 116 050 0080/HD | MCA0173HD
 Replace in pairs only
 Required quantity 1
 reinforced version

References

Audi 1K0 505 224 K	Seat 1K0 505 224 E
Seat 1K0 505 224 K	Skoda 1K0 505 224 E
Skoda 1K0 505 224 H	Skoda 1K0 505 224 K
Volkswagen 1K0 505 224 E	Volkswagen 1K0 505 224 F
Volkswagen 1K0 505 224 H	Volkswagen 1K0 505 224 K
Volkswagen 1T0 505 224 F	

Application info

Audi A1 I (8X_) (05/10-10/18)	Audi A3 II (8P_) (05/03-12/15)
Audi TT II (8J_) (07/06-01/15)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Superb II (3T) (03/08-05/15)
Skoda Yeti (5L) (05/09-12/17)	Volkswagen Beetle (5C1) (04/11-07/19)
Volkswagen Eos (03/06-08/15)	Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)	Volkswagen Jetta III (1K2) (09/04-12/13)
Volkswagen Jetta IV (162) (01/08--)	Volkswagen Passat (A32) (01/11--)
Volkswagen Scirocco III (137) (05/08-11/17)	Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Control arm		116 050 0090	MCA0177
<p>Notes</p> <p>Control Arm Front Axle Right Sheet Steel with ball joint with rubber mount</p> <p>Paired article number 116 050 0091 MCA0178 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 906 330 41 07 Mercedes-Benz 906 330 47 07 Mercedes-Benz A 906 330 41 07 Mercedes-Benz A 906 330 47 07 Volkswagen 2E0 407 152 L Volkswagen 2E0 407 152 M</p>			
<p>Application info</p> <p>Mercedes-Benz BM 906 (Sprinter II) (06/06--) Volkswagen Crafter I (2E) (04/06-12/16)</p> <p>Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)</p>			
Control arm		116 050 0091	MCA0178
<p>Notes</p> <p>Control Arm Front Axle Left Sheet Steel with ball joint with rubber mount</p> <p>Paired article number 116 050 0090 MCA0177 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 906 330 40 07 Mercedes-Benz 906 330 46 07 Mercedes-Benz A 906 330 40 07 Mercedes-Benz A 906 330 46 07 Volkswagen 2E0 407 151 L Volkswagen 2E0 407 151 M</p>			
<p>Application info</p> <p>Mercedes-Benz BM 906 (Sprinter II) (06/06--) Volkswagen Crafter I (2E) (04/06-12/16)</p> <p>Mercedes-Benz BM 907 / 910 (Sprinter III) (02/18--)</p>			

Control arm		116 050 0096	MCA0182																
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Lower with ball joint with rubber mount</p> <p>Paired article number 116 050 0097 MCA0183</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 																	
<p>References</p> <table border="0"> <tr> <td>Audi 7L8 407 151 F</td> <td>Audi 7L8 407 151 K</td> </tr> <tr> <td>Audi 7P0 407 151 B</td> <td>Audi 7P0 407 151 C</td> </tr> <tr> <td>Audi 7P0 407 151 D</td> <td>Audi 7P0 407 151 E</td> </tr> <tr> <td>Porsche 958 341 053 00</td> <td>Porsche 958 341 053 01</td> </tr> <tr> <td>Porsche 958 341 053 02</td> <td>Porsche 958 341 053 03</td> </tr> <tr> <td>Volkswagen 7L8 407 151 F</td> <td>Volkswagen 7P0 407 151 B</td> </tr> <tr> <td>Volkswagen 7P0 407 151 C</td> <td>Volkswagen 7P0 407 151 D</td> </tr> <tr> <td>Volkswagen 7P0 407 151 E</td> <td></td> </tr> </table>				Audi 7L8 407 151 F	Audi 7L8 407 151 K	Audi 7P0 407 151 B	Audi 7P0 407 151 C	Audi 7P0 407 151 D	Audi 7P0 407 151 E	Porsche 958 341 053 00	Porsche 958 341 053 01	Porsche 958 341 053 02	Porsche 958 341 053 03	Volkswagen 7L8 407 151 F	Volkswagen 7P0 407 151 B	Volkswagen 7P0 407 151 C	Volkswagen 7P0 407 151 D	Volkswagen 7P0 407 151 E	
Audi 7L8 407 151 F	Audi 7L8 407 151 K																		
Audi 7P0 407 151 B	Audi 7P0 407 151 C																		
Audi 7P0 407 151 D	Audi 7P0 407 151 E																		
Porsche 958 341 053 00	Porsche 958 341 053 01																		
Porsche 958 341 053 02	Porsche 958 341 053 03																		
Volkswagen 7L8 407 151 F	Volkswagen 7P0 407 151 B																		
Volkswagen 7P0 407 151 C	Volkswagen 7P0 407 151 D																		
Volkswagen 7P0 407 151 E																			
<p>Application info</p> <table border="0"> <tr> <td>Audi Q7 I (4L_) (03/06-01/16)</td> <td>Porsche Cayenne II (92A) (06/10--)</td> </tr> <tr> <td>Volkswagen Touareg II (7P5) (01/10-12/18)</td> <td></td> </tr> </table>				Audi Q7 I (4L_) (03/06-01/16)	Porsche Cayenne II (92A) (06/10--)	Volkswagen Touareg II (7P5) (01/10-12/18)													
Audi Q7 I (4L_) (03/06-01/16)	Porsche Cayenne II (92A) (06/10--)																		
Volkswagen Touareg II (7P5) (01/10-12/18)																			
Control arm		116 050 0096/S	MCA1000																
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Lower with accessories with ball joint with rubber mount</p> <p>Paired article number 116 050 0097/S MCA1001</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 																	

References

- | | |
|--------------------------|--------------------------|
| Audi 7L8 407 151 F | Audi 7L8 407 151 K |
| Audi 7P0 407 151 B | Audi 7P0 407 151 C |
| Audi 7P0 407 151 D | Audi 7P0 407 151 E |
| Porsche 958 341 053 00 | Porsche 958 341 053 01 |
| Porsche 958 341 053 02 | Porsche 958 341 053 03 |
| Volkswagen 7L8 407 151 F | Volkswagen 7P0 407 151 B |
| Volkswagen 7P0 407 151 C | Volkswagen 7P0 407 151 D |
| Volkswagen 7P0 407 151 E | |

Application info

- | | |
|---|------------------------------------|
| Audi Q7 I (4L_) (03/06-01/16) | Porsche Cayenne II (92A) (06/10--) |
| Volkswagen Touareg II (7P5) (01/10-12/18) | |

Control arm

116 050 0097

MCA0183

Notes

Aluminium
Control Arm
Front Axle Right
Lower
with ball joint
with rubber mount

Paired article number 116 050 0096 | MCA0182
Required quantity 1

replacement in pairs recommended



References

- | | |
|--------------------------|--------------------------|
| Audi 7L8 407 152 F | Audi 7L8 407 152 K |
| Audi 7P0 407 152 B | Audi 7P0 407 152 C |
| Audi 7P0 407 152 D | Audi 7P0 407 152 E |
| Porsche 958 341 054 00 | Porsche 958 341 054 01 |
| Porsche 958 341 054 02 | Porsche 958 341 054 03 |
| Volkswagen 7L8 407 152 F | Volkswagen 7P0 407 152 B |
| Volkswagen 7P0 407 152 C | Volkswagen 7P0 407 152 D |
| Volkswagen 7P0 407 152 E | |

Application info

- | | |
|---|------------------------------------|
| Audi Q7 I (4L_) (03/06-01/16) | Porsche Cayenne II (92A) (06/10--) |
| Volkswagen Touareg II (7P5) (01/10-12/18) | |

Control arm

116 050 0097/S

MCA1001

Notes

Aluminium
Control Arm
Front Axle Right
Lower
with accessories
with ball joint
with rubber mount

Paired article number 116 050 0096/S | MCA1000
Required quantity 1
replacement in pairs recommended



References

- | | |
|--------------------------|--------------------------|
| Audi 7L8 407 152 F | Audi 7L8 407 152 K |
| Audi 7P0 407 152 B | Audi 7P0 407 152 C |
| Audi 7P0 407 152 D | Audi 7P0 407 152 E |
| Porsche 958 341 054 00 | Porsche 958 341 054 01 |
| Porsche 958 341 054 02 | Porsche 958 341 054 03 |
| Volkswagen 7L8 407 152 F | Volkswagen 7P0 407 152 B |
| Volkswagen 7P0 407 152 C | Volkswagen 7P0 407 152 D |
| Volkswagen 7P0 407 152 E | |

Application info

- | | |
|---|------------------------------------|
| Audi Q7 I (4L_) (03/06-01/16) | Porsche Cayenne II (92A) (06/10--) |
| Volkswagen Touareg II (7P5) (01/10-12/18) | |

Control arm

116 050 0098

MCA0184

Notes

Cast Steel
Control Arm
Front Axle Left
with ball joint
with rubber mount

Paired article number 116 050 0099 | MCA0185
Paired article number 116 050 0099/S
Required quantity 1
Thread Size M12x1,5
replacement in pairs recommended



References

- Audi 8Z0 407 151 J

Application info

Audi A2 (8Z0) (02/00-08/05)

Control arm

116 050 0099

MCA0185

Notes

Cast Steel
Control Arm
Front Axle Right
with ball joint
with rubber mount

Paired article number 116 050 0098 | MCA0184
Required quantity 1
Thread Size M12x1,5
replacement in pairs recommended



References

Audi 8Z0 407 152 J

Application info

Audi A2 (8Z0) (02/00-08/05)

Control arm

116 050 0101

MCA0870

Notes

Aluminium
Control Arm
Front Axle Left
Front Axle Right
Upper
with ball joint
with rubber mount

Required quantity 2
replacement in pairs recommended



References

Audi 7L8 407 021

Application info

Audi Q7 I (4L_) (03/06-01/16)

Control arm

116 050 0101/S

MCA0984

Notes

Aluminium
Control Arm
Front Axle Left
Front Axle Right
Upper
with accessories
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended



References

Audi 7L8 407 021

Application info

Audi Q7 I (4L_) (03/06-01/16)

Control arm

116 050 0103/HD

MCA0188HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Sheet Steel
with rubber mount
without ball joint

Paired article number
Replace in pairs only
Required quantity
reinforced version

116 050 0104/HD | MCA0189HD



References

Audi 6R0 407 151 B
Seat 6R0 407 151 A
Seat 6R0 407 151 C
Skoda 6R0 407 151 F
Volkswagen 6R0 407 151 F

Audi 6R0 407 151 F
Seat 6R0 407 151 B
Seat 6R0 407 151 F
Volkswagen 6R0 407 151 A

Application info

Audi A1 I (8X_) (05/10-10/18)
Skoda Fabia III (NJ_) (08/14--)
Volkswagen Polo (6R_) (03/09--)

Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)
Skoda Rapid II (N_) (07/12-12/19)
Volkswagen Polo Vivo (6R1, 6RS) (07/17--)

Control arm		116 050 0104/HD	MCA0189HD										
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Right Sheet Steel with rubber mount without ball joint</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		 											
<p>116 050 0103/HD MCA0188HD</p> <p>1</p>													
<p>References</p> <table border="0"> <tr> <td>Audi 6R0 407 152 B</td> <td>Audi 6R0 407 152 F</td> </tr> <tr> <td>Seat 6R0 407 152 A</td> <td>Seat 6R0 407 152 B</td> </tr> <tr> <td>Seat 6R0 407 152 C</td> <td>Seat 6R0 407 152 F</td> </tr> <tr> <td>Skoda 6R0 407 152 F</td> <td>Volkswagen 6R0 407 152 A</td> </tr> <tr> <td>Volkswagen 6R0 407 152 F</td> <td></td> </tr> </table>				Audi 6R0 407 152 B	Audi 6R0 407 152 F	Seat 6R0 407 152 A	Seat 6R0 407 152 B	Seat 6R0 407 152 C	Seat 6R0 407 152 F	Skoda 6R0 407 152 F	Volkswagen 6R0 407 152 A	Volkswagen 6R0 407 152 F	
Audi 6R0 407 152 B	Audi 6R0 407 152 F												
Seat 6R0 407 152 A	Seat 6R0 407 152 B												
Seat 6R0 407 152 C	Seat 6R0 407 152 F												
Skoda 6R0 407 152 F	Volkswagen 6R0 407 152 A												
Volkswagen 6R0 407 152 F													
<p>Application info</p> <table border="0"> <tr> <td>Audi A1 I (8X_) (05/10-10/18)</td> <td>Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)</td> </tr> <tr> <td>Skoda Fabia III (NJ_) (08/14--)</td> <td>Skoda Rapid II (N_) (07/12-12/19)</td> </tr> <tr> <td>Volkswagen Polo (6R_) (03/09--)</td> <td>Volkswagen Polo Vivo (6R1, 6RS) (07/17--)</td> </tr> </table>				Audi A1 I (8X_) (05/10-10/18)	Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)	Skoda Fabia III (NJ_) (08/14--)	Skoda Rapid II (N_) (07/12-12/19)	Volkswagen Polo (6R_) (03/09--)	Volkswagen Polo Vivo (6R1, 6RS) (07/17--)				
Audi A1 I (8X_) (05/10-10/18)	Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)												
Skoda Fabia III (NJ_) (08/14--)	Skoda Rapid II (N_) (07/12-12/19)												
Volkswagen Polo (6R_) (03/09--)	Volkswagen Polo Vivo (6R1, 6RS) (07/17--)												
Control arm		116 050 0105	MCA0946										
<p>Notes</p> <p>Control Arm Lower Rear Axle Left Sheet Steel with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 											
<p>116 050 0106 MCA0947</p> <p>1</p>													
<p>References</p> <table border="0"> <tr> <td>Audi 7L0 505 311 B</td> <td>Porsche 955 331 017 11</td> </tr> <tr> <td>Porsche 955 331 017 12</td> <td>Volkswagen 7L0 505 311 B</td> </tr> <tr> <td>Volkswagen 7P0 505 311 E</td> <td></td> </tr> </table>				Audi 7L0 505 311 B	Porsche 955 331 017 11	Porsche 955 331 017 12	Volkswagen 7L0 505 311 B	Volkswagen 7P0 505 311 E					
Audi 7L0 505 311 B	Porsche 955 331 017 11												
Porsche 955 331 017 12	Volkswagen 7L0 505 311 B												
Volkswagen 7P0 505 311 E													

Application info

Audi Q7 I (4L_) (03/06-01/16)

Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Touareg II (7P5) (01/10-12/18)

Control arm

116 050 0106

MCA0947

Notes

Control Arm
Lower
Rear Axle Right
Sheet Steel
with rubber mount

Paired article number

116 050 0105 | MCA0946

Required quantity

1

replacement in pairs recommended



References

Audi 7L0 505 312 B

Porsche 955 331 018 12

Volkswagen 7P0 505 312 E

Porsche 955 331 018 11

Volkswagen 7L0 505 312 B

Application info

Audi Q7 I (4L_) (03/06-01/16)

Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Touareg II (7P5) (01/10-12/18)

Control arm

116 050 0107

MCA0948

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number

116 050 0108 | MCA0949

Required quantity

1

replacement in pairs recommended



References

Volkswagen 2H0 407 151 A

Application info

Volkswagen Amarok I (09/10--)

Control arm

116 050 0108

MCA0949

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount
 Paired article number 116 050 0107 | MCA0948
 Required quantity 1
 replacement in pairs recommended



References

Volkswagen 2H0 407 152 A

Application info

Volkswagen Amarok I (09/10--)

Control arm

116 050 0109/S

MCA1011

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 Upper
 with accessories
 with ball joint
 with rubber mount
 Paired article number 116 050 0110/S | MCA1012
 Required quantity 1
 replacement in pairs recommended



References

Volkswagen 2H0 407 021 B

Application info

Volkswagen Amarok I (09/10--)

Control arm

116 050 0110/S

MCA1012

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 Upper
 with accessories
 with ball joint
 with rubber mount

Paired article number

116 050 0109/S | MCA1011

Required quantity

1

replacement in pairs recommended



References

Volkswagen 2H0 407 022 B

Application info

Volkswagen Amarok I (09/10--)

Control arm

116 050 0114

MCA0192

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 with rubber mount
 without ball joint

Paired article number

116 050 0115 | MCA0193

Required quantity

1

replacement in pairs recommended



References

Seat 1S0 407 151

Skoda 1S0 407 151

Volkswagen 1S0 407 151

Application info

Seat Mii (10/11--)

Skoda Citigo (10/11--)

Volkswagen UP (08/11--)

Control arm

116 050 0115

MCA0193

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 with rubber mount
 without ball joint

Paired article number 116 050 0114 | MCA0192
 Required quantity 1
 replacement in pairs recommended



References

Seat 1S0 407 152
 Volkswagen 1S0 407 152

Skoda 1S0 407 152

Application info

Seat Mii (10/11--)
 Volkswagen UP (08/11--)

Skoda Citigo (10/11--)

Control arm

116 050 0116

MCA0874

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 with rubber mount
 without ball joint

Article number of recommended accessori 100 654 0015
 Paired article number 116 050 0117 | MCA0875
 Required quantity 1
 replacement in pairs recommended



References

Skoda 1K0 407 151 BB
 Skoda 1K0 407 151 BG
 Volkswagen 1K0 407 151 BB
 Volkswagen 1K0 407 151 BG

Skoda 1K0 407 151 BE
 Skoda 1K0 407 151 BL
 Volkswagen 1K0 407 151 BE
 Volkswagen 1K0 407 151 BL

Application info

Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Yeti (5L) (05/09-12/17)
 Volkswagen Caddy IV (SA_) (05/15--)

Skoda Superb II (3T) (03/08-05/15)
 Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)

Control arm **116 050 0117** **MCA0875**

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 with rubber mount
 without ball joint

Article number of recommended accessory: 100 654 0015
 Paired article number: 116 050 0116 | MCA0874
 Required quantity: 1
 replacement in pairs recommended



References

- | | |
|---------------------------|---------------------------|
| Skoda 1K0 407 152 BB | Skoda 1K0 407 152 BE |
| Skoda 1K0 407 152 BG | Skoda 1K0 407 152 BL |
| Volkswagen 1K0 407 152 BB | Volkswagen 1K0 407 152 BE |
| Volkswagen 1K0 407 152 BG | Volkswagen 1K0 407 152 BL |

Application info

- | | |
|--------------------------------------|---|
| Skoda Octavia II (1Z_) (02/04-06/13) | Skoda Superb II (3T) (03/08-05/15) |
| Skoda Yeti (5L) (05/09-12/17) | Volkswagen Caddy III (2KA, 2KB) (03/04-05/15) |
| Volkswagen Caddy IV (SA_) (05/15--) | |

Control arm **116 050 0118** **MCA1024**

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 with ball joint
 with rubber mount

Article number of recommended accessory: 100 654 0015
 Paired article number: 116 050 0119 | MCA1025
 Required quantity: 1
 replacement in pairs recommended



References

- | | |
|---------------------------|---------------------------|
| Skoda 1K0 407 151 BB | Skoda 1K0 407 151 BE |
| Skoda 1K0 407 151 BG | Volkswagen 1K0 407 151 BB |
| Volkswagen 1K0 407 151 BE | Volkswagen 1K0 407 151 BG |

Application info

Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Yeti (5L) (05/09-12/17)
 Volkswagen Caddy IV (SA_) (05/15--)

Skoda Superb II (3T) (03/08-05/15)
 Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)

Control arm

116 050 0119

MCA1025

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 with ball joint
 with rubber mount

Article number of recommended accessory 100 654 0015
 Paired article number 116 050 0118 | MCA1024
 Required quantity 1
 replacement in pairs recommended



References

Skoda 1K0 407 152 BB
 Skoda 1K0 407 152 BG
 Volkswagen 1K0 407 152 BE

Skoda 1K0 407 152 BE
 Volkswagen 1K0 407 152 BB
 Volkswagen 1K0 407 152 BG

Application info

Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Yeti (5L) (05/09-12/17)
 Volkswagen Caddy IV (SA_) (05/15--)

Skoda Superb II (3T) (03/08-05/15)
 Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)

Control arm

116 050 0123/S

MCA1013

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 with fastening material
 with rubber mount

Paired article number 116 050 0124/S | MCA1014
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|---------------------------|---------------------------|
| Audi 5Q0 407 151 AC | Audi 5Q0 407 151 G |
| Audi 5Q0 407 151 J | Audi 5Q0 407 151 R |
| Audi 5WA 407 151 | Audi (FAW) 5Q0 407 151 J |
| Seat 5Q0 407 151 L | Seat 5Q0 407 151 M |
| Seat 5Q0 407 151 S | Skoda 5Q0 407 151 L |
| Skoda 5Q0 407 151 P | Skoda (SVW) 5Q0 407 151 L |
| Volkswagen 5Q0 407 151 AC | Volkswagen 5Q0 407 151 G |
| Volkswagen 5Q0 407 151 J | Volkswagen 5Q0 407 151 M |
| Volkswagen 5Q0 407 151 R | Volkswagen 5Q0 407 151 S |
| Volkswagen 5Q0 407 153 H | Volkswagen 5WA 407 151 |
| Volkswagen 5WA 407 151 C | Volkswagen 5WA 407 153 |

Application info

- | | |
|--------------------------------------|---|
| Audi A3 III (8V_) (04/12--) | Audi A3 IV (8Y_) (11/19--) |
| Audi Q2 (06/16--) | Seat Leon III (5F_) (09/12--) |
| Skoda Octavia III (5E_) (11/12--) | Volkswagen Golf VII (5G1,BA5) (08/12--) |
| Volkswagen Golf VIII (CB1) (07/19--) | Volkswagen T-Roc (A11) (07/17--) |

Control arm

116 050 0124/S

MCA1014

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 with fastening material
 with rubber mount
 Paired article number 116 050 0123/S | MCA1013
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|---------------------------|---------------------------|
| Audi 5Q0 407 152 AC | Audi 5Q0 407 152 G |
| Audi 5Q0 407 152 J | Audi 5Q0 407 152 R |
| Audi 5WA 407 152 | Audi (FAW) 5Q0 407 152 J |
| Seat 5Q0 407 152 L | Seat 5Q0 407 152 M |
| Seat 5Q0 407 152 S | Skoda 5Q0 407 152 L |
| Skoda 5Q0 407 152 P | Skoda (SVW) 5Q0 407 152 L |
| Volkswagen 5Q0 407 152 AC | Volkswagen 5Q0 407 152 G |
| Volkswagen 5Q0 407 152 J | Volkswagen 5Q0 407 152 M |
| Volkswagen 5Q0 407 152 R | Volkswagen 5Q0 407 152 S |
| Volkswagen 5Q0 407 154 H | Volkswagen 5WA 407 152 |
| Volkswagen 5WA 407 152 C | Volkswagen 5WA 407 154 |

Application info

Audi A3 III (8V_) (04/12--)

Audi Q2 (06/16--)

Skoda Octavia III (5E_) (11/12--)

Volkswagen Golf VIII (CB1) (07/19--)

Audi A3 IV (8Y_) (11/19--)

Seat Leon III (5F_) (09/12--)

Volkswagen Golf VII (5G1,BA5) (08/12--)

Volkswagen T-Roc (A11) (07/17--)

Control arm

116 050 0125

MCA0820

Notes

Control Arm
Front Axle Left
Sheet Steel
with rubber mount
without ball joint

Paired article number

116 050 0126 | MCA0821

Required quantity

1

replacement in pairs recommended



References

Volkswagen 5C0 407 151 A

Volkswagen 5C0 407 151 D

Volkswagen 5C0 407 151 B

Application info

Volkswagen Jetta IV (162) (01/08--)

Control arm

116 050 0126

MCA0821

Notes

Control Arm
Front Axle Right
Sheet Steel
with rubber mount
without ball joint

Paired article number

116 050 0125 | MCA0820

Required quantity

1

replacement in pairs recommended



References

Volkswagen 5C0 407 152 A

Volkswagen 5C0 407 152 D

Volkswagen 5C0 407 152 B

Application info

Volkswagen Jetta IV (162) (01/08--)

Control arm		116 050 0127/HD	MCA1147HD
Notes	<p>Aluminium Carbon Neutral Control Arm Front Axle Left Lower Rear with fastening material with rubber mount</p>		
Paired article number	116 050 0128/HD MCA1148HD		
Replace in pairs only			
Required quantity	1		
Thread Size	M14x1,5		
reinforced version			

References	
Audi 8K0 407 693 AA	Audi 8K0 407 693 AD
Audi 8K0 407 693 Q	Audi 8K0 407 695 H
Audi 8R0 407 693	Audi 8R0 407 693 D
Porsche 8R0 407 693 B	Porsche 9A7 407 693 03

Application info	
Audi A4 IV (8K_) (08/07-05/16)	Audi A5 I (8F_ , 8T_) (06/07-01/17)
Audi Q5 I (8R_) (11/08-12/17)	Porsche Macan (95B) (02/14--)

Control arm		116 050 0128/HD	MCA1148HD
Notes	<p>Aluminium Carbon Neutral Control Arm Front Axle Right Lower Rear with fastening material with rubber mount</p>		
Paired article number	116 050 0127/HD MCA1147HD		
Replace in pairs only			
Required quantity	1		
Thread Size	M14x1,5		
reinforced version			

References

Audi 8K0 407 694 AA	Audi 8K0 407 694 AD
Audi 8K0 407 694 Q	Audi 8K0 407 696 H
Audi 8R0 407 694	Audi 8R0 407 694 D
Porsche 8R0 407 694 B	Porsche 9A7 407 694 03

Application info

Audi A4 IV (8K_) (08/07-05/16)	Audi A5 I (8F_ , 8T_) (06/07-01/17)
Audi Q5 I (8R_) (11/08-12/17)	Porsche Macan (95B) (02/14--)

Control arm

116 050 0139/HD

MCA0985HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Rear
 with accessories
 with rubber mount

Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

116 050 0140/HD | MCA0986HD

1



References

Audi 4D0 407 693 AE	Audi 8E0 407 693 D
---------------------	--------------------

Application info

Audi A8 I (4D_) (03/94-12/05)

References

- | | |
|--------------------------|--------------------------|
| Audi 3C0 505 223 | Audi 3C0 505 223 A |
| Audi 3C0 505 223 C | Audi 3C0 505 223 D |
| Audi 3C0 505 223 E | Seat 3C0 505 223 |
| Seat 3C0 505 223 A | Seat 3C0 505 223 C |
| Seat 3C0 505 223 E | Skoda 3C0 505 223 |
| Skoda 3C0 505 223 A | Skoda 3C0 505 223 C |
| Skoda 3C0 505 223 E | Volkswagen 3C0 505 223 |
| Volkswagen 3C0 505 223 A | Volkswagen 3C0 505 223 B |
| Volkswagen 3C0 505 223 C | Volkswagen 3C0 505 223 D |
| Volkswagen 3C0 505 223 E | Volkswagen 3C0 505 223 F |

Application info

- | | |
|--|--|
| Audi Q3 I (8U_) (06/11-12/18) | Seat Alhambra II (710) (06/10--) |
| Volkswagen CC (11/11-12/16) | Volkswagen Passat (362, 365) (08/10-12/15) |
| Volkswagen Passat (3C_) (03/05-01/12) | Volkswagen Sharan (7N) (05/10--) |
| Volkswagen Tiguan I (5N) (09/07-07/18) | |

Control arm

116 050 0144/HD

MCA1028HD

Notes

Carbon Neutral
 Rear Axle Right
 Sheet Steel
 Trailing Arm
 with fastening material
 with rubber mount
 Paired article number 116 050 0143/HD | MCA1027HD

Replace in pairs only
 Required quantity 1
 reinforced version




References

- | | |
|--------------------------|--------------------------|
| Audi 3C0 505 224 D | Seat 3C0 505 224 C |
| Seat 3C0 505 224 E | Volkswagen 3C0 505 224 B |
| Volkswagen 3C0 505 224 C | Volkswagen 3C0 505 224 D |
| Volkswagen 3C0 505 224 E | Volkswagen 3C0 505 224 F |


Application info

- | | |
|--|--|
| Audi Q3 I (8U_) (06/11-12/18) | Seat Alhambra II (710) (06/10--) |
| Volkswagen CC (11/11-12/16) | Volkswagen Passat (362, 365) (08/10-12/15) |
| Volkswagen Passat (3C_) (03/05-01/12) | Volkswagen Sharan (7N) (05/10--) |
| Volkswagen Tiguan I (5N) (09/07-07/18) | |

Control arm		116 050 0145/HD	MCA1007HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Left Upper with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>	<p>116 050 0146/HD MCA1008HD</p> <p>1</p>		

References	
Audi 4H0 407 505 D Audi 4H0 407 505 F	Audi 4H0 407 505 E

Application info
Audi A8 III (4H_) (11/09-01/18)

Control arm		116 050 0146/HD	MCA1008HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Right Upper with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>	<p>116 050 0145/HD MCA1007HD</p> <p>1</p>		

References	
Audi 4H0 407 506 D Audi 4H0 407 506 F	Audi 4H0 407 506 E

Application info
Audi A8 III (4H_) (11/09-01/18)

Control arm		116 050 0147/HD	MCA1009HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Left Rear Upper with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		 <p>HD REINFORCED</p>	
<p>116 050 0148/HD MCA1010HD</p> <p>1</p>			

References			
Audi 4H0 407 509 A		Audi 4H0 407 509 D	
Audi 4H0 407 509 E		Audi 4H0 407 509 F	

Application info	
Audi A8 III (4H_) (11/09-01/18)	

Control arm		116 050 0148/HD	MCA1010HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Right Rear Upper with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		 <p>HD REINFORCED</p>	
<p>116 050 0147/HD MCA1009HD</p> <p>1</p>			

References			
Audi 4H0 407 510 A		Audi 4H0 407 510 D	
Audi 4H0 407 510 E		Audi 4H0 407 510 F	

Application info	
Audi A8 III (4H_) (11/09-01/18)	

Control arm		116 050 0156	MCA0204
<p>Notes</p> <p>Control Arm Front Axle Left Front Axle Right Lower Sheet Steel with rubber mount</p> <p>Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Audi 1J0 407 151 A Audi 1J0 407 151 C Skoda 1J0 407 151 C Volkswagen 1J0 407 151 B Volkswagen (FAW) 1J0 407 151 C</p>		<p>Audi 1J0 407 151 B Seat 1J0 407 151 C Volkswagen 1J0 407 151 A Volkswagen 1J0 407 151 C Volkswagen (SVW) 1JD 407 151 A</p>	
<p>Application info</p> <p>Audi A3 I (8L_) (09/96-09/06) Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--) Volkswagen Bora (1J2, 1J6) (10/98-12/13) Volkswagen Golf IV (1J1, 1J5) (08/97-06/14) Volkswagen Jetta City (09/06-12/09)</p>		<p>Seat Leon I / Toledo II (1M_) (10/98-06/06) Skoda Octavia I (1U_) (09/96-12/10) Volkswagen Bora V (Mex) (01/07--) Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16) Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)</p>	
Control arm		116 050 0157	MCA1333
<p>Notes</p> <p>Aluminium Front Rear Axle Left Trailing Arm Upper outer</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Audi 8W0 505 323 F</p>		<p>Audi (FAW) 8W0 505 323 F</p>	
<p>Application info</p> <p>Audi A4 V (8W_) (05/15--)</p>		<p>Audi A5 II (F5_) (06/16--)</p>	

Control arm		116 050 0158	MCA1334
<p>Notes</p> <p>Aluminium Front Rear Axle Right Trailing Arm Upper outer</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Audi 8W0 505 324 F</p>		<p>Audi (FAW) 8W0 505 324 F</p>	
<p>Application info</p> <p>Audi A4 V (8W_) (05/15--)</p>		<p>Audi A5 II (F5_) (06/16--)</p>	
Control arm		116 050 0164	MCA0207
<p>Notes</p> <p>Aluminium Control Arm Rear Axle Left Rear Axle Right</p> <p>Length [mm] Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Audi 4D0 501 529 H</p>			
<p>Application info</p> <p>Audi A8 I (4D_) (03/94-12/05)</p>			

Control arm

116 050 0165/HD

MCA0208HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Rear
Upper
with rubber mount



Length [mm]

233

Paired article number

116 050 0166/HD | MCA0209HD

Replace in pairs only

Required quantity

1

reinforced version

References

Audi 8K0 407 510 A

Audi 8K0 407 510 B

Audi 8K0 407 510 J

Audi 8K0 407 510 M

Audi 8K0 407 510 N

Audi 8K0 407 510 P

Audi 8K0 407 510 R

Audi (FAW) 4GD 407 510

Audi (FAW) 4GD 407 510 A

Audi (FAW) 4GD 407 510 B

Audi (FAW) 4GD 497 510 A

Audi (FAW) 4GD 497 510 B

Audi (FAW) 8KD 407 510

Audi (FAW) 8KD 407 510 A

Audi (FAW) 8KD 407 510 B

Porsche 8K0 407 510 A

Porsche 8K0 407 510 B

Porsche 8K0 407 510 P

Application info

Audi A4 IV (8K_) (08/07-05/16)

Audi A5 I (8F_ , 8T_) (06/07-01/17)

Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)

Audi A7 I Sportback (4G_) (07/10-05/18)

Audi Q5 I (8R_) (11/08-12/17)

Porsche Macan (95B) (02/14--)

Control arm

116 050 0166/HD

MCA0209HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Rear
Upper
with rubber mount



Length [mm]

233

Paired article number

116 050 0165/HD | MCA0208HD

Replace in pairs only

Required quantity

1

reinforced version

References

Audi 8K0 407 509 A

Audi 8K0 407 509 J

Audi 8K0 407 509 N

Audi 8K0 407 509 R

Audi (FAW) 4GD 407 509 J

Audi (FAW) 8KD 407 509

Audi (FAW) 8KD 407 509 B

Porsche 8K0 407 509 N

Audi 8K0 407 509 B

Audi 8K0 407 509 M

Audi 8K0 407 509 P

Audi (FAW) 4GD 407 509 B

Audi (FAW) 4GD 497 509

Audi (FAW) 8KD 407 509 A

Porsche 8K0 407 509 B

Porsche 8K0 407 509 P

Application info

Audi A4 IV (8K_) (08/07-05/16)

Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)

Audi Q5 I (8R_) (11/08-12/17)

Audi A5 I (8F_ , 8T_) (06/07-01/17)

Audi A7 I Sportback (4G_) (07/10-05/18)

Porsche Macan (95B) (02/14--)

Control arm

116 050 0167/HD

MCA0210HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
Upper
with ball joint
with rubber mount

Length [mm]

269

Paired article number


116 050 0168/HD | MCA0211HD

Replace in pairs only

Required quantity

1

reinforced version



References

Audi 8K0 407 506 A

Audi 8K0 407 506 B

Audi 8K0 407 506 J

Audi 8K0 407 506 M

Audi 8K0 407 506 N

Audi 8K0 407 506 R

Audi (FAW) 4GD 407 506

Audi (FAW) 4GD 407 506 A

Audi (FAW) 8KD 407 506

Audi (FAW) 8KD 407 506 A

Audi (FAW) 8KD 407 506 B

Porsche 8K0 407 506 A

Application info

Audi A4 IV (8K_) (08/07-05/16)

Audi A5 I (8F_ , 8T_) (06/07-01/17)

Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)

Audi A7 I Sportback (4G_) (07/10-05/18)

Audi Q5 I (8R_) (11/08-12/17)

Porsche Macan (95B) (02/14--)

Control arm


116 050 0168/HD

MCA0211HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
Upper
with ball joint
with rubber mount

Length [mm] 269
Paired article number 116 050 0167/HD | MCA0210HD
Replace in pairs only
Required quantity 1
reinforced version



References

- | | |
|--------------------------|--------------------------|
| Audi 8K0 407 505 A | Audi 8K0 407 505 B |
| Audi 8K0 407 505 J | Audi 8K0 407 505 M |
| Audi 8K0 407 505 N | Audi 8K0 407 505 R |
| Audi (FAW) 4GD 407 505 | Audi (FAW) 4GD 407 505 A |
| Audi (FAW) 8KD 407 505 | Audi (FAW) 8KD 407 505 A |
| Audi (FAW) 8KD 407 505 B | Porsche 8K0 407 505 A |

Application info

- | | |
|---|---|
| Audi A4 IV (8K_) (08/07-05/16) | Audi A5 I (8F_ , 8T_) (06/07-01/17) |
| Audi A6 IV (4G2, 4G5, C7) (11/10-09/18) | Audi A7 I Sportback (4G_) (07/10-05/18) |
| Audi Q5 I (8R_) (11/08-12/17) | Porsche Macan (95B) (02/14--) |

Control arm

116 050 0169/HD

MCA0212HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
Lower
with rubber mount

Bore Diameter [mm] 14
Paired article number 116 050 0170/HD | MCA0213HD
Replace in pairs only
Required quantity 1
reinforced version



References

Audi 8K0 407 152 B
Audi 8K0 407 152 D

Audi 8K0 407 152 C

Application info

Audi A4 IV (8K_) (08/07-05/16)
Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)
Audi Q5 I (8R_) (11/08-12/17)

Audi A5 I (8F_ , 8T_) (06/07-01/17)
Audi A7 I Sportback (4G_) (07/10-05/18)

Control arm

116 050 0170/HD

MCA0213HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
Lower
with rubber mount

Bore Diameter [mm]
Paired article number
Replace in pairs only
Required quantity
reinforced version

14
116 050 0169/HD | MCA0212HD
1



References

Audi 8K0 407 151 B
Audi 8K0 407 151 D

Audi 8K0 407 151 C

Application info

Audi A4 IV (8K_) (08/07-05/16)
Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)
Audi Q5 I (8R_) (11/08-12/17)

Audi A5 I (8F_ , 8T_) (06/07-01/17)
Audi A7 I Sportback (4G_) (07/10-05/18)

Control arm 116 050 0171/HD MCA0214HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Lower
Rear
with ball joint
with rubber mount

Paired article number 116 050 0172/HD | MCA0215HD
Replace in pairs only
Required quantity 1
Thread Size M12x1,5
reinforced version



References

Audi 8K0 407 694 AE	Audi 8K0 407 694 F
Audi 8K0 407 694 H	Audi 8K0 407 694 K
Audi 8K0 407 694 N	Audi 8K0 407 694 R

Application info

Audi A4 IV (8K_) (08/07-05/16)	Audi A5 I (8F_ , 8T_) (06/07-01/17)
Audi Q5 I (8R_) (11/08-12/17)	

Control arm 116 050 0172/HD MCA0215HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Lower
Rear
with ball joint
with rubber mount

Paired article number 116 050 0171/HD | MCA0214HD
Replace in pairs only
Required quantity 1
Thread Size M12x1,5
reinforced version



References

Audi 8K0 407 693 AE
 Audi 8K0 407 693 H
 Audi 8K0 407 693 N

Audi 8K0 407 693 F
 Audi 8K0 407 693 K
 Audi 8K0 407 693 R

Application info

Audi A4 IV (8K_) (08/07-05/16)
 Audi Q5 I (8R_) (11/08-12/17)

Audi A5 I (8F_ , 8T_) (06/07-01/17)

Control arm

116 050 0173/HD

MCA0216HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Rear
 with ball joint
 with fastening material
 with rubber mount

Paired article number
 Replace in pairs only
 Required quantity
 Thread Size
 reinforced version

116 050 0174/HD | MCA0217HD

1

M14x1,5



References


Audi 8K0 407 694 AF
 Audi 8K0 407 694 T

Audi 8K0 407 694 S

Application info

Audi A4 IV (8K_) (08/07-05/16)
 Audi Q5 I (8R_) (11/08-12/17)

Audi A5 I (8F_ , 8T_) (06/07-01/17)

Control arm		116 050 0174/HD	MCA0217HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Left Lower Rear with ball joint with fastening material with rubber mount</p> <p>Paired article number 116 050 0173/HD MCA0216HD</p> <p>Replace in pairs only</p> <p>Required quantity 1</p> <p>Thread Size M14x1,5</p> <p>reinforced version</p>			
<p>References</p> <p>Audi 8K0 407 693 AF Audi 8K0 407 693 S</p> <p>Audi 8K0 407 693 T</p>			
<p>Application info</p> <p>Audi A4 IV (8K_) (08/07-05/16) Audi A5 I (8F_ , 8T_) (06/07-01/17)</p> <p>Audi Q5 I (8R_) (11/08-12/17)</p>			
Control arm		116 050 0175	MCA1336
<p>Notes</p> <p>Control Arm Front Axle Left Sheet Steel with ball joint with rubber mount</p> <p>Paired article number 116 050 0176 MCA1337</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Volkswagen 561 407 151 A Volkswagen 561 407 151 C</p>			
<p>Application info</p> <p>Volkswagen Beetle (5C1) (04/11-07/19) Volkswagen Passat (A32) (01/11--)</p>			

Control arm

116 050 0176

MCA1337

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 with ball joint
 with rubber mount
 Paired article number 116 050 0175 | MCA1336
 Required quantity 1
 replacement in pairs recommended



References

Volkswagen 561 407 152 A

Volkswagen 561 407 152 C

Application info

Volkswagen Beetle (5C1) (04/11-07/19)

Volkswagen Passat (A32) (01/11--)

Control arm

116 050 0177

MCA1338

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 with rubber mount
 without ball joint
 Paired article number 116 050 0178 | MCA1339
 Required quantity 1
 replacement in pairs recommended



References


Volkswagen 561 407 151 A

Volkswagen 561 407 151 C

Application info

Volkswagen Beetle (5C1) (04/11-07/19)

Volkswagen Passat (A32) (01/11--)

Control arm		116 050 0178	MCA1339
<p>Notes</p> <p>Control Arm Front Axle Right Sheet Steel with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		  	
<p>References</p> <p>Volkswagen 561 407 152 A</p>		<p>Volkswagen 561 407 152 C</p>	
<p>Application info</p> <p>Volkswagen Beetle (5C1) (04/11-07/19)</p>		<p>Volkswagen Passat (A32) (01/11--)</p>	
Control arm		116 050 0179/HD	MCA1208HD
<p>Notes</p> <p>Carbon Neutral Control Arm Rear Axle Left Sheet Steel with fastening material with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		  	
<p>References</p> <p>Audi 5Q0 505 223 D Skoda 5Q0 505 223 D</p>		<p>Seat 5Q0 505 223 D Volkswagen 5Q0 505 223 D</p>	

Application info

Audi A1 I (8X_) (05/10-10/18)

Audi A3 IV (8Y_) (11/19--)

Audi TT III (8S_) (07/14--)

Seat Leon III (5F_) (09/12--)

Skoda Octavia III (5E_) (11/12--)

Skoda Superb III (3V_) (03/15--)

Volkswagen Golf VII (5G1,BA5) (08/12--)

Volkswagen Jetta VII (BU3) (12/17--)

Volkswagen T-Roc (A11) (07/17--)

Volkswagen Touran II (5T1) (05/15--)

Audi A3 III (8V_) (04/12--)

Audi Q2 (06/16--)

Seat Ateca (04/16--)

Skoda Karoq (07/17--)

Skoda Octavia IV (NX_) (11/19--)

Volkswagen Arteon (03/17--)

Volkswagen Golf VIII (CB1) (07/19--)

Volkswagen Passat (B8) (08/14--)

Volkswagen Taos (CL1, CQ1) (10/20--)

Control arm

116 050 0180/HD

MCA1209HD

Notes

Carbon Neutral
Control Arm
Rear Axle Right
Sheet Steel
with fastening material
with rubber mount


Paired article number

116 050 0179/HD | MCA1208HD

Replace in pairs only

Required quantity
reinforced version

1



References

Audi 5Q0 505 224 D

Seat 5Q0 505 224 D

Skoda 5Q0 505 224 D

Volkswagen 5Q0 505 224 D

Application info

Audi A1 I (8X_) (05/10-10/18)

Audi A3 IV (8Y_) (11/19--)

Audi TT III (8S_) (07/14--)

Seat Leon III (5F_) (09/12--)

Skoda Octavia III (5E_) (11/12--)

Skoda Superb III (3V_) (03/15--)

Volkswagen Golf VII (5G1,BA5) (08/12--)

Volkswagen Jetta VII (BU3) (12/17--)

Volkswagen T-Roc (A11) (07/17--)

Volkswagen Touran II (5T1) (05/15--)

Audi A3 III (8V_) (04/12--)

Audi Q2 (06/16--)

Seat Ateca (04/16--)

Skoda Karoq (07/17--)

Skoda Octavia IV (NX_) (11/19--)

Volkswagen Arteon (03/17--)

Volkswagen Golf VIII (CB1) (07/19--)

Volkswagen Passat (B8) (08/14--)

Volkswagen Taos (CL1, CQ1) (10/20--)

Control arm

116 050 0181/HD

MCA0822HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Sheet Steel
with ball joint
with rubber mount



Article number of recommended accessories	100 654 0008
Length [mm]	372.6
Paired article number	116 050 0182/HD MCA0823HD
Replace in pairs only	
Required quantity	1
Thread Size	M12x1,5
Width [mm]	328.6
reinforced version	

References

Audi 1K0 407 151 AA	Audi 1K0 407 151 AB
Audi 1K0 407 151 AE	Audi 1K0 407 151 AH
Audi 1K0 407 151 BC	Audi 1K0 407 151 BD
Audi 1K0 407 151 N	Audi 1K0 407 151 P
Seat 1K0 407 151 AA	Seat 1K0 407 151 AB
Seat 1K0 407 151 AE	Seat 1K0 407 151 AH
Seat 1K0 407 151 BC	Seat 1K0 407 151 BD
Seat 1K0 407 151 N	Seat 1K0 407 151 P
Skoda 1K0 407 151 AA	Skoda 1K0 407 151 AB
Skoda 1K0 407 151 AE	Skoda 1K0 407 151 AH
Skoda 1K0 407 151 BC	Skoda 1K0 407 151 N
Skoda 1K0 407 151 P	Volkswagen 1K0 407 151 AA
Volkswagen 1K0 407 151 AB	Volkswagen 1K0 407 151 AE
Volkswagen 1K0 407 151 AH	Volkswagen 1K0 407 151 BC
Volkswagen 1K0 407 151 BD	Volkswagen 1K0 407 151 N
Volkswagen 1K0 407 151 P	Volkswagen 2K0 407 151 B
Volkswagen (FAW) 1K0 407 151 AA	Volkswagen (FAW) 1K0 407 151 P

Application info

- Audi A3 II (8P_) (05/03-12/15)
- Skoda Octavia II (1Z_) (02/04-06/13)
- Skoda Superb II (3T) (03/08-05/15)
- Volkswagen Bora V (Mex) (01/07--)
- Volkswagen Eos (03/06-08/15)
- Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
- Volkswagen Scirocco III (137) (05/08-11/17)
- Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
- Skoda Roomster (03/06-05/15)
- Skoda Yeti (5L) (05/09-12/17)
- Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
- Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
- Volkswagen Jetta III (1K2) (09/04-12/13)
- Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Control arm

116 050 0182/HD

MCA0823HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Sheet Steel
with ball joint
with rubber mount

- Article number of recommended accessories 100 654 0008
- Length [mm] 372.6
- Paired article number 116 050 0181/HD | MCA0822HD
- Replace in pairs only
- Required quantity 1
- Thread Size M12x1,5
- Width [mm] 328.6
- reinforced version



References

Audi 1K0 407 152 AA	Audi 1K0 407 152 AB
Audi 1K0 407 152 AE	Audi 1K0 407 152 AH
Audi 1K0 407 152 BC	Audi 1K0 407 152 BD
Audi 1K0 407 152 N	Audi 1K0 407 152 P
Seat 1K0 407 152 AA	Seat 1K0 407 152 AB
Seat 1K0 407 152 AE	Seat 1K0 407 152 AH
Seat 1K0 407 152 BC	Seat 1K0 407 152 BD
Seat 1K0 407 152 N	Seat 1K0 407 152 P
Skoda 1K0 407 152 AA	Skoda 1K0 407 152 AB
Skoda 1K0 407 152 AE	Skoda 1K0 407 152 AH
Skoda 1K0 407 152 BC	Skoda 1K0 407 152 N
Skoda 1K0 407 152 P	Volkswagen 1K0 407 152 AA
Volkswagen 1K0 407 152 AB	Volkswagen 1K0 407 152 AE
Volkswagen 1K0 407 152 AH	Volkswagen 1K0 407 152 BC
Volkswagen 1K0 407 152 BD	Volkswagen 1K0 407 152 N
Volkswagen 1K0 407 152 P	Volkswagen 2K0 407 152 B
Volkswagen (FAW) 1K0 407 152 AA	Volkswagen (FAW) 1K0 407 152P

Application info

Audi A3 II (8P_) (05/03-12/15)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Roomster (03/06-05/15)
Skoda Superb II (3T) (03/08-05/15)	Skoda Yeti (5L) (05/09-12/17)
Volkswagen Bora V (Mex) (01/07--)	Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
Volkswagen Eos (03/06-08/15)	Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)	Volkswagen Jetta III (1K2) (09/04-12/13)
Volkswagen Scirocco III (137) (05/08-11/17)	Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Control arm**116 050 0183/HD****MCA0824HD****Notes**

Carbon Neutral
Control Arm
Front Axle Right
Sheet Steel
with rubber mount
without ball joint

Paired article number
116 050 0184/HD | MCA0825HD

Replace in pairs only
Required quantity
reinforced version

1

**References**

Volkswagen 5N0 407 152

Application info

Volkswagen CC (11/11-12/16)

Volkswagen Passat (3C_) (03/05-01/12)

Volkswagen Passat (362, 365) (08/10-12/15)

Volkswagen Tiguan I (5N) (09/07-07/18)

Control arm

116 050 0184/HD

MCA0825HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Sheet Steel
with rubber mount
without ball joint

116 050 0183/HD | MCA0824HD

Paired article number

Replace in pairs only

Required quantity

1

reinforced version



References

Volkswagen 5N0 407 151

Application info

Volkswagen CC (11/11-12/16)

Volkswagen Passat (3C_) (03/05-01/12)

Volkswagen Passat (362, 365) (08/10-12/15)

Volkswagen Tiguan I (5N) (09/07-07/18)

Control arm

116 050 0185

MCA1112

Notes

Control Arm
Rear Axle Left
Rear Axle Right
Steel

2

Required quantity

replacement in pairs recommended



References

Audi 4F0 505 323 E

Audi 4F0 505 323 K

Audi (FAW) 4F0 505 323 K

Audi 4F0 505 323 H

Audi 4F0 505 323 L

Audi (FAW) 4F0 505 323 L

Application info

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Control arm 116 050 0186/HD MCA0950HD

Notes

Carbon Neutral
 Cast Steel
 Control Arm
 Front Axle Right
 Lower
 with accessories
 with ball joint
 with rubber mount

Paired article number 116 050 0187/HD | MCA0951HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

- | | |
|--------------------------|--------------------------|
| Audi 7L0 407 152 F | Audi 7L0 407 152 J |
| Audi 7L0 407 152 K | Porsche 955 341 018 60 |
| Porsche 955 341 018 61 | Volkswagen 7L0 407 152 F |
| Volkswagen 7L0 407 152 J | Volkswagen 7L0 407 152 K |

Application info

- | | |
|---|---------------------------------------|
| Audi Q7 I (4L_) (03/06-01/16) | Porsche Cayenne I (955) (09/02-12/10) |
| Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13) | |

Control arm 116 050 0187/HD MCA0951HD

Notes

Carbon Neutral
 Cast Steel
 Control Arm
 Front Axle Left
 Lower
 with accessories
 with ball joint
 with rubber mount

Paired article number 116 050 0186/HD | MCA0950HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Audi 7L0 407 151 F
 Audi 7L0 407 151 K
 Porsche 955 341 017 61
 Volkswagen 7L0 407 151 J

Audi 7L0 407 151 J
 Porsche 955 341 017 60
 Volkswagen 7L0 407 151 F
 Volkswagen 7L0 407 151 K

Application info

Audi Q7 I (4L_) (03/06-01/16)
 Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Porsche Cayenne I (955) (09/02-12/10)

Control arm

116 050 0195

MCA1165

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 with rubber mount
 Paired article number 116 050 0196 | MCA1166
 Required quantity 1
 replacement in pairs recommended



References

Seat 3Q0 407 151 AA
 Seat 3Q0 407 151 F
 Seat 3Q0 407 151 T
 Skoda 3Q0 407 151 E
 Skoda 3Q0 407 151 J
 Skoda 3Q0 407 151 S
 Volkswagen 3Q0 407 151 E
 Volkswagen 3Q0 407 151 G
 Volkswagen 3Q0 407 151 J
 Volkswagen 3Q0 407 151 L
 Volkswagen 3Q0 407 151 N
 Volkswagen 3Q0 407 151 S
 Volkswagen (SVW) 3Q0 407 151 E
 Volkswagen (SVW) 3QD 407 151 D

Seat 3Q0 407 151 E
 Seat 3Q0 407 151 N
 Skoda 3Q0 407 151 AA
 Skoda 3Q0 407 151 F
 Skoda 3Q0 407 151 P
 Volkswagen 3Q0 407 151 AA
 Volkswagen 3Q0 407 151 F
 Volkswagen 3Q0 407 151 H
 Volkswagen 3Q0 407 151 K
 Volkswagen 3Q0 407 151 M
 Volkswagen 3Q0 407 151 P
 Volkswagen 3Q0 407 151 T
 Volkswagen (SVW) 3QD 407 151 B

Application info

Audi Q3 II (F3_) (07/18--)
 CUPRA FORMENTOR (KM_) (07/20--)
 Seat Tarraco (09/18--)
 Skoda Kodiaq I (10/16--)
 Skoda Superb III (3V_) (03/15--)
 Volkswagen Arteon (03/17--)
 Volkswagen Taos (CL1, CQ1) (10/20--)
 Volkswagen Touran II (5T1) (05/15--)

CUPRA ATECA (KH7_KHP) (09/18--)
 Seat Ateca (04/16--)
 Skoda Karoq (07/17--)
 Skoda Kodiaq II (01/24--)
 Skoda Superb IV (NZ_) (11/23--)
 Volkswagen Passat (B8) (08/14--)
 Volkswagen Tiguan II (AD1, BW2) (01/16--)

Control arm

116 050 0196

MCA1166

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 with rubber mount
 Paired article number 116 050 0195 | MCA1165
 Required quantity 1

Paired article number
 Required quantity
 replacement in pairs recommended



References

Seat 3Q0 407 152 AA
 Seat 3Q0 407 152 F
 Seat 3Q0 407 152 T
 Skoda 3Q0 407 152 E
 Skoda 3Q0 407 152 J
 Skoda 3Q0 407 152 S
 Volkswagen 3Q0 407 152 E
 Volkswagen 3Q0 407 152 G
 Volkswagen 3Q0 407 152 J
 Volkswagen 3Q0 407 152 L
 Volkswagen 3Q0 407 152 N
 Volkswagen 3Q0 407 152 S
 Volkswagen (SVW) 3Q0 407 152 N
 Volkswagen (SVW) 3QD 407 152 D

Seat 3Q0 407 152 E
 Seat 3Q0 407 152 N
 Skoda 3Q0 407 152 AA
 Skoda 3Q0 407 152 F
 Skoda 3Q0 407 152 P
 Volkswagen 3Q0 407 152 AA
 Volkswagen 3Q0 407 152 F
 Volkswagen 3Q0 407 152 H
 Volkswagen 3Q0 407 152 K
 Volkswagen 3Q0 407 152 M
 Volkswagen 3Q0 407 152 P
 Volkswagen 3Q0 407 152 T
 Volkswagen (SVW) 3QD 407 152 B

Application info

Audi Q3 II (F3_) (07/18--)
 CUPRA FORMENTOR (KM_) (07/20--)
 Seat Tarraco (09/18--)
 Skoda Kodiaq I (10/16--)
 Skoda Superb III (3V_) (03/15--)
 Volkswagen Arteon (03/17--)
 Volkswagen Taos (CL1, CQ1) (10/20--)
 Volkswagen Touran II (5T1) (05/15--)

CUPRA ATECA (KH7_KHP) (09/18--)
 Seat Ateca (04/16--)
 Skoda Karoq (07/17--)
 Skoda Kodiaq II (01/24--)
 Skoda Superb IV (NZ_) (11/23--)
 Volkswagen Passat (B8) (08/14--)
 Volkswagen Tiguan II (AD1, BW2) (01/16--)

Control arm

116 050 0197

MCA1063

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 with rubber mount
 without ball joint

Article number of recommended accessory 100 654 0008
 Paired article number 116 050 0198 | MCA1064
 Required quantity 1
 replacement in pairs recommended



References

Audi 1K0 407 151 AA
 Audi 1K0 407 151 AE
 Audi 1K0 407 151 BC
 Audi 1K0 407 151 N
 Seat 1K0 407 151 AA
 Seat 1K0 407 151 AE
 Seat 1K0 407 151 BC
 Seat 1K0 407 151 N
 Skoda 1K0 407 151 AA
 Skoda 1K0 407 151 AE
 Skoda 1K0 407 151 BC
 Skoda 1K0 407 151 P
 Volkswagen 1K0 407 151 AA
 Volkswagen 1K0 407 151 AE
 Volkswagen 1K0 407 151 BC
 Volkswagen 1K0 407 151 N
 Volkswagen 2K0 407 151 B

Audi 1K0 407 151 AB
 Audi 1K0 407 151 AH
 Audi 1K0 407 151 BD
 Audi 1K0 407 151 P
 Seat 1K0 407 151 AB
 Seat 1K0 407 151 AH
 Seat 1K0 407 151 BD
 Seat 1K0 407 151 P
 Skoda 1K0 407 151 AB
 Skoda 1K0 407 151 AH
 Skoda 1K0 407 151 N
 Skoda (SVW) 1K0 407 151 BC
 Volkswagen 1K0 407 151 AB
 Volkswagen 1K0 407 151 AH
 Volkswagen 1K0 407 151 BD
 Volkswagen 1K0 407 151 P
 Volkswagen (FAW) 1K0 407 151 AA

Application info

- Audi A3 II (8P_) (05/03-12/15)
- Skoda Octavia II (1Z_) (02/04-06/13)
- Skoda Yeti (5L) (05/09-12/17)
- Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
- Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
- Volkswagen Jetta III (1K2) (09/04-12/13)
- Volkswagen Touran I (1T1/2/3) (02/03-05/15)
- Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
- Skoda Superb II (3T) (03/08-05/15)
- Vauxhall Movano Mk I (10/98-12/10)
- Volkswagen Eos (03/06-08/15)
- Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
- Volkswagen Scirocco III (137) (05/08-11/17)

Control arm

116 050 0198

MCA1064

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 with rubber mount
 without ball joint

Article number of recommended accessories: 100 654 0008
 Paired article number: 116 050 0197 | MCA1063
 Required quantity: 1
 replacement in pairs recommended



References

- Audi 1K0 407 152 AA
- Audi 1K0 407 152 AE
- Audi 1K0 407 152 BC
- Audi 1K0 407 152 N
- Seat 1K0 407 152 AA
- Seat 1K0 407 152 AE
- Seat 1K0 407 152 BC
- Seat 1K0 407 152 N
- Skoda 1K0 407 152 AA
- Skoda 1K0 407 152 AE
- Skoda 1K0 407 152 BC
- Skoda 1K0 407 152 P
- Volkswagen 1K0 407 152 AA
- Volkswagen 1K0 407 152 AE
- Volkswagen 1K0 407 152 BC
- Volkswagen 1K0 407 152 N
- Volkswagen 2K0 407 152 B
- Audi 1K0 407 152 AB
- Audi 1K0 407 152 AH
- Audi 1K0 407 152 BD
- Audi 1K0 407 152 P
- Seat 1K0 407 152 AB
- Seat 1K0 407 152 AH
- Seat 1K0 407 152 BD
- Seat 1K0 407 152 P
- Skoda 1K0 407 152 AB
- Skoda 1K0 407 152 AH
- Skoda 1K0 407 152 N
- Skoda (SVW) 1K0 407 152 BC
- Volkswagen 1K0 407 152 AB
- Volkswagen 1K0 407 152 AH
- Volkswagen 1K0 407 152 BD
- Volkswagen 1K0 407 152 P
- Volkswagen (FAW) 1K0 407 152 AA

Application info

- | | |
|---|--|
| Audi A3 II (8P_) (05/03-12/15) | Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--) |
| Skoda Octavia II (1Z_) (02/04-06/13) | Skoda Superb II (3T) (03/08-05/15) |
| Skoda Yeti (5L) (05/09-12/17) | Vauxhall Movano Mk I (10/98-12/10) |
| Volkswagen Caddy III (2KA, 2KB) (03/04-05/15) | Volkswagen Eos (03/06-08/15) |
| Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14) | Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16) |
| Volkswagen Jetta III (1K2) (09/04-12/13) | Volkswagen Scirocco III (137) (05/08-11/17) |
| Volkswagen Touran I (1T1/2/3) (02/03-05/15) | |

Control arm

116 050 0199 MCA1065

Notes

Cast Steel
Control Arm
Front Axle Left
with rubber mount
without ball joint

Article number of recommended accessories: 100 654 0008
Paired article number: 116 050 0200 | MCA1066
Required quantity: 1
replacement in pairs recommended



References

- | | |
|--------------------------|---------------------------|
| Audi 1K0 407 151 AC | Audi 1K0 407 151 AD |
| Audi 1K0 407 151 AK | Audi 1K0 407 151 BF |
| Seat 1K0 407 151 AC | Seat 1K0 407 151 AD |
| Seat 1K0 407 151 AK | Seat 1K0 407 151 BF |
| Seat 1K0 407 151 R | Skoda 1K0 407 151 AC |
| Skoda 1K0 407 151 T | Volkswagen 1K0 407 151 AC |
| Volkswagen 1K0 407 151 M | Volkswagen 1K0 407 151 R |

Application info

- | | |
|---|--|
| Audi A3 II (8P_) (05/03-12/15) | Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--) |
| Skoda Octavia II (1Z_) (02/04-06/13) | Skoda Superb II (3T) (03/08-05/15) |
| Volkswagen Caddy III (2KA, 2KB) (03/04-05/15) | Volkswagen Eos (03/06-08/15) |
| Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14) | Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16) |
| Volkswagen Jetta III (1K2) (09/04-12/13) | Volkswagen Scirocco III (137) (05/08-11/17) |
| Volkswagen Touran I (1T1/2/3) (02/03-05/15) | |

Control arm **116 050 0200** **MCA1066**

Notes

Cast Steel
Control Arm
Front Axle Right
with rubber mount
without ball joint

Article number of recommended accessory: 100 654 0008
Paired article number: 116 050 0199 | MCA1065
Required quantity: 1
replacement in pairs recommended



- References**
- | | |
|--------------------------|---------------------------|
| Audi 1K0 407 152 AC | Audi 1K0 407 152 AD |
| Audi 1K0 407 152 AK | Audi 1K0 407 152 BF |
| Seat 1K0 407 152 AC | Seat 1K0 407 152 AD |
| Seat 1K0 407 152 AK | Seat 1K0 407 152 BF |
| Seat 1K0 407 152 R | Skoda 1K0 407 152 AC |
| Skoda 1K0 407 152 T | Volkswagen 1K0 407 152 AC |
| Volkswagen 1K0 407 152 M | Volkswagen 1K0 407 152 R |

- Application info**
- | | |
|---|--|
| Audi A3 II (8P_) (05/03-12/15) | Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--) |
| Skoda Octavia II (1Z_) (02/04-06/13) | Skoda Superb II (3T) (03/08-05/15) |
| Volkswagen Caddy III (2KA, 2KB) (03/04-05/15) | Volkswagen Eos (03/06-08/15) |
| Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14) | Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16) |
| Volkswagen Jetta III (1K2) (09/04-12/13) | Volkswagen Scirocco III (137) (05/08-11/17) |
| Volkswagen Touran I (1T1/2/3) (02/03-05/15) | |

Control arm **116 050 0201/HD** **MCA1261HD**

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
Lower

Paired article number: 116 050 0202/HD | MCA1262HD
Replace in pairs only
Required quantity: 1
reinforced version



References

Audi 4H0 407 151 A
Audi 4H0 407 151 C

Audi 4H0 407 151 B
Audi 4H0 407 155 A

Application info

Audi A8 III (4H_) (11/09-01/18)

Control arm

116 050 0202/HD

MCA1262HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
Lower

Paired article number
Replace in pairs only
Required quantity
reinforced version

116 050 0201/HD | MCA1261HD

1



References

Audi 4H0 407 152 A
Audi 4H0 407 152 C

Audi 4H0 407 152 B
Audi 4H0 407 156 A

Application info

Audi A8 III (4H_) (11/09-01/18)

Control arm

116 050 0203

MCA1067

Notes

Aluminium
Control Arm
Front
Front Axle Left
Front Axle Right
Lower
with accessories
with rubber mount

Cone Size [mm]

16


Length [mm]

364

Required quantity

2

replacement in pairs recommended



References

Audi 8E0 407 151 E	Audi 8E0 407 151 K
Audi 8E0 407 151 L	Audi 8E0 407 151 M
Audi 8E0 407 151 N	Audi 8E0 407 151 R
Audi (FAW) 8E0 407 151 M	Audi (FAW) 8E0 407 151 R
Seat 8E0 407 151 R	


Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)	Audi A4 II (8E_) (02/00-12/05)
Audi A4 III (8E_) (11/04-06/08)	Seat Exeo (3R) (12/08-05/13)

Control arm**116 050 0205****MCA1068****Notes**

Aluminium
Control Arm
Front
Front Axle Left
Front Axle Right
Lower
with accessories
with rubber mount

Length [mm] 365
Required quantity 2
replacement in pairs recommended

**References**

Audi 4D0 407 151 H	Audi 4D0 407 151 P
Audi 8D0 407 151 E	Audi (FAW) 4D0 407 151 P
Skoda 4D0 407 151 P	Skoda 8D0 407 151 E
Volkswagen 4D0 407 151 B	Volkswagen 4D0 407 151 C
Volkswagen 4D0 407 151 E	Volkswagen 4D0 407 151 G
Volkswagen 4D0 407 151 H	Volkswagen 4D0 407 151 J
Volkswagen 4D0 407 151 P	Volkswagen 8D0 407 151 E
Volkswagen (SVW) 4D0 407 151 P	

Application info

Audi A4 I (8D_) (11/94-12/02)	Audi A6 II (4B, C5) (01/97-12/05)
Audi A8 I (4D_) (03/94-12/05)	Skoda Superb I (3U) (12/01-03/08)
Volkswagen Passat (3B_) (08/96-12/05)	

Control arm

116 050 0206

MCA1069

Notes

Aluminium
Control Arm
Front Axle Right
Rear
Upper
with rubber mount



Length [mm] 248
Paired article number 116 050 0207 | MCA1070
Required quantity 1
replacement in pairs recommended

References

- | | |
|--------------------------------|--------------------------------|
| Audi 4D0 407 510 B | Audi 4D0 407 510 D |
| Audi 4D0 407 510 F | Audi 4D0 407 510 G |
| Audi 4D0 407 510 H | Audi 4D0 407 510 J |
| Audi 4D0 407 510 K | Audi 8D0 407 510 A |
| Audi 8D0 407 510 C | Audi 8D0 407 510 E |
| Audi 8D0 407 510 F | Audi 8D0 407 510 G |
| Audi 8E0 407 510 A | Audi 8E0 407 510 C |
| Audi 8E0 407 510 E | Audi 8E0 407 510 P |
| Audi 8E0 407 510 Q | Audi (FAW) 8E0 407 510 A |
| Audi (FAW) 8E0 407 510 C | Audi (FAW) 8E0 407 510 P |
| Seat 8E0 407 510 P | Skoda 8D0 407 510 G |
| Skoda 8E0 407 510 A | Volkswagen 4D0 407 510 B |
| Volkswagen 4D0 407 510 D | Volkswagen 4D0 407 510 F |
| Volkswagen 4D0 407 510 G | Volkswagen 4D0 407 510 H |
| Volkswagen 4D0 407 510 J | Volkswagen 8D0 407 510 A |
| Volkswagen 8D0 407 510 C | Volkswagen 8D0 407 510 E |
| Volkswagen 8D0 407 510 F | Volkswagen 8D0 407 510 G |
| Volkswagen 8E0 407 510 A | Volkswagen 8E0 407 510 C |
| Volkswagen (SVW) 8D0 407 510 C | Volkswagen (SVW) 8D0 407 510 E |
| Volkswagen (SVW) 8E0 407 510 A | Volkswagen (SVW) 8ED 407 510 |

Application info

- | | |
|---------------------------------------|---------------------------------------|
| Audi A4 Cabriolet (8H_) (01/02-12/09) | Audi A4 I (8D_) (11/94-12/02) |
| Audi A4 II (8E_) (02/00-12/05) | Audi A4 III (8E_) (11/04-06/08) |
| Audi A6 II (4B, C5) (01/97-12/05) | Audi A8 I (4D_) (03/94-12/05) |
| Audi Allroad (4BH) (05/00-08/05) | Seat Exeo (3R) (12/08-05/13) |
| Skoda Superb I (3U) (12/01-03/08) | Volkswagen Passat (3B_) (08/96-12/05) |

Control arm


116 050 0207

MCA1070

Notes

Aluminium
Control Arm
Front Axle Left
Rear
Upper
with rubber mount

Length [mm] 248
Paired article number 116 050 0206 | MCA1069
Required quantity 1
replacement in pairs recommended



References

- | | |
|--------------------------------|--------------------------------|
| Audi 4D0 407 509 B | Audi 4D0 407 509 D |
| Audi 4D0 407 509 F | Audi 4D0 407 509 G |
| Audi 4D0 407 509 H | Audi 4D0 407 509 J |
| Audi 4D0 407 509 K | Audi 8D0 407 509 A |
| Audi 8D0 407 509 C | Audi 8D0 407 509 E |
| Audi 8D0 407 509 F | Audi 8D0 407 509 G |
| Audi 8E0 407 509 A | Audi 8E0 407 509 C |
| Audi 8E0 407 509 E | Audi 8E0 407 509 P |
| Audi 8E0 407 509 Q | Audi (FAW) 8E0 407 509 A |
| Audi (FAW) 8E0 407 509 C | Audi (FAW) 8E0 407 509 P |
| Seat 8E0 407 509 P | Skoda 4D0 407 509 G |
| Skoda 8E0 407 509 A | Volkswagen 4D0 407 509 B |
| Volkswagen 4D0 407 509 D | Volkswagen 4D0 407 509 F |
| Volkswagen 4D0 407 509 G | Volkswagen 4D0 407 509 H |
| Volkswagen 4D0 407 509 J | Volkswagen 8D0 407 509 A |
| Volkswagen 8D0 407 509 C | Volkswagen 8D0 407 509 E |
| Volkswagen 8D0 407 509 F | Volkswagen 8D0 407 509 G |
| Volkswagen 8E0 407 509 A | Volkswagen 8E0 407 509 C |
| Volkswagen (SVW) 8D0 407 509 C | Volkswagen (SVW) 8D0 407 509 E |
| Volkswagen (SVW) 8E0 407 509 A | Volkswagen (SVW) 8ED 407 509 |

Application info

- | | |
|---------------------------------------|---------------------------------------|
| Audi A4 Cabriolet (8H_) (01/02-12/09) | Audi A4 I (8D_) (11/94-12/02) |
| Audi A4 II (8E_) (02/00-12/05) | Audi A4 III (8E_) (11/04-06/08) |
| Audi A6 II (4B, C5) (01/97-12/05) | Audi A8 I (4D_) (03/94-12/05) |
| Audi Allroad (4BH) (05/00-08/05) | Seat Exeo (3R) (12/08-05/13) |
| Skoda Superb I (3U) (12/01-03/08) | Volkswagen Passat (3B_) (08/96-12/05) |

Control arm

116 050 0208

MCA1071

Notes

Aluminium
Control Arm
Front
Front Axle Right
Upper
with rubber mount

Length [mm]

273


Paired article number

116 050 0209 | MCA1072

Required quantity

1

replacement in pairs recommended



References

Audi 8D0 407 506 E

Audi 8E0 407 506 C

Audi 8E0 407 506 P

Audi (FAW) 8E0 407 506 A

Audi (FAW) 8E0 407 506 P

Skoda 8E0 407 506 A

Volkswagen 4Z7 407 506 A

Volkswagen 8D0 407 506 C

Volkswagen 8D0 407 506 E

Volkswagen 8D0 407 506 H

Volkswagen 8D0 407 506 L

Volkswagen 8E0 407 506 A

Volkswagen 8E0 407 506 P

Audi 8E0 407 506 A

Audi 8E0 407 506 E

Audi 8E0 407 506 Q

Audi (FAW) 8E0 407 506 C

Seat 8E0 407 506 P

Skoda 8E0 407 506 P

Volkswagen 8D0 407 506 B

Volkswagen 8D0 407 506 D

Volkswagen 8D0 407 506 F

Volkswagen 8D0 407 506 K

Volkswagen 8D0 407 508 E

Volkswagen 8E0 407 506 C

Volkswagen (SVW) 8E0 407 506 A

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)

Audi A4 II (8E_) (02/00-12/05)

Audi A6 II (4B, C5) (01/97-12/05)

Seat Exeo (3R) (12/08-05/13)

Volkswagen Passat (3B_) (08/96-12/05)

Audi A4 I (8D_) (11/94-12/02)

Audi A4 III (8E_) (11/04-06/08)

Audi Allroad (4BH) (05/00-08/05)

Skoda Superb I (3U) (12/01-03/08)

Control arm

116 050 0209

MCA1072

Notes

Aluminium
Control Arm
Front
Front Axle Left
Upper
with rubber mount

Length [mm]

273


Paired article number

116 050 0208 | MCA1071

Required quantity

1

replacement in pairs recommended



References

Audi 8D0 407 505 E

Audi 8E0 407 505 C

Audi 8E0 407 505 P

Audi (FAW) 8E0 407 505 A

Audi (FAW) 8E0 407 505 P

Skoda 8E0 407 505 A

Volkswagen 4Z7 407 505 A

Volkswagen 8D0 407 505 C

Volkswagen 8D0 407 505 F

Volkswagen 8D0 407 505 K

Volkswagen 8D0 407 507 E

Volkswagen 8E0 407 505 C

Volkswagen (SVW) 8E0 407 505 A

Audi 8E0 407 505 A

Audi 8E0 407 505 E

Audi 8E0 407 505 Q

Audi (FAW) 8E0 407 505 C

Seat 8E0 407 505 P

Skoda 8E0 407 505 P

Volkswagen 8D0 407 505 B

Volkswagen 8D0 407 505 E

Volkswagen 8D0 407 505 H

Volkswagen 8D0 407 505 L

Volkswagen 8E0 407 505 A

Volkswagen 8E0 407 505 P

Volkswagen (SVW) 8ED 407 505

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)

Audi A4 II (8E_) (02/00-12/05)

Audi A6 II (4B, C5) (01/97-12/05)

Seat Exeo (3R) (12/08-05/13)

Volkswagen Passat (3B_) (08/96-12/05)

Audi A4 I (8D_) (11/94-12/02)

Audi A4 III (8E_) (11/04-06/08)

Audi Allroad (4BH) (05/00-08/05)

Skoda Superb I (3U) (12/01-03/08)


Control arm

116 050 0210

MCA1073

Notes

Aluminium
Control Arm
Front Axle Right
Lower
Rear
with accessories
with rubber mount



Length [mm]

383

Paired article number

116 050 0211 | MCA1074

Required quantity

1

replacement in pairs recommended

References

Audi 4D0 407 694 AC

Audi 4D0 407 694 AD

Audi 4D0 407 694 E

Audi 4D0 407 694 G

Audi 4D0 407 694 H

Audi 4D0 407 694 K

Audi 4D0 407 694 M

Audi 4D0 407 694 P

Audi 4D0 407 696 J

Audi 8E0 407 694 AG

Audi 8E0 407 694 K

Audi 8E0 407 694 Q

Audi (FAW) 8E0 407 694 AG

Audi (FAW) 8E0 407 694 Q

Skoda 8E0 407 694 AG

Skoda 8E0 407 694 Q

Volkswagen 4D0 407 694 N

Volkswagen 8E0 407 694

Volkswagen 8E0 407 694 AG

Volkswagen 8E0 407 694 E

Volkswagen 8E0 407 694 H

Volkswagen 8E0 407 694 K

Volkswagen 8E0 407 694 P

Volkswagen 8E0 407 694 Q

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)

Audi A4 I (8D_) (11/94-12/02)

Audi A4 II (8E_) (02/00-12/05)

Audi A4 III (8E_) (11/04-06/08)

Audi A6 II (4B, C5) (01/97-12/05)

Audi A8 I (4D_) (03/94-12/05)

Skoda Superb I (3U) (12/01-03/08)

Volkswagen Passat (3B_) (08/96-12/05)

Control arm

116 050 0211

MCA1074

Notes

Aluminium
Control Arm
Front Axle Left
Lower
Rear
with accessories
with rubber mount



Length [mm]

383

Paired article number

116 050 0210 | MCA1073

Required quantity

1

replacement in pairs recommended

References

Audi 4D0 407 693 AC

Audi 4D0 407 693 E

Audi 4D0 407 693 H

Audi 4D0 407 693 M

Audi 4D0 407 695 J

Audi 8E0 407 693 K

Audi (FAW) 8E0 407 693 AG

Skoda 8E0 407 693 AG

Volkswagen 4D0 407 693 N

Volkswagen 8E0 407 693 AG

Volkswagen 8E0 407 693 H

Volkswagen 8E0 407 693 P

Audi 4D0 407 693 AD

Audi 4D0 407 693 G

Audi 4D0 407 693 K

Audi 4D0 407 693 P

Audi 8E0 407 693 AG

Audi 8E0 407 693 Q

Audi (FAW) 8E0 407 693 Q

Skoda 8E0 407 693 Q

Volkswagen 8E0 407 693

Volkswagen 8E0 407 693 E

Volkswagen 8E0 407 693 K

Volkswagen 8E0 407 693 Q

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)

Audi A4 II (8E_) (02/00-12/05)

Audi A6 II (4B, C5) (01/97-12/05)

Skoda Superb I (3U) (12/01-03/08)

Audi A4 I (8D_) (11/94-12/02)

Audi A4 III (8E_) (11/04-06/08)

Audi A8 I (4D_) (03/94-12/05)

Volkswagen Passat (3B_) (08/96-12/05)

Control arm


116 050 0212

MCA1075

Notes

Aluminium
Control Arm
Front
Front Axle Left
Front Axle Right
Lower
with rubber mount

Cone Size [mm] 16
Length [mm] 365
Required quantity 2
replacement in pairs recommended



References

Audi 4B0 407 151
Audi 4B3 407 151 C
Audi 4B3 407 151 F
Audi (FAW) 4B0 407 151
Audi (FAW) 4B3 407 151 F
Skoda 4B0 407 151
Skoda 4B3 407 151 C
Skoda 4B3 407 151 F
Volkswagen 4B0 407 151
Volkswagen 4B3 407 151 C
Volkswagen 4B3 407 151 F
Volkswagen (SVW) 4B3 407 151 K

Audi 4B3 407 151 A
Audi 4B3 407 151 E
Audi 4B3 407 151 K
Audi (FAW) 4B3 407 151 C
Audi (FAW) 4B3 407 151 K
Skoda 4B3 407 151 A
Skoda 4B3 407 151 E
Skoda 4B3 407 151 K
Volkswagen 4B3 407 151 A
Volkswagen 4B3 407 151 E
Volkswagen 4B3 407 151 K

Application info

Audi A4 I (8D_) (11/94-12/02)
Audi A8 I (4D_) (03/94-12/05)
Volkswagen Passat (3B_) (08/96-12/05)


Audi A6 II (4B, C5) (01/97-12/05)
Skoda Superb I (3U) (12/01-03/08)

Control arm **116 050 0213** **MCA1076**

Notes

Aluminium
Control Arm
Front
Front Axle Left
Upper
with rubber mount

Length [mm] 301
Paired article number 116 050 0214 | MCA1077
Required quantity 1
replacement in pairs recommended



References

Audi 4E0 407 505 B	Audi 4E0 407 505 E
Audi 4E0 407 505 F	Audi (FAW) 4E0 407 505 B
Audi (FAW) 4E0 407 505 E	Audi (FAW) L4E0 407 505 B
Volkswagen 4E0 407 505 B	Volkswagen 4E0 407 505 E

Application info


Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)	Audi A8 II (4E_) (10/02-12/10)
Volkswagen Phaeton (3D) (04/02-03/16)	

Control arm **116 050 0214** **MCA1077**

Notes

Aluminium
Control Arm
Front
Front Axle Right
Upper
with rubber mount

Length [mm] 301
Paired article number 116 050 0213 | MCA1076
Required quantity 1
replacement in pairs recommended



References

Audi 4E0 407 506 B	Audi 4E0 407 506 E
Audi 4E0 407 506 F	Audi (FAW) 4E0 407 506 B
Audi (FAW) 4E0 407 506 E	Audi (FAW) L4E0 407 506 B
Volkswagen 4E0 407 506 B	Volkswagen 4E0 407 506 E

Application info

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)
 Volkswagen Phaeton (3D) (04/02-03/16)

Audi A8 II (4E_) (10/02-12/10)

Control arm

116 050 0215

MCA1078

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 with ball joint
 with rubber mount

Article number of recommended accessories: 100 654 0008
 Paired article number: 116 050 0216 | MCA1079
 Required quantity: 1
 replacement in pairs recommended



References

- | | |
|--------------------------------|---------------------------------|
| Audi 1K0 407 151 AA | Audi 1K0 407 151 AB |
| Audi 1K0 407 151 AE | Audi 1K0 407 151 AH |
| Audi 1K0 407 151 BC | Audi 1K0 407 151 BD |
| Audi 1K0 407 151 N | Audi 1K0 407 151 P |
| Seat 1K0 407 151 AA | Seat 1K0 407 151 AB |
| Seat 1K0 407 151 AE | Seat 1K0 407 151 AH |
| Seat 1K0 407 151 BC | Seat 1K0 407 151 BD |
| Seat 1K0 407 151 N | Seat 1K0 407 151 P |
| Skoda 1K0 407 151 AA | Skoda 1K0 407 151 AB |
| Skoda 1K0 407 151 AE | Skoda 1K0 407 151 AH |
| Skoda 1K0 407 151 BC | Skoda 1K0 407 151 N |
| Skoda 1K0 407 151 P | Skoda (SVW) 1K0 407 151 BC |
| Volkswagen 1K0 407 151 AA | Volkswagen 1K0 407 151 AB |
| Volkswagen 1K0 407 151 AE | Volkswagen 1K0 407 151 AH |
| Volkswagen 1K0 407 151 BC | Volkswagen 1K0 407 151 BD |
| Volkswagen 1K0 407 151 N | Volkswagen 1K0 407 151 P |
| Volkswagen 2K0 407 151 B | Volkswagen (FAW) 1K0 407 151 AA |
| Volkswagen (FAW) 1K0 407 151 P | |

Application info

- Audi A3 II (8P_) (05/03-12/15)
- Skoda Octavia II (1Z_) (02/04-06/13)
- Skoda Superb II (3T) (03/08-05/15)
- Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
- Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
- Volkswagen Jetta III (1K2) (09/04-12/13)
- Volkswagen Touran I (1T1/2/3) (02/03-05/15)
- Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
- Skoda Roomster (03/06-05/15)
- Skoda Yeti (5L) (05/09-12/17)
- Volkswagen Eos (03/06-08/15)
- Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
- Volkswagen Scirocco III (137) (05/08-11/17)

Control arm

116 050 0216 MCA1079

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 with ball joint
 with rubber mount

Article number of recommended accessories: 100 654 0008
 Paired article number: 116 050 0215 | MCA1078
 Required quantity: 1
 replacement in pairs recommended



References

- Audi 1K0 407 152 AA
- Audi 1K0 407 152 AE
- Audi 1K0 407 152 BC
- Audi 1K0 407 152 N
- Seat 1K0 407 152 AA
- Seat 1K0 407 152 AE
- Seat 1K0 407 152 BC
- Seat 1K0 407 152 N
- Skoda 1K0 407 152 AA
- Skoda 1K0 407 152 AE
- Skoda 1K0 407 152 BC
- Skoda 1K0 407 152 P
- Volkswagen 1K0 407 152 AB
- Volkswagen 1K0 407 152 AH
- Volkswagen 1K0 407 152 BD
- Volkswagen 1K0 407 152 P
- Volkswagen (FAW) 1K0 407 152 AA
- Audi 1K0 407 152 AB
- Audi 1K0 407 152 AH
- Audi 1K0 407 152 BD
- Audi 1K0 407 152 P
- Seat 1K0 407 152 AB
- Seat 1K0 407 152 AH
- Seat 1K0 407 152 BD
- Seat 1K0 407 152 P
- Skoda 1K0 407 152 AB
- Skoda 1K0 407 152 AH
- Skoda 1K0 407 152 N
- Volkswagen 1K0 407 152 AA
- Volkswagen 1K0 407 152 AE
- Volkswagen 1K0 407 152 BC
- Volkswagen 1K0 407 152 N
- Volkswagen 2K0 407 152 B
- Volkswagen (FAW) 1K0 407 152P

Application info

Audi A3 II (8P_) (05/03-12/15)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Octavia II (1Z_) (02/04-06/13)	Skoda Roomster (03/06-05/15)
Skoda Superb II (3T) (03/08-05/15)	Skoda Yeti (5L) (05/09-12/17)
Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)	Volkswagen Eos (03/06-08/15)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)	Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Scirocco III (137) (05/08-11/17)
Volkswagen Touran I (1T1/2/3) (02/03-05/15)	

Control arm

116 050 0217

MCA1176

Notes

Front
 Lower
 Rear Axle Left
 Sheet Steel
 Trailing Arm
 Paired article number 116 050 0218 | MCA1177
 Required quantity 1
 replacement in pairs recommended



References

Skoda 3Q0 505 223	Skoda 3Q0 505 223 A
Volkswagen 3Q0 505 223	Volkswagen 3Q0 505 223 A
Volkswagen 3Q0 505 225	

Application info

Skoda Superb III (3V_) (03/15--)	Volkswagen Arteon (03/17--)
Volkswagen Passat (B8) (08/14--)	


Control arm

116 050 0218

MCA1177

Notes

Front
 Lower
 Rear Axle Right
 Sheet Steel
 Trailing Arm
 Paired article number 116 050 0217 | MCA1176
 Required quantity 1
 replacement in pairs recommended



References

Skoda 3Q0 505 224
Volkswagen 3Q0 505 224

Skoda 3Q0 505 224 A
Volkswagen 3Q0 505 224 A

Application info

Skoda Superb III (3V_) (03/15--)
Volkswagen Passat (B8) (08/14--)

Volkswagen Arteon (03/17--)

Control arm

116 050 0220/HD

MCA1153HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Lower
Rear
outer

Paired article number
Replace in pairs only
Required quantity
reinforced version

116 050 0221/HD | MCA1154HD

1



References

Audi 4H0 407 694 C
Audi 4H0 407 694 E
Audi 4H0 407 694 G

Audi 4H0 407 694 D
Audi 4H0 407 694 F

Application info

Audi A8 III (4H_) (11/09-01/18)

Control arm

116 050 0221/HD

MCA1154HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Lower
Rear
outer

Paired article number
Replace in pairs only
Required quantity
reinforced version

116 050 0220/HD | MCA1153HD

1



References

Audi 4H0 407 693 C
 Audi 4H0 407 693 E
 Audi 4H0 407 693 G

Audi 4H0 407 693 D
 Audi 4H0 407 693 F

Application info

Audi A8 III (4H_) (11/09-01/18)


Control arm

116 050 0224/HD

MCA1128HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front
 Front Axle Left
 Lower
 with fastening material
 with rubber mount



Bore Diameter [mm] 17
 Paired article number 116 050 0225/HD | MCA1129HD
 Replace in pairs only
 Required quantity 1
 reinforced version

References

Audi 8K0 407 151 F
 Audi (FAW) 8KD 407 151 B
 Porsche 8K0 407 151 G

Audi 8K0 407 151 G
 Porsche 8K0 407 151 F

Application info

Audi A4 IV (8K_) (08/07-05/16)
 Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)
 Audi Q5 I (8R_) (11/08-12/17)

Audi A5 I (8F_ , 8T_) (06/07-01/17)
 Audi A7 I Sportback (4G_) (07/10-05/18)
 Porsche Macan (95B) (02/14--)

Application info

Audi A4 IV (8K_) (08/07-05/16)

Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)

Audi Q5 I (8R_) (11/08-12/17)

Audi A5 I (8F_ , 8T_) (06/07-01/17)

Audi A7 I Sportback (4G_) (07/10-05/18)

Porsche Macan (95B) (02/14--)

Control arm

116 050 0225/HD

MCA1129HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
Lower
with fastening material
with rubber mount

Bore Diameter [mm]

17

Length [mm]

351

Paired article number

116 050 0224/HD | MCA1128HD

Replace in pairs only

Required quantity

1

reinforced version



References

Audi 8K0 407 152 F

Audi 8K0 407 152 G

Audi (FAW) 8KD 407 152 B

Porsche 8K0 407 152 F

Porsche 8K0 407 152 G

Application info

Audi A4 IV (8K_) (08/07-05/16)

Audi A5 I (8F_ , 8T_) (06/07-01/17)

Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)

Audi A7 I Sportback (4G_) (07/10-05/18)

Audi Q5 I (8R_) (11/08-12/17)

Porsche Macan (95B) (02/14--)

Control arm

116 050 0227/HD

MCA1410HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Steel

Paired article number

116 050 0228/HD | MCA1411HD

Replace in pairs only

Required quantity

1

reinforced version



References

- | | |
|--------------------------|--------------------------|
| MAN 2N0 407 151 F | MAN 2N0 407 151 G |
| MAN 2N0 407 151 H | MAN 2N0 407 151 J |
| MAN 2N0 407 151 L | MAN 65.43315-6003 |
| MAN 65.43315-6007 | MAN 65.43315-6009 |
| MAN 65.43315.6011 | Volkswagen 2N0 407 151 F |
| Volkswagen 2N0 407 151 G | Volkswagen 2N0 407 151 H |
| Volkswagen 2N0 407 151 J | Volkswagen 2N0 407 151 L |
| Volkswagen 2N0 407 151 M | Volkswagen 2N0 407 151 P |

Application info

- | | |
|-------------------|---------------------------------------|
| MAN TGE (11/16--) | Volkswagen Crafter II (SY_) (09/16--) |
|-------------------|---------------------------------------|

Control arm

116 050 0228/HD MCA1411HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Steel
116 050 0227/HD | MCA1410HD

Paired article number
Replace in pairs only
Required quantity
reinforced version

1




References

- | | |
|--------------------------|--------------------------|
| MAN 2N0 407 152 F | MAN 2N0 407 152 G |
| MAN 2N0 407 152 H | MAN 2N0 407 152 J |
| MAN 2N0 407 152 L | MAN 65.43315-6004 |
| MAN 65.43315-6006 | MAN 65.43315-6008 |
| MAN 65.43315-6010 | Volkswagen 2N0 407 152 F |
| Volkswagen 2N0 407 152 G | Volkswagen 2N0 407 152 H |
| Volkswagen 2N0 407 152 J | Volkswagen 2N0 407 152 L |
| Volkswagen 2N0 407 152 M | Volkswagen 2N0 407 152 P |

Application info

- | | |
|-------------------|---------------------------------------|
| MAN TGE (11/16--) | Volkswagen Crafter II (SY_) (09/16--) |
|-------------------|---------------------------------------|


Control arm		116 050 0235	MCA0219
<p>Notes</p> <p>Control Arm Front Axle Left Front Axle Right Lower Sheet Steel with rubber mount</p> <p>Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Seat 6N0 407 151 B Volkswagen 6N0 407 151 B</p>		<p>Volkswagen 6N0 407 151</p>	
<p>Application info</p> <p>Seat Arosa (6H) (05/97-06/04)</p>		<p>Volkswagen Polo (6N_) (09/94-10/01)</p>	
Control arm		116 050 0237/HD	MCA1202HD
<p>Notes</p> <p>Carbon Neutral Control Arm Rear Axle Left Sheet Steel with fastening material with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		 	
<p>References</p> <p>Seat 5QF 505 223 C Volkswagen 5QF 505 223 C</p>		<p>Skoda 5QF 505 223 C Volkswagen 5QF 505 225 C</p>	
<p>Application info</p> <p>Audi Q3 II (F3_) (07/18--) Skoda Kodiaq I (10/16--)</p>		<p>Seat Tarraco (09/18--) Volkswagen Tiguan II (AD1, BW2) (01/16--)</p>	

Control arm		116 050 0240/HD	MCA1201HD
<p>Notes</p> <p>Carbon Neutral Cast Steel Control Arm Front Axle Right with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>			
<p>References</p> <p>Volkswagen 7E0 407 152 B</p>		<p>Volkswagen 7E8 407 152 A</p>	
<p>Application info</p> <p>Volkswagen Transporter V (04/03-08/15)</p>		<p>Volkswagen Transporter VI (04/15--)</p>	
Control arm		116 050 0243/HD	MCA1213HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Left Lower Rear with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>			
<p>References</p> <p>Audi 8W0 407 693 A Audi 8W0 407 695 B</p>		<p>Audi 8W0 407 693 B Audi (FAW) 8W0 407 693 B</p>	
<p>Application info</p> <p>Audi A4 V (8W_) (05/15--)</p>		<p>Audi A5 II (F5_) (06/16--)</p>	

Control arm		116 050 0244/HD	MCA1214HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Right Lower Rear with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>			
<p>116 050 0243/HD MCA1213HD</p> <p>1</p>			


References	
Audi 8W0 407 694 A Audi (FAW) 8W0 407 694 A	Audi 8W0 407 694 B

Application info	
Audi A4 V (8W_) (05/15--)	Audi A5 II (F5_) (06/16--)

Control arm		116 050 0245	MCA1195
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Left Upper with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>116 050 0246 MCA1196</p> <p>1</p>			

References	
Audi 8W0 407 505 A Audi 8W0 407 505 E	Audi 8W0 407 505 C Audi (FAW) 8W0 407 505 A

Application info	
Audi A4 V (8W_) (05/15--)	Audi A5 II (F5_) (06/16--)

Control arm		116 050 0246	MCA1196
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Right Upper with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Audi 8W0 407 506 A Audi 8W0 407 506 E</p>		<p>Audi 8W0 407 506 C Audi (FAW) 8W0 407 506 C</p>	
<p>Application info</p> <p>Audi A4 V (8W_) (05/15--)</p>		<p>Audi A5 II (F5_) (06/16--)</p>	
Control arm		116 050 0247	MCA1197
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Rear Upper with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Audi 8W0 407 509 A Audi 8W0 407 509 E</p>		<p>Audi 8W0 407 509 B Audi (FAW) 8W0 407 509 B</p>	
<p>Application info</p> <p>Audi A4 V (8W_) (05/15--)</p>		<p>Audi A5 II (F5_) (06/16--)</p>	

Control arm		116 050 0248	MCA1198
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right Rear Upper with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Audi 8W0 407 510 A Audi 8W0 407 510 E</p>		<p>Audi 8W0 407 510 B Audi (FAW) 8W0 407 510 B</p>	
<p>Application info</p> <p>Audi A4 V (8W_) (05/15--)</p>		<p>Audi A5 II (F5_) (06/16--)</p>	
Control arm		116 050 0249/S	MCA1618
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Front Axle Right Upper with fastening material</p> <p>Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Porsche 958 341 051 00</p>		<p>Volkswagen 7P0 407 021</p>	
<p>Application info</p> <p>Porsche Cayenne II (92A) (06/10--)</p>		<p>Volkswagen Touareg II (7P5) (01/10-12/18)</p>	

Control arm		116 050 0255	MCA1347										
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Lower Rear</p> <p>Paired article number 116 050 0256 MCA1348 Required quantity 1 replacement in pairs recommended</p>		 											
<p>References</p> <table border="0"> <tr> <td>Audi 4M0 407 693 C</td> <td>Audi 4M0 407 693 D</td> </tr> <tr> <td>Audi 4M0 407 693 E</td> <td>Audi 4M0 407 693 F</td> </tr> <tr> <td>Porsche 958 407 693 00</td> <td>Porsche PAB 407 693</td> </tr> <tr> <td>Volkswagen 4M0 407 693 C</td> <td>Volkswagen 4M0 407 693 D</td> </tr> <tr> <td>Volkswagen 4M0 407 693 E</td> <td>Volkswagen 4M0 407 693 F</td> </tr> </table>				Audi 4M0 407 693 C	Audi 4M0 407 693 D	Audi 4M0 407 693 E	Audi 4M0 407 693 F	Porsche 958 407 693 00	Porsche PAB 407 693	Volkswagen 4M0 407 693 C	Volkswagen 4M0 407 693 D	Volkswagen 4M0 407 693 E	Volkswagen 4M0 407 693 F
Audi 4M0 407 693 C	Audi 4M0 407 693 D												
Audi 4M0 407 693 E	Audi 4M0 407 693 F												
Porsche 958 407 693 00	Porsche PAB 407 693												
Volkswagen 4M0 407 693 C	Volkswagen 4M0 407 693 D												
Volkswagen 4M0 407 693 E	Volkswagen 4M0 407 693 F												
<p>Application info</p> <table border="0"> <tr> <td>Audi A8 IV (4N_) (06/17--)</td> <td>Audi E-TRON (GE_) (09/18--)</td> </tr> <tr> <td>Audi Q7 II (4M_) (01/15--)</td> <td>Audi Q8 (4MN) (02/18--)</td> </tr> <tr> <td>Audi Q8 E-TRON (11/22--)</td> <td>Porsche Cayenne III (9Y_) (05/17--)</td> </tr> <tr> <td>Volkswagen Touareg III (CR7) (11/17--)</td> <td></td> </tr> </table>				Audi A8 IV (4N_) (06/17--)	Audi E-TRON (GE_) (09/18--)	Audi Q7 II (4M_) (01/15--)	Audi Q8 (4MN) (02/18--)	Audi Q8 E-TRON (11/22--)	Porsche Cayenne III (9Y_) (05/17--)	Volkswagen Touareg III (CR7) (11/17--)			
Audi A8 IV (4N_) (06/17--)	Audi E-TRON (GE_) (09/18--)												
Audi Q7 II (4M_) (01/15--)	Audi Q8 (4MN) (02/18--)												
Audi Q8 E-TRON (11/22--)	Porsche Cayenne III (9Y_) (05/17--)												
Volkswagen Touareg III (CR7) (11/17--)													
Control arm		116 050 0256	MCA1348										
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right Lower Rear</p> <p>Paired article number 116 050 0255 MCA1347 Required quantity 1 replacement in pairs recommended</p>		 											
<p>References</p> <table border="0"> <tr> <td>Audi 4M0 407 694 C</td> <td>Audi 4M0 407 694 D</td> </tr> <tr> <td>Audi 4M0 407 694 E</td> <td>Audi 4M0 407 694 F</td> </tr> <tr> <td>Porsche 958 407 694 00</td> <td>Porsche PAB 407 694</td> </tr> <tr> <td>Volkswagen 4M0 407 694 C</td> <td>Volkswagen 4M0 407 694 D</td> </tr> <tr> <td>Volkswagen 4M0 407 694 E</td> <td>Volkswagen 4M0 407 694 F</td> </tr> </table>				Audi 4M0 407 694 C	Audi 4M0 407 694 D	Audi 4M0 407 694 E	Audi 4M0 407 694 F	Porsche 958 407 694 00	Porsche PAB 407 694	Volkswagen 4M0 407 694 C	Volkswagen 4M0 407 694 D	Volkswagen 4M0 407 694 E	Volkswagen 4M0 407 694 F
Audi 4M0 407 694 C	Audi 4M0 407 694 D												
Audi 4M0 407 694 E	Audi 4M0 407 694 F												
Porsche 958 407 694 00	Porsche PAB 407 694												
Volkswagen 4M0 407 694 C	Volkswagen 4M0 407 694 D												
Volkswagen 4M0 407 694 E	Volkswagen 4M0 407 694 F												

Application info

Audi A8 IV (4N_) (06/17--)

Audi Q7 II (4M_) (01/15--)

Audi Q8 E-TRON (11/22--)

Volkswagen Touareg III (CR7) (11/17--)

Audi E-TRON (GE_) (09/18--)

Audi Q8 (4MN) (02/18--)

Porsche Cayenne III (9Y_) (05/17--)

Control arm

116 050 0261

MCA1510

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with rubber mount
 without ball joint
 Paired article number 116 050 0262 | MCA1511
 Required quantity 1
 replacement in pairs recommended



References

Audi 81A 407 151 D

Audi 81A 407 151 E

Application info

Audi Q2 (06/16--)

Volkswagen Golf VIII (CB1) (07/19--)

Volkswagen Golf VII (5G1,BA5) (08/12--)

Control arm

116 050 0262

MCA1511

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with rubber mount
 without ball joint
 Paired article number 116 050 0261 | MCA1510
 Paired article number 116 050 0267
 Required quantity 1
 replacement in pairs recommended



References

Audi 81A 407 152 D

Audi 81A 407 152 E

Application info

Audi Q2 (06/16--)

Volkswagen Golf VII (5G1,BA5) (08/12--)

Volkswagen Golf VIII (CB1) (07/19--)

Control arm

116 050 0264/HD

MCA1180HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Lower
Rear
with ball joint
with fastening material
with rubber mount



Paired article number

116 050 0265/HD | MCA1181HD

Replace in pairs only

Required quantity

1

Thread Size

M14x1,5

reinforced version

References

Audi 4G0 407 694 D

Audi 4G0 407 694 E

Audi 4G0 407 694 F

Audi 4G0 407 694 G

Audi 4G0 407 694 H

Audi 4G0 407 694 J

Audi 4G0 407 694 K

Audi 4G0 407 694 L

Audi (FAW) 4GD 407 694

Audi (FAW) 4GD 407 694 A

Audi (FAW) 4GD 407 694 B

Application info

Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)

Audi A7 I Sportback (4G_) (07/10-05/18)

Control arm **116 050 0265/HD** **MCA1181HD**

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Rear
 with ball joint
 with fastening material
 with rubber mount

Paired article number 116 050 0264/HD | MCA1180HD
 Replace in pairs only
 Required quantity 1
 Thread Size M14x1,5
 reinforced version



References

- | | |
|--------------------------|------------------------|
| Audi 4G0 407 693 D | Audi 4G0 407 693 E |
| Audi 4G0 407 693 F | Audi 4G0 407 693 G |
| Audi 4G0 407 693 H | Audi 4G0 407 693 J |
| Audi 4G0 407 693 K | Audi 4G0 407 693 L |
| Audi (FAW) 4G0 407 693 A | Audi (FAW) 4GD 407 693 |
| Audi (FAW) 4GD 407 693 B | |

Application info


- | | |
|---|---|
| Audi A6 IV (4G2, 4G5, C7) (11/10-09/18) | Audi A7 I Sportback (4G_) (07/10-05/18) |
|---|---|

Control arm **116 050 0272/HD** **MCA1515HD**

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Rear

Paired article number 116 050 0273/HD | MCA1516HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Audi 80A 407 694 B
 Audi 80A 407 694 D
 Audi 80A 407 694 G

Audi 80A 407 694 C
 Audi 80A 407 694 E
 Audi 80A 407 696 D

Application info

Audi A6 V (C8, 4A2) (02/18--)
 Audi Q5 II (FY_) (05/16--)

Audi A7 II Sportback (4K_) (10/17--)


Control arm

116 050 0273/HD

MCA1516HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Rear
 Length [mm] 448.7
 Paired article number 116 050 0272/HD | MCA1515HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Audi 80A 407 693 B
 Audi 80A 407 693 D
 Audi 80A 407 693 G

Audi 80A 407 693 C
 Audi 80A 407 693 E
 Audi 80A 407 695 D

Application info

Audi A6 V (C8, 4A2) (02/18--)
 Audi Q5 II (FY_) (05/16--)

Audi A7 II Sportback (4K_) (10/17--)

Control arm

116 050 0281

MCA1497

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 without ball joint
 Paired article number 116 050 0282 | MCA1498
 Required quantity 1
 replacement in pairs recommended



References

Audi 2Q0 407 151 D
 Seat 2Q0 407 151 D
 Skoda 2Q0 407 151 D
 Volkswagen 2Q0 407 151 D

Audi 2Q0 498 151
 Seat 2Q0 498 151
 Skoda 2Q0 498 151
 Volkswagen 2Q0 498 151

Application info

Audi A1 II (GB_) (07/18--)
 Seat Ibiza V (KJ1) (01/17--)
 Skoda Kamiq (07/19--)
 Volkswagen Polo (AW1) (06/17--)

Seat Arona (KJ7) (07/17--)
 Skoda Fabia IV (PJ3) (06/21--)
 Skoda Scala (02/19--)
 Volkswagen T-Cross (12/18--)

Control arm

116 050 0282

MCA1498

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 without ball joint
 Paired article number 116 050 0281 | MCA1497
 Required quantity 1
 replacement in pairs recommended



References



Audi 2Q0 407 151
 Seat 2Q0 407 151
 Skoda 2Q0 407 151
 Volkswagen 2Q0 407 151

Audi 2Q0 407 152 D
 Seat 2Q0 407 152 D
 Skoda 2Q0 407 152 D
 Volkswagen 2Q0 407 152 D

Application info

Audi A1 II (GB_) (07/18--)
 Seat Ibiza V (KJ1) (01/17--)
 Skoda Kamiq (07/19--)
 Volkswagen Polo (AW1) (06/17--)

Seat Arona (KJ7) (07/17--)
 Skoda Fabia IV (PJ3) (06/21--)
 Skoda Scala (02/19--)
 Volkswagen T-Cross (12/18--)

Control arm		116 050 0285	MCA1340
<p>Notes</p> <p>Control Arm Rear Rear Axle Right Sheet Steel Upper</p> <p>Paired article number 116 050 0286 MCA1341 Required quantity 1 replacement in pairs recommended</p>			
<p>References</p> <p>Audi 8W0 505 398 C Audi 8W0 505 398 E Audi 8W0 505 398 F</p>			
<p>Application info</p> <p>Audi A4 V (8W_) (05/15--) Audi A5 II (F5_) (06/16--)</p>			
Control arm		116 050 0286	MCA1341
<p>Notes</p> <p>Control Arm Rear Rear Axle Left Sheet Steel Upper</p> <p>Paired article number 116 050 0285 MCA1340 Required quantity 1 replacement in pairs recommended</p>			
<p>References</p> <p>Audi 8W0 505 397 C Audi 8W0 505 397 E Audi 8W0 505 397 F</p>			
<p>Application info</p> <p>Audi A4 V (8W_) (05/15--) Audi A5 II (F5_) (06/16--)</p>			

Control arm		116 050 0289	MCA1457								
<p>Notes</p> <p>Control Arm Front Axle Left Sheet Steel with ball joint</p> <p>Paired article number 116 050 0290 MCA1458</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>											
<p>References</p> <table border="0"> <tr> <td>Audi 2Q0 407 151 C</td> <td>Audi 2Q0 407 151 E</td> </tr> <tr> <td>Seat 2Q0 407 151 C</td> <td>Seat 2Q0 407 151 E</td> </tr> <tr> <td>Skoda 2Q0 407 151 C</td> <td>Skoda 2Q0 407 151 E</td> </tr> <tr> <td>Volkswagen 2Q0 407 151 C</td> <td>Volkswagen 2Q0 407 151 E</td> </tr> </table>				Audi 2Q0 407 151 C	Audi 2Q0 407 151 E	Seat 2Q0 407 151 C	Seat 2Q0 407 151 E	Skoda 2Q0 407 151 C	Skoda 2Q0 407 151 E	Volkswagen 2Q0 407 151 C	Volkswagen 2Q0 407 151 E
Audi 2Q0 407 151 C	Audi 2Q0 407 151 E										
Seat 2Q0 407 151 C	Seat 2Q0 407 151 E										
Skoda 2Q0 407 151 C	Skoda 2Q0 407 151 E										
Volkswagen 2Q0 407 151 C	Volkswagen 2Q0 407 151 E										
<p>Application info</p> <table border="0"> <tr> <td>Audi A1 II (GB_) (07/18--)</td> <td>Seat Arona (KJ7) (07/17--)</td> </tr> <tr> <td>Seat Ibiza V (KJ1) (01/17--)</td> <td>Skoda Kamiq (07/19--)</td> </tr> <tr> <td>Skoda Scala (02/19--)</td> <td>Volkswagen Nivus / Taigo (11/21--)</td> </tr> <tr> <td>Volkswagen Polo (AW1) (06/17--)</td> <td>Volkswagen T-Cross (12/18--)</td> </tr> </table>				Audi A1 II (GB_) (07/18--)	Seat Arona (KJ7) (07/17--)	Seat Ibiza V (KJ1) (01/17--)	Skoda Kamiq (07/19--)	Skoda Scala (02/19--)	Volkswagen Nivus / Taigo (11/21--)	Volkswagen Polo (AW1) (06/17--)	Volkswagen T-Cross (12/18--)
Audi A1 II (GB_) (07/18--)	Seat Arona (KJ7) (07/17--)										
Seat Ibiza V (KJ1) (01/17--)	Skoda Kamiq (07/19--)										
Skoda Scala (02/19--)	Volkswagen Nivus / Taigo (11/21--)										
Volkswagen Polo (AW1) (06/17--)	Volkswagen T-Cross (12/18--)										
Control arm		116 050 0290	MCA1458								
<p>Notes</p> <p>Control Arm Front Axle Right Sheet Steel with ball joint</p> <p>Paired article number 116 050 0289 MCA1457</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>											
<p>References</p> <table border="0"> <tr> <td>Audi 2Q0 407 152 C</td> <td>Audi 2Q0 407 152 E</td> </tr> <tr> <td>Seat 2Q0 407 152 C</td> <td>Seat 2Q0 407 152 E</td> </tr> <tr> <td>Skoda 2Q0 407 152 C</td> <td>Skoda 2Q0 407 152 E</td> </tr> <tr> <td>Volkswagen 2Q0 407 152 C</td> <td>Volkswagen 2Q0 407 152 E</td> </tr> </table>				Audi 2Q0 407 152 C	Audi 2Q0 407 152 E	Seat 2Q0 407 152 C	Seat 2Q0 407 152 E	Skoda 2Q0 407 152 C	Skoda 2Q0 407 152 E	Volkswagen 2Q0 407 152 C	Volkswagen 2Q0 407 152 E
Audi 2Q0 407 152 C	Audi 2Q0 407 152 E										
Seat 2Q0 407 152 C	Seat 2Q0 407 152 E										
Skoda 2Q0 407 152 C	Skoda 2Q0 407 152 E										
Volkswagen 2Q0 407 152 C	Volkswagen 2Q0 407 152 E										

Application info

Audi A1 II (GB_) (07/18--)
 Seat Ibiza V (KJ1) (01/17--)
 Skoda Scala (02/19--)
 Volkswagen Polo (AW1) (06/17--)

Seat Arona (KJ7) (07/17--)
 Skoda Kamiq (07/19--)
 Volkswagen Nivus / Taigo (11/21--)
 Volkswagen T-Cross (12/18--)

Control arm

116 050 0291

MCA1342

Notes

Aluminium
 Control Arm
 Front
 Rear Axle Left
 Rear Axle Right
 Upper

Required quantity
 replacement in pairs recommended



References

Audi 4M0 505 323 G

Volkswagen 4M0 505 323 G

Application info

Audi A6 V (C8, 4A2) (02/18--)
 Audi E-TRON (GE_) (09/18--)
 Audi Q7 II (4M_) (01/15--)
 Volkswagen Touareg III (CR7) (11/17--)

Audi A7 II Sportback (4K_) (10/17--)
 Audi Q5 II (FY_) (05/16--)
 Audi Q8 (4MN) (02/18--)

Control arm

116 050 0292


MCA1364

Notes

Aluminium
 Control Arm
 Rear
 Rear Axle Right
 Upper

Paired article number
 Required quantity
 replacement in pairs recommended

116 050 0293 | MCA1365
 1



References

Audi 4K0 505 398 A
 Audi 4M0 505 398 P
 Volkswagen 4M0 505 398 P

Audi 4M0 505 398 L
 Porsche PAB 505 398

Application info

Audi A6 V (C8, 4A2) (02/18--)

Audi Q5 II (FY_) (05/16--)

Audi Q8 (4MN) (02/18--)

Volkswagen Touareg III (CR7) (11/17--)

Audi A7 II Sportback (4K_) (10/17--)

Audi Q7 II (4M_) (01/15--)

Porsche Cayenne III (9Y_) (05/17--)

Control arm

116 050 0293

MCA1365

Notes

Aluminium
Control Arm
Rear
Rear Axle Left
Upper


Paired article number

116 050 0292 | MCA1364

Required quantity

1

replacement in pairs recommended



References

Audi 4K0 505 397 A

Audi 4M0 505 397 P

Porsche PAB 505 397

Audi 4M0 505 397 L

Audi 6K0 505 397 A

Volkswagen 4M0 505 397 P

Application info

Audi A6 V (C8, 4A2) (02/18--)

Audi Q5 II (FY_) (05/16--)

Audi Q8 (4MN) (02/18--)

Volkswagen Touareg III (CR7) (11/17--)

Audi A7 II Sportback (4K_) (10/17--)

Audi Q7 II (4M_) (01/15--)

Porsche Cayenne III (9Y_) (05/17--)

Control arm

116 050 0294

MCA1359


Notes

Aluminium
Centre
Control Arm
Rear
Rear Axle Left
Rear Axle Right

Required quantity

2

replacement in pairs recommended



References

Audi 4M0 501 529 L

Volkswagen 4M0 501 529 L

Application info

Audi A6 V (C8, 4A2) (02/18--)

Audi E-TRON (GE_) (09/18--)

Audi Q7 II (4M_) (01/15--)

Volkswagen Touareg III (CR7) (11/17--)

Audi A7 II Sportback (4K_) (10/17--)

Audi Q5 II (FY_) (05/16--)

Audi Q8 (4MN) (02/18--)

Control arm

116 050 0299

MCA1488

Notes

Aluminium
Control Arm
Front
Lower
Rear Axle Left

Length [mm]

360


Paired article number

116 050 0300 | MCA1489

Required quantity

1

replacement in pairs recommended



References

Audi 4M0 505 291 F

Audi (FAW) 4M0 505 291 F

Application info

Audi A6 V (C8, 4A2) (02/18--)

Audi E-TRON (GE_) (09/18--)

Audi Q7 II (4M_) (01/15--)

Audi A7 II Sportback (4K_) (10/17--)

Audi Q5 II (FY_) (05/16--)

Audi Q8 (4MN) (02/18--)

Control arm

116 050 0300

MCA1489

Notes

Aluminium
Control Arm
Front
Lower
Rear Axle Right

Length [mm]

360


Paired article number

116 050 0299 | MCA1488

Required quantity

1

replacement in pairs recommended



References

Audi 4M0 505 292 F

Audi (FAW) 4M0 505 292 F

Application info

Audi A6 V (C8, 4A2) (02/18--)
 Audi E-TRON (GE_) (09/18--)
 Audi Q7 II (4M_) (01/15--)

Audi A7 II Sportback (4K_) (10/17--)
 Audi Q5 II (FY_) (05/16--)
 Audi Q8 (4MN) (02/18--)

Control arm

116 050 0303/HD

MCA1494HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 outer
 without ball joint

Bore Diameter [mm] 12.3
 Length [mm] 328
 Paired article number 116 050 0304/HD | MCA1495HD
 Replace in pairs only
 Required quantity 1
 Width [mm] 313.8



References

Volkswagen 2K5 407 151

Application info

Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)

Volkswagen Caddy IV (SA_) (05/15--)

Control arm

116 050 0304/HD

MCA1495HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 outer
 without ball joint

Length [mm] 328
 Paired article number 116 050 0303/HD | MCA1494HD
 Replace in pairs only
 Required quantity 1
 Width [mm] 313.8



References

Volkswagen 2K5 407 152

Application info

Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)

Volkswagen Caddy IV (SA_) (05/15--)

Control arm

116 050 0305/HD

MCA1627HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Lower
outer
with ball joint

Paired article number

116 050 0306/HD | MCA1628HD

Replace in pairs only

Required quantity

1

reinforced version



References

Volkswagen 2K5 407 151

Application info

Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)

Volkswagen Caddy IV (SA_) (05/15--)

Control arm

116 050 0306/HD

MCA1628HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Lower
outer
with ball joint

Paired article number

116 050 0305/HD | MCA1627HD

Replace in pairs only

Required quantity

1

reinforced version



References

Volkswagen 2K5 407 152

Application info

Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)

Volkswagen Caddy IV (SA_) (05/15--)

Control arm

116 050 1901/S

MCA0220

Notes

Control Arm
 Front Axle Left
 Front Axle Right
 Lower
 Sheet Steel
 with accessories
 with ball joint
 with rubber mount

Cone Size [mm]

17

Required quantity

2

replacement in pairs recommended



References

Volkswagen 191 407 151 B

Volkswagen 191 407 153

Volkswagen (FAW) 191 407 151 B

Application info

Volkswagen Golf II (19E) (08/83-12/92)

Volkswagen Jetta II (19E) (08/83-12/92)

Control arm

116 050 1911

MCA0221

Notes

Control Arm
 Front Axle Left
 Front Axle Right
 Lower
 Sheet Steel
 with rubber mount

Required quantity

2

replacement in pairs recommended



References

Seat 191 407 151

Seat 191 407 151 B

Seat 191 407 153 A

Seat 191 407 153 B

Volkswagen 191 407 151

Volkswagen 191 407 151 A

Volkswagen 191 407 151 B

Volkswagen 191 407 153

Volkswagen 191 407 153 A

Volkswagen 191 407 153 B

Volkswagen (FAW) 191 407 151 B

Application info

Seat Ibiza II / Cordoba I / Inca (6K_) (02/93-11/03)
 Volkswagen Caddy II (9K9, 9K9B, 9U7) (11/95-06/09)
 Volkswagen Golf II (19E) (08/83-12/92)
 Volkswagen Polo (6K_) (01/95-11/09)

Seat Toledo I (1L_) (01/91-10/99)
 Volkswagen Corrado (53I) (08/87-12/95)
 Volkswagen Jetta II (19E) (08/83-12/92)
 Volkswagen Polo Playa (01/95-11/09)

Control arm

116 050 1911/S

MCA0222

Notes

Control Arm
 Front Axle Left
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Cone Size [mm] 19
 Required quantity 2
 replacement in pairs recommended



References

Seat 191 407 151 B
 Volkswagen 191 407 153

Volkswagen 191 407 151 B
 Volkswagen (FAW) 191 407 151B

Application info

Volkswagen Corrado (53I) (08/87-12/95)
 Volkswagen Jetta II (19E) (08/83-12/92)

Volkswagen Golf II (19E) (08/83-12/92)
 Volkswagen Polo Playa (01/95-11/09)

Control arm

116 050 8200/HD

MCA0225HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Steel
 with accessories
 with rubber mount

Length [mm] 392
 Paired article number 116 050 8201/HD | MCA0226HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Audi 4A0 407 151

Audi (FAW) 4A0 407 151

Application info

Audi 100 (4A, C4) (12/90-11/94)

Audi A6 I (4A, C4) (06/94-12/97)

Control arm

116 050 8201/HD

MCA0226HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Steel
with accessories
with rubber mount

Length [mm]

392

Paired article number

116 050 8200/HD | MCA0225HD

Replace in pairs only

Required quantity

1

reinforced version



References

Audi 4A0 407 152

Audi (FAW) 4A0 407 152

Application info

Audi 100 (4A, C4) (12/90-11/94)

Audi A6 I (4A, C4) (06/94-12/97)

Control arm

116 050 8228/HD

MCA0227HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
Front Axle Right
Lower
with accessories
with rubber mount

Length [mm]

365

Replace in pairs only

Required quantity

2

reinforced version



References

- | | |
|--------------------------------|--------------------------|
| Audi 4D0 407 151 A | Audi 4D0 407 151 H |
| Audi 4D0 407 151 P | Audi 8D0 407 151 E |
| Audi 8D0 407 151 F | Audi (FAW) 4D0 407 151 P |
| Skoda 4D0 407 151 A | Skoda 4D0 407 151 P |
| Skoda 8D0 407 151 E | Skoda 8D0 407 151 F |
| Volkswagen 4D0 407 151 A | Volkswagen 4D0 407 151 B |
| Volkswagen 4D0 407 151 C | Volkswagen 4D0 407 151 E |
| Volkswagen 4D0 407 151 G | Volkswagen 4D0 407 151 H |
| Volkswagen 4D0 407 151 J | Volkswagen 4D0 407 151 P |
| Volkswagen 8D0 407 151 E | Volkswagen 8D0 407 151 F |
| Volkswagen (SVW) 4D0 407 151 P | |

Application info

- | | |
|---------------------------------------|-----------------------------------|
| Audi A4 I (8D_) (11/94-12/02) | Audi A6 II (4B, C5) (01/97-12/05) |
| Audi A8 I (4D_) (03/94-12/05) | Skoda Superb I (3U) (12/01-03/08) |
| Volkswagen Passat (3B_) (08/96-12/05) | |

Control arm

116 050 8239/HD

MCA0228HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
Front Axle Right
Upper
with rubber mount

Length [mm]

318

Replace in pairs only

Required quantity

2

reinforced version



References

- | | |
|--------------------|--------------------|
| Audi 4D0 407 505 A | Audi 4D0 407 505 B |
| Audi 4D0 407 505 D | Audi 4D0 407 505 F |
| Audi 4D0 407 505 H | Audi 4D0 407 505 J |

Application info

- Audi A8 I (4D_) (03/94-12/05)

Control arm

116 050 8254

MCA0229

Notes

Control Arm
 Front Axle Left
 Front Axle Right
 Lower
 Sheet Steel
 with rubber mount
 without ball joint

Required quantity
 replacement in pairs recommended

2



References

Volkswagen 1H0 407 151

Application info

Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)

Volkswagen Vento (11/91-09/98)

Control arm

116 050 8254/S

MCA0230

Notes

Control Arm
 Front Axle Left
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Required quantity
 replacement in pairs recommended

2



References

Volkswagen 1H0 407 151

Application info

Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)

Volkswagen Vento (11/91-09/98)

Control arm

116 050 8292/HD

MCA0231HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Rear
Upper
with accessories
with rubber mount



Length [mm]

248

Paired article number

116 050 8293/HD | MCA0232HD

Replace in pairs only

Required quantity

1

reinforced version

References

- | | |
|--------------------------------|--------------------------------|
| Audi 4D0 407 509 B | Audi 4D0 407 509 D |
| Audi 4D0 407 509 F | Audi 4D0 407 509 G |
| Audi 4D0 407 509 H | Audi 4D0 407 509 J |
| Audi 4D0 407 509 K | Audi 8D0 407 509 A |
| Audi 8D0 407 509 C | Audi 8D0 407 509 E |
| Audi 8D0 407 509 F | Audi 8D0 407 509 G |
| Audi 8E0 407 509 A | Audi 8E0 407 509 C |
| Audi 8E0 407 509 E | Audi 8E0 407 509 P |
| Audi 8E0 407 509 Q | Audi (FAW) 8E0 407 509 A |
| Audi (FAW) 8E0 407 509 C | Audi (FAW) 8E0 407 509 P |
| Seat 8E0 407 509 P | Skoda 4D0 407 509 G |
| Skoda 8E0 407 509 A | Volkswagen 4D0 407 509 B |
| Volkswagen 4D0 407 509 D | Volkswagen 4D0 407 509 F |
| Volkswagen 4D0 407 509 G | Volkswagen 4D0 407 509 H |
| Volkswagen 4D0 407 509 J | Volkswagen 8D0 407 509 A |
| Volkswagen 8D0 407 509 C | Volkswagen 8D0 407 509 E |
| Volkswagen 8D0 407 509 F | Volkswagen 8D0 407 509 G |
| Volkswagen 8E0 407 509 A | Volkswagen 8E0 407 509 C |
| Volkswagen (SVW) 8D0 407 509 C | Volkswagen (SVW) 8D0 407 509 E |
| Volkswagen (SVW) 8E0 407 509 A | Volkswagen (SVW) 8ED 407 509 |

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)
 Audi A4 II (8E_) (02/00-12/05)
 Audi A6 II (4B, C5) (01/97-12/05)
 Audi Allroad (4BH) (05/00-08/05)
 Skoda Superb I (3U) (12/01-03/08)

Audi A4 I (8D_) (11/94-12/02)
 Audi A4 III (8E_) (11/04-06/08)
 Audi A8 I (4D_) (03/94-12/05)
 Seat Exeo (3R) (12/08-05/13)
 Volkswagen Passat (3B_) (08/96-12/05)

Control arm

116 050 8293/HD

MCA0232HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Right
 Rear
 Upper
 with accessories
 with rubber mount

Length [mm]

248

Paired article number

116 050 8292/HD | MCA0231HD

Replace in pairs only

Required quantity

1

reinforced version



References

Audi 4D0 407 510 B	Audi 4D0 407 510 D
Audi 4D0 407 510 F	Audi 4D0 407 510 G
Audi 4D0 407 510 H	Audi 4D0 407 510 J
Audi 4D0 407 510 K	Audi 8D0 407 510 A
Audi 8D0 407 510 C	Audi 8D0 407 510 E
Audi 8D0 407 510 F	Audi 8D0 407 510 G
Audi 8E0 407 510 A	Audi 8E0 407 510 C
Audi 8E0 407 510 E	Audi 8E0 407 510 P
Audi 8E0 407 510 Q	Audi (FAW) 8E0 407 510 A
Audi (FAW) 8E0 407 510 C	Audi (FAW) 8E0 407 510 P
Seat 8E0 407 510 P	Skoda 8D0 407 510 G
Skoda 8E0 407 510 A	Volkswagen 4D0 407 510 B
Volkswagen 4D0 407 510 D	Volkswagen 4D0 407 510 F
Volkswagen 4D0 407 510 G	Volkswagen 4D0 407 510 H
Volkswagen 4D0 407 510 J	Volkswagen 8D0 407 510 A
Volkswagen 8D0 407 510 C	Volkswagen 8D0 407 510 E
Volkswagen 8D0 407 510 F	Volkswagen 8D0 407 510 G
Volkswagen 8E0 407 510 A	Volkswagen 8E0 407 510 C
Volkswagen (SVW) 8D0 407 510 C	Volkswagen (SVW) 8D0 407 510 E
Volkswagen (SVW) 8E0 407 510 A	Volkswagen (SVW) 8ED 407 510

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)	Audi A4 I (8D_) (11/94-12/02)
Audi A4 II (8E_) (02/00-12/05)	Audi A4 III (8E_) (11/04-06/08)
Audi A6 II (4B, C5) (01/97-12/05)	Audi A8 I (4D_) (03/94-12/05)
Audi Allroad (4BH) (05/00-08/05)	Seat Exeo (3R) (12/08-05/13)
Skoda Superb I (3U) (12/01-03/08)	Volkswagen Passat (3B_) (08/96-12/05)

Control arm

116 050 8297/HD

MCA0233HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
Upper
with accessories
with rubber mount



Article number of recommended accessories: 100 654 0013
Length [mm]: 273
Paired article number: 116 050 8298/HD | MCA0234HD
Replace in pairs only
Required quantity: 1
reinforced version

References

- | | |
|--------------------------------|------------------------------|
| Audi 8D0 407 505 D | Audi 8D0 407 505 E |
| Audi 8D0 407 505 L | Audi 8E0 407 505 A |
| Audi 8E0 407 505 C | Audi 8E0 407 505 E |
| Audi 8E0 407 505 P | Audi 8E0 407 505 Q |
| Audi (FAW) 8E0 407 505 A | Audi (FAW) 8E0 407 505 C |
| Audi (FAW) 8E0 407 505 P | Seat 8E0 407 505 P |
| Skoda 8E0 407 505 A | Skoda 8E0 407 505 P |
| Volkswagen 4Z7 407 505 A | Volkswagen 8D0 407 505 B |
| Volkswagen 8D0 407 505 C | Volkswagen 8D0 407 505 E |
| Volkswagen 8D0 407 505 F | Volkswagen 8D0 407 505 H |
| Volkswagen 8D0 407 505 K | Volkswagen 8D0 407 505 L |
| Volkswagen 8D0 407 507 E | Volkswagen 8E0 407 505 A |
| Volkswagen 8E0 407 505 C | Volkswagen 8E0 407 505 P |
| Volkswagen (SVW) 8E0 407 505 A | Volkswagen (SVW) 8ED 407 505 |

Application info

- | | |
|---------------------------------------|-----------------------------------|
| Audi A4 Cabriolet (8H_) (01/02-12/09) | Audi A4 I (8D_) (11/94-12/02) |
| Audi A4 II (8E_) (02/00-12/05) | Audi A4 III (8E_) (11/04-06/08) |
| Audi A6 II (4B, C5) (01/97-12/05) | Audi Allroad (4BH) (05/00-08/05) |
| Seat Exeo (3R) (12/08-05/13) | Skoda Superb I (3U) (12/01-03/08) |
| Volkswagen Passat (3B_) (08/96-12/05) | |

Control arm

116 050 8298/HD

MCA0234HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
Upper
with accessories
with rubber mount



Article number of recommended accessories 100 654 0013
Length [mm] 273
Paired article number 116 050 8297/HD | MCA0233HD
Replace in pairs only
Required quantity 1
reinforced version

References

Audi 8D0 407 506 D	Audi 8D0 407 506 E
Audi 8D0 407 506 L	Audi 8E0 407 506 A
Audi 8E0 407 506 C	Audi 8E0 407 506 E
Audi 8E0 407 506 P	Audi 8E0 407 506 Q
Audi (FAW) 8E0 407 506 A	Audi (FAW) 8E0 407 506 C
Audi (FAW) 8E0 407 506 P	Seat 8E0 407 506 P
Skoda 8E0 407 506 A	Skoda 8E0 407 506 P
Volkswagen 4Z7 407 506 A	Volkswagen 8D0 407 506 B
Volkswagen 8D0 407 506 C	Volkswagen 8D0 407 506 D
Volkswagen 8D0 407 506 E	Volkswagen 8D0 407 506 F
Volkswagen 8D0 407 506 H	Volkswagen 8D0 407 506 K
Volkswagen 8D0 407 506 L	Volkswagen 8D0 407 508 E
Volkswagen 8E0 407 506 A	Volkswagen 8E0 407 506 C
Volkswagen 8E0 407 506 P	Volkswagen (SVW) 8E0 407 506 A

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)	Audi A4 I (8D_) (11/94-12/02)
Audi A4 II (8E_) (02/00-12/05)	Audi A4 III (8E_) (11/04-06/08)
Audi A6 II (4B, C5) (01/97-12/05)	Audi Allroad (4BH) (05/00-08/05)
Seat Exeo (3R) (12/08-05/13)	Skoda Superb I (3U) (12/01-03/08)
Volkswagen Passat (3B_) (08/96-12/05)	


Control arm

116 050 8299/HD

MCA0235HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Lower
Rear
with accessories
with rubber mount



Length [mm]

383

Paired article number

116 050 8300/HD | MCA0236HD

Replace in pairs only

Required quantity

1

reinforced version

References

Audi 4D0 407 693 AC

Audi 4D0 407 693 E

Audi 4D0 407 693 H

Audi 4D0 407 693 M

Audi 4D0 407 695 J

Audi 8E0 407 693 K

Audi (FAW) 8E0 407 693 AG

Skoda 8E0 407 693 AG

Volkswagen 4D0 407 693 N

Volkswagen 8E0 407 693 AG

Volkswagen 8E0 407 693 H

Volkswagen 8E0 407 693 Q

Audi 4D0 407 693 AD

Audi 4D0 407 693 G

Audi 4D0 407 693 K

Audi 4D0 407 693 P

Audi 8E0 407 693 AG

Audi 8E0 407 693 Q

Audi (FAW) 8E0 407 693 Q

Skoda 8E0 407 693 Q

Volkswagen 8E0 407 693

Volkswagen 8E0 407 693 E

Volkswagen 8E0 407 693 K

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)

Audi A4 II (8E_) (02/00-12/05)

Audi A6 II (4B, C5) (01/97-12/05)

Skoda Superb I (3U) (12/01-03/08)

Audi A4 I (8D_) (11/94-12/02)

Audi A4 III (8E_) (11/04-06/08)

Audi A8 I (4D_) (03/94-12/05)

Volkswagen Passat (3B_) (08/96-12/05)

Control arm

116 050 8300/HD

MCA0236HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Lower
Rear
with accessories
with rubber mount



Length [mm]

383

Paired article number

116 050 8299/HD | MCA0235HD

Replace in pairs only

Required quantity

1

reinforced version

References

Audi 4D0 407 694 AC

Audi 4D0 407 694 AD

Audi 4D0 407 694 E

Audi 4D0 407 694 G

Audi 4D0 407 694 H

Audi 4D0 407 694 K

Audi 4D0 407 694 M

Audi 4D0 407 694 P

Audi 4D0 407 696 J

Audi 8E0 407 694 AG

Audi 8E0 407 694 K

Audi 8E0 407 694 Q

Audi (FAW) 8E0 407 694 AG

Audi (FAW) 8E0 407 694 Q

Skoda 8E0 407 694 AG

Skoda 8E0 407 694 Q

Volkswagen 4D0 407 694 N

Volkswagen 8E0 407 694

Volkswagen 8E0 407 694 AG

Volkswagen 8E0 407 694 E

Volkswagen 8E0 407 694 H

Volkswagen 8E0 407 694 K

Volkswagen 8E0 407 694 Q

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)

Audi A4 I (8D_) (11/94-12/02)

Audi A4 II (8E_) (02/00-12/05)



Audi A4 III (8E_) (11/04-06/08)

Audi A6 II (4B, C5) (01/97-12/05)

Audi A8 I (4D_) (03/94-12/05)

Skoda Superb I (3U) (12/01-03/08)

Volkswagen Passat (3B_) (08/96-12/05)

Control arm		15-16 050 0000	MCA0244
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right Upper with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Alfa Romeo 51776226 Alfa Romeo 51834094 Alfa Romeo 60657246</p>		<p>Alfa Romeo 51776326 Alfa Romeo 60651940 Alfa Romeo 60666789</p>	
<p>Application info</p> <p>Alfa Romeo 147 (10/00-12/10) Alfa Romeo GT (937) (11/03-09/10)</p>		<p>Alfa Romeo 156 (02/97-05/06)</p>	
Control arm		15-16 050 0001	MCA0245
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Upper with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Alfa Romeo 51776327 Alfa Romeo 60651939 Alfa Romeo 60666787</p>		<p>Alfa Romeo 51834093 Alfa Romeo 60657245</p>	
<p>Application info</p> <p>Alfa Romeo 147 (10/00-12/10) Alfa Romeo GT (937) (11/03-09/10)</p>		<p>Alfa Romeo 156 (02/97-05/06)</p>	

Control arm **15-16 050 0010** **MCA0248**

Notes

Aluminium
Control Arm
Front Axle Right
Lower
with ball joint
with rubber mount

Paired article number 15-16 050 0011 | MCA0249
Required quantity 1
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Alfa Romeo 50704307 | Alfa Romeo 50706859 |
| Alfa Romeo 50707030 | Alfa Romeo 50707317 |
| Alfa Romeo 51795446 | Alfa Romeo 51805472 |
| Alfa Romeo 51842924 | Alfa Romeo 71749328 |

Application info

- | | |
|---------------------------------------|--------------------------------|
| Alfa Romeo 159 (06/05-12/12) | Alfa Romeo Brera (01/06-05/11) |
| Alfa Romeo Spider (939) (03/06-03/11) | |

Control arm **15-16 050 0011** **MCA0249**

Notes

Aluminium
Control Arm
Front Axle Left
Lower
with ball joint
with rubber mount

Paired article number 15-16 050 0010 | MCA0248
Required quantity 1
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Alfa Romeo 50704306 | Alfa Romeo 50706858 |
| Alfa Romeo 50707029 | Alfa Romeo 50707316 |
| Alfa Romeo 51795447 | Alfa Romeo 51805471 |
| Alfa Romeo 51842925 | Alfa Romeo 71749327 |

Application info

- | | |
|---------------------------------------|--------------------------------|
| Alfa Romeo 159 (06/05-12/12) | Alfa Romeo Brera (01/06-05/11) |
| Alfa Romeo Spider (939) (03/06-03/11) | |

Control arm

15-16 050 0014/HD

MCA0252HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Upper
with ball joint
with rubber mount

Cone Pitch

1:10

Paired article number

15-16 050 0015/HD | MCA0253HD

Replace in pairs only

Required quantity

1

reinforced version



References

Alfa Romeo 50704948

Alfa Romeo 50707480

Alfa Romeo 51787336

Alfa Romeo 51817624

Alfa Romeo 71746513

Application info

Alfa Romeo 159 (06/05-12/12)

Alfa Romeo Brera (01/06-05/11)

Alfa Romeo Spider (939) (03/06-03/11)

Control arm

15-16 050 0015/HD

MCA0253HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Upper
with ball joint
with bore for sensor
with rubber mount

Cone Pitch

1:10

Paired article number

15-16 050 0014/HD | MCA0252HD

Replace in pairs only

Required quantity

1

reinforced version



References

Alfa Romeo 50704947
 Alfa Romeo 51787337
 Alfa Romeo 71746512

Alfa Romeo 50707481
 Alfa Romeo 51817623

Application info

Alfa Romeo 159 (06/05-12/12)
 Alfa Romeo Spider (939) (03/06-03/11)

Alfa Romeo Brera (01/06-05/11)

Control arm

15-16 050 0020/HD

MCA0876HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Upper
 with ball joint
 with bore for sensor
 with rubber mount

Cone Pitch

1:6

Paired article number

15-16 050 0021/HD | MCA0877HD

Replace in pairs only

Required quantity

1

reinforced version



References

Alfa Romeo 51828661

Alfa Romeo 51835397

Application info

Alfa Romeo 159 (06/05-12/12)
 Alfa Romeo Spider (939) (03/06-03/11)

Alfa Romeo Brera (01/06-05/11)

Control arm		15-16 050 0021/HD	MCA0877HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Right Upper with ball joint with rubber mount</p> <p>Cone Pitch 1:6</p> <p>Paired article number 15-16 050 0020/HD MCA0876HD</p> <p>Replace in pairs only</p> <p>Required quantity 1</p> <p>reinforced version</p>			
<p>References</p> <p>Alfa Romeo 51828660 Alfa Romeo 51835398</p>			
<p>Application info</p> <p>Alfa Romeo 159 (06/05-12/12) Alfa Romeo Brera (01/06-05/11)</p> <p>Alfa Romeo Spider (939) (03/06-03/11)</p>			
Control arm		15-16 050 0030	MCA1589
<p>Notes</p> <p>Aluminium Centre Front Rear Axle Left Rear Axle Right Semi-Trailing Arm for left-hand drive vehicles for right-hand drive vehicles</p> <p>Bore Diameter [mm] 12.2</p> <p>Length [mm] 195</p> <p>Required quantity 2</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Alfa Romeo 50540594</p>			
<p>Application info</p> <p>Alfa Romeo Giulia (952) (10/15--)</p> <p>Alfa Romeo Stelvio (949) (12/16--)</p>			

Control arm		15-16 050 0031	MCA1592
<p>Notes</p> <p>Aluminium Control Arm Rear Rear Axle Left Rear Axle Right Upper for left-hand drive vehicles for right-hand drive vehicles</p> <p>Length [mm] 281 Required quantity 2 replacement in pairs recommended</p>		 	
<p>References</p> <p>Alfa Romeo 50541788 Alfa Romeo 50543275</p>			
<p>Application info</p> <p>Alfa Romeo Giulia (952) (10/15--) Alfa Romeo Stelvio (949) (12/16--)</p>			
Control arm		16-16 050 0005	MCA0258
<p>Notes</p> <p>Control Arm Front Axle Right Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number 16-16 050 0006 MCA0259 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Renault 7700820029 Renault 8200737126</p>			
<p>Application info</p> <p>Renault Twingo I (03/93-10/12)</p>			

Control arm

16-16 050 0006

MCA0259

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 16-16 050 0005 | MCA0258
Required quantity 1
replacement in pairs recommended



References

Renault 7700820028 Renault 8200737125

Application info

Renault Twingo I (03/93-10/12)

Control arm

16-16 050 0007/HD

MCA0260HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 16-16 050 0008/HD | MCA0261HD
Replace in pairs only
Required quantity 1
reinforced version



References

Nissan 54500-00Q0D	Nissan 54500-00Q0J
Nissan 54500-00Q0M	Nissan 54500-00Q1A
Nissan 54500-00QAH	Renault 7700310810
Renault 7700313945	Renault 7700420033
Renault 7700425033	Renault 7700425228
Renault 8200197187	Renault 8200197189
Renault 8200737129	Renault 8200737141
Renault 8200942408	

Application info

Nissan Kubistar (08/03--)
Renault Kangoo I (08/97--)

Renault Clio II / Thalia (02/98--)

Control arm

16-16 050 0008/HD

MCA0261HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 16-16 050 0007/HD | MCA0260HD
Replace in pairs only
Required quantity 1
reinforced version



References

- | | |
|--------------------|--------------------|
| Nissan 54501-00Q0D | Nissan 54501-00Q0G |
| Nissan 54501-00Q0K | Nissan 54501-00Q0L |
| Nissan 54501-00QAG | Nissan 54501-00QAH |
| Renault 7700310809 | Renault 7700313944 |
| Renault 7700420032 | Renault 7700425032 |
| Renault 7700425227 | Renault 8200197179 |
| Renault 8200197181 | Renault 8200737123 |
| Renault 8200737138 | Renault 8200942407 |

Application info

Nissan Kubistar (08/03--)
Renault Kangoo I (08/97--)

Renault Clio II / Thalia (02/98--)

Control arm

16-16 050 0015

MCA0264

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 16-16 050 0016 | MCA0265
Required quantity 1
replacement in pairs recommended



References

Dacia 545011362R	Dacia 545019294R
Dacia 6001547520	Dacia 6001549181
Dacia 6001550446	Dacia 6001550909
Dacia 6001550911	Dacia 8200216376
Dacia 8200749461	Dacia 8200792639
Dacia 8200820930	Dacia 8200910716
Renault 545011362R	Renault 545019294R
Renault 6001547520	Renault 6001549181
Renault 6001550446	Renault 6001550909
Renault 6001550911	Renault 8200216376
Renault 8200820930	Renault 8200910716

Application info

Dacia Logan I (08/04--)	Dacia Sandero I (06/08--)
Renault Logan I (09/04--)	Renault Sandero/Stepway I (11/07--)

Control arm

16-16 050 0016 MCA0265

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 16-16 050 0015 | MCA0264
 Required quantity 1
 replacement in pairs recommended



References

Dacia 545000794R	Dacia 545004269R
Dacia 6001547519	Dacia 6001549182
Dacia 6001550447	Dacia 6001550910
Dacia 6001550912	Dacia 8200216377
Dacia 8200749459	Dacia 8200792640
Dacia 8200820918	Dacia 8200910717
Renault 545000794R	Renault 545004269R
Renault 6001547519	Renault 6001549182
Renault 6001550447	Renault 6001550910
Renault 6001550912	Renault 8200216377
Renault 8200820918	Renault 8200910717

DRIVER'S BEST FRIEND

MEYLE

Application info

Dacia Logan I (08/04--)
Renault Logan I (09/04--)

Dacia Sandero I (06/08--)
Renault Sandero/Stepway I (11/07--)

Control arm

16-16 050 0017/HD

MCA0266HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number
Replace in pairs only
Required quantity
reinforced version

16-16 050 0018/HD | MCA0267HD

1



References

GENERAL MOTORS 91166462
GENERAL MOTORS 93858141
Nissan 54503-00Q0A
Nissan 54503-00QAA
Opel 44 08 958
Opel 44 18 223
Renault 8200247898
Vauxhall 44 08 958

GENERAL MOTORS 93851117
GENERAL MOTORS 95523358
Nissan 54503-00Q0B
Nissan 54503-00QAB
Opel 44 12 934
Renault 8200054003
Renault 8200565072
Vauxhall 44 12 934

Application info

Nissan Primastar I (X83) (03/01--)
Renault Trafic II (03/01--)

Opel Vivaro A (08/01--)
Vauxhall Vivaro A (08/01-07/14)

Control arm

16-16 050 0018/HD

MCA0267HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount



Paired article number 16-16 050 0017/HD | MCA0266HD
Replace in pairs only
Required quantity 1
reinforced version

References

- | | |
|-------------------------|-------------------------|
| GENERAL MOTORS 91166461 | GENERAL MOTORS 93851118 |
| GENERAL MOTORS 93858142 | GENERAL MOTORS 95523257 |
| Nissan 54502-00Q0A | Nissan 54502-00Q0B |
| Nissan 54502-00QAA | Nissan 54502-00QAB |
| Opel 44 08 959 | Opel 44 12 936 |
| Opel 44 18 224 | Renault 545042846R |
| Renault 8200054006 | Renault 8200247900 |
| Renault 8200565079 | Vauxhall 44 12 936 |

Application info

- | | |
|------------------------------------|---------------------------------|
| Nissan Primastar I (X83) (03/01--) | Opel Vivaro A (08/01--) |
| Renault Trafic II (03/01--) | Vauxhall Vivaro A (08/01-07/14) |

Control arm

16-16 050 0019/HD

MCA0268HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount



Paired article number 16-16 050 0020/HD | MCA0269HD
Replace in pairs only
Required quantity 1
reinforced version

References

Renault 545016805R
 Renault 8200273728
 Renault 8200452715

Renault 8200026654
 Renault 8200389134
 Renault 8200602612

Application info

Renault Laguna II (03/01-12/07)

Control arm

16-16 050 0020/HD

MCA0269HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

16-16 050 0019/HD | MCA0268HD

1



References

Renault 545002029R
 Renault 8200273729
 Renault 8200452716

Renault 8200026655
 Renault 8200389135
 Renault 8200602613

Application info

Renault Laguna II (03/01-12/07)

Control arm

16-16 050 0022

MCA0271

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number
 Required quantity
 replacement in pairs recommended

16-16 050 0024 | MCA0273

1



References

Renault 8200346941
Renault 8200744091

Renault 8200615057

Application info

Renault Clio III / Modus (09/04--)

Control arm

16-16 050 0024

MCA0273

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number
Required quantity
replacement in pairs recommended

16-16 050 0022 | MCA0271
1



References

Renault 8200346942
Renault 8200744092

Renault 8200615058

Application info

Renault Clio III / Modus (09/04--)

Control arm

16-16 050 0025

MCA0274

Notes

Cast Steel
Control Arm
Front Axle Left
Lower
with ball joint
with rubber mount

Paired article number
Required quantity
replacement in pairs recommended

16-16 050 0026 | MCA0275
1



References

GENERAL MOTORS 93853464
 GENERAL MOTORS 93862136
 Nissan 54503-00Q0D
 Opel 44 18 225
 Renault 545058162R
 Renault 8200626959
 Vauxhall 44 17 177

GENERAL MOTORS 93858864
 Nissan 54503-00Q0C
 Opel 44 17 177
 Opel 44 21 647
 Renault 8200395007
 Renault 8200876659

Application info

Nissan Primastar I (X83) (03/01--)
 Renault Trafic II (03/01--)

Opel Vivaro A (08/01--)
 Vauxhall Vivaro A (08/01-07/14)

Control arm**16-16 050 0026****MCA0275****Notes**

Cast Steel
 Control Arm
 Front Axle Right
 Lower
 with ball joint
 with rubber mount

Paired article number
 Required quantity
 replacement in pairs recommended

16-16 050 0025 | MCA0274
 1

**References**

GENERAL MOTORS 93853465
 GENERAL MOTORS 93862135
 Nissan 54502-00Q0D
 Opel 44 18 226
 Renault 545049296R
 Renault 8200626961
 Vauxhall 44 17 178

GENERAL MOTORS 93858865
 Nissan 54502-00Q0C
 Opel 44 17 178
 Opel 44 21 646
 Renault 8200395034
 Renault 8200876657

Application info

Nissan Primastar I (X83) (03/01--)
 Renault Trafic II (03/01--)

Opel Vivaro A (08/01--)
 Vauxhall Vivaro A (08/01-07/14)

Control arm **16-16 050 0027** **MCA0276**

Notes

Control Arm
 Front Axle Left
 Lower
 Steel
 with ball joint
 with rubber mount
 Paired article number 16-16 050 0028 | MCA0277
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|------------------------|-------------------------|
| GENERAL MOTORS 4418212 | GENERAL MOTORS 9109852 |
| GENERAL MOTORS 9109940 | GENERAL MOTORS 9112047 |
| GENERAL MOTORS 9160392 | GENERAL MOTORS 93192689 |
| Nissan 54501-00Q0C | Nissan 54501-00QAC |
| Nissan 54501-00QAD | Nissan 54501-00QAE |
| Opel 44 01 852 | Opel 44 01 940 |
| Opel 44 04 047 | Opel 44 18 212 |
| Opel 45 00 092 | Renault 7700302118 |
| Renault 7700302119 | Renault 7700309189 |
| Renault 7701302118 | Renault 8200256944 |
| Renault 8200256945 | Renault 8200270055 |
| Renault 8200767822 | Vauxhall 44 01 852 |
| Vauxhall 44 01 940 | Vauxhall 44 04 047 |
| Vauxhall 44 18 212 | Vauxhall 45 00 092 |

Application info

- | | |
|------------------------------------|------------------------------------|
| Nissan Interstar I (X70) (04/02--) | Opel Movano A (07/98--) |
| Renault Master II (03/98--) | Vauxhall Movano Mk I (10/98-12/10) |

Control arm **16-16 050 0028** **MCA0277**

Notes

Control Arm
 Front Axle Right
 Lower
 Steel
 with ball joint
 with rubber mount
 Paired article number 16-16 050 0027 | MCA0276
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-------------------------|------------------------|
| GENERAL MOTORS 9109853 | GENERAL MOTORS 9109941 |
| GENERAL MOTORS 9112048 | GENERAL MOTORS 9160393 |
| GENERAL MOTORS 93192690 | Nissan 54500-00Q0C |
| Nissan 54500-00QAC | Nissan 54500-00QAD |
| Nissan 54500-00QAE | Opel 44 01 853 |
| Opel 44 01 941 | Opel 44 04 048 |
| Opel 44 18 213 | Opel 45 00 093 |
| Renault 7700302119 | Renault 7700309190 |
| Renault 7701302119 | Renault 8200270058 |
| Renault 8200767825 | Vauxhall 44 01 853 |
| Vauxhall 44 01 941 | Vauxhall 44 04 048 |
| Vauxhall 44 18 213 | |

Application info

- | | |
|------------------------------------|------------------------------------|
| Nissan Interstar I (X70) (04/02--) | Opel Movano A (07/98--) |
| Renault Master II (03/98--) | Vauxhall Movano Mk I (10/98-12/10) |

Control arm

16-16 050 0029 MCA0278

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount
 Paired article number 16-16 050 0030 | MCA0279
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Renault 545013698R | Renault 8200255760 |
|--------------------|--------------------|

Application info

- Renault Mégane II (07/01--)

Control arm

16-16 050 0030

MCA0279

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 16-16 050 0029 | MCA0278
Required quantity 1
replacement in pairs recommended



References

Renault 545009769R Renault 8200255761

Application info

Renault Mégane II (07/01--)

Control arm

16-16 050 0031/HD

MCA0280HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 16-16 050 0032/HD | MCA0281HD
Replace in pairs only
Required quantity 1
reinforced version



References

Renault 545018433R Renault 545050804R
Renault 545051051R Renault 8200204837
Renault 8200266038 Renault 8200423381
Renault 8200458813 Renault 8200484810
Renault 8200602616 Renault 8200602619

Application info

Renault Espace IV (11/02--)
Renault Vel Satis (06/02--)

Control arm **16-16 050 0032/HD** **MCA0281HD**

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number
Replace in pairs only
Required quantity
reinforced version

16-16 050 0031/HD | MCA0280HD

1



References

Renault 545048101R	Renault 8200204838
Renault 8200266041	Renault 8200423380
Renault 8200423382	Renault 8200458814
Renault 8200484811	Renault 8200602617
Renault 8200602620	

Application info

Renault Espace IV (11/02--)	Renault Vel Satis (06/02--)
-----------------------------	-----------------------------

Control arm **16-16 050 0041/HD** **MCA0286HD**


Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Bore Diameter [mm]
Paired article number
Replace in pairs only
Required quantity
reinforced version

12
16-16 050 0042/HD | MCA0287HD

1



References

Renault 7700425724	Renault 7700430765
Renault 7700834916	Renault 8200737132

Application info

Renault Mégane I / Scénic I (08/95-07/10)

Control arm

16-16 050 0042/HD

MCA0287HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Bore Diameter [mm] 12
Paired article number 16-16 050 0041/HD | MCA0286HD
Replace in pairs only
Required quantity 1
reinforced version



References

Renault 7700425725 Renault 7700430766
Renault 7700834917 Renault 8200737133

Application info

Renault Mégane I / Scénic I (08/95-07/10)

Control arm

16-16 050 0043/HD

MCA0771HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 16-16 050 0044/HD | MCA0772HD
Replace in pairs only
Required quantity 1
Thread Size M12x1,25
reinforced version



References

Renault 545010008R Renault 545010009R
Renault 545010012R

Application info

Renault Laguna III / Coupe / Grandtour (10/07-12/15)

Control arm

16-16 050 0044/HD

MCA0772HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 16-16 050 0043/HD | MCA0771HD
Replace in pairs only
Required quantity 1
Thread Size M12x1,25
reinforced version



References

Renault 545000001R
Renault 545000011R

Renault 545000002R

Application info

Renault Laguna III / Coupe / Grandtour (10/07-12/15)

Control arm

16-16 050 0045

MCA0288

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 16-16 050 0046 | MCA0289
Required quantity 1
replacement in pairs recommended



References

Mercedes-Benz 415 330 03 00
Renault 8200586561

Mercedes-Benz A 415 330 03 00

Application info

Mercedes-Benz BM 415 (Citan) (11/12--)

Renault Kangoo II (02/08--)

Control arm		16-16 050 0046	MCA0289
<p>Notes</p> <p>Control Arm Front Axle Right Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 415 330 02 00 Renault 8200586567</p>		<p>Mercedes-Benz A 415 330 02 00</p>	
<p>Application info</p> <p>Mercedes-Benz BM 415 (Citan) (11/12--)</p>		<p>Renault Kangoo II (02/08--)</p>	
Control arm		16-16 050 0047	MCA0290
<p>Notes</p> <p>Control Arm Front Axle Left Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Renault 545014055R</p>		<p>Renault 545018194R</p>	
<p>Application info</p> <p>Renault Fluence (02/10--) Renault Scénic III (12/08--)</p>		<p>Renault Megane III (11/08--)</p>	

Control arm

16-16 050 0048

MCA0291

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number

16-16 050 0047 | MCA0290

Required quantity

1

replacement in pairs recommended



References

Renault 545008682R

Renault 545009207R

Application info

Renault Fluence (02/10--)

Renault Megane III (11/08--)

Renault Scénic III (12/08--)

Control arm

16-16 050 0049

MCA0292

Notes

Control Arm
Front Axle Left
Sheet Steel
with ball joint
with rubber mount

Paired article number

16-16 050 0050 | MCA0293

Required quantity

1

replacement in pairs recommended



References

Dacia 545011697R

Dacia 545012815R

Dacia 545016746R

Dacia 545019969R

Renault 545011697R

Renault 545012815R

Renault 545016746R

Renault 545019969R

Application info

Dacia Duster I (04/10--)

Renault Duster I (01/11--)

Control arm		16-16 050 0050	MCA0293
<p>Notes</p> <p>Control Arm Front Axle Right Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Dacia 545000138R Dacia 545001535R Dacia 545501225R Renault 545001225R Renault 545006542R</p>		<p>Dacia 545001225R Dacia 545006542R Renault 545000138R Renault 545001535R Renault 545501225R</p>	
<p>Application info</p> <p>Dacia Duster I (04/10--)</p>		<p>Renault Duster I (01/11--)</p>	
Control arm		16-16 050 0051/HD	MCA0294HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Left Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		 	
<p>References</p> <p>Renault 8200763294 Renault 8200942392</p>		<p>Renault 8200763301 Renault 8200942405</p>	
<p>Application info</p> <p>Renault Twingo II / Wind (03/07--)</p>			

Control arm	16-16 050 0052/HD	MCA0295HD
--------------------	--------------------------	------------------

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount



Paired article number 16-16 050 0051/HD | MCA0294HD
Replace in pairs only
Required quantity 1
reinforced version

References

Renault 8200663584	Renault 8200763290
Renault 8200763296	Renault 8200942396
Renault 8200942406	

Application info

Renault Twingo II / Wind (03/07--)

Control arm	16-16 050 0055	MCA0788
--------------------	-----------------------	----------------

Notes

Control Arm
Front Axle Right
Sheet Steel
with ball joint
with rubber mount



Paired article number 16-16 050 0056 | MCA0789
Required quantity 1
replacement in pairs recommended

References

Renault 545046162R	Renault 545046817R
Renault 545048506R	Renault 545049968R

Application info

Renault Clio IV (11/12--)	Renault Zoe (06/12--)
---------------------------	-----------------------

Control arm		16-16 050 0056	MCA0789
<p>Notes</p> <p>Control Arm Front Axle Left Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL PRODUCT</p>	
<p>References</p> <p>Renault 545052354R</p>		<p>Renault 545055711R</p>	
<p>Application info</p> <p>Renault Clio IV (11/12--)</p>		<p>Renault Zoe (06/12--)</p>	
Control arm		16-16 050 0059	MCA1155
<p>Notes</p> <p>Control Arm Front Axle Left Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity Thread Size replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL PRODUCT</p>	
<p>References</p> <p>Renault 545050794R</p>		<p>Renault 545058191R</p>	
<p>Application info</p> <p>Renault Clio IV (11/12--)</p>			

Control arm

16-16 050 0060

MCA1156

Notes

Control Arm
Front Axle Right
Sheet Steel
with ball joint
with rubber mount

Paired article number 16-16 050 0059 | MCA1155
Required quantity 1
Thread Size M12x1,25
replacement in pairs recommended



References

Renault 545041876R

Renault 545044506R

Application info

Renault Clio IV (11/12--)

Control arm

16-16 050 0066

MCA1114

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel
outer
with ball joint
with rubber mount

Paired article number 16-16 050 0067 | MCA1115
Required quantity 1
replacement in pairs recommended



References

Dacia 545001064R

Dacia 545004529R

Dacia 545006623R

Dacia 545007106R

Renault 545001064R

Renault 545004529R

Renault 545006623R

Renault 545007106R

Application info

Dacia Dokker (11/12--)
 Dacia Logan I (08/04--)
 Dacia Sandero II (10/12--)
 Renault Lodgy (JS_) (07/13--)
 Renault Logan II (09/12--)
 Renault Sandero/Stepway I (11/07--)
 Renault Thalia III (12/13--)

Dacia Lodgy (03/12--)
 Dacia Logan II (10/12--)
 Renault Dokker (12/13--)
 Renault Logan I (09/04--)
 Renault Megane III (11/08--)
 Renault Sandero/Stepway II (11/13--)

Control arm**16-16 050 0067****MCA1115****Notes**

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 outer
 with ball joint
 with rubber mount

Paired article number
 Required quantity
 replacement in pairs recommended

16-16 050 0066 | MCA1114
 1

**References**

Dacia 545010294R
 Dacia 545017081R
 Renault 545010294R
 Renault 545017081R

Dacia 545011727R
 Dacia 545019811R
 Renault 545011727R
 Renault 545019811R

Application info

Dacia Dokker (11/12--)
 Dacia Logan I (08/04--)
 Dacia Sandero II (10/12--)
 Renault Lodgy (JS_) (07/13--)
 Renault Logan II (09/12--)
 Renault Sandero/Stepway I (11/07--)
 Renault Thalia III (12/13--)

Dacia Lodgy (03/12--)
 Dacia Logan II (10/12--)
 Renault Dokker (12/13--)
 Renault Logan I (09/04--)
 Renault Megane III (11/08--)
 Renault Sandero/Stepway II (11/13--)

Control arm **16-16 050 0068** **MCA1259**

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 Paired article number 16-16 050 0069 | MCA1260
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Renault 545003037R | Renault 545040131R |
| Renault 545041327R | Renault 545045476R |
| Renault 545045743R | Renault 545047954R |
| Renault 8200298455 | Renault 8200364391 |
| Renault 8200457209 | Renault 8200679067 |

Application info

- | | |
|---------------------------------|-----------------------------|
| Renault Captur I (06/13--) | Renault Mégane II (07/01--) |
| Renault Scénic II (06/03-07/10) | |

Control arm **16-16 050 0069** **MCA1260**

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 Paired article number 16-16 050 0068 | MCA1259
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Renault 545017775R | Renault 545052737R |
| Renault 545053170R | Renault 545055208R |
| Renault 545055708R | Renault 545059335R |
| Renault 8200298454 | Renault 8200364388 |
| Renault 8200457208 | Renault 8200679063 |

Application info

Renault Captur I (06/13--)
Renault Scénic II (06/03-07/10)

Renault Mégane II (07/01--)

Control arm

16-16 050 0070/HD

MCA1593HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Steel
for left-hand drive vehicles
for right-hand drive vehicles
with ball joint



Length [mm] 356.6
Paired article number 16-16 050 0071/HD | MCA1594HD
Replace in pairs only
Required quantity 1
Width [mm] 252.4

References

Renault 545000399R
Renault 545009795R

Renault 545006560R

Application info

Renault Megane III (11/08--)

Renault Scénic III (12/08--)

Control arm

16-16 050 0071/HD

MCA1594HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Steel
for left-hand drive vehicles
for right-hand drive vehicles
with ball joint



Length [mm] 356.6
Paired article number 16-16 050 0070/HD | MCA1593HD
Replace in pairs only
Required quantity 1
Width [mm] 252.4

DRIVER'S BEST FRIEND

MEYLE

References

Renault 545016101R
Renault 545019389R

Renault 545016838R

Application info

Renault Megane III (11/08--)

Renault Scenic III (12/08--)

Control arm

16-16 050 0073

MCA1475

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
outer

Paired article number
Required quantity
replacement in pairs recommended

16-16 050 0074 | MCA1476
1



References

Renault 545050873R
Renault 545057345R
Smart 453 330 31 00
Smart 453 330 81 00
Smart A 453 330 31 00
Smart A 453 330 81 00

Renault 545051097R
Smart 453 330 29 00
Smart 453 330 79 00
Smart A 453 330 29 00
Smart A 453 330 79 00

Application info

Renault Twingo III (09/14--)
Smart Fortwo III (07/14--)

Smart Forfour II (07/14--)

Control arm

16-16 050 0074

MCA1476

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel
outer

Paired article number
Required quantity
replacement in pairs recommended

16-16 050 0073 | MCA1475
1



References

Renault 545047654R	Renault 545048628R
Renault 545049600R	Smart 453 330 30 00
Smart 453 330 32 00	Smart 453 330 80 00
Smart 453 330 82 00	Smart A 453 330 30 00
Smart A 453 330 32 00	Smart A 453 330 80 00
Smart A 453 330 82 00	

Application info

Renault Twingo III (09/14--)	Smart Forfour II (07/14--)
Smart Fortwo III (07/14--)	

Control arm

16-16 050 0075 MCA1278

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel

Paired article number
Required quantity
replacement in pairs recommended

1



References

Renault 545057449R	Renault 545058397R
Renault 545058992R	

Application info

Renault Megane IV (11/15--)

Control arm

16-16 050 0076 MCA1279

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel

Paired article number
Required quantity
replacement in pairs recommended

1



References

Renault 545042021R
Renault 545049566R

Renault 545045297R

Application info

Renault Megane IV (11/15--)

Control arm

16-16 050 0077

MCA1377

Notes

Control Arm
Front Axle Left
Lower
Steel
outer

Paired article number
Required quantity
replacement in pairs recommended

16-16 050 0078 | MCA1378
1



References

Dacia 545055413R

Renault 545055413R

Application info

Dacia Duster I (04/10--)
Renault Arkana (08/19--)
Renault Kaptur (03/16--)

Dacia Duster II (10/17--)
Renault Duster II (10/17--)

Control arm

16-16 050 0078


MCA1378

Notes

Control Arm
Front Axle Right
Lower
Steel
outer

Paired article number
Required quantity
replacement in pairs recommended

16-16 050 0077 | MCA1377
1



References

Dacia 545040280R

Renault 545040280R

Application info

Dacia Duster I (04/10--)
 Renault Arkana (08/19--)
 Renault Kaptur (03/16--)

Dacia Duster II (10/17--)
 Renault Duster II (10/17--)

Control arm

16-16 050 7032/HD

MCA0300HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Bore Diameter [mm]
 Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

10
 16-16 050 7033/HD | MCA0301HD
 1



References

Renault 7700436303
 Renault 7700818052
 Renault 8200737135

Renault 7700781035
 Renault 7700831369

Application info

Renault Mégane I / Scénic I (08/95-07/10)

Renault R 19 (01/88-08/03)

Control arm

16-16 050 7033/HD

MCA0301HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Bore Diameter [mm]
 Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

10
 16-16 050 7032/HD | MCA0300HD
 1



References

Renault 7700436302
 Renault 7700818051
 Renault 8200737134

Renault 7700781034
 Renault 7700831368

Application info

Renault Mégane I / Scénic I (08/95-07/10)

Renault R 19 (01/88-08/03)

Control arm

18-16 050 0002

MCA0773

Notes

Aluminium
 Control Arm
 Front Axle Left
 Upper
 with ball joint
 with rubber mount

Bore Diameter [mm] 10
 Paired article number 18-16 050 0003 | MCA0774
 Required quantity 1
 Thread Size M12x1,75
 replacement in pairs recommended



References

Jaguar 2R833091AD
 Jaguar 2R833091AG
 Jaguar 8X233091AB
 Jaguar C2Z2279
 Jaguar XR842383
 Jaguar XR857653

Jaguar 2R833091AE
 Jaguar 8X233091AA
 Jaguar 8X233091AD
 Jaguar XR822285
 Jaguar XR857079
 Jaguar XR858823

Application info

Jaguar S-Type (CCX) (10/98-12/08)

Jaguar XF I (X250) (03/08--)

Control arm		18-16 050 0003	MCA0774												
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right Upper with ball joint with rubber mount</p> <p>Bore Diameter [mm] 10 Paired article number 18-16 050 0002 MCA0773 Required quantity 1 Thread Size M12x1,75 replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL QUALITY</p>													
<p>References</p> <table border="0"> <tr> <td>Jaguar 2R833084AD</td> <td>Jaguar 2R833084AE</td> </tr> <tr> <td>Jaguar 2R833084AG</td> <td>Jaguar 8X233084AA</td> </tr> <tr> <td>Jaguar 8X233084AD</td> <td>Jaguar C2Z2278</td> </tr> <tr> <td>Jaguar C2Z31677</td> <td>Jaguar XR822284</td> </tr> <tr> <td>Jaguar XR842382</td> <td>Jaguar XR857078</td> </tr> <tr> <td>Jaguar XR857652</td> <td></td> </tr> </table>				Jaguar 2R833084AD	Jaguar 2R833084AE	Jaguar 2R833084AG	Jaguar 8X233084AA	Jaguar 8X233084AD	Jaguar C2Z2278	Jaguar C2Z31677	Jaguar XR822284	Jaguar XR842382	Jaguar XR857078	Jaguar XR857652	
Jaguar 2R833084AD	Jaguar 2R833084AE														
Jaguar 2R833084AG	Jaguar 8X233084AA														
Jaguar 8X233084AD	Jaguar C2Z2278														
Jaguar C2Z31677	Jaguar XR822284														
Jaguar XR842382	Jaguar XR857078														
Jaguar XR857652															
<p>Application info</p> <table border="0"> <tr> <td>Jaguar S-Type (CCX) (10/98-12/08)</td> <td>Jaguar XF I (X250) (03/08--)</td> </tr> </table>				Jaguar S-Type (CCX) (10/98-12/08)	Jaguar XF I (X250) (03/08--)										
Jaguar S-Type (CCX) (10/98-12/08)	Jaguar XF I (X250) (03/08--)														
Control arm		18-16 050 0011	MCA1343												
<p>Notes</p> <p>Control Arm Grey Cast Iron Rear Axle Left Rear Axle Right Upper</p> <p>Required quantity 2 replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL QUALITY</p>													

References

Ford 1 041 683	Ford 1 093 772
Ford 1 116 608	Ford 1 325 326
Ford 1S71-5500-AA	Ford 1S71-5500-AC
Ford 6 710 264	Ford 6 829 058
Ford 93BB-5500-AB	Ford 93BB-5500-AC
Ford 93BB-5500-AD	Ford 93BB-5500-AE
Jaguar C2S35280	Jaguar C2S39484
Jaguar C2S9241	

Application info

Ford Mondeo I, II (01/93-09/00)	Ford Mondeo III (10/00-09/07)
Jaguar X-Type (03/01-12/09)	

Control arm


18-16 050 0027

MCA1452

Notes

Aluminium
Control Arm
Lower
Rear Axle Left
Rear Axle Right
outer
2

Required quantity
replacement in pairs recommended



References

Jaguar T2H16771	Jaguar T2H2185
-----------------	----------------

Application info

Jaguar XE (X760) (03/15--)	Jaguar XF II (X260) (05/15--)
----------------------------	-------------------------------

Control arm		18-16 050 0028/HD	MCA1526HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Right Upper</p> <p>Length [mm] 192.5 Paired article number 18-16 050 0029/HD MCA1527HD Replace in pairs only Required quantity 1 reinforced version</p>			
<p>References</p> <p>Jaguar GX733084BA Jaguar T4N1128</p>			
<p>Application info</p> <p>Jaguar XE (X760) (03/15--) Jaguar XF II (X260) (05/15--)</p>			
Control arm		18-16 050 0029/HD	MCA1527HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Left Upper</p> <p>Length [mm] 192.5 Paired article number 18-16 050 0028/HD MCA1526HD Replace in pairs only Required quantity 1 reinforced version</p>			
<p>References</p> <p>Jaguar GX733091BA Jaguar T4N1130</p>			
<p>Application info</p> <p>Jaguar XE (X760) (03/15--) Jaguar XF II (X260) (05/15--)</p>			

Control arm		216 050 0005	MCA0308
<p>Notes</p> <p>Control Arm Front Axle Right Lower Steel with ball joint with rubber mount</p> <p>Paired article number 216 050 0010 MCA0313 Required quantity 1 replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 46545661 Fiat 46551790 Fiat 51842193</p>			
<p>Application info</p> <p>Fiat Punto II (09/99-07/12)</p>			
Control arm		216 050 0006	MCA0309
<p>Notes</p> <p>Control Arm Front Axle Left Lower Steel with rubber mount</p> <p>Paired article number 216 050 0007 MCA0310 Required quantity 1 replacement in pairs recommended</p>			
<p>References</p> <p>Alfa Romeo 46423824 Alfa Romeo 46474556 Alfa Romeo 60586771 Alfa Romeo 60809813 Alfa Romeo 60813013 Alfa Romeo 60813043 Alfa Romeo 93501116 Fiat 46456049 Fiat 46462626 Fiat 46474556 Fiat 60811769 Fiat 7780443 Fiat 93501116 Lancia 46474556</p>			

Application info

Alfa Romeo 145 / 146 (07/94-10/01)
 Alfa Romeo GTV (09/94-10/05)
 Fiat Brava / Bravo (182) (10/95-06/03)
 Fiat Marea / Multipla (05/96-06/10)

Alfa Romeo 155 (01/92-12/97)
 Alfa Romeo Spider (916) (09/94-04/05)
 Fiat Coupé (11/93-08/00)

Control arm**216 050 0007****MCA0310****Notes**

Control Arm
 Front Axle Right
 Lower
 Steel
 with rubber mount
 Paired article number 216 050 0006 | MCA0309
 Required quantity 1
 replacement in pairs recommended

**References**

Alfa Romeo 46423825
 Alfa Romeo 60586772
 Alfa Romeo 60813014
 Alfa Romeo 93501117
 Fiat 46462627
 Fiat 60811770
 Fiat 93501117

Alfa Romeo 46474557
 Alfa Romeo 60809814
 Alfa Romeo 60813044
 Fiat 46456050
 Fiat 46474557
 Fiat 7780444
 Lancia 46474557

Application info

Alfa Romeo 145 / 146 (07/94-10/01)
 Alfa Romeo GTV (09/94-10/05)
 Fiat Brava / Bravo (182) (10/95-06/03)
 Fiat Marea / Multipla (05/96-06/10)

Alfa Romeo 155 (01/92-12/97)
 Alfa Romeo Spider (916) (09/94-04/05)
 Fiat Coupé (11/93-08/00)

Control arm		216 050 0010	MCA0313
<p>Notes</p> <p>Control Arm Front Axle Left Lower Steel with ball joint with rubber mount</p> <p>Paired article number 216 050 0005 MCA0308 Required quantity 1 replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL PRODUCT</p>	
<p>References</p> <p>Fiat 46545660 Fiat 46551732 Fiat 51842192</p>			
<p>Application info</p> <p>Fiat Punto II (09/99-07/12)</p>			
Control arm		216 050 0015	MCA0316
<p>Notes</p> <p>Control Arm Front Axle Right Lower Steel with rubber mount</p> <p>Paired article number 216 050 0016 MCA0317 Required quantity 1 replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL PRODUCT</p>	
<p>References</p> <p>Fiat 7636996</p>			
<p>Application info</p> <p>Fiat Cinquecento / Seicento (07/91-01/10)</p>			

Control arm		216 050 0016	MCA0317
<p>Notes</p> <p>Control Arm Front Axle Left Lower Steel with rubber mount</p> <p>Paired article number 216 050 0015 MCA0316 Required quantity 1 replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL PRODUCT</p>	
<p>References</p> <p>Fiat 7636995</p>			
<p>Application info</p> <p>Fiat Cinquecento / Seicento (07/91-01/10)</p>			
Control arm		216 050 0017	MCA0318
<p>Notes</p> <p>Control Arm Front Axle Right Lower Steel with rubber mount</p> <p>Paired article number 216 050 0018 MCA0319 Required quantity 1 replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL PRODUCT</p>	
<p>References</p> <p>Fiat 50700779</p>			
<p>Application info</p> <p>Fiat Stilo (10/01-11/10)</p>			

Control arm		216 050 0020	MCA0321
<p>Notes</p> <p>Control Arm Front Axle Left Lower Steel with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 46525407 Fiat 51832937 Lancia 46764746</p>		<p>Fiat 46764746 Lancia 46525407 Lancia 51832937</p>	
<p>Application info</p> <p>Fiat Marea / Multipla (05/96-06/10)</p>		<p>Lancia Lybra (07/99-10/05)</p>	
Control arm		216 050 0021	MCA0322
<p>Notes</p> <p>Control Arm Front Axle Left Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 46539001 Fiat 46794066 Fiat 51712408 Fiat 51764471 Fiat 51866701</p>		<p>Fiat 46777742 Fiat 46813842 Fiat 51747324 Fiat 51769074</p>	
<p>Application info</p> <p>Fiat Doblo (119, 223) (11/00--)</p>		<p>Fiat Palio / Albea / Siena / Strada (04/96--)</p>	

Control arm		216 050 0022	MCA0323										
<p>Notes</p> <p>Control Arm Front Axle Right Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number 216 050 0021 MCA0322 Required quantity 1 replacement in pairs recommended</p>		 											
<p>References</p> <table border="0"> <tr> <td>Fiat 46539000</td> <td>Fiat 46777741</td> </tr> <tr> <td>Fiat 46794065</td> <td>Fiat 46813841</td> </tr> <tr> <td>Fiat 51712407</td> <td>Fiat 51747323</td> </tr> <tr> <td>Fiat 51764470</td> <td>Fiat 51769073</td> </tr> <tr> <td>Fiat 51866700</td> <td></td> </tr> </table>				Fiat 46539000	Fiat 46777741	Fiat 46794065	Fiat 46813841	Fiat 51712407	Fiat 51747323	Fiat 51764470	Fiat 51769073	Fiat 51866700	
Fiat 46539000	Fiat 46777741												
Fiat 46794065	Fiat 46813841												
Fiat 51712407	Fiat 51747323												
Fiat 51764470	Fiat 51769073												
Fiat 51866700													
<p>Application info</p> <table border="0"> <tr> <td>Fiat Doblo (119, 223) (11/00--)</td> <td>Fiat Palio / Albea / Siena / Strada (04/96--)</td> </tr> </table>				Fiat Doblo (119, 223) (11/00--)	Fiat Palio / Albea / Siena / Strada (04/96--)								
Fiat Doblo (119, 223) (11/00--)	Fiat Palio / Albea / Siena / Strada (04/96--)												
Control arm		216 050 0026	MCA0324										
<p>Notes</p> <p>Control Arm Front Axle Left Lower Steel with rubber mount</p> <p>Paired article number 216 050 0027 MCA0325 Required quantity 1 replacement in pairs recommended</p>		 											
<p>References</p> <table border="0"> <tr> <td>Fiat 50703128</td> <td>Fiat 51857133</td> </tr> </table>				Fiat 50703128	Fiat 51857133								
Fiat 50703128	Fiat 51857133												
<p>Application info</p> <table border="0"> <tr> <td>Fiat Panda II (09/03--)</td> <td></td> </tr> </table>				Fiat Panda II (09/03--)									
Fiat Panda II (09/03--)													

Control arm		216 050 0027	MCA0325
<p>Notes</p> <p>Control Arm Front Axle Right Lower Steel with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Fiat 50703129 Fiat 51857134</p>			
<p>Application info</p> <p>Fiat Panda II (09/03--)</p>			
Control arm		216 050 0036/HD	MCA0329HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Right Sheet Steel Upper with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		 	
<p>References</p> <p>Iveco 4255 1297 Iveco 5 0033 4710 Iveco 5 0034 4888 Iveco 5 0037 9802</p>			
<p>Application info</p> <p>Iveco Daily III (11/97-10/09) Iveco Daily IV (05/06-03/12) Iveco Daily V (09/11-02/14)</p>			

Control arm 216 050 0039/HD MCA0332HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number
Replace in pairs only
Required quantity
reinforced version

216 050 0038/HD | MCA0331HD

1



References
Iveco 5 0033 4717

Application info

Iveco Daily III (11/97-10/09) Iveco Daily IV (05/06-03/12)
Iveco Daily V (09/11-02/14)

Control arm 216 050 0044/HD MCA0333HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Steel
with ball joint
with bore for sensor
with rubber mount

Paired article number
Replace in pairs only
Required quantity
reinforced version

216 050 0045/HD | MCA0334HD

1



References

ABARTH 50710621
 ABARTH 51860383
 Fiat 50709579
 Fiat 51857021
 Fiat 52045069
 Ford 1 580 514
 Ford 2 014 011
 Ford 9S51-3078-AB
 Ford FS51-3078-AA

ABARTH 51857021
 ABARTH 52045069
 Fiat 50710621
 Fiat 51860383
 Ford 1 540 244
 Ford 1 639 574
 Ford 9S51-3078-AA
 Ford 9S51-3078-AC

Application info

ABARTH 500 (01/08--)
 Ford KA II (10/08-05/16)

Fiat 500 (07/07--)

Control arm**216 050 0045/HD****MCA0334HD****Notes**

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Steel
 with ball joint
 with rubber mount

Paired article number
 216 050 0044/HD | MCA0333HD

Required quantity
 1

Replace in pairs only
 Reinforced version

**References**

ABARTH 50710620
 ABARTH 52045068
 Fiat 50710620
 Fiat 52045068
 Ford 1 548 515
 Ford 2 014 015
 Ford 9S51-3078-BC

ABARTH 51857022
 Fiat 50709580
 Fiat 51857022
 Ford 1 540 246
 Ford 1 639 575
 Ford 6M2J-U23942-CA
 Ford FS51-3078-BA

Application info

ABARTH 500 (01/08--)
 Ford KA II (10/08-05/16)

Fiat 500 (07/07--)

Control arm		216 050 0046	MCA0335
<p>Notes</p> <p>Control Arm Front Axle Left Sheet Steel with ball joint with rubber mount</p> <p>Paired article number 216 050 0047 MCA0336 Required quantity 1 replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 51810665 Fiat 51885737 Fiat 51932035 Fiat 52008282 Fiat 52026316 GENERAL MOTORS 95514537 Opel 3 52 538 Vauxhall 95514537</p>			
<p>Application info</p> <p>Fiat 500L (09/12--) Opel Combo D (02/12--)</p> <p>Fiat Doblo (263) (11/09--) Vauxhall Combo Mk III (07/06--)</p>			
Control arm		216 050 0047	MCA0336
<p>Notes</p> <p>Control Arm Front Axle Right Sheet Steel with ball joint with rubber mount</p> <p>Paired article number 216 050 0046 MCA0335 Required quantity 1 replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 51810664 Fiat 51885660 Fiat 51932036 Fiat 52008283 Fiat 52026317 GENERAL MOTORS 95514536 Opel 3 52 537 Vauxhall 95514536</p>			
<p>Application info</p> <p>Fiat 500L (09/12--) Opel Combo D (02/12--)</p> <p>Fiat Doblo (263) (11/09--) Vauxhall Combo Mk III (07/06--)</p>			

Control arm		216 050 0060/HD	MCA1132HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Right Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>			
<p>216 050 0061/HD MCA1133HD</p> <p>1</p>			
<p>References</p> <p>Peugeot 96 707 714 80</p>			
<p>Application info</p> <p>Peugeot 208 I (03/12--)</p>			
Control arm		216 050 0061/HD	MCA1133HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Left Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>			
<p>216 050 0060/HD MCA1132HD</p> <p>1</p>			
<p>References</p> <p>Peugeot 96 707 720 80</p>			
<p>Application info</p> <p>Peugeot 208 I (03/12--)</p>			


Control arm		216 050 0062	MCA1029
<p>Notes</p> <p>Control Arm Front Axle Right Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Fiat 51772988</p>		<p>Fiat 51772989</p>	
<p>Application info</p> <p>Fiat Doblo (119, 223) (11/00--)</p>			
Control arm		216 050 0063	MCA1030
<p>Notes</p> <p>Control Arm Front Axle Left Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>Fiat 51772992</p>		<p>Fiat 51772993</p>	
<p>Application info</p> <p>Fiat Doblo (119, 223) (11/00--)</p>			

Control arm		216 050 0064	MCA1224
<p>Notes</p> <p>Control Arm Front Axle Right Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 51849600 Fiat 51957400</p>		<p>Fiat 51928527 Fiat 52013959</p>	
<p>Application info Fiat Panda III (02/12--)</p>			
Control arm		216 050 0065	MCA1225
<p>Notes</p> <p>Control Arm Front Axle Left Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 51849602 Fiat 51957401</p>		<p>Fiat 51928536 Fiat 52013960</p>	
<p>Application info Fiat Panda III (02/12--)</p>			

Control arm		216 050 0068	MCA1226
<p>Notes</p> <p>Control Arm Front Axle Right Sheet Steel with ball joint</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 52011612 Fiat 52082897 Fiat K68385373AA</p>		<p>Fiat 52056673 Fiat K68326642AA</p>	
<p>Application info</p> <p>Fiat Tipo (356) (10/15--)</p>			
Control arm		216 050 0069	MCA1227
<p>Notes</p> <p>Control Arm Front Axle Left Sheet Steel with ball joint</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 52011614 Fiat 52082896</p>		<p>Fiat 52056674</p>	
<p>Application info</p> <p>Fiat Tipo (356) (10/15--)</p>			

Control arm		216 050 0070	MCA1351
<p>Notes</p> <p>Control Arm Front Axle Right Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 51959820 Jeep K68248000AA</p>		<p>Jeep 51959820</p>	
<p>Application info</p> <p>Fiat 500X (09/14--) Jeep Renegade (BU, B1) (07/14--)</p>		<p>Jeep Compass (MP) (01/16--)</p>	
Control arm		216 050 0071	MCA1352
<p>Notes</p> <p>Control Arm Front Axle Left Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 51961341</p>		<p>Jeep 51961341</p>	
<p>Application info</p> <p>Fiat 500X (09/14--) Jeep Renegade (BU, B1) (07/14--)</p>		<p>Jeep Compass (MP) (01/16--)</p>	

Control arm		216 050 3118	MCA0338
<p>Notes</p> <p>Control Arm Forged Front Axle Right Lower Steel with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		  	
<p>References</p> <p>Fiat 46423823 Fiat 7777240 Lancia 46423823 Lancia 71747916 Lancia 7777240 Lancia 82461082</p>		<p>Fiat 71747916 Fiat 82461082 Lancia 71738286 Lancia 7601062 Lancia 7780444</p>	
<p>Application info</p> <p>Fiat Brava / Bravo (182) (10/95-06/03) Lancia Dedra (01/89-07/99)</p>		<p>Fiat Tempra / Tipo (07/87-12/98) Lancia Delta I / II (09/79-09/99)</p>	
Control arm		216 050 4671	MCA0339
<p>Notes</p> <p>Control Arm Front Axle Left Lower Sheet Steel with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		  	
<p>References</p> <p>Fiat 5939683</p>		<p>Fiat 7705615</p>	
<p>Application info</p> <p>Fiat Uno (146A/E/Kasten) (01/83-12/13)</p>			

Control arm		216 050 4672	MCA0340
<p>Notes</p> <p>Control Arm Front Axle Right Lower Sheet Steel with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 5938685 Fiat 7705616</p>		<p>Fiat 5939685</p>	
<p>Application info</p> <p>Fiat Uno (146A/E/Kasten) (01/83-12/13)</p>			
Control arm		216 050 7504	MCA0341
<p>Notes</p> <p>Control Arm Forged Front Axle Left Lower Steel with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Fiat 46423822 Fiat 7777239 Lancia 46423822 Lancia 71747915 Lancia 7777239 Lancia 82461081</p>		<p>Fiat 71747915 Fiat 82461081 Lancia 71738285 Lancia 7601057 Lancia 7780443</p>	
<p>Application info</p> <p>Fiat Brava / Bravo (182) (10/95-06/03) Lancia Dedra (01/89-07/99)</p> <p>Fiat Tempra / Tipo (07/87-12/98) Lancia Delta I / II (09/79-09/99)</p>			

Control arm		28-16 050 0046/HD	MCA1533HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Right Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>			
<p>28-16 050 0047/HD MCA1534HD</p> <p>1</p>			
<p>References</p> <p>Kia 54501 H8500</p>			
<p>Application info</p> <p>Kia Stonic (07/17--)</p>			
Control arm		28-16 050 0047/HD	MCA1534HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Left Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>			
<p>28-16 050 0046/HD MCA1533HD</p> <p>1</p>			
<p>References</p> <p>Kia 54500 H8500</p>			
<p>Application info</p> <p>Kia Stonic (07/17--)</p>			

Control arm	30-16 050 0000	MCA0364
--------------------	-----------------------	----------------

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 30-16 050 0016 | MCA0372
 Required quantity 1
 Thread Size M12x1,25
 replacement in pairs recommended



References

Toyota 48069-09015 Toyota 48069-09030
 Toyota 48069-59035

Application info

Toyota Yaris I (01/99-12/05)

Control arm	30-16 050 0016	MCA0372
--------------------	-----------------------	----------------

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 30-16 050 0000 | MCA0364
 Required quantity 1
 Thread Size M12x1,25
 replacement in pairs recommended



References

Toyota 48068-09015 Toyota 48068-09030
 Toyota 48068-59035

Application info

Toyota Yaris I (01/99-12/05)

Control arm

30-16 050 0026

MCA1206

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number

30-16 050 0027 | MCA1207

Required quantity

1

Thread Size

M12x1,25

replacement in pairs recommended

**References**

Toyota 48069-59055

Application info

Toyota Yaris I (01/99-12/05)

Control arm

30-16 050 0027

MCA1207

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number

30-16 050 0026 | MCA1206

Required quantity

1

Thread Size

M12x1,25

replacement in pairs recommended

**References**

Toyota 48068-59055

Application info

Toyota Yaris I (01/99-12/05)

Control arm

30-16 050 0135/HD

MCA1528HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Steel
for left-hand drive vehicles
for right-hand drive vehicles



Bore Diameter [mm]	19.1
Length [mm]	329.3
Paired article number	30-16 050 0136/HD MCA1529HD
Replace in pairs only	
Required quantity	1
Thread Size	M12x1,25
Width [mm]	291.4
reinforced version	
replacement in pairs recommended	

References

Citroën 16 141 914 80	Citroën B0 007 702 80
Peugeot 16 14 191 480	Peugeot B0 00 770 280
Toyota 48069-0H020	Toyota 48069-0H021

Application info

Citroën C1 II (04/14--)	Peugeot 108 (05/14--)
Toyota Aygo II (05/14--)	

Control arm

30-16 050 0136/HD

MCA1529HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Lower
Steel
for left-hand drive vehicles
for right-hand drive vehicles



Bore Diameter [mm] 19.1
Length [mm] 329.3
Paired article number 30-16 050 0135/HD | MCA1528HD
Replace in pairs only
Required quantity 1
Thread Size M12x1,25
Width [mm] 291.4
reinforced version
replacement in pairs recommended

References

Citroën 16 141 916 80	Citroën B0 007 701 80
Peugeot 16 14 191 680	Peugeot B0 00 770 180
Toyota 48068-0H020	Toyota 48068-0H021

Application info

Citroën C1 II (04/14--)	Peugeot 108 (05/14--)
Toyota Aygo II (05/14--)	

Control arm

31-16 050 0006/HD

MCA0400HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Lower
with ball joint
with rubber mount



Paired article number 31-16 050 0007/HD | MCA0401HD
Replace in pairs only
Required quantity 1
Thread Size M14x2,0
reinforced version

References

Honda 51350-SMG-E01
 Honda 51350-SMG-E03
 Honda 51350-SMG-E05
 Honda 51350-SMG-E07

Honda 51350-SMG-E02
 Honda 51350-SMG-E04
 Honda 51350-SMG-E06

Application info

Honda Civic VIII (09/05--)

Control arm

31-16 050 0007/HD

MCA0401HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 with ball joint
 with rubber mount

Paired article number 31-16 050 0006/HD | MCA0400HD

Replace in pairs only
 Required quantity 1
 Thread Size M14x2,0
 reinforced version



References

Honda 51360-SMG-E01
 Honda 51360-SMG-E03
 Honda 51360-SMG-E05
 Honda 51360-SMG-E07

Honda 51360-SMG-E02
 Honda 51360-SMG-E04
 Honda 51360-SMG-E06

Application info

Honda Civic VIII (09/05--)

Control arm set

116 050 0029/HD

MCK0005HD

Notes

Aluminium
Carbon Neutral
Front Axle Left
Front Axle Right
with accessories
with suspension rod

Required quantity
reinforced version

1



References

The references of this product can be found at www.meyle.com

Application info

Audi A4 I (8D_) (11/94-12/02)

Skoda Superb I (3U) (12/01-03/08)

Audi A6 II (4B, C5) (01/97-12/05)

Volkswagen Passat (3B_) (08/96-12/05)

Control arm set

116 050 0030/HD

MCK0006HD

Notes

Aluminium
Carbon Neutral
Front Axle Left
Front Axle Right
with accessories
with suspension rod

Required quantity
reinforced version

1



References

- | | |
|---------------------|---------------------|
| Audi 4D0 407 151 H | Audi 4D0 407 151 P |
| Audi 4D0 407 505 A | Audi 4D0 407 505 B |
| Audi 4D0 407 505 D | Audi 4D0 407 505 F |
| Audi 4D0 407 505 H | Audi 4D0 407 505 J |
| Audi 4D0 407 509 J | Audi 4D0 407 509 K |
| Audi 4D0 407 510 J | Audi 4D0 407 510 K |
| Audi 4D0 407 693 AC | Audi 4D0 407 693 AD |
| Audi 4D0 407 693 E | Audi 4D0 407 693 G |
| Audi 4D0 407 693 H | Audi 4D0 407 693 K |
| Audi 4D0 407 693 M | Audi 4D0 407 693 P |
| Audi 4D0 407 694 AC | Audi 4D0 407 694 AD |
| Audi 4D0 407 694 E | Audi 4D0 407 694 G |
| Audi 4D0 407 694 H | Audi 4D0 407 694 K |
| Audi 4D0 407 694 M | Audi 4D0 407 694 P |
| Audi 4D0 407 695 J | Audi 4D0 407 696 J |
| Audi 4D0 498 998 C | Audi 8D0 407 151 E |
| Audi 8D0 407 509 G | Audi 8D0 407 510 G |
| Audi 8E0 407 509 A | Audi 8E0 407 509 C |
| Audi 8E0 407 509 E | Audi 8E0 407 509 P |
| Audi 8E0 407 509 Q | Audi 8E0 407 510 A |
| Audi 8E0 407 510 C | Audi 8E0 407 510 E |
| Audi 8E0 407 510 P | Audi 8E0 407 510 Q |
| Audi 8E0 407 693 AG | Audi 8E0 407 693 K |
| Audi 8E0 407 693 Q | Audi 8E0 407 694 AG |
| Audi 8E0 407 694 K | Audi 8E0 407 694 Q |

Application info

Audi A8 l (4D_) (03/94-12/05)

Control arm set

116 050 0041/HD


MCK0008HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Front Axle Right
with accessories
with suspension rod

Required quantity
reinforced version

1



References

- | | |
|---------------------|---------------------|
| Audi 4B0 407 151 | Audi 4B3 407 151 A |
| Audi 4B3 407 151 C | Audi 4B3 407 151 E |
| Audi 4B3 407 151 F | Audi 4B3 407 151 K |
| Audi 4D0 407 505 A | Audi 4D0 407 505 B |
| Audi 4D0 407 505 D | Audi 4D0 407 505 F |
| Audi 4D0 407 505 H | Audi 4D0 407 505 J |
| Audi 4D0 407 509 J | Audi 4D0 407 509 K |
| Audi 4D0 407 510 J | Audi 4D0 407 510 K |
| Audi 4D0 407 693 AC | Audi 4D0 407 693 AD |
| Audi 4D0 407 693 E | Audi 4D0 407 693 G |
| Audi 4D0 407 693 H | Audi 4D0 407 693 K |
| Audi 4D0 407 693 M | Audi 4D0 407 693 P |
| Audi 4D0 407 694 AC | Audi 4D0 407 694 AD |
| Audi 4D0 407 694 E | Audi 4D0 407 694 G |
| Audi 4D0 407 694 H | Audi 4D0 407 694 K |
| Audi 4D0 407 694 M | Audi 4D0 407 694 P |
| Audi 4D0 407 695 J | Audi 4D0 407 696 J |
| Audi 8D0 407 509 G | Audi 8D0 407 510 G |
| Audi 8E0 407 509 A | Audi 8E0 407 509 C |
| Audi 8E0 407 509 E | Audi 8E0 407 509 P |
| Audi 8E0 407 509 Q | Audi 8E0 407 510 A |
| Audi 8E0 407 510 C | Audi 8E0 407 510 E |
| Audi 8E0 407 510 P | Audi 8E0 407 510 Q |
| Audi 8E0 407 693 AG | Audi 8E0 407 693 K |
| Audi 8E0 407 693 Q | Audi 8E0 407 694 AG |
| Audi 8E0 407 694 K | Audi 8E0 407 694 Q |

Application info

Audi A8 I (4D_) (03/94-12/05)

Control arm set

116 050 0083/HD


MCK0010HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Front Axle Right
with accessories
with suspension rod

Required quantity
reinforced version

1



References

Audi 4D0 407 509 J
Audi 4D0 407 693 AC
Audi 4D0 407 693 E
Audi 4D0 407 693 K
Audi 4D0 407 693 N
Audi 4D0 407 694 AC
Audi 4D0 407 694 E
Audi 4D0 407 694 K
Audi 4D0 407 694 N
Audi 4F0 419 811 A
Audi 8D0 407 505 L
Audi 8D0 407 506 L
Audi 8E0 407 151 K
Audi 8E0 407 151 M
Audi 8E0 407 151 R
Audi 8E0 407 505 C
Audi 8E0 407 505 P
Audi 8E0 407 506 A
Audi 8E0 407 506 E
Audi 8E0 407 506 Q
Audi 8E0 407 509 C
Audi 8E0 407 509 P
Audi 8E0 407 510 A
Audi 8E0 407 510 E
Audi 8E0 407 510 Q
Audi 8E0 407 693 AG
Audi 8E0 407 693 Q
Audi 8E0 407 694 AG
Audi 8E0 407 694 Q
Audi 8E0 411 318

Audi 4D0 407 510 J
Audi 4D0 407 693 AD
Audi 4D0 407 693 H
Audi 4D0 407 693 M
Audi 4D0 407 693 P
Audi 4D0 407 694 AD
Audi 4D0 407 694 H
Audi 4D0 407 694 M
Audi 4D0 407 694 P
Audi 8D0 407 505 E
Audi 8D0 407 506 E
Audi 8E0 407 151 E
Audi 8E0 407 151 L
Audi 8E0 407 151 N
Audi 8E0 407 505 A
Audi 8E0 407 505 E
Audi 8E0 407 505 Q
Audi 8E0 407 506 C
Audi 8E0 407 506 P
Audi 8E0 407 509 A
Audi 8E0 407 509 E
Audi 8E0 407 509 Q
Audi 8E0 407 510 C
Audi 8E0 407 510 P
Audi 8E0 407 693
Audi 8E0 407 693 K
Audi 8E0 407 694
Audi 8E0 407 694 K
Audi 8E0 411 317

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)
Audi A4 III (8E_) (11/04-06/08)

Audi A4 II (8E_) (02/00-12/05)

Control arm set

116 050 0085/HD

MCK0011HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Front Axle Right
with accessories
with suspension rod
1

Required quantity
reinforced version



References

- | | |
|---------------------|---------------------|
| Audi 4F0 419 811 A | Audi 8D0 407 505 D |
| Audi 8D0 407 505 E | Audi 8D0 407 505 L |
| Audi 8D0 407 506 D | Audi 8D0 407 506 E |
| Audi 8D0 407 506 L | Audi 8D0 407 509 A |
| Audi 8D0 407 509 F | Audi 8D0 407 509 G |
| Audi 8D0 407 510 A | Audi 8D0 407 510 F |
| Audi 8D0 407 510 G | Audi 8E0 407 151 E |
| Audi 8E0 407 151 K | Audi 8E0 407 151 L |
| Audi 8E0 407 151 M | Audi 8E0 407 151 N |
| Audi 8E0 407 151 R | Audi 8E0 407 505 C |
| Audi 8E0 407 505 P | Audi 8E0 407 506 C |
| Audi 8E0 407 506 E | Audi 8E0 407 506 P |
| Audi 8E0 407 506 Q | Audi 8E0 407 509 A |
| Audi 8E0 407 509 C | Audi 8E0 407 509 E |
| Audi 8E0 407 509 P | Audi 8E0 407 509 Q |
| Audi 8E0 407 510 A | Audi 8E0 407 510 C |
| Audi 8E0 407 510 E | Audi 8E0 407 510 P |
| Audi 8E0 407 510 Q | Audi 8E0 407 693 AA |
| Audi 8E0 407 693 AC | Audi 8E0 407 693 AJ |
| Audi 8E0 407 693 AK | Audi 8E0 407 693 AL |
| Audi 8E0 407 693 AM | Audi 8E0 407 693 N |
| Audi 8E0 407 693 T | Audi 8E0 407 694 AA |
| Audi 8E0 407 694 AC | Audi 8E0 407 694 AJ |
| Audi 8E0 407 694 AK | Audi 8E0 407 694 AL |
| Audi 8E0 407 694 AM | Audi 8E0 407 694 N |
| Audi 8E0 407 694 T | Seat 4F0 419 811 A |
| Seat 8E0 407 151 R | Seat 8E0 407 505 P |
| Seat 8E0 407 506 P | Seat 8E0 407 509 P |
| Seat 8E0 407 510 P | Seat 8E0 407 693 AL |
| Seat 8E0 407 694 AL | Seat 8E0 411 317 |
| Seat 8E0 411 318 | |

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)
 Seat Exeo (3R) (12/08-05/13)

Audi A4 III (8E_) (11/04-06/08)

Control arm set

116 050 0087/HD

MCK0013HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Front Axle Right
 with accessories
 with suspension rod

Required quantity
 reinforced version

1



References

The references of this product can be found at www.meyle.com

Application info

Audi A4 I (8D_) (11/94-12/02)
 Skoda Superb I (3U) (12/01-03/08)

Audi A6 II (4B, C5) (01/97-12/05)

Volkswagen Passat (3B_) (08/96-12/05)

Control arm set

116 050 0095/HD


MCK0014HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Front Axle Right
 with accessories
 with suspension rod

Full Set
 Required quantity
 reinforced version

1



References

- | | |
|--------------------|--------------------|
| Audi 4B0 419 811 G | Audi 4B0 419 811 Q |
| Audi 4D0 419 811 J | Audi 4E0 407 505 B |
| Audi 4E0 407 505 E | Audi 4E0 407 505 F |
| Audi 4E0 407 506 B | Audi 4E0 407 506 E |
| Audi 4E0 407 506 F | Audi 4E0 407 509 B |
| Audi 4E0 407 509 E | Audi 4E0 407 509 F |
| Audi 4E0 407 509 G | Audi 4E0 407 509 H |
| Audi 4E0 407 509 K | Audi 4E0 407 510 B |
| Audi 4E0 407 510 E | Audi 4E0 407 510 F |
| Audi 4E0 407 510 G | Audi 4E0 407 510 H |
| Audi 4E0 407 510 K | Audi 4E0 411 317 C |
| Audi 4E0 411 317 E | Audi 4E0 411 317 F |
| Audi 4F0 407 151 | Audi 4F0 407 151 A |
| Audi 4F0 407 693 | Audi 4F0 407 693 B |
| Audi 4F0 407 693 C | Audi 4F0 407 693 G |
| Audi 4F0 407 693 H | Audi 4F0 407 693 J |
| Audi 4F0 407 694 | Audi 4F0 407 694 B |
| Audi 4F0 407 694 C | Audi 4F0 407 694 G |
| Audi 4F0 407 694 H | Audi 4F0 407 694 J |
| Audi 4F0 419 811 A | Audi 4F0 419 811 C |
| Audi 4F0 419 811 D | Audi 4F0 498 811 |
| Audi 4F0 498 811 A | Audi 4F0 498 811 C |
| Audi 8E0 419 811 | |

Application info

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Control arm set

116 050 0189/HD

MCK0053HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 with attachment material

Full Set
 Required quantity
 reinforced version

1



References

- | | |
|-----------------------|-----------------------|
| Audi 4G0 407 689 C | Audi 8K0 407 151 F |
| Audi 8K0 407 152 F | Audi 8K0 407 505 A |
| Audi 8K0 407 505 B | Audi 8K0 407 505 M |
| Audi 8K0 407 505 N | Audi 8K0 407 506 A |
| Audi 8K0 407 506 B | Audi 8K0 407 506 M |
| Audi 8K0 407 506 N | Audi 8K0 407 509 A |
| Audi 8K0 407 509 B | Audi 8K0 407 509 M |
| Audi 8K0 407 509 N | Audi 8K0 407 509 P |
| Audi 8K0 407 510 A | Audi 8K0 407 510 B |
| Audi 8K0 407 510 M | Audi 8K0 407 510 N |
| Audi 8K0 407 510 P | Audi 8K0 407 693 Q |
| Audi 8K0 407 694 Q | Audi 8K0 411 317 D |
| Audi 8R0 407 693 D | Audi 8R0 407 694 D |
| Porsche 8K0 407 151 F | Porsche 8K0 407 152 F |
| Porsche 8K0 407 505 A | Porsche 8K0 407 506 A |
| Porsche 8K0 407 509 A | Porsche 8K0 407 510 A |
| Porsche 8K0 407 693 Q | Porsche 8K0 407 694 Q |

Application info

- | | |
|--------------------------------|-------------------------------------|
| Audi A4 IV (8K_) (08/07-05/16) | Audi A5 I (8F_ , 8T_) (06/07-01/17) |
| Audi Q5 I (8R_) (11/08-12/17) | Porsche Macan (95B) (02/14--) |

Control arm set

116 050 0190/HD

MCK0054HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 with attachment material

Full Set
 Required quantity
 reinforced version

1



References

- | | |
|--------------------|--------------------|
| Audi 4M0 411 317 | Audi 8K0 407 151 C |
| Audi 8K0 407 151 D | Audi 8K0 407 152 C |
| Audi 8K0 407 152 D | Audi 8K0 407 505 A |
| Audi 8K0 407 505 N | Audi 8K0 407 506 A |
| Audi 8K0 407 506 N | Audi 8K0 407 509 A |
| Audi 8K0 407 509 N | Audi 8K0 407 510 A |
| Audi 8K0 407 510 N | Audi 8K0 407 689 G |
| Audi 8K0 407 693 Q | Audi 8K0 407 694 Q |

Application info

Audi A4 IV (8K_) (08/07-05/16)

Audi Q5 I (8R_) (11/08-12/17)

Audi A5 I (8F_ , 8T_) (06/07-01/17)

Control arm set

116 050 0190/S

MCK0047

Notes

Front Axle Left
Front Axle Right
with accessories

Full Set

Required quantity

1



References

Audi 7L0 407 021

Audi 7L0 407 021 B

Audi 7L8 407 152 K

Audi 7P0 407 151 C

Audi 7P0 407 151 E

Audi 7P0 407 152 C

Audi 7P0 407 152 E

Audi 7L0 407 021 A

Audi 7L8 407 151 K

Audi 7P0 407 151 B

Audi 7P0 407 151 D

Audi 7P0 407 152 B

Audi 7P0 407 152 D

Application info

Audi Q7 I (4L_) (03/06-01/16)

Control arm set

116 050 0191/S

MCK0048


Notes

Front Axle Left
Front Axle Right
with accessories

Full Set

Required quantity

1



References

- | | |
|--------------------|--------------------|
| Audi 7L8 407 021 | Audi 7L8 407 151 F |
| Audi 7L8 407 151 K | Audi 7L8 407 152 F |
| Audi 7L8 407 152 K | Audi 7P0 407 151 B |
| Audi 7P0 407 151 C | Audi 7P0 407 151 D |
| Audi 7P0 407 151 E | Audi 7P0 407 152 B |
| Audi 7P0 407 152 C | Audi 7P0 407 152 D |
| Audi 7P0 407 152 E | |

Application info

Audi Q7 I (4L_) (03/06-01/16)

Control arm set

116 050 0194/HD

MCK0046HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with accessories

Full Set
Required quantity
reinforced version

1



References

- | | |
|--------------------------|--------------------------|
| Audi 7L0 407 021 | Audi 7L0 407 021 A |
| Audi 7L0 407 021 B | Audi 7L0 407 151 F |
| Audi 7L0 407 151 J | Audi 7L0 407 151 K |
| Audi 7L0 407 152 F | Audi 7L0 407 152 J |
| Audi 7L0 407 152 K | Audi 7L0 411 317 |
| Porsche 955 341 017 60 | Porsche 955 341 017 61 |
| Porsche 955 341 018 60 | Porsche 955 341 018 61 |
| Porsche 955 341 027 00 | Porsche 955 341 027 01 |
| Porsche 955 341 027 02 | Porsche 955 343 069 00 |
| Volkswagen 7L0 407 021 | Volkswagen 7L0 407 021 A |
| Volkswagen 7L0 407 021 B | Volkswagen 7L0 407 151 F |
| Volkswagen 7L0 407 151 J | Volkswagen 7L0 407 151 K |
| Volkswagen 7L0 407 152 F | Volkswagen 7L0 407 152 J |
| Volkswagen 7L0 407 152 K | Volkswagen 7L0 411 317 |

Application info

Audi Q7 I (4L_) (03/06-01/16)	Porsche Cayenne I (955) (09/02-12/10)
Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)	

Control arm set

116 050 0222

MCK0050

Notes

Control Arm
Lower
Rear Axle Left
Rear Axle Right
Sheet Steel

Required quantity

1



References

Audi 1K0 505 311 AB
Seat 1K0 505 311 AA
Skoda 1K0 505 311 AB
Volkswagen 1K0 505 311 AA
Volkswagen 1K0 505 311 H
Volkswagen 1K0 505 311 R
Volkswagen 1K0 505 311 T

Audi (FAW) 1K0 505 311 AB
Seat 1K0 505 311 AB
Skoda 1K0 505 311 S
Volkswagen 1K0 505 311 AB
Volkswagen 1K0 505 311 J
Volkswagen 1K0 505 311 S
Volkswagen 1K0 506 311 S

Application info

Audi A1 I (8X_) (05/10-10/18)
Audi Q3 I (8U_) (06/11-12/18)
Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Skoda Superb II (3T) (03/08-05/15)
Volkswagen Beetle (5C1) (04/11-07/19)
Volkswagen Eos (03/06-08/15)
Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
Volkswagen Jetta IV (162) (01/08--)
Volkswagen Passat (3C_) (03/05-01/12)
Volkswagen Scirocco III (137) (05/08-11/17)
Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Audi A3 II (8P_) (05/03-12/15)
Audi TT II (8J_) (07/06-01/15)
Skoda Octavia II (1Z_) (02/04-06/13)
Skoda Yeti (5L) (05/09-12/17)
Volkswagen CC (11/11-12/16)
Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
Volkswagen Jetta III (1K2) (09/04-12/13)
Volkswagen Passat (362, 365) (08/10-12/15)
Volkswagen Passat (A32) (01/11--)
Volkswagen Tiguan I (5N) (09/07-07/18)

Control arm set

116 050 0222/HD

MCK0050HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 with attachment material

Full Set

Required quantity
 reinforced version

1



References

- | | |
|--------------------|---------------------|
| Audi 4G0 411 317 | Audi 4G0 411 317 A |
| Audi 4H0 411 317 A | Audi 4H0 411 317 C |
| Audi 4M0 411 317 | Audi 8K0 407 151 B |
| Audi 8K0 407 151 C | Audi 8K0 407 151 D |
| Audi 8K0 407 152 B | Audi 8K0 407 152 C |
| Audi 8K0 407 152 D | Audi 8K0 407 505 A |
| Audi 8K0 407 505 N | Audi 8K0 407 506 A |
| Audi 8K0 407 506 N | Audi 8K0 407 509 A |
| Audi 8K0 407 509 N | Audi 8K0 407 510 A |
| Audi 8K0 407 510 N | Audi 8K0 407 689 D |
| Audi 8K0 407 689 E | Audi 8K0 407 689 F |
| Audi 8K0 407 689 G | Audi 8K0 407 693 AE |
| Audi 8K0 407 693 F | Audi 8K0 407 693 H |
| Audi 8K0 407 693 K | Audi 8K0 407 693 N |
| Audi 8K0 407 693 R | Audi 8K0 407 694 AE |
| Audi 8K0 407 694 F | Audi 8K0 407 694 H |
| Audi 8K0 407 694 K | Audi 8K0 407 694 N |
| Audi 8K0 407 694 R | Audi 8K0 411 317 C |
| Audi 8K0 411 317 D | Audi 8K0 411 317 E |

Application info

- | | |
|--------------------------------|-------------------------------------|
| Audi A4 IV (8K_) (08/07-05/16) | Audi A5 I (8F_ , 8T_) (06/07-01/17) |
| Audi Q5 I (8R_) (11/08-12/17) | |

Control arm set

116 050 0223/HD

MCK0051HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with attachment material

Full Set
Required quantity
reinforced version

1



References

- | | |
|---------------------|---------------------|
| Audi 4G0 411 317 | Audi 4G0 411 317 A |
| Audi 4H0 411 317 A | Audi 4H0 411 317 C |
| Audi 4M0 411 317 | Audi 4M0 411 317 J |
| Audi 8K0 407 151 B | Audi 8K0 407 151 C |
| Audi 8K0 407 151 D | Audi 8K0 407 152 B |
| Audi 8K0 407 152 C | Audi 8K0 407 152 D |
| Audi 8K0 407 505 A | Audi 8K0 407 505 J |
| Audi 8K0 407 505 M | Audi 8K0 407 505 N |
| Audi 8K0 407 506 A | Audi 8K0 407 506 J |
| Audi 8K0 407 506 M | Audi 8K0 407 506 N |
| Audi 8K0 407 509 A | Audi 8K0 407 509 B |
| Audi 8K0 407 509 J | Audi 8K0 407 509 M |
| Audi 8K0 407 509 N | Audi 8K0 407 510 A |
| Audi 8K0 407 510 B | Audi 8K0 407 510 J |
| Audi 8K0 407 510 M | Audi 8K0 407 510 N |
| Audi 8K0 407 689 D | Audi 8K0 407 689 E |
| Audi 8K0 407 689 F | Audi 8K0 407 689 G |
| Audi 8K0 407 693 AF | Audi 8K0 407 693 S |
| Audi 8K0 407 693 T | Audi 8K0 407 694 AF |
| Audi 8K0 407 694 S | Audi 8K0 407 694 T |
| Audi 8K0 411 317 C | Audi 8K0 411 317 D |
| Audi 8K0 411 317 E | |

Application info

- | | |
|--------------------------------|-------------------------------------|
| Audi A4 IV (8K_) (08/07-05/16) | Audi A5 I (8F_ , 8T_) (06/07-01/17) |
| Audi Q5 I (8R_) (11/08-12/17) | |

Control arm set

116 050 0233/S

MCK0049

Notes

Front Axle Left
Front Axle Right
with attachment material

Full Set
Required quantity

1



References

- Porsche 955 341 017 30
- Porsche 955 341 017 33
- Porsche 955 341 018 32
- Porsche 955 341 027 00
- Porsche 955 343 069 00
- Volkswagen 7L0 407 021 A
- Volkswagen 7L0 407 151 C
- Volkswagen 7L0 407 151 H
- Volkswagen 7L0 407 152 E
- Volkswagen 7L0 411 317

- Porsche 955 341 017 32
- Porsche 955 341 018 30
- Porsche 955 341 018 33
- Porsche 955 341 027 01
- Volkswagen 7L0 407 021
- Volkswagen 7L0 407 021 B
- Volkswagen 7L0 407 151 E
- Volkswagen 7L0 407 152 C
- Volkswagen 7L0 407 152 H

Application info

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Control arm set

116 050 0263/HD

MCK0055HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with attachment material

Full Set
Required quantity
reinforced version

1



References

- | | |
|--------------------|--------------------|
| Audi 4G0 407 689 A | Audi 4G0 407 689 C |
| Audi 4G0 407 693 D | Audi 4G0 407 693 E |
| Audi 4G0 407 693 F | Audi 4G0 407 693 G |
| Audi 4G0 407 693 H | Audi 4G0 407 693 J |
| Audi 4G0 407 693 K | Audi 4G0 407 693 L |
| Audi 4G0 407 694 D | Audi 4G0 407 694 E |
| Audi 4G0 407 694 F | Audi 4G0 407 694 G |
| Audi 4G0 407 694 J | Audi 4G0 407 694 K |
| Audi 4G0 407 694 L | Audi 4G0 411 317 |
| Audi 4G0 411 317 A | Audi 4H0 411 317 A |
| Audi 4H0 411 317 C | Audi 4M0 411 317 |
| Audi 4M0 411 317 J | Audi 8K0 407 151 F |
| Audi 8K0 407 152 F | Audi 8K0 407 505 J |
| Audi 8K0 407 505 M | Audi 8K0 407 505 R |
| Audi 8K0 407 506 A | Audi 8K0 407 506 J |
| Audi 8K0 407 506 M | Audi 8K0 407 506 R |
| Audi 8K0 407 509 J | Audi 8K0 407 509 M |
| Audi 8K0 407 509 R | Audi 8K0 407 510 J |
| Audi 8K0 407 510 M | Audi 8K0 407 510 R |
| Audi 8K0 411 317 C | Audi 8K0 411 317 D |
| Audi 8K0 411 317 E | |

Application info

- | | |
|---|---|
| Audi A6 IV (4G2, 4G5, C7) (11/10-09/18) | Audi A7 I Sportback (4G_) (07/10-05/18) |
|---|---|

Control arm set

216 050 0076/HD


MCK0060HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Front Axle Right
Steel
with attachment material

Full Set
Required quantity
reinforced version

1



References

- | | |
|-----------------|-----------------|
| ABARTH 51857022 | ABARTH 51860383 |
| Fiat 51857022 | Fiat 51860383 |
| Ford 1 540 244 | Ford 1 540 246 |

Application info

ABARTH 500 (01/08--)
Ford KA II (10/08-05/16)

Fiat 500 (07/07--)

Mount, axle carrier

300 331 7108

MCX0573

Notes

Rear
Rear Axle
Rubber-Metal Mount

Height [mm] 58.5
Inner Diameter [mm] 14
Outer Diameter [mm] 69
Required quantity 1
replacement in pairs recommended



References

BMW 1 096 207
BMW 33 17 6 770 456

BMW 33 17 1 096 207
BMW 6 770 456

Application info

BMW X5 (E53) (01/00-12/06)

Mount, axle carrier

314 710 0008

MCX0528

Notes

Centre
Rear Axle Left
Rear Axle Right
Rubber-Metal Mount

Height [mm] 54
Inner Diameter [mm] 12
Outer Diameter [mm] 53
Required quantity 2
replacement in pairs recommended



References

BMW 33 17 6 767 525
BMW (Brilliance) 33 17 6 767 525

BMW 6 767 525
BMW (Brilliance) 6 767 525

Application info

BMW 5 (E60, E61) (12/01-12/10)

BMW 6 (E63, E64) (09/03-12/10)

Mount, axle carrier

314 710 0020

MCX0544

Notes

Front
Rear Axle Left
Rear Axle Right
Rubber-Metal Mount

Height [mm] 92
Inner Diameter [mm] 18.8
Outer Diameter [mm] 98
Required quantity 2
replacement in pairs recommended



References

BMW 33 31 6 775 780
BMW 6 775 780
BMW (Brilliance) 33 31 6 790 573

BMW 33 31 6 790 573
BMW 6 790 573
BMW (Brilliance) 6 790 573

Application info

BMW 5 (F07) (01/09-02/17)
BMW 6 (F12, F13) (12/10-10/18)

BMW 5 (F10, F11) (01/09-02/17)
BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Mount, axle carrier

314 710 0021

MCX0541

Notes

Rear
Rear Axle Left
Rear Axle Right
Rubber-Metal Mount

Height [mm] 92
Inner Diameter [mm] 18.8
Outer Diameter [mm] 98
Required quantity 2
replacement in pairs recommended



References

BMW 33 31 6 775 792
BMW 6 775 792
BMW (Brilliance) 33 31 6 793 864

BMW 33 31 6 793 864
BMW 6 793 864
BMW (Brilliance) 6 793 864

Application info

BMW 5 (F07) (01/09-02/17)
BMW 6 (F12, F13) (12/10-10/18)

BMW 5 (F10, F11) (01/09-02/17)
BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Mount, axle carrier

314 710 0022

MCX0549

Notes

Front
Rear
Rear Axle Left
Rear Axle Right
Rubber-Metal Mount

Height [mm] 95
Inner Diameter [mm] 19.5
Outer Diameter [mm] 78
Required quantity 4
replacement in pairs recommended



References

BMW 33 31 6 764 904
BMW 6 764 904
BMW (Brilliance) 33 31 6 770 826

BMW 33 31 6 770 826
BMW 6 770 826
BMW (Brilliance) 6 770 826

Application info

BMW 5 (E60, E61) (12/01-12/10)

BMW 6 (E63, E64) (09/03-12/10)

Mount, axle carrier

314 710 0024/HD

MCX0600HD

Notes

Carbon Neutral
Rear
Rear Axle

Height [mm] 54
Inner Diameter [mm] 12
Outer Diameter [mm] 50
Replace in pairs only
Required quantity 2
reinforced version



References

BMW 33 31 6 769 376
BMW (Brilliance) 33 31 6 769 376

BMW 6 769 376
BMW (Brilliance) 6 769 376

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)
BMW 2 (F22,F23) (10/12--)
BMW 3 (F30, F31) (11/11-06/19)
BMW 4 (F32, F33, F36) (07/13--)

BMW 1 (F20, F21) (07/11--)
BMW 3 (E90, E91, E92, E93) (02/04-12/13)
BMW 3 (F34) (07/12--)
BMW X1 (E84) (03/09-06/15)

Mount, axle rod

16-14 711 0000

MAM0033

Notes

Front
Lower
Rear
Rear Axle Left
Rear Axle Right

Height [mm] 40
Inner Diameter [mm] 14.1
Outer Diameter [mm] 33.8
Required quantity 4
replacement in pairs recommended



References

Dacia 8200839121

Renault 8200839121

Application info

Dacia Duster I (04/10--)

Renault Duster I (01/11--)

Mount, axle rod

300 333 2102

MAM0022

Notes

Lower
Rear Axle Left
Rear Axle Right
inner

Height [mm] 57
Inner Diameter [mm] 12
Outer Diameter [mm] 38
Required quantity 2
replacement in pairs recommended



References

BMW 1 092 248

BMW 1 138 383

BMW 33 32 1 092 248

BMW 33 32 1 138 383

BMW 33 32 6 770 824

BMW 6 770 824

BMW (Brilliance) 33 32 6 770 824

BMW (Brilliance) 6 770 824

Application info

BMW 3 (E36) (09/90-08/00)

BMW 3 (E46) (12/97-12/07)

BMW X3 (E83) (01/03-12/11)

BMW Z1 (06/88-06/91)

BMW Z4 (E85) (09/02-12/09)

BMW Z4 (E86) (03/06-01/09)

BMW Z4 (E89) (02/09-08/16)

Mount, axle rod

300 333 2103

MAM0023

Notes

Lower
Rear Axle Left
Rear Axle Right
outer

Height [mm] 57
Inner Diameter [mm] 12
Outer Diameter [mm] 46
Required quantity 2
replacement in pairs recommended



References

BMW 1 136 311	BMW 33 32 1 136 311
BMW 33 32 6 771 828	BMW 6 771 828
BMW (Brilliance) 33 32 6 771 828	BMW (Brilliance) 6 771 828

Application info

BMW 3 (E36) (09/90-08/00)	BMW 3 (E46) (12/97-12/07)
BMW X3 (E83) (01/03-12/11)	BMW Z1 (06/88-06/91)
BMW Z4 (E85) (09/02-12/09)	BMW Z4 (E86) (03/06-01/09)
BMW Z4 (E89) (02/09-08/16)	

Mount, axle rod

314 710 0009

MAM0038

Notes

Front
Rear Axle Left
Rear Axle Right
Upper
inner

Height [mm] 48
Inner Diameter [mm] 12
Outer Diameter [mm] 39
Required quantity 2
replacement in pairs recommended



References

BMW 33 32 6 792 539	BMW 33 32 6 792 540
BMW 6 792 539	BMW 6 792 540
BMW (Brilliance) 33 32 6 792 539	BMW (Brilliance) 33 32 6 792 540
BMW (Brilliance) 6 792 539	BMW (Brilliance) 6 792 540

Application info

BMW 1 (F20, F21) (07/11--)

BMW 3 (F30, F31) (11/11-06/19)

BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)

BMW 3 (F34) (07/12--)

Mount, axle rod

314 710 0010

MAM0039

Notes

Front
Rear Axle Left
Rear Axle Right
Upper
outer

Height [mm]

48

Inner Diameter [mm]

12

Outer Diameter [mm]

43

Required quantity

2

replacement in pairs recommended



References

BMW 33 32 6 792 539

BMW 6 792 539

BMW (Brilliance) 33 32 6 792 539

BMW (Brilliance) 6 792 539

BMW 33 32 6 792 540

BMW 6 792 540

BMW (Brilliance) 33 32 6 792 540

BMW (Brilliance) 6 792 540

Application info

BMW 1 (F20, F21) (07/11--)

BMW 3 (F30, F31) (11/11-06/19)

BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)

BMW 3 (F34) (07/12--)

Mount, axle rod

314 710 0012

MAM0040

Notes

Rear
Rear Axle Left
Rear Axle Right
Upper
inner

Height [mm]

48

Inner Diameter [mm]

12

Outer Diameter [mm]

38

Required quantity

2

replacement in pairs recommended



References

BMW 33 32 6 792 543
 BMW 6 792 543
 BMW (Brilliance) 33 32 6 792 543
 BMW (Brilliance) 6 792 543

BMW 33 32 6 792 544
 BMW 6 792 544
 BMW (Brilliance) 33 32 6 792 544
 BMW (Brilliance) 6 792 544

Application info

BMW 1 (F20, F21) (07/11--)
 BMW 3 (F30, F31) (11/11-06/19)
 BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)
 BMW 3 (F34) (07/12--)

Mount, control arm

15-14 610 0000

MCB0139

Notes

Front Axle Left
 Front Axle Right
 Rear
 Rubber-Metal Mount
 Upper
 without holder

Height [mm] 38
 Inner Diameter [mm] 10
 Outer Diameter [mm] 52
 Required quantity 2
 replacement in pairs recommended



References

Alfa Romeo 51776326
 Alfa Romeo 51834093
 Alfa Romeo 60651939
 Alfa Romeo 60657245
 Alfa Romeo 60666787

Alfa Romeo 51776327
 Alfa Romeo 51834094
 Alfa Romeo 60651940
 Alfa Romeo 60657246
 Alfa Romeo 60666789

Application info

Alfa Romeo 147 (10/00-12/10)
 Alfa Romeo GT (937) (11/03-09/10)

Alfa Romeo 156 (02/97-05/06)

Mount, control arm

15-14 610 0002

MCB0140

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rubber-Metal Mount
 outer
 without holder

Height [mm] 76
 Inner Diameter [mm] 14
 Outer Diameter [mm] 42
 Required quantity 2
 replacement in pairs recommended



References

Alfa Romeo 50704306
 Alfa Romeo 50706858
 Alfa Romeo 50707029
 Alfa Romeo 50707316
 Alfa Romeo 51795446
 Alfa Romeo 51805471
 Alfa Romeo 71749327

Alfa Romeo 50704307
 Alfa Romeo 50706859
 Alfa Romeo 50707030
 Alfa Romeo 50707317
 Alfa Romeo 51795447
 Alfa Romeo 51805472
 Alfa Romeo 71749328

Application info

Alfa Romeo 159 (06/05-12/12)
 Alfa Romeo Spider (939) (03/06-03/11)

Alfa Romeo Brera (01/06-05/11)

Mount, control arm

15-14 610 0004

MCM0037

Notes

Front Axle Right
 Rear
 inner

Height [mm] 61
 Inner Diameter [mm] 30
 Paired article number 15-14 610 0005 | MCM0038
 Required quantity 1
 replacement in pairs recommended



References

Alfa Romeo 50706955

Alfa Romeo 50708722

Application info

Alfa Romeo 159 (06/05-12/12)

Alfa Romeo Brera (01/06-05/11)

Alfa Romeo Spider (939) (03/06-03/11)

Mount, control arm

15-14 610 0005

MCM0038

Notes

Front Axle Left

Rear

inner

with holder

Height [mm]

61

Inner Diameter [mm]

30

Paired article number

15-14 610 0004 | MCM0037

Required quantity

1

replacement in pairs recommended



References

Alfa Romeo 50706954

Alfa Romeo 50708721

Application info

Alfa Romeo 159 (06/05-12/12)

Alfa Romeo Brera (01/06-05/11)

Alfa Romeo Spider (939) (03/06-03/11)

Mount, control arm

16-14 081 9929

MCB0145

Notes

Front Axle Left

Front Axle Right

Lower

without holder

Height [mm]

46

Inner Diameter [mm]

12

Outer Diameter [mm]

36

Required quantity

2

replacement in pairs recommended



References

AIXAM 52023508

Renault 7700819929

Renault 7700820921

Renault 8200651164

Application info

Renault Twingo I (03/93-10/12)

Mount, control arm		16-14 083 1364	MCB0146
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower without holder</p> <p>Height [mm] 46 Inner Diameter [mm] 12 Outer Diameter [mm] 38 Required quantity 2 replacement in pairs recommended</p>		 	
<p>References</p> <p>Renault 7700819928 Renault 7700831364 Renault 7700831365 Renault 8200651168</p>			
<p>Application info</p> <p>Renault Twingo I (03/93-10/12)</p>			
Mount, control arm		16-14 610 0000	MCB0147
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower without holder</p> <p>Height [mm] 46 Inner Diameter [mm] 12 Outer Diameter [mm] 37 Outer Diameter [mm] 50 Required quantity 2 replacement in pairs recommended</p>		 	

References

Dacia 545000794R	Dacia 545004269R
Dacia 545011362R	Dacia 545019294R
Dacia 6001549181	Dacia 6001549182
Dacia 6001550911	Dacia 6001550912
Dacia 6040002245	Dacia 8200749459
Dacia 8200749461	Dacia 8200792639
Dacia 8200792640	Dacia 8200910716
Dacia 8200910717	Renault 545000794R
Renault 545004269R	Renault 545011362R
Renault 545019294R	Renault 6001549181
Renault 6001549182	Renault 6001550911
Renault 6001550912	Renault 8200910716
Renault 8200910717	

Application info

Dacia Dokker (11/12--)	Dacia Lodgy (03/12--)
Dacia Logan I (08/04--)	Dacia Logan II (10/12--)
Dacia Sandero I (06/08--)	Dacia Sandero II (10/12--)
Renault Dokker (12/13--)	Renault Lodgy (JS_) (07/13--)
Renault Logan I (09/04--)	Renault Logan II (09/12--)
Renault Megane III (11/08--)	Renault Sandero/Stepway I (11/07--)
Renault Sandero/Stepway II (11/13--)	Renault Thalia III (12/13--)

Mount, control arm

16-14 610 0001

MCB0148

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 50
 Inner Diameter [mm] 18
 Outer Diameter [mm] 55
 Required quantity 2
 replacement in pairs recommended



References

GENERAL MOTORS 91166461
 Nissan 54502-00Q0A
 Nissan 54502-00QAA
 Nissan 54503-00Q0B
 Opel 44 08 959
 Renault 8200049624
 Vauxhall 44 12 936

GENERAL MOTORS 93851118
 Nissan 54502-00Q0B
 Nissan 54503-00Q0A
 Nissan 54503-00QAA
 Opel 44 12 936
 Vauxhall 44 08 959

Application info

Nissan Primastar I (X83) (03/01--)
 Renault Trafic II (03/01--)

Opel Vivaro A (08/01--)
 Vauxhall Vivaro A (08/01-07/14)

Mount, control arm


16-14 610 0002

MCB0149

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 54
 Inner Diameter [mm] 15
 Outer Diameter [mm] 58
 Required quantity 2
 replacement in pairs recommended



References

GENERAL MOTORS 91166461
 Mercedes-Benz 415 330 02 00
 Mercedes-Benz A 415 330 02 00
 Nissan 54502-00Q0A
 Nissan 54502-00QAA
 Nissan 54503-00Q0B
 Opel 44 08 959
 Renault 545041876R
 Renault 545058191R
 Renault 8200041166
 Renault 8200586567
 Vauxhall 44 08 959

GENERAL MOTORS 93851118
 Mercedes-Benz 415 330 03 00
 Mercedes-Benz A 415 330 03 00
 Nissan 54502-00Q0B
 Nissan 54503-00Q0A
 Nissan 54503-00QAA
 Opel 44 12 936
 Renault 545044506R
 Renault 8200002869
 Renault 8200586561
 Renault 8200586570
 Vauxhall 44 12 936

Application info

Nissan Primastar I (X83) (03/01--)
 Renault Espace IV (11/02--)
 Renault Trafic II (03/01--)
 Vauxhall Vivaro A (08/01-07/14)

Opel Vivaro A (08/01--)
 Renault Laguna II (03/01-12/07)
 Renault Vel Satis (06/02--)

Mount, control arm

16-14 610 0003

MCB0150

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 50
 Inner Diameter [mm] 18
 Outer Diameter [mm] 55
 Required quantity 2
 replacement in pairs recommended



References

Renault 8200002868

Application info

Renault Espace IV (11/02--)
 Renault Vel Satis (06/02--)

Renault Laguna II (03/01-12/07)

Mount, control arm

16-14 610 0004

MCB0151

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 55
 Inner Diameter [mm] 12
 Outer Diameter [mm] 40
 Required quantity 2
 replacement in pairs recommended



References

Nissan 54560-AX600

Renault 8200183569

Application info

Nissan Micra (K12) (03/02--)
Renault Clio III / Modus (09/04--)

Nissan Note I (01/05-08/13)

Mount, control arm

16-14 610 0005

MCB0152

Notes

Front Axle Left
Front Axle Right
Lower
Rear
without holder

Height [mm] 53
Inner Diameter [mm] 12
Outer Diameter [mm] 58
Required quantity 2
replacement in pairs recommended



References

Renault 8200183570

Application info

Renault Clio III / Modus (09/04--)

Mount, control arm

16-14 610 0006

MCB0153

Notes

Front Axle Left
Front Axle Right
Lower
Rear
without holder

Height [mm] 53
Inner Diameter [mm] 12
Outer Diameter [mm] 58
Required quantity 2
replacement in pairs recommended



References

Mercedes-Benz 415 330 02 00
 Mercedes-Benz A 415 330 02 00
 Renault 545041876R
 Renault 545046162R
 Renault 545048506R
 Renault 545050399R
 Renault 545052354R
 Renault 545058191R
 Renault 8200586561
 Renault 8200586570

Mercedes-Benz 415 330 03 00
 Mercedes-Benz A 415 330 03 00
 Renault 545044506R
 Renault 545046817R
 Renault 545049968R
 Renault 545050510R
 Renault 545055711R
 Renault 8200041166
 Renault 8200586567

Application info

Mercedes-Benz BM 415 (Citan) (11/12--)
 Renault Clio IV (11/12--)
 Renault Mégane II (07/01--)
 Renault Zoe (06/12--)

Renault Captur I (06/13--)
 Renault Kangoo II (02/08--)
 Renault Scénic II (06/03-07/10)

Mount, control arm

16-14 610 0007

MCB0154

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 49
 Inner Diameter [mm] 12
 Outer Diameter [mm] 32
 Quantity per axle 2
 Required quantity 2
 replacement in pairs recommended



References

Mercedes-Benz 415 330 02 00
 Mercedes-Benz A 415 330 02 00
 Renault 545014120R
 Renault 545042644R
 Renault 545046162R
 Renault 545048506R
 Renault 545049968R
 Renault 545050510R
 Renault 545055165R
 Renault 545058191R
 Renault 8200586561
 Renault 8200586567

Mercedes-Benz 415 330 03 00
 Mercedes-Benz A 415 330 03 00
 Renault 545041876R
 Renault 545044506R
 Renault 545046817R
 Renault 545048658R
 Renault 545050399R
 Renault 545052354R
 Renault 545055711R
 Renault 8200242025
 Renault 8200586564

Application info

Mercedes-Benz BM 415 (Citan) (11/12--)
 Renault Clio IV (11/12--)
 Renault Mégane II (07/01--)
 Renault Zoe (06/12--)

Renault Captur I (06/13--)
 Renault Kangoo II (02/08--)
 Renault Scénic II (06/03-07/10)

Mount, control arm

16-14 610 0008

MCB0155

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 55
 Inner Diameter [mm] 12
 Outer Diameter [mm] 58
 Required quantity 2
 replacement in pairs recommended



References

Renault 7700824042

Application info

Renault Laguna I (11/93-08/02)

Mount, control arm **16-14 610 0011** **MCB0158**

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 55
 Inner Diameter [mm] 18
 Outer Diameter [mm] 55
 Required quantity 2
 replacement in pairs recommended



References

Renault 6025307746 Renault 7700822503

Application info

Renault Avantime (09/01-05/03) Renault Espace III (11/96-10/02)
 Renault Laguna I (11/93-08/02) Renault Vel Satis (06/02--)

Mount, control arm **16-14 610 0013/HD** **MCB0160HD**

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 inner
 without holder

Height [mm] 46
 Inner Diameter [mm] 12
 Outer Diameter [mm] 45
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Nissan 54560-00Q0A Nissan 54560-00QAB
 Renault 7700424399 Renault 7700424459
 Renault 8200651161 Renault 8200763296
 Renault 8200763301 Renault 8200942392
 Renault 8200942396 Renault 8200942405
 Renault 8200942406

Application info

Nissan Kubistar (08/03--)
Renault Kangoo I (08/97--)

Renault Clio II / Thalia (02/98--)
Renault Twingo II / Wind (03/07--)

Mount, control arm

16-14 610 0014/HD

MCB0161HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Lower
inner
without holder

Height [mm] 46
Inner Diameter [mm] 12
Outer Diameter [mm] 45
Replace in pairs only
Required quantity 2
reinforced version



References

Renault 7700789478
Renault 8200610363

Renault 7700840741
Renault 8200651163

Application info

Renault Mégane I / Scénic I (08/95-07/10)

Renault R 19 (01/88-08/03)

Mount, control arm

16-14 610 0020

MCB0165

Notes

Front
Front Axle Left
Front Axle Right
inner
without holder

Height [mm] 53
Inner Diameter [mm] 18
Outer Diameter [mm] 55
Required quantity 2
replacement in pairs recommended



References

Renault 545000001R
Renault 545010008R
Renault 545010012R

Renault 545000002R
Renault 545010009R

Application info

Renault Laguna III / Coupe / Grandtour (10/07-12/15)

Mount, control arm

16-14 610 0024

MCB0167

Notes

Front
Front Axle Left
Front Axle Right
inner
without holder

Height [mm] 50
Inner Diameter [mm] 18
Outer Diameter [mm] 55
Required quantity 2
replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Nissan 54504-00Q0D | Nissan 54505-00Q0D |
| Renault 545000399R | Renault 545006560R |
| Renault 545008682R | Renault 545009207R |
| Renault 545009574R | Renault 545009795R |
| Renault 545014055R | Renault 545016101R |
| Renault 545016838R | Renault 545017850R |
| Renault 545018194R | Renault 545019389R |
| Renault 545042080R | Renault 545055050R |

Application info

- | | |
|------------------------------|------------------------------|
| Nissan Juke (F16) (08/19--) | Renault Captur II (01/20--) |
| Renault Fluence (02/10--) | Renault Megane III (11/08--) |
| Renault Scénic III (12/08--) | |

Mount, control arm

16-14 610 0025

MCB0168

Notes

Front Axle Left
Front Axle Right
Rear
inner
without holder

Height [mm] 50
Inner Diameter [mm] 18
Outer Diameter [mm] 55
Required quantity 2
replacement in pairs recommended



References

Renault 545009207R

Renault 545014055R

Application info

Renault Fluence (02/10--)

Renault Megane III (11/08--)

Renault Scénic III (12/08--)

Mount, control arm

16-14 610 0026

MCB0169

Notes

Front
Front Axle Left
Front Axle Right
Rear
without holder

Height [mm] 45
Inner Diameter [mm] 14
Outer Diameter [mm] 37
Required quantity 4
replacement in pairs recommended



References

Dacia 545006542R

Dacia 545016746R

Dacia 545602788R

Renault 545000138R

Renault 545001535R

Renault 545006542R

Renault 545011697R

Renault 545016746R

Renault 545019969R

Renault 545602788R

Application info

Dacia Duster I (04/10--)

Renault Duster I (01/11--)

Mount, control arm

16-14 610 0033/HD

MCM0203HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Lower
Rear
without holder

Height [mm] 65
Inner Diameter [mm] 14
Outer Diameter [mm] 70
Replace in pairs only
Required quantity 2



References

Renault 545000399R
 Renault 545009795R
 Renault 545016838R

Renault 545006560R
 Renault 545016101R
 Renault 545019389R

Application info

Renault Megane III (11/08--)
 Renault Scénic III (12/08--)

Renault Scenic / Grand Scenic IV (09/16--)

Mount, control arm

16-14 610 0034

MCB0555

Notes

Front
 Front Axle Left
 Front Axle Right
 Rubber/Metal
 without holder

Height [mm] 50.5
 Inner Diameter [mm] 18.6
 Outer Diameter [mm] 55
 Required quantity 2
 replacement in pairs recommended



References

Renault 545042021R
 Renault 545049566R
 Renault 545058397R

Renault 545045297R
 Renault 545057449R
 Renault 545058992R

Application info

Renault Megane IV (11/15--)

Mount, control arm

16-14 610 0035

MCB0556

Notes

Front Axle Left
 Front Axle Right
 Rear
 Rubber/Metal
 without holder

Height [mm] 75
 Inner Diameter [mm] 14.1
 Outer Diameter [mm] 58.1
 Required quantity 2
 replacement in pairs recommended



References

Renault 545042021R
 Renault 545049566R
 Renault 545058397R

Renault 545045297R
 Renault 545057449R
 Renault 545058992R

Application info

Renault Megane IV (11/15--)

Mount, control arm

16-14 610 0036

MCM0206

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 Rubber-Metal Mount
 for control arm
 without holder

Height [mm] 52.5
 Inner Diameter [mm] 12.2
 Outer Diameter [mm] 55
 Required quantity 2
 replacement in pairs recommended



References

Renault 545047654R
 Renault 545051097R
 Smart 453 330 29 00
 Smart 453 330 31 00
 Smart A 453 330 29 00
 Smart A 453 330 31 00

Renault 545048628R
 Renault 545057345R
 Smart 453 330 30 00
 Smart 453 330 32 00
 Smart A 453 330 30 00
 Smart A 453 330 32 00

Application info

Renault Twingo III (09/14--)
 Smart Fortwo III (07/14--)

Smart Forfour II (07/14--)

Mount, control arm

16-14 610 0037

MCM0207

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 Rubber-Metal Mount
 for control arm
 without holder



Height [mm] 76
 Inner Diameter [mm] 12.2
 Outer Diameter [mm] 55
 Required quantity 2
 replacement in pairs recommended

References

- | | |
|-----------------------|-----------------------|
| Renault 545047654R | Renault 545048628R |
| Renault 545051097R | Renault 545057345R |
| Smart 453 330 29 00 | Smart 453 330 30 00 |
| Smart 453 330 31 00 | Smart 453 330 32 00 |
| Smart A 453 330 29 00 | Smart A 453 330 30 00 |
| Smart A 453 330 31 00 | Smart A 453 330 32 00 |

Application info

- | | |
|------------------------------|----------------------------|
| Renault Twingo III (09/14--) | Smart Forfour II (07/14--) |
| Smart Fortwo III (07/14--) | |

Mount, control arm

18-14 610 0002

MCB0173

Notes

Front Axle Left
 Front Axle Right
 Lower
 without holder



Height [mm] 66
 Inner Diameter [mm] 14
 Outer Diameter [mm] 46
 Required quantity 2
 replacement in pairs recommended

References

- | | |
|------------------|------------------|
| Jaguar MNC1360BB | Jaguar MNE1360BA |
| Jaguar MNE1360BB | |

Application info

Jaguar XJ (X300) (09/94-12/99)

Jaguar XK 8 (QDV, QEV) (03/96-12/06)

Jaguar XJ (X308) (09/96-06/03)

Mount, control arm

18-14 710 0006

MCB0550

Notes

Rear Axle Left
Rear Axle Right
without holder

Height [mm]

110

Inner Diameter [mm]

14

Outer Diameter [mm]

51

Required quantity

2

replacement in pairs recommended



References

Jaguar T2H16771

Application info

Jaguar XE (X760) (03/15--)

Jaguar XF II (X260) (05/15--)

Mount, control arm

18-14 710 0009/HD

MCB0493HD

Notes

Carbon Neutral
Front
Rear Axle Left
Rear Axle Right
without holder

Height [mm]

71

Inner Diameter [mm]

14

Outer Diameter [mm]

56

Replace in pairs only

Required quantity

2

reinforced version



References

Jaguar C2P14467

Jaguar C2P16878

Jaguar C2P3710

Jaguar C2P14468

Jaguar C2P16879

Jaguar XR849497

Application info

Jaguar S-Type (CCX) (10/98-12/08)

Jaguar XK (03/06-12/14)

Mount, control arm **18-16 710 0002** **MCB0562**

Notes

Lower
Molecular Bearing
Rear Axle Left
Rear Axle Right
outer
without holder

Height [mm] 54
Inner Diameter [mm] 14.2
Outer Diameter [mm] 47
Required quantity 2
replacement in pairs recommended



References

Jaguar C2P14467	Jaguar C2P14468
Jaguar C2P16878	Jaguar C2P16879
Jaguar C2P3710	Jaguar XR849497

Application info

Jaguar S-Type (CCX) (10/98-12/08)	Jaguar XK (03/06-12/14)
-----------------------------------	-------------------------

Mount, control arm **214 610 0000** **MCM0042**

Notes

Front
Front Axle Left
Front Axle Right
Lower
Rubber-Metal Mount
with holder

Height [mm] 50
Inner Diameter [mm] 23
Required quantity 2
replacement in pairs recommended



References

Citroën 13 123 170 80

Citroën 3520.C3

Citroën 3520.G9

Citroën 3520.P6

Citroën 3521.64

Citroën 3521.85

Citroën 3521.H0

Citroën 3521.K4

Citroën 3521.L0

Fiat 1313083080

Fiat 1316735080

Fiat 1317389080

Fiat 1322663080

Fiat 1333754080

Fiat 134 638 5080

Fiat 71737047

Fiat 93500972

Fiat 93501487

Lancia 1313083080

Lancia 1316735080

Lancia 1317389080

Lancia 1322663080

Lancia 1333754080

Lancia 1346385080

Lancia 71737048

Lancia 93501488

Peugeot 3520.C3

Peugeot 3520.C9

Peugeot 3520.P4

Peugeot 3520.P8

Peugeot 3521.83

Peugeot 3521.C9

Peugeot 3521.H1

Peugeot 3521.K6

Citroën 3520.94

Citroën 3520.C5

Citroën 3520.P4

Citroën 3520.P8

Citroën 3521.83

Citroën 3521.C9

Citroën 3521.H1

Citroën 3521.K6

Fiat 1312317080

Fiat 1313084080

Fiat 1316736080

Fiat 1317390080

Fiat 1322664080

Fiat 1333755080

Fiat 1346384080

Fiat 71737048

Fiat 93500973

Fiat 93501488

Lancia 1313084080

Lancia 1316736080

Lancia 1317390080

Lancia 1322664080

Lancia 1333755080

Lancia 71737047

Lancia 93501487

Peugeot 3520.94

Peugeot 3520.C5

Peugeot 3520.G9

Peugeot 3520.P6

Peugeot 3521.64

Peugeot 3521.85

Peugeot 3521.H0

Peugeot 3521.K4

Peugeot 3521.L0

Application info

Citroën C8 (06/02--)

Citroën Jumpy I (06/94-12/06)

Fiat Ulysse I (220) (06/94-08/02)

Lancia Phedra (09/02-11/10)

Peugeot 806 (06/94-02/03)

Peugeot Expert I (07/95-03/08)

Citroën Evasion (03/94-10/02)

Fiat Scudo I (220) (02/96-12/06)

Fiat Ulysse II (179) (08/02-06/11)

Lancia Zeta (05/95-10/03)

Peugeot 807 (06/02--)

Mount, control arm

214 610 0001

MCB0175

Notes

Front
Front Axle Left
Front Axle Right
Lower
without holder

Height [mm] 55
Inner Diameter [mm] 12
Outer Diameter [mm] 30
Required quantity 2
replacement in pairs recommended



References

Fiat 46421522

Application info

Fiat Doblo (119, 223) (11/00--)

Fiat Palio / Albea / Siena / Strada (04/96--)

Mount, control arm

214 610 0002

MCM0043

Notes

Front
Front Axle Left
Front Axle Right
Lower
with holder

Height [mm] 50
Inner Diameter [mm] 21
Outer Diameter [mm] 41
Required quantity 2
replacement in pairs recommended



References

Alfa Romeo 46423824
 Alfa Romeo 46474556
 Alfa Romeo 60586771
 Alfa Romeo 60809813
 Alfa Romeo 60813013
 Alfa Romeo 60813043
 Alfa Romeo 93501116
 Fiat 46423822
 Fiat 46456049
 Fiat 46462626
 Fiat 46474556
 Fiat 60811769
 Fiat 71747915
 Fiat 7601064
 Fiat 7777240
 Fiat 7780444
 Fiat 82461082
 Fiat 93501117
 Lancia 46423823
 Lancia 46474557
 Lancia 71747916
 Lancia 7601062
 Lancia 7777240
 Lancia 82461082

Alfa Romeo 46423825
 Alfa Romeo 46474557
 Alfa Romeo 60586772
 Alfa Romeo 60809814
 Alfa Romeo 60813014
 Alfa Romeo 60813044
 Alfa Romeo 93501117
 Fiat 46423823
 Fiat 46456050
 Fiat 46462627
 Fiat 46474557
 Fiat 60811770
 Fiat 71747916
 Fiat 7777239
 Fiat 7780443
 Fiat 82461081
 Fiat 93501116
 Lancia 46423822
 Lancia 46474556
 Lancia 71747915
 Lancia 7601057
 Lancia 7777239
 Lancia 82461081

Application info

Alfa Romeo 145 / 146 (07/94-10/01)
 Alfa Romeo GTV (09/94-10/05)
 Fiat Brava / Bravo (182) (10/95-06/03)
 Fiat Marea / Multipla (05/96-06/10)
 Lancia Dedra (01/89-07/99)
 Lancia Kappa (08/94-10/01)

Alfa Romeo 155 (01/92-12/97)
 Alfa Romeo Spider (916) (09/94-04/05)
 Fiat Coupé (11/93-08/00)
 Fiat Tempra / Tipo (07/87-12/98)
 Lancia Delta I / II (09/79-09/99)

Mount, control arm

214 610 0003

MCM0044

Notes

Front Axle Right

Lower

Rear

with holder

Height [mm]

52

Inner Diameter [mm]

21

Outer Diameter [mm]

59

Paired article number

214 610 0008 | MCM0046

Required quantity

1

replacement in pairs recommended



References

Alfa Romeo 46423825

Alfa Romeo 60586772

Alfa Romeo 60813014

Alfa Romeo 93501117

Fiat 46456050

Fiat 46474557

Fiat 71747916

Fiat 7777240

Fiat 82461082

Lancia 46423823

Lancia 71747916

Lancia 7777240

Alfa Romeo 46474557

Alfa Romeo 60809814

Alfa Romeo 60813044

Fiat 46423823

Fiat 46462627

Fiat 60811770

Fiat 7601068

Fiat 7780444

Fiat 93501117

Lancia 46474557

Lancia 7601062

Lancia 82461082

Application info

Alfa Romeo 145 / 146 (07/94-10/01)

Alfa Romeo GTV (09/94-10/05)

Fiat Brava / Bravo (182) (10/95-06/03)

Fiat Marea / Multipla (05/96-06/10)

Lancia Dedra (01/89-07/99)

Lancia Kappa (08/94-10/01)

Alfa Romeo 155 (01/92-12/97)

Alfa Romeo Spider (916) (09/94-04/05)

Fiat Coupé (11/93-08/00)

Fiat Tempra / Tipo (07/87-12/98)

Lancia Delta I / II (09/79-09/99)

Mount, control arm

214 610 0008

MCM0046

Notes

Front Axle Left
 Lower
 Rear
 with holder

Height [mm] 52
 Inner Diameter [mm] 21
 Outer Diameter [mm] 59
 Paired article number 214 610 0003 | MCM0044
 Required quantity 1
 replacement in pairs recommended



References

Alfa Romeo 46423824	Alfa Romeo 46474556
Alfa Romeo 60586771	Alfa Romeo 60809813
Alfa Romeo 60813013	Alfa Romeo 60813043
Alfa Romeo 93501116	Fiat 46423822
Fiat 46456049	Fiat 46462626
Fiat 46474556	Fiat 60811769
Fiat 71747915	Fiat 7601065
Fiat 7777239	Fiat 7780443
Fiat 82461081	Fiat 93501116
Lancia 46423822	Lancia 46474556
Lancia 71747915	Lancia 7601057
Lancia 7777239	Lancia 82461081

Application info

Alfa Romeo 145 / 146 (07/94-10/01)	Alfa Romeo 155 (01/92-12/97)
Alfa Romeo GTV (09/94-10/05)	Alfa Romeo Spider (916) (09/94-04/05)
Fiat Brava / Bravo (182) (10/95-06/03)	Fiat Coupé (11/93-08/00)
Fiat Marea / Multipla (05/96-06/10)	Fiat Tempra / Tipo (07/87-12/98)
Lancia Dedra (01/89-07/99)	Lancia Delta I / II (09/79-09/99)
Lancia Kappa (08/94-10/01)	

Mount, control arm

214 610 0013

MCM0049

Notes

Front Axle Left
 Lower
 Rear
 with holder
 Paired article number 214 610 0014 | MCM0050
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-------------------|-------------------|
| Citroën 3520.94 | Citroën 3520.C3 |
| Citroën 3520.C5 | Citroën 3520.G9 |
| Citroën 3520.P4 | Citroën 3520.P8 |
| Fiat 1305551080 | Fiat 1313083080 |
| Fiat 1316735080 | Fiat 1317389080 |
| Fiat 1322663080 | Fiat 1333754080 |
| Fiat 71737047 | Fiat 93500972 |
| Lancia 1313083080 | Lancia 1316735080 |
| Lancia 1317389080 | Lancia 1322663080 |
| Lancia 1333754080 | Lancia 71737047 |
| Peugeot 3520.94 | Peugeot 3520.C3 |
| Peugeot 3520.C5 | Peugeot 3520.C9 |
| Peugeot 3520.G9 | Peugeot 3520.P4 |
| Peugeot 3520.P8 | |

Application info

- | | |
|----------------------------------|-----------------------------------|
| Citroën Evasion (03/94-10/02) | Citroën Jumpy I (06/94-12/06) |
| Fiat Scudo I (220) (02/96-12/06) | Fiat Ulysse I (220) (06/94-08/02) |
| Lancia Zeta (05/95-10/03) | Peugeot 806 (06/94-02/03) |
| Peugeot Expert I (07/95-03/08) | |

Mount, control arm

214 610 0014

MCM0050

Notes

Front Axle Right

Lower

Rear

with holder

Paired article number

214 610 0013 | MCM0049

Required quantity

1

replacement in pairs recommended



References

Citroën 3521.64

Citroën 3521.83

Citroën 3521.85

Citroën 3521.C9

Citroën 3521.K4

Citroën 3521.L0

Fiat 1305552080

Fiat 1313084080

Fiat 1316736080

Fiat 1317390080

Fiat 1322664080

Fiat 1333755080

Fiat 71737048

Fiat 93500973

Lancia 1313084080

Lancia 1316736080

Lancia 1317390080

Lancia 1322664080

Lancia 1333755080

Lancia 71737048

Peugeot 3521.64

Peugeot 3521.83

Peugeot 3521.85

Peugeot 3521.C9

Peugeot 3521.K4

Peugeot 3521.L0

Application info

Citroën Evasion (03/94-10/02)

Citroën Jumpy I (06/94-12/06)

Fiat Scudo I (220) (02/96-12/06)

Fiat Ulysse I (220) (06/94-08/02)

Lancia Zeta (05/95-10/03)

Peugeot 806 (06/94-02/03)

Peugeot Expert I (07/95-03/08)

Mount, control arm

214 610 0019

MCB0177

Notes

Front
 Front Axle Left
 Front Axle Right
 inner
 without holder

Height [mm] 52.5
 Inner Diameter [mm] 12
 Outer Diameter [mm] 33.5
 Required quantity 2
 replacement in pairs recommended



References

ABARTH 50710620	ABARTH 50710621
ABARTH 51857022	ABARTH 52045068
Fiat 2146100015	Fiat 46545660
Fiat 46545661	Fiat 50703128
Fiat 50703231	Fiat 50703232
Fiat 50709580	Fiat 50710620
Fiat 51839218	Fiat 51839219
Fiat 51842192	Fiat 51842193
Fiat 51857022	Fiat 51857133
Fiat 52045068	Ford 1 540 244
Ford 1 540 246	Ford 1 548 515
Ford 1 580 514	Ford 1 580 515
Ford 1 639 574	Ford 1 639 575
Ford 6M2J-U23942-CA	Ford 9S51-3078-AA
Ford 9S51-3078-AB	Ford 9S51-3078-AC
Ford 9S51-3078-BA	Ford 9S51-3078-BB
Ford 9S51-3078-BC	Lancia 50703231
Lancia 50703232	Lancia 51839218
Lancia 51839219	

Application info

ABARTH 500 (01/08--)	Fiat 500 (07/07--)
Fiat Idea (12/03--)	Fiat Panda II (09/03--)
Fiat Punto II (09/99-07/12)	Ford KA II (10/08-05/16)
Lancia Musa (10/04-09/12)	Lancia Ypsilon (843) (10/03-12/11)

Mount, control arm **214 610 0020** **MCB0178**

Notes

	Front Axle Left
	Front Axle Right
	Rear
	inner
	without holder
Height [mm]	51.9
Inner Diameter [mm]	14.5
Outer Diameter [mm]	60.7
Required quantity	2
replacement in pairs recommended	



References

Fiat 50703128	Fiat 51857133
---------------	---------------

Application info

Fiat Panda II (09/03--)

Mount, control arm **214 610 0021** **MCB0179**

Notes

	Front Axle Left
	Front Axle Right
	Rear
	without holder
Height [mm]	52
Inner Diameter [mm]	14
Outer Diameter [mm]	61
Required quantity	2
replacement in pairs recommended	



References

ABARTH 50710620	ABARTH 51857021
ABARTH 51857022	ABARTH 51860383
ABARTH 52045068	ABARTH 52045069
Fiat 50709579	Fiat 50709580
Fiat 50710620	Fiat 50710621
Fiat 51857021	Fiat 51857022
Fiat 51860383	Fiat 51896150
Fiat 52045068	Fiat 52045069
Ford 1 540 244	Ford 1 540 246
Ford 1 548 515	Ford 1 580 514
Ford 1 639 574	Ford 1 639 575

Application info

ABARTH 500 (01/08--)
Ford KA II (10/08-05/16)

Fiat 500 (07/07--)

Mount, control arm

214 610 0022

MCM0051

Notes

Front Axle Left
Lower
Rear
with holder

Height [mm] 52
Inner Diameter [mm] 16
Paired article number 214 610 0023 | MCM0052
Required quantity 1
replacement in pairs recommended



References

Fiat 46454598	Fiat 46539279
Fiat 46748578	Fiat 46777741
Fiat 46794065	Fiat 46813841
Fiat 51712407	Fiat 51747323
Fiat 51764470	Fiat 51769073
Fiat 51866700	

Application info

Fiat Doblo (119, 223) (11/00--)

Fiat Palio / Albea / Siena / Strada (04/96--)

Mount, control arm

214 610 0023

MCM0052

Notes

Front Axle Right
Lower
Rear
with holder

Height [mm] 52
Inner Diameter [mm] 16
Paired article number 214 610 0022 | MCM0051
Required quantity 1
replacement in pairs recommended



References

Fiat 46454597
 Fiat 46551377
 Fiat 46777742
 Fiat 46813842
 Fiat 51764471
 Fiat 51866701

Fiat 46539278
 Fiat 46748579
 Fiat 46794066
 Fiat 51712408
 Fiat 51769074

Application info

Fiat Doblo (119, 223) (11/00--)

Fiat Palio / Albea / Siena / Strada (04/96--)

Mount, control arm

214 610 0024

MCB0180

Notes

Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 52
 Inner Diameter [mm] 14
 Outer Diameter [mm] 61
 Required quantity 2
 replacement in pairs recommended



References

Fiat 46545660
 Fiat 51842192

Fiat 46545661
 Fiat 51842193

Application info

Fiat Punto II (09/99-07/12)

Mount, control arm

214 610 0029

MCB0181

Notes

Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 72
 Inner Diameter [mm] 12
 Outer Diameter [mm] 71.5
 Required quantity 2
 replacement in pairs recommended



References

Fiat 51810664
 Fiat 51885660
 Fiat 51932035
 Fiat 52008282
 Fiat 52026316
 Opel 3 52 537
 Vauxhall 95514536

Fiat 51810665
 Fiat 51885737
 Fiat 51932036
 Fiat 52008283
 Fiat 52026317
 Opel 3 52 538
 Vauxhall 95514537

Application info

Fiat 500L (09/12--)
 Opel Combo D (02/12--)

Fiat Doblo (263) (11/09--)
 Vauxhall Combo Mk III (07/06--)

Mount, control arm

214 610 0042

MCB0398

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 60
 Inner Diameter [mm] 14.4
 Outer Diameter [mm] 34.8
 Required quantity 2
 replacement in pairs recommended



References

Chrysler 04766423AD
 Chrysler 04766423AF
 Chrysler 04766424AE
 Dodge K04766423AB
 Fiat K04766423AA
 Fiat K04766423AC
 Fiat K04766423AE
 Fiat K04766424AB
 Fiat K04766424AD

Chrysler 04766423AE
 Chrysler 04766424AD
 Chrysler 04766424AF
 Dodge K04766424AC
 Fiat K04766423AB
 Fiat K04766423AD
 Fiat K04766424AA
 Fiat K04766424AC
 Fiat K04766424AE

Application info

Dodge Journey (06/08--)

Fiat Freemont (JC) (08/11--)

Mount, control arm

214 610 0043

MCB0434

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 66.3
 Inner Diameter [mm] 14.4
 Outer Diameter [mm] 77
 Required quantity 2
 replacement in pairs recommended



References

Chrysler 04766423AD
 Chrysler 04766423AF
 Chrysler 04766424AE
 Dodge K04766423AB
 Fiat K04766423AA
 Fiat K04766423AC
 Fiat K04766423AE
 Fiat K04766424AB
 Fiat K04766424AD

Chrysler 04766423AE
 Chrysler 04766424AD
 Chrysler 04766424AF
 Dodge K04766424AC
 Fiat K04766423AB
 Fiat K04766423AD
 Fiat K04766424AA
 Fiat K04766424AC
 Fiat K04766424AE

Application info

Dodge Journey (06/08--)

Fiat Freemont (JC) (08/11--)

Mount, control arm

214 610 0046

MCB0475

Notes

Front
 Front Axle Left
 Front Axle Right
 without holder

Height [mm] 67.5
 Inner Diameter [mm] 14.5
 Outer Diameter [mm] 43.5
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|-----------------|-----------------|
| Fiat 50704262 | Fiat 50705464 |
| Fiat 50705465 | Fiat 50705544 |
| Fiat 51739755 | Fiat 51795260 |
| Fiat 51827736 | Fiat 51827737 |
| Fiat 51827738 | Fiat 51939751 |
| Fiat 51939753 | Fiat 51959820 |
| Fiat 51961341 | Fiat 51983599 |
| Fiat 52011612 | Fiat 52011614 |
| Jeep 51959820 | Jeep 51961341 |
| Lancia 50705464 | Lancia 50705465 |
| Lancia 50705544 | Lancia 51795260 |
| Lancia 51827736 | Lancia 51827737 |
| Lancia 51827738 | |

Application info

- | | |
|----------------------------------|--------------------------------|
| Fiat 500X (09/14--) | Fiat Bravo (198) (11/06--) |
| Fiat Stilo (10/01-11/10) | Fiat Tipo (356) (10/15--) |
| Jeep Renegade (BU, B1) (07/14--) | Lancia Delta III (08/08-08/14) |

Mount, control arm

214 610 0047

MCB0476

Notes

- Front Axle Left
- Front Axle Right
- Rear
- without holder

- | | |
|----------------------------------|----|
| Height [mm] | 66 |
| Inner Diameter [mm] | 14 |
| Outer Diameter [mm] | 70 |
| Required quantity | 2 |
| replacement in pairs recommended | |



References

- | | |
|---------------|---------------|
| Fiat 51983600 | Fiat 52011612 |
| Fiat 52011614 | Fiat 52082552 |
| Fiat 52082897 | |

Application info

- Fiat Tipo (356) (10/15--)

Mount, control arm		214 610 0048	MCB0480
Notes Front Axle Left Front Axle Right Rear without holder Height [mm] 66 Inner Diameter [mm] 14 Outer Diameter [mm] 70 Required quantity 2 replacement in pairs recommended		 	
References Fiat 51939751 Fiat 51939754 Fiat 51939755 Fiat 51959820 Fiat 51961341 Jeep 51959820 Jeep 51961341			
Application info Fiat 500X (09/14--) Jeep Renegade (BU, B1) (07/14--)			
Mount, control arm		216 610 0000	MCB0185
Notes Front Axle Left Front Axle Right Lower Rear without holder Height [mm] 65 Inner Diameter [mm] 12 Outer Diameter [mm] 60 Required quantity 2 replacement in pairs recommended		 	
References Fiat 50700778 Lancia 50700778			
Application info Fiat Bravo (198) (11/06--) Lancia Delta III (08/08-08/14) Fiat Stilo (10/01-11/10)			

Mount, control arm

216 610 0001

MCB0186

Notes

Front
Front Axle Left
Front Axle Right
Lower
without holder

Height [mm] 68
Inner Diameter [mm] 12
Outer Diameter [mm] 42
Required quantity 2
replacement in pairs recommended



References

Fiat 50700443

Application info

Fiat Stilo (10/01-11/10)

Mount, control arm

28-14 610 0001

MCM0056

Notes

Centre
Front Axle Left
Front Axle Right
without holder

Height [mm] 27
Outer Diameter [mm] 54
Required quantity 2
replacement in pairs recommended



References

Kia 54590 3E000

Application info

Kia Sorento I (08/02--)

Mount, control arm **28-14 610 0002** **MCB0189**

Notes

Front Axle Left
 Front Axle Right
 Lower inner
 without holder

Height [mm] 69
 Inner Diameter [mm] 18
 Outer Diameter [mm] 54.5
 Required quantity 2
 replacement in pairs recommended



References
 Kia 54580 3E002

Application info
 Kia Sorento I (08/02--)

Mount, control arm **29-14 610 0000** **MCB0190**

Notes

Front Axle Left
 Front Axle Right
 Lower Rear
 without holder

Height [mm] 54
 Inner Diameter [mm] 12
 Outer Diameter [mm] 60
 Required quantity 2
 replacement in pairs recommended



References
 Chevrolet 96391856 Daewoo 96391856

Application info
 Chevrolet Lacetti (03/03--)
 Daewoo Lacetti (02/02--)

Chevrolet Nubira (01/05-12/11)
 Daewoo Nubira (KLAN) (07/03--)

Mount, control arm

29-14 610 0002

MCB0192

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 54
 Inner Diameter [mm] 12
 Outer Diameter [mm] 72
 Required quantity 2
 replacement in pairs recommended



References

Chevrolet 96261107
 Daewoo 96261107

Chevrolet 96431044
 Daewoo 96431044

Application info

Chevrolet Lacetti (03/03--)
 Chevrolet Rezzo (03/05--)

Chevrolet Nubira (01/05-12/11)

Mount, control arm

29-14 610 0003

MCB0193

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 46
 Inner Diameter [mm] 12
 Outer Diameter [mm] 60
 Required quantity 2
 replacement in pairs recommended



References

Chevrolet 95479763
 Chevrolet 96653381
 Daewoo 96653381

Chevrolet 96535088
 Daewoo 96535088

Application info

Chevrolet Astro I (02/03-05/08)
 Daewoo Kalos (09/02--)

Chevrolet Aveo I (01/03--)

Mount, control arm

300 311 2104/HD

MCB0205HD

Notes

Carbon Neutral
Front
Front Axle Left
Front Axle Right
without holder

Height [mm] 63
Inner Diameter [mm] 14
Outer Diameter [mm] 66
Replace in pairs only
Required quantity 2
reinforced version



References

BMW 0 307 882	BMW 1 096 372
BMW 3 412 781	BMW 31 10 3 412 781
BMW 31 12 0 307 882	BMW 31 12 1 096 372
BMW 31 12 6 769 715	BMW 6 769 715

Application info

BMW X3 (E83) (01/03-12/11)	BMW X5 (E53) (01/00-12/06)
----------------------------	----------------------------

Mount, control arm

300 311 2107

MCB0206

Notes

Front Axle Left
Front Axle Right
Rear
without holder

Height [mm] 52
Inner Diameter [mm] 12
Outer Diameter [mm] 47
Required quantity 2
replacement in pairs recommended



References

BMW 1 094 235	BMW 1 124 622
BMW 1 133 236	BMW 1 139 826
BMW 31 12 1 094 235	BMW 31 12 1 124 622
BMW 31 12 1 133 236	BMW 31 12 1 139 826
BMW 31 12 6 852 991	BMW 31 12 6 852 992
BMW 31 12 6 854 727	BMW 31 12 6 854 728
BMW 6 852 991	BMW 6 852 992
BMW 6 854 727	BMW 6 854 728
BMW (Brilliance) 1 094 235	BMW (Brilliance) 1 124 622
BMW (Brilliance) 1 133 236	BMW (Brilliance) 1 139 826
BMW (Brilliance) 31 12 1 094 235	BMW (Brilliance) 31 12 1 124 622
BMW (Brilliance) 31 12 1 133 236	BMW (Brilliance) 31 12 1 139 826
BMW (Brilliance) 31 12 6 852 991	BMW (Brilliance) 6 852 991

Application info

BMW 1 (F20, F21) (07/11--)	BMW 2 (F22,F23) (10/12--)
BMW 3 (F30, F31) (11/11-06/19)	BMW 3 (F34) (07/12--)
BMW 4 (F32, F33, F36) (07/13--)	BMW 5 (E28) (05/81-12/87)
BMW 5 (E34) (02/87-07/96)	BMW 5 (E39) (09/95-06/04)
BMW 5 (E60, E61) (12/01-12/10)	BMW 6 (E24) (10/75-04/89)
BMW 6 (E63, E64) (09/03-12/10)	BMW 7 (E32) (03/85-10/94)
BMW 7 (E38) (03/94-11/01)	BMW 7 (E65, E66) (07/01-12/09)
BMW 8 (E31) (01/90-12/99)	BMW X3 (E83) (01/03-12/11)
BMW X5 (E53) (01/00-12/06)	

Mount, control arm

300 311 2919/HD

MCM0066HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Set
 with accessories
 without holder

Height [mm]	60
Inner Diameter [mm]	20
Outer Diameter [mm]	66
Replace in pairs only	
Required quantity	2
reinforced version	



References

BMW 31 12 6 757 623

BMW 31 12 6 783 376

BMW 6 777 850

BMW (Brilliance) 31 12 6 757 623

BMW (Brilliance) 31 12 6 783 376

BMW (Brilliance) 6 777 850

BMW 31 12 6 777 850

BMW 6 757 623

BMW 6 783 376

BMW (Brilliance) 31 12 6 777 850

BMW (Brilliance) 6 757 623

BMW (Brilliance) 6 783 376

Application info

BMW 3 (E46) (12/97-12/07)

BMW Z4 (E86) (03/06-01/09)

BMW Z4 (E85) (09/02-12/09)

Mount, control arm

30-14 610 0010

MCB0197

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 58
 Inner Diameter [mm] 12
 Outer Diameter [mm] 55
 Required quantity 2
 replacement in pairs recommended



References

Toyota 48068-59035

Toyota 48069-59035

Toyota 48068-59055

Toyota 48069-59055

Application info

Toyota Yaris I (01/99-12/05)

Mount, control arm**30-14 610 0011****MCB0198****Notes**

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 53
 Inner Diameter [mm] 12
 Outer Diameter [mm] 33
 Required quantity 2
 replacement in pairs recommended

**References**

Toyota 48068-59035
 Toyota 48069-59035

Toyota 48068-59055
 Toyota 48069-59055

Application info

Toyota Yaris I (01/99-12/05)

Mount, control arm**30-14 610 0014****MCB0469****Notes**

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 65
 Inner Diameter [mm] 16
 Outer Diameter [mm] 42
 Required quantity 2
 replacement in pairs recommended

**References**

Lexus 48068-47050
 Toyota 48068-47050
 Toyota 48069-0R010
 Toyota 48069-47060

Toyota 48068-42050
 Toyota 48068-47060
 Toyota 48069-42050

Application info

Lexus CT (ZWA1) (12/10--)
 Toyota Prius III (06/08--)
 Toyota RAV 4 III (06/05-08/14)

Toyota Corolla (_E21_) (10/18--)
 Toyota Prius IV (09/15--)

Mount, control arm

30-14 610 0016

MCB0200

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 53
 Inner Diameter [mm] 14
 Outer Diameter [mm] 35
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|----------------------|----------------------|
| Daihatsu 48068-09041 | Daihatsu 48069-09041 |
| Subaru 4806859145 | Subaru 4806959135 |
| Toyota 48068-09040 | Toyota 48068-09041 |
| Toyota 48068-09150 | Toyota 48068-59095 |
| Toyota 48068-59135 | Toyota 48068-59145 |
| Toyota 48069-09040 | Toyota 48069-09041 |
| Toyota 48069-09140 | Toyota 48069-59095 |
| Toyota 48069-59125 | Toyota 48069-59135 |
| Toyota 48069-59145 | |

Application info

- | | |
|---|--|
| Daihatsu Charade V (05/11--) | Subaru Trezia (11/10--) |
| Toyota Prius C (NHP10) (09/11--) | Toyota Urban Cruiser (NCP11) (07/07-03/16) |
| Toyota Verso S (NCP12, NSP12) (11/10-10/16) | Toyota Yaris II (01/05-12/14) |
| Toyota Yaris III (12/10--) | |

Mount, control arm

30-14 610 0021

MCB0202

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 71
 Inner Diameter [mm] 19
 Outer Diameter [mm] 48
 Required quantity 2
 replacement in pairs recommended



References

Lexus 48654-60030

Toyota 48654-60030

Application info

Toyota Land Cruiser (J12) (09/02-12/10)

Mount, control arm

30-14 610 0024

MCB0464

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 60
 Inner Diameter [mm] 16
 Outer Diameter [mm] 68
 Required quantity 2
 replacement in pairs recommended



References

Toyota 48068-42050

Toyota 48069-42050

Application info

Toyota RAV 4 III (06/05-08/14)

Mount, control arm

30-14 610 0041

MCB0557

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 52.9
 Inner Diameter [mm] 12.1
 Outer Diameter [mm] 34.5
 Required quantity 2
 replacement in pairs recommended



References

Citroën 16 073 046 80
 Citroën 16 141 914 80
 Citroën 3520.Q2
 Citroën B0 007 701 80
 Peugeot 16 07 304 680
 Peugeot 16 14 191 480
 Peugeot 3520.Q2
 Peugeot B0 00 770 180
 Toyota 48068-0H010
 Toyota 48068-0H021
 Toyota 48069-0H020

Citroën 16 073 047 80
 Citroën 16 141 916 80
 Citroën 3521.L3
 Citroën B0 007 702 80
 Peugeot 16 07 304 780
 Peugeot 16 14 191 680
 Peugeot 3521.L3
 Peugeot B0 00 770 280
 Toyota 48068-0H020
 Toyota 48069-0H010
 Toyota 48069-0H021

Application info

Citroën C1 (06/05-09/14)
 Peugeot 107 (06/05-05/14)
 Toyota Aygo I (02/05-05/14)

Citroën C1 II (04/14--)
 Peugeot 108 (05/14--)
 Toyota Aygo II (05/14--)

Mount, control arm**30-14 610 0042****MCB0558****Notes**

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 62.2
 Inner Diameter [mm] 12.1
 Outer Diameter [mm] 57.4
 Required quantity 2
 replacement in pairs recommended

**References**

Citroën 16 073 046 80
 Citroën 16 141 914 80
 Citroën 3520.Q2
 Citroën B0 007 701 80
 Peugeot 16 07 304 680
 Peugeot 16 14 191 480
 Peugeot 3520.Q2
 Peugeot B0 00 770 180
 Toyota 48068-0H010
 Toyota 48068-0H021
 Toyota 48069-0H020

Citroën 16 073 047 80
 Citroën 16 141 916 80
 Citroën 3521.L3
 Citroën B0 007 702 80
 Peugeot 16 07 304 780
 Peugeot 16 14 191 680
 Peugeot 3521.L3
 Peugeot B0 00 770 280
 Toyota 48068-0H020
 Toyota 48069-0H010
 Toyota 48069-0H021

Application info

Citroën C1 (06/05-09/14)
 Peugeot 107 (06/05-05/14)
 Toyota Aygo I (02/05-05/14)

Citroën C1 II (04/14--)
 Peugeot 108 (05/14--)
 Toyota Aygo II (05/14--)

Mount, control arm**31-14 610 0000****MCB0479****Notes**

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 63
 Inner Diameter [mm] 14
 Outer Diameter [mm] 42
 Required quantity 2
 replacement in pairs recommended

**References**

Honda 51392-S5A-004

Honda 51392-S5A-701

Application info

Honda CR-V II (09/01-07/07)
 Honda FR-V (08/04--)

Honda Civic VII (03/99-04/06)
 Honda Stream (05/01--)

Mount, control arm**31-14 610 0001****MCB0407****Notes**

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 63
 Inner Diameter [mm] 14
 Outer Diameter [mm] 43
 Required quantity 2
 replacement in pairs recommended

**References**

Honda 51391-S5A-004
 Honda 51391-S7A-005

Honda 51391-S5A-024

Application info

Honda CR-V II (09/01-07/07)
Honda FR-V (08/04--)

Honda Civic VII (03/99-04/06)
Honda Stream (05/01--)

Mount, control arm

31-14 610 0010/HD

MCM0069HD

Notes

Carbon Neutral
Front Axle Right
Lower
Rear
with holder

Height [mm] 58
Inner Diameter [mm] 25
Paired article number 31-14 610 0011/HD | MCM0070HD
Replace in pairs only
Required quantity 1
reinforced version



References

Honda 51395-SMG-E02
Honda 51395-SMG-E04

Honda 51395-SMG-E03
Honda 51395-SMG-E05

Application info

Honda Civic VIII (09/05--)

Mount, control arm

31-14 610 0011/HD

MCM0070HD

Notes

Carbon Neutral
Front Axle Left
Lower
Rear
with holder

Height [mm] 58
Inner Diameter [mm] 25
Paired article number 31-14 610 0010/HD | MCM0069HD
Replace in pairs only
Required quantity 1
reinforced version



References

Honda 51396-SMG-E02
Honda 51396-SMG-E04

Honda 51396-SMG-E03
Honda 51396-SMG-E05

Application info

Honda Civic VIII (09/05--)

Mount, control arm

314 610 0002/HD

MCM0072HD

Notes

Carbon Neutral
Front Axle Left
with holder

Inner Diameter [mm]
Paired article number
Replace in pairs only
Required quantity
reinforced version

20
314 610 0003/HD | MCM0073HD
1



References

Mini 31 12 6 757 561

Mini 6 757 561

Application info

Mini Mini I (06/01-07/08)

Mount, control arm

314 610 0003/HD

MCM0073HD

Notes

Carbon Neutral
Front Axle Right
with holder

Inner Diameter [mm]
Paired article number
Replace in pairs only
Required quantity
reinforced version

20
314 610 0002/HD | MCM0072HD
1



References

Mini 31 12 6 757 562

Mini 6 757 562

Application info

Mini Mini I (06/01-07/08)

Application info

BMW X5 (E70) (02/06-07/13)
 BMW X5 (G05) (08/18--)
 BMW X6 (F16) (08/14-07/19)
 BMW X7 (G07) (03/19--)

BMW X5 (F15) (08/13-07/18)
 BMW X6 (E71) (06/07-07/14)
 BMW X6 (G06) (08/19--)
 BMW iX (I20) (07/21--)

Mount, control arm

314 610 0006

MCB0352

Notes

Front Axle Left
 Front Axle Right
 inner
 without holder

Height [mm] 55
 Inner Diameter [mm] 14
 Outer Diameter [mm] 43
 Required quantity 2
 replacement in pairs recommended



References

BMW 31 10 6 771 194

BMW 6 771 194

Application info

BMW X5 (E70) (02/06-07/13)

BMW X6 (E71) (06/07-07/14)

Mount, control arm

314 610 0007

MCB0226

Notes

Front
 Front Axle Left
 Front Axle Right
 without holder

Height [mm] 56
 Inner Diameter [mm] 12
 Outer Diameter [mm] 47
 Required quantity 2
 replacement in pairs recommended



References

BMW 31 12 6 768 989

BMW 6 768 989

BMW (Brilliance) 31 12 6 768 989

BMW (Brilliance) 6 768 989

Application info


BMW 3 (E90, E91, E92, E93) (02/04-12/13)

BMW X1 (E84) (03/09-06/15)

Mount, control arm **314 610 0008/HD** **MCB0227HD**

Notes

	Carbon Neutral
	Front
	Front Axle Left
	Front Axle Right
	Rear
	Upper
	without holder
Height [mm]	52
Inner Diameter [mm]	10
Outer Diameter [mm]	40
Replace in pairs only	
Required quantity	4
reinforced version	



References

BMW 31 10 6 868 530	BMW 31 12 6 775 967
BMW 31 12 6 775 981	BMW 31 12 6 779 871
BMW 31 12 6 779 908	BMW 6 775 967
BMW 6 775 981	BMW 6 779 871
BMW 6 779 908	BMW 6 868 530
BMW (Brilliance) 31 12 6 775 967	BMW (Brilliance) 6 775 967

Application info

BMW 5 (F07) (01/09-02/17)	BMW 5 (F10, F11) (01/09-02/17)
BMW 6 (F12, F13) (12/10-10/18)	BMW 6 (G32) (06/17--)
BMW 7 (F01, F02, F03, F04) (02/08-12/15)	BMW 7 (G11, G12) (07/15--)

Mount, control arm **314 610 0009/HD** **MCM0117HD**

Notes

	Carbon Neutral
	Front Axle Right
	with holder
Inner Diameter [mm]	20
Paired article number	314 610 0010/HD MCM0118HD
Replace in pairs only	
Required quantity	1
reinforced version	



References

Mini 31 12 6 772 236	Mini 6 772 236
----------------------	----------------

Application info

Mini Mini II (11/05-12/15)

Mount, control arm

314 610 0010/HD

MCM0118HD

Notes

Carbon Neutral
Front Axle Left
with holder

Inner Diameter [mm] 20
Paired article number 314 610 0009/HD | MCM0117HD
Replace in pairs only
Required quantity 1
reinforced version



References

Mini 31 12 6 772 235

Mini 6 772 235

Application info

Mini Mini II (11/05-12/15)

Mount, control arm

314 610 0013

MCB0229

Notes

Front Axle Left
Front Axle Right
Lower
Rear
inner
without holder

Height [mm] 90
Inner Diameter [mm] 14
Outer Diameter [mm] 56
Required quantity 2
replacement in pairs recommended



References

BMW 31 12 6 775 963
 BMW 31 12 6 775 980
 BMW 31 12 6 794 203
 BMW 31 12 6 798 107
 BMW 31 12 6 850 781
 BMW 6 775 963
 BMW 6 775 980
 BMW 6 794 203
 BMW 6 798 107
 BMW 6 850 781
 BMW (Brilliance) 31 12 6 794 203

BMW 31 12 6 775 964
 BMW 31 12 6 791 455
 BMW 31 12 6 794 204
 BMW 31 12 6 798 108
 BMW 31 12 6 850 782
 BMW 6 775 964
 BMW 6 791 455
 BMW 6 794 204
 BMW 6 798 108
 BMW 6 850 782
 BMW (Brilliance) 6 794 203

Application info

BMW 5 (F07) (01/09-02/17)
 BMW 6 (F12, F13) (12/10-10/18)

BMW 5 (F10, F11) (01/09-02/17)
 BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Mount, control arm

314 610 0015

MCB0471

Notes

Front Axle Left
 Front Axle Right
 Rear
 outer
 without holder

Height [mm] 55
 Inner Diameter [mm] 14
 Outer Diameter [mm] 43
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------|
| BMW 31 10 6 861 177 | BMW 31 10 6 861 178 |
| BMW 31 12 6 775 963 | BMW 31 12 6 775 964 |
| BMW 31 12 6 777 743 | BMW 31 12 6 777 744 |
| BMW 31 12 6 794 203 | BMW 31 12 6 794 204 |
| BMW 31 12 6 798 107 | BMW 31 12 6 798 108 |
| BMW 31 12 6 850 605 | BMW 31 12 6 850 606 |
| BMW 31 12 6 850 781 | BMW 31 12 6 850 782 |
| BMW 6 775 963 | BMW 6 775 964 |
| BMW 6 777 743 | BMW 6 777 744 |
| BMW 6 794 203 | BMW 6 794 204 |
| BMW 6 798 107 | BMW 6 798 108 |
| BMW 6 850 605 | BMW 6 850 606 |
| BMW 6 850 781 | BMW 6 850 782 |
| BMW 6 861 177 | BMW 6 861 178 |
| BMW (Brilliance) 31 12 6 794 203 | BMW (Brilliance) 6 794 203 |

Application info

- | | |
|----------------------------|--|
| BMW 5 (F07) (01/09-02/17) | BMW 5 (F10, F11) (01/09-02/17) |
| BMW 5 (G30, G31) (09/16--) | BMW 6 (F12, F13) (12/10-10/18) |
| BMW 6 (G32) (06/17--) | BMW 7 (F01, F02, F03, F04) (02/08-12/15) |
| BMW 7 (G11, G12) (07/15--) | |

Mount, control arm

314 610 0016

MCB0465

Notes

Front Axle Left
 Front Axle Right
 Rear
 inner
 without holder

Height [mm] 71
 Inner Diameter [mm] 14
 Outer Diameter [mm] 56
 Required quantity 2
 replacement in pairs recommended



References

BMW 31 10 6 861 177
 BMW 31 12 6 777 743
 BMW 31 12 6 850 605
 BMW 31 12 6 861 156
 BMW 6 777 744
 BMW 6 850 606
 BMW 6 861 177

BMW 31 10 6 861 178
 BMW 31 12 6 777 744
 BMW 31 12 6 850 606
 BMW 6 777 743
 BMW 6 850 605
 BMW 6 861 156
 BMW 6 861 178

Application info

BMW 5 (F07) (01/09-02/17)
 BMW 5 (G30, G31) (09/16--)
 BMW 6 (G32) (06/17--)
 BMW X5 (G05) (08/18--)
 BMW X7 (G07) (03/19--)

BMW 5 (F10, F11) (01/09-02/17)
 BMW 6 (F12, F13) (12/10-10/18)
 BMW 7 (G11, G12) (07/15--)
 BMW X6 (G06) (08/19--)
 BMW iX (I20) (07/21--)

Mount, control arm**314 610 0023/HD****MCB0448HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right
 without holder

Height [mm] 80
 Inner Diameter [mm] 12
 Outer Diameter [mm] 70
 Replace in pairs only
 Required quantity 2
 reinforced version

**References**

BMW 31 12 6 854 729
 BMW (Brilliance) 31 12 6 854 729

BMW 6 854 729
 BMW (Brilliance) 6 854 729

Application info

BMW 1 (F20, F21) (07/11--)
 BMW 3 (E30) (09/82-10/94)
 BMW 3 (F34) (07/12--)

BMW 2 (F22, F23) (10/12--)
 BMW 3 (F30, F31) (11/11-06/19)
 BMW 4 (F32, F33, F36) (07/13--)

Mount, control arm

314 610 0042

MCB0537

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 inner
 without holder

Height [mm] 85
 Inner Diameter [mm] 14
 Outer Diameter [mm] 70
 Required quantity 2
 replacement in pairs recommended



References

BMW 31 10 6 861 161
 BMW 31 12 6 831 187
 BMW 6 831 187
 BMW 6 861 162
 BMW (Brilliance) 31 10 6 861 161
 BMW (Brilliance) 6 861 161

BMW 31 10 6 861 162
 BMW 31 12 6 861 187
 BMW 6 861 161
 BMW 6 861 187
 BMW (Brilliance) 31 10 6 861 162
 BMW (Brilliance) 6 861 162

Application info

BMW 5 (G30, G31) (09/16--)

BMW 6 (G32) (06/17--)

Mount, control arm

314 610 0044/HD

MCB0552HD

Notes

Carbon Neutral
 Front
 Front Axle Left
 Front Axle Right
 Lower
 Rubber/Metal
 for control arm
 inner
 without holder

Height [mm] 85
 Inner Diameter [mm] 12
 Outer Diameter [mm] 75
 Replace in pairs only
 Required quantity 2
 reinforced version



References

- | | |
|---------------------|---------------------|
| BMW 31 10 6 870 977 | BMW 31 10 6 879 847 |
| BMW 31 10 6 879 848 | BMW 31 10 6 880 301 |
| BMW 31 10 6 890 903 | BMW 31 10 6 890 905 |
| BMW 31 10 6 894 653 | BMW 31 10 6 894 661 |
| BMW 31 10 6 894 662 | BMW 31 10 6 894 667 |
| BMW 31 10 6 894 668 | BMW 31 10 6 894 675 |
| BMW 31 10 6 894 676 | BMW 6 870 977 |
| BMW 6 879 847 | BMW 6 879 848 |
| BMW 6 880 301 | BMW 6 890 903 |
| BMW 6 890 905 | BMW 6 894 653 |
| BMW 6 894 661 | BMW 6 894 662 |
| BMW 6 894 668 | BMW 6 894 675 |
| BMW 6 894 676 | BMW 6 984 667 |

Application info

- | | |
|---------------------------------|----------------------------|
| BMW 2 (G42) (08/21--) | BMW 3 (G20, G21) (11/18--) |
| BMW 4 (G22, G23, G26) (07/20--) | BMW X3 (G01) (07/17--) |
| BMW X4 (G02) (04/18--) | BMW iX3 (09/20--) |

Mount, control arm

314 610 0045 MCM0210

Notes

- Front Axle Left
- Front Axle Right
- Lower
- Rear
- inner
- without holder

- Height [mm] 70
- Inner Diameter [mm] 12
- Outer Diameter [mm] 56
- Required quantity 2
- replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| BMW 31 10 6 870 971 | BMW 31 10 6 870 972 |
| BMW 6 870 971 | BMW 6 870 972 |

Application info

- | | |
|------------------------|------------------------|
| BMW X3 (G01) (07/17--) | BMW X4 (G02) (04/18--) |
| BMW iX3 (09/20--) | |

Mount, control arm

314 610 0048/HD

MCB0540HD

Notes

Carbon Neutral
 Front
 Front Axle Left
 Front Axle Right
 inner
 without holder

Height [mm] 85
 Inner Diameter [mm] 15
 Outer Diameter [mm] 75
 Replace in pairs only
 Required quantity 2



References

BMW 31 10 6 861 151
 BMW 6 861 151

BMW 31 10 6 861 152
 BMW 6 861 152

Application info

BMW 6 (G32) (06/17--)

BMW 7 (G11, G12) (07/15--)

Mount, control arm

314 610 0052/HD

MCB0564HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Rubber-Metal Mount
 Rubber/Metal
 without holder

Height [mm] 90
 Inner Diameter [mm] 15
 Outer Diameter [mm] 76
 Replace in pairs only
 Required quantity 2
 reinforced version



References

BMW 31 10 6 878 074
 BMW 31 10 6 893 550
 BMW 6 893 549

BMW 31 10 6 893 549
 BMW 6 878 074
 BMW 6 893 550

Application info

BMW X5 (G05) (08/18--)
 BMW X7 (G07) (03/19--)

BMW X6 (G06) (08/19--)

Mount, control arm

314 710 0005

MCB0232

Notes

Rear
 Rear Axle Left
 Rear Axle Right
 Upper
 inner
 without holder

Height [mm] 48
 Inner Diameter [mm] 12
 Outer Diameter [mm] 45
 Required quantity 2
 replacement in pairs recommended



References

BMW 33 32 6 763 473
 BMW 33 32 6 777 980
 BMW 34 52 6 778 469
 BMW 6 767 190
 BMW 6 778 469
 BMW (Brilliance) 33 32 6 763 473
 BMW (Brilliance) 6 763 473

BMW 33 32 6 767 190
 BMW 33 32 6 782 168
 BMW 6 763 473
 BMW 6 777 980
 BMW 6 782 168
 BMW (Brilliance) 33 32 6 777 980
 BMW (Brilliance) 6 777 980

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)
 BMW X1 (E84) (03/09-06/15)

BMW 3 (E90, E91, E92, E93) (02/04-12/13)

Mount, control arm

314 710 0006

MCB0233

Notes

Rear
Rear Axle Left
Rear Axle Right
Upper
outer
without holder

Height [mm] 50
Inner Diameter [mm] 12
Outer Diameter [mm] 46
Required quantity 2
replacement in pairs recommended



References

BMW 33 32 6 763 473	BMW 33 32 6 777 980
BMW 34 52 6 778 469	BMW 6 763 473
BMW 6 777 980	BMW 6 778 469
BMW (Brilliance) 33 32 6 763 473	BMW (Brilliance) 33 32 6 777 980
BMW (Brilliance) 6 763 473	BMW (Brilliance) 6 777 980

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)	BMW 3 (E90, E91, E92, E93) (02/04-12/13)
--	--

Mount, control arm

314 710 0028

MCB0528

Notes

Rear Axle Left
Rear Axle Right
outer
without holder

Height [mm] 48
Inner Diameter [mm] 12
Outer Diameter [mm] 45
Required quantity 2
replacement in pairs recommended



References

BMW 33 30 6 786 980	BMW 6 786 980
---------------------	---------------

Application info

BMW X3 (F25) (09/10-08/17)	BMW X4 (F26) (05/13-03/18)
----------------------------	----------------------------

Mount, control arm

314 710 0031

MCM0185

Notes

Molecular Bearing
Rear Axle Left
Rear Axle Right
outer
with retaining ring
without holder

Height [mm] 60.3
Inner Diameter [mm] 16.1
Outer Diameter [mm] 52
Required quantity 2
replacement in pairs recommended



References

BMW 33 32 6 780 438
BMW (Brilliance) 33 32 6 780 438

BMW 6 780 438
BMW (Brilliance) 6 780 438

Application info

BMW 5 (F07) (01/09-02/17)
BMW 6 (F12, F13) (12/10-10/18)

BMW 5 (F10, F11) (01/09-02/17)
BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Mount, control arm

314 710 0043

MCB0536

Notes

Centre
Rear Axle Left
Rear Axle Right
Rubber/Metal
Upper
inner
without holder

Height [mm] 60
Inner Diameter [mm] 14.1
Outer Diameter [mm] 51
Required quantity 4
replacement in pairs recommended



References

BMW 33 32 6 861 119
BMW 6 861 119

BMW 33 32 6 861 120
BMW 6 861 120

Application info

BMW 5 (G30, G31) (09/16--)

BMW 6 (G32) (06/17--)

Mount, stabilizer

18-14 615 0000

MSB0150

Notes

	Front Axle Left
	Front Axle Right
Inner Diameter [mm]	31
Outer Diameter [mm]	51
Required quantity	2



References

Jaguar XR814128

Jaguar XR819697

Application info

Jaguar S-Type (CCX) (10/98-12/08)

Jaguar XJ (X350) (03/03-03/09)

Jaguar XK (03/06-12/14)

Jaguar XK 8 (QDV, QEV) (03/96-12/06)

Mount, wheel bearing housing

314 710 0017

MCX0455

Notes

	Rear
	Rear Axle Left
	Rear Axle Right
Height [mm]	62
Inner Diameter [mm]	14
Outer Diameter [mm]	47
Required quantity	2
replacement in pairs recommended	



References

BMW 2 457 418

BMW 33 32 2 457 418

BMW 33 32 6 790 493

BMW 6 790 493

Application info

BMW X3 (F25) (09/10-08/17)

BMW X4 (F26) (05/13-03/18)

Repair kit, ball joint

28-16 010 0017

MAX0149

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer



References

Hyundai 51760-2R000

Kia 51760 2R000

Application info

Hyundai i30 I (10/07-06/12)

Kia Cee'd I (12/06-02/13)

Rod/strut, suspension

116 050 0059

MSR0067

Notes

Aluminium
 Guide Rod
 Rear
 Rear Axle Left
 Upper
 with rubber mount

Length [mm]

360

Paired article number

116 050 0060 | MSR0068

Required quantity

1

replacement in pairs recommended



References

Audi 7L0 505 397

Porsche 955 331 049 00

Volkswagen 7L0 505 397

Application info

Audi Q7 I (4L_) (03/06-01/16)

Porsche Cayenne I (955) (09/02-12/10)

Porsche Cayenne II (92A) (06/10--)

Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Volkswagen Touareg II (7P5) (01/10-12/18)

Rod/strut, suspension		116 050 0060	MSR0068
<p>Notes</p> <p>Aluminium Guide Rod Rear Rear Axle Right Upper with rubber mount</p> <p>Length [mm] 360 Paired article number 116 050 0059 MSR0067 Required quantity 1 replacement in pairs recommended</p>			
<p>References</p> <p>Audi 7L0 505 398 Porsche 955 331 050 00 Volkswagen 7L0 505 398</p>			
<p>Application info</p> <p>Audi Q7 I (4L_) (03/06-01/16) Porsche Cayenne I (955) (09/02-12/10) Porsche Cayenne II (92A) (06/10--) Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13) Volkswagen Touareg II (7P5) (01/10-12/18)</p>			
Rod/strut, suspension		15-16 030 0000	MSR0077
<p>Notes</p> <p>Coupling Rod Rear Rear Axle Sheet Steel</p> <p>Length [mm] 592 Required quantity 2 replacement in pairs recommended</p>			
<p>References</p> <p>Alfa Romeo 51749713 Alfa Romeo 60652167</p>			
<p>Application info</p> <p>Alfa Romeo 147 (10/00-12/10) Alfa Romeo 156 (02/97-05/06) Alfa Romeo GT (937) (11/03-09/10)</p>			

Rod/strut, suspension

15-16 030 0001

MSR0078

Notes

Coupling Rod

Front

Rear Axle

Sheet Steel

Length [mm]

560

Required quantity

2

replacement in pairs recommended



References

Alfa Romeo 46802682

Alfa Romeo 60629903

Alfa Romeo 60676173

Application info

Alfa Romeo 147 (10/00-12/10)

Alfa Romeo 156 (02/97-05/06)

Alfa Romeo GT (937) (11/03-09/10)

Stabilizer link

116 060 0000/HD

MSL0107HD

Notes

Carbon Neutral

Coupling Rod

Front Axle Left

Front Axle Right

with spanner attachment

Length [mm]

270

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

The references of this product can be found at www.meyle.com

Application info

Audi A1 I (8X_) (05/10-10/18)	Audi A1 II (GB_) (07/18--)
Audi A2 (8Z0) (02/00-08/05)	Seat Arona (KJ7) (07/17--)
Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)	Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)
Seat Ibiza V (KJ1) (01/17--)	Seat Mii (10/11--)
Seat Toledo IV (KG3) (07/12-04/19)	Skoda Citigo (10/11--)
Skoda Fabia I (6Y_) (08/99-03/08)	Skoda Fabia II (54_) (12/06-12/14)
Skoda Fabia III (NJ_) (08/14--)	Skoda Fabia IV (PJ3) (06/21--)
Skoda Kamiq (07/19--)	Skoda Rapid II (N_) (07/12-12/19)
Skoda Roomster (03/06-05/15)	Skoda Scala (02/19--)
Volkswagen Fox/Lupo (Z51) (08/03--)	Volkswagen Nivus / Taigo (11/21--)
Volkswagen Polo (6R_) (03/09--)	Volkswagen Polo (9N_) (10/01--)
Volkswagen Polo (AW1) (06/17--)	Volkswagen Polo Vivo (6S1, 6S3) (02/10-09/17)
Volkswagen Polo Vivo (6R1, 6RS) (07/17--)	Volkswagen T-Cross (12/18--)
Volkswagen UP (08/11--)	

Stabilizer link**116 060 0002/HD****MSL0109HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
for vehicles with bad road version
with spanner attachment

Length [mm] 195
Required quantity 2
Thread Size 1 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Audi 1J0 505 466 C	Skoda 1J0 505 466 C
Volkswagen 1J0 505 466 C	

Application info

Audi A3 I (8L_) (09/96-09/06)	Audi TT I (8N_) (10/98-12/06)
Skoda Octavia I (1U_) (09/96-12/10)	Volkswagen Bora (1J2, 1J6) (10/98-12/13)
Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)	

Stabilizer link

116 060 0003/HD

MSL0110HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 205
Required quantity 2
Thread Size 1 M12x1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended



References

- | | |
|--------------------------|--------------------------|
| Ford 1 009 591 | Ford 1 141 774 |
| Ford 1 353 188 | Ford 1 361 653 |
| Ford 1M21-5489-AA | Ford 3M21-5489-AA |
| Ford 3M21-5489-AB | Ford 7 200 959 |
| Ford 95VW-5489-AB | Ford 95VW-5489-AC |
| Seat 7M0 411 317 D | Seat 7M3 411 317 |
| Seat 7M3 411 317 C | Seat 7M3 411 317 E |
| Volkswagen 7M0 311 317 | Volkswagen 7M0 411 317 C |
| Volkswagen 7M0 411 317 D | Volkswagen 7M3 411 317 |
| Volkswagen 7M3 411 317 B | Volkswagen 7M3 411 317 C |
| Volkswagen 7M3 411 317 E | |

Application info

- | | |
|--------------------------------------|--|
| Ford Galaxy I (03/95-05/06) | Seat Alhambra I (7V8, 7V9) (03/96-03/10) |
| Volkswagen Sharan (7M) (05/95-03/10) | |

Stabilizer link

116 060 0007

MSL0114

Notes

Aluminium
Coupling Rod
Front Axle Left

Length [mm] 90
Paired article number 116 060 0008 | MSL0115
Required quantity 1
replacement in pairs recommended



References

Audi 4D0 411 317 J
 Audi (FAW) 8D0 411 317 D
 Volkswagen 4D0 411 317 J
 Volkswagen (SVW) 8D0 411 317 D

Audi 8D0 411 317 D
 Skoda 8D0 411 317 D
 Volkswagen 8D0 411 317 D

Application info

Audi A4 I (8D_) (11/94-12/02)
 Skoda Superb I (3U) (12/01-03/08)

Audi A6 II (4B, C5) (01/97-12/05)
 Volkswagen Passat (3B_) (08/96-12/05)

Stabilizer link

116 060 0008

MSL0115

Notes

Aluminium
 Coupling Rod
 Front Axle Right
 Length [mm] 90
 Paired article number 116 060 0007 | MSL0114
 Required quantity 1
 replacement in pairs recommended



References

Audi 4D0 411 317 J
 Audi (FAW) 8D0 411 318 D
 Volkswagen 4D0 411 317 J
 Volkswagen 8D0 411 318 D

Audi 8D0 411 318 D
 Skoda 8D0 411 318 D
 Volkswagen 4D0 411 318 G
 Volkswagen (SVW) 8D0 411 318 D

Application info

Audi A4 I (8D_) (11/94-12/02)
 Skoda Superb I (3U) (12/01-03/08)

Audi A6 II (4B, C5) (01/97-12/05)
 Volkswagen Passat (3B_) (08/96-12/05)

Stabilizer link

116 060 0009

MSL0116

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 Inner Diameter [mm] 9
 Length [mm] 51
 Required quantity 2
 Thread Size 1 M10x1,5
 replacement in pairs recommended



References

Seat 1H0 411 315

Seat 535 411 315

Volkswagen 535 411 315

Application info

Seat Toledo I (1L_) (01/91-10/99)

Volkswagen Corrado (53I) (08/87-12/95)

Volkswagen Golf III (1H1, 1H5, 1E7) (10/89-12/02)

Volkswagen Vento (11/91-09/98)

Stabilizer link

116 060 0010

MSL0117

Notes

Coupling Rod
Front Axle Left
Front Axle Right
Steel

Length [mm]

108

Required quantity

2

Stabiliser Diameter [mm]

27

Thread Size 1

M12x1,5

replacement in pairs recommended



References

Volkswagen 701 411 049 B

Application info

Volkswagen Transporter IV (07/90-06/03)

Stabilizer link

116 060 0011/HD

MSL0118HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm]

336

Paired article number

116 060 0012/HD | MSL0119HD

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended



References

Audi 1J0 411 315 D

Seat 1J0 411 315 D

Skoda 1J0 411 315 D

Volkswagen 1J0 411 315 D

Application info

Audi A3 I (8L_) (09/96-09/06)

Seat Leon I / Toledo II (1M_) (10/98-06/06)

Volkswagen Bora (1J2, 1J6) (10/98-12/13)

Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Audi TT I (8N_) (10/98-12/06)

Skoda Octavia I (1U_) (09/96-12/10)

Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Stabilizer link

116 060 0012/HD

MSL0119HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm]

336

Paired article number

116 060 0011/HD | MSL0118HD

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended



References

Audi 1J0 411 316 D

Skoda 1J0 411 316 D

Seat 1J0 411 316 D

Volkswagen 1J0 411 316 D

Application info

Audi A3 I (8L_) (09/96-09/06)

Seat Leon I / Toledo II (1M_) (10/98-06/06)

Volkswagen Bora (1J2, 1J6) (10/98-12/13)

Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Audi TT I (8N_) (10/98-12/06)

Skoda Octavia I (1U_) (09/96-12/10)

Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Stabilizer link

116 060 0015/HD

MSL0121HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Inner Diameter [mm]

14

Length [mm]

175

Required quantity

2

Thread Size 1

M10x1,5

reinforced version

replacement in pairs recommended



References

Audi 1J0 505 466 B
Volkswagen 1J0 505 466 B

Seat 1J0 505 466 B

Application info

Audi A3 I (8L_) (09/96-09/06)
Seat Leon I / Toledo II (1M_) (10/98-06/06)
Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Audi TT I (8N_) (10/98-12/06)
Volkswagen Bora (1J2, 1J6) (10/98-12/13)
Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Stabilizer link

116 060 0016 MSL0122

Notes

Aluminium
Coupling Rod
Front Axle Left
white
Length [mm] 90
Paired article number 116 060 0017 | MSL0123
Required quantity 1
replacement in pairs recommended



References

Audi 8E0 411 317
Seat 8E0 411 317

Audi (FAW) 8E0 411 317

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)
Audi A4 III (8E_) (11/04-06/08)

Audi A4 II (8E_) (02/00-12/05)
Seat Exeo (3R) (12/08-05/13)

Stabilizer link

116 060 0017 MSL0123

Notes

Aluminium
Coupling Rod
Front Axle Right
Length [mm] 90
Paired article number 116 060 0016 | MSL0122
Required quantity 1
replacement in pairs recommended



References

Audi 8E0 411 318
Seat 8E0 411 318

Audi (FAW) 8E0 411 318

Application info

Audi A4 Cabriolet (8H_) (01/02-12/09)
 Audi A4 III (8E_) (11/04-06/08)

Audi A4 II (8E_) (02/00-12/05)
 Seat Exeo (3R) (12/08-05/13)

Stabilizer link

116 060 0018

MSL0124

Notes

Aluminium
 Coupling Rod
 Front Axle Left
 Front Axle Right

Inner Diameter [mm] 12
 Length [mm] 110
 Required quantity 2
 replacement in pairs recommended



References

Audi 4E0 411 317 D
 Volkswagen 4E0 411 317 D

Volkswagen 3D0 411 317

Application info

Audi A8 II (4E_) (10/02-12/10)

Volkswagen Phaeton (3D) (04/02-03/16)

Stabilizer link

116 060 0021/HD

MSL0126HD

Notes

Carbon Neutral
 Coupling Rod
 Rear Axle Left
 Inner Diameter 1 [mm] 12
 Length [mm] 200
 Paired article number 116 060 0022/HD | MSL0127HD
 Required quantity 1
 Thread Size 1 M12x1,5

reinforced version
 replacement in pairs recommended



References

Audi 7L0 505 465 C
 Audi 7L8 505 465 B
 Porsche 955 333 069 11
 Volkswagen 7L0 505 465 A
 Volkswagen 7L0 505 465 C

Audi 7L0 505 465 D
 Porsche 955 333 069 10
 Porsche 955 333 069 21
 Volkswagen 7L0 505 465 B
 Volkswagen 7L0 505 465 D

Application info

Audi Q7 I (4L_) (03/06-01/16)

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Audi Q7 II (4M_) (01/15--)

Porsche Cayenne II (92A) (06/10--)

Volkswagen Touareg II (7P5) (01/10-12/18)

Stabilizer link

116 060 0022/HD

MSL0127HD

Notes

Carbon Neutral
Rear Axle Right
Suspension Rod

Length [mm]

250

Paired article number

116 060 0021/HD | MSL0126HD

Required quantity

1

Thread Size 1

M12x1,5

reinforced version

replacement in pairs recommended



References

Audi 7L0 505 466 C

Audi 7L8 505 466 B

Porsche 955 333 070 11

Volkswagen 7L0 505 466 A

Volkswagen 7L0 505 466 C

Audi 7L0 505 466 D

Porsche 955 333 070 10

Porsche 955 333 070 21

Volkswagen 7L0 505 466 B

Volkswagen 7L0 505 466 D

Application info

Audi Q7 I (4L_) (03/06-01/16)

Porsche Cayenne I (955) (09/02-12/10)

Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13)

Audi Q7 II (4M_) (01/15--)

Porsche Cayenne II (92A) (06/10--)

Volkswagen Touareg II (7P5) (01/10-12/18)

Stabilizer link

116 060 0023

MSL0128

Notes

Coupling Rod
Rear Axle Left
Rear Axle Right

Inner Diameter [mm]

10

Length [mm]

95

Required quantity

2

Thread Size 1

M10x1,5

replacement in pairs recommended



References

Audi 1K0 505 465 AA
 Audi 1K0 505 465 K
 Audi (FAW) 1KD 505 465
 Seat 1K0 505 465 J
 Seat 1K0 505 465 R
 Skoda 1K0 505 465 K
 Skoda (SVW) 1KD 505 465
 Volkswagen 1K0 505 465 C
 Volkswagen 1K0 505 465 K
 Volkswagen (FAW) 1KD 505 465

Audi 1K0 505 465 J
 Audi 1K0 505 465 R
 Seat 1K0 505 465 AA
 Seat 1K0 505 465 K
 Skoda 1K0 505 465 AA
 Skoda 1K0 505 465 R
 Volkswagen 1K0 505 465 AA
 Volkswagen 1K0 505 465 J
 Volkswagen 1K0 505 465 R
 Volkswagen (SVW) 1KD 505 465

Application info

Audi A1 I (8X_) (05/10-10/18)
 Audi Q3 I (8U_) (06/11-12/18)
 Seat Alhambra II (710) (06/10--)
 Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Yeti (5L) (05/09-12/17)
 Volkswagen CC (11/11-12/16)
 Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
 Volkswagen Jetta III (1K2) (09/04-12/13)
 Volkswagen Passat (362, 365) (08/10-12/15)
 Volkswagen Passat (A32) (01/11--)
 Volkswagen Sharan (7N) (05/10--)
 Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Audi A3 II (8P_) (05/03-12/15)
 Audi TT II (8J_) (07/06-01/15)
 Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
 Skoda Superb II (3T) (03/08-05/15)
 Volkswagen Beetle (5C1) (04/11-07/19)
 Volkswagen Eos (03/06-08/15)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen Jetta IV (162) (01/08--)
 Volkswagen Passat (3C_) (03/05-01/12)
 Volkswagen Scirocco III (137) (05/08-11/17)
 Volkswagen Tiguan I (5N) (09/07-07/18)

Stabilizer link

116 060 0023/S

MSL0129

Notes

Coupling Rod
 Rear Axle Left
 Rear Axle Right

Inner Diameter [mm] 10
 Length [mm] 95
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

- | | |
|------------------------------|------------------------------|
| Audi 1K0 505 465 AA | Audi 1K0 505 465 J |
| Audi 1K0 505 465 K | Audi 1K0 505 465 R |
| Audi (FAW) 1KD 505 465 | Seat 1K0 505 465 AA |
| Seat 1K0 505 465 J | Seat 1K0 505 465 K |
| Seat 1K0 505 465 R | Skoda 1K0 505 465 AA |
| Skoda 1K0 505 465 K | Skoda 1K0 505 465 R |
| Skoda (SVW) 1KD 505 465 | Volkswagen 1K0 505 465 AA |
| Volkswagen 1K0 505 465 C | Volkswagen 1K0 505 465 J |
| Volkswagen 1K0 505 465 K | Volkswagen 1K0 505 465 R |
| Volkswagen (FAW) 1KD 505 465 | Volkswagen (SVW) 1KD 505 465 |

Application info

- | | |
|---|--|
| Audi A1 I (8X_) (05/10-10/18) | Audi A3 II (8P_) (05/03-12/15) |
| Audi Q3 I (8U_) (06/11-12/18) | Audi TT II (8J_) (07/06-01/15) |
| Seat Alhambra II (710) (06/10--) | Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--) |
| Skoda Octavia II (1Z_) (02/04-06/13) | Skoda Superb II (3T) (03/08-05/15) |
| Skoda Yeti (5L) (05/09-12/17) | Volkswagen Beetle (5C1) (04/11-07/19) |
| Volkswagen CC (11/11-12/16) | Volkswagen Eos (03/06-08/15) |
| Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14) | Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16) |
| Volkswagen Jetta III (1K2) (09/04-12/13) | Volkswagen Jetta IV (162) (01/08--) |
| Volkswagen Passat (362, 365) (08/10-12/15) | Volkswagen Passat (3C_) (03/05-01/12) |
| Volkswagen Passat (A32) (01/11--) | Volkswagen Scirocco III (137) (05/08-11/17) |
| Volkswagen Sharan (7N) (05/10--) | Volkswagen Tiguan I (5N) (09/07-07/18) |
| Volkswagen Touran I (1T1/2/3) (02/03-05/15) | |

Stabilizer link

116 060 0024/HD

MSL0130HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 260
Required quantity 2
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended



References

Volkswagen 7E0 411 317 A
 Volkswagen 7H0 411 317 A
 Volkswagen 7H5 411 317 A
 Volkswagen 7H5 411 317 D

Volkswagen 7H0 411 317
 Volkswagen 7H5 411 317
 Volkswagen 7H5 411 317 B
 Volkswagen 7H5 411 317 E

Application info

Volkswagen Multivan T7 (STM, STN) (08/21--)
 Volkswagen Transporter VI (04/15--)

Volkswagen Transporter V (04/03-08/15)

Stabilizer link

116 060 0025/HD

MSL0131HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 Set
 with spanner attachment

Length [mm] 205
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 reinforced version
 replacement in pairs recommended



References


Ford 1 009 591
 Ford 1 232 756
 Ford 95VW-5489-AB
 Seat 7M3 498 317

Ford 1 141 774
 Ford 1M21-5489-AA
 Ford 95VW-5489-AC
 Volkswagen 7M3 498 317

Application info

Ford Galaxy I (03/95-05/06)
 Volkswagen Sharan (7M) (05/95-03/10)

Seat Alhambra I (7V8, 7V9) (03/96-03/10)

Stabilizer link		116 060 0029	MSL0135
<p>Notes</p> <p>Aluminium Coupling Rod Front Axle Left Front Axle Right without fastening material</p> <p>Length [mm] 197 Required quantity 2 replacement in pairs recommended</p>		 	
<p>References</p> <p>Audi 7L0 411 317 Porsche 955 343 069 00 Volkswagen 7L0 411 317</p>			
<p>Application info</p> <p>Audi Q7 I (4L_) (03/06-01/16) Porsche Cayenne I (955) (09/02-12/10) Porsche Cayenne II (92A) (06/10--) Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13) Volkswagen Touareg II (7P5) (01/10-12/18)</p>			
Stabilizer link		116 060 0029/S	MSL0704
<p>Notes</p> <p>Aluminium Coupling Rod Front Axle Left Front Axle Right with fastening material</p> <p>Length [mm] 197 Required quantity 2 replacement in pairs recommended</p>		 	
<p>References</p> <p>Audi 7L0 411 317 Porsche 955 343 069 00 Volkswagen 7L0 411 317</p>			
<p>Application info</p> <p>Audi Q7 I (4L_) (03/06-01/16) Porsche Cayenne I (955) (09/02-12/10) Porsche Cayenne II (92A) (06/10--) Volkswagen Touareg I (7LA, 7L6 ,7L7) (10/02-01/13) Volkswagen Touareg II (7P5) (01/10-12/18)</p>			

Stabilizer link

116 060 0030/HD

MSL0136HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm]

241

Required quantity

2

Thread Size 1

M12x1,5

reinforced version

replacement in pairs recommended

**References**

Volkswagen 2K0 505 465 B

Volkswagen 2K0 505 465 C

Volkswagen 2K0 505 465 E

Volkswagen 2K5 505 465

Volkswagen 2K5 505 465 A

Volkswagen (FAW) 2K5 505 465 A

Application info

Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)

Volkswagen Caddy IV (SA_) (05/15--)

Stabilizer link

116 060 0035

MSL0141

Notes

Coupling Rod
Plastic
Rear Axle Left
Rear Axle Right

Inner Diameter 1 [mm]

10

Inner Diameter 2 [mm]

10

Length [mm]

63

Required quantity

2

replacement in pairs recommended

**References**

Audi 8E0 505 465 C

Audi 8E0 505 465 D

Volkswagen 8E0 505 465 C

Volkswagen 8E0 505 465 D

Application info

Audi A6 II (4B, C5) (01/97-12/05)

Audi Allroad (4BH) (05/00-08/05)

Volkswagen Passat (3B_) (08/96-12/05)

Stabilizer link **116 060 0036** **MSL0142**

Notes

Coupling Rod
 Plastic
 Rear Axle Left
 Rear Axle Right

Inner Diameter 1 [mm] 10
 Inner Diameter 2 [mm] 10
 Length [mm] 59
 Required quantity 2
 replacement in pairs recommended



References

Audi 8K0 505 465 E Audi 8K0 505 465 G
 Audi (FAW) 8K0 505 465 E Audi (FAW) 8K0 505 465 G
 Volkswagen (SVW) 8K0 505 465 G

Application info

Audi A4 IV (8K_) (08/07-05/16) Audi A5 I (8F_ , 8T_) (06/07-01/17)
 Audi A6 IV (4G2, 4G5, C7) (11/10-09/18) Audi A7 I Sportback (4G_) (07/10-05/18)
 Audi A8 III (4H_) (11/09-01/18) Audi Q5 I (8R_) (11/08-12/17)

Stabilizer link **116 060 0037** **MSL0143**

Notes

Coupling Rod
 Rear Axle Left
 Rear Axle Right

Inner Diameter [mm] 10
 Length [mm] 99
 Required quantity 2
 Thread Size 1 M10x1,5
 replacement in pairs recommended



References

Audi 4F0 505 465 P Audi (FAW) 4F0 505 465 P

Application info

Audi A6 III (4F2, 4FH, 4F5) (04/04-08/11)

Stabilizer link


116 060 0038/HD

MSL0652HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 145
Required quantity 2
reinforced version
replacement in pairs recommended



References

Volkswagen 2H0 411 317

Volkswagen 2H0 411 317 B

Application info

Volkswagen Amarok I (09/10--)

Stabilizer link

116 060 0039

MSL0708

Notes

Coupling Rod
Rear Axle Left
Rear Axle Right

Inner Diameter [mm] 8
Length [mm] 70
Required quantity 2
Thread Size 1 M10x1,5
replacement in pairs recommended



References

Audi 5Q0 505 465 A
Audi 5WA 505 465 A
CUPRA 5Q0505465A
Seat 5Q0 505 465 A
Seat 5WA 505 465 A
Skoda 5Q0 505 465 C
Volkswagen 5Q0 505 465 A
Volkswagen 5WA 505 465 A

Audi 5Q0 505 465 C
Audi (FAW) 5Q0 505 465 C
CUPRA 5Q0505465C
Seat 5Q0 505 465 C
Skoda 5Q0 505 465 A
Skoda 5WA 505 465 A
Volkswagen 5Q0 505 465 C

Application info

Audi A1 I (8X_) (05/10-10/18)
 Audi A3 IV (8Y_) (11/19--)
 Audi Q3 II (F3_) (07/18--)
 CUPRA ATECA (KH7_KHP) (09/18--)
 Seat Leon III (5F_) (09/12--)
 Skoda Karoq (07/17--)
 Skoda Octavia III (5E_) (11/12--)
 Skoda Superb III (3V_) (03/15--)
 Volkswagen Golf VII (5G1,BA5) (08/12--)
 Volkswagen Jetta VII (BU3) (12/17--)
 Volkswagen T-Roc (A11) (07/17--)
 Volkswagen Tiguan II (AD1, BW2) (01/16--)

Audi A3 III (8V_) (04/12--)
 Audi Q2 (06/16--)
 Audi TT III (8S_) (07/14--)
 Seat Ateca (04/16--)
 Seat Tarraco (09/18--)
 Skoda Kodiaq I (10/16--)
 Skoda Octavia IV (NX_) (11/19--)
 Volkswagen Arteon (03/17--)
 Volkswagen Golf VIII (CB1) (07/19--)
 Volkswagen Passat (B8) (08/14--)
 Volkswagen Taos (CL1, CQ1) (10/20--)
 Volkswagen Touran II (5T1) (05/15--)

Stabilizer link

116 060 0041/S

MSL0910

Notes

Aluminium
 Coupling Rod
 Front Axle Left
 Front Axle Right

Length [mm] 170
 Required quantity 2
 replacement in pairs recommended



References

Audi 4G0 411 317
 Audi 4H0 411 317 A
 Audi 4M0 411 317
 Audi 7L0 411 317
 Audi 8K0 411 317 D
 Audi (FAW) 4H0 411 317 C
 Audi (FAW) 8K0 411 317 D
 Audi (FAW) L8KD 411 317
 Porsche 4M0 411 317
 Volkswagen 4M0 411 317 J

Audi 4G0 411 317 A
 Audi 4H0 411 317 C
 Audi 4M0 411 317 J
 Audi 8K0 411 317 C
 Audi 8K0 411 317 E
 Audi (FAW) 4M0 411 317
 Audi (FAW) 8K0 411 317 E
 Porsche 4G0 411 317 A
 Volkswagen 4M0 411 317
 Volkswagen (SVW) 4M0 411 317

Application info

Audi A4 IV (8K_) (08/07-05/16)
 Audi A6 IV (4G2, 4G5, C7) (11/10-09/18)
 Audi A8 III (4H_) (11/09-01/18)
 Porsche Macan (95B) (02/14--)

Audi A5 I (8F_ , 8T_) (06/07-01/17)
 Audi A7 I Sportback (4G_) (07/10-05/18)
 Audi Q5 I (8R_) (11/08-12/17)

Stabilizer link		116 060 0045	MSL0751																												
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 270 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>																															
<p>References</p> <p>The references of this product can be found at www.meyle.com</p>																															
<p>Application info</p> <table border="0"> <tr> <td>Audi A1 I (8X_) (05/10-10/18)</td> <td>Audi A1 II (GB_) (07/18--)</td> </tr> <tr> <td>Audi A2 (8Z0) (02/00-08/05)</td> <td>Seat Arona (KJ7) (07/17--)</td> </tr> <tr> <td>Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)</td> <td>Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)</td> </tr> <tr> <td>Seat Ibiza V (KJ1) (01/17--)</td> <td>Seat Mii (10/11--)</td> </tr> <tr> <td>Seat Toledo IV (KG3) (07/12-04/19)</td> <td>Skoda Citigo (10/11--)</td> </tr> <tr> <td>Skoda Fabia I (6Y_) (08/99-03/08)</td> <td>Skoda Fabia II (54_) (12/06-12/14)</td> </tr> <tr> <td>Skoda Fabia III (NJ_) (08/14--)</td> <td>Skoda Fabia IV (PJ3) (06/21--)</td> </tr> <tr> <td>Skoda Kamiq (07/19--)</td> <td>Skoda Rapid II (N_) (07/12-12/19)</td> </tr> <tr> <td>Skoda Roomster (03/06-05/15)</td> <td>Skoda Scala (02/19--)</td> </tr> <tr> <td>Volkswagen Fox/Lupo (Z51) (08/03--)</td> <td>Volkswagen Nivus / Taigo (11/21--)</td> </tr> <tr> <td>Volkswagen Polo (6R_) (03/09--)</td> <td>Volkswagen Polo (9N_) (10/01--)</td> </tr> <tr> <td>Volkswagen Polo (AW1) (06/17--)</td> <td>Volkswagen Polo Vivo (6S1, 6S3) (02/10-09/17)</td> </tr> <tr> <td>Volkswagen Polo Vivo (6R1, 6RS) (07/17--)</td> <td>Volkswagen T-Cross (12/18--)</td> </tr> <tr> <td>Volkswagen UP (08/11--)</td> <td></td> </tr> </table>				Audi A1 I (8X_) (05/10-10/18)	Audi A1 II (GB_) (07/18--)	Audi A2 (8Z0) (02/00-08/05)	Seat Arona (KJ7) (07/17--)	Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)	Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)	Seat Ibiza V (KJ1) (01/17--)	Seat Mii (10/11--)	Seat Toledo IV (KG3) (07/12-04/19)	Skoda Citigo (10/11--)	Skoda Fabia I (6Y_) (08/99-03/08)	Skoda Fabia II (54_) (12/06-12/14)	Skoda Fabia III (NJ_) (08/14--)	Skoda Fabia IV (PJ3) (06/21--)	Skoda Kamiq (07/19--)	Skoda Rapid II (N_) (07/12-12/19)	Skoda Roomster (03/06-05/15)	Skoda Scala (02/19--)	Volkswagen Fox/Lupo (Z51) (08/03--)	Volkswagen Nivus / Taigo (11/21--)	Volkswagen Polo (6R_) (03/09--)	Volkswagen Polo (9N_) (10/01--)	Volkswagen Polo (AW1) (06/17--)	Volkswagen Polo Vivo (6S1, 6S3) (02/10-09/17)	Volkswagen Polo Vivo (6R1, 6RS) (07/17--)	Volkswagen T-Cross (12/18--)	Volkswagen UP (08/11--)	
Audi A1 I (8X_) (05/10-10/18)	Audi A1 II (GB_) (07/18--)																														
Audi A2 (8Z0) (02/00-08/05)	Seat Arona (KJ7) (07/17--)																														
Seat Ibiza III / Cordoba II (6L_) (02/02-11/09)	Seat Ibiza IV (6J_ ,6P_) (03/08-12/18)																														
Seat Ibiza V (KJ1) (01/17--)	Seat Mii (10/11--)																														
Seat Toledo IV (KG3) (07/12-04/19)	Skoda Citigo (10/11--)																														
Skoda Fabia I (6Y_) (08/99-03/08)	Skoda Fabia II (54_) (12/06-12/14)																														
Skoda Fabia III (NJ_) (08/14--)	Skoda Fabia IV (PJ3) (06/21--)																														
Skoda Kamiq (07/19--)	Skoda Rapid II (N_) (07/12-12/19)																														
Skoda Roomster (03/06-05/15)	Skoda Scala (02/19--)																														
Volkswagen Fox/Lupo (Z51) (08/03--)	Volkswagen Nivus / Taigo (11/21--)																														
Volkswagen Polo (6R_) (03/09--)	Volkswagen Polo (9N_) (10/01--)																														
Volkswagen Polo (AW1) (06/17--)	Volkswagen Polo Vivo (6S1, 6S3) (02/10-09/17)																														
Volkswagen Polo Vivo (6R1, 6RS) (07/17--)	Volkswagen T-Cross (12/18--)																														
Volkswagen UP (08/11--)																															
Stabilizer link		116 060 0046	MSL0752																												
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 335 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 replacement in pairs recommended</p>																															

References

Audi 1K0 411 315 B
Audi 1K0 411 315 E
Audi 1K0 411 315 K
Audi 1K0 411 315 R
Audi 5Q0 411 315 B
Audi (FAW) 1K0 411 315 K
Audi (FAW) 5Q0 411 315 B
CUPRA 1K0411315D
CUPRA 1K0411315K
CUPRA 1K0411315R
Seat 1K0 411 315 D
Seat 1K0 411 315 K
Seat 1K0 411 315 R
Seat 5Q0 411 315 B
Skoda 1K0 411 315 J
Skoda 1K0 411 315 P
Skoda 5Q0 411 315 A
Skoda (SVW) 1K0 411 315 J
Skoda (SVW) 1K0 411 315 P
Volkswagen 1K0 411 315 B
Volkswagen 1K0 411 315 E
Volkswagen 1K0 411 315 K
Volkswagen 1K0 411 315 R
Volkswagen 5Q0 411 315 B
Volkswagen (FAW) 1K0 411 315 R
Volkswagen (FAW) 1KD 411 315 A
Volkswagen (SVW) 1K0 411 315 D
Volkswagen (SVW) 1K0 411 315 K
Volkswagen (SVW) 5QD 411 315 A
Audi 1K0 411 315 D
Audi 1K0 411 315 J
Audi 1K0 411 315 P
Audi 5Q0 411 315 A
Audi 5QM 411 315
Audi (FAW) 1K0 411 315 P
CUPRA 1K0411315B
CUPRA 1K0411315J
CUPRA 1K0411315P
CUPRA 5Q0411315A
Seat 1K0 411 315 J
Seat 1K0 411 315 P
Seat 5Q0 411 315 A
Skoda 1K0 411 315 D
Skoda 1K0 411 315 K
Skoda 1K0 411 315 R
Skoda 5Q0 411 315 B
Skoda (SVW) 1K0 411 315 K
Skoda (SVW) 1K0 411 315 R
Volkswagen 1K0 411 315 D
Volkswagen 1K0 411 315 J
Volkswagen 1K0 411 315 P
Volkswagen 5Q0 411 315 A
Volkswagen 5QM 411 315
Volkswagen (FAW) 1KD 411 315
Volkswagen (FAW) L1KD 411 315
Volkswagen (SVW) 1K0 411 315 J
Volkswagen (SVW) 1K0 411 315 R

Application info

Audi A3 II (8P_) (05/03-12/15)	Audi A3 III (8V_) (04/12--)
Audi A3 IV (8Y_) (11/19--)	Audi Q2 (06/16--)
Audi Q3 I (8U_) (06/11-12/18)	Audi Q3 II (F3_) (07/18--)
Audi TT II (8J_) (07/06-01/15)	Audi TT III (8S_) (07/14--)
CUPRA ATECA (KH7_KHP) (09/18--)	CUPRA FORMENTOR (KM_) (07/20--)
CUPRA LEON (KL_) (10/20--)	Seat Alhambra II (710) (06/10--)
Seat Ateca (04/16--)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Seat Leon III (5F_) (09/12--)	Seat Leon IV (KL_) (11/19--)
Seat Tarraco (09/18--)	Skoda Karoq (07/17--)
Skoda Kodiaq I (10/16--)	Skoda Octavia II (1Z_) (02/04-06/13)
Skoda Octavia III (5E_) (11/12--)	Skoda Octavia IV (NX_) (11/19--)
Skoda Superb II (3T) (03/08-05/15)	Skoda Superb III (3V_) (03/15--)
Skoda Yeti (5L) (05/09-12/17)	Volkswagen Arteon (03/17--)
Volkswagen Atlas (12/16--)	Volkswagen Beetle (5C1) (04/11-07/19)
Volkswagen CC (11/11-12/16)	Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
Volkswagen Caddy IV (SA_) (05/15--)	Volkswagen Caddy V (SBB, SBJ) (09/20--)
Volkswagen Eos (03/06-08/15)	Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)	Volkswagen Golf VII (5G1,BA5) (08/12--)
Volkswagen Golf VIII (CB1) (07/19--)	Volkswagen Jetta III (1K2) (09/04-12/13)
Volkswagen Jetta IV (162) (01/08--)	Volkswagen Jetta VII (BU3) (12/17--)
Volkswagen Passat (362, 365) (08/10-12/15)	Volkswagen Passat (3C_) (03/05-01/12)
Volkswagen Passat (A32) (01/11--)	Volkswagen Passat (B8) (08/14--)
Volkswagen Scirocco III (137) (05/08-11/17)	Volkswagen Sharan (7N) (05/10--)
Volkswagen T-Roc (A11) (07/17--)	Volkswagen Taos (CL1, CQ1) (10/20--)
Volkswagen Tiguan I (5N) (09/07-07/18)	Volkswagen Tiguan II (AD1, BW2) (01/16--)
Volkswagen Touran I (1T1/2/3) (02/03-05/15)	Volkswagen Touran II (5T1) (05/15--)

Stabilizer link**116 060 0047****MSL0753****Notes**

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]	260
Required quantity	2
Thread Size 1	M12x1,75
Thread Size 2	M12x1,75
replacement in pairs recommended	



References

Volkswagen 7H0 411 317	Volkswagen 7H0 411 317 A
Volkswagen 7H5 411 317	Volkswagen 7H5 411 317 A
Volkswagen 7H5 411 317 B	Volkswagen 7H5 411 317 D
Volkswagen 7H5 411 317 E	

Application info

Volkswagen Transporter V (04/03-08/15)	Volkswagen Transporter VI (04/15--)
--	-------------------------------------

Stabilizer link

116 060 0050 MSL0755

Notes

Coupling Rod
 Front Axle Right
 with spanner attachment
 Length [mm] 336
 Paired article number 116 060 0051 | MSL0756
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5

replacement in pairs recommended



References

Audi 1J0 411 316 D	Seat 1J0 411 316 D
Skoda 1J0 411 316 D	Volkswagen 1J0 411 316 D

Application info

Audi A3 I (8L_) (09/96-09/06)	Audi TT I (8N_) (10/98-12/06)
Seat Leon I / Toledo II (1M_) (10/98-06/06)	Skoda Octavia I (1U_) (09/96-12/10)
Volkswagen Bora (1J2, 1J6) (10/98-12/13)	Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)
Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)	

Stabilizer link

116 060 0051 MSL0756

Notes

Coupling Rod
 Front Axle Left
 with spanner attachment
 Length [mm] 336
 Paired article number 116 060 0050 | MSL0755
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5

replacement in pairs recommended



References

Audi 1J0 411 315 D
 Skoda 1J0 411 315 D

Seat 1J0 411 315 D
 Volkswagen 1J0 411 315 D

Application info

Audi A3 I (8L_) (09/96-09/06)
 Seat Leon I / Toledo II (1M_) (10/98-06/06)
 Volkswagen Bora (1J2, 1J6) (10/98-12/13)
 Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)

Audi TT I (8N_) (10/98-12/06)
 Skoda Octavia I (1U_) (09/96-12/10)
 Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)

Stabilizer link

116 060 0063/HD

MSL0922HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 335
 Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 reinforced version
 replacement in pairs recommended



References

Audi 1K0 411 315 B
Audi 1K0 411 315 E
Audi 1K0 411 315 K
Audi 1K0 411 315 R
Audi 5Q0 411 315 B
Audi 5Q0 411 315 D
Audi (FAW) 1K0 411 315 K
Audi (FAW) 5Q0 411 315 B
CUPRA 1K0411315D
CUPRA 1K0411315K
CUPRA 1K0411315R
CUPRA 5Q0411315A
Seat 1K0 411 315 J
Seat 1K0 411 315 P
Seat 5Q0 411 315 A
Seat 5Q0 411 315 C
Skoda 1K0 411 315 D
Skoda 1K0 411 315 K
Skoda 1K0 411 315 R
Skoda 5Q0 411 315 B
Skoda 5Q0 411 315 D
Skoda (SVW) 1K0 411 315 K
Skoda (SVW) 1K0 411 315 R
Volkswagen 1K0 411 315 D
Volkswagen 1K0 411 315 J
Volkswagen 1K0 411 315 P
Volkswagen 3QF 411 315 A
Volkswagen 5Q0 411 315 B
Volkswagen 5QM 411 315
Volkswagen (FAW) 1KD 411 315
Volkswagen (FAW) L1KD 411 315
Volkswagen (SVW) 1K0 411 315 J
Volkswagen (SVW) 1K0 411 315 R
Volkswagen (SVW) 5QD 411 315 A
Audi 1K0 411 315 D
Audi 1K0 411 315 J
Audi 1K0 411 315 P
Audi 5Q0 411 315 A
Audi 5Q0 411 315 C
Audi 5QM 411 315
Audi (FAW) 1K0 411 315 P
CUPRA 1K0411315B
CUPRA 1K0411315J
CUPRA 1K0411315P
CUPRA 5Q0 411 315 D
Seat 1K0 411 315 D
Seat 1K0 411 315 K
Seat 1K0 411 315 R
Seat 5Q0 411 315 B
Seat 5Q0 411 315 D
Skoda 1K0 411 315 J
Skoda 1K0 411 315 P
Skoda 5Q0 411 315 A
Skoda 5Q0 411 315 C
Skoda (SVW) 1K0 411 315 J
Skoda (SVW) 1K0 411 315 P
Volkswagen 1K0 411 315 B
Volkswagen 1K0 411 315 E
Volkswagen 1K0 411 315 K
Volkswagen 1K0 411 315 R
Volkswagen 5Q0 411 315 A
Volkswagen 5Q0 411 315 D
Volkswagen (FAW) 1K0 411 315 R
Volkswagen (FAW) 1KD 411 315 A
Volkswagen (SVW) 1K0 411 315 D
Volkswagen (SVW) 1K0 411 315 K
Volkswagen (SVW) 3QF 411 315 A

Application info

Audi A3 II (8P_) (05/03-12/15)	Audi A3 III (8V_) (04/12--)
Audi A3 IV (8Y_) (11/19--)	Audi Q2 (06/16--)
Audi Q3 I (8U_) (06/11-12/18)	Audi Q3 II (F3_) (07/18--)
Audi TT II (8J_) (07/06-01/15)	Audi TT III (8S_) (07/14--)
CUPRA ATECA (KH7_KHP) (09/18--)	CUPRA FORMENTOR (KM_) (07/20--)
CUPRA LEON (KL_) (10/20--)	Seat Alhambra II (710) (06/10--)
Seat Ateca (04/16--)	Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
Seat Leon III (5F_) (09/12--)	Seat Leon IV (KL_) (11/19--)
Seat Tarraco (09/18--)	Skoda Karoq (07/17--)
Skoda Kodiaq I (10/16--)	Skoda Octavia II (1Z_) (02/04-06/13)
Skoda Octavia III (5E_) (11/12--)	Skoda Octavia IV (NX_) (11/19--)
Skoda Superb II (3T) (03/08-05/15)	Skoda Superb III (3V_) (03/15--)
Skoda Yeti (5L) (05/09-12/17)	Volkswagen Arteon (03/17--)
Volkswagen Atlas (12/16--)	Volkswagen Beetle (5C1) (04/11-07/19)
Volkswagen CC (11/11-12/16)	Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
Volkswagen Caddy IV (SA_) (05/15--)	Volkswagen Caddy V (SBB, SBJ) (09/20--)
Volkswagen Eos (03/06-08/15)	Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)	Volkswagen Golf VII (5G1,BA5) (08/12--)
Volkswagen Golf VIII (CB1) (07/19--)	Volkswagen Jetta City (09/06-12/09)
Volkswagen Jetta III (1K2) (09/04-12/13)	Volkswagen Jetta IV (162) (01/08--)
Volkswagen Jetta VII (BU3) (12/17--)	Volkswagen Passat (362, 365) (08/10-12/15)
Volkswagen Passat (3C_) (03/05-01/12)	Volkswagen Passat (A32) (01/11--)
Volkswagen Passat (B8) (08/14--)	Volkswagen Scirocco III (137) (05/08-11/17)
Volkswagen Sharan (7N) (05/10--)	Volkswagen T-Roc (A11) (07/17--)
Volkswagen Taos (CL1, CQ1) (10/20--)	Volkswagen Tiguan I (5N) (09/07-07/18)
Volkswagen Tiguan II (AD1, BW2) (01/16--)	Volkswagen Touran I (1T1/2/3) (02/03-05/15)
Volkswagen Touran II (5T1) (05/15--)	

Stabilizer link**116 060 0064/HD****MSL0956HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Right

Length [mm] 380

Paired article number 116 060 0065/HD | MSL0957HD

Required quantity 1

Thread Size 1 M14x1,5

Thread Size 2 M14x1,5

reinforced version
replacement in pairs recommended



References

MAN 65.43718.0002
 MAN 65.43718.0008
 Volkswagen 2N0 411 318 A

MAN 65.43718.0007
 Volkswagen 2N0 411 318
 Volkswagen 2N0 411 318 B

Application info

MAN TGE (11/16--)

Volkswagen Crafter II (SY_) (09/16--)

Stabilizer link

116 060 0065/HD

MSL0957HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Length [mm] 380
 Paired article number 116 060 0064/HD | MSL0956HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5

reinforced version
 replacement in pairs recommended



References

MAN 65.43718.0001
 Volkswagen 2N0 411 317 B
 Volkswagen 2N0 411 317 D

MAN 65.43718.0009
 Volkswagen 2N0 411 317 C

Application info

MAN TGE (11/16--)

Volkswagen Crafter II (SY_) (09/16--)

Stabilizer link

116 060 0066

MSL0977

Notes

Coupling Rod
 Rear Axle Left
 Rear Axle Right
 Length [mm] 180
 Required quantity 2
 Thread Size 1 M12x1,5

replacement in pairs recommended



References

MAN 2N0505465
 Volkswagen 2N0 505 465

MAN 65.43718.0004

Application info

MAN TGE (11/16--)

Volkswagen Crafter II (SY_) (09/16--)

Stabilizer link


116 060 0067

MSL0978

Notes

Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 135
Required quantity 2
replacement in pairs recommended



References

MAN 2N0505465A
Volkswagen 2N0 505 465 A

MAN 65.43718.0006

Application info

MAN TGE (11/16--)

Volkswagen Crafter II (SY_) (09/16--)

Stabilizer link

116 060 0068

MSL0979

Notes

Coupling Rod
Rear Axle Left
Rear Axle Right

Inner Diameter [mm] 12
Length [mm] 185
Pipe Diameter [mm] 10
Required quantity 2
Thread Size 1 M14x1,5
replacement in pairs recommended



References

MAN 2N0505465B
Volkswagen 2N0 505 465 B

MAN 65.43718.0005

Application info

MAN TGE (11/16--)

Volkswagen Crafter II (SY_) (09/16--)

Stabilizer link		116 060 0074/HD	MSL1190HD
Notes			
	Carbon Neutral Coupling Rod Rear Axle Right		
Length [mm]	174.5		
Paired article number	116 060 0075/HD MSL1191HD		
Required quantity	1		
Thread Size	M10x1,5		
replacement in pairs recommended			
References			
Audi 1EA 505 466		CUPRA 1EA 505 466	
Skoda 1EA 505 466		Volkswagen 1EA 505 466	
Application info			
Audi Q4 (F4_) (03/21--)		CUPRA BORN (K11) (08/21--)	
Skoda Enyaq iV (5A_) (10/20--)		Volkswagen ID.3 (E11_) (11/19--)	
Volkswagen ID.4 (E21) (05/20--)		Volkswagen ID.5 (E39) (07/21--)	
Volkswagen ID.7 (06/23--)			
Stabilizer link		116 060 0075/HD	MSL1191HD
Notes			
	Carbon Neutral Coupling Rod Rear Axle Left		
Length [mm]	174.5		
Paired article number	116 060 0074/HD MSL1190HD		
Required quantity	1		
Thread Size	M10x1,5		
replacement in pairs recommended			
References			
Audi 1EA 505 465		CUPRA 1EA 505 465	
Skoda 1EA 505 465		Volkswagen 1EA 505 465	
Application info			
Audi Q4 (F4_) (03/21--)		CUPRA BORN (K11) (08/21--)	
Skoda Enyaq iV (5A_) (10/20--)		Volkswagen ID.3 (E11_) (11/19--)	
Volkswagen ID.4 (E21) (05/20--)		Volkswagen ID.5 (E39) (07/21--)	
Volkswagen ID.7 (06/23--)			

Stabilizer link

116 060 0079/S

MSL1202

Notes

Aluminium
Coupling Rod
Front Axle Left
Front Axle Right

Inner Diameter 1 [mm] 10.1
Inner Diameter 2 [mm] 10.1
Length [mm] 170
Required quantity 2
replacement in pairs recommended



References

Audi 4G0 411 317	Audi 4G0 411 317 A
Audi 4H0 411 317 A	Audi 4H0 411 317 C
Audi 4M0 411 317	Audi 4M0 411 317 J
Audi 8K0 411 317 C	Audi 8K0 411 317 D
Audi 8K0 411 317 E	Audi (FAW) 4H0 411 317 C
Audi (FAW) 4M0 411 317	Audi (FAW) 8K0 411 317 D
Audi (FAW) 8K0 411 317 E	Audi (FAW) L8KD 411 317
Porsche 4G0 411 317 A	Porsche 4M0 411 317
Volkswagen 4M0 411 317	Volkswagen 4M0 411 317 J
Volkswagen (SVW) 4M0 411 317	

Application info

Audi A4 V (8W_) (05/15--)	Audi A5 II (F5_) (06/16--)
Audi A6 V (C8, 4A2) (02/18--)	Audi A7 II Sportback (4K_) (10/17--)
Audi A8 IV (4N_) (06/17--)	Audi E-TRON (GE_) (09/18--)
Audi Q5 II (FY_) (05/16--)	Audi Q7 II (4M_) (01/15--)
Audi Q8 (4MN) (02/18--)	Audi Q8 E-TRON (11/22--)
Porsche Cayenne III (9Y_) (05/17--)	Volkswagen Touareg III (CR7) (11/17--)

Stabilizer link**116 060 8296/HD****MSL0149HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Right
with spanner attachment

Inner Diameter [mm] 10
Length [mm] 227
Paired article number 116 060 8295/HD | MSL0148HD
Required quantity 1
Thread Size 1 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Audi 8A0 505 466 C

Audi 8D0 505 466

Application info

Audi 80 (8C, 8G7, B4) (05/91-08/00)

Audi A4 I (8D_) (11/94-12/02)

Stabilizer link**15-16 060 0001/HD****MSL0151HD****Notes**

Carbon Neutral
Coupling Rod

Length [mm] 125
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Alfa Romeo 46841498

Alfa Romeo 46843389

Alfa Romeo 60625029

Honda 52320-SED-003

Application info

Alfa Romeo 147 (10/00-12/10)

Alfa Romeo 156 (02/97-05/06)

Alfa Romeo GT (937) (11/03-09/10)

Honda Accord VIII (09/02--)

Stabilizer link		15-16 060 0010/HD	MSL0156HD
Notes Carbon Neutral Coupling Rod Front Axle Left Length [mm] 101.5 Paired article number 15-16 060 0011/HD MSL0157HD Required quantity 1 Thread Size 1 M12X1,5 Thread Size 2 M12X1,5 reinforced version replacement in pairs recommended			
References Alfa Romeo 50704361 Alfa Romeo 50706990 Alfa Romeo 51795454			
Application info Alfa Romeo 159 (06/05-12/12) Alfa Romeo Brera (01/06-05/11) Alfa Romeo Spider (939) (03/06-03/11)			
Stabilizer link		15-16 060 0011/HD	MSL0157HD
Notes Carbon Neutral Coupling Rod Front Axle Right Length [mm] 101.5 Paired article number 15-16 060 0010/HD MSL0156HD Required quantity 1 Thread Size 1 M12X1,5 Thread Size 2 M12X1,5 reinforced version replacement in pairs recommended			
References Alfa Romeo 50704362 Alfa Romeo 50706991 Alfa Romeo 51795455			
Application info Alfa Romeo 159 (06/05-12/12) Alfa Romeo Brera (01/06-05/11) Alfa Romeo Spider (939) (03/06-03/11)			

Stabilizer link		15-16 060 0018	MSL0764
<p>Notes</p> <p>Coupling Rod Rear Axle Left Rear Axle Right with spanner attachment</p> <p>Length [mm] 180 Required quantity 2 Thread Size 1 M10x1,25 Thread Size 2 M10x1,25 replacement in pairs recommended</p>			
<p>References</p> <p>Alfa Romeo 60613575</p>		<p>Alfa Romeo 60699021</p>	
<p>Application info</p> <p>Alfa Romeo 147 (10/00-12/10) Alfa Romeo GT (937) (11/03-09/10)</p>		<p>Alfa Romeo 156 (02/97-05/06)</p>	
Stabilizer link		15-16 060 0019/HD	MSL1099HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 109 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Alfa Romeo 50543807</p>		<p>Alfa Romeo 50548354</p>	
<p>Application info</p> <p>Alfa Romeo Giulia (952) (10/15--)</p>		<p>Alfa Romeo Stelvio (949) (12/16--)</p>	

Stabilizer link		15-16 060 0020/HD	MSL1104HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 183 Required quantity 2 Thread Size 1 12x1,5 Thread Size 2 12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Alfa Romeo 50543786</p>			
<p>Application info</p> <p>Alfa Romeo Giulia (952) (10/15--)</p>		<p>Alfa Romeo Stelvio (949) (12/16--)</p>	
Stabilizer link		15-16 060 0021/HD	MSL1139HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 183 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Alfa Romeo 50543482</p>			
<p>Application info</p> <p>Alfa Romeo Giulia (952) (10/15--)</p>			

Stabilizer link

16-16 060 0000/HD

MSL0161HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm]

255

Paired article number

16-16 060 0001/HD | MSL0162HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Renault 8200040618

Renault 8200714446

Application info

Renault Twingo I (03/93-10/12)

Stabilizer link

16-16 060 0001/HD

MSL0162HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm]

255

Paired article number

16-16 060 0000/HD | MSL0161HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Renault 8200050191

Renault 8200714448

Application info

Renault Twingo I (03/93-10/12)

Stabilizer link**16-16 060 0003/HD****MSL0163HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 280
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Fiat 6000618859	Fiat 6000640472
GENERAL MOTORS 91167000	GENERAL MOTORS 93450030
GENERAL MOTORS 93858917	Nissan 54616-00Q0A
Nissan 54616-00Q0J	Nissan 54616-00Q1C
Nissan 54616-00Q1F	Nissan 54616-00QAC
Opel 44 07 573	Opel 44 08 904
Opel 44 17 973	Renault 546180393R
Renault 546181944R	Renault 7711160426
Renault 8200002870	Renault 8200661217
Vauxhall 44 08 904	Vauxhall 44 17 973

Application info

Fiat Talento (06/16--)	Nissan NV300 (09/16--)
Nissan Primastar I (X83) (03/01--)	Nissan Primastar II (X82) (11/21--)
Opel Vivaro A (08/01--)	Opel Vivaro B (06/14--)
Renault Clio III / Modus (09/04--)	Renault Espace IV (11/02--)
Renault Laguna II (03/01-12/07)	Renault Trafic II (03/01--)
Renault Trafic III (05/14--)	Renault Vel Satis (06/02--)
Vauxhall Vivaro A (08/01-07/14)	Vauxhall Vivaro B (05/14--)

Stabilizer link**16-16 060 0004/HD****MSL0164HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

287

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Mercedes-Benz 415 320 01 89

Mercedes-Benz A 415 320 01 89

Renault 546181925R

Renault 8200166159

Renault 8200669065

Application info

Mercedes-Benz BM 415 (Citan) (11/12--)

Renault Kangoo II (02/08--)

Renault Mégane II (07/01--)

Renault Scénic II (06/03-07/10)

Stabilizer link**16-16 060 0006/HD****MSL0165HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

257

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Renault 7700437136

Application info

Renault Kangoo I (08/97--)

Renault Mégane I / Scénic I (08/95-07/10)

Stabilizer link **16-16 060 0007/HD** **MSL0166HD**

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm] 154
Required quantity 2
Thread Size 1 M10X1,5
Thread Size 2 M10X1,5
reinforced version
replacement in pairs recommended



References

Renault 8200001857 Renault 8200619922

Application info

Renault Vel Satis (06/02--)

Stabilizer link **16-16 060 0008/HD** **MSL0167HD**

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 275
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Mercedes-Benz 420 320 01 00 Mercedes-Benz A 420 320 01 00
Renault 546180002R Renault 546182227R
Renault 546185678R Renault 546187005R
Renault 546188897R

Application info

Renault Espace V (02/15--)
 Renault Megane IV (11/15--)
 Renault Scénic III (12/08--)

Renault Megane III (11/08--)
 Renault Scenic / Grand Scenic IV (09/16--)
 Renault Talisman (06/15--)

Stabilizer link

16-16 060 0008

MSL0167

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right

Length [mm] 275
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Mercedes-Benz 420 320 01 00
 Renault 546180002R
 Renault 546185678R
 Renault 546188897R

Mercedes-Benz A 420 320 01 00
 Renault 546182227R
 Renault 546187005R

Application info

Renault Espace V (02/15--)
 Renault Megane IV (11/15--)
 Renault Scénic III (12/08--)

Renault Megane III (11/08--)
 Renault Scenic / Grand Scenic IV (09/16--)
 Renault Talisman (06/15--)

Stabilizer link

16-16 060 0009

MSL0168

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right

Length [mm] 73
 Required quantity 2
 Thread Size M8x1,25
 replacement in pairs recommended



References

Renault 8200891487

Application info

Renault Clio II / Thalia (02/98--)

Renault Twingo II / Wind (03/07--)

Stabilizer link

16-16 060 0010/HD

MSL0580HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 330
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

GENERAL MOTORS 93197325
Opel 4419 291
Vauxhall 93197325

Nissan 54616-00Q0E
Renault 546180004R

Application info

Nissan Interstar II (X62B) (11/21--)
Opel Movano B (05/10--)
Vauxhall Movano Mk II (05/10--)

Nissan NV400 (11/11--)
Renault Master III (02/10--)

Stabilizer link

16-16 060 0011/HD

MSL0169HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
not for dual tyres

Inner Diameter 1 [mm] 10
Length [mm] 105
Required quantity 2
Thread Size 1 M10x1,5
reinforced version
replacement in pairs recommended



DRIVER'S BEST FRIEND

MEYLE

References

GENERAL MOTORS 93197332
Renault 551100019R

Opel 44 19 304
Vauxhall 93197332

Application info

Opel Movano B (05/10--)
Vauxhall Movano Mk II (05/10--)

Renault Master III (02/10--)

Stabilizer link

16-16 060 0012

MSL0953

Notes

Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 130
Required quantity 2
replacement in pairs recommended



References

Renault 7700436706

Application info

Renault Kangoo I (08/97--)

Renault Mégane I / Scénic I (08/95-07/10)

Stabilizer link

16-16 060 0013

MSL0668

Notes

Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 264
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
replacement in pairs recommended



References

Renault 546180009R

Renault 546182198R

Application info

Renault Fluence (02/10--)

Stabilizer link**16-16 060 0015****MSL0765****Notes**

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]

280

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

replacement in pairs recommended

**References**

Fiat 6000618859

GENERAL MOTORS 91167000

GENERAL MOTORS 93858917

Nissan 54616-00Q0J

Nissan 54616-00Q1F

Opel 44 07 573

Opel 44 17 973

Renault 546181944R

Renault 8200002870

Vauxhall 44 08 904

Fiat 6000640472

GENERAL MOTORS 93450030

Nissan 54616-00Q0A

Nissan 54616-00Q1C

Nissan 54616-00QAC

Opel 44 08 904

Renault 546180393R

Renault 7711160426

Renault 8200661217

Vauxhall 44 17 973

Application info

Fiat Talento (06/16--)

Nissan Primastar I (X83) (03/01--)

Opel Vivaro A (08/01--)

Renault Clio III / Modus (09/04--)

Renault Laguna II (03/01-12/07)

Renault Trafic III (05/14--)

Vauxhall Vivaro A (08/01-07/14)

Nissan NV300 (09/16--)

Nissan Primastar II (X82) (11/21--)

Opel Vivaro B (06/14--)

Renault Espace IV (11/02--)

Renault Trafic II (03/01--)

Renault Vel Satis (06/02--)

Vauxhall Vivaro B (05/14--)

Stabilizer link	16-16 060 0016	MSL0766
------------------------	-----------------------	----------------

Notes

Coupling Rod
 Front Axle Right
 with spanner attachment
 Length [mm] 255
 Paired article number 16-16 060 0017 | MSL0767
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Renault 8200050191 Renault 8200714448

Application info

Renault Twingo I (03/93-10/12)

Stabilizer link	16-16 060 0017	MSL0767
------------------------	-----------------------	----------------

Notes

Coupling Rod
 Front Axle Left
 with spanner attachment
 Length [mm] 255
 Paired article number 16-16 060 0016 | MSL0766
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Renault 8200040618 Renault 8200714446

Application info

Renault Twingo I (03/93-10/12)

Stabilizer link		16-16 060 0018	MSL0768
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 287 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mercedes-Benz 415 320 00 00 Mercedes-Benz 415 320 01 89 Mercedes-Benz A 415 320 00 00 Mercedes-Benz A 415 320 01 89 Renault 546181925R Renault 8200166159 Renault 8200669065</p>			
<p>Application info</p> <p>Mercedes-Benz BM 415 (Citan) (11/12--) Renault Mégane II (07/01--)</p> <p>Renault Kangoo II (02/08--) Renault Scénic II (06/03-07/10)</p>			
Stabilizer link		16-16 060 0021/HD	MSL1100HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 260 Required quantity 2 Thread Size 1 10x1,25 Thread Size 2 10x1,25 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>Nissan 54618-1427R Renault 546181427R</p>			
<p>Application info</p> <p>Nissan Juke (F16) (08/19--) Renault Clio V (06/19--)</p> <p>Renault Captur II (01/20--)</p>			

Stabilizer link		16-16 060 0022/HD	MSL1131HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod</p> <p>Length [mm] 294 Required quantity 2 Thread Size 1 10x1,5 Thread Size 2 10x1,5 reinforced version replacement in pairs recommended</p>		 <p>HD PRODUCT</p>	
<p>References</p> <p>Dacia 551103022R Renault 551103022R</p>		<p>Dacia 8200814411 Renault 8200814411</p>	
<p>Application info</p> <p>Dacia Duster I (04/10--) Renault Arkana (08/19--) Renault Duster II (10/17--)</p>		<p>Dacia Duster II (10/17--) Renault Duster I (01/11--) Renault Kaptur (03/16--)</p>	
Stabilizer link		16-16 060 7057/HD	MSL0170HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 364 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>		 <p>HD PRODUCT</p>	
<p>References</p> <p>Renault 7700805494</p>			
<p>Application info</p> <p>Renault Avantime (09/01-05/03) Renault Laguna I (11/93-08/02)</p>		<p>Renault Espace III (11/96-10/02) Renault Safrane (04/92-12/00)</p>	

Stabilizer link		18-16 060 0000/HD	MSL0171HD
Notes			
	Carbon Neutral		
	Coupling Rod		
	Rear Axle Left		
Length [mm]	220		
Paired article number	18-16 060 0001/HD MSL0172HD		
Required quantity	1		
Thread Size 1	M10x1,5		
Thread Size 2	M10x1,5		
replacement in pairs recommended			
References			
Jaguar C2C18572		Jaguar C2D49529	
Jaguar XR81693			
Application info			
Jaguar F-Type (10/12--)		Jaguar S-Type (CCX) (10/98-12/08)	
Jaguar XF I (X250) (03/08--)		Jaguar XJ (X350) (03/03-03/09)	
Jaguar XJ (X351) (10/09--)		Jaguar XK (03/06-12/14)	
Stabilizer link		18-16 060 0001/HD	MSL0172HD
Notes			
	Carbon Neutral		
	Coupling Rod		
	Rear Axle Right		
Length [mm]	220		
Paired article number	18-16 060 0000/HD MSL0171HD		
Required quantity	1		
Thread Size 1	M10x1,5		
Thread Size 2	M10x1,5		
replacement in pairs recommended			
References			
Jaguar C2C18571		Jaguar C2D49528	
Jaguar XR8 1692			
Application info			
Jaguar F-Type (10/12--)		Jaguar S-Type (CCX) (10/98-12/08)	
Jaguar XF I (X250) (03/08--)		Jaguar XJ (X350) (03/03-03/09)	
Jaguar XJ (X351) (10/09--)		Jaguar XK (03/06-12/14)	

Stabilizer link

18-16 060 0002/HD

MSL0173HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

137

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Jaguar XR81694

Jaguar XR827071

Jaguar XR855185

Application info

Jaguar S-Type (CCX) (10/98-12/08)

Stabilizer link

18-16 060 0003/HD

MSL0174HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

146

Required quantity

2

Thread Size 1

M10x1,5

reinforced version

replacement in pairs recommended

**References**

DAIMLER C2C18573

DAIMLER C2C39468

Jaguar C2C10793

Jaguar C2C18573

Jaguar C2C39468

Jaguar C2D24220

Jaguar T4N1048

Jaguar XR822199

Application info

DAIMLER Super eight (X350) (09/05-12/09)
 Jaguar S-Type (CCX) (10/98-12/08)
 Jaguar XF I (X250) (03/08--)
 Jaguar XJ (X350) (03/03-03/09)
 Jaguar XK (03/06-12/14)

Jaguar F-Type (10/12--)
 Jaguar XE (X760) (03/15--)
 Jaguar XF II (X260) (05/15--)
 Jaguar XJ (X351) (10/09--)

Stabilizer link

18-16 060 0005/HD

MSL0595HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Inner Diameter [mm] 10.2
 Length [mm] 138
 Required quantity 2
 Thread Size 1 M12x1,5
 reinforced version
 replacement in pairs recommended



References

DAIMLER MNC2105AA

Jaguar MNC2105AA

Application info

DAIMLER XJ (X30) (10/94-06/03)
 Jaguar XJ (X308) (09/96-06/03)

Jaguar XJ (X300) (09/94-12/99)

Stabilizer link

18-16 060 0007/HD

MSL1073HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right

Length [mm] 220
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

Jaguar GX733B438BA

Jaguar T4N1049

Application info

Jaguar XE (X760) (03/15--)

Jaguar XF II (X260) (05/15--)

Stabilizer link

18-16 060 0008/HD

MSL1071HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Right

Length [mm] 212.5
Paired article number
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Jaguar T4N3672

Application info

Jaguar XE (X760) (03/15--)

Jaguar XF II (X260) (05/15--)

Stabilizer link

18-16 060 0009/HD

MSL1072HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left

Length [mm] 212.5
Paired article number 18-16 060 0008/HD | MSL1071HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Jaguar T4N3673

Application info

Jaguar XE (X760) (03/15--)

Jaguar XF II (X260) (05/15--)

Stabilizer link		18-16 060 0010/HD	MSL1069HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Right</p> <p>Length [mm] 159</p> <p>Paired article number 18-16 060 0011/HD MSL1070HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 <p>A black metal stabilizer link with two ball joints at the ends. A yellow circular badge with 'HD' and 'Product' is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Jaguar J9C1129 Land Rover LR114303</p>			
<p>Application info</p> <p>Jaguar E-Pace (X540) (09/17--)</p> <p>Land Rover Range Rover Evoque II (12/18--)</p> <p>Land Rover Discovery Sport (09/14--)</p>			
Stabilizer link		18-16 060 0011/HD	MSL1070HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left</p> <p>Length [mm] 159</p> <p>Paired article number 18-16 060 0010/HD MSL1069HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 <p>A black metal stabilizer link with two ball joints at the ends. A yellow circular badge with 'HD' and 'Product' is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Jaguar J9C1131 Land Rover LR114304</p>			
<p>Application info</p> <p>Jaguar E-Pace (X540) (09/17--)</p> <p>Land Rover Range Rover Evoque II (12/18--)</p> <p>Land Rover Discovery Sport (09/14--)</p>			

Stabilizer link

216 060 0000/HD

MSL0176HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

290

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

Citroën 5087.65

Citroën 5087.70

Citroën 5087.78

Citroën 5087.79

Fiat 50700464

Fiat 50700941

Fiat 51704008

Fiat 51795269

Fiat 51801136

Fiat 51815479

Fiat 51815480

Fiat 52121199

Fiat 52148016

Fiat 52189859

Ford 1 540 281

Ford 1 580 517

Ford 9S51-5K484-AA

Ford 9S51-5K484-AB

Lancia 50700464

Lancia 50700941

Lancia 51795269

Lancia 51801136

Lancia 52148016

Peugeot 5087.65

Peugeot 5087.70

Peugeot 5087.79

Application info

ABARTH 500 (01/08--)

Citroën Nemo (02/08--)

Fiat 500 (07/07--)

Fiat 500e (332_) (10/20--)

Fiat Bravo (198) (11/06--)

Fiat Fiorino Nuovo (225) (01/07--)

Fiat Linea (10/06--)

Fiat Panda III (02/12--)

Fiat Qubo (02/08--)

Fiat Stilo (10/01-11/10)

Ford KA II (10/08-05/16)

Lancia Delta III (08/08-08/14)

Lancia Ypsilon (846) (05/11--)


Peugeot Bipper (02/08--)

Stabilizer link	216 060 0001/HD	MSL0177HD
------------------------	------------------------	------------------

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 275
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Fiat 46413122	Fiat 46545743
Fiat 51701045	Lancia 46545743
Lancia 51701045	Lancia 60813377

Application info

Fiat Marea / Multipla (05/96-06/10)	Lancia Dedra (01/89-07/99)
Lancia Lybra (07/99-10/05)	

Stabilizer link	216 060 0003	MSL0178
------------------------	---------------------	----------------

Notes

Coupling Rod
Front Axle Left
Front Axle Right

Diameter [mm] 12
Length [mm] 103
Required quantity 2
Thread Size M10x1,25
replacement in pairs recommended



References

Alfa Romeo 60570627	Alfa Romeo 608 092 42
Alfa Romeo 60807583	Fiat 60570627
Fiat 60807583	Fiat 60809242
Fiat 7601647	Lancia 60570627
Lancia 60809242	

Application info

Alfa Romeo 145 / 146 (07/94-10/01)
 Alfa Romeo GTV (09/94-10/05)
 Fiat Brava / Bravo (182) (10/95-06/03)
 Fiat Tempra / Tipo (07/87-12/98)
 Lancia Delta I / II (09/79-09/99)

Alfa Romeo 155 (01/92-12/97)
 Alfa Romeo Spider (916) (09/94-04/05)
 Fiat Coupé (11/93-08/00)
 Lancia Dedra (01/89-07/99)

Stabilizer link

216 060 0004/HD

MSL0179HD

Notes

Carbon Neutral
 Coupling Rod
 Rear Axle Left
 Rear Axle Right
 with spanner attachment

Length [mm] 130
 Required quantity 2
 Thread Size 1 M10x1,25
 Thread Size 2 M10x1,25
 reinforced version
 replacement in pairs recommended



References

Fiat 46799278 Fiat 51717001

Application info

Fiat Doblo (119, 223) (11/00--)

Stabilizer link

216 060 0005/HD

MSL0180HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 315
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

Fiat 50703296 Fiat 51856872

Application info

Fiat Panda II (09/03--)

Stabilizer link

216 060 0006/HD

MSL0181HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm] 118
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Fiat 46767267

Fiat 51717000

Application info

Fiat Doblo (119, 223) (11/00--)

Stabilizer link

216 060 0012/HD

MSL0182HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 100
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Fiat 1352357080

Fiat 1355449080

Fiat 1355450080

Fiat 1369845080

Lancia 46462049

Lancia 46545749

Lancia 50701813

Application info

Fiat Ducato (250) (07/06--)
Lancia Lybra (07/99-10/05)

Lancia Kappa (08/94-10/01)

Stabilizer link**216 060 0015/HD****MSL0183HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

270

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Fiat 71742688

Suzuki 42420-77M00

Suzuki 42420-77M01

Suzuki 42420-80J00

Application info

Fiat Sedici (06/06-10/14)

Suzuki Kizashi (FR) (10/10--)

Suzuki SX4 (06/06--)

Suzuki SX4 S-Cross (08/13--)

Suzuki Swift IV (10/10--)

Suzuki Vitara II (LY) (02/15--)

Stabilizer link**216 060 0016/HD****MSL0184HD****Notes**

Carbon Neutral
Coupling Rod

Length [mm]

115

Paired article number

216 060 0017/HD | MSL0185HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Alfa Romeo 50515274

Alfa Romeo 51806608

Alfa Romeo 51978680

Application info

Alfa Romeo 4C (960) (03/13--)

Alfa Romeo Giulietta (940) (04/10--)

Stabilizer link**216 060 0017/HD****MSL0185HD****Notes**

Carbon Neutral

Coupling Rod

Length [mm]

115

Paired article number

216 060 0016/HD | MSL0184HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Alfa Romeo 50515275

Alfa Romeo 51806609

Alfa Romeo 51978679

Application info

Alfa Romeo 4C (960) (03/13--)

Alfa Romeo Giulietta (940) (04/10--)

Stabilizer link**216 060 0030/HD****MSL0604HD****Notes**

Carbon Neutral

Coupling Rod

Rear Axle Left

Rear Axle Right

Length [mm]

80

Required quantity

2

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended

**References**

Dodge 68052655AA

Fiat K04766435AA

Fiat K68052655AA

Application info

Dodge Journey (06/08--)

Fiat Freemont (JC) (08/11--)

Stabilizer link

216 060 0031

MSL0771

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]

290

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

replacement in pairs recommended

**References**

Fiat 50700464

Fiat 50700941

Fiat 51795269

Fiat 51801136

Fiat 51909775

Fiat 52148016

Fiat 52189859

Ford 1 540 281

Ford 1 580 517

Ford 9S51-5K484-AA

Ford 9S51-5K484-AB

Lancia 50700464

Lancia 50700941

Lancia 51795269

Lancia 51801136

Lancia 51909775

Lancia 52148016

Application info

ABARTH 500 (01/08--)

Fiat 500 (07/07--)

Fiat 500e (332_) (10/20--)

Fiat Bravo (198) (11/06--)

Fiat Fiorino Nuovo (225) (01/07--)

Fiat Panda III (02/12--)

Fiat Qubo (02/08--)

Fiat Stilo (10/01-11/10)

Ford KA II (10/08-05/16)

Lancia Delta III (08/08-08/14)

Lancia Ypsilon (846) (05/11--)

Stabilizer link

216 060 0032

MSL0772

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]

315

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

replacement in pairs recommended



References

Fiat 50703296

Fiat 51856872

Application info

Fiat Panda II (09/03--)

Stabilizer link

216 060 0033

MSL0773

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]

290

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

replacement in pairs recommended

**References**

Citroën 16 109 299 80

Citroën 5087.65

Citroën 5087.70

Citroën 5087.78

Citroën 5087.79

Fiat 51704008

Fiat 51815479

Fiat 51815480

Peugeot 16 10 929 980

Peugeot 5087.65

Peugeot 5087.70

Peugeot 5087.79

Application info

Citroën Nemo (02/08--)

Fiat Fiorino Nuovo (225) (01/07--)

Fiat Linea (10/06--)

Fiat Qubo (02/08--)

Peugeot Bipper (02/08--)

Stabilizer link

216 060 0036

MSL0776

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]

300

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

replacement in pairs recommended



References

Fiat 51848645

Opel 350 198

Vauxhall 95511247

Fiat 51898527

Opel 95511247

Application info

Fiat Doblo (263) (11/09--)

Vauxhall Combo Mk III (07/06--)

Opel Combo D (02/12--)

Stabilizer link**216 060 0037****MSL0777****Notes**

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]

301

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

replacement in pairs recommended

**References**

Alfa Romeo 50515276

Alfa Romeo 51805870

Fiat 50515276

Fiat 51805870

Lancia 50515276

Alfa Romeo 50531823

Alfa Romeo 55700753

Fiat 50531823

Fiat 55700753

Application info

ABARTH Grande Punto (12/07-12/12)

Alfa Romeo Giulietta (940) (04/10--)

Fiat 500L (09/12--)


Fiat Punto Evo (07/08--)

ABARTH Punto III (03/12--)

Alfa Romeo Mito (08/08--)

Fiat Grande Punto (06/05--)

Fiat Punto III (01/12--)

Stabilizer link		216 060 0039/HD	MSL0921HD																
<p>Notes</p> <p>Carbon Neutral Coupling Rod with spanner attachment</p> <p>Length [mm] 280 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12X1,5 reinforced version replacement in pairs recommended</p>																			
<p>References</p> <table border="0"> <tr> <td>Alfa Romeo 52182012</td> <td>Fiat 51939949</td> </tr> <tr> <td>Fiat 51977024</td> <td>Fiat 52060973</td> </tr> <tr> <td>Fiat 5218064</td> <td>Fiat 52182012</td> </tr> <tr> <td>Fiat 52201888</td> <td>Fiat 53403318</td> </tr> <tr> <td>Fiat 53477126</td> <td>Jeep 51939949</td> </tr> <tr> <td>Jeep 51977024</td> <td>Jeep 52060973</td> </tr> <tr> <td>Jeep 52118064</td> <td>Jeep 52182012</td> </tr> <tr> <td>Jeep 52201888</td> <td>Jeep 53477126</td> </tr> </table>				Alfa Romeo 52182012	Fiat 51939949	Fiat 51977024	Fiat 52060973	Fiat 5218064	Fiat 52182012	Fiat 52201888	Fiat 53403318	Fiat 53477126	Jeep 51939949	Jeep 51977024	Jeep 52060973	Jeep 52118064	Jeep 52182012	Jeep 52201888	Jeep 53477126
Alfa Romeo 52182012	Fiat 51939949																		
Fiat 51977024	Fiat 52060973																		
Fiat 5218064	Fiat 52182012																		
Fiat 52201888	Fiat 53403318																		
Fiat 53477126	Jeep 51939949																		
Jeep 51977024	Jeep 52060973																		
Jeep 52118064	Jeep 52182012																		
Jeep 52201888	Jeep 53477126																		
<p>Application info</p> <table border="0"> <tr> <td>Alfa Romeo Tonale (965_) (03/22--)</td> <td>Fiat 500X (09/14--)</td> </tr> <tr> <td>Fiat Tipo (356) (10/15--)</td> <td>Jeep Compass (MP) (01/16--)</td> </tr> <tr> <td>Jeep Renegade (BU, B1) (07/14--)</td> <td></td> </tr> </table>				Alfa Romeo Tonale (965_) (03/22--)	Fiat 500X (09/14--)	Fiat Tipo (356) (10/15--)	Jeep Compass (MP) (01/16--)	Jeep Renegade (BU, B1) (07/14--)											
Alfa Romeo Tonale (965_) (03/22--)	Fiat 500X (09/14--)																		
Fiat Tipo (356) (10/15--)	Jeep Compass (MP) (01/16--)																		
Jeep Renegade (BU, B1) (07/14--)																			
Stabilizer link		216 060 0040/HD	MSL0982HD																
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 183 Required quantity 2 Thread Size 1 12x1,5 Thread Size 2 12x1,5 reinforced version replacement in pairs recommended</p>																			

References

Alfa Romeo 52182013
 Fiat 52118065
 Jeep 51942168
 Jeep 53403319
 Jeep 68246731AC
 Jeep K68246731AC

Fiat 51942168
 Fiat 53403319
 Jeep 52118065
 Jeep 68246731AB
 Jeep K68246731AB

Application info

Alfa Romeo Tonale (965_) (03/22--)
 Jeep Compass (MP) (01/16--)

Fiat 500X (09/14--)
 Jeep Renegade (BU, B1) (07/14--)

Stabilizer link**216 060 0044/HD****MSL1107HD****Notes**

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 Steel
 Length [mm] 297
 Required quantity 2
 Thread Size M10x1,25
 Thread Size 1 M10x1,25
 Thread Size 2 M10x1,25

replacement in pairs recommended

**References**

Fiat 51848645
 Fiat 51935875
 GENERAL MOTORS 95511247
 GENERAL MOTORS 95525064
 Opel 3 50 234
 Vauxhall 3 50 234
 Vauxhall 95 51 5339

Fiat 51898527
 Fiat 52042281
 GENERAL MOTORS 95515339
 Opel 3 50 198
 Vauxhall 3 50 198
 Vauxhall 95 51 1247
 Vauxhall 95 52 5064

Application info

Fiat Doblo (263) (11/09--)
 Vauxhall Combo Mk III (07/06--)

Opel Combo D (02/12--)

Stabilizer link		28-16 060 0001	MSL0198
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 241 Required quantity 2 Thread Size 1 M12x1,25 Thread Size 2 M12x1,25 replacement in pairs recommended</p>		 	
<p>References</p> <p>Kia 54830 2G000</p>			
<p>Application info</p> <p>Kia Carens II (07/02--)</p> <p>Kia Carens III (05/06--)</p> <p>Kia Magentis II (10/05--)</p>			
Stabilizer link		28-16 060 0002/HD	MSL0199HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left with spanner attachment</p> <p>Length [mm] 120 Paired article number 28-16 060 0003/HD MSL0200HD Required quantity 1 Thread Size 1 M12X1,5 Thread Size 2 M12X1,5 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>Kia 55580 3E000</p>			
<p>Application info</p> <p>Kia Sorento I (08/02--)</p>			

Stabilizer link

28-16 060 0003/HD

MSL0200HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Right
with spanner attachment

Length [mm] 120
Paired article number 28-16 060 0002/HD | MSL0199HD
Required quantity 1
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended

**References**

Kia 55580 3E050

Application info

Kia Sorento I (08/02--)

Stabilizer link

28-16 060 0004

MSL0201

Notes

Coupling Rod
Front Axle Left

Length [mm] 322
Paired article number 28-16 060 0005 | MSL0202
Required quantity 1
Thread Size 1 M12x1,25
Thread Size 2 M12x1,25
replacement in pairs recommended

**References**

Kia 54830 4D000

Application info

Kia Carnival III (09/05--)

Stabilizer link**28-16 060 0023/HD****MSL0218HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm]

229

Paired article number

28-16 060 0025/HD | MSL0220HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Hyundai 54830-0X000

Hyundai 54830-0X500

Hyundai 54830-0X501

Hyundai 54830-B4000

Kia 54830 07000

Application info

Hyundai i10 I (10/07--)

Hyundai i10 II (08/13--)

Kia Picanto I (04/04--)

Stabilizer link**28-16 060 0025/HD****MSL0220HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm]

229

Paired article number

28-16 060 0023/HD | MSL0218HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Hyundai 54840-0X000

Hyundai 54840-0X500

Hyundai 54840-0X501

Hyundai 54840-B4000

Kia 54840 07000

Application info

Hyundai i10 I (10/07--)
Kia Picanto I (04/04--)

Hyundai i10 II (08/13--)

Stabilizer link**28-16 060 0028****MSL0223****Notes**

Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 243
Required quantity 2
Thread Size 1 M12x1,25
Thread Size 2 M12x1,25
replacement in pairs recommended

**References**

Hyundai 54830-2H000
Hyundai 54830-2H200
Kia 54830 2H001
Kia 54830 2H200

Hyundai 54830-2H100
Kia 54830 2H000
Kia 54830 2H100

Application info

Hyundai Elantra IV (09/05--)
Kia Cee'd I (12/06-02/13)

Hyundai i30 I (10/07-06/12)
Kia Cerato II (TD) (01/09--)

Stabilizer link**28-16 060 0029****MSL0224****Notes**

Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 170
Required quantity 2
Thread Size 1 M10x1,25
Thread Size 2 M10x1,25
replacement in pairs recommended

**References**

Hyundai 55530-1H000
Kia 55530 1H000

Hyundai 55530-1H100
Kia 55530 1H100

Application info

Hyundai i30 I (10/07-06/12)

Kia Cee'd I (12/06-02/13)

Stabilizer link**28-16 060 0037/HD****MSL1004HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

282

Required quantity

2

Thread Size 1

M12X1,25

Thread Size 2

M12X1,25

reinforced version

replacement in pairs recommended

**References**

Hyundai 54830-25500
Hyundai 54830-2Y500
Hyundai 54830-A6000
Hyundai 54830-D3000
Kia 54830 25500
Kia 54830 2Y500
Kia 54830 D7000
Kia 54830 H8000

Hyundai 54830-2S500
Hyundai 54830-4V000
Hyundai 54830-C8000
Hyundai 54830-D7000
Kia 54830 2S500
Kia 54830 4V000
Kia 54830 D9000
Kia 54830-A6000

Application info

Hyundai Accent V (01/18--)
Hyundai Creta I (01/16--)
Hyundai Solaris (01/17--)
Hyundai Tucson II (05/15--)
Hyundai i20 II (11/14--)
Hyundai ix35 (08/09--)
Kia Cee'd III (03/12--)
Kia Sportage IV (09/15--)

Hyundai Bayon (BC3) (05/21--)
Hyundai Elantra V (09/10--)
Hyundai Tucson I (06/04--)
Hyundai Venue (07/19--)
Hyundai i30 II (06/11--)
Kia Cee'd II (05/12--)
Kia Rio IV (01/17--)
Kia Stonic (07/17--)

Stabilizer link**28-16 060 0038/HD****MSL1043HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Right

Length [mm] 94
Paired article number 28-16 060 0039/HD | MSL1046HD
Required quantity 1
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended

**References**

Hyundai 55540-C1100

Kia 55540 C1100

Application info

Hyundai Sonata VII (06/14--)

Kia Optima IV (09/15--)

Stabilizer link**28-16 060 0039/HD****MSL1046HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Left

Length [mm] 94
Paired article number 28-16 060 0038/HD | MSL1043HD
Required quantity 1
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended

**References**


Hyundai 55530-C1100

Kia 55530 C1100

Application info

Hyundai Sonata VII (06/14--)

Kia Optima IV (09/15--)

Stabilizer link		28-16 060 0044/HD	MSL1124HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 73 Required quantity 2 Thread Size 1 12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Hyundai 55530-G2000</p>		<p>Kia 55530 G2000</p>	
<p>Application info</p> <p>Hyundai Elantra VI (09/15--) Hyundai Kona I (06/17--) Kia Ceed IV (03/18--) Kia Niro I (DE) (09/16--)</p>		<p>Hyundai Ioniq (AE) (03/16--) Hyundai i30 III (11/16--) Kia Cerato IV (BD, BDM) (02/18--) Kia Soul III (SK3) (01/19--)</p>	
Stabilizer link		28-16 060 0045/HD	MSL1096HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 250 Required quantity 2 Thread Size 1 M10 X 1,25 Thread Size 2 M10 X 1,25 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Kia 54830-G6000</p>			
<p>Application info</p> <p>Kia Picanto III (03/17--)</p>			

Stabilizer link**28-16 060 0046/HD****MSL1105HD****Notes**Carbon Neutral
Coupling Rod
Front Axle RightLength [mm] 288
Paired article number 28-16 060 0047/HD | MSL1106HD
Paired article number 37-40 910 0025
Required quantity 1
Thread Size 1 M12x1,25
Thread Size 2 M12X1,25
reinforced version
replacement in pairs recommended**References**

Kia 54840 A4000

Kia 54840 A4100

Application info

Kia Carens IV (03/13--)

Stabilizer link**28-16 060 0047/HD****MSL1106HD****Notes**Carbon Neutral
Coupling Rod
Front Axle LeftLength [mm] 288
Paired article number 28-16 060 0046/HD | MSL1105HD
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended**References**

Kia 54830 A4000

Kia 54830 A4100

Application info

Kia Carens IV (03/13--)

Stabilizer link**28-16 060 0048****MSL1195****Notes**

Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 180
Required quantity 2
Thread Size 1 M10x1,25
Thread Size 2 M10X1,25
replacement in pairs recommended

**References**

Hyundai 55530-2G500
Hyundai 55530-2H200
Kia 55530 2G500

Hyundai 55530-2H000
Kia 55530 2G000

Application info

Hyundai Elantra IV (09/05--)
Kia Magentis II (10/05--)

Hyundai i30 I (10/07-06/12)

Stabilizer link**29-16 060 0006****MSL0228****Notes**

Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 217
Required quantity 2
Thread Size 1 M10x1,25
Thread Size 2 M10x1,25
replacement in pairs recommended

**References**

BUICK 96561754
Daewoo 96561754

Chevrolet 96561754

Application info

Chevrolet Lacetti (03/03--)
Daewoo Lacetti (02/02--)

Chevrolet Nubira (01/05-12/11)
Daewoo Nubira (KLAN) (07/03--)

Stabilizer link**29-16 060 0007/HD****MSL0229HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm]

270

Paired article number

29-16 060 0008/HD | MSL0230HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Buick 96403100

Chevrolet 96403100

Daewoo 96403100

Application info

Chevrolet Lacetti (03/03--)

Chevrolet Nubira (01/05-12/11)

Daewoo Lacetti (02/02--)

Daewoo Nubira (KLAJ) (04/97--)

Daewoo Nubira (KLAN) (07/03--)

Stabilizer link**29-16 060 0008/HD****MSL0230HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm]

270

Paired article number

29-16 060 0007/HD | MSL0229HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Buick 96403099

Chevrolet 96403099

Daewoo 96403099

Application info

Chevrolet Lacetti (03/03--)

Daewoo Lacetti (02/02--)

Daewoo Nubira (KLAN) (07/03--)

Chevrolet Nubira (01/05-12/11)

Daewoo Nubira (KLAJ) (04/97--)

Stabilizer link**29-16 060 0009/HD****MSL0231HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

261

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Chevrolet 95994977

Chevrolet 96391875

Daewoo 96288865

Chevrolet 96275798

Daewoo 96275798

Daewoo 96391875

Application info

Chevrolet Astro I (02/03-05/08)

Chevrolet Rezzo (03/05--)

Daewoo Nubira (KLAJ) (04/97--)

Chevrolet Aveo I (01/03--)

Daewoo Kalos (09/02--)

Daewoo Rezzo (06/00--)

Stabilizer link**29-16 060 0013****MSL0780****Notes**

Coupling Rod
Front Axle Left
with spanner attachment

Length [mm]

270

Paired article number

29-16 060 0014 | MSL0781

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

replacement in pairs recommended



References

Buick 96403099
Daewoo 96403099

Chevrolet 96403099

Application info

Chevrolet Lacetti (03/03--)
Daewoo Lacetti (02/02--)
Daewoo Nubira (KLAN) (07/03--)

Chevrolet Nubira (01/05-12/11)
Daewoo Nubira (KLAJ) (04/97--)

Stabilizer link**29-16 060 0014****MSL0781****Notes**

Coupling Rod
Front Axle Right
with spanner attachment
Length [mm] 270
Paired article number 29-16 060 0013 | MSL0780
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5

replacement in pairs recommended

**References**

Buick 96403100
Daewoo 96403100

Chevrolet 96403100

Application info

Chevrolet Lacetti (03/03--)
Daewoo Lacetti (02/02--)
Daewoo Nubira (KLAN) (07/03--)

Chevrolet Nubira (01/05-12/11)
Daewoo Nubira (KLAJ) (04/97--)

Stabilizer link**29-16 060 0015****MSL0782****Notes**

Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment
Length [mm] 261
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5

replacement in pairs recommended



References

Chevrolet 95994977
 Chevrolet 96391875
 Daewoo 96288865

Chevrolet 96275798
 Daewoo 96275798
 Daewoo 96391875

Application info

Chevrolet Astro I (02/03-05/08)
 Chevrolet Rezzo (03/05--)
 Daewoo Nubira (KLAJ) (04/97--)

Chevrolet Aveo I (01/03--)
 Daewoo Kalos (09/02--)
 Daewoo Rezzo (06/00--)

Stabilizer link

29-16 060 0016/HD

MSL0908HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 235
 Required quantity 2
 Thread Size 1 M10x1,25
 Thread Size 2 M10x1,25
 reinforced version
 replacement in pairs recommended



References

Chevrolet 95947829

Application info

Chevrolet Spark (M300) (12/09--)

Stabilizer link

300 335 5105

MSL0270

Notes

Coupling Rod
 Rear Axle Left
 Rear Axle Right

Length [mm] 66
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

BMW 1 092 292

BMW 33 55 1 092 292

BMW 1 095 532

BMW 33 55 1 095 532

Application info

BMW 5 (E39) (09/95-06/04)

Stabilizer link

30-16 060 0000/HD

MSL0232HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

360

Required quantity

2

Thread Size 1

M12X1,5

Thread Size 2

M12X1,5

reinforced version

replacement in pairs recommended

**References**

Daihatsu 48820-0D010

Toyota 48820-0D010

Toyota 48820-52030

Subaru 48820-52030

Toyota 48820-0D020

Toyota 48820-52040

Application info

Daihatsu Charade V (05/11--)

Toyota Urban Cruiser (NCP11) (07/07-03/16)

Toyota Yaris II (01/05-12/14)

Subaru Trezia (11/10--)

Toyota Verso S (NCP12, NSP12) (11/10-10/16)

Toyota Yaris III (12/10--)

Stabilizer link

30-16 060 0001/HD

MSL0233HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm]

104

Required quantity

2

Thread Size 1


M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

Toyota 48830-05010
 Toyota 48830-12060
 Toyota 48830-32010

Toyota 48830-05011
 Toyota 48830-20010
 Toyota 48830-32020

Application info

Toyota Camry (V2) (08/86-02/93)
 Toyota Carina (T19) (02/92-09/97)
 Toyota Celica (T18) (09/89-12/94)
 Toyota Corolla (E10) (06/91-12/99)
 Toyota Corolla (E9) (05/87-04/97)

Toyota Carina (T17) (12/87-06/92)
 Toyota Celica (T16) (08/85-12/89)
 Toyota Celica (T20) (09/93-11/99)
 Toyota Corolla (E11) (06/95-06/02)
 Toyota Corona (T190) (10/91-04/98)

Stabilizer link**30-16 060 0002/HD****MSL0234HD****Notes**

Carbon Neutral
 Coupling Rod
 Front Axle Right
 with spanner attachment

71

30-16 060 0003/HD | MSL0235HD

1

M10x1,5

M10x1,5

Length [mm]

Paired article number

Required quantity

Thread Size 1

Thread Size 2

reinforced version

replacement in pairs recommended

**References**

Toyota 48820-05011
 Toyota 48820-20040

Toyota 48820-05012
 Toyota 48820-44010

Application info

Toyota Avensis (T22) (09/97-02/03)
 Toyota Corona (T190) (10/91-04/98)

Toyota Carina (T19) (02/92-09/97)
 Toyota Picnic (05/96-12/01)

Stabilizer link		30-16 060 0003/HD	MSL0235HD
Notes Carbon Neutral Coupling Rod Front Axle Left with spanner attachment Length [mm] 71 Paired article number 30-16 060 0002/HD MSL0234HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended			
References Toyota 48810-05011 Toyota 48810-05012 Toyota 48810-20020 Toyota 48810-44010			
Application info Toyota Avensis (T22) (09/97-02/03) Toyota Carina (T19) (02/92-09/97) Toyota Corona (T190) (10/91-04/98) Toyota Picnic (05/96-12/01)			
Stabilizer link		30-16 060 0004	MSL0236
Notes Coupling Rod Rear Axle Left Rear Axle Right Length [mm] 137 Required quantity 2 Thread Size 1 M12x1,25 Thread Size 2 M10x1,25 replacement in pairs recommended			
References Lexus 48830-42022 Toyota 48817-42020 Toyota 48817-42021 Toyota 48817-42030 Toyota 48830-42020 Toyota 48830-42021 Toyota 48830-42022			
Application info Lexus NX I (_Z1_) (07/14--) Toyota RAV 4 III (06/05-08/14) Toyota RAV 4 IV (12/12--)			

Stabilizer link		30-16 060 0006/HD	MSL0238HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 70 Required quantity 2 Thread Size 1 M10X1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Toyota 48820-20010</p>			
<p>Application info</p> <p>Toyota Celica (T16) (08/85-12/89) Toyota Celica (T18) (09/89-12/94) Toyota Corolla (E9) (05/87-04/97)</p>			
Stabilizer link		30-16 060 0008	MSL0239
<p>Notes</p> <p>Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 238 Required quantity 2 Thread Size 1 M10x1,25 Thread Size 2 M10x1,25 replacement in pairs recommended</p>			
<p>References</p> <p>Lexus 48830-48010 Toyota 48830-06030 Toyota 48830-48010</p>			
<p>Application info</p> <p>Lexus RX (GYL) III (12/08-12/15) Lexus RX (MCU) II (02/03-12/08) Toyota Camry (V30) (08/01-11/06)</p>			

Stabilizer link

30-16 060 0009/HD

MSL0240HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 63
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Lexus 48820-33010 Toyota 48820-02010
Toyota 48820-20020 Toyota 48820-20021
Toyota 48820-33010

Application info

Lexus ES (VCV10_, VZV21_) I, II (09/89-12/97) Toyota Camry (V10) (10/82-06/98)
Toyota Celica (T18) (09/89-12/94) Toyota Celica (T20) (09/93-11/99)
Toyota Corolla (E10) (06/91-12/99) Toyota Corolla (E11) (06/95-06/02)
Toyota RAV 4 I (01/94-09/00)

Stabilizer link

30-16 060 0014/HD

MSL0242HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 284
Required quantity 2
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended



References

Toyota 48820-74010

Application info

Toyota iQ (11/08-12/15)

Stabilizer link

30-16 060 0017/HD

MSL0243HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

285

Required quantity

2

Thread Size 1

M12X1,5

Thread Size 2

M12X1,5

reinforced version

replacement in pairs recommended

**References**

Hyundai 54830-0U000
Hyundai 54830-4L000
Kia 54830 2V000
Nissan 54618-BA60A
Nissan 54618-CY00A
Toyota 48820-47010

Hyundai 54830-2V000
Kia 54830 0U000
Kia 54830 4L000
Nissan 54618-BA60B
Renault 54618CY00A

Application info

Hyundai Accent IV (08/10--)
Hyundai Veloster I (03/11-12/17)
Kia Cee'd II (05/12--)
Kia Rio III (09/10--)
Nissan Juke (F15) (06/10--)
Nissan Leaf II (ZE1) (08/17--)
Nissan Pulsar (08/10--)
Nissan Sentra VII (B17) (08/12--)
Toyota Avensis (T25) (01/03-11/08)
Toyota Corolla Verso (03/04-04/09)
Toyota Prius II (09/03-12/09)

Hyundai Elantra V (09/10--)
Hyundai i30 II (06/11--)
Kia Cerato III (YD) (09/12--)
Kia Soul II (02/14--)
Nissan Leaf I (ZE0) (11/10--)
Nissan NV200 (02/10--)
Nissan Qashqai II (J11_) (11/13--)
Renault Kadjar (06/15--)
Toyota Corolla (E12) (08/00-12/08)
Toyota MR 2 (W3) (10/99-06/07)

Stabilizer link**30-16 060 0018/HD****MSL0244HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm]

127

Required quantity

2

Thread Size 1

M12x1,25

Thread Size 2

M10x1,25

replacement in pairs recommended

**References**

Lexus 48830-05030

Lexus 48830-12070

Toyota 48830-05030

Toyota 48830-12070

Application info

Lexus CT (ZWA1) (12/10--)

Toyota Auris I (10/06-09/12)

Toyota Auris II (10/12-12/18)

Toyota Avensis (T27) (11/08-10/18)

Stabilizer link**30-16 060 0026/HD****MSL0248HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

63

Required quantity

2

Thread Size 1

M12X1,5

Thread Size 2

M12X1,5

reinforced version

replacement in pairs recommended

**References**

Toyota 48820-42010

Application info

Toyota RAV 4 I (01/94-09/00)

Stabilizer link**30-16 060 0029/HD****MSL0249HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Right
with spanner attachment

Length [mm] 100
Paired article number 30-16 060 0045/HD | MSL0262HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Toyota 48830-21020

Application info

Toyota Avensis (T25) (01/03-11/08)

Stabilizer link**30-16 060 0032/HD****MSL0252HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Right

Length [mm] 140
Paired article number 30-16 060 0052/HD | MSL0266HD
Required quantity 1
Thread Size 1 M12x1,75
Thread Size 2 M12x1,75
reinforced version
replacement in pairs recommended

**References**

Lexus 48820-0K030
Lexus 48820-60050
Toyota 48820-0K040

Lexus 48820-0K040
Toyota 48820-0K030
Toyota 48820-60050

Application info

Lexus GX I (11/01-11/09)
Toyota Fortuner (_N15_, _N16_) (05/15--)
Toyota Land Cruiser (J12) (09/02-12/10)
Toyota Fortuner (_N5_, _N6_) (06/04-09/15)
Toyota Hilux (KUN) (08/04--)
Toyota Land Cruiser (J15) (07/09--)

Stabilizer link**30-16 060 0037/HD****MSL0257HD****Notes**

	Carbon Neutral
	Coupling Rod
Length [mm]	110
Required quantity	2
Thread Size 1	M10x1,5
Thread Size 2	M10x1,5
reinforced version	
replacement in pairs recommended	

**References**

Toyota 48820-14011
 Toyota 48830-14050

Toyota 48820-24010
 Toyota 48840-14030

Application info

Toyota Celica (ZZT23) (08/99-03/06)
 Toyota Supra IV (JZA80) (05/93-07/02)

Toyota Supra III (MA70) (01/86-05/93)

Stabilizer link**30-16 060 0043/HD****MSL0260HD****Notes**

	Carbon Neutral
	Coupling Rod
	Front Axle Left
	Front Axle Right
	with spanner attachment
Length [mm]	260
Required quantity	2
Thread Size 1	M12X1,5
Thread Size 2	M12X1,5
reinforced version	
replacement in pairs recommended	

**References**

Lexus 48820-06040
 Toyota 48820-06040

Lexus 48820-28050
 Toyota 48820-28050

Application info

Lexus RX (GYL) III (12/08-12/15)
 Toyota Camry (V30) (08/01-11/06)

Lexus RX (MCU) II (02/03-12/08)
 Toyota Previa (AC_) (02/00-02/06)

Stabilizer link

30-16 060 0045/HD

MSL0262HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
with spanner attachment

Length [mm] 100
Paired article number 30-16 060 0029/HD | MSL0249HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Toyota 48840-21010

Application info

Toyota Avensis (T25) (01/03-11/08)

Stabilizer link

30-16 060 0046/HD

MSL0263HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 280
Required quantity 2
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended

**References**

Toyota 48820-44020

Application info

Toyota Avensis Verso (05/01-12/11)

Stabilizer link**30-16 060 0047/HD****MSL0264HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 285
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Nissan 54616-4A00B
Toyota 48820-02020
Toyota 48820-42020

Suzuki 42420-M68K00
Toyota 48820-32010

Application info

Nissan Pixo (03/09--)
Toyota Celica (ZZT23) (08/99-03/06)
Toyota RAV 4 II (05/00-11/05)

Suzuki Alto VII (01/09--)
Toyota Corolla (E12) (08/00-12/08)

Stabilizer link**30-16 060 0050/HD****MSL1077HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 330
Required quantity 2
Thread Size 1 12x1,25
Thread Size 2 12x1,25
reinforced version
replacement in pairs recommended

**References**

Lexus 48820-47040
Toyota 48820-47040

Suzuki T488204704

Application info

Lexus UX (_AA1_, _AH1_) (10/18--)
 Toyota Corolla (_E21_) (10/18--)

Toyota CH-R I (10/16--)
 Toyota Prius IV (09/15--)

Stabilizer link

30-16 060 0051/HD

MSL1109HD

Notes

Carbon Neutral
 Coupling Rod
 Rear Axle Left
 Rear Axle Right

Inner Diameter 2 [mm] 12
 Length [mm] 93
 Required quantity 2
 Thread Size 1 M12x1,5
 reinforced version
 replacement in pairs recommended



References

Lexus 48830-47010

Toyota 48830-47010

Application info

Lexus ES (_Z10_) VII (07/18--)
 Toyota CH-R I (10/16--)
 Toyota Prius IV (09/15--)

Lexus UX (_AA1_, _AH1_) (10/18--)
 Toyota Corolla (_E21_) (10/18--)

Stabilizer link

30-16 060 0052/HD

MSL0266HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left

Length [mm] 140
 Paired article number 30-16 060 0032/HD | MSL0252HD
 Required quantity 1
 Thread Size 1 M12x1,75
 Thread Size 2 M12x1,75
 reinforced version
 replacement in pairs recommended



References

Lexus 48810-0K010
 Lexus 48810-60040
 Toyota 48810-0K020

Lexus 48810-0K020
 Toyota 48810-0K010
 Toyota 48810-60040

Application info

Lexus GX I (11/01-11/09)

Toyota Fortuner (_N15_, _N16_) (05/15--)

Toyota Land Cruiser (J12) (09/02-12/10)

Toyota Fortuner (_N5_, _N6_) (06/04-09/15)

Toyota Hilux (KUN) (08/04--)

Toyota Land Cruiser (J15) (07/09--)

Stabilizer link

30-16 060 0053/HD

MSL0267HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

360

Required quantity

2

Thread Size 1


M12X1.25

Thread Size 2

M12X1.25

reinforced version

replacement in pairs recommended



References

Lexus 48820-02070

Lexus 48820-47020

Toyota 48820-0R010

Toyota 48820-47020

Lexus 48820-42030

Toyota 48820-02070

Toyota 48820-42030

Toyota 48820-47030

Application info

Lexus CT (ZWA1) (12/10--)

Toyota Auris II (10/12-12/18)

Toyota Corolla (E14, E15) (10/06--)

Toyota Previa (XR50) (10/05--)

Toyota Prius Plus (ZVW4) (05/11--)

Toyota RAV 4 IV (12/12--)

Toyota Auris I (10/06-09/12)

Toyota Avensis (T27) (11/08-10/18)

Toyota Corolla (E170) (06/13-08/19)

Toyota Prius III (06/08--)

Toyota RAV 4 III (06/05-08/14)

Toyota Verso (AUR2, ZGR2) (04/09-08/18)

Stabilizer link**30-16 060 0073****MSL0783****Notes**

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 285
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended

**References**

Nissan 54616-4A00B
 Toyota 48820-02020
 Toyota 48820-42020

Suzuki 42420-M68K00
 Toyota 48820-32010

Application info

Audi A3 II (8P_) (05/03-12/15)
 Seat Leon II / Toledo III / Altea (1P_ ,5P_) (03/04--)
 Skoda Superb II (3T) (03/08-05/15)
 Toyota Celica (ZZT23) (08/99-03/06)
 Toyota RAV 4 II (05/00-11/05)
 Volkswagen Caddy III (2KA, 2KB) (03/04-05/15)
 Volkswagen Golf V (1K1, 1K5, 5M1) (10/03-08/14)
 Volkswagen Jetta III (1K2) (09/04-12/13)
 Volkswagen Touran I (1T1/2/3) (02/03-05/15)

Nissan Pixo (03/09--)
 Skoda Octavia II (1Z_) (02/04-06/13)
 Skoda Yeti (5L) (05/09-12/17)
 Toyota Corolla (E12) (08/00-12/08)
 Volkswagen Beetle (5C1) (04/11-07/19)
 Volkswagen Eos (03/06-08/15)
 Volkswagen Golf VI (5K1, 517, AJ5) (10/08-05/16)
 Volkswagen Scirocco III (137) (05/08-11/17)

Stabilizer link**30-16 060 0074****MSL0784****Notes**

Coupling Rod
 Rear Axle Left
 Rear Axle Right
 with spanner attachment

Length [mm] 141
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended

**References**

Toyota 48830-05020

Application info

Toyota Avensis (T22) (09/97-02/03)

Stabilizer link

30-16 060 0075

MSL0785

Notes

Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 360
Required quantity 2
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
replacement in pairs recommended



References

Daihatsu 48820-0D010
Toyota 48820-0D010
Toyota 48820-52030

Subaru 48820-52030
Toyota 48820-0D020
Toyota 48820-52040

Application info

Daihatsu Charade V (05/11--)
Toyota Urban Cruiser (NCP11) (07/07-03/16)
Toyota Yaris II (01/05-12/14)

Subaru Trezia (11/10--)
Toyota Verso S (NCP12, NSP12) (11/10-10/16)
Toyota Yaris III (12/10--)

Stabilizer link

30-16 060 0076

MSL0786

Notes

Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 104
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
replacement in pairs recommended



References

Toyota 48830-05010
Toyota 48830-12060
Toyota 48830-32010

Toyota 48830-05011
Toyota 48830-20010
Toyota 48830-32020

Application info

Toyota Camry (V2) (08/86-02/93)
 Toyota Carina (T19) (02/92-09/97)
 Toyota Celica (T18) (09/89-12/94)
 Toyota Corolla (E10) (06/91-12/99)
 Toyota Corolla (E9) (05/87-04/97)

Toyota Carina (T17) (12/87-06/92)
 Toyota Celica (T16) (08/85-12/89)
 Toyota Celica (T20) (09/93-11/99)
 Toyota Corolla (E11) (06/95-06/02)
 Toyota Corona (T190) (10/91-04/98)

Stabilizer link

30-16 060 0079

MSL0789

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 63
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Lexus 48820-33010
 Toyota 48820-20020
 Toyota 48820-33010

Toyota 48820-02010
 Toyota 48820-20021

Application info

Lexus ES (VCV10_, VZV21_) I, II (09/89-12/97)
 Toyota Celica (T18) (09/89-12/94)
 Toyota Corolla (E10) (06/91-12/99)
 Toyota RAV 4 I (01/94-09/00)

Toyota Camry (V10) (10/82-06/98)
 Toyota Celica (T20) (09/93-11/99)
 Toyota Corolla (E11) (06/95-06/02)

Stabilizer link

30-16 060 0080

MSL0790

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 285
 Required quantity 2
 Thread Size 1 M12X1,5
 Thread Size 2 M12X1,5
 replacement in pairs recommended



References

Hyundai 54830-0U000
 Hyundai 54830-4L000
 Kia 54830 2V000
 Nissan 54618-CY00A
 Toyota 48820-47010

Hyundai 54830-2V000
 Kia 54830 0U000
 Kia 54830 4L000
 Renault 54618-CY00A

Application info

Hyundai Accent IV (08/10--)
 Hyundai Veloster I (03/11-12/17)
 Kia Cee'd II (05/12--)
 Kia Rio III (09/10--)
 Nissan Juke (F15) (06/10--)
 Nissan NV200 (02/10--)
 Nissan Sentra VII (B17) (08/12--)
 Toyota Avensis (T25) (01/03-11/08)
 Toyota Corolla Verso (03/04-04/09)
 Toyota Prius II (09/03-12/09)

Hyundai Elantra V (09/10--)
 Hyundai i30 II (06/11--)
 Kia Cerato III (YD) (09/12--)
 Kia Soul II (02/14--)
 Nissan Leaf I (ZE0) (11/10--)
 Nissan Qashqai II (J11_) (11/13--)
 Renault Kadjar (06/15--)
 Toyota Corolla (E12) (08/00-12/08)
 Toyota MR 2 (W3) (10/99-06/07)

Stabilizer link**30-16 060 0085****MSL0795****Notes**

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 260
 Required quantity 2
 Thread Size 1 M12X1,5
 Thread Size 2 M12X1,5
 replacement in pairs recommended

**References**

Lexus 48820-06040
 Toyota 48820-06040

Lexus 48820-28050
 Toyota 48820-28050

Application info

Lexus RX (GYL) III (12/08-12/15)
 Toyota Camry (V30) (08/01-11/06)

Lexus RX (MCU) II (02/03-12/08)
 Toyota Previa (AC_) (02/00-02/06)

Stabilizer link		30-16 060 0089/HD	MSL1174HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 245 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12X1,5 replacement in pairs recommended</p>		 <p>A black metal stabilizer link with two ball joints at the ends. A yellow circular badge with 'HD' and 'Product' is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Subaru 20420CA000</p>		<p>Toyota SU003-00394</p>	
<p>Application info</p> <p>Subaru BRZ (06/12--) Toyota GT 86 Coupe (03/12--)</p>		<p>Toyota GR 86 Coupe (ZN8) (09/21--)</p>	
Stabilizer link		30-16 060 0092/HD	MSL1188HD
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 260 Paired article number Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12X1,5 replacement in pairs recommended</p>		 <p>A black metal stabilizer link with two ball joints at the ends. A yellow circular badge with 'HD' and 'Product' is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Suzuki 48820-42040</p>		<p>Toyota 48820-42040</p>	
<p>Application info</p> <p>Suzuki Across (A5Z_) (06/20--)</p>		<p>Toyota RAV 4 V (_A5_) (12/18--)</p>	

Stabilizer link

30-16 060 0093/HD

MSL1187HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 85
Required quantity 2
Thread Size 1 12x1,5
reinforced version
replacement in pairs recommended

**References**

Toyota 48830-42030

Application info

Toyota RAV 4 V (_A5_) (12/18--)

Stabilizer link

30-16 060 0096

MSL1192

Notes

Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 330
Required quantity 2
Thread Size 1 M12x1,25
Thread Size 2 M12x1,25
replacement in pairs recommended

**References**

Toyota 48820-K0010

Application info

Toyota Aygo III (X) (10/21--)

Toyota Yaris IV (02/20--)

Stabilizer link

31-16 060 0003/HD

MSL0273HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 150
Paired article number 31-16 060 0004/HD | MSL0274HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Honda 51320-S2H-003

Application info

Honda HR-V I (03/99--)

Stabilizer link

31-16 060 0004/HD

MSL0274HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 150
Paired article number 31-16 060 0003/HD | MSL0273HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Honda 51321-S2H-003

Application info

Honda HR-V I (03/99--)

Stabilizer link		31-16 060 0007/HD	MSL0275HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Right with spanner attachment</p> <p>Length [mm] 90 Paired article number 31-16 060 0008/HD MSL0276HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>		 	

<p>References</p> <p>Honda 52320-S04-003</p>

<p>Application info</p> <p>Honda Civic V (10/91-02/01)</p>	<p>Honda Civic VI (06/95-03/01)</p>
---	-------------------------------------

Stabilizer link		31-16 060 0008/HD	MSL0276HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left with spanner attachment</p> <p>Length [mm] 90 Paired article number 31-16 060 0007/HD MSL0275HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>		 	

<p>References</p> <p>Honda 52321-S04-003</p>

<p>Application info</p> <p>Honda Civic V (10/91-02/01)</p>	<p>Honda Civic VI (06/95-03/01)</p>
---	-------------------------------------

Stabilizer link		31-16 060 0009/HD	MSL0277HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 72 Paired article number 31-16 060 0010/HD MSL0278HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>		 	

<p>References</p> <p>Honda 51320-S84-A01</p>

<p>Application info</p> <p>Honda Accord VII (03/97-09/05)</p>
--

Stabilizer link		31-16 060 0010/HD	MSL0278HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 72 Paired article number 31-16 060 0009/HD MSL0277HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>		 	


<p>References</p> <p>Honda 51321-S84-A01</p>

<p>Application info</p> <p>Honda Accord VII (03/97-09/05)</p>
--

Stabilizer link**31-16 060 0015/HD****MSL0282HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Right
with spanner attachment

Length [mm] 115
Paired article number 31-16 060 0017/HD | MSL0284HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Honda 52320-S84-A01

Honda 52320-SDA-A01

Application info

Honda Accord VII (03/97-09/05)

Honda Accord VIII (09/02--)

Stabilizer link**31-16 060 0017/HD****MSL0284HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Left
with spanner attachment

Length [mm] 115
Paired article number 31-16 060 0015/HD | MSL0282HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Honda 52325-S84-A01

Honda 52325-SDA-A01

Application info

Honda Accord VII (03/97-09/05)

Honda Accord VIII (09/02--)

Stabilizer link

31-16 060 0019/HD

MSL0286HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right

Length [mm] 55
Paired article number 31-16 060 0000/HD | MSL0271HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Honda 51320-S5A-003

Application info

Honda CR-V II (09/01-07/07)
Honda FR-V (08/04--)

Honda Civic VII (03/99-04/06)
Honda Stream (05/01--)

Stabilizer link

31-16 060 0021/HD

MSL0287HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left

Length [mm] 80
Paired article number 31-16 060 0022/HD | MSL0288HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Honda 51321-SDA-A02
Honda 51321-SDA-A04

Honda 51321-SDA-A03
Honda 51321-SEA-E01

Application info

Honda Accord VIII (09/02--)

Stabilizer link**31-16 060 0022/HD****MSL0288HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Right

Length [mm] 80
Paired article number 31-16 060 0021/HD | MSL0287HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Honda 51320-SDA-A02
Honda 51320-SDA-A04

Honda 51320-SDA-A03
Honda 51320-SEA-E01

Application info

Honda Accord VIII (09/02--)

Stabilizer link**31-16 060 0023/HD****MSL0289HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 300
Paired article number 31-16 060 0024/HD | MSL0290HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Honda 51320-SAA-003

Honda 51320-SAD-P01

Application info

Honda Jazz II (06/01-12/08)

Stabilizer link

31-16 060 0024/HD

MSL0290HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 300
Paired article number 31-16 060 0023/HD | MSL0289HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Honda 51321-SAA-003
Honda 51321-SEL-T01

Honda 51321-SAD-P01

Application info

Honda Jazz II (06/01-12/08)

Stabilizer link


31-16 060 0025/HD

MSL0291HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Right
with spanner attachment

Length [mm] 73
Paired article number 31-16 060 0026/HD | MSL0292HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Honda 52320-S5A-013

Honda 52320-S5T-J01

Application info

Honda Civic VII (03/99-04/06)

Stabilizer link		31-16 060 0048/HD	MSL0606HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left</p> <p>Length [mm] 71.5</p> <p>Paired article number 31-16 060 0047/HD MSL0605HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10X1,5</p> <p>Thread Size 2 M10X1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Honda 51321-SNA-A02</p>			
<p>Application info</p> <p>Honda Civic VII (03/99-04/06)</p>		<p>Honda Civic VIII (09/05--)</p>	
Stabilizer link		31-16 060 0049/HD	MSL0601HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 325</p> <p>Required quantity 2</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10X1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Honda 51320-TF0-003</p>			
<p>Application info</p> <p>Honda CR-Z (06/10--)</p> <p>Honda Jazz III (10/07--)</p>		<p>Honda Insight II (04/09--)</p>	

Stabilizer link		31-16 060 0050/HD	MSL0607HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right</p> <p>Length [mm] 70</p> <p>Paired article number 31-16 060 0053/HD MSL0608HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 <p>A black metal coupling rod for a front axle, featuring a ball joint on one end and a threaded end with a nut on the other. A yellow circular logo with 'MEYLE HD' is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Honda 51320-SED-003</p>		<p>Honda 51320-SED-013</p>	
<p>Application info</p> <p>Honda Accord VIII (09/02--)</p>			
Stabilizer link		31-16 060 0053/HD	MSL0608HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left</p> <p>Length [mm] 70</p> <p>Paired article number 31-16 060 0050/HD MSL0607HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 <p>A black metal coupling rod for a front axle, similar to the previous one but oriented for the left side. It features a ball joint on one end and a threaded end with a nut on the other. A yellow circular logo with 'MEYLE HD' is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Honda 51321-SED-003</p>		<p>Honda 51321-SED-013</p>	
<p>Application info</p> <p>Honda Accord VIII (09/02--)</p>			

Stabilizer link		31-16 060 0054	MSL0588
<p>Notes</p> <p>Coupling Rod Front Axle Right</p> <p>Length [mm] 320</p> <p>Paired article number 31-16 060 0055 MSL0589</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M10X1,25</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Honda 51320-SAA-J01</p>			
<p>Application info</p> <p>Honda Jazz II (06/01-12/08)</p>			
Stabilizer link		31-16 060 0055	MSL0589
<p>Notes</p> <p>Coupling Rod Front Axle Left</p> <p>Length [mm] 320</p> <p>Paired article number 31-16 060 0054 MSL0588</p> <p>Required quantity 1</p> <p>Thread Size 1 M10X1,25</p> <p>Thread Size 2 M10X1,25</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Honda 51321-SAA-J01</p>			
<p>Application info</p> <p>Honda Jazz II (06/01-12/08)</p>			

Stabilizer link **31-16 060 0060** **MSL0680**

Notes

Coupling Rod
 Rear Axle Right
 with spanner attachment
 Length [mm] 89
 Paired article number 31-16 060 0061 | MSL0912
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10X1,5
 replacement in pairs recommended



References

Honda 52320S-9A003


Application info

Honda CR-V II (09/01-07/07)

Stabilizer link **31-16 060 0061** **MSL0912**

Notes

Coupling Rod
 Rear Axle Left
 with spanner attachment
 Length [mm] 89
 Paired article number 31-16 060 0060 | MSL0680
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10X1,5
 replacement in pairs recommended



References

Honda 52321S-9A003

Application info

Honda CR-V II (09/01-07/07)

Stabilizer link

31-16 060 0079/HD

MSL1169HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Inner Diameter [mm]

8.1

Length [mm]

60

Required quantity

2

Thread Size 1

M10 X 1,5

reinforced version

replacement in pairs recommended



References

Honda 52320-TBA-A01

Application info

Honda Civic X (09/15--)

Suspension Kit

116 610 0000/HD

MCR0097HD

Notes

Carbon Neutral
Front Axle Right
for control arm
with ball joint
with rubber mount

Paired article number

116 610 0001/HD | MCR0098HD

Replace in pairs only

Required quantity

1

reinforced version



References

Audi 191 407 182	Audi 1J0 407 151 A
Audi 1J0 407 151 B	Audi 1J0 407 151 C
Audi 1J0 407 181	Audi 1J0 407 181 A
Audi 1J0 407 366 A	Audi 1J0 407 366 C
Audi 1J0 407 366 D	Audi 1J0 407 366 J
Audi 357 407 182	Seat 191 407 182
Seat 1J0 407 151 C	Seat 1J0 407 181
Seat 1J0 407 181 A	Seat 1J0 407 182
Seat 1J0 407 366 C	Seat 1J0 407 366 H
Seat 1J0 407 366 J	Seat 357 407 182
Skoda 191 407 182	Skoda 1J0 407 151 C
Skoda 1J0 407 181	Skoda 1J0 407 181 A
Skoda 1J0 407 182	Skoda 1J0 407 366 C
Skoda 1J0 407 366 D	Skoda 1J0 407 366 H
Skoda 1J0 407 366 J	Skoda 1J0 422 366 C
Skoda 357 407 182	Volkswagen 191 407 182
Volkswagen 1J0 407 151 B	Volkswagen 1J0 407 151 C
Volkswagen 1J0 407 181	Volkswagen 1J0 407 181 A
Volkswagen 1J0 407 182	Volkswagen 1J0 407 366 A
Volkswagen 1J0 407 366 C	Volkswagen 1J0 407 366 D
Volkswagen 1J0 407 366 H	Volkswagen 1J0 407 366 J
Volkswagen 357 407 182	Volkswagen (FAW) 1J0 407 151 C
Volkswagen (FAW) 1J0 407 181	Volkswagen (FAW) 1J0 407 366 C
Volkswagen (FAW) 357 407 182	Volkswagen (FAW) L1J0 407 181
Volkswagen (FAW) L357 407 182	

Application info

Audi A3 I (8L_) (09/96-09/06)	Seat Leon I / Toledo II (1M_) (10/98-06/06)
Skoda Octavia I (1U_) (09/96-12/10)	Volkswagen Bora (1J2, 1J6) (10/98-12/13)
Volkswagen Golf IV (1J1, 1J5) (08/97-06/14)	Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11)
Volkswagen Polo (6R_) (03/09--)	

Suspension Kit

116 610 0001/HD

MCR0098HD

Notes

Carbon Neutral
Front Axle Left
for control arm
with ball joint
with rubber mount

Paired article number
Replace in pairs only
Required quantity
reinforced version

116 610 0000/HD | MCR0097HD
1



References

- | | |
|--------------------------------|-------------------------------|
| Audi 191 407 182 | Audi 1J0 407 151 A |
| Audi 1J0 407 151 B | Audi 1J0 407 151 C |
| Audi 1J0 407 181 | Audi 1J0 407 181 A |
| Audi 1J0 407 365 A | Audi 1J0 407 365 C |
| Audi 1J0 407 365 D | Audi 1J0 407 365 J |
| Audi 357 407 182 | Seat 191 407 182 |
| Seat 1J0 407 151 C | Seat 1J0 407 181 |
| Seat 1J0 407 181 A | Seat 1J0 407 182 |
| Seat 1J0 407 365 C | Seat 1J0 407 365 H |
| Seat 1J0 407 365 J | Seat 357 407 182 |
| Skoda 191 407 182 | Skoda 1J0 407 151 C |
| Skoda 1J0 407 181 | Skoda 1J0 407 181 A |
| Skoda 1J0 407 182 | Skoda 1J0 407 365 C |
| Skoda 1J0 407 365 D | Skoda 1J0 407 365 H |
| Skoda 1J0 407 365 J | Skoda 357 407 182 |
| Volkswagen 191 407 182 | Volkswagen 1J0 407 151 B |
| Volkswagen 1J0 407 151 C | Volkswagen 1J0 407 181 |
| Volkswagen 1J0 407 181 A | Volkswagen 1J0 407 182 |
| Volkswagen 1J0 407 365 A | Volkswagen 1J0 407 365 C |
| Volkswagen 1J0 407 365 D | Volkswagen 1J0 407 365 H |
| Volkswagen 1J0 407 365 J | Volkswagen 357 407 182 |
| Volkswagen (FAW) 1J0 407 151 C | Volkswagen (FAW) 1J0 407 181 |
| Volkswagen (FAW) 1J0 407 365 C | Volkswagen (FAW) 357 407 182 |
| Volkswagen (FAW) L1J0 407 181 | Volkswagen (FAW) L357 407 182 |

Application info

- | | |
|---|---|
| Audi A3 I (8L_) (09/96-09/06) | Seat Leon I / Toledo II (1M_) (10/98-06/06) |
| Skoda Octavia I (1U_) (09/96-12/10) | Volkswagen Bora (1J2, 1J6) (10/98-12/13) |
| Volkswagen Golf IV (1J1, 1J5) (08/97-06/14) | Volkswagen New Beetle (1Y7, 9C1, 1C1) (01/98-12/11) |
| Volkswagen Polo (6R_) (03/09--) | |

Suspension Kit

116 610 0002

MCR0099

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

Volkswagen 2H0 407 151 A
Volkswagen 2H0 407 182 A
Volkswagen 2H0 412 333 A
Volkswagen 7H0 407 151 F
Volkswagen 7H0 407 152 F

Volkswagen 2H0 407 152 A
Volkswagen 2H0 407 183 A
Volkswagen 7H0 407 151 B
Volkswagen 7H0 407 152 B
Volkswagen 7H0 407 183

Application info

Volkswagen Amarok I (09/10--)

Suspension Kit

16-16 610 0001

MCR0100

Notes

Front Axle Left
Front Axle Right
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

Renault 6025307746
Renault 7700413494
Renault 7700823097
Renault 7700824042

Renault 7700413493
Renault 7700822503
Renault 7700823098

Application info

Renault Laguna I (11/93-08/02)

Suspension Kit **16-16 610 0002** **MCR0101**

Notes

Front Axle Right
for control arm
with ball joint
with rubber mount

Paired article number 16-16 610 0003 | MCR0102

Required quantity 1

replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| Mercedes-Benz 415 330 02 00 | Mercedes-Benz 415 330 03 00 |
| Mercedes-Benz A 415 330 02 00 | Mercedes-Benz A 415 330 03 00 |
| Renault 545041876R | Renault 545044506R |
| Renault 545058191R | Renault 8200041166 |
| Renault 8200242025 | Renault 8200586561 |
| Renault 8200586564 | Renault 8200586567 |
| Renault 8200586570 | |

Application info

- | | |
|--|-----------------------------|
| Mercedes-Benz BM 415 (Citan) (11/12--) | Renault Kangoo II (02/08--) |
|--|-----------------------------|

Suspension Kit **16-16 610 0002/HD** **MCR0101HD**

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with ball joint
with rubber mount

Replace in pairs only

Required quantity 2

reinforced version



References

GENERAL MOTORS 91166461
 GENERAL MOTORS 93851117
 GENERAL MOTORS 93858141
 GENERAL MOTORS 95523257
 Nissan 54502-00Q0A
 Nissan 54502-00QAA
 Nissan 54503-00Q0A
 Nissan 54503-00QAA
 Opel 44 08 958
 Opel 44 12 934
 Opel 44 18 223
 Renault 8200002869
 Renault 8200054003
 Renault 8200247898
 Renault 8200565072
 Vauxhall 44 08 958
 Vauxhall 44 12 936

GENERAL MOTORS 91166462
 GENERAL MOTORS 93851118
 GENERAL MOTORS 93858142
 GENERAL MOTORS 95523358
 Nissan 54502-00Q0B
 Nissan 54502-00QAB
 Nissan 54503-00Q0B
 Nissan 54503-00QAB
 Opel 44 08 959
 Opel 44 12 936
 Opel 44 18 224
 Renault 8200049624
 Renault 8200054006
 Renault 8200247900
 Renault 8200565079
 Vauxhall 44 12 934

Application info

Nissan Primastar I (X83) (03/01--)
 Renault Trafic II (03/01--)

Opel Vivaro A (08/01--)
 Vauxhall Vivaro A (08/01-07/14)

Suspension Kit

16-16 610 0003

MCR0102

Notes

Front Axle Left
 for control arm
 with ball joint
 with rubber mount

Paired article number
 Required quantity
 replacement in pairs recommended

16-16 610 0002 | MCR0101
 1



References

Mercedes-Benz 415 330 02 00
 Mercedes-Benz A 415 330 02 00
 Renault 545041876R
 Renault 545058191R
 Renault 8200242025
 Renault 8200586564
 Renault 8200586570

Mercedes-Benz 415 330 03 00
 Mercedes-Benz A 415 330 03 00
 Renault 545044506R
 Renault 8200041166
 Renault 8200586561
 Renault 8200586567

Application info

Mercedes-Benz BM 415 (Citan) (11/12--)

Renault Kangoo II (02/08--)

Suspension Kit

16-16 610 0003/HD

MCR0102HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Replace in pairs only

Required quantity
reinforced version

2



References

Renault 401606676R
Renault 7701476576
Renault 8200002868
Renault 8200026654
Renault 8200273728
Renault 8200389134
Renault 8200452715
Renault 8200602612

Renault 6040002105
Renault 7701478029
Renault 8200002869
Renault 8200026655
Renault 8200273729
Renault 8200389135
Renault 8200452716
Renault 8200602613

Application info

Renault Espace IV (11/02--)

Renault Vel Satis (06/02--)

Renault Laguna II (03/01-12/07)

Suspension Kit

16-16 610 0004

MCR0103

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



DRIVER'S BEST FRIEND

MEYLE

References

Renault 8200041166
Renault 8200255760

Renault 8200242025
Renault 8200255761

Application info

Renault Mégane II (07/01--)

Suspension Kit

16-16 610 0005

MCR0104

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount
2

Required quantity
replacement in pairs recommended



References

GENERAL MOTORS 4418212
 GENERAL MOTORS 9109853
 GENERAL MOTORS 9109941
 GENERAL MOTORS 9112048
 GENERAL MOTORS 9160393
 GENERAL MOTORS 93192690
 Nissan 40160-00QAD
 Nissan 54500-00QAC
 Nissan 54500-00QAE
 Nissan 54501-00QAC
 Nissan 54501-00QAE
 Opel 44 01 853
 Opel 44 01 941
 Opel 44 04 048
 Opel 44 18 213
 Opel 45 00 093
 Renault 7700302119
 Renault 7700309190
 Renault 7701302119
 Renault 8200256945
 Renault 8200270058
 Renault 8200767825
 Vauxhall 44 01 853
 Vauxhall 44 01 941
 Vauxhall 44 04 048
 Vauxhall 44 18 213

GENERAL MOTORS 9109852
 GENERAL MOTORS 9109940
 GENERAL MOTORS 9112047
 GENERAL MOTORS 9160392
 GENERAL MOTORS 93192689
 Nissan 40160-00QAC
 Nissan 54500-00Q0C
 Nissan 54500-00QAD
 Nissan 54501-00Q0C
 Nissan 54501-00QAD
 Opel 44 01 852
 Opel 44 01 940
 Opel 44 04 047
 Opel 44 18 212
 Opel 45 00 092
 Renault 7700302118
 Renault 7700309189
 Renault 7701302118
 Renault 8200256944
 Renault 8200270055
 Renault 8200767822
 Vauxhall 44 01 852
 Vauxhall 44 01 940
 Vauxhall 44 04 047
 Vauxhall 44 18 212
 Vauxhall 45 00 092

Application info

Nissan Interstar I (X70) (04/02--)
 Renault Master II (03/98--)

Opel Movano A (07/98--)
 Vauxhall Movano Mk I (10/98-12/10)

Suspension Kit

16-16 610 0006/HD

MCR0105HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount

Replace in pairs only
 Required quantity
 reinforced version

2



References

Renault 7700436302	Renault 7700436303
Renault 7700781034	Renault 7700781035
Renault 7700789478	Renault 7700818051
Renault 7700818052	Renault 7700831368
Renault 7700831369	Renault 7700840741
Renault 7701462182	Renault 7701468411
Renault 7701468883	Renault 7701472038
Renault 8200610363	Renault 8200651163
Renault 8200737134	Renault 8200737135

Application info

Renault Mégane I / Scénic I (08/95-07/10)	Renault R 19 (01/88-08/03)
---	----------------------------

Suspension Kit

16-16 610 0007/HD

MCR0106HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount

Replace in pairs only
 Required quantity
 reinforced version

2



References

Nissan 54500-00Q0D	Nissan 54500-00Q0J
Nissan 54500-00Q0M	Nissan 54500-00Q1A
Nissan 54500-00QAH	Nissan 54501-00Q0G
Nissan 54501-00Q0L	Nissan 54501-00QAH
Nissan 54560-00Q0A	Nissan 54560-00QAB
Renault 7700310809	Renault 7700310810
Renault 7700313944	Renault 7700313945
Renault 7700424459	Renault 7700425032
Renault 7700425033	Renault 7700425227
Renault 7700425228	Renault 7701468883
Renault 8200197179	Renault 8200197187
Renault 8200737123	Renault 8200737129
Renault 8200942407	Renault 8200942408

Application info

Nissan Kubistar (08/03--)	Renault Clio II / Thalia (02/98--)
Renault Kangoo I (08/97--)	

Suspension Kit

16-16 610 0008

MCR0107

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

Renault 401609060R
Renault 545006560R
Renault 545009207R
Renault 545014055R
Renault 545016838R
Renault 545019389R

Renault 545000399R
Renault 545008682R
Renault 545009795R
Renault 545016101R
Renault 545018194R

Application info

Renault Fluence (02/10--)
Renault Scénic III (12/08--)

Renault Megane III (11/08--)

Suspension Kit

16-16 610 0009

MCR0108

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

Dacia 401602308R
 Dacia 545001535R
 Dacia 545011697R
 Dacia 545016746R
 Dacia 545501225R
 Renault 545000138R
 Renault 545006542R
 Renault 545012815R
 Renault 545019969R
 Renault 545602788R

Dacia 545000138R
 Dacia 545006542R
 Dacia 545012815R
 Dacia 545019969R
 Dacia 545602788R
 Renault 545001535R
 Renault 545011697R
 Renault 545016746R
 Renault 545501225R

Application info

Dacia Duster I (04/10--)

Renault Duster I (01/11--)

Suspension Kit

16-16 610 0011

MCR0110

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount
 2

Required quantity
 replacement in pairs recommended



References

GENERAL MOTORS 91166461
 GENERAL MOTORS 93851118
 GENERAL MOTORS 93858864
 GENERAL MOTORS 93862135
 Nissan 40160-00Q0A
 Nissan 54502-00Q0A
 Nissan 54502-00Q0C
 Nissan 54502-00QAA
 Nissan 54503-00Q0B
 Nissan 54503-00Q0D
 Opel 44 08 959
 Opel 44 17 177
 Opel 44 18 225
 Opel 44 21 646
 Opel 44 31 869
 Renault 545044506R
 Renault 545058162R
 Renault 7701477385
 Renault 8200041166
 Renault 8200395007
 Renault 8200586561
 Renault 8200586570
 Renault 8200626961
 Renault 8200876657
 Vauxhall 44 08 959
 Vauxhall 44 17 177
 Vauxhall 44 31 869

GENERAL MOTORS 93161884
 GENERAL MOTORS 93853464
 GENERAL MOTORS 93858865
 GENERAL MOTORS 93862136
 Nissan 40160-00Q0C
 Nissan 54502-00Q0B
 Nissan 54502-00Q0D
 Nissan 54503-00Q0A
 Nissan 54503-00Q0C
 Nissan 54503-00QAA
 Opel 44 12 936
 Opel 44 17 178
 Opel 44 18 226
 Opel 44 21 647
 Renault 545041876R
 Renault 545049296R
 Renault 545058191R
 Renault 8200002869
 Renault 8200049624
 Renault 8200395034
 Renault 8200586567
 Renault 8200626959
 Renault 8200667278
 Renault 8200876659
 Vauxhall 44 12 936
 Vauxhall 44 17 178

Application info

Nissan Primastar I (X83) (03/01--)
 Renault Trafic II (03/01--)

Opel Vivaro A (08/01--)
 Vauxhall Vivaro A (08/01-07/14)

Suspension Kit

16-16 610 0012

MCR0111

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount
 2

Required quantity
 replacement in pairs recommended



References

- | | |
|-------------------------|-------------------------|
| Chevrolet 25995128 | Chevrolet 25995129 |
| Chevrolet 96626235 | Chevrolet 96626236 |
| Chevrolet 96809676 | Chevrolet 96810753 |
| Chevrolet 96810754 | Chevrolet 96819161 |
| Chevrolet 96819162 | Chevrolet 96852964 |
| GENERAL MOTORS 20946157 | GENERAL MOTORS 20946158 |
| GENERAL MOTORS 20946159 | GENERAL MOTORS 25995127 |
| GENERAL MOTORS 25995128 | GENERAL MOTORS 25995129 |
| GENERAL MOTORS 96626235 | GENERAL MOTORS 96626236 |
| GENERAL MOTORS 96809676 | GENERAL MOTORS 96819161 |
| GENERAL MOTORS 96819162 | Opel 47 17 777 |
| Opel 48 02 540 | Opel 48 02 541 |
| Opel 48 02 543 | Opel 48 06 300 |
| Opel 48 06 301 | Opel 48 10 831 |
| Opel 48 10 870 | Opel 48 12 870 |
| Opel 48 17 776 | Opel 48 17 777 |
| Opel 48 17 778 | Opel 48 17 869 |
| Opel 48 20 932 | Vauxhall 47 17 777 |
| Vauxhall 48 02 540 | Vauxhall 48 02 541 |
| Vauxhall 48 02 543 | Vauxhall 48 06 300 |
| Vauxhall 48 06 301 | Vauxhall 48 10 831 |
| Vauxhall 48 10 870 | Vauxhall 48 12 870 |
| Vauxhall 48 17 776 | Vauxhall 48 17 778 |
| Vauxhall 48 17 869 | |

Application info

- | | |
|-------------------------------|-----------------------|
| Chevrolet Captiva I (06/06--) | Opel Antara (05/06--) |
| Vauxhall Antara (08/06--) | |

Suspension Kit

16-16 610 0013

MCR0112

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount
 2

Required quantity
 replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Renault 545041876R | Renault 545044506R |
| Renault 545046817R | Renault 545048506R |
| Renault 545049968R | Renault 545050399R |
| Renault 545050510R | Renault 545052354R |
| Renault 545055711R | Renault 545058191R |
| Renault 8200041166 | Renault 8200242025 |
| Renault 8200586561 | Renault 8200586564 |
| Renault 8200586567 | Renault 8200586570 |

Application info

- | | |
|---------------------------|-----------------------|
| Renault Clio IV (11/12--) | Renault Zoe (06/12--) |
|---------------------------|-----------------------|

Suspension Kit

16-16 610 0015 MCR0113

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount

Required quantity
 replacement in pairs recommended

2



References

- | | |
|--------------------|--------------------|
| Renault 545003037R | Renault 545017775R |
| Renault 545040131R | Renault 545053170R |
| Renault 8200298454 | Renault 8200298455 |
| Renault 8200457208 | Renault 8200457209 |
| Renault 8200679063 | Renault 8200679067 |

Application info

- | | |
|-----------------------------|---------------------------------|
| Renault Mégane II (07/01--) | Renault Scénic II (06/03-07/10) |
|-----------------------------|---------------------------------|

Suspension Kit

216 610 0003

MCR0114

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

Peugeot 96 707 714 80

Peugeot 96 707 720 80

Application info

Peugeot 208 I (03/12--)

Suspension Kit

216 610 0004

MCR0115

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

Fiat 52011612

Fiat 52011614

Fiat 52056673

Fiat 52056674

Fiat 52082896

Fiat 52082897

Fiat K68326642AA

Fiat K68385373AA

Application info

Fiat Tipo (356) (10/15--)

Suspension Kit

216 610 0006/HD

MCR0070HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Replace in pairs only
Required quantity

2



References

Iveco 5 0033 4716

Iveco 5 0033 4717

Application info

Iveco Daily III (11/97-10/09)
Iveco Daily V (09/11-02/14)

Iveco Daily IV (05/06-03/12)

Suspension Kit

29-16 610 0001

MCR0071

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

Chevrolet 96535081
Chevrolet 96535082
Chevrolet 96815893
Chevrolet 96815894
Chevrolet 96870465
Daewoo 96535081
Daewoo 96815893

Chevrolet 96535081D
Chevrolet 96535082D
Chevrolet 96815893D
Chevrolet 96815894D
Chevrolet 96870466
Daewoo 96535082
Daewoo 96815894

Application info

Chevrolet Astro I (02/03-05/08)
Daewoo Kalos (09/02--)

Chevrolet Aveo I (01/03--)

Suspension Kit


314 610 0034/HD

MCR0040HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
without holder

Height [mm] 80
Inner Diameter [mm] 25
Outer Diameter [mm] 70
Replace in pairs only
Required quantity 2
reinforced version



References

BMW 31 12 6 850 403	BMW 31 12 6 850 404
BMW 31 12 6 874 341	BMW 31 12 6 874 342
BMW 31 12 6 882 843	BMW 31 12 6 882 844
BMW 31 12 8 831 645	BMW 31 12 8 831 646
BMW 6 850 403	BMW 6 850 404
BMW 6 874 341	BMW 6 874 342
BMW 6 882 843	BMW 6 882 844
BMW 8 831 645	BMW 8 831 646
Mini 31 12 6 850 403	Mini 31 12 6 850 404
Mini 31 12 6 874 341	Mini 31 12 6 874 342
Mini 31 12 6 882 843	Mini 31 12 6 882 844
Mini 31 12 8 831 645	Mini 31 12 8 831 646
Mini 6 850 403	Mini 6 850 404
Mini 6 874 341	Mini 6 874 342
Mini 6 882 843	Mini 6 882 844
Mini 8 831 645	Mini 8 831 646

Application info

BMW 1 (F40), 2 Gran Coupe (F44) (07/19--)	BMW 2 (F45, F46) (11/13--)
BMW X1 (F48) (11/14--)	BMW X2 (F39) (11/17--)
Mini Countryman II (10/16--)	Mini Mini III (09/13--)

Suspension Kit

314 610 0035/HD

MCR0039HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with holder

Replace in pairs only
Required quantity
reinforced version

2



References

BMW 31 12 6 850 403
BMW 31 12 6 874 341
BMW 31 12 6 882 843
BMW 31 12 8 831 645
BMW 6 850 403
BMW 6 874 341
BMW 6 882 843
BMW 8 831 645
Mini 31 12 6 850 403
Mini 31 12 6 874 341
Mini 31 12 6 882 843
Mini 31 12 8 831 645
Mini 6 850 403
Mini 6 874 341
Mini 6 882 843
Mini 8 831 645

BMW 31 12 6 850 404
BMW 31 12 6 874 342
BMW 31 12 6 882 844
BMW 31 12 8 831 646
BMW 6 850 404
BMW 6 874 342
BMW 6 882 844
BMW 8 831 646
Mini 31 12 6 850 404
Mini 31 12 6 874 342
Mini 31 12 6 882 844
Mini 31 12 8 831 646
Mini 6 850 404
Mini 6 874 342
Mini 6 882 844
Mini 8 831 646

Application info

BMW 1 (F40), 2 Gran Coupe (F44) (07/19--)
BMW X1 (F48) (11/14--)
Mini Countryman II (10/16--)

BMW 2 (F45, F46) (11/13--)
BMW X2 (F39) (11/17--)
Mini Mini III (09/13--)

Suspension Kit

314 610 0037

MCR0047

Notes

Required quantity
replacement in pairs recommended

Front Axle Left
Front Axle Right
2



References

- | | |
|----------------------------------|----------------------------------|
| BMW 31 12 6 775 963 | BMW 31 12 6 775 964 |
| BMW 31 12 6 775 967 | BMW 31 12 6 775 971 |
| BMW 31 12 6 775 972 | BMW 31 12 6 775 979 |
| BMW 31 12 6 775 980 | BMW 31 12 6 775 981 |
| BMW 31 12 6 779 871 | BMW 31 12 6 779 908 |
| BMW 31 12 6 791 455 | BMW 31 12 6 794 203 |
| BMW 31 12 6 794 204 | BMW 31 12 6 798 107 |
| BMW 31 12 6 798 108 | BMW 31 12 6 850 781 |
| BMW 31 12 6 850 782 | BMW 6 775 963 |
| BMW 6 775 964 | BMW 6 775 967 |
| BMW 6 775 971 | BMW 6 775 972 |
| BMW 6 775 979 | BMW 6 775 980 |
| BMW 6 775 981 | BMW 6 779 871 |
| BMW 6 779 908 | BMW 6 791 455 |
| BMW 6 794 203 | BMW 6 794 204 |
| BMW 6 798 107 | BMW 6 798 108 |
| BMW 6 850 781 | BMW 6 850 782 |
| BMW (Brilliance) 31 12 6 775 967 | BMW (Brilliance) 31 12 6 775 971 |
| BMW (Brilliance) 31 12 6 775 972 | BMW (Brilliance) 31 12 6 794 203 |
| BMW (Brilliance) 6 775 967 | BMW (Brilliance) 6 775 971 |
| BMW (Brilliance) 6 775 972 | BMW (Brilliance) 6 794 203 |

Application info

BMW 5 (F10, F11) (01/09-02/17) BMW 6 (F12, F13) (12/10-10/18)

Suspension Kit

314 610 0038

MCR0058

Notes

Required quantity
replacement in pairs recommended

Front Axle Left
Front Axle Right
2



References

BMW 31 10 6 771 194
BMW 31 10 6 778 015
BMW 31 12 6 855 509
BMW 6 771 194
BMW 6 778 015
BMW 6 855 509

BMW 31 10 6 771 897
BMW 31 12 6 851 693
BMW 31 12 6 863 171
BMW 6 771 897
BMW 6 851 693
BMW 6 863 171

Application info

BMW X5 (E70) (02/06-07/13)

BMW X6 (E71) (06/07-07/14)