



DRIVER'S BEST FRIEND

MEYLE

Steering

Axial rod

316 030 0000

MAR0201

Notes

Front Axle Left
Front Axle Right

Length [mm] 174
Required quantity 2
Thread Size 1 M18x1,5
Thread Size 2 M16x1,0
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| BMW 1 091 767 | BMW 1 091 768 |
| BMW 1 091 769 | BMW 1 093 769 |
| BMW 1 093 770 | BMW 1 094 673 |
| BMW 1 094 674 | BMW 32 11 1 091 767 |
| BMW 32 11 1 091 768 | BMW 32 11 1 091 769 |
| BMW 32 11 1 093 769 | BMW 32 11 1 093 770 |
| BMW 32 11 1 094 673 | BMW 32 11 1 094 674 |

Application info

BMW 5 (E39) (09/95-06/04)

Axial rod

316 030 3042

MAR0202

Notes

Front Axle Left
Front Axle Right

Length [mm] 228
Required quantity 2
Thread Size 1 M18x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| BMW 32 10 6 774 360 | BMW 32 10 6 777 268 |
| BMW 32 21 6 756 368 | BMW 6 756 368 |
| BMW 6 774 360 | BMW 6 777 268 |

Application info

BMW 7 (E65, E66) (07/01-12/09)

Axial rod

316 030 3044

MAR0203

Notes

Front Axle Left
Front Axle Right

Length [mm] 219
Required quantity 2
Thread Size 1 M18x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| BMW 3 412 798 | BMW 3 418 204 |
| BMW 3 444 999 | BMW 32 10 3 412 798 |
| BMW 32 10 3 444 999 | BMW 32 10 6 780 985 |
| BMW 32 10 6 793 496 | BMW 32 21 6 751 277 |
| BMW 32 21 6 773 740 | BMW 32 21 6 773 741 |
| BMW 32 30 3 418 204 | BMW 6 751 277 |
| BMW 6 773 740 | BMW 6 773 741 |
| BMW 6 780 985 | BMW 6 793 496 |

Application info

BMW X3 (E83) (01/03-12/11)	BMW X5 (E53) (01/00-12/06)
BMW X5 (E70) (02/06-07/13)	BMW X6 (E71) (06/07-07/14)

Axial rod

316 030 4342

MAR0206

Notes

Front Axle Left
Front Axle Right

Length [mm] 205
Required quantity 2
Thread Size 1 M18x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| BMW 1 139 315 | BMW 1 139 316 |
| BMW 32 11 1 139 315 | BMW 32 11 1 139 316 |

Application info

BMW 3 (E36) (09/90-08/00)

BMW Z3 (E36/7, E36/8) (10/95-06/03)

Axial rod**316 030 4600****MAR0207****Notes**Front Axle Left
Front Axle Right

Length [mm]

207

Required quantity

2

Thread Size 1

M18x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

BMW 1 096 897

BMW 1 096 898

BMW 32 10 6 774 222

BMW 32 10 6 774 223

BMW 32 10 6 777 503

BMW 32 10 6 777 504

BMW 32 11 1 096 897

BMW 32 21 1 096 898

BMW 6 774 222

BMW 6 774 223

BMW 6 777 503

BMW 6 777 504

BMW (Brilliance) 1 096 897

BMW (Brilliance) 1 096 898

BMW (Brilliance) 32 10 6 774 222

BMW (Brilliance) 32 10 6 774 223

BMW (Brilliance) 32 10 6 777 503

BMW (Brilliance) 32 10 6 777 504

BMW (Brilliance) 32 11 1 096 897

BMW (Brilliance) 32 21 1 096 898

BMW (Brilliance) 6 774 222

BMW (Brilliance) 6 774 223

BMW (Brilliance) 6 777 503

BMW (Brilliance) 6 777 504

Application info

BMW 3 (E46) (12/97-12/07)

BMW Z4 (E85) (09/02-12/09)

BMW Z4 (E86) (03/06-01/09)

Axial rod**316 031 0000****MAR0208****Notes**Front Axle Left
Front Axle Right

Length [mm]

184

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Mini 32 11 6 754 563	Mini 32 11 6 754 564
Mini 32 11 6 780 785	Mini 32 11 6 780 786
Mini 6 754 563	Mini 6 754 564
Mini 6 780 785	Mini 6 780 786

Application info

Mini Mini I (06/01-07/08)

Axial rod

316 031 0003

MAR0209

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	239
Required quantity	2
Thread Size 1	M18x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	



References

BMW 32 10 6 774 347	BMW 32 10 6 777 479
BMW 32 21 6 762 403	BMW 32 21 6 767 861
BMW 32 21 6 777 451	BMW 6 762 403
BMW 6 767 861	BMW 6 774 347
BMW 6 777 451	BMW 6 777 479
BMW (Brilliance) 32 10 6 774 347	BMW (Brilliance) 32 10 6 777 479
BMW (Brilliance) 32 21 6 762 403	BMW (Brilliance) 32 21 6 767 861
BMW (Brilliance) 32 21 6 777 451	BMW (Brilliance) 6 762 403
BMW (Brilliance) 6 767 861	BMW (Brilliance) 6 774 347
BMW (Brilliance) 6 777 451	BMW (Brilliance) 6 777 479

Application info

BMW 5 (E60, E61) (12/01-12/10)	BMW 6 (E63, E64) (09/03-12/10)
--------------------------------	--------------------------------

Axial rod **316 031 0004** **MAR0210**

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 246
 Manufacturer Restriction TRW
 Required quantity 2
 Thread Size 1 M18x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

BMW 32 21 6 762 243	BMW 32 21 6 762 244
BMW 6 762 243	BMW 6 762 244
BMW (Brilliance) 32 21 6 762 243	BMW (Brilliance) 32 21 6 762 244
BMW (Brilliance) 6 762 243	BMW (Brilliance) 6 762 244

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)	BMW 3 (E90, E91, E92, E93) (02/04-12/13)
BMW X1 (E84) (03/09-06/15)	

Axial rod **316 031 0005** **MAR0211**

Notes

Front Axle Left
 Front Axle Right
 for vehicles with power steering
 Length [mm] 256
 Manufacturer Restriction ZF
 Required quantity 2
 Thread Size 1 M18x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

BMW 32 10 6 765 235	BMW 32 10 6 765 236
BMW 6 765 235	BMW 6 765 236
BMW (Brilliance) 32 10 6 765 235	BMW (Brilliance) 32 10 6 765 236
BMW (Brilliance) 6 765 235	BMW (Brilliance) 6 765 236

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)
 BMW 3 (F30, F31) (11/11-06/19)
 BMW Z4 (E89) (02/09-08/16)

BMW 3 (E90, E91, E92, E93) (02/04-12/13)
 BMW X1 (E84) (03/09-06/15)

Axial rod

316 031 0006

MAR0212

Notes

Front Axle Left
 Front Axle Right

Length [mm] 196
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mini 32 10 6 778 547
 Mini 32 10 9 803 321
 Mini 32 10 9 808 837
 Mini 6 778 547
 Mini 9 803 321
 Mini 9 808 837

Mini 32 10 6 778 548
 Mini 32 10 9 803 322
 Mini 32 10 9 808 838
 Mini 6 778 548
 Mini 9 803 322
 Mini 9 808 838

Application info

Mini Countryman I (08/10-10/16)
 Mini Paceman (03/12-10/16)

Mini Mini II (11/05-12/15)

Axial rod

316 031 0008

MAR0213

Notes

Front Axle Left
 Front Axle Right

Length [mm] 260
 Required quantity 2
 Thread Size 1 M18x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

BMW 32 10 6 768 879

BMW 32 10 6 793 621

BMW 6 768 879

BMW 6 793 621

BMW (Brilliance) 32 10 6 768 879

BMW (Brilliance) 6 768 879

BMW 32 10 6 768 880

BMW 32 10 6 793 622

BMW 6 768 880

BMW 6 793 622

BMW (Brilliance) 32 10 6 768 880

BMW (Brilliance) 6 768 880

Application info

BMW 3 (E90, E91, E92, E93) (02/04-12/13)

BMW X1 (E84) (03/09-06/15)

Axial rod

316 031 0010

MAR0214

Notes

Front Axle Left
Front Axle Right

Length [mm]

198

Required quantity

2

Thread Size 1

M18x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

BMW 32 10 6 774 318

BMW 6 774 318

BMW 32 10 6 774 319

BMW 6 774 319

Application info

BMW 3 (E46) (12/97-12/07)

Axial rod

316 031 0011

MAR0215

Notes

Front Axle Left
Front Axle Right

Length [mm]

245

Required quantity

2

Thread Size 1

M18x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

BMW 32 10 6 784 716
 BMW 32 10 6 784 792
 BMW 6 784 719
 BMW (Brilliance) 32 10 6 784 716
 BMW (Brilliance) 6 784 716

BMW 32 10 6 784 719
 BMW 6 784 716
 BMW 6 784 792
 BMW (Brilliance) 32 10 6 784 719
 BMW (Brilliance) 6 784 719

Application info

BMW 5 (F07) (01/09-02/17)
 BMW 6 (F12, F13) (12/10-10/18)

BMW 5 (F10, F11) (01/09-02/17)
 BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Axial rod

316 031 0012

MAR0216

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 253
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

BMW 32 10 6 799 960
 BMW 6 799 960
 BMW (Brilliance) 32 10 6 799 960
 BMW (Brilliance) 6 799 960

BMW 32 10 6 799 965
 BMW 6 799 965
 BMW (Brilliance) 32 10 6 799 965
 BMW (Brilliance) 6 799 965

Application info

BMW 1 (F20, F21) (07/11--)
 BMW 3 (F30, F31) (11/11-06/19)
 BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)
 BMW 3 (F34) (07/12--)

Axial rod**316 031 0013****MAR0217****Notes**Front Axle Left
Front Axle Right

Length [mm]

247

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

BMW 32 10 6 792 029

BMW 6 792 029

BMW (Brilliance) 32 10 6 792 029

BMW (Brilliance) 6 792 029

BMW 32 10 6 792 030

BMW 6 792 030

BMW (Brilliance) 32 10 6 792 030

BMW (Brilliance) 6 792 030

Application info

BMW 1 (F20, F21) (07/11--)

BMW 3 (F30, F31) (11/11-06/19)

BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)

BMW 3 (F34) (07/12--)

Axial rod**316 031 0014****MAR0390****Notes**Front Axle Left
Front Axle Right

Length [mm]

229

Required quantity

2

Thread Size 1

M16X1.5

Thread Size 2

M16x1.5

replacement in pairs recommended

**References**

BMW 32 10 6 787 472

BMW 6 787 472

Application info

BMW X3 (F25) (09/10-08/17)

BMW X4 (F26) (05/13-03/18)

Axial rod **316 031 0017/HD** **MAR0518HD**

Notes

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	239
Required quantity	2
Thread Size 1	M18x1,5
Thread Size 2	M16x1,5
reinforced version	
replacement in pairs recommended	



References

BMW 32 10 6 774 347	BMW 32 10 6 777 479
BMW 32 21 6 762 403	BMW 32 21 6 767 861
BMW 32 21 6 777 451	BMW 6 762 403
BMW 6 767 861	BMW 6 774 347
BMW 6 777 451	BMW 6 777 479
BMW (Brilliance) 32 10 6 774 347	BMW (Brilliance) 32 10 6 777 479
BMW (Brilliance) 32 21 6 762 403	BMW (Brilliance) 32 21 6 767 861
BMW (Brilliance) 32 21 6 777 451	BMW (Brilliance) 6 762 403
BMW (Brilliance) 6 767 861	BMW (Brilliance) 6 774 347
BMW (Brilliance) 6 777 451	BMW (Brilliance) 6 777 479

Application info

BMW 5 (E60, E61) (12/01-12/10)	BMW 6 (E63, E64) (09/03-12/10)
--------------------------------	--------------------------------

Axial rod **316 031 0018/HD** **MAR0519HD**

Notes

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	246
Manufacturer Restriction	TRW
Required quantity	2
Thread Size 1	M18x1,5
Thread Size 2	M14x1,5
reinforced version	
replacement in pairs recommended	



References

BMW 32 21 6 762 243
 BMW 6 762 243
 BMW (Brilliance) 32 21 6 762 243
 BMW (Brilliance) 6 762 243

BMW 32 21 6 762 244
 BMW 6 762 244
 BMW (Brilliance) 32 21 6 762 244
 BMW (Brilliance) 6 762 244

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)
 BMW X1 (E84) (03/09-06/15)

BMW 3 (E90, E91, E92, E93) (02/04-12/13)

Axial rod**316 031 0019/HD****MAR0545HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

221

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14X1,5

reinforced version

replacement in pairs recommended

**References**

BMW 32 10 6 867 404
 BMW 32 10 6 899 815
 BMW 6 867 404
 BMW 6 899 815
 BMW (Brilliance) 32 10 6 867 404
 BMW (Brilliance) 6 867 404
 Mini 32 10 6 867 404
 Mini 32 10 6 899 815
 Mini 6 867 404
 Mini 6 899 815

BMW 32 10 6 867 405
 BMW 32 10 6 899 816
 BMW 6 867 405
 BMW 6 899 816
 BMW (Brilliance) 32 10 6 867 405
 BMW (Brilliance) 6 867 405
 Mini 32 10 6 867 405
 Mini 32 10 6 899 816
 Mini 6 867 405
 Mini 6 899 816

Application info

BMW 1 (F40), 2 Gran Coupe (F44) (07/19--)
 BMW 2 (F45, F46) (11/13--)
 BMW X2 (F39) (11/17--)
 Mini Mini III (09/13--)

BMW 1 (F52) (01/17--)
 BMW X1 (F48) (11/14--)
 Mini Countryman II (10/16--)

Axial rod

316 031 0020/HD

MAR0546HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 190
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14X1,5
reinforced version
replacement in pairs recommended



References

Mini 32 10 6 854 733	Mini 32 10 6 854 736
Mini 32 10 6 899 813	Mini 32 10 6 899 814
Mini 6 854 733	Mini 6 854 736
Mini 6 899 813	Mini 6 899 814

Application info

Mini Mini III (09/13--)

Axial rod

316 031 0021

MAR0548

Notes

Front Axle Left
Front Axle Right
for vehicles without active steering

Length [mm] 224
Required quantity 2
Thread Size 1 16x1,5
Thread Size 2 14x1,5
replacement in pairs recommended



References

BMW 32 10 6 858 735	BMW 32 10 6 858 737
BMW 6 858 735	BMW 6 858 737

Application info

BMW X5 (F15) (08/13-07/18)	BMW X6 (F16) (08/14-07/19)
----------------------------	----------------------------

Application info

BMW 5 (G30, G31) (09/16--)

BMW 7 (G11, G12) (07/15--)

BMW 8 Gran Coupe (G16) (07/19--)

BMW 6 (G32) (06/17--)

BMW 8 (G15) (07/18--)

Axial rod

316 031 0024

MAR0601

Notes

Front Axle Left
Front Axle Right

Length [mm]

327

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

BMW 32 21 6 851 409

BMW 6 851 409

BMW 32 21 6 851 410

BMW 6 851 410

Application info

BMW i3 (08/13--)

Axial rod

316 031 0025

MAR0636

Notes

Front Axle Left
Front Axle Right

Length [mm]

251

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

BMW 32 10 6 871 884

BMW 32 10 6 880 695

BMW 6 871 884

BMW 6 880 695

BMW 32 10 6 871 892

BMW 32 10 6 880 697

BMW 6 871 892

BMW 6 880 697

Application info

BMW 2 (G42) (08/21--)
 BMW 4 (G22, G23, G26) (07/20--)
 BMW X4 (G02) (04/18--)

BMW 3 (G20, G21) (11/18--)
 BMW X3 (G01) (07/17--)
 BMW i4 (G26) (11/21--)

Axial rod**316 031 0026/HD****MAR0639HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]
 Required quantity
 Thread Size 1
 Thread Size 2
 reinforced version
 replacement in pairs recommended

250
 2
 M16x1,5
 M16x1,5

**References**

BMW 32 10 6 884 809
 BMW 6 884 809

BMW 32 10 6 884 810
 BMW 6 884 810

Application info

BMW X5 (G05) (08/18--)
 BMW X7 (G07) (03/19--)

BMW X6 (G06) (08/19--)

Axial rod**316 031 0027****MAR0643****Notes**

Front Axle Left
 Front Axle Right

Length [mm]
 Required quantity
 Thread Size 1
 Thread Size 2
 replacement in pairs recommended

255
 2
 M16x1,5
 M16x1,5



References

BMW 1 543 909	BMW 1 543 910
BMW 32 10 1 543 909	BMW 32 10 1 543 910
BMW 32 10 6 886 678	BMW 32 10 6 886 679
BMW 6 886 678	BMW 6 886 679
Toyota 45460-WAA02	Toyota 45460-WAA03
Toyota 45470-WAA02	Toyota 45470-WAA03

Application info

BMW Z4 Roadster (G29) (11/18--)	Toyota Supra V (_A9_) (03/19--)
---------------------------------	---------------------------------

Axial rod

32-16 030 0007 MAR0219

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	322
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Mitsubishi 4422A057	Mitsubishi 4422A079
Mitsubishi MR403100	

Application info

Mitsubishi Outlander I (03/01-07/08)	Mitsubishi Space Runner II / Wagon III (07/98-12/04)
--------------------------------------	--

Axial rod

32-16 031 0019/HD MAR0223HD

Notes

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	198
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16x1,5
reinforced version	
replacement in pairs recommended	



References

Fiat 6000609635

Mitsubishi 4410A173

Mitsubishi 4410A173T

Application info

Fiat Fullback Pick Up (01/16--)

Mitsubishi L200 IV (01/04-12/16)

Mitsubishi L200 V (11/14--)

Mitsubishi Pajero Sport II (KH0) (01/08--)

Mitsubishi Pajero Sport III (KS) (08/15--)

Axial rod**33-16 030 0005****MAR0226****Notes**

Front Axle Left

Length [mm]

334

Paired article number

33-16 030 0006 | MAR0227

Required quantity

1

Thread Size 1

M16x1

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Fiat 71750067

Suzuki 48830-79J10

Suzuki 48830-79J10-000

Application info

Fiat Sedici (06/06-10/14)

Suzuki SX4 (06/06--)

Axial rod**33-16 030 0006****MAR0227****Notes**

Front Axle Right

Length [mm]

334

Paired article number

33-16 030 0005 | MAR0226

Required quantity

1

Thread Size 1

M16x1

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Suzuki 48830-79J00

Suzuki 48830-79J00-000

Application info

Fiat Sedici (06/06-10/14)

Suzuki SX4 (06/06--)

Axial rod


33-16 031 0011/HD

MAR0640HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 294
 Required quantity 2
 Thread Size 1 M16X1,0
 Thread Size 2 M14X1,5
 reinforced version
 replacement in pairs recommended

**References**

Suzuki 48830-62R00

Application info

Suzuki Ignis III (MF) (10/16--)

Axial rod

33-16 031 0012/HD

MAR0635HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 321.5
 Required quantity 2
 Thread Size 1 M18X1,5
 Thread Size 2 M14X1,5
 reinforced version
 replacement in pairs recommended

**References**

Suzuki 48830-52R00

Application info

Suzuki Swift V (01/17--)

Axial rod**33-16 031 0013/HD****MAR0609HD****Notes**Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

324

Required quantity

2

Thread Size 1

14x1,5

Thread Size 2

14x1,5

reinforced version

replacement in pairs recommended

**References**

Suzuki 48830M68P00

Suzuki 48830M68P00-000

Application info

Suzuki Baleno II (02/16--)

Axial rod**33-16 031 0014****MAR0583****Notes**Front Axle Left
Front Axle Right

Length [mm]

320

Required quantity

2

Thread Size 1

M18x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Suzuki 48830-61M00

Application info

Suzuki SX4 S-Cross (08/13--)

Suzuki Vitara II (LY) (02/15--)

Axial rod

34-16 031 0009/HD

MAR0627HD

Notes

	Carbon Neutral
Length [mm]	325
Required quantity	2
Thread Size 1	M16X1,5
Thread Size 2	M14X1,5
replacement in pairs recommended	



References

Subaru 34160XA010

Application info

Subaru Forester III (SH) (12/07--)	Subaru Forester IV (SJ) (11/12--)
Subaru Impreza III (GR) (01/07--)	Subaru Legacy VI (BN, BS) (01/15--)
Subaru Levorg (03/15--)	Subaru Outback V (10/14--)
Subaru Tribeca (B9) (01/05--)	Subaru WRX (GP,GJ) (07/11-12/12)
Subaru XV I (09/11--)	

Axial rod

34-16 031 0010/HD

MAR0623HD

Notes

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	325
Required quantity	2
Thread Size 1	M16X1,5
Thread Size 2	M14X1,5
reinforced version	
replacement in pairs recommended	



References

Subaru 34160SC020

Application info

Subaru Forester III (SH) (12/07--)	Subaru Forester IV (SJ) (11/12--)
Subaru Forester V (SK) (04/18--)	Subaru Impreza V (GT) (10/16--)
Subaru XV I (09/11--)	Subaru XV II (04/17--)

Axial rod		34-16 031 0011/HD	MAR0616HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left Front Axle Right</p> <p>Length [mm] 226 Required quantity 2 Thread Size 1 M16X1,5 Thread Size 2 M14X1,5 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>Subaru 34160CA000</p>		<p>Toyota SU003-00832</p>	
<p>Application info</p> <p>Subaru BRZ (06/12--)</p>		<p>Toyota GT 86 Coupe (03/12--)</p>	
Axial rod		35-16 031 0008	MAR0243
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 307 Required quantity 2 Thread Size 1 M18x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mazda GE4T-32-240</p>		<p>Mazda GE4T-32-240A</p>	
<p>Application info</p> <p>Mazda 626 (GF, GW) (05/97-12/02)</p>			

Axial rod

35-16 031 0014/HD

MAR0473HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 304
 Required quantity 2
 Thread Size 1 M14X1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Mazda KD31-32-240

Mazda KD31-32-240A

Application info

Mazda CX-5 I (KE) (11/11-02/17)

Axial rod

35-16 031 0029/HD

MAR0520HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 234.5
 Required quantity 2
 Thread Size 1 16x1
 Thread Size 2 14x1,5
 reinforced version
 replacement in pairs recommended



References

Mazda NE51-32 240

Application info

Mazda MX-5 (NC) (03/05-12/14)

Axial rod

35-16 031 0030

MAR0567

Notes

Front Axle Left
Front Axle Right

Length [mm] 263

Required quantity 2

Thread Size 1 M16x1,5

Thread Size 2 M14x1,5

replacement in pairs recommended

**References**

Mazda D10E-32-240

Application info

Mazda CX-3 (DK) (01/15--)

Axial rod

35-16 031 0031

MAR0598

Notes

Front Axle Left
Front Axle Right

Length [mm] 212

Required quantity 2

Thread Size 1 18x1,5

Thread Size 2 14x1,5

replacement in pairs recommended

**References**

ABARTH 6000612382

Fiat 6000612382

Mazda N243-32-240

Application info

ABARTH 124 Spider (348_) (03/16--)

Fiat 124 Spider (348) (03/16--)

Mazda MX-5 (ND) (04/15--)

Axial rod

35-16 031 0034

MAR0657

Notes

Front Axle Left
Front Axle Right

Length [mm] 226
Required quantity 2
Thread Size 1 16x1,5
Thread Size 2 14x1,5
replacement in pairs recommended

**References**

Mazda D09H-32-240

Application info

Mazda 2 (DJ) (08/14--)

Axial rod

35-16 031 0035

MAR0658

Notes

Front Axle Left
Front Axle Right

Length [mm] 164
Required quantity 2
Thread Size 1 M18X1,5
Thread Size 2 M14x1,5
replacement in pairs recommended

**References**

Mazda GS1D-32-240

Application info

Mazda 6 (GH) (08/07-12/13)

Axial rod

36-16 030 0022/HD

MAR0250HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

203

Required quantity

2

Thread Size 1

M20x1

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended

**References**

Nissan 48521-EA000

Application info

Nissan Navara (D40) (10/04--)

Nissan Pathfinder (R51) (01/05--)

Axial rod

36-16 031 0005

MAR0254

Notes

Front Axle Left
Front Axle Right

Length [mm]

287

Required quantity

2

Thread Size 1

M16x1

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Nissan 48521-4M500

Nissan 48521-4M527

Nissan 48521-4M528

Nissan 48521-4M587

Nissan 48521-4M588

Nissan 48521-8H300

Nissan 48521-8H325

Nissan 48521-8H328

Nissan 48521-8H385

Nissan 48521-8H386

Application info

Nissan Almera II (01/00--)

Nissan X-Trail (T30) (01/01-12/13)

Axial rod		36-16 031 0008	MAR0255
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 305 Required quantity 2 Thread Size 1 M16x1 Thread Size 2 M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Nissan 48521-4U110 Nissan 48521-4U186</p>		<p>Nissan 48521-4U185</p>	
<p>Application info</p> <p>Nissan Almera Tino (12/98-02/06)</p>			
Axial rod		36-16 031 0009	MAR0256
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 280 Required quantity 2 Thread Size 1 M18x1,5 Thread Size 2 M12x1,25 replacement in pairs recommended</p>			
<p>References</p> <p>Nissan 49001-AV610</p>		<p>Nissan 49001-BA210</p>	
<p>Application info</p> <p>Nissan Primera (P12, WP12) (01/02--)</p>			

Axial rod

36-16 031 0010

MAR0257

Notes

Front Axle Left
Front Axle Right

Length [mm] 233
Required quantity 2
Thread Size 1 M22x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Nissan 48001-JD900 Nissan D8521-JD00B
Nissan D8521-JG00A Renault 485219204R
Renault D8521JG00A

Application info

Nissan Qashqai I (J10_) (12/06-04/14) Nissan X-Trail (T31) (03/07-12/18)
Renault Koleos I (09/08--)

Axial rod

36-16 031 0017

MAR0379

Notes

Front Axle Left
Front Axle Right

Length [mm] 217.5
Required quantity 2
Thread Size 1 M16x1
Thread Size 2 M12x1,25
replacement in pairs recommended



References

Nissan 48001-1KA0A Nissan 48001-1KA0B
Nissan 48001-1KA0D Nissan 48001-1KA0E
Nissan 48001-3NF0A Nissan 48001-3NF1A
Nissan 48001-3NF3A Nissan 48001-3YN0A
Nissan 48001-3YN0B Nissan 48001-5SA1A
Nissan 48001-5SA3A Nissan 48521-3SG1A

Application info

Nissan Juke (F15) (06/10--)
Nissan Leaf II (ZE1) (08/17--)

Nissan Leaf I (ZE0) (11/10--)
Nissan Sentra VII (B17) (08/12--)

Axial rod**36-16 031 0019/HD****MAR0462HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 272
 Required quantity 2
 Thread Size 1 14x1,5
 Thread Size 2 12x1,25
 reinforced version
 replacement in pairs recommended

**References**

Nissan 48510-4A00C Suzuki 48830-84M00
 Suzuki 48830-84M00-000 Suzuki 48830-M68K00

Application info

Nissan Pixo (03/09--)
 Suzuki Alto VII (01/09--)

Axial rod**36-16 031 0020/HD****MAR0521HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 233
 Required quantity 2
 Thread Size 1 M22x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended

**References**

Nissan 48001-JD900 Nissan D8521-JD00B
 Nissan D8521-JG00A Renault 485219204R
 Renault D8521JG00A

Application info

Nissan Qashqai I (J10_) (12/06-04/14)
 Renault Koleos I (09/08--)
 Nissan X-Trail (T31) (03/07-12/18)

Axial rod**36-16 031 0021/HD****MAR0649HD****Notes**Carbon Neutral
Front Axle Left
Front Axle RightLength [mm] 224.1
Required quantity 2
Thread Size 1 M16X1,5
Thread Size 2 M14X1,5
replacement in pairs recommended**References**

Nissan D85214BA0A

Nissan D8E214BA0A

Application info

Nissan X-Trail (T32) (10/13--)

Axial rod**36-16 031 0064****MAR0259****Notes**Front Axle Left
Front Axle RightLength [mm] 200
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M12x1,25
replacement in pairs recommended**References**

Nissan 48001-9U100

Nissan 48521-3U025

Application info

Nissan Cube (Z12) (09/07--)

Nissan Micra (K13) (05/10--)

Nissan NV200 (02/10--)

Nissan Note I (01/05-08/13)

Nissan Tiida (05/04-12/13)

Axial rod

36-16 031 0068

MAR0356

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	226
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M12x1,25
replacement in pairs recommended	

**References**

Nissan D8521-1HA0A

Nissan D8521-1HJ0A

Application info

Nissan Micra (K13) (05/10--)

Axial rod

36-16 031 0069

MAR0362

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	282
Required quantity	2
Thread Size 1	M16x1
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Nissan 48521-CB025

Nissan 48521-CB026

Nissan 48521-CB027

Nissan D85211AA0A

Application info

Nissan Murano (Z50) (04/02-12/09)

Axial rod

37-16 030 0003

MAR0262

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	167
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

Hyundai 57724-2B000

Application info

Hyundai Santa Fé II (10/05-03/15)

Axial rod

37-16 031 0001

MAR0264

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	242
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

Hyundai 57724-2E000

Kia 57724 2E000

Application info

Hyundai Tucson I (06/04--)

Kia Sportage II (09/04--)

Axial rod

37-16 031 0006

MAR0268

Notes

Front Axle Left
Front Axle Right

Length [mm]

318

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Hyundai 57755-1C000

Hyundai 57775-1C000

Application info

Hyundai Getz (06/01-01/11)

Axial rod

37-16 031 0009

MAR0271

Notes

Front Axle Left
Front Axle Right

Length [mm]

325

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Hyundai 57724-3A000

Hyundai 57755-17000

Hyundai 57755-17800

Application info

Hyundai Highway (03/00-03/04)

Hyundai Matrix (06/01-08/10)

Hyundai Trajet (09/99-07/08)

Axial rod**37-16 031 0014****MAR0274****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	327
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Hyundai 57716-34000

Hyundai 57785-26200

Application info

Hyundai Santa Fé I (11/00-03/06)

Hyundai Sonata III (07/92-12/98)

Axial rod**37-16 031 0018****MAR0277****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	223
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

Hyundai 57724-1J000

Application info

Hyundai i20 I (08/08--)

Axial rod

37-16 031 0020/HD

MAR0522HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

173

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended



References

Hyundai 57724-2S000

Hyundai 57724-2S010

Kia 57724 2S000

Kia 57724 2S010

Application info

Hyundai Tucson I (06/04--)

Hyundai ix35 (08/09--)

Kia Sportage III (09/09--)

Axial rod

37-16 031 0021/HD

MAR0523HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

300

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M12x1,25

reinforced version

replacement in pairs recommended



References

Hyundai 57724-0X000

Hyundai 57724-0X010

Application info

Hyundai i10 I (10/07--)

Axial rod

37-16 031 0023

MAR0577

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	341
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Hyundai 56540-C8000

Application info

Hyundai i20 II (11/14--)

Axial rod

37-16 031 0024/HD

MAR0612HD

Notes

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	300
Required quantity	2
Thread Size 1	M16X1,5
Thread Size 2	M16X1,5
reinforced version	
replacement in pairs recommended	



References

Hyundai 56540-F2000

Kia 56540 F2000

Hyundai 56540-F2300

Kia 56540 F2300

Application info

Hyundai Elantra VI (09/15--)

Hyundai Kona I (06/17--)

Kia Ceed IV (03/18--)

Hyundai Ioniq (AE) (03/16--)

Hyundai i30 III (11/16--)

Kia Niro I (DE) (09/16--)

Axial rod**37-16 031 0025/HD****MAR0568HD****Notes**Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

226

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M16X1,5

reinforced version

replacement in pairs recommended

**References**

Hyundai 56540-D7000

Kia 56540 D7000

Application info

Hyundai Tucson II (05/15--)

Kia Sportage IV (09/15--)

Axial rod**37-16 031 0026/HD****MAR0613HD****Notes**Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

231

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended

**References**

Hyundai 57724-D3000

Kia 57724 D3000

Application info

Hyundai Tucson II (05/15--)

Kia Sportage IV (09/15--)

Axial rod**37-16 031 0027/HD****MAR0578HD****Notes**Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

238

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended

**References**

Hyundai 56540-D7100

Kia 56540 D7100

Application info

Hyundai Tucson II (05/15--)

Kia Sportage IV (09/15--)

Axial rod**37-16 031 0028/HD****MAR0651HD****Notes**Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

242.4

Required quantity

2

Thread Size 1

M16X1,5

Thread Size 2

M16X1,5

reinforced version

replacement in pairs recommended

**References**

Hyundai 57724-D3100

Kia 57724 D3100

Application info

Hyundai NEXO (03/18--)

Hyundai Tucson II (05/15--)

Kia Sportage IV (09/15--)

Axial rod

37-16 031 0029

MAR0579

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	307
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Hyundai 56540-B4000

Application info

Hyundai i10 II (08/13--)

Hyundai i10 III (09/19--)

Axial rod

37-16 031 0030/HD

MAR0585HD

Notes

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	214
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16x1,5
reinforced version	
replacement in pairs recommended	

**References**

Hyundai 56540-A6000

Kia 56540 A6000

Application info

Hyundai i30 II (06/11--)

Kia Cee'd II (05/12--)

Kia Cee'd III (03/12--)

Axial rod**37-16 031 0031****MAR0608****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	227
Required quantity	2
Thread Size 1	16x1,5
Thread Size 2	16x1,5
replacement in pairs recommended	

**References**

Hyundai 56540-3X000

Application info

Hyundai Elantra V (09/10--)

Hyundai Veloster I (03/11-12/17)

Axial rod**37-16 031 0034/HD****MAR0602HD****Notes**

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	193
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M16X1,5
reinforced version	
replacement in pairs recommended	

**References**

Hyundai 57724-2W000

Kia 57724 2T500

Kia 57724 2W000

Kia 57724 3Q000

Application info

Hyundai Santa Fé III (09/12--)

Kia Optima (01/10--)

Kia Sorento II (06/09--)

Drag link

316 040 4226

MDL0071

Notes

Front Axle middle
Guide Rod
for left-hand drive vehicles

Length [mm]

480

Required quantity

1

Thread Size 1

M10x1

Thread Size 2

M10x1



References

BMW 1 124 232

BMW 1 124 906

BMW 1 127 136

BMW 1 127 272

BMW 1 129 014

BMW 1 129 015

BMW 32 21 1 124 232

BMW 32 21 1 124 906

BMW 32 21 1 127 136

BMW 32 21 1 127 272

BMW 32 21 1 129 014

BMW 32 21 1 129 015

Application info

BMW 5 (E28) (05/81-12/87)

BMW 6 (E24) (10/75-04/89)

Drag link

316 040 4331

MDL0073

Notes

Front Axle middle
Guide Rod
for left-hand drive vehicles

Length [mm]

534

Required quantity

1

Thread Size 1

M10x1

Thread Size 2

M10x1



References

BMW 1 130 661

BMW 1 133 615

BMW 1 136 685

BMW 1 138 854

BMW 1 138 864

BMW 32 21 1 130 661

BMW 32 21 1 133 615

BMW 32 21 1 136 685

BMW 32 21 1 138 854

BMW 32 21 1 138 864

Application info

BMW 5 (E34) (02/87-07/96)

Drag link

316 040 4349

MDL0075

Notes

Front Axle middle
Guide Rod
for left-hand drive vehicles

Length [mm]

889

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5



References

BMW 1 091 913

BMW 1 091 917

BMW 1 093 433

BMW 1 093 435

BMW 1 096 057

BMW 32 21 1 091 913

BMW 32 21 1 091 917

BMW 32 21 1 093 433

BMW 32 21 1 093 435

BMW 32 21 1 096 057

Application info

BMW 7 (E38) (03/94-11/01)

Drag link

316 040 4353

MDL0076

Notes

Front Axle middle
Guide Rod
for right-hand drive vehicles

Length [mm]

889

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5



References

BMW 1 091 914

BMW 1 091 918

BMW 1 093 434

BMW 1 093 436

BMW 1 096 058

BMW 32 21 1 091 914

BMW 32 21 1 091 918

BMW 32 21 1 093 434

BMW 32 21 1 093 436

BMW 32 21 1 096 058

Application info

BMW 7 (E38) (03/94-11/01)

Tie rod assembly **316 030 0001** **MTA0147**

Notes

Required quantity Front Axle Left
Front Axle Right
 Thread Size 1 2
 Thread Size 2 M14x1,5
 replacement in pairs recommended M16x1,5



References

BMW 32 10 6 774 360 BMW 32 10 6 777 268
 BMW 32 21 6 756 368 BMW 6 756 368
 BMW 6 774 360 BMW 6 777 268

Application info

BMW 7 (E65, E66) (07/01-12/09)

Tie rod assembly **316 030 0004** **MTA0148**

Notes

Paired article number Front Axle Left
 Required quantity 316 030 0005 | MTA0149
 Thread Size 1 1
 Thread Size 2 M12x1,5
 replacement in pairs recommended M18x1,5



References

BMW 1 095 955 BMW 1 096 897
 BMW 32 10 6 774 222 BMW 32 10 6 777 503
 BMW 32 21 1 095 955 BMW 32 21 1 096 897
 BMW 6 774 222 BMW 6 777 503
 BMW (Brilliance) 1 095 955 BMW (Brilliance) 1 096 897
 BMW (Brilliance) 32 10 6 774 222 BMW (Brilliance) 32 10 6 777 503
 BMW (Brilliance) 32 21 1 095 955 BMW (Brilliance) 32 21 1 096 897
 BMW (Brilliance) 6 774 222 BMW (Brilliance) 6 777 503

Application info

BMW 3 (E46) (12/97-12/07)
 BMW Z4 (E86) (03/06-01/09)

BMW Z4 (E85) (09/02-12/09)

Tie rod assembly

316 030 0005

MTA0149

Notes

Front Axle Right
 Paired article number 316 030 0004 | MTA0148
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M18x1,5

replacement in pairs recommended



References

BMW 1 095 956
 BMW 32 10 6 774 223
 BMW 32 21 1 095 956
 BMW 6 774 223
 BMW (Brilliance) 1 095 956
 BMW (Brilliance) 32 10 6 774 223
 BMW (Brilliance) 32 21 1 095 956
 BMW (Brilliance) 6 774 223

BMW 1 096 898
 BMW 32 10 6 777 504
 BMW 32 21 1 096 898
 BMW 6 777 504
 BMW (Brilliance) 1 096 898
 BMW (Brilliance) 32 10 6 777 504
 BMW (Brilliance) 32 21 1 096 898
 BMW (Brilliance) 6 777 504

Application info

BMW 3 (E46) (12/97-12/07)
 BMW Z4 (E86) (03/06-01/09)

BMW Z4 (E85) (09/02-12/09)

Tie rod assembly

316 030 0006

MTA0150

Notes

Front Axle Left
 Paired article number 316 030 0024 | MTA0168
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M18x1,5

replacement in pairs recommended



References

BMW 32 10 6 774 318
BMW 6 751 039

BMW 32 21 6 751 039
BMW 6 774 318

Application info

BMW 3 (E46) (12/97-12/07)

Tie rod assembly

316 030 0009

MTA0153

Notes

Front Axle Left
Front Axle Right

Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M18x1,5
replacement in pairs recommended



References

BMW 3 412 798
BMW 3 444 999
BMW 32 10 3 444 999

BMW 3 418 204
BMW 32 10 3 412 798
BMW 32 30 3 418 204

Application info

BMW X3 (E83) (01/03-12/11)

Tie rod assembly

316 030 0010/HD

MTA0154HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

BMW 32 10 6 774 336
BMW 32 21 6 760 470
BMW 6 760 470

BMW 32 21 6 751 277
BMW 6 751 277
BMW 6 774 336

Application info

BMW X5 (E53) (01/00-12/06)

Tie rod assembly

316 030 0011

MTA0155

Notes

Front Axle Left
Front Axle Right

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M18x1,5

replacement in pairs recommended



References

BMW 32 10 6 774 347

BMW 32 10 6 777 479

BMW 32 21 6 762 403

BMW 6 762 403

BMW 6 774 347

BMW 6 777 479

BMW (Brilliance) 32 10 6 774 347

BMW (Brilliance) 32 10 6 777 479

BMW (Brilliance) 32 21 6 762 403

BMW (Brilliance) 6 762 403

BMW (Brilliance) 6 774 347

BMW (Brilliance) 6 777 479

Application info

BMW 5 (E60, E61) (12/01-12/10)

BMW 6 (E63, E64) (09/03-12/10)

Tie rod assembly

316 030 0012/HD

MTA0156HD

Notes

Carbon Neutral
Front Axle Left

Manufacturer Restriction

TRW

Paired article number

316 030 0013/HD | MTA0157HD

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M18x1,5

reinforced version

replacement in pairs recommended



References

BMW 32 21 6 762 243

BMW 6 762 243

BMW (Brilliance) 32 21 6 762 243

BMW (Brilliance) 6 762 243

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)
 BMW X1 (E84) (03/09-06/15)

BMW 3 (E90, E91, E92, E93) (02/04-12/13)

Tie rod assembly

316 030 0013/HD

MTA0157HD

Notes

Carbon Neutral
 Front Axle Right
 Manufacturer Restriction TRW
 Paired article number 316 030 0012/HD | MTA0156HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M18x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 32 21 6 762 244
 BMW (Brilliance) 32 21 6 762 244

BMW 6 762 244
 BMW (Brilliance) 6 762 244

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)
 BMW X1 (E84) (03/09-06/15)

BMW 3 (E90, E91, E92, E93) (02/04-12/13)

Tie rod assembly

316 030 0014

MTA0158

Notes

Front Axle Left
 Paired article number 316 030 0015 | MTA0159
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M18x1,5
 replacement in pairs recommended



References

BMW 32 10 6 768 879
 BMW 6 768 879
 BMW (Brilliance) 32 10 6 768 879
 BMW (Brilliance) 6 768 879

BMW 32 10 6 793 621
 BMW 6 793 621
 BMW (Brilliance) 32 10 6 793 621
 BMW (Brilliance) 6 793 621

Application info

BMW 3 (E90, E91, E92, E93) (02/04-12/13)

BMW X1 (E84) (03/09-06/15)

Tie rod assembly		316 030 0015	MTA0159
<p>Notes</p> <p>Paired article number Front Axle Right 316 030 0014 MTA0158</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M18x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 32 10 6 768 880 BMW 32 10 6 793 622</p> <p>BMW 6 768 880 BMW 6 793 622</p> <p>BMW (Brilliance) 32 10 6 768 880 BMW (Brilliance) 32 10 6 793 622</p> <p>BMW (Brilliance) 6 768 880 BMW (Brilliance) 6 793 622</p>			
<p>Application info</p> <p>BMW 3 (E90, E91, E92, E93) (02/04-12/13) BMW X1 (E84) (03/09-06/15)</p>			
Tie rod assembly		316 030 0016	MTA0160
<p>Notes</p> <p>Required quantity Front Axle Left 2 Front Axle Right</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M18x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 32 21 6 767 861 BMW 32 21 6 777 451</p> <p>BMW 6 767 861 BMW 6 777 451</p>			
<p>Application info</p> <p>BMW 5 (E60, E61) (12/01-12/10)</p>			

Tie rod assembly

316 030 0021

MTA0165

Notes

Front Axle Left
 Front Axle Right
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M18x1,5
 replacement in pairs recommended



References

BMW 32 10 6 780 985 BMW 32 10 6 793 496
 BMW 32 21 6 773 741 BMW 6 773 741
 BMW 6 780 985 BMW 6 793 496

Application info

BMW X5 (E70) (02/06-07/13) BMW X6 (E71) (06/07-07/14)

Tie rod assembly

316 030 0022

MTA0166

Notes

Front Axle Left
 Paired article number 316 030 0023 | MTA0167
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mini 32 10 6 778 547 Mini 6 778 547

Application info

Mini Mini II (11/05-12/15)

Tie rod assembly

316 030 0023

MTA0167

Notes

Front Axle Right

Paired article number 316 030 0022 | MTA0166

Required quantity 1

Thread Size 1 M12x1,5

Thread Size 2 M14x1,5

replacement in pairs recommended

**References**

Mini 32 10 6 778 548

Mini 6 778 548

Application info

Mini Mini II (11/05-12/15)

Tie rod assembly

316 030 0024

MTA0168

Notes

Front Axle Right

Paired article number 316 030 0006 | MTA0150

Required quantity 1

Thread Size 1 M12x1,5

Thread Size 2 M18x1,5

replacement in pairs recommended

**References**

BMW 32 10 6 774 319

BMW 32 10 6 774 919

BMW 32 21 6 751 040

BMW 6 751 040

BMW 6 774 319

BMW 6 774 919

Application info

BMW 3 (E46) (12/97-12/07)

Tie rod assembly

316 030 3049

MTA0170

Notes

Front Axle Left
Front Axle Right

Required quantity 2
Thread Size 1 M10x1,0
Thread Size 2 M10x1,0
replacement in pairs recommended



References

BMW 1 117 212 BMW 1 118 619
BMW 32 21 1 117 212 BMW 32 21 1 118 619

Application info

BMW 7 (E23) (05/77-04/88)

Tie rod assembly

316 030 4339

MTA0176

Notes

Front Axle Left
Paired article number 316 030 4340 | MTA0177

Required quantity 1
Thread Size 1 M10x1,0
Thread Size 2 M18x1,5
replacement in pairs recommended



References

BMW 1 139 315 BMW 1 139 317
BMW 32 11 1 139 315 BMW 32 11 1 139 317

Application info

BMW 3 (E36) (09/90-08/00) BMW Z3 (E36/7, E36/8) (10/95-06/03)

Tie rod assembly

316 030 4340

MTA0177

Notes

Front Axle Right
 Paired article number 316 030 4339 | MTA0176
 Required quantity 1
 Thread Size 1 M10x1,0
 Thread Size 2 M18x1,5
 replacement in pairs recommended



References

BMW 1 139 316

BMW 32 11 1 139 316

Application info

BMW 3 (E36) (09/90-08/00)

BMW Z3 (E36/7, E36/8) (10/95-06/03)

Tie rod assembly

316 030 4354

MTA0178

Notes

Front Axle Right
 Paired article number 316 030 4355 | MTA0179
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M18x1,5
 replacement in pairs recommended



References

BMW 1 091 768

BMW 1 093 770

BMW 1 094 674

BMW 32 11 1 091 768

BMW 32 11 1 093 770

BMW 32 11 1 094 674

BMW 32 21 1 094 674

Application info

BMW 5 (E39) (09/95-06/04)

Tie rod assembly

316 030 4355

MTA0179

Notes

Front Axle Left
 Paired article number 316 030 4354 | MTA0178
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M18x1,5
 replacement in pairs recommended



References

BMW 1 091 767 BMW 1 093 769
 BMW 1 094 673 BMW 32 11 1 091 767
 BMW 32 11 1 093 769 BMW 32 11 1 094 673
 BMW 32 21 1 094 673

Application info

BMW 5 (E39) (09/95-06/04)

Tie rod end

316 020 0000

MTE0329

Notes

Front Axle Right
 Length [mm] 230
 Paired article number 316 020 0004 | MTE0332
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mini 32 21 6 754 566 Mini 6 754 566

Application info

Mini Mini I (06/01-07/08)

Tie rod end		316 020 0002	MTE0330
Notes Front Axle Left Length [mm] 227 Paired article number 316 020 0003 MTE0331 Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M16x1,0 replacement in pairs recommended			
References BMW 1 094 673 BMW 32 11 1 094 673			
Application info BMW 5 (E39) (09/95-06/04)			
Tie rod end		316 020 0003	MTE0331
Notes Front Axle Right Length [mm] 227 Paired article number 316 020 0002 MTE0330 Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M16x1,0 replacement in pairs recommended			
References BMW 1 094 674 BMW 32 11 1 094 674			
Application info BMW 5 (E39) (09/95-06/04)			

Tie rod end

316 020 0006

MTE0334

Notes

Front Axle Left
Front Axle Right

Length [mm] 210
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

BMW 3 413 476
BMW 32 30 3 418 202

BMW 3 418 202
BMW 32 41 3 413 476

Application info

BMW X3 (E83) (01/03-12/11)

Tie rod end

316 020 0007/HD

MTE0335HD

Notes

Carbon Neutral
Front Axle Left

Length [mm] 135
Paired article number 316 020 0008/HD | MTE0336HD
Required quantity 1
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

BMW 32 10 6 765 089
BMW 6 765 089
BMW (Brilliance) 32 10 6 765 089
BMW (Brilliance) 6 765 089

BMW 32 10 6 767 781
BMW 6 767 781
BMW (Brilliance) 32 10 6 767 781
BMW (Brilliance) 6 767 781

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)
BMW 3 (F30, F31) (11/11-06/19)
BMW Z4 (E89) (02/09-08/16)

BMW 3 (E90, E91, E92, E93) (02/04-12/13)
BMW X1 (E84) (03/09-06/15)

Tie rod end		316 020 0008/HD	MTE0336HD
<p>Notes</p> <p>Carbon Neutral Front Axle Right</p> <p>Length [mm] 135</p> <p>Paired article number 316 020 0007/HD MTE0335HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 32 10 6 765 090 BMW 32 10 6 767 782</p> <p>BMW 6 765 090 BMW 6 767 782</p> <p>BMW (Brilliance) 32 10 6 765 090 BMW (Brilliance) 32 10 6 767 782</p> <p>BMW (Brilliance) 6 765 090 BMW (Brilliance) 6 767 782</p>			
<p>Application info</p> <p>BMW 1 (E81, E82, E87, E88) (02/03-12/13) BMW 3 (E90, E91, E92, E93) (02/04-12/13)</p> <p>BMW 3 (F30, F31) (11/11-06/19) BMW X1 (E84) (03/09-06/15)</p> <p>BMW Z4 (E89) (02/09-08/16)</p>			
Tie rod end		316 020 0009	MTE0337
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 110</p> <p>Paired article number 316 020 0010 MTE0338</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 32 10 6 769 074 BMW 32 10 6 793 624</p> <p>BMW 6 769 074 BMW 6 793 624</p> <p>BMW (Brilliance) 32 10 6 769 074 BMW (Brilliance) 32 10 6 793 624</p> <p>BMW (Brilliance) 6 769 074 BMW (Brilliance) 6 793 624</p>			
<p>Application info</p> <p>BMW 3 (E90, E91, E92, E93) (02/04-12/13) BMW X1 (E84) (03/09-06/15)</p>			

Tie rod end		316 020 0014	MTE0340
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 192</p> <p>Paired article number 316 020 0015 MTE0341</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 32 10 6 774 320 BMW 32 21 6 751 041</p> <p>BMW 6 751 041 BMW 6 774 320</p>			
<p>Application info</p> <p>BMW 3 (E46) (12/97-12/07)</p>			
Tie rod end		316 020 0015	MTE0341
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 192</p> <p>Paired article number 316 020 0014 MTE0340</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 32 10 6 774 321 BMW 32 21 6 751 042</p> <p>BMW 6 751 042 BMW 6 774 321</p>			
<p>Application info</p> <p>BMW 3 (E46) (12/97-12/07)</p>			

Tie rod end

316 020 0023

MTE0347

Notes

Front Axle Right

Length [mm]

160

Paired article number

316 020 0024 | MTE0348

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

BMW 32 10 6 784 796

BMW 6 784 796

BMW (Brilliance) 32 10 6 784 796

BMW (Brilliance) 6 784 796

Application info

BMW 5 (F07) (01/09-02/17)

BMW 5 (F10, F11) (01/09-02/17)

BMW 6 (F12, F13) (12/10-10/18)

BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Tie rod end

316 020 0024

MTE0348

Notes

Front Axle Left

Length [mm]

160

Paired article number

316 020 0023 | MTE0347

Required quantity

1

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended



References

BMW 32 10 6 784 790

BMW 6 784 790

BMW (Brilliance) 32 10 6 784 790

BMW (Brilliance) 6 784 790

Application info

BMW 5 (F07) (01/09-02/17)

BMW 5 (F10, F11) (01/09-02/17)

BMW 6 (F12, F13) (12/10-10/18)

BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Tie rod end **316 020 0027** **MTE0351**

Notes

Front Axle Right
 Length [mm] 150
 Paired article number 316 020 0028 | MTE0352
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

BMW 32 10 6 797 618 BMW 6 797 618
 BMW (Brilliance) 32 10 6 797 618 BMW (Brilliance) 6 797 618

Application info

BMW 1 (F20, F21) (07/11--)
 BMW 2 (F22,F23) (10/12--)
 BMW 3 (F30, F31) (11/11-06/19)
 BMW 3 (F34) (07/12--)
 BMW 4 (F32, F33, F36) (07/13--)

Tie rod end **316 020 0028** **MTE0352**

Notes

Front Axle Left
 Length [mm] 150
 Paired article number 316 020 0027 | MTE0351
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

BMW 32 10 6 797 617 BMW 6 797 617

Application info

BMW 1 (F20, F21) (07/11--)
 BMW 2 (F22,F23) (10/12--)
 BMW 3 (F30, F31) (11/11-06/19)
 BMW 3 (F34) (07/12--)
 BMW 4 (F32, F33, F36) (07/13--)

Tie rod end

316 020 0036/HD

MTE0754HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 221
 Paired article number 316 020 0037/HD | MTE0755HD
 Required quantity 1
 Thread Size 1 M14x1.5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Mini 32 10 5 A01 8C9

Mini 32 10 6 854 737

Mini 5 A01 8C9

Mini 6 854 737

Application info

Mini Mini III (09/13--)

Tie rod end

316 020 0037/HD

MTE0755HD

Notes

Carbon Neutral
Front Axle Left

Length [mm] 221
 Paired article number 316 020 0036/HD | MTE0754HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Mini 32 10 5 A01 8B9

Mini 32 10 6 854 734

Mini 5 A01 8B9

Mini 6 854 734

Application info

Mini Mini III (09/13--)

Tie rod end

316 020 0040/HD

MTE0767HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 235
 Paired article number 316 020 0041/HD | MTE0768HD
 Required quantity 1
 Thread Size 1 14x1,5
 Thread Size 2 14x1,5
 reinforced version
 replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------|
| BMW 32 10 5 A01 8D4 | BMW 32 10 6 869 425 |
| BMW 5 A01 8D4 | BMW 6 869 425 |
| BMW (Brilliance) 32 10 6 869 425 | BMW (Brilliance) 6 869 425 |
| Mini 32 10 5 A01 8D4 | Mini 32 10 6 869 425 |
| Mini 5 A01 8D4 | Mini 6 869 425 |

Application info

- | | |
|---|------------------------------|
| BMW 1 (F40), 2 Gran Coupe (F44) (07/19--) | BMW 1 (F52) (01/17--) |
| BMW 2 (F45, F46) (11/13--) | BMW X1 (F48) (11/14--) |
| BMW X2 (F39) (11/17--) | Mini Countryman II (10/16--) |
| Mini Mini III (09/13--) | |

Tie rod end

316 020 0041/HD

MTE0768HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 235
 Paired article number 316 020 0040/HD | MTE0767HD
 Required quantity 1
 Thread Size 1 14x1,5
 Thread Size 2 14x1,5
 reinforced version
 replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------|
| BMW 32 10 5 A01 8D0 | BMW 32 10 6 869 424 |
| BMW 5 A01 8D0 | BMW 6 869 424 |
| BMW (Brilliance) 32 10 6 869 424 | BMW (Brilliance) 6 869 424 |
| Mini 32 10 5 A01 8D0 | Mini 32 10 6 869 424 |
| Mini 5 A01 8D0 | Mini 6 869 424 |

Application info

BMW 1 (F40), 2 Gran Coupe (F44) (07/19--)
 BMW 2 (F45, F46) (11/13--)
 BMW X2 (F39) (11/17--)
 Mini Mini III (09/13--)

BMW 1 (F52) (01/17--)
 BMW X1 (F48) (11/14--)
 Mini Countryman II (10/16--)

Tie rod end

316 020 0042/HD

MTE0863HD

Notes

Carbon Neutral
 Front Axle Right
 with right-hand thread

Length [mm] 199
 Paired article number 316 020 0043
 Paired article number 316 020 0043/HD | MTE0864HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 32 10 6 868 687
 BMW 32 10 6 881 535
 BMW 6 869 538
 BMW (Brilliance) 32 10 6 885 170

BMW 32 10 6 869 538
 BMW 6 868 687
 BMW 6 881 535
 BMW (Brilliance) 6 885 170

Application info

BMW 5 (G30, G31) (09/16--)
 BMW 7 (G11, G12) (07/15--)
 BMW 8 Gran Coupe (G16) (07/19--)

BMW 6 (G32) (06/17--)
 BMW 8 (G15) (07/18--)

Tie rod end

316 020 0043/HD

MTE0864HD

Notes

Carbon Neutral
 Front Axle Left
 with right-hand thread

Length [mm] 199
 Paired article number 316 020 0042/HD | MTE0863HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 32 10 6 868 685
 BMW 32 10 6 881 534
 BMW 6 869 536
 BMW (Brilliance) 32 10 6 885 169

BMW 32 10 6 869 536
 BMW 6 868 685
 BMW 6 881 534
 BMW (Brilliance) 6 885 169

Application info

BMW 5 (G30, G31) (09/16--)
 BMW 7 (G11, G12) (07/15--)
 BMW 8 Gran Coupe (G16) (07/19--)

BMW 6 (G32) (06/17--)
 BMW 8 (G15) (07/18--)

Tie rod end


316 020 0044/HD

MTE0876HD

Notes

Carbon Neutral
 Front Axle Right
 outer
 Length [mm] 160
 Paired article number 316 020 0045/HD | MTE0877HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5

reinforced version
 replacement in pairs recommended



References

BMW 32 10 4 A01 9D0
 BMW 4 A01 9D0

BMW 32 10 6 871 893
 BMW 6 871 893

Application info

BMW 3 (G20, G21) (11/18--)
 BMW X4 (G02) (04/18--)

BMW X3 (G01) (07/17--)
 BMW iX3 (09/20--)

Tie rod end

316 020 0045/HD

MTE0877HD

Notes

Carbon Neutral
 Front Axle Left
 outer
 Length [mm] 160
 Paired article number 316 020 0044/HD | MTE0876HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 32 10 4 A01 666
 BMW 4 A01 666

BMW 32 10 6 871 889
 BMW 6 871 889

Application info

BMW 3 (G20, G21) (11/18--)
 BMW X4 (G02) (04/18--)

BMW X3 (G01) (07/17--)
 BMW iX3 (09/20--)


Tie rod end

316 020 0046

MTE0925

Notes

Front Axle Right
 Length [mm] 169
 Paired article number 316 020 0047 | MTE0926
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

BMW 32 10 6 851 412

BMW 6 851 412

Application info

BMW i3 (08/13--)

Tie rod end

316 020 0047

MTE0926

Notes

Front Axle Left
 Length [mm] 169
 Paired article number 316 020 0046 | MTE0925
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

BMW 32 10 6 851 411

BMW 6 851 411

Application info

BMW i3 (08/13--)

Tie rod end

316 020 0048/HD

MTE0939HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 146.6
 Paired article number 316 020 0049/HD | MTE0940HD
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 32 10 6 880 698

BMW 6 880 698

Application info

BMW 2 (G42) (08/21--)

BMW 3 (G20, G21) (11/18--)

BMW 4 (G22, G23, G26) (07/20--)

BMW i4 (G26) (11/21--)

Tie rod end		316 020 0049/HD	MTE0940HD
Notes		 	
	Carbon Neutral		
	Front Axle Left		
Length [mm]	146.6		
Paired article number	316 020 0048/HD MTE0939HD		
Required quantity	1		
Thread Size 1	M14x1,5		
Thread Size 2	M14x1,5		
reinforced version			
replacement in pairs recommended			
References			
BMW 32 10 6 880 696		BMW 6 880 696	
Application info			
BMW 2 (G42) (08/21--)		BMW 3 (G20, G21) (11/18--)	
BMW 4 (G22, G23, G26) (07/20--)		BMW i4 (G26) (11/21--)	
Tie rod end		316 020 0050/HD	MTE0941HD
Notes		 	
	Carbon Neutral		
	Front Axle Right		
Length [mm]	177		
Paired article number	316 020 0051/HD MTE0942HD		
Required quantity	1		
Thread Size 1	M14x1,5		
Thread Size 2	M16x1,5		
reinforced version			
replacement in pairs recommended			
References			
BMW 32 10 6 887 406		BMW 6 887 406	
Application info			
BMW X5 (G05) (08/18--)		BMW X6 (G06) (08/19--)	
BMW X7 (G07) (03/19--)			

Tie rod end

316 020 0051/HD

MTE0942HD

Notes

Carbon Neutral
Front Axle Left
Length [mm] 177
Paired article number 316 020 0050/HD | MTE0941HD
Required quantity 1
Thread Size 1 M14x1,5
Thread Size 2 M16x1,5
reinforced version
replacement in pairs recommended



References

BMW 32 10 6 887 405

BMW 6 887 405

Application info

BMW X5 (G05) (08/18--)

BMW X6 (G06) (08/19--)

BMW X7 (G07) (03/19--)

Tie rod end

316 020 0052

MTE0943

Notes

Front Axle Right
Length [mm] 138
Paired article number 316 020 0053 | MTE0944
Required quantity 1
Thread Size 1 M14x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

BMW 32 10 5 A38 DE8

BMW 32 10 6 887 402

BMW 5 A38 DE8

BMW 6 887 402

Toyota 45046-WAA01

Application info

BMW 2 (G42) (08/21--)

BMW 3 (G20, G21) (11/18--)

BMW 4 (G22, G23, G26) (07/20--)

BMW Z4 Roadster (G29) (11/18--)

BMW i4 (G26) (11/21--)

Toyota Supra V (_A9_) (03/19--)

Tie rod end		316 020 0053	MTE0944
Notes Front Axle Left Length [mm] 138 Paired article number 316 020 0052 MTE0943 Required quantity 1 Thread Size 1 M14x1,5 Thread Size 2 M16x1,5 replacement in pairs recommended		 	
References BMW 32 10 5A38 DE6 BMW 32 10 6 887 400 BMW 5 A38 DE6 BMW 6 887 400 Toyota 45047-WAA01			
Application info BMW 2 (G42) (08/21--) BMW 4 (G22, G23, G26) (07/20--) BMW i4 (G26) (11/21--) BMW 3 (G20, G21) (11/18--) BMW Z4 Roadster (G29) (11/18--) Toyota Supra V (_A9_) (03/19--)			
Tie rod end		316 020 4341	MTE0357
Notes Front Axle Left Length [mm] 210 Paired article number 316 020 4344 MTE0358 Required quantity 1 Thread Size 1 M10x1,0 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References BMW 1 139 313 BMW 32 11 1 139 313			
Application info BMW 3 (E36) (09/90-08/00) BMW Z3 (E36/7, E36/8) (10/95-06/03)			

Tie rod end		316 020 4344	MTE0358
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 210</p> <p>Paired article number 316 020 4341 MTE0357</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,0</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 1 139 314 BMW 32 11 1 139 314</p>			
<p>Application info</p> <p>BMW 3 (E36) (09/90-08/00) BMW Z3 (E36/7, E36/8) (10/95-06/03)</p>			
Tie rod end		316 020 4350	MTE0359
<p>Notes</p> <p>Front Axle Left with left-hand thread</p> <p>Length [mm] 219</p> <p>Paired article number 316 020 4351 MTE0360</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 1 141 345 BMW 32 21 1 141 345</p>			
<p>Application info</p> <p>BMW 7 (E38) (03/94-11/01)</p>			


Tie rod end

316 020 4351

MTE0360

Notes

Front Axle Right
with right-hand thread
Length [mm] 219
Paired article number 316 020 4350 | MTE0359
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

BMW 1 141 346

BMW 32 21 1 141 346

Application info

BMW 7 (E38) (03/94-11/01)

Tie rod end

316 020 4374

MTE0361

Notes

Front Axle Right
Length [mm] 230
Paired article number 316 020 4375 | MTE0362
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

BMW 1 091 724

BMW 1 091 770

BMW 1 094 676

BMW 32 11 1 091 770

BMW 32 11 1 094 676

BMW 32 21 1 091 724

Application info

BMW 5 (E39) (09/95-06/04)

Tie rod end

316 020 4375

MTE0362

Notes

Front Axle Left

Length [mm] 220
 Paired article number 316 020 4374 | MTE0361
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

BMW 1 091 723

BMW 32 21 1 091 723

Application info

BMW 5 (E39) (09/95-06/04)

Tie rod end

316 020 4603

MTE0363

Notes

Front Axle Left

Length [mm] 242
 Paired article number 316 020 4604 | MTE0364
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

BMW 1 095 957

BMW 32 10 6 774 220

BMW 32 21 1 095 957

BMW 6 774 220

BMW (Brilliance) 1 095 957

BMW (Brilliance) 32 10 6 774 220

BMW (Brilliance) 32 21 1 095 957

BMW (Brilliance) 6 774 220

Application info

BMW 3 (E46) (12/97-12/07)

BMW Z4 (E85) (09/02-12/09)

BMW Z4 (E86) (03/06-01/09)

Tie rod end **316 020 4604** **MTE0364**

Notes

Front Axle Right
 Length [mm] 242
 Paired article number 316 020 4603 | MTE0363
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

BMW 1 095 958	BMW 32 10 6 774 221
BMW 32 21 1 095 958	BMW 6 774 221
BMW (Brilliance) 1 095 958	BMW (Brilliance) 32 10 6 774 221
BMW (Brilliance) 32 21 1 095 958	BMW (Brilliance) 6 774 221

Application info

BMW 3 (E46) (12/97-12/07)	BMW Z4 (E85) (09/02-12/09)
BMW Z4 (E86) (03/06-01/09)	

Tie rod end **316 030 0002** **MTE0365**

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 156
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

BMW 32 10 6 774 361	BMW 32 10 6 776 946
BMW 32 21 6 756 369	BMW 6 756 369
BMW 6 774 361	BMW 6 776 946
BMW (Brilliance) 32 10 6 774 361	BMW (Brilliance) 32 10 6 776 946
BMW (Brilliance) 32 21 6 756 369	BMW (Brilliance) 6 756 369
BMW (Brilliance) 6 774 361	BMW (Brilliance) 6 776 946

Application info

BMW 5 (E60, E61) (12/01-12/10)

BMW 7 (E65, E66) (07/01-12/09)

BMW 6 (E63, E64) (09/03-12/10)

Tie rod end

32-16 020 0000

MTE0366

NotesFront Axle Left
Front Axle Right

Length [mm]

78

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Citroën 16 075 024 80

Mitsubishi 4422A018

Peugeot 16 07 502 480

Citroën 3817.74

Mitsubishi 4422A052

Peugeot 3817.74

Application info

Citroën C-Crosser (02/07--)

Mitsubishi ASX I (11/09--)

Mitsubishi Outlander II (11/06-12/12)

Peugeot 4008 (05/12--)

Citroën C4 AIRCROSS (08/10--)

Mitsubishi Lancer VIII (03/07--)

Peugeot 4007 (02/07-03/13)

Tie rod end

32-16 020 0040/HD

MTE0972HD

NotesFront Axle Right
outer

Length [mm]

194

Observe service information

Paired article number

32-16 020 0041/HD | MTE0973HD

Required quantity

1

Thread Size 1

M12x1,25

Thread Size 2

M16x1,5

replacement in pairs recommended

**References**

Mitsubishi 4422A038

Application info

Mitsubishi Pajero IV (10/06--)

Tie rod end

32-16 020 0041/HD

MTE0973HD

Notes

	Front Axle Left
Length [mm]	194
Paired article number	32-16 020 0040/HD MTE0972HD
Required quantity	1
Thread Size 1	M12x1,25
Thread Size 2	M16x1,5
reinforced version	
replacement in pairs recommended	



References

Mitsubishi 4422A037

Application info

Mitsubishi Pajero IV (10/06--)

Tie rod end

32-16 020 0042

MTE0989

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	78
Required quantity	2
Thread Size 1	12x1,25
Thread Size 2	14x1,5
replacement in pairs recommended	



References

Mitsubishi 4422A139

Application info

Mitsubishi Eclipse Cross (10/17--)

Tie rod end

33-16 020 0014

MTE0376

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	74
Required quantity	2
Thread Size 1	M12x1,25
Thread Size 2	M12x1,25
replacement in pairs recommended	



References

Suzuki 48810-84000

Suzuki 48810-84001

Suzuki 48810-M84030

Suzuki 48810M84010

Application info

Suzuki Alto II (EC), III (EF), IV (FF) (10/93-12/09)

Tie rod end

33-16 020 0026

MTE0786

Notes

	Front Axle Right
	outer
Length [mm]	189
Paired article number	33-16 020 0027 MTE0787
Required quantity	1
Thread Size 1	12x1,25
Thread Size 2	14,1,5
replacement in pairs recommended	



References

Suzuki 48810-68L00

Application info

Suzuki Swift IV (10/10--)

Tie rod end

33-16 020 0027

MTE0787

Notes

Front Axle Left
outer
Length [mm] 189
Paired article number 33-16 020 0026 | MTE0786
Required quantity 1
Thread Size 1 12x1,25
Thread Size 2 14x1,5
replacement in pairs recommended



References

Suzuki 48820-68L00

Application info

Suzuki Swift IV (10/10--)

Tie rod end

33-16 020 0028

MTE0788

Notes

Front Axle Left
Front Axle Right
outer
Length [mm] 83
Required quantity 2
Thread Size 1 12x1,25
Thread Size 2 14x1,5
replacement in pairs recommended



References

Suzuki 48810M68P00

Application info

Suzuki Baleno II (02/16--)

Tie rod end

33-16 020 0029

MTE0905

Notes

Front Axle Left

Length [mm]

71

Paired article number

33-16 020 0030 | MTE0906

Required quantity

1

Thread Size 1

M12x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Suzuki 48820-62R00

Suzuki 48820-62R01

Application info

Suzuki Ignis III (MF) (10/16--)

Tie rod end

33-16 020 0030

MTE0906

Notes

Front Axle Right

Length [mm]

71

Paired article number

33-16 020 0029 | MTE0905

Required quantity

1

Thread Size 1

M12x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Suzuki 48810-62R00

Suzuki 48810-62R01

Application info

Suzuki Ignis III (MF) (10/16--)

Tie rod end

35-16 020 0005

MTE0716

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 165
 Required quantity 2
 Thread Size 1 M12x1,25
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Mazda NE51-32 280A

Application info

Mazda MX-5 (NC) (03/05-12/14)

Tie rod end

35-16 020 0020/HD

MTE0733HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Length [mm] 100
 Required quantity 2
 Thread Size 1 M12x1,25
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Mazda KD31-32-280

Application info

Mazda CX-5 I (KE) (11/11-02/17)

Tie rod end

35-16 020 0029

MTE0385

Notes

Front Axle Left

Length [mm]

107

Paired article number

35-16 020 0031 | MTE0386

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M17x1,5

replacement in pairs recommended



References

Mazda BP4L-32-290

Application info

Mazda 3 (BK) (09/99-12/09)

Mazda 3 (BL) (12/08-12/14)

Mazda 5 (CR) (02/05-12/10)

Mazda 5 (CW) (06/10--)

Tie rod end

35-16 020 0031

MTE0386

Notes

Front Axle Right

Length [mm]

107

Paired article number

35-16 020 0029 | MTE0385

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M17x1,5

replacement in pairs recommended



References

Mazda BP4L-32-280

Application info

Mazda 3 (BK) (09/99-12/09)

Mazda 3 (BL) (12/08-12/14)

Mazda 5 (CR) (02/05-12/10)

Mazda 5 (CW) (06/10--)

Tie rod end

35-16 020 0039

MTE0391

Notes

Front Axle Left

Length [mm]

175

Paired article number

35-16 020 0040 | MTE0392

Required quantity

1

Thread Size 1

M12x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Mazda D651-32-290

Mazda D653-32-290

Mazda D654-32-290

Application info

Mazda 2 (DE) (07/07-06/15)

Tie rod end

35-16 020 0040

MTE0392

Notes

Front Axle Right

Length [mm]

175

Paired article number

35-16 020 0039 | MTE0391

Required quantity

1

Thread Size 1

M12x1,25

Thread Size 2

M14x1,5

replacement in pairs recommended



References

Mazda D651-32-280

Mazda D653-32-280

Mazda D654-32-280

Application info

Mazda 2 (DE) (07/07-06/15)

Tie rod end

35-16 020 0044

MTE0846

Notes

Front Axle Right
outer
Length [mm] 207
Paired article number 35-16 020 0045 | MTE0847
Required quantity 1
Thread Size 1 M12x1,25
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Mazda GS1D-32-280

Application info

Mazda 6 (GH) (08/07-12/13)

Tie rod end

35-16 020 0045

MTE0847

Notes

Front Axle Left
outer
Length [mm] 207
Paired article number 35-16 020 0044 | MTE0846
Required quantity 1
Thread Size 1 M12x1,25
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Mazda GS1D-32-290

Application info

Mazda 6 (GH) (08/07-12/13)

Tie rod end

35-16 020 0046

MTE0797

Notes

Front Axle Right
outer

Length [mm] 181

Paired article number 35-16 020 0047 | MTE0798

Required quantity 1

Thread Size 1 12x1,25

Thread Size 2 14x1,5

replacement in pairs recommended



References

Mazda BCKA-32-280

Mazda BJS8-32-280A

Mazda GHT2-32-280

Mazda BJS8-32-280

Mazda GBEF-32-280

Mazda GHT2-32-280A

Application info

Mazda 3 (BM) (07/13--)

Mazda 6 (GJ) (08/12--)

Tie rod end

35-16 020 0047

MTE0798

Notes

Front Axle Left
outer

Length [mm] 181

Paired article number 35-16 020 0046 | MTE0797

Required quantity 1

Thread Size 1 12x1,25

Thread Size 2 14x1,5

replacement in pairs recommended



References

Mazda BCKA-32-290

Mazda BJS8-32-290

Mazda GBEF-32-290

Mazda GHT2-32-290A

Mazda BJS7-32-290A

Mazda BJS8-32-290A

Mazda GHT2-32-290

Mazda GJR9-32-290

Application info

Mazda 3 (BM) (07/13--)

Mazda 6 (GJ) (08/12--)

Tie rod end

35-16 020 0050

MTE0809

Notes

Front Axle Right

outer

Length [mm]

181

Paired article number

35-16 020 0051 | MTE0810

Required quantity

1

Thread Size 1

12x1,5

Thread Size 2

14x1,5

replacement in pairs recommended



References

Mazda D09H-32-280

Mazda DA6T-32-280

Mazda DA8A-32-280

Mazda DA8A-32-280A

Toyota 45046-WB001

Toyota 45046-WB002

Application info

Mazda 2 (DJ) (08/14--)

Tie rod end

35-16 020 0051

MTE0810

Notes

Front Axle Left

181

Length [mm]

Paired article number

35-16 020 0050 | MTE0809

Required quantity

1

Thread Size 1

12x1,5

Thread Size 2

14x1,5

replacement in pairs recommended



References

Mazda D09H-32-290

Mazda DA6T-32-290

Mazda DA8A-32-290

Mazda DA8A-32-290A

Toyota 45047-WB001

Toyota 45047-WB002

Application info

Mazda 2 (DJ) (08/14--)

Tie rod end

35-16 020 0052

MTE0774

Notes

Front Axle Left
Front Axle Right
outer

Length [mm] 147
Required quantity 2
Thread Size 1 12x1,25
Thread Size 2 14x1,5
replacement in pairs recommended



References

Mazda D10E-32-280

Application info

Mazda CX-3 (DK) (01/15--)

Tie rod end

35-16 020 0053/HD

MTE0874HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 147
Observe service information
Required quantity 2
Thread Size 1 M12x1,25
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Mazda K123-32-280

Application info

Mazda CX-5 II (KF) (11/16--)

Tie rod end		35-16 020 0054	MTE0917
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 161 Required quantity 2 Thread Size 1 M12x1.5 Thread Size 2 M14x1.5 replacement in pairs recommended</p>		 	
<p>References</p> <p>ABARTH 6000612383 Mazda N243-32-280</p>		<p>Fiat 6000612383</p>	
<p>Application info</p> <p>ABARTH 124 Spider (348_) (03/16--) Mazda MX-5 (ND) (04/15--)</p>		<p>Fiat 124 Spider (348) (03/16--)</p>	
Tie rod end		36-16 020 0008	MTE0393
<p>Notes</p> <p>Front Axle Left Front Axle Right with right-hand thread</p> <p>Length [mm] 134 Required quantity 2 Thread Size 1 M12x1,25 Thread Size 2 M16x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>Ford 1 961 668 Nissan 48520-61G25</p>		<p>Nissan 48520-31G25 Nissan 48520-7F000</p>	
<p>Application info</p> <p>Ford Maverick I (02/93-04/98) Nissan Terrano I (07/86-02/96)</p>		<p>Nissan Pick Up (D21) (09/85-12/08) Nissan Terrano II (10/92-09/07)</p>	

Tie rod end		36-16 020 0009	MTE0394
<p>Notes</p> <p>Front Axle Left Front Axle Right with left-hand thread</p> <p>Length [mm] 131 Required quantity 2 Thread Size 1 M12x1,25 Thread Size 2 M16x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Ford 1 961 669 Nissan 48520-7F001 Nissan 48521-31G25 Nissan 48570-31G25 Nissan 48570-61G25</p>			
<p>Application info</p> <p>Ford Maverick I (02/93-04/98) Nissan Pick Up (D21) (09/85-12/08) Nissan Terrano I (07/86-02/96) Nissan Terrano II (10/92-09/07)</p>			
Tie rod end		36-16 020 0014	MTE0395
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 192 Paired article number 36-16 020 0015 MTE0396 Required quantity 1 Thread Size 1 M10x1,25 Thread Size 2 M12x1,25 replacement in pairs recommended</p>			
<p>References</p> <p>Nissan D8640-1KA0A Nissan D8640-1KA0B Nissan D8640-4FJ0A</p>			
<p>Application info</p> <p>Nissan Juke (F15) (06/10--) Nissan Leaf I (ZE0) (11/10--) Nissan Leaf II (ZE1) (08/17--) Nissan NV200 (02/10--) Nissan Pulsar (08/10--)</p>			

Tie rod end		36-16 020 0015	MTE0396
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 192</p> <p>Paired article number 36-16 020 0014 MTE0395</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M12x1,25</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Nissan D8520-1KA0A Nissan D8520-1KA0B</p> <p>Nissan D8520-4FJ0A</p>			
<p>Application info</p> <p>Nissan Juke (F15) (06/10--)</p> <p>Nissan Leaf II (ZE1) (08/17--)</p> <p>Nissan Pulsar (08/10--)</p>		<p>Nissan Leaf I (ZE0) (11/10--)</p> <p>Nissan NV200 (02/10--)</p>	
Tie rod end		36-16 020 0017	MTE0397
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 183</p> <p>Paired article number 36-16 020 0018 MTE0398</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Nissan 48520-EA01J</p>			
<p>Application info</p> <p>Nissan Navara (D40) (10/04--)</p>		<p>Nissan Pathfinder (R51) (01/05--)</p>	

Tie rod end

36-16 020 0018

MTE0398

Notes

	Front Axle Right
Length [mm]	183
Paired article number	36-16 020 0017 MTE0397
Required quantity	1
Thread Size 1	M14x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	



References

Nissan 48640-EA01J

Application info

Nissan Navara (D40) (10/04--)

Nissan Pathfinder (R51) (01/05--)

Tie rod end

36-16 020 0027

MTE0399

Notes

	197
Length [mm]	
Paired article number	36-16 020 0028 MTE0400
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M12x1,25
replacement in pairs recommended	



References

Nissan 48640-3U025

Nissan 48647-1U61A

Nissan D8640-EW00A

Application info

Nissan Cube (Z12) (09/07--)

Nissan Micra (K12) (03/02--)

Nissan NV200 (02/10--)

Nissan Note I (01/05-08/13)

Nissan Tiida (05/04-12/13)

Tie rod end

36-16 020 0036

MTE0654

Notes

	Front Axle Right
Length [mm]	178.5
Paired article number	36-16 020 0035 MTE0653
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M12x1,25
replacement in pairs recommended	



References

Nissan 48527-3VU0A

Nissan D8520-1HA0A

Application info

Nissan Micra (K13) (05/10--)

Nissan Note II (09/12--)

Tie rod end

36-16 020 0070

MTE0404

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	91
Required quantity	2
Thread Size 1	M10x1,25
Thread Size 2	M12x1,25
replacement in pairs recommended	



References

Nissan 48520-4F125

Nissan 48520-6F625

Application info

Nissan Micra (K11) (01/92-12/07)

Tie rod end

36-16 020 0077

MTE0405

Notes

Front Axle Left
Front Axle Right

Length [mm] 95
Required quantity 2
Thread Size 1 M12x1,25
Thread Size 2 M12x1,25
replacement in pairs recommended



References

Nissan 48520-73J25
Nissan 48520-9C000

Nissan 48520-76J25
Nissan 48520-9C025

Application info

Nissan Primera (P10, W10) (06/90-03/98)
Nissan Primera (P12, WP12) (01/02--)
Nissan Vanette (C23) (04/94-05/02)

Nissan Primera (P11, WP11) (06/96-07/02)
Nissan Serena (C23M) (06/91-09/01)

Tie rod end

36-16 020 0081/HD

MTE0407HD

Notes

Carbon Neutral
Front Axle Left

Length [mm] 200
Paired article number 36-16 020 0090/HD | MTE0411HD
Required quantity 1
Thread Size 1 M10x1,25
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

Nissan 48640-AX600

Application info

Nissan Micra (K12) (03/02--)

Tie rod end		36-16 020 0090/HD	MTE0411HD
Notes Carbon Neutral Front Axle Right Length [mm] 200 Paired article number 36-16 020 0081/HD MTE0407HD Required quantity 1 Thread Size 1 M10x1,25 Thread Size 2 M14x1,5 reinforced version replacement in pairs recommended			
References Nissan 48520-AX600			
Application info Nissan Micra (K12) (03/02--)			
Tie rod end		36-16 020 0091	MTE0412
Notes Front Axle Right Length [mm] 181 Paired article number 36-16 020 0092 MTE0413 Required quantity 1 Thread Size 1 M10x1,25 Thread Size 2 M14x1,5 replacement in pairs recommended			
References Nissan 48527-JD01A Nissan D8520-JY00A Renault 485200604R Nissan D8520-JG00A Nissan D8E20JG00A Renault D8520JY00A			
Application info Nissan Qashqai I (J10_) (12/06-04/14) Renault Koleos I (09/08--) Nissan X-Trail (T31) (03/07-12/18)			

Tie rod end		36-16 020 0092	MTE0413
Notes Front Axle Left Length [mm] 181 Paired article number 36-16 020 0091 MTE0412 Required quantity 1 Thread Size 1 M10x1,25 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References Nissan 48647-JD01A Nissan D8640-JG00A Nissan D8640-JY00A Nissan D8F40JG00A Renault 485207812R Renault D8640JY00A			
Application info Nissan Qashqai I (J10_) (12/06-04/14) Nissan X-Trail (T31) (03/07-12/18) Renault Koleos I (09/08--)			
Tie rod end		36-16 020 0104/HD	MTE0852HD
Notes Carbon Neutral Front Axle Right outer Length [mm] 207 Paired article number 36-16 020 0105/HD MTE0853HD Required quantity 1 Thread Size 1 M10x1,25 Thread Size 2 M14x1,5 reinforced version replacement in pairs recommended		 	
References Nissan D8520-4BA0A Nissan D8540-4BA0B Renault 485202260R Renault 485203872R			
Application info Nissan X-Trail (T32) (10/13--) Renault Koleos II (08/16--)			

Tie rod end

36-16 020 0105/HD

MTE0853HD

Notes

Carbon Neutral
Front Axle Left
outer

Length [mm] 207
Paired article number 36-16 020 0104/HD | MTE0852HD
Required quantity 1
Thread Size 1 M10x1,25
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

Nissan D8640-4BA0A
Renault 485204874R

Nissan D8640-4BA0B
Renault 485205041R

Application info

Nissan X-Trail (T32) (10/13--)

Renault Koleos II (08/16--)

Tie rod end

36-16 020 0106

MTE0911

Notes

Front Axle Right

Length [mm] 194
Paired article number 36-16 020 0107 | MTE0912
Paired article number 36-16 020 0140
Required quantity 1
Thread Size 1 M10x1,25
Thread Size 2 M12x1,25
replacement in pairs recommended



References

Nissan D8520-5RB0A

Nissan D8520-5RB1A

Application info

Nissan Micra (K14) (12/16--)

Tie rod end

36-16 020 0107

MTE0912

Notes

Front Axle Left
 Length [mm] 194
 Paired article number 36-16 020 0106 | MTE0911
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M12x1,25
 replacement in pairs recommended



References

Nissan D8640-5RB0A Nissan D8640-5RB1A

Application info

Nissan Micra (K14) (12/16--)

Tie rod end

37-16 020 0003

MTE0415

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 72
 Required quantity 2
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Hyundai 56820-21000	Hyundai 56820-21100
Hyundai 56820-28520	Hyundai 56820-36000
Hyundai 56820-M2000	Kia 56820 M2000
Mitsubishi MB006358	Mitsubishi MB076531
Mitsubishi MB166426	Mitsubishi MB185441
Mitsubishi MB192430	Mitsubishi MB192499
Mitsubishi MB241172	Mitsubishi MB489434
Mitsubishi MB564991	Mitsubishi MB573885
Mitsubishi MB616286	Mitsubishi MB912519
Mitsubishi MT142181	

Application info

Hyundai Lantra II (06/95-12/00)	Hyundai Pony (X-2) (04/89-01/95)
Hyundai S Coupé (02/90-05/96)	Hyundai Santamo (10/98-12/02)
Hyundai Sonata II (09/88-12/93)	Kia Joice (02/00--)
Mitsubishi Eclipse I (12/89-12/95)	Mitsubishi Eclipse II (04/94-04/99)
Mitsubishi Galant III (10/83-12/90)	Mitsubishi Galant IV (11/87-03/93)
Mitsubishi Galant V (11/92-12/98)	Mitsubishi Galant VI (09/96-10/04)
Mitsubishi Pajero Pinin (H60) (01/99-06/07)	Mitsubishi Santamo (03/99-12/04)
Mitsubishi Sapporo III (06/87-08/90)	Mitsubishi Sigma (10/90-10/96)
Mitsubishi Space Runner I (10/91-08/99)	Mitsubishi Space Runner II / Wagon III (07/98-12/04)
Mitsubishi Space Wagon II (05/91-11/00)	

Tie rod end

37-16 020 0005 MTE0416

Notes

Front Axle Right

Length [mm]	168
Paired article number	37-16 020 0006 MTE0417
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M16x1,5
replacement in pairs recommended	



References

Hyundai 56820-2E900	Kia 56820 2E900
---------------------	-----------------

Application info

Hyundai Tucson I (06/04--)	Kia Sportage II (09/04--)
----------------------------	---------------------------

Tie rod end

37-16 020 0006 MTE0417

Notes

Front Axle Left

Length [mm]	168
Paired article number	37-16 020 0005 MTE0416
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M16x1,5
replacement in pairs recommended	



References

Hyundai 56820-2E000	Kia 56820 2E000
---------------------	-----------------

Application info

Hyundai Tucson I (06/04--)

Kia Sportage II (09/04--)

Tie rod end**37-16 020 0012****MTE0421****Notes**Front Axle Left
Front Axle Right

Length [mm]

72

Required quantity

2

Thread Size 1

M10x1,25

Thread Size 2

M12x1,25

replacement in pairs recommended

**References**

Hyundai 56820-0X000

Hyundai 56820-0X010

Hyundai 56820-0X900

Kia 56820 0X000

Application info

Hyundai i10 I (10/07--)

Kia Picanto I (04/04--)

Tie rod end**37-16 020 0014****MTE0422****Notes**

Front Axle Left

Length [mm]

189

Paired article number

37-16 020 0015 | MTE0423

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M16x1,5

replacement in pairs recommended

**References**

Hyundai 56820-2K000

Kia 56820 2K000

Application info

Hyundai i20 I (08/08--)

Hyundai ix20 (11/10--)

Kia Soul I (01/09--)

Kia Venga (02/10--)

Tie rod end

37-16 020 0033/HD

MTE0816HD

Notes

Carbon Neutral
Front Axle Left
outer

Length [mm]

202

Paired article number

Required quantity

1

Thread Size 1

10x1,25

Thread Size 2

14x1,5

reinforced version

replacement in pairs recommended



References

Hyundai 56820-4L000

Kia 56820 4L000

Application info

Kia Rio III (09/10--)

Tie rod end

37-16 020 0034

MTE0789

Notes

Front Axle Right
outer

Length [mm]

78

Paired article number

37-16 020 0035 | MTE0790

Required quantity

1

Thread Size 1

10x1,25

Thread Size 2

14x1,5

replacement in pairs recommended



References

Hyundai 56821-B4050

Application info

Hyundai i10 II (08/13--)

Hyundai i10 III (09/19--)

Tie rod end

37-16 020 0035

MTE0790

Notes

Front Axle Left
outer
Length [mm] 78
Paired article number 37-16 020 0034 | MTE0789
Required quantity 1
Thread Size 1 10x1,25
Thread Size 2 14x1,5
replacement in pairs recommended



References

Hyundai 56820-B4000

Application info

Hyundai i10 II (08/13--)

Hyundai i10 III (09/19--)

Tie rod end

37-16 020 0036/HD

MTE0813HD

Notes

Carbon Neutral
Front Axle Right
outer
Length [mm] 78
Paired article number 37-16 020 0037/HD | MTE0814HD
Required quantity 1
Thread Size 1 10x1,25
Thread Size 2 14x1,5
reinforced version
replacement in pairs recommended



References

Hyundai 56820-C8900

Application info

Hyundai i20 II (11/14--)

Tie rod end

37-16 020 0037/HD

MTE0814HD

Notes

Carbon Neutral
Front Axle Left
outer

Length [mm] 78
Paired article number 37-16 020 0036/HD | MTE0813HD
Required quantity 1
Thread Size 1 10x1,25
Thread Size 2 14x1,5
reinforced version
replacement in pairs recommended



References

Hyundai 56820-C8000

Application info

Hyundai i20 II (11/14--)

Tie rod end

37-16 020 0038/HD

MTE0799HD

Notes

Carbon Neutral
Front Axle Right
outer

Length [mm] 224
Paired article number 37-16 020 0039/HD | MTE0800HD
Required quantity 1
Thread Size 1 10x1,25
Thread Size 2 16x1,5
reinforced version
replacement in pairs recommended



References

Hyundai 56820-2W050

Kia 56820 2W050

Application info

Hyundai Santa Fé III (09/12--)

Kia Sorento II (06/09--)

Tie rod end

37-16 020 0039/HD

MTE0800HD

Notes

Carbon Neutral
Front Axle Left
outer

Length [mm] 224
Paired article number 37-16 020 0038/HD | MTE0799HD
Required quantity 1
Thread Size 1 10x1,25
Thread Size 2 16x1,5
reinforced version
replacement in pairs recommended



References

Hyundai 56820-2W000

Kia 56820 2W000

Application info

Hyundai Santa Fé III (09/12--)

Kia Sorento II (06/09--)

Tie rod end

37-16 020 0040/HD

MTE0791HD

Notes

Carbon Neutral
Front Axle Right
outer

Length [mm] 186
Paired article number 37-16 020 0041/HD | MTE0792HD
Required quantity 1
Thread Size 1 10x1,25
Thread Size 2 16x1,5
reinforced version
replacement in pairs recommended



References

Hyundai 56825-C1090

Hyundai 56825-C1710

Hyundai 56825-D7000

Hyundai 56825-D7500

Kia 56825 C1090

Kia 56825 C1710

Kia 56825 D7000

Kia 56825 D7500

Application info

Hyundai Sonata VII (06/14--)

Hyundai Tucson II (05/15--)

Kia Optima IV (09/15--)

Kia Sorento III (01/15--)

Kia Sportage IV (09/15--)

Tie rod end

37-16 020 0041/HD

MTE0792HD

Notes

Carbon Neutral
Front Axle Left
outer

Length [mm] 186
Paired article number 37-16 020 0040/HD | MTE0791HD
Required quantity 1
Thread Size 1 10x1,25
Thread Size 2 16x1,5
reinforced version
replacement in pairs recommended



References

Hyundai 56820-C1000
Hyundai 56820-D7000
Kia 56820 C1000
Kia 56820 D7000

Hyundai 56820-C1710
Hyundai 56820-D7500
Kia 56820 C1710
Kia 56820 D7500

Application info

Hyundai Sonata VII (06/14--)
Kia Optima IV (09/15--)
Kia Sportage IV (09/15--)

Hyundai Tucson II (05/15--)
Kia Sorento III (01/15--)

Tie rod end

37-16 020 0042/HD

MTE0793HD

Notes

Carbon Neutral
Front Axle Right
outer

Length [mm] 221
Paired article number 37-16 020 0043/HD | MTE0794HD
Required quantity 1
Thread Size 1 M10x1,25
Thread Size 2 M16x1,5
reinforced version
replacement in pairs recommended



References

Hyundai 56820-3X090
Hyundai 56820-A6090
Kia 56820 A6090
Kia 56820-B2050

Hyundai 56820-A5090
Hyundai 56820-A6590
Kia 56820-A6590

Application info

Hyundai Elantra V (09/10--)

Hyundai i30 II (06/11--)

Kia Cee'd III (03/12--)

Hyundai Veloster I (03/11-12/17)

Kia Cee'd II (05/12--)

Kia Soul II (02/14--)

Tie rod end**37-16 020 0043/HD****MTE0794HD****Notes**

Carbon Neutral

Front Axle Left

outer

Length [mm]

221

Paired article number

37-16 020 0042/HD | MTE0793HD

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended

**References**

Hyundai 56820-3X000

Hyundai 56820-A6000

Kia 56820 A6000

Kia 56820-B2000

Hyundai 56820-A5000

Hyundai 56820-A6500

Kia 56820-A6500

Application info

Hyundai Elantra V (09/10--)

Hyundai i30 II (06/11--)

Kia Cee'd III (03/12--)

Hyundai Veloster I (03/11-12/17)

Kia Cee'd II (05/12--)

Kia Soul II (02/14--)

Tie rod end**37-16 020 0044/HD****MTE0757HD****Notes**

Carbon Neutral

Front Axle Right

Length [mm]

233

Paired article number

37-16 020 0045/HD | MTE0758HD

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended



References

Hyundai 56820-2S050
Hyundai 56820-3S000
Kia 56820 2T500

Hyundai 56820-2T500
Kia 56820 2S050
Kia 56820 A4050

Application info

Hyundai Grandeur V (01/11--)
Hyundai Tucson I (06/04--)
Kia Carens IV (03/13--)

Hyundai Sonata VI (06/09-12/15)
Hyundai ix35 (08/09--)
Kia Sportage III (09/09--)

Tie rod end**37-16 020 0045/HD****MTE0758HD****Notes**

Carbon Neutral
Front Axle Left
Length [mm] 233
Paired article number 37-16 020 0044/HD | MTE0757HD
Required quantity 1
Thread Size 1 M10x1,25
Thread Size 2 M16x1,5
reinforced version
replacement in pairs recommended

**References**

Hyundai 56820-2S000
Hyundai 56820-3S500
Kia 56820 3S500
Kia 56825 A4050

Hyundai 56820-2T000
Kia 56820 2T000
Kia 56820-2S000

Application info

Hyundai Grandeur V (01/11--)
Hyundai Tucson I (06/04--)
Kia Carens IV (03/13--)

Hyundai Sonata VI (06/09-12/15)
Hyundai ix35 (08/09--)
Kia Sportage III (09/09--)

Tie rod end

37-16 020 0046/HD

MTE0828HD

Notes

Carbon Neutral
Front Axle Right
outer

Length [mm] 233.5
Paired article number 37-16 020 0047/HD | MTE0829HD
Required quantity 1
Thread Size 1 10x1,25
Thread Size 2 16x1,5
reinforced version
replacement in pairs recommended



References

Hyundai 56820-2T100
Hyundai 56820-3V400
Kia 56820 2T100
Kia 56820 3V400

Hyundai 56820-3V100
Hyundai 56820-3Z290
Kia 56820 3Q500

Application info

Hyundai i40 (07/11--)

Kia Optima (01/10--)

Tie rod end

37-16 020 0047/HD

MTE0829HD

Notes

Carbon Neutral
Front Axle Left
outer

Length [mm] 233.5
Paired article number 37-16 020 0046/HD | MTE0828HD
Required quantity 1
Thread Size 1 10x1,25
Thread Size 2 16x1,5
reinforced version
replacement in pairs recommended



References

Hyundai 56820-2T190
Hyundai 56820-3V490
Kia 56820 2T190
Kia 56820 3V490

Hyundai 56820-3V190
Hyundai 56820-3Z200
Kia 56820 3Q000

Application info

Hyundai i40 (07/11--)

Kia Optima (01/10--)

Tie rod end

37-16 020 0052/HD

MTE0880HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 120
 Paired article number 37-16 020 0053/HD | MTE0881HD
 Required quantity 1
 Thread Size 1 10x1,25
 Thread Size 2 16x1,5
 reinforced version
 replacement in pairs recommended



References

Hyundai 56825-F2000
 Kia 56825 F2000
 Kia 56825 Q5000

Hyundai 56825-J7000
 Kia 56825 J7000

Application info

Hyundai Elantra VI (09/15--)
 Hyundai i30 III (11/16--)
 Kia Soul III (SK3) (01/19--)

Hyundai Kona I (06/17--)
 Kia Ceed IV (03/18--)

Tie rod end

37-16 020 0053/HD

MTE0881HD

Notes

Carbon Neutral
Front Axle Left

Length [mm] 120
 Paired article number 37-16 020 0052
 Paired article number 37-16 020 0052/HD | MTE0880HD
 Required quantity 1
 Thread Size 1 10x1,25
 Thread Size 2 16x1,5
 reinforced version
 replacement in pairs recommended



References

Hyundai 56820-F2000
 Kia 56820 F2000
 Kia 56820 Q5000

Hyundai 56820-J7000
 Kia 56820 J7000

Application info

Hyundai Elantra VI (09/15--)
 Hyundai i30 III (11/16--)
 Kia Soul III (SK3) (01/19--)

Hyundai Kona I (06/17--)
 Kia Ceed IV (03/18--)

Tie rod end**37-16 020 0054/HD****MTE0886HD****Notes**

Carbon Neutral
 Front Axle Right

Length [mm] 120
 Paired article number 37-16 020 0055/HD | MTE0887HD
 Required quantity 1
 Thread Size 1 12x1,25
 Thread Size 2 16x1,5
 reinforced version
 replacement in pairs recommended

**References**

Hyundai 56825-G2000
 Hyundai 56825-J2000
 Hyundai 56825-S0001
 Kia 56825 G2500
 Kia 56825 K4090

Hyundai 56825-G2500
 Hyundai 56825-K4090
 Kia 56825 G2000
 Kia 56825 J2000
 Kia 56825 S0001

Application info

Hyundai Ioniq (AE) (03/16--)
 Hyundai i30 III (11/16--)
 Kia Soul III (SK3) (01/19--)

Hyundai Kona I (06/17--)
 Kia Niro I (DE) (09/16--)

Tie rod end**37-16 020 0055/HD****MTE0887HD****Notes**

Carbon Neutral
 Front Axle Left

Length [mm] 120
 Paired article number 37-16 020 0054/HD | MTE0886HD
 Required quantity 1
 Thread Size 1 12x1,25
 Thread Size 2 16x1,5
 reinforced version
 replacement in pairs recommended



References

Hyundai 56820-G2000
 Hyundai 56820-K4000
 Kia 56820 G2000
 Kia 56820 J2000
 Kia 56820 S0001

Hyundai 56820-G2500
 Hyundai 56820-S0001
 Kia 56820 G2500
 Kia 56820 K4000

Application info

Hyundai Ioniq (AE) (03/16--)
 Hyundai i30 III (11/16--)
 Kia Soul III (SK3) (01/19--)

Hyundai Kona I (06/17--)
 Kia Niro I (DE) (09/16--)

Tie rod end

37-16 020 0056/HD

MTE0872HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 78
 Paired article number 37-16 020 0057
 Paired article number 37-16 020 0057/HD | MTE0873HD
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Hyundai 56825-C8100

Application info

Hyundai i20 II (11/14--)

Tie rod end

37-16 020 0057/HD

MTE0873HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 78
 Paired article number 37-16 020 0056/HD | MTE0872HD
 Required quantity 1
 Thread Size 1 M10x1,25
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



DRIVER'S BEST FRIEND

MEYLE

References

Hyundai 56820-C8100

Application info

Hyundai i20 II (11/14--)

Suspension

Axle support bushing

32-14 710 0003/HD

MAB0201HD

Notes

Carbon Neutral
Rear Axle Left
Rear Axle Right

Height [mm]

130

Outer Diameter [mm]

58

Replace in pairs only

Required quantity

2

reinforced version



References

Mitsubishi 4120A040

Mitsubishi 4120A041

Mitsubishi 4120A042

Mitsubishi MR594101

Smart 454 350 00 08

Smart 454 350 03 08

Smart A 454 350 00 08

Smart A 454 350 03 08

Application info

Mitsubishi Colt VI (10/02-12/12)

Smart Forfour (01/04-06/06)

Axle support bushing

32-14 710 0005

MAB0203

Notes

Front
Lower
Rear Axle Left
Rear Axle Right

Height [mm]

126

Outer Diameter [mm]

70

Required quantity

2

replacement in pairs recommended



References

Citroën 16 118 561 80

Citroën 5131.G0

Citroën 5131.H5

Mitsubishi 4120A125

Mitsubishi 4120A181

Peugeot 16 11 856 180

Peugeot 5131 G0

Peugeot 5131.H5

Application info

Citroën C-Crosser (02/07--)
 Mitsubishi ASX I (11/09--)
 Mitsubishi Lancer VIII (03/07--)
 Peugeot 4007 (02/07-03/13)

Citroën C4 AIRCROSS (08/10--)
 Mitsubishi Lancer VII (03/00-12/13)
 Mitsubishi Outlander II (11/06-12/12)
 Peugeot 4008 (05/12--)

Axle support bushing**34-16 010 0006****MBJ0474****Notes**

Rear Axle Left
 Rear Axle Right
 Rubber/Metal

Height [mm] 50
 Inner Diameter [mm] 12
 Outer Diameter [mm] 40
 Required quantity 2
 replacement in pairs recommended

**References**

Subaru 20257XA000

Application info

Subaru BRZ (06/12--)
 Subaru Forester IV (SJ) (11/12--)
 Subaru Impreza III (GR) (01/07--)
 Subaru Impreza V (GT) (10/16--)
 Subaru Legacy VI (BN, BS) (01/15--)
 Subaru Outback IV (BM, BR) (06/09--)
 Subaru Tribeca (B9) (01/05--)
 Subaru XV I (09/11--)

Subaru Forester III (SH) (12/07--)
 Subaru Forester V (SK) (04/18--)
 Subaru Impreza IV (GP, GJ) (07/11--)
 Subaru Legacy V (06/08--)
 Subaru Levorg (03/15--)
 Subaru Outback V (10/14--)
 Subaru WRX (GP,GJ) (07/11-12/12)
 Subaru XV II (04/17--)

Ball joint**316 010 0002****MBJ0178****Notes**

Front Axle Left
 Front Axle Right
 with accessories

Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended



References

BMW 1 096 425

BMW 31 12 6 756 491

BMW 31 12 1 096 425

BMW 6 756 491

Application info

BMW X5 (E53) (01/00-12/06)

Ball joint

316 010 0003/HD

MBJ0179HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
outer

Height [mm]

76

Outer Diameter [mm]

49

Required quantity

2

Thread Size

M12x1,5

reinforced version

replacement in pairs recommended



MEYLE



References

BMW 1 096 685

BMW 31 12 1 096 685

BMW 31 12 6 758 510

BMW (Brilliance) 1 096 685

BMW (Brilliance) 31 12 1 096 685

BMW (Brilliance) 31 12 6 758 510

BMW 1 140 398

BMW 31 12 1 140 398

BMW 6 758 510

BMW (Brilliance) 1 140 398

BMW (Brilliance) 31 12 1 140 398

BMW (Brilliance) 6 758 510

Application info

BMW 3 (E36) (09/90-08/00)

BMW Z3 (E36/7, E36/8) (10/95-06/03)

BMW Z4 (E86) (03/06-01/09)

BMW 3 (E46) (12/97-12/07)

BMW Z4 (E85) (09/02-12/09)

Ball joint**316 010 0016****MBJ0307****Notes**

	Front Axle Left
	Front Axle Right
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M30x1,5
replacement in pairs recommended	

**References**

BMW 31 12 6 777 753

BMW 6 777 753

Application info

BMW 5 (F07) (01/09-02/17)

BMW 5 (F10, F11) (01/09-02/17)

BMW 6 (F12, F13) (12/10-10/18)

BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Ball joint**316 010 0017****MBJ0320****Notes**

	Front Axle Left
	Front Axle Right
	with accessories
Outer Diameter [mm]	41
Required quantity	2
Thread Size	M14x1,5
replacement in pairs recommended	

**References**

BMW 31 10 4 038 994

BMW 31 12 6 768 307

BMW 31 12 6 772 138

BMW 31 12 6 779 840

BMW 4 038 994

BMW 6 768 307

BMW 6 772 138

BMW 6 779 840

Application info

BMW 5 (E60, E61) (12/01-12/10)

Ball joint		316 010 0018	MBJ0393
<p>Notes</p> <p>Front Axle Left Front Axle Right with accessories</p> <p>Required quantity 2</p> <p>Thread Size M14x1,5</p> <p>replacement in pairs recommended</p>		 <p>A detailed view of the ball joint assembly, including the main joint, a nut, and two bolts. A 'MEYLE ORIGINAL PRODUCT' seal is visible in the top right corner.</p>	
<p>References</p> <p>BMW 31 10 6 787 665</p>		<p>BMW 6 787 665</p>	
<p>Application info</p> <p>BMW X3 (F25) (09/10-08/17)</p>		<p>BMW X4 (F26) (05/13-03/18)</p>	
Ball joint		316 010 0019/HD	MBJ0438HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left Front Axle Right Upper with accessories</p> <p>Required quantity 2</p> <p>only in connection with 316 050 0033/HD</p> <p>only in connection with 316 050 0034/HD</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 <p>A detailed view of the HD ball joint assembly, including the main joint, a nut, and three bolts. A 'MEYLE HD PRODUCT' seal is visible in the top right corner.</p>	

References

- | | |
|---------------------|---------------------|
| BMW 31 12 6 776 417 | BMW 31 12 6 776 418 |
| BMW 31 12 6 776 995 | BMW 31 12 6 776 996 |
| BMW 31 12 6 776 997 | BMW 31 12 6 776 998 |
| BMW 31 12 6 863 333 | BMW 31 12 6 863 334 |
| BMW 31 12 6 863 335 | BMW 31 12 6 863 336 |
| BMW 31 12 6 863 785 | BMW 31 12 6 863 786 |
| BMW 6 776 417 | BMW 6 776 418 |
| BMW 6 776 995 | BMW 6 776 996 |
| BMW 6 776 997 | BMW 6 776 998 |
| BMW 6 863 333 | BMW 6 863 334 |
| BMW 6 863 335 | BMW 6 863 336 |
| BMW 6 863 785 | BMW 6 863 786 |

Application info

- | | |
|----------------------------|----------------------------|
| BMW X5 (E70) (02/06-07/13) | BMW X5 (F15) (08/13-07/18) |
| BMW X6 (E71) (06/07-07/14) | BMW X6 (F16) (08/14-07/19) |

Ball joint

316 010 0022/HD MBJ0452HD

Notes

Carbon Neutral
 Front Axle Right
 Paired article number 316 010 0023/HD | MBJ0453HD
 Required quantity 1
 only in connection with 316 050 0128/HD
 reinforced version
 replacement in pairs recommended



References

- | | |
|----------------------|----------------------|
| BMW 2 785 114 | BMW 31 12 2 785 114 |
| BMW 31 12 6 851 204 | BMW 31 12 6 871 302 |
| BMW 31 12 6 879 844 | BMW 6 851 204 |
| BMW 6 871 302 | BMW 6 879 844 |
| Mini 2 785 114 | Mini 31 12 2 785 114 |
| Mini 31 12 6 851 204 | Mini 31 12 6 871 302 |
| Mini 31 12 6 879 844 | Mini 6 851 204 |
| Mini 6 871 302 | Mini 6 879 844 |

Application info

- | | |
|---|----------------------------|
| BMW 1 (F40), 2 Gran Coupe (F44) (07/19--) | BMW 2 (F45, F46) (11/13--) |
| BMW X1 (F48) (11/14--) | BMW X2 (F39) (11/17--) |
| Mini Countryman II (10/16--) | Mini Mini III (09/13--) |

Ball joint

316 010 0023/HD

MBJ0453HD

Notes

Carbon Neutral
 Front Axle Left
 Paired article number 316 010 0022/HD | MBJ0452HD
 Required quantity 1
 only in connection with 316 050 0127/HD
 reinforced version
 replacement in pairs recommended



References

- | | |
|----------------------|----------------------|
| BMW 2 785 113 | BMW 31 12 2 785 113 |
| BMW 31 12 6 851 203 | BMW 31 12 6 871 301 |
| BMW 31 12 6 879 843 | BMW 6 851 203 |
| BMW 6 871 301 | BMW 6 879 843 |
| Mini 2 785 113 | Mini 31 12 2 785 113 |
| Mini 31 12 6 851 203 | Mini 31 12 6 871 301 |
| Mini 31 12 6 879 843 | Mini 6 851 203 |
| Mini 6 871 301 | Mini 6 879 843 |

Application info

- | | |
|---|----------------------------|
| BMW 1 (F40), 2 Gran Coupe (F44) (07/19--) | BMW 2 (F45, F46) (11/13--) |
| BMW X1 (F48) (11/14--) | BMW X2 (F39) (11/17--) |
| Mini Countryman II (10/16--) | Mini Mini III (09/13--) |

Ball joint

316 010 0024

MBJ0480

Notes

Front Axle Left
 Front Axle Right
 Lower
 for control arm
 outer
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M30x1,5
 replacement in pairs recommended



References

- | | |
|---------------------|---------------|
| BMW 31 10 6 852 536 | BMW 6 852 536 |
|---------------------|---------------|

Application info

BMW 5 (G30, G31) (09/16--)

BMW 7 (G11, G12) (07/15--)

BMW 8 Gran Coupe (G16) (07/19--)

BMW 6 (G32) (06/17--)

BMW 8 (G15) (07/18--)

Ball joint

316 010 4305/HD

MBJ0190HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
inner

Height [mm]

132

Outer Diameter [mm]

41

Required quantity

2

Thread Size

M14x1,5

reinforced version

replacement in pairs recommended



References

The references of this product can be found at www.meyle.com

Application info

BMW 3 (E46) (12/97-12/07)

BMW Z4 (E86) (03/06-01/09)

BMW Z4 (E85) (09/02-12/09)

Ball joint

316 010 4307

MBJ0192

Notes

Front Axle Left
Front Axle Right
outer

Height [mm]

54

Outer Diameter [mm]

41

Required quantity

2

Thread Size

M12x1,5

replacement in pairs recommended



References

BMW 1 126 254

BMW 1 127 726

BMW 31 12 1 127 725

BMW 1 127 725

BMW 31 12 1 126 254

BMW 31 12 1 127 726

Application info

BMW 3 (E30) (09/82-10/94)

BMW Z1 (06/88-06/91)

Ball joint		316 010 4345	MBJ0193
<p>Notes</p> <p>Front Axle Left Front Axle Right inner</p> <p>Height [mm] 136 Outer Diameter [mm] 41 Required quantity 2 Thread Size M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 31 12 6 758 513 BMW 6 758 513</p>		<p>BMW 31 12 6 758 514 BMW 6 758 514</p>	
<p>Application info</p> <p>BMW 3 (E36) (09/90-08/00)</p>		<p>BMW Z3 (E36/7, E36/8) (10/95-06/03)</p>	
Ball joint		32-16 010 0002	MBJ0194
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower</p> <p>Outer Diameter [mm] 40 Required quantity 2 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mitsubishi MR911569 Mitsubishi MR916133</p>		<p>Mitsubishi MR911570 Mitsubishi MR916134</p>	
<p>Application info</p> <p>Mitsubishi Carisma (07/95-06/06)</p>		<p>Mitsubishi Space Star (DG_) (06/98-12/04)</p>	

Ball joint

32-16 010 0025

MBJ0198

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Outer Diameter [mm] 40
 Required quantity 2
 replacement in pairs recommended



References

Citroën 16 124 483 80
 Citroën 3520.V0
 Citroën 3521.R1
 Mitsubishi 4013A009
 Mitsubishi 4013A281
 Peugeot 16 124 483 80
 Peugeot 3520 V0
 Peugeot 3521 R1

Citroën 16 124 484 80
 Citroën 3520.X9
 Citroën 3521.V0
 Mitsubishi 4013A010
 Mitsubishi 4013A282
 Peugeot 16 124 484 80
 Peugeot 3520.X9
 Peugeot 3521.V0

Application info

Citroën C-Crosser (02/07--)
 Mitsubishi ASX I (11/09--)
 Mitsubishi Lancer VIII (03/07--)
 Mitsubishi Outlander III (11/10--)
 Peugeot 4008 (05/12--)

Citroën C4 AIRCROSS (08/10--)
 Mitsubishi Lancer VII (03/00-12/13)
 Mitsubishi Outlander II (11/06-12/12)
 Peugeot 4007 (02/07-03/13)

Ball joint

35-16 010 0001

MBJ0205

Notes

Front Axle Left
 Front Axle Right
 Lower

Outer Diameter [mm] 43
 Required quantity 2
 replacement in pairs recommended



References

Ford 3 703 255	Ford 3 707 090
Ford USA 3 703 255	Ford USA 3 707 090
Kia 0G030-34550A	Kia 0G030-34550B
Mazda 0G030-34-550A	Mazda B25D-34-300B
Mazda B25D-34-350B	Mazda C100-34-300A
Mazda C100-34-350A	Mazda C145-34-300A
Mazda C145-34-350A	Mazda G030-34-300F
Mazda G030-34-350F	Mazda G030-99-356
Mazda GA2A-34-300	Mazda GA2A-34-300A
Mazda GA2A-34-350	Mazda GA2A-34-350A
Mazda GA2B-34 300	Mazda GA2B-34-300A
Mazda GA2B-34-350A	Mazda GA6A-34-300A
Mazda GA6A-34-300B	Mazda GA6A-34-300D
Mazda GA6A-34-300E	Mazda GA6A-99-356
Mazda GA6B-34 050E	Mazda GA6B-34 300A
Mazda GA6B-34 300B	Mazda GA6B-34 300C
Mazda GA6B-34 300D	Mazda GA6B-34 350A
Mazda GA6B-34 350B	Mazda GA6B-34 350C
Mazda GA6B-34 350D	Mazda GA6B-34-300E
Mazda GA6B-34-350E	Mazda GA6B-99-356
Mazda GA6B-99-356A	Mazda GA6B-E3-4300
Mazda GA6B-E3-4350	Mazda GD7A-34-300A
Mazda GD7D-34-350A	Mazda GE3T-34-350E
Mazda GE4T-34 300B	Mazda GE4T-34 300D
Mazda GE4T-34 350B	Mazda GE4T-34 350D
Mazda GE4T-34-300	Mazda GE4T-34-300C
Mazda GE4T-34-300E	Mazda GE4T-34-350
Mazda GE4T-34-350C	Mazda GE4T-34-350E
Mazda GF22-34-300A	Mazda GF22-34-350A
Mazda GG2A-34 300C	Mazda GG2A-34 350C
Mazda GJ22-34-300A	Mazda GJ22-34-300B
Mazda GJ22-34-350A	Mazda GJ22-34-350B
Mazda GJ83-34 300A	Mazda GJ83-34-300B
Mazda GJ83-34-350B	Mazda GN98-34-300A
Mazda GN98-34-350A	Mazda KA39-34-300A
Mazda KA39-34-350A	Mazda LC62-34-550
Mazda M001-99-356A	

Application info

Ford Maverick II (02/01--)

Kia Clarus (05/96--)

Mazda 626 (GC) (11/82-01/90)

Mazda 626 (GE) (08/91-08/98)

Mazda 929 (HB, HC, HV) (12/81-08/91)

Mazda MX-6 (GE) (07/91-09/97)

Mazda Tribute I (EP) (03/00-05/08)

Ford USA Probe II (09/92-03/98)

Mazda 323 (BJ) (05/98-05/04)

Mazda 626 (GD, GV) (06/87-10/98)

Mazda 626 (GF, GW) (05/97-12/02)

Mazda MPV II (LW) (08/99-12/06)

Mazda Premacy (01/99-06/05)

Ball joint

35-16 010 0006

MBJ0206

Notes

Front Axle Left
 Front Axle Right
 Lower
 Height [mm] 73.4
 Outer Diameter [mm] 43
 Required quantity 2

replacement in pairs recommended



References

Mazda B32H-34 300

Mazda B32H-34 350E

Mazda B32H-34-300B

Mazda B32H-34-300D

Mazda B32H-34-350A

Mazda B32H-34-350C

Mazda B37F-34-300A

Mazda B37F-34-350A

Mazda BP4K-34 300A

Mazda BP4K-34 350A

Mazda BP4K-34-300D

Mazda BP4K-34-350D

Mazda C513-34-300

Mazda CC30-34 300A

Mazda CC30-34 300C

Mazda CC30-34 300E

Mazda CC30-34 350B

Mazda CC30-34 350D

Mazda CD99-34-300A

Mazda B32H-34 350

Mazda B32H-34-300A

Mazda B32H-34-300C

Mazda B32H-34-300E

Mazda B32H-34-350B

Mazda B32H-34-350D

Mazda B37F-34-300B

Mazda B37F-34-350B

Mazda BP4K-34 300B

Mazda BP4K-34 350B

Mazda BP4K-34-350C

Mazda BP4K-34-350E

Mazda C513-34-350

Mazda CC30-34 300B

Mazda CC30-34 300D

Mazda CC30-34 350A

Mazda CC30-34 350C

Mazda CC30-34 350E

Mazda CD99-34-350A

Application info

Mazda 3 (BK) (09/99-12/09)
Mazda 5 (CW) (06/10--)

Mazda 5 (CR) (02/05-12/10)

Ball joint

35-16 010 0026

MBJ0211

Notes

Front Axle Left
Front Axle Right
Upper
Outer Diameter [mm] 39
Required quantity 2
Thread Size M12x1,25
replacement in pairs recommended



References

Mazda GJ6A-34 200B
Mazda GP9A-34-200A
Mazda GP9A-34-250A
Mazda GV2W-34 200

Mazda GJ6A-34 250B
Mazda GP9A-34-200B
Mazda GP9A-34-250B
Mazda GV2W-34 250

Application info

Mazda 6 (GG, GY) (01/02-12/08)

Mazda 6 (GH) (08/07-12/13)

Ball joint

35-16 010 0032

MBJ0483

Notes

Front Axle Left
Front Axle Right
Required quantity 2
replacement in pairs recommended



References

Mazda D10E-34-300	Mazda D10E-34-350
Mazda KD35-34-300D	Mazda KD35-34-300E
Mazda KD35-34-300F	Mazda KD35-34-300G
Mazda KD35-34-300H	Mazda KD35-34-300J
Mazda KD35-34-300L	Mazda KD35-34-300M
Mazda KD35-34-300N	Mazda KD35-34-300P
Mazda KD35-34-300R	Mazda KD35-34-300S
Mazda KD35-34-350D	Mazda KD35-34-350E
Mazda KD35-34-350F	Mazda KD35-34-350G
Mazda KD35-34-350H	Mazda KD35-34-350J
Mazda KD35-34-350L	Mazda KD35-34-350M
Mazda KD35-34-350N	Mazda KD35-34-350P
Mazda KD35-34-350R	Mazda KD35-34-350S

Application info

Mazda 6 (GJ) (08/12--)	Mazda CX-3 (DK) (01/15--)
Mazda CX-5 I (KE) (11/11-02/17)	

Ball joint**36-16 010 0000****MBJ0213****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Outer Diameter [mm] 41
 Required quantity 2
 replacement in pairs recommended

**References**

Nissan 40160-9W200	Nissan 54500-BB00A
Nissan 54500-BR30A	Nissan 54500-JD000
Nissan 54501-BB00A	Nissan 54501-BR30A
Nissan 54501-JD000	Nissan 54501-JG000
Nissan 54501-JG00B	Renault 54501JY00A
Renault 545040445R	Renault 545055212R

Application info

Nissan Murano (Z50) (04/02-12/09)	Nissan Qashqai I (J10_) (12/06-04/14)
Nissan Qashqai II (J11_) (11/13--)	Nissan X-Trail (T31) (03/07-12/18)
Renault Kadjar (06/15--)	Renault Koleos I (09/08--)

Ball joint		36-16 010 0001	MBJ0214										
<p>Notes</p> <p>Front Axle Left Front Axle Right Upper with accessories</p> <p>Required quantity 2</p> <p>Thread Size M14x1,5</p> <p>replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL QUALITY</p>											
<p>References</p> <table border="0"> <tr> <td>Ford 1 954 430</td> <td>Nissan 40110-01G00</td> </tr> <tr> <td>Nissan 40110-01G25</td> <td>Nissan 40110-01G26</td> </tr> <tr> <td>Nissan 40110-0F000</td> <td>Nissan 40110-B9500</td> </tr> <tr> <td>Nissan 40110-T6000</td> <td>Nissan 40110-T6025</td> </tr> <tr> <td>Nissan 40110-V0100</td> <td></td> </tr> </table>				Ford 1 954 430	Nissan 40110-01G00	Nissan 40110-01G25	Nissan 40110-01G26	Nissan 40110-0F000	Nissan 40110-B9500	Nissan 40110-T6000	Nissan 40110-T6025	Nissan 40110-V0100	
Ford 1 954 430	Nissan 40110-01G00												
Nissan 40110-01G25	Nissan 40110-01G26												
Nissan 40110-0F000	Nissan 40110-B9500												
Nissan 40110-T6000	Nissan 40110-T6025												
Nissan 40110-V0100													
<p>Application info</p> <table border="0"> <tr> <td>Ford Maverick I (02/93-04/98)</td> <td>Nissan Pick Up (D21) (09/85-12/08)</td> </tr> <tr> <td>Nissan Terrano I (07/86-02/96)</td> <td>Nissan Terrano II (10/92-09/07)</td> </tr> <tr> <td>Nissan Urvan (E24) (06/86-05/97)</td> <td></td> </tr> </table>				Ford Maverick I (02/93-04/98)	Nissan Pick Up (D21) (09/85-12/08)	Nissan Terrano I (07/86-02/96)	Nissan Terrano II (10/92-09/07)	Nissan Urvan (E24) (06/86-05/97)					
Ford Maverick I (02/93-04/98)	Nissan Pick Up (D21) (09/85-12/08)												
Nissan Terrano I (07/86-02/96)	Nissan Terrano II (10/92-09/07)												
Nissan Urvan (E24) (06/86-05/97)													
Ball joint		36-16 010 0006	MBJ0216										
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower with accessories</p> <p>Height [mm] 50</p> <p>Outer Diameter [mm] 38</p> <p>Required quantity 2</p> <p>Thread Size M14x1,5</p> <p>replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL QUALITY</p>											

References

Nissan 40160-50A00
 Nissan 40160-60Y60
 Nissan 40160-70J00
 Nissan 40160-J7500
 Nissan 54500-50J10
 Nissan 54500-69C00
 Nissan 54500-90J00
 Nissan 54501-50J00
 Nissan 54501-50J25
 Nissan 54501-90J00

Nissan 40160-50J25
 Nissan 40160-69C00
 Nissan 40160-86M00
 Nissan 54500-50J00
 Nissan 54500-50J25
 Nissan 54500-86J00
 Nissan 54500-90J10
 Nissan 54501-50J10
 Nissan 54501-86J00
 Nissan 54501-90J10

Application info

Nissan Primera (P10, W10) (06/90-03/98)
 Nissan Sunny (B12, N13) (01/86-10/91)

Nissan Primera (P11, WP11) (06/96-07/02)

Ball joint**36-16 010 0023****MBJ0221****Notes**

Front Axle Left
 Front Axle Right
 Upper
 Outer Diameter [mm] 42
 Required quantity 2
 Thread Size M14x1,5

replacement in pairs recommended

**References**

Nissan 40110EA000
 Nissan 54525-EB30A

Nissan 54524-EB30A

Application info

Nissan Navara (D40) (10/04--)

Nissan Pathfinder (R51) (01/05--)

Ball joint		36-16 010 0025	MBJ0222												
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower</p> <p>Outer Diameter [mm] 45.2 Required quantity 2 replacement in pairs recommended</p>															
<p>References</p> <table border="0"> <tr> <td>Nissan 40160-EA00A</td> <td>Nissan 54500-EB300</td> </tr> <tr> <td>Nissan 54500-EB30C</td> <td>Nissan 54500-EB31A</td> </tr> <tr> <td>Nissan 54500-EB31C</td> <td>Nissan 54501-EB300</td> </tr> <tr> <td>Nissan 54501-EB30C</td> <td>Nissan 54501-EB31A</td> </tr> <tr> <td>Nissan 54501-EB31C</td> <td></td> </tr> </table>				Nissan 40160-EA00A	Nissan 54500-EB300	Nissan 54500-EB30C	Nissan 54500-EB31A	Nissan 54500-EB31C	Nissan 54501-EB300	Nissan 54501-EB30C	Nissan 54501-EB31A	Nissan 54501-EB31C			
Nissan 40160-EA00A	Nissan 54500-EB300														
Nissan 54500-EB30C	Nissan 54500-EB31A														
Nissan 54500-EB31C	Nissan 54501-EB300														
Nissan 54501-EB30C	Nissan 54501-EB31A														
Nissan 54501-EB31C															
<p>Application info</p> <table border="0"> <tr> <td>Nissan Navara (D40) (10/04--)</td> <td>Nissan Pathfinder (R51) (01/05--)</td> </tr> </table>				Nissan Navara (D40) (10/04--)	Nissan Pathfinder (R51) (01/05--)										
Nissan Navara (D40) (10/04--)	Nissan Pathfinder (R51) (01/05--)														
Ball joint		36-16 010 0034	MBJ0302												
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Outer Diameter [mm] 38 Required quantity 2 replacement in pairs recommended</p>															
<p>References</p> <table border="0"> <tr> <td>Nissan 54500-1FU0B</td> <td>Nissan 54500-1JY0A</td> </tr> <tr> <td>Nissan 54500-1KA0A</td> <td>Nissan 54500-1KA0B</td> </tr> <tr> <td>Nissan 54500-EL000</td> <td>Nissan 54500-EW000</td> </tr> <tr> <td>Nissan 54501-1FU0B</td> <td>Nissan 54501-1JY0A</td> </tr> <tr> <td>Nissan 54501-1KA0A</td> <td>Nissan 54501-1KA0B</td> </tr> <tr> <td>Nissan 54501-EL000</td> <td>Nissan 54501-EW000</td> </tr> </table>				Nissan 54500-1FU0B	Nissan 54500-1JY0A	Nissan 54500-1KA0A	Nissan 54500-1KA0B	Nissan 54500-EL000	Nissan 54500-EW000	Nissan 54501-1FU0B	Nissan 54501-1JY0A	Nissan 54501-1KA0A	Nissan 54501-1KA0B	Nissan 54501-EL000	Nissan 54501-EW000
Nissan 54500-1FU0B	Nissan 54500-1JY0A														
Nissan 54500-1KA0A	Nissan 54500-1KA0B														
Nissan 54500-EL000	Nissan 54500-EW000														
Nissan 54501-1FU0B	Nissan 54501-1JY0A														
Nissan 54501-1KA0A	Nissan 54501-1KA0B														
Nissan 54501-EL000	Nissan 54501-EW000														

Application info

Nissan Cube (Z12) (09/07--)

Nissan Leaf I (ZE0) (11/10--)

Nissan Tiida (05/04-12/13)

Nissan Juke (F15) (06/10--)

Nissan NV200 (02/10--)

Ball joint**36-16 010 0039****MBJ0223****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Height [mm]

54

Outer Diameter [mm]

39

Required quantity

2

Thread Size

M14x1,5

replacement in pairs recommended

**References**

Mazda 1N00-99-356

Nissan 40160-0M020

Nissan 40160-50Y02

Nissan 40160-50Y10

Nissan 40160-52Y10

Nissan 40160-60Y00

Nissan 40160-60Y20

Nissan 40160-69Y10

Nissan 40160-Y02G0

Nissan 54500-0M010

Nissan 54500-0M060

Nissan 54500-52Y15

Nissan 54500-52Y70

Nissan 54501-0M010

Nissan 54501-52Y15

Nissan 54501-52Y70

Nissan 40160-0M010

Nissan 40160-50Y00

Nissan 40160-50Y0R

Nissan 40160-52Y00

Nissan 40160-52Y20

Nissan 40160-60Y10

Nissan 40160-69Y00

Nissan 40160-F4200

Nissan 40161-52Y10

Nissan 54500-0M020

Nissan 54500-52Y10

Nissan 54500-52Y60

Nissan 54500-69Y10

Nissan 54501-52Y10

Nissan 54501-52Y60

Nissan 54501-69Y10

Application info

Nissan 100 NX (03/90-01/96)

Nissan Sunny (B13, N14, Y10) (05/90-03/00)

Nissan Almera I/Pulsar I (07/95-01/01)

Ball joint**36-16 010 0040****MBJ0224****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Height [mm]

46

Outer Diameter [mm]

35

Required quantity

2

Thread Size

M12x1,25

replacement in pairs recommended

**References**

Nissan 40160-4F100

Nissan 54500-44B00

Nissan 54500-4F102

Nissan 54500-4F105

Nissan 54500-4F150

Nissan 54501-44B00

Nissan 54501-4F102

Nissan 54501-4F105

Nissan 54501-4F150

Application info

Nissan Micra (K11) (01/92-12/07)

Ball joint**36-16 010 0043****MBJ0225****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Outer Diameter [mm]

38

Required quantity

2

Thread Size

M14x1,5

replacement in pairs recommended

**References**

Nissan 54500-4M410

Nissan 54500-4M411

Nissan 54500-BM410

Nissan 54500-F4600

Nissan 54501-4M410

Nissan 54501-4M411

Nissan 54501-BM410

Nissan 54501-F4600

Application info

Nissan Almera II (01/00--)

Ball joint**36-16 010 0044****MBJ0226****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Outer Diameter [mm] 38
 Required quantity 2
 replacement in pairs recommended

**References**

Nissan 40160-AX000
 Nissan 54501-AX60B
 Nissan 54570-AX600

Nissan 54501-AX600
 Nissan 54501-BC42A
 Nissan 60401-35517

Application info

Nissan Micra (K12) (03/02--)

Nissan Note I (01/05-08/13)

Ball joint**36-16 010 0045****MBJ0227****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended

**References**

Nissan 40160-2Y000
 Nissan 54500-AV600
 Nissan 54500-AV60A
 Nissan 54501-AV605
 Nissan 54501-AV60C

Nissan 54401-AV60A
 Nissan 54500-AV605
 Nissan 54501-AV600
 Nissan 54501-AV60A

Application info

Nissan Almera Tino (12/98-02/06)
 Nissan Primera (P12, WP12) (01/02--)

Nissan Maxima (A33) (04/99-11/03)

Ball joint		36-16 010 0049	MBJ0228
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower with accessories</p> <p>Outer Diameter [mm] 35 Required quantity 2 Thread Size M12x1,25 replacement in pairs recommended</p>			
<p>References</p> <p>Nissan 54500-2U711 Nissan 54500-6F600 Nissan 54501-2U711 Nissan 54501-6F600</p>			
<p>Application info</p> <p>Nissan Micra (K11) (01/92-12/07)</p>			
Ball joint		36-16 010 0055	MBJ0321
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Outer Diameter [mm] 35 Required quantity 2 replacement in pairs recommended</p>			
<p>References</p> <p>Nissan 54500-1HA0C Nissan 54500-1HA5A Nissan 54500-1HA6A Nissan 54501-1HA0C Nissan 54501-1HA5A Nissan 54501-1HA6A</p>			
<p>Application info</p> <p>Nissan Micra (K13) (05/10--)</p> <p>Nissan Note II (09/12--)</p>			

Ball joint

37-16 010 0002

MBJ0231

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Outer Diameter [mm]

40

Required quantity

2

Thread Size

M12x1,25

replacement in pairs recommended



References

Hyundai 54503-22A00
 Hyundai 54503-31600
 Hyundai 54520-31600
 Hyundai 54530-25000
 Hyundai 54530-3X000
 Kia 54503 25A00
 Kia 54530 0U000
 Kia 54530 2F000
 Mitsubishi AW311699
 Mitsubishi MB303374
 Mitsubishi MB349463
 Mitsubishi MB430406
 Mitsubishi MB518043
 Mitsubishi MB518205
 Mitsubishi MB518960
 Mitsubishi MB891789

Hyundai 54503-25A00
 Hyundai 54503-38A00
 Hyundai 54530-0U000
 Hyundai 54530-31600
 Kia 54503 22A00
 Kia 54503 31600
 Kia 54530 25000
 Kia 54530 31600
 Mitsubishi MB241883
 Mitsubishi MB303375
 Mitsubishi MB349464
 Mitsubishi MB430407
 Mitsubishi MB518044
 Mitsubishi MB518206
 Mitsubishi MB518961
 Mitsubishi MB891790

Application info

Hyundai Accent I (05/94-12/02)
 Hyundai Accent IV (08/10--)
 Hyundai Coupé II (05/96-04/02)
 Hyundai Creta I (01/16--)
 Hyundai Elantra I (03/00-09/06)
 Hyundai Getz (06/01-01/11)
 Hyundai Matrix (06/01-08/10)
 Hyundai Sonata II (09/88-12/93)
 Hyundai XG (12/98-12/05)
 Hyundai i20 II (11/14--)
 Kia Cerato I (LD) (01/01--)
 Kia Cerato III (YD) (09/12--)
 Kia Venga (02/10--)
 Mitsubishi Colt IV (03/92-04/96)
 Mitsubishi Galant IV (11/87-03/93)
 Mitsubishi Lancer IV (04/88-12/97)
 Mitsubishi Sapporo III (06/87-08/90)

Hyundai Accent II (09/99-11/17)
 Hyundai Accent V (01/18--)
 Hyundai Coupé III (01/01-12/12)
 Hyundai Creta II (SU2_) (03/20--)
 Hyundai Elantra V (09/10--)
 Hyundai Lantra II (06/95-12/00)
 Hyundai Solaris (01/17--)
 Hyundai Veloster I (03/11-12/17)
 Hyundai i20 I (08/08--)
 Hyundai ix20 (11/10--)
 Kia Cerato II (TD) (01/09--)
 Kia Rio IV (01/17--)
 Mitsubishi Colt III (10/86-05/92)
 Mitsubishi Galant III (10/83-12/90)
 Mitsubishi Lancer III (11/83-08/92)
 Mitsubishi Lancer V (07/91-10/03)
 Mitsubishi Sigma (10/90-10/96)

Ball joint**37-16 010 0009****MBJ0235****Notes**

Front Axle Left
 Front Axle Right
 Lower
 Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended

**References**

Hyundai 51760-38000
 Hyundai 51761-38A00
 Kia 51760 3F000

Hyundai 51760-38000AT
 Kia 51760 38000
 Kia 51761 38A00

Application info

Hyundai Sonata IV (03/98-12/05)
 Kia Magentis I (05/01--)

Hyundai XG (12/98-12/05)
 Kia Opirus (09/03--)

Ball joint**37-16 010 0013****MBJ0237****Notes**

Front Axle Left
 Front Axle Right
 Lower

Required quantity

2

Thread Size

M16x1,5

replacement in pairs recommended

**References**

Hyundai 54530-47000
 Hyundai 54530-4AA00

Hyundai 54530-4A000
 Mitsubishi MR162699

Application info

Hyundai H-1 I (10/97-04/08)
 MG MG 6 (11/10--)
 Mitsubishi L400 (06/94-04/07)

Hyundai Starex (06/97--)
 Mitsubishi L300 III (08/86-12/13)

Ball joint**37-16 010 0019****MBJ0239****Notes**

Front Axle Left
 Front Axle Right

Required quantity

2

Thread Size 1

M12x1,25

replacement in pairs recommended

**References**

Hyundai 51760-0Q000
 Hyundai 51760-2H000
 Kia 51760 2H000

Hyundai 51760-2G000
 Kia 51760 2G000
 Kia 51760-0Q000

Application info

Hyundai Elantra IV (09/05--)
 Kia Cee'd I (12/06-02/13)
 Kia Magentis II (10/05--)

Hyundai i30 I (10/07-06/12)
 Kia Magentis I (05/01--)

Ball joint		37-16 010 0020	MBJ0240
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower with accessories</p> <p>Required quantity 2 Thread Size M12x1,25 replacement in pairs recommended</p>			
<p>References</p> <p>Hyundai 51760-0P000 Hyundai 51760-1G001 Kia 51760 1G001</p>		<p>Hyundai 51760-1G000 Kia 51760 1G000</p>	
<p>Application info</p> <p>Hyundai Accent III (11/05-12/12)</p>		<p>Kia Rio II (03/05--)</p>	
Ball joint		37-16 010 0022	MBJ0242
<p>Notes</p> <p>Front Axle Left Front Axle Right Upper</p> <p>Required quantity 2 Thread Size M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Hyundai 54440-H1000</p>			
<p>Application info</p> <p>Hyundai Teracon (06/01-03/08)</p>			

Ball joint		37-16 010 0027	MBJ0311
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Required quantity replacement in pairs recommended</p> <p>2</p>			
<p>References</p> <p>Hyundai 54530-3S000</p>		<p>Kia 54530 3S000</p>	
<p>Application info</p> <p>Hyundai Tucson I (06/04--) Kia Sportage III (09/09--)</p>		<p>Hyundai ix35 (08/09--)</p>	
Ball joint		37-16 010 0029	MBJ0460
<p>Notes</p> <p>Front Axle Left Lower outer with accessories</p> <p>Paired article number Required quantity Thread Size replacement in pairs recommended</p> <p>37-16 010 0030 MBJ0461 1 M12x1,25</p>			
<p>References</p> <p>Hyundai 54530-F2000</p>			
<p>Application info</p> <p>Hyundai Elantra VI (09/15--)</p>		<p>Hyundai Kona I (06/17--)</p>	

Ball joint		37-16 010 0030	MBJ0461
<p>Notes</p> <p>Front Axle Right Lower outer with accessories</p> <p>Paired article number 37-16 010 0029 MBJ0460</p> <p>Required quantity 1</p> <p>Thread Size M12x1,25</p> <p>replacement in pairs recommended</p>		 <p>A photograph of a black metal ball joint assembly with a silver-colored upper stud and nut. Below the main assembly are four individual components: two nuts, one bolt, and one washer. A blue circular logo with 'MEYLE ORIGINAL PRODUCT' is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Hyundai 54530-F2100</p>			
<p>Application info</p> <p>Hyundai Elantra VI (09/15--)</p>		<p>Hyundai Kona I (06/17--)</p>	
Ball joint		37-16 010 0032	MBJ0505
<p>Notes</p> <p>Front Axle Right</p> <p>Paired article number 37-16 010 0033 MBJ0506</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 <p>A photograph of a black metal ball joint assembly with a silver-colored upper stud and nut. Below the main assembly are four individual components: two nuts, one bolt, and one washer. A blue circular logo with 'MEYLE ORIGINAL PRODUCT' is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Hyundai 54530-G4BA0</p> <p>Kia 54530 G4BA0</p>			
<p>Application info</p> <p>Hyundai i30 III (11/16--)</p>		<p>Kia Ceed IV (03/18--)</p>	

Ball joint

37-16 010 0033

MBJ0506

Notes

Front Axle Left
 Paired article number 37-16 010 0032 | MBJ0505
 Required quantity 1
 replacement in pairs recommended



References

Hyundai 54530-G4AA0

Kia 54530 G4AA0

Application info

Hyundai i30 III (11/16--)

Kia Ceed IV (03/18--)

Control arm

316 035 0005/HD

MCA0430HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front
 Front Axle Left
 with rubber mount

Article number of recommended accessories 314 654 0002
 Length [mm] 400
 Paired article number 316 035 0006/HD | MCA0431HD
 Replace in pairs only
 Required quantity 1
 Thread Size M14x1,5
 reinforced version



References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 405 861 | BMW 2 409 599 |
| BMW 31 12 2 405 861 | BMW 31 12 2 409 599 |
| BMW 31 12 4 036 269 | BMW 31 12 6 763 703 |
| BMW 31 12 6 763 707 | BMW 31 12 6 769 797 |
| BMW 31 12 6 769 801 | BMW 4 036 269 |
| BMW 6 763 703 | BMW 6 763 707 |
| BMW 6 769 797 | BMW 6 769 801 |
| BMW (Brilliance) 2 405 861 | BMW (Brilliance) 2 409 599 |
| BMW (Brilliance) 31 12 2 405 861 | BMW (Brilliance) 31 12 2 409 599 |
| BMW (Brilliance) 31 12 4 036 269 | BMW (Brilliance) 31 12 6 763 703 |
| BMW (Brilliance) 31 12 6 763 707 | BMW (Brilliance) 31 12 6 769 797 |
| BMW (Brilliance) 31 12 6 769 801 | BMW (Brilliance) 4 036 269 |
| BMW (Brilliance) 6 763 703 | BMW (Brilliance) 6 763 707 |
| BMW (Brilliance) 6 769 797 | BMW (Brilliance) 6 769 801 |

Application info

- | | |
|--|--|
| BMW 1 (E81, E82, E87, E88) (02/03-12/13) | BMW 3 (E90, E91, E92, E93) (02/04-12/13) |
| BMW X1 (E84) (03/09-06/15) | BMW Z4 (E89) (02/09-08/16) |

Control arm


316 035 0006/HD

MCA0431HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
with rubber mount

- Article number of recommended accessories: 314 654 0002
- Length [mm]: 400
- Paired article number: 316 035 0005/HD | MCA0430HD
- Replace in pairs only
- Required quantity: 1
- Thread Size: M14x1,5
- reinforced version



References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 405 862 | BMW 2 409 598 |
| BMW 31 12 2 405 862 | BMW 31 12 2 409 598 |
| BMW 31 12 4 036 270 | BMW 31 12 6 763 704 |
| BMW 31 12 6 763 708 | BMW 31 12 6 769 798 |
| BMW 31 12 6 769 802 | BMW 4 036 270 |
| BMW 6 763 704 | BMW 6 763 708 |
| BMW 6 769 798 | BMW 6 769 802 |
| BMW (Brilliance) 2 405 862 | BMW (Brilliance) 2 409 598 |
| BMW (Brilliance) 31 12 2 405 862 | BMW (Brilliance) 31 12 2 409 598 |
| BMW (Brilliance) 31 12 4 036 270 | BMW (Brilliance) 31 12 6 763 704 |
| BMW (Brilliance) 31 12 6 763 708 | BMW (Brilliance) 31 12 6 769 798 |
| BMW (Brilliance) 31 12 6 769 802 | BMW (Brilliance) 4 036 270 |
| BMW (Brilliance) 6 763 704 | BMW (Brilliance) 6 763 708 |
| BMW (Brilliance) 6 769 798 | BMW (Brilliance) 6 769 802 |

Application info

- | | |
|--|--|
| BMW 1 (E81, E82, E87, E88) (02/03-12/13) | BMW 3 (E90, E91, E92, E93) (02/04-12/13) |
| BMW X1 (E84) (03/09-06/15) | BMW Z4 (E89) (02/09-08/16) |

Control arm

316 035 0007 MCA0432

Notes

Control Arm
 Rear
 Rear Axle Right
 Sheet Steel
 Upper
 with ball joint
 with rubber mount
 Length [mm] 306
 Paired article number 316 035 0008 | MCA0433
 Required quantity 1
 Thread Size M14x1,5
 replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| BMW 1 095 412 | BMW 33 32 1 095 412 |
| BMW 33 32 6 768 274 | BMW 33 32 6 770 748 |
| BMW 33 32 6 770 860 | BMW 6 768 274 |
| BMW 6 770 748 | BMW 6 770 860 |

Application info

- BMW X5 (E53) (01/00-12/06)


Control arm		316 035 0008	MCA0433
<p>Notes</p> <p>Control Arm Rear Rear Axle Left Sheet Steel Upper with ball joint with rubber mount</p> <p>Length [mm] 306 Paired article number 316 035 0007 MCA0432 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>BMW 1 095 411 BMW 33 32 1 095 411 BMW 33 32 6 768 273 BMW 33 32 6 770 747 BMW 33 32 6 770 859 BMW 6 768 273 BMW 6 770 747 BMW 6 770 859</p>			
<p>Application info</p> <p>BMW X5 (E53) (01/00-12/06)</p>			
Control arm		316 050 0001	MCA0434
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Left with rubber mount</p> <p>Length [mm] 330 Paired article number 316 050 0002 MCA0435 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>BMW 1 141 961 BMW 31 12 1 141 961</p>			
<p>Application info</p> <p>BMW 5 (E39) (09/95-06/04)</p>			

Control arm **316 050 0002** **MCA0435**

Notes

Aluminium
Control Arm
Front
Front Axle Right
with rubber mount

Length [mm] 330
Paired article number 316 050 0001 | MCA0434
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

BMW 1 141 962 BMW 31 12 1 141 962

Application info

BMW 5 (E39) (09/95-06/04)

Control arm **316 050 0003/HD** **MCA0436HD**

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
with ball joint

Article number of recommended accessori 314 654 0004
Paired article number 316 050 0004/HD | MCA0437HD
Replace in pairs only
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M14x1,5
reinforced version



References

BMW 1 094 465	BMW 1 096 985
BMW 1 752 717	BMW 2 157 594
BMW 2 158 880	BMW 2 158 894
BMW 2 282 121	BMW 2 341 297
BMW 2 343 353	BMW 31 12 1 094 465
BMW 31 12 1 096 985	BMW 31 12 1 752 717
BMW 31 12 2 157 594	BMW 31 12 2 158 880
BMW 31 12 2 158 894	BMW 31 12 2 282 121
BMW 31 12 2 341 297	BMW 31 12 2 343 353
BMW 31 12 6 750 223	BMW 31 12 6 751 317
BMW 31 12 6 752 717	BMW 31 12 6 758 220
BMW 31 12 6 758 519	BMW 31 12 6 770 247
BMW 31 12 6 774 819	BMW 31 12 6 777 851
BMW 6 750 223	BMW 6 751 317
BMW 6 752 717	BMW 6 758 220
BMW 6 758 519	BMW 6 770 247
BMW 6 774 819	BMW 6 777 851
BMW (Brilliance) 1 094 465	BMW (Brilliance) 1 096 985
BMW (Brilliance) 1 752 717	BMW (Brilliance) 2 282 121
BMW (Brilliance) 2 341 297	BMW (Brilliance) 2 343 353
BMW (Brilliance) 31 12 1 094 465	BMW (Brilliance) 31 12 1 096 985
BMW (Brilliance) 31 12 1 752 717	BMW (Brilliance) 31 12 2 282 121
BMW (Brilliance) 31 12 2 341 297	BMW (Brilliance) 31 12 2 343 353
BMW (Brilliance) 31 12 6 750 223	BMW (Brilliance) 31 12 6 751 317
BMW (Brilliance) 31 12 6 752 717	BMW (Brilliance) 31 12 6 758 519
BMW (Brilliance) 31 12 6 770 247	BMW (Brilliance) 31 12 6 774 819
BMW (Brilliance) 31 12 6 777 851	BMW (Brilliance) 6 750 223
BMW (Brilliance) 6 751 317	BMW (Brilliance) 6 752 717
BMW (Brilliance) 6 758 519	BMW (Brilliance) 6 770 247
BMW (Brilliance) 6 774 819	BMW (Brilliance) 6 777 851

Application info

BMW 3 (E46) (12/97-12/07)	BMW Z4 (E85) (09/02-12/09)
BMW Z4 (E86) (03/06-01/09)	

Control arm

316 050 0004/HD

MCA0437HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
with ball joint

Article number of recommended accessory: 316 654 0004
Paired article number: 316 050 0003/HD | MCA0436HD
Replace in pairs only
Required quantity: 1
Thread Size 1: M12x1,5
Thread Size 2: M14x1,5
reinforced version



References

- | | |
|----------------------------------|----------------------------------|
| BMW 1 094 466 | BMW 1 096 986 |
| BMW 2 157 594 | BMW 2 158 880 |
| BMW 2 158 894 | BMW 2 282 122 |
| BMW 2 341 828 | BMW 2 343 352 |
| BMW 31 12 1 094 466 | BMW 31 12 1 096 986 |
| BMW 31 12 2 157 594 | BMW 31 12 2 158 880 |
| BMW 31 12 2 158 894 | BMW 31 12 2 282 122 |
| BMW 31 12 2 341 828 | BMW 31 12 2 343 352 |
| BMW 31 12 6 750 224 | BMW 31 12 6 751 318 |
| BMW 31 12 6 752 718 | BMW 31 12 6 758 520 |
| BMW 31 12 6 770 248 | BMW 31 12 6 774 820 |
| BMW 31 12 6 777 852 | BMW 6 750 224 |
| BMW 6 751 318 | BMW 6 752 718 |
| BMW 6 758 520 | BMW 6 770 248 |
| BMW 6 774 820 | BMW 6 777 852 |
| BMW (Brilliance) 1 094 466 | BMW (Brilliance) 1 096 986 |
| BMW (Brilliance) 2 282 122 | BMW (Brilliance) 2 341 828 |
| BMW (Brilliance) 2 343 352 | BMW (Brilliance) 31 12 1 094 466 |
| BMW (Brilliance) 31 12 1 096 986 | BMW (Brilliance) 31 12 2 282 122 |
| BMW (Brilliance) 31 12 2 341 828 | BMW (Brilliance) 31 12 2 343 352 |
| BMW (Brilliance) 31 12 6 750 224 | BMW (Brilliance) 31 12 6 751 318 |
| BMW (Brilliance) 31 12 6 752 718 | BMW (Brilliance) 31 12 6 758 520 |
| BMW (Brilliance) 31 12 6 770 248 | BMW (Brilliance) 31 12 6 774 820 |
| BMW (Brilliance) 31 12 6 777 852 | BMW (Brilliance) 6 750 224 |
| BMW (Brilliance) 6 751 318 | BMW (Brilliance) 6 752 718 |
| BMW (Brilliance) 6 758 520 | BMW (Brilliance) 6 770 248 |
| BMW (Brilliance) 6 774 820 | BMW (Brilliance) 6 777 852 |

Application info

BMW 3 (E46) (12/97-12/07)
 BMW Z4 (E86) (03/06-01/09)

BMW Z4 (E85) (09/02-12/09)

Control arm

316 050 0007/HD

MCA0440HD

Notes

Carbon Neutral
 Control Arm
 Front
 Front Axle Left
 Steel
 with rubber mount

Article number of recommended accessory: 314 654 0010
 Length [mm]: 600
 Paired article number: 316 050 0008/HD | MCA0441HD
 Replace in pairs only
 Required quantity: 1
 reinforced version



References

BMW 1 096 169
 BMW 31 12 6 769 717

BMW 31 12 1 096 169
 BMW 6 769 717

Application info

BMW X5 (E53) (01/00-12/06)

Control arm

316 050 0008/HD

MCA0441HD

Notes

Carbon Neutral
 Control Arm
 Front
 Front Axle Right
 Steel
 with rubber mount

Article number of recommended accessory: 314 654 0010
 Length [mm]: 600
 Paired article number: 316 050 0007/HD | MCA0440HD
 Replace in pairs only
 Required quantity: 1
 reinforced version



References

BMW 1 096 170

BMW 31 12 6 769 718

BMW 31 12 1 096 170

BMW 6 769 718

Application info

BMW X5 (E53) (01/00-12/06)

Control arm

316 050 0009

MCA0442

Notes

Control Arm
Front Axle Left
Rear
Steel
with rubber mount

Length [mm]

300

Paired article number

316 050 0010 | MCA0443

Required quantity

1

Thread Size

M14x1,5

replacement in pairs recommended



References

BMW 1 096 315

BMW 31 12 6 760 275

BMW 31 12 1 096 315

BMW 6 760 275

Application info

BMW X5 (E53) (01/00-12/06)

Control arm

316 050 0010

MCA0443

Notes

Control Arm
Front Axle Right
Rear
Steel
with rubber mount

Length [mm]

300

Paired article number

316 050 0009 | MCA0442

Required quantity

1

Thread Size

M14x1,5

replacement in pairs recommended



References

BMW 1 096 316

BMW 31 12 6 760 276

BMW 31 12 1 096 316

BMW 6 760 276

Application info

BMW X5 (E53) (01/00-12/06)

Control arm

316 050 0011/HD

MCA0444HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
with rubber mount



Article number of recommended accessories: 314 654 0011
 Length [mm]: 424
 Paired article number: 316 050 0012/HD | MCA0445HD
 Replace in pairs only
 Required quantity: 1
 Thread Size: M14x1,5
 reinforced version

References

BMW 31 12 4 026 453	BMW 31 12 4 046 441
BMW 31 12 6 756 101	BMW 31 12 6 760 519
BMW 31 12 6 765 993	BMW 31 12 6 774 831
BMW 4 026 453	BMW 4 046 441
BMW 6 756 101	BMW 6 760 519
BMW 6 765 993	BMW 6 774 831

Application info


BMW 7 (E65, E66) (07/01-12/09)

Control arm **316 050 0012/HD** **MCA0445HD**

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
with rubber mount

Article number of recommended accessories: 314 654 0011
Length [mm]: 424
Paired article number: 316 050 0011/HD | MCA0444HD
Replace in pairs only
Required quantity: 1
Thread Size: M14x1,5
reinforced version



References

- | | |
|---------------------|---------------------|
| BMW 31 12 4 026 454 | BMW 31 12 4 046 442 |
| BMW 31 12 6 756 102 | BMW 31 12 6 760 520 |
| BMW 31 12 6 765 994 | BMW 31 12 6 774 832 |
| BMW 4 026 454 | BMW 4 046 442 |
| BMW 6 756 102 | BMW 6 760 520 |
| BMW 6 765 994 | BMW 6 774 832 |

Application info


BMW 7 (E65, E66) (07/01-12/09)

Control arm **316 050 0013** **MCA0446**

Notes

Aluminium
Control Arm
Front Axle Left
Rear
with rubber mount

Length [mm]: 300
Paired article number: 316 050 0014 | MCA0447
Required quantity: 1
Thread Size: M14x1,5
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| BMW 2 347 983 | BMW 2 347 985 |
| BMW 31 12 2 347 983 | BMW 31 12 2 347 985 |
| BMW 31 12 6 755 835 | BMW 31 12 6 770 121 |
| BMW 31 12 6 770 771 | BMW 31 12 6 770 837 |
| BMW 31 12 6 777 937 | BMW 31 12 6 777 939 |
| BMW 6 755 835 | BMW 6 770 121 |
| BMW 6 770 771 | BMW 6 770 837 |
| BMW 6 777 937 | BMW 6 777 939 |

Application info

- | | |
|--------------------------------|--------------------------------|
| BMW 6 (E63, E64) (09/03-12/10) | BMW 7 (E65, E66) (07/01-12/09) |
|--------------------------------|--------------------------------|

Control arm


316 050 0014

MCA0447

Notes

Aluminium
Control Arm
Front Axle Right
Rear
with rubber mount

- | | |
|----------------------------------|------------------------|
| Length [mm] | 300 |
| Paired article number | 316 050 0013 MCA0446 |
| Required quantity | 1 |
| Thread Size | M14x1,5 |
| replacement in pairs recommended | |



References

- | | |
|---------------------|---------------------|
| BMW 2 347 984 | BMW 2 347 986 |
| BMW 31 12 2 347 984 | BMW 31 12 2 347 986 |
| BMW 31 12 6 755 836 | BMW 31 12 6 770 122 |
| BMW 31 12 6 770 772 | BMW 31 12 6 770 838 |
| BMW 31 12 6 777 938 | BMW 31 12 6 777 940 |
| BMW 6 755 836 | BMW 6 770 122 |
| BMW 6 770 772 | BMW 6 770 838 |
| BMW 6 777 938 | BMW 6 777 940 |


Application info

- | | |
|--------------------------------|--------------------------------|
| BMW 6 (E63, E64) (09/03-12/10) | BMW 7 (E65, E66) (07/01-12/09) |
|--------------------------------|--------------------------------|

Control arm **316 050 0015/HD** **MCA0448HD**

Notes

	Carbon Neutral
	Control Arm
	Front Axle Left
	Rear
	Steel
	with rubber mount
Article number of recommended accessories	314 654 0018
Length [mm]	278
Paired article number	316 050 0016/HD MCA0449HD
Replace in pairs only	
Required quantity	1
Thread Size	M14x1,5
reinforced version	



References


BMW 0 360 275	BMW 2 229 521
BMW 3 412 135	BMW 3 415 027
BMW 3 418 337	BMW 3 426 433
BMW 3 451 881	BMW 31 10 3 412 135
BMW 31 10 3 415 027	BMW 31 10 3 418 337
BMW 31 10 3 426 433	BMW 31 10 3 451 881
BMW 31 12 0 360 275	BMW 31 12 2 229 521

Application info
BMW X3 (E83) (01/03-12/11)

Control arm **316 050 0016/HD** **MCA0449HD**

Notes

	Carbon Neutral
	Control Arm
	Front Axle Right
	Rear
	Steel
	with rubber mount
Article number of recommended accessories	314 654 0018
Length [mm]	278
Paired article number	316 050 0015/HD MCA0448HD
Replace in pairs only	
Required quantity	1
Thread Size	M14x1,5
reinforced version	



References

- | | |
|---------------------|---------------------|
| BMW 2 229 522 | BMW 3 412 136 |
| BMW 3 415 028 | BMW 3 418 338 |
| BMW 3 426 434 | BMW 3 451 882 |
| BMW 31 10 3 412 136 | BMW 31 10 3 415 028 |
| BMW 31 10 3 418 338 | BMW 31 10 3 426 434 |
| BMW 31 10 3 451 882 | BMW 31 12 2 229 522 |

Application info

BMW X3 (E83) (01/03-12/11)


Control arm

316 050 0017

MCA0450

Notes

Aluminium
Control Arm
Front Axle Left
Rear
with rubber mount
Length [mm] 298
Paired article number 316 050 0018 | MCA0451
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 347 951 | BMW 2 347 963 |
| BMW 31 12 2 347 951 | BMW 31 12 2 347 963 |
| BMW 31 12 4 028 607 | BMW 31 12 6 760 181 |
| BMW 31 12 6 768 297 | BMW 4 028 607 |
| BMW 6 760 181 | BMW 6 768 297 |
| BMW (Brilliance) 31 12 6 760 181 | BMW (Brilliance) 31 12 6 768 297 |
| BMW (Brilliance) 6 760 181 | BMW (Brilliance) 6 768 297 |


Application info

BMW 5 (E60, E61) (12/01-12/10)

Control arm **316 050 0018** **MCA0451**

Notes

Aluminium
Control Arm
Front Axle Right
Rear
with rubber mount
Length [mm] 298
Paired article number 316 050 0017 | MCA0450
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 347 952 | BMW 2 347 965 |
| BMW 31 12 2 347 952 | BMW 31 12 2 347 965 |
| BMW 31 12 4 028 608 | BMW 31 12 6 760 182 |
| BMW 31 12 6 768 298 | BMW 4 028 608 |
| BMW 6 760 182 | BMW 6 768 298 |
| BMW (Brilliance) 31 12 6 760 182 | BMW (Brilliance) 31 12 6 768 298 |
| BMW (Brilliance) 6 760 182 | BMW (Brilliance) 6 768 298 |

Application info

BMW 5 (E60, E61) (12/01-12/10)

Control arm **316 050 0019/HD** **MCA0452HD**

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
with rubber mount
Article number of recommended accessori 314 654 0005
Length [mm] 421
Paired article number 316 050 0020/HD | MCA0453HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
reinforced version



References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 348 047 | BMW 31 10 2 348 047 |
| BMW 31 10 4 026 719 | BMW 31 12 4 046 437 |
| BMW 31 12 6 760 183 | BMW 31 12 6 765 995 |
| BMW 31 12 6 774 825 | BMW 4 026 719 |
| BMW 4 046 437 | BMW 6 760 183 |
| BMW 6 765 995 | BMW 6 774 825 |
| BMW (Brilliance) 2 348 047 | BMW (Brilliance) 31 10 2 348 047 |
| BMW (Brilliance) 31 10 4 026 719 | BMW (Brilliance) 31 12 4 046 437 |
| BMW (Brilliance) 31 12 6 760 183 | BMW (Brilliance) 31 12 6 765 995 |
| BMW (Brilliance) 31 12 6 774 825 | BMW (Brilliance) 4 026 719 |
| BMW (Brilliance) 4 046 437 | BMW (Brilliance) 6 760 183 |
| BMW (Brilliance) 6 765 995 | BMW (Brilliance) 6 774 825 |

Application info

BMW 5 (E60, E61) (12/01-12/10)

Control arm


316 050 0020/HD

MCA0453HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
with rubber mount

Article number of recommended accessories 316 654 0005
Length [mm] 421
Paired article number 316 050 0019/HD | MCA0452HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
reinforced version



References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 348 046 | BMW 31 10 2 348 046 |
| BMW 31 10 4 026 720 | BMW 31 12 4 046 438 |
| BMW 31 12 6 760 184 | BMW 31 12 6 765 996 |
| BMW 31 12 6 774 826 | BMW 4 026 720 |
| BMW 4 046 438 | BMW 6 760 184 |
| BMW 6 765 996 | BMW 6 774 826 |
| BMW (Brilliance) 2 348 046 | BMW (Brilliance) 31 10 2 348 046 |
| BMW (Brilliance) 31 10 4 026 720 | BMW (Brilliance) 31 12 4 046 438 |
| BMW (Brilliance) 31 12 6 760 184 | BMW (Brilliance) 31 12 6 765 996 |
| BMW (Brilliance) 31 12 6 774 826 | BMW (Brilliance) 4 026 720 |
| BMW (Brilliance) 4 046 438 | BMW (Brilliance) 6 760 184 |
| BMW (Brilliance) 6 765 996 | BMW (Brilliance) 6 774 826 |

Application info

BMW 5 (E60, E61) (12/01-12/10)

Control arm

316 050 0021

MCA0454

Notes

Aluminium
Control Arm
Front Axle Right
Rear
with rubber mount

Length [mm] 284
Paired article number 316 050 0022 | MCA0455
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 405 860 | BMW 31 12 2 405 860 |
| BMW 31 12 6 763 700 | BMW 31 12 6 770 850 |
| BMW 31 12 6 786 204 | BMW 6 763 700 |
| BMW 6 770 850 | BMW 6 786 204 |
| BMW (Brilliance) 31 12 6 763 700 | BMW (Brilliance) 31 12 6 770 850 |
| BMW (Brilliance) 6 763 700 | BMW (Brilliance) 6 770 850 |

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)	BMW 3 (E90, E91, E92, E93) (02/04-12/13)
BMW X1 (E84) (03/09-06/15)	BMW Z4 (E89) (02/09-08/16)

Control arm		316 050 0022	MCA0455												
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Rear with rubber mount</p> <p>Length [mm] 284 Paired article number 316 050 0021 MCA0454 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended</p>		 													
<p>References</p> <table border="0"> <tr> <td>BMW 2 405 859</td> <td>BMW 31 12 2 405 859</td> </tr> <tr> <td>BMW 31 12 6 763 699</td> <td>BMW 31 12 6 770 849</td> </tr> <tr> <td>BMW 31 12 6 786 203</td> <td>BMW 6 763 699</td> </tr> <tr> <td>BMW 6 770 849</td> <td>BMW 6 786 203</td> </tr> <tr> <td>BMW (Brilliance) 31 12 6 763 699</td> <td>BMW (Brilliance) 31 12 6 770 849</td> </tr> <tr> <td>BMW (Brilliance) 6 763 699</td> <td>BMW (Brilliance) 6 770 849</td> </tr> </table>				BMW 2 405 859	BMW 31 12 2 405 859	BMW 31 12 6 763 699	BMW 31 12 6 770 849	BMW 31 12 6 786 203	BMW 6 763 699	BMW 6 770 849	BMW 6 786 203	BMW (Brilliance) 31 12 6 763 699	BMW (Brilliance) 31 12 6 770 849	BMW (Brilliance) 6 763 699	BMW (Brilliance) 6 770 849
BMW 2 405 859	BMW 31 12 2 405 859														
BMW 31 12 6 763 699	BMW 31 12 6 770 849														
BMW 31 12 6 786 203	BMW 6 763 699														
BMW 6 770 849	BMW 6 786 203														
BMW (Brilliance) 31 12 6 763 699	BMW (Brilliance) 31 12 6 770 849														
BMW (Brilliance) 6 763 699	BMW (Brilliance) 6 770 849														
<p>Application info</p> <table border="0"> <tr> <td>BMW 1 (E81, E82, E87, E88) (02/03-12/13)</td> <td>BMW 3 (E90, E91, E92, E93) (02/04-12/13)</td> </tr> <tr> <td>BMW X1 (E84) (03/09-06/15)</td> <td>BMW Z4 (E89) (02/09-08/16)</td> </tr> </table>				BMW 1 (E81, E82, E87, E88) (02/03-12/13)	BMW 3 (E90, E91, E92, E93) (02/04-12/13)	BMW X1 (E84) (03/09-06/15)	BMW Z4 (E89) (02/09-08/16)								
BMW 1 (E81, E82, E87, E88) (02/03-12/13)	BMW 3 (E90, E91, E92, E93) (02/04-12/13)														
BMW X1 (E84) (03/09-06/15)	BMW Z4 (E89) (02/09-08/16)														
Control arm		316 050 0027/HD	MCA0456HD												
<p>Notes</p> <p>Carbon Neutral Control Arm Front Front Axle Left Steel with rubber mount</p> <p>Article number of recommended accessori 314 654 0012 Length [mm] 444 Paired article number 316 050 0028/HD MCA0457HD Replace in pairs only Required quantity 1 reinforced version</p>		 													

References

BMW 0 363 477	BMW 2 229 523
BMW 3 443 127	BMW 31 10 0 363 477
BMW 31 10 2 229 523	BMW 31 10 3 443 127

Application info

BMW X3 (E83) (01/03-12/11)

Control arm

316 050 0028/HD MCA0457HD

Notes

Carbon Neutral
Control Arm
Front
Front Axle Right
Steel
with rubber mount



Article number of recommended accessories	314 654 0012
Length [mm]	444
Paired article number	316 050 0027/HD MCA0456HD
Replace in pairs only	
Required quantity reinforced version	1

References

BMW 0 363 478	BMW 2 229 523
BMW 3 412 138	BMW 3 443 128
BMW 31 10 0 363 478	BMW 31 10 2 229 523
BMW 31 10 3 412 138	BMW 31 10 3 443 128

Application info

BMW X3 (E83) (01/03-12/11)

Control arm		316 050 0029/HD	MCA0458HD
Notes			
	Aluminium		
	Carbon Neutral		
	Control Arm		
	Front Axle Left		
	Rear		
	with rubber mount		
Article number of recommended accessories	314 654 0013		
Length [mm]	450		
Paired article number	316 050 0030/HD MCA0459HD		
Replace in pairs only			
Required quantity	1		
Thread Size	M14x1,5		
reinforced version			

References	
BMW 1 092 609	BMW 1 092 819
BMW 31 12 1 092 609	BMW 31 12 1 092 819

Application info
BMW 5 (E39) (09/95-06/04)

Control arm		316 050 0030/HD	MCA0459HD
Notes			
	Aluminium		
	Carbon Neutral		
	Control Arm		
	Front Axle Right		
	Rear		
	with rubber mount		
Article number of recommended accessories	314 654 0013		
Length [mm]	450		
Paired article number	316 050 0029/HD MCA0458HD		
Replace in pairs only			
Required quantity	1		
Thread Size	M14x1,5		
reinforced version			

References	
BMW 1 092 610	BMW 1 092 820
BMW 31 12 1 092 610	BMW 31 12 1 092 820

Application info

BMW 5 (E39) (09/95-06/04)

Control arm

316 050 0033/HD

MCA0460HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Right
 Upper
 can be adjusted three times
 with ball joint
 with fastening material
 with rubber mount



Camber correction [min.]

-30

Camber correction [min.]

30

Paired article number

316 050 0034/HD | MCA0461HD

Replace in pairs only

Required quantity

1

reinforced version

References

BMW 31 12 6 776 418

BMW 31 12 6 776 996

BMW 31 12 6 776 998

BMW 31 12 6 863 334

BMW 31 12 6 863 336

BMW 31 12 6 863 786

BMW 6 776 418

BMW 6 776 996

BMW 6 776 998

BMW 6 863 334

BMW 6 863 336

BMW 6 863 786

Application info

BMW X5 (E70) (02/06-07/13)

BMW X5 (F15) (08/13-07/18)

BMW X6 (E71) (06/07-07/14)

BMW X6 (F16) (08/14-07/19)

Control arm **316 050 0034/HD** **MCA0461HD**

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Upper
can be adjusted three times
with ball joint
with fastening material
with rubber mount

Camber correction [min.] -30
Camber correction [min.] 30
Paired article number 316 050 0033/HD | MCA0460HD
Replace in pairs only
Required quantity 1
reinforced version



- References**
- | | |
|---------------------|---------------------|
| BMW 31 12 6 776 417 | BMW 31 12 6 776 995 |
| BMW 31 12 6 776 997 | BMW 31 12 6 863 333 |
| BMW 31 12 6 863 335 | BMW 31 12 6 863 785 |
| BMW 6 776 417 | BMW 6 776 995 |
| BMW 6 776 997 | BMW 6 863 333 |
| BMW 6 863 335 | BMW 6 863 785 |

- Application info**
- | | |
|----------------------------|----------------------------|
| BMW X5 (E70) (02/06-07/13) | BMW X5 (F15) (08/13-07/18) |
| BMW X6 (E71) (06/07-07/14) | BMW X6 (F16) (08/14-07/19) |

Control arm **316 050 0035** **MCA0462**

Notes

Control Arm
Front Axle Right
Lower
Rear
Steel
with rubber mount

Length [mm] 343
Paired article number 316 050 0036 | MCA0463
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

BMW 31 12 6 771 894

BMW 6 771 894

Application info

BMW X5 (E70) (02/06-07/13)

BMW X6 (E71) (06/07-07/14)

Control arm

316 050 0036

MCA0463

Notes

Control Arm
Front Axle Left
Lower
Rear
Steel
with rubber mount

Length [mm]

343

Paired article number

316 050 0035 | MCA0462


Required quantity

1

Thread Size

M14x1,5

replacement in pairs recommended



References

BMW 31 12 6 771 893

BMW 6 771 893

Application info

BMW X5 (E70) (02/06-07/13)

BMW X6 (E71) (06/07-07/14)

Control arm

316 050 0037/HD

MCA0464HD

Notes

Carbon Neutral
Control Arm
Front
Front Axle Right
Lower
Steel
with rubber mount

Article number of recommended accessori

314 654 0006

Length [mm]

414

Paired article number

316 050 0038/HD | MCA0465HD

Replace in pairs only

Required quantity

1

Thread Size

M14x1,5

reinforced version



References

BMW 31 12 6 773 950

BMW 6 773 950

Application info

BMW X5 (E70) (02/06-07/13)

BMW X6 (E71) (06/07-07/14)

Control arm

316 050 0038/HD

MCA0465HD

Notes

Carbon Neutral
Control Arm
Front
Front Axle Left
Lower
Steel
with rubber mount

Article number of recommended accessories 314 654 0006
Length [mm] 414
Paired article number 316 050 0037/HD | MCA0464HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
reinforced version



References

BMW 31 12 6 773 949

BMW 6 773 949

Application info

BMW X5 (E70) (02/06-07/13)

BMW X6 (E71) (06/07-07/14)

Control arm

316 050 0039

MCA0466

Notes

Aluminium
Control Arm
Front
Rear Axle Left
Upper
with rubber mount

Length [mm] 212
Paired article number 316 050 0040 | MCA0467
Required quantity 1
Thread Size M12x1,5
replacement in pairs recommended



References

BMW 33 32 4 046 917	BMW 33 32 6 770 963
BMW 33 32 6 779 387	BMW 33 32 6 795 047
BMW 4 046 917	BMW 6 770 963
BMW 6 779 387	BMW 6 795 047

Application info

BMW X5 (E70) (02/06-07/13)	BMW X5 (F15) (08/13-07/18)
BMW X6 (E71) (06/07-07/14)	BMW X6 (F16) (08/14-07/19)

Control arm

316 050 0040

MCA0467

Notes

Aluminium
Control Arm
Front
Rear Axle Right
Upper
with rubber mount
Length [mm] 212
Paired article number 316 050 0039 | MCA0466
Required quantity 1
Thread Size M12x1,5
replacement in pairs recommended



References

BMW 33 32 4 046 918	BMW 33 32 6 770 964
BMW 33 32 6 779 388	BMW 33 32 6 795 048
BMW 4 046 918	BMW 6 770 964
BMW 6 779 388	BMW 6 795 048

Application info

BMW X5 (E70) (02/06-07/13)	BMW X5 (F15) (08/13-07/18)
BMW X6 (E71) (06/07-07/14)	BMW X6 (F16) (08/14-07/19)

Control arm		316 050 0041	MCA0468
<p>Notes</p> <p>Aluminium Control Arm Rear Rear Axle Left Upper with rubber mount</p> <p>Length [mm] 344 Paired article number 316 050 0042 MCA0469 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended</p>		 	

References	
BMW 33 32 6 770 969	BMW 33 32 6 796 001
BMW 6 770 969	BMW 6 796 001

Application info	
BMW X5 (E70) (02/06-07/13)	BMW X5 (F15) (08/13-07/18)
BMW X6 (E71) (06/07-07/14)	BMW X6 (F16) (08/14-07/19)

Control arm		316 050 0042	MCA0469
<p>Notes</p> <p>Aluminium Control Arm Rear Rear Axle Right Upper with rubber mount</p> <p>Length [mm] 344 Paired article number 316 050 0041 MCA0468 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended</p>		 	

References	
BMW 33 32 6 770 970	BMW 33 32 6 796 002
BMW 6 770 970	BMW 6 796 002

Application info	
BMW X5 (E70) (02/06-07/13)	BMW X5 (F15) (08/13-07/18)
BMW X6 (E71) (06/07-07/14)	BMW X6 (F16) (08/14-07/19)

Control arm

316 050 0044/HD

MCA0470HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Front Axle Right
 Upper
 can be adjusted three times
 with ball joint
 with rubber mount

Camber correction [min.] -30
 Camber correction [min.] 30
 Replace in pairs only
 Required quantity 2
 reinforced version



References

- | | |
|----------------------------------|----------------------------|
| BMW 2 450 817 | BMW 31 12 2 450 817 |
| BMW 31 12 6 775 967 | BMW 31 12 6 779 871 |
| BMW 31 12 6 779 908 | BMW 31 12 6 854 613 |
| BMW 31 12 6 854 614 | BMW 31 12 6 857 516 |
| BMW 6 775 967 | BMW 6 779 871 |
| BMW 6 779 908 | BMW 6 854 613 |
| BMW 6 854 614 | BMW 6 857 516 |
| BMW (Brilliance) 31 12 6 775 967 | BMW (Brilliance) 6 775 967 |

Application info

- | | |
|--------------------------------|--|
| BMW 5 (F07) (01/09-02/17) | BMW 5 (F10, F11) (01/09-02/17) |
| BMW 6 (F12, F13) (12/10-10/18) | BMW 7 (F01, F02, F03, F04) (02/08-12/15) |
| BMW i8 (03/14-06/20) | |

Control arm

316 050 0045

MCA0471

Notes

Control Arm
 Front
 Front Axle Left
 Front Axle Right
 Steel
 Length [mm] 275
 Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended



References

BMW 2 405 863

BMW 31 12 6 768 989

BMW (Brilliance) 31 12 6 768 989

BMW 31 12 2 405 863

BMW 6 768 989

BMW (Brilliance) 6 768 989

Application info

BMW 3 (E90, E91, E92, E93) (02/04-12/13)

BMW X1 (E84) (03/09-06/15)

Control arm

316 050 0046/HD

MCA1149HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Rear
Steel
with fastening material
with rubber mount

Length [mm]

385

Paired article number

316 050 0047/HD | MCA1150HD

Replace in pairs only

Required quantity

1

reinforced version



References

BMW 31 12 6 768 983

BMW (Brilliance) 31 12 6 768 983

BMW 6 768 983

BMW (Brilliance) 6 768 983

Application info

BMW 3 (E90, E91, E92, E93) (02/04-12/13)

BMW X1 (E84) (03/09-06/15)

Control arm		316 050 0047/HD	MCA1150HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Right Rear Steel with fastening material with rubber mount</p> <p>Length [mm] 385</p> <p>Paired article number 316 050 0046/HD MCA1149HD</p> <p>Replace in pairs only</p> <p>Required quantity 1</p> <p>reinforced version</p>			

References			
BMW 31 12 6 768 984		BMW 6 768 984	
BMW (Brilliance) 31 12 6 768 984		BMW (Brilliance) 6 768 984	

Application info			
BMW 3 (E90, E91, E92, E93) (02/04-12/13)		BMW X1 (E84) (03/09-06/15)	

Control arm		316 050 0048	MCA0472
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Lower Rear with rubber mount</p> <p>Length [mm] 306</p> <p>Paired article number 316 050 0049 MCA0473</p> <p>Required quantity 1</p> <p>Thread Size M16x1,5</p> <p>replacement in pairs recommended</p>			

References			
BMW 2 450 813		BMW 31 12 2 450 813	
BMW 31 12 6 794 203		BMW 6 794 203	
BMW (Brilliance) 31 12 6 794 203		BMW (Brilliance) 6 794 203	

Application info			
BMW 5 (F10, F11) (01/09-02/17)		BMW 6 (F12, F13) (12/10-10/18)	

Control arm		316 050 0049	MCA0473
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right Lower Rear with rubber mount</p> <p>Length [mm] 306 Paired article number 316 050 0048 MCA0472 Required quantity 1 Thread Size M16x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 450 814 BMW 31 12 2 450 814 BMW 31 12 6 794 204 BMW 6 794 204</p>			
<p>Application info</p> <p>BMW 5 (F10, F11) (01/09-02/17) BMW 6 (F12, F13) (12/10-10/18)</p>			
Control arm		316 050 0050	MCA0474
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Left Lower with rubber mount</p> <p>Length [mm] 398 Paired article number 316 050 0051 MCA0475 Required quantity 1 Thread Size M16x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 450 815 BMW 31 12 2 450 815 BMW 31 12 6 775 971 BMW 6 775 971 BMW (Brilliance) 31 12 6 775 971 BMW (Brilliance) 6 775 971</p>			
<p>Application info</p> <p>BMW 5 (F10, F11) (01/09-02/17) BMW 6 (F12, F13) (12/10-10/18)</p>			

Control arm		316 050 0051	MCA0475
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Right Lower with rubber mount</p> <p>Length [mm] 398 Paired article number 316 050 0050 MCA0474 Required quantity 1 Thread Size M16x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 450 818 BMW 31 12 2 450 818 BMW 31 12 6 775 972 BMW 6 775 972 BMW (Brilliance) 31 12 6 775 972 BMW (Brilliance) 6 775 972</p>			
<p>Application info</p> <p>BMW 5 (F10, F11) (01/09-02/17) BMW 6 (F12, F13) (12/10-10/18)</p>			
Control arm		316 050 0052	MCA1193
<p>Notes</p> <p>Control Arm Front Axle Left Rear Steel with rubber mount</p> <p>Length [mm] 315 Paired article number 316 050 0053 MCA1194 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 450 843 BMW 31 12 2 450 843 BMW 31 12 6 777 743 BMW 31 12 6 850 605 BMW 6 777 743 BMW 6 850 605</p>			
<p>Application info</p> <p>BMW 5 (F07) (01/09-02/17) BMW 5 (F10, F11) (01/09-02/17) BMW 6 (F12, F13) (12/10-10/18)</p>			

Control arm		316 050 0053	MCA1194
<p>Notes</p> <p>Control Arm Front Axle Right Rear Steel with rubber mount</p> <p>Length [mm] 315 Paired article number 316 050 0052 MCA1193 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 450 844 BMW 31 12 2 450 844 BMW 31 12 6 777 744 BMW 31 12 6 850 606 BMW 6 777 744 BMW 6 850 606</p>			
<p>Application info</p> <p>BMW 5 (F07) (01/09-02/17) BMW 5 (F10, F11) (01/09-02/17) BMW 6 (F12, F13) (12/10-10/18)</p>			
Control arm		316 050 0054	MCA0476
<p>Notes</p> <p>Aluminium Control Arm Rear Axle Left Upper with accessories with rubber mount</p> <p>Length [mm] 306 Paired article number 316 050 0055 MCA0477 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended</p>		 	

References

- | | |
|----------------------------|----------------------------------|
| BMW 1 090 815 | BMW 1 094 209 |
| BMW 2 347 991 | BMW 2 347 993 |
| BMW 33 30 6 772 241 | BMW 33 30 6 773 941 |
| BMW 33 32 1 090 815 | BMW 33 32 1 094 209 |
| BMW 33 32 2 347 991 | BMW 33 32 2 347 993 |
| BMW 33 32 6 758 141 | BMW 33 32 6 759 157 |
| BMW 33 32 6 767 753 | BMW 33 32 6 767 759 |
| BMW 33 32 6 767 831 | BMW 33 32 6 767 967 |
| BMW 33 32 6 768 789 | BMW 33 32 6 769 971 |
| BMW 33 32 6 770 775 | BMW 33 32 6 770 839 |
| BMW 33 32 6 774 793 | BMW 33 32 6 774 841 |
| BMW 33 32 6 777 425 | BMW 6 758 141 |
| BMW 6 759 157 | BMW 6 767 753 |
| BMW 6 767 759 | BMW 6 767 831 |
| BMW 6 767 967 | BMW 6 768 789 |
| BMW 6 769 971 | BMW 6 770 775 |
| BMW 6 770 839 | BMW 6 772 241 |
| BMW 6 773 941 | BMW 6 774 793 |
| BMW 6 774 841 | BMW 6 777 425 |
| BMW (Brilliance) 2 347 991 | BMW (Brilliance) 33 32 2 347 991 |

Application info

- | | |
|--------------------------------|--------------------------------|
| BMW 5 (E39) (09/95-06/04) | BMW 5 (E60, E61) (12/01-12/10) |
| BMW 6 (E63, E64) (09/03-12/10) | BMW 7 (E65, E66) (07/01-12/09) |

Control arm

316 050 0055


MCA0477

Notes

Aluminium
Control Arm
Rear Axle Right
Upper
with accessories
with rubber mount

Length [mm] 306
Paired article number 316 050 0054 | MCA0476
Required quantity 1
Thread Size M14x1,5

replacement in pairs recommended



References

- | | |
|----------------------------|----------------------------------|
| BMW 1 090 816 | BMW 1 094 210 |
| BMW 2 347 990 | BMW 2 347 992 |
| BMW 33 30 6 772 242 | BMW 33 30 6 773 942 |
| BMW 33 32 1 090 816 | BMW 33 32 1 094 210 |
| BMW 33 32 2 347 990 | BMW 33 32 2 347 992 |
| BMW 33 32 6 758 142 | BMW 33 32 6 759 158 |
| BMW 33 32 6 767 754 | BMW 33 32 6 767 760 |
| BMW 33 32 6 767 832 | BMW 33 32 6 767 968 |
| BMW 33 32 6 768 790 | BMW 33 32 6 769 972 |
| BMW 33 32 6 770 776 | BMW 33 32 6 770 840 |
| BMW 33 32 6 774 794 | BMW 33 32 6 774 842 |
| BMW 33 32 6 777 426 | BMW 6 758 142 |
| BMW 6 759 158 | BMW 6 767 754 |
| BMW 6 767 760 | BMW 6 767 832 |
| BMW 6 767 968 | BMW 6 768 790 |
| BMW 6 769 972 | BMW 6 770 776 |
| BMW 6 770 840 | BMW 6 772 242 |
| BMW 6 773 942 | BMW 6 774 794 |
| BMW 6 774 842 | BMW 6 777 426 |
| BMW (Brilliance) 2 347 990 | BMW (Brilliance) 33 32 2 347 990 |

Application info

- | | |
|--------------------------------|--------------------------------|
| BMW 5 (E39) (09/95-06/04) | BMW 5 (E60, E61) (12/01-12/10) |
| BMW 6 (E63, E64) (09/03-12/10) | BMW 7 (E65, E66) (07/01-12/09) |

Control arm

316 050 0056 MCA0478

Notes

Aluminium
Control Arm
Front Axle Left
Rear
with rubber mount
Length [mm] 313
Paired article number 316 050 0057 | MCA0479
Required quantity 1
Thread Size M16x1,5
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| BMW 31 12 6 775 963 | BMW 31 12 6 798 107 |
| BMW 31 12 6 850 781 | BMW 6 775 963 |
| BMW 6 798 107 | BMW 6 850 781 |

Application info

BMW 5 (F07) (01/09-02/17)

BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Control arm

316 050 0057

MCA0479

Notes

Aluminium
Control Arm
Front Axle Right
Rear
with rubber mount

Length [mm] 313
Paired article number 316 050 0056 | MCA0478
Required quantity 1
Thread Size M16x1,5
replacement in pairs recommended



References

BMW 31 12 6 775 964
BMW 31 12 6 850 782
BMW 6 798 108

BMW 31 12 6 798 108
BMW 6 775 964
BMW 6 850 782

Application info

BMW 5 (F07) (01/09-02/17)

BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Control arm

316 050 0058

MCA0790

Notes

Cast Steel
Control Arm
Front Axle Left
Rear
with rubber mount

Length [mm] 295
Paired article number 316 050 0059 | MCA0791
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

BMW 2 457 391
BMW 31 12 2 457 391
BMW 6 787 669

BMW 31 10 6 787 669
BMW 31 12 6 787 669

Application info

BMW X3 (F25) (09/10-08/17)

BMW X4 (F26) (05/13-03/18)

Control arm

316 050 0059

MCA0791

Notes

Cast Steel
Control Arm
Front Axle Right
Rear
with rubber mount

Length [mm]

295

Paired article number

316 050 0058 | MCA0790

Required quantity

1

Thread Size

M14x1,5

replacement in pairs recommended



References

BMW 2 457 392

BMW 31 10 6 787 670

BMW 31 12 2 457 392

BMW 31 12 6 787 670

BMW 6 787 670

Application info

BMW X3 (F25) (09/10-08/17)

BMW X4 (F26) (05/13-03/18)

Control arm

316 050 0060

MCA0480

Notes

Cast Steel
Control Arm
Front
Front Axle Left
with rubber mount

Length [mm]

425

Paired article number

316 050 0061 | MCA0481

Required quantity

1

replacement in pairs recommended



References

BMW 31 10 6 787 673

BMW 6 787 673

Application info

BMW X3 (F25) (09/10-08/17)

BMW X4 (F26) (05/13-03/18)

Control arm		316 050 0061	MCA0481
<p>Notes</p> <p>Cast Steel Control Arm Front Front Axle Right with rubber mount</p> <p>Length [mm] 425 Paired article number 316 050 0060 MCA0480 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 31 10 6 787 674 BMW 6 787 674</p>			
<p>Application info</p> <p>BMW X3 (F25) (09/10-08/17) BMW X4 (F26) (05/13-03/18)</p>			
Control arm		316 050 0062/HD	MCA1238HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Left with rubber mount</p> <p>Article number of recommended accessories 314 654 0022 Length [mm] 402 Paired article number 316 050 0063/HD MCA1239HD Replace in pairs only Required quantity 1 Thread Size M16x1,5 reinforced version</p>		 	
<p>References</p> <p>BMW 31 12 4 083 311 BMW 31 12 6 775 959 BMW 4 083 311 BMW 6 775 959</p>			
<p>Application info</p> <p>BMW 5 (F07) (01/09-02/17) BMW 7 (F01, F02, F03, F04) (02/08-12/15)</p>			

Control arm		316 050 0063/HD	MCA1239HD
Notes			
	Aluminium		
	Carbon Neutral		
	Control Arm		
	Front		
	Front Axle Right		
	with rubber mount		
Article number of recommended accessories	314 654 0021		
Length [mm]	402		
Paired article number	316 050 0062/HD MCA1238HD		
Replace in pairs only			
Required quantity	1		
Thread Size	M16x1,5		
reinforced version			

References	
BMW 31 12 4 083 312	BMW 31 12 6 775 960
BMW 4 083 312	BMW 6 775 960

Application info	
BMW 5 (F07) (01/09-02/17)	BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Control arm		316 050 0066/HD	MCA1151HD
Notes			
	Aluminium		
	Carbon Neutral		
	Control Arm		
	Front Axle Left		
	with fastening material		
	with rubber mount		
Article number of recommended accessories	314 654 0003		
Length [mm]	390		
Paired article number	316 050 0067/HD MCA1152HD		
Replace in pairs only			
Required quantity	1		
Thread Size	M14x1,5		
reinforced version			

References	
BMW 31 12 6 851 259	BMW 31 12 6 855 741
BMW 6 851 259	BMW 6 855 741
BMW (Brilliance) 31 12 6 855 741	BMW (Brilliance) 6 855 741

Application info

BMW 1 (F20, F21) (07/11--)

BMW 3 (F30, F31) (11/11-06/19)

BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)

BMW 3 (F34) (07/12--)

Control arm

316 050 0067/HD

MCA1152HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
with fastening material
with rubber mount

Article number of recommended accessories 314 654 0003
Length [mm] 390
Paired article number 316 050 0066/HD | MCA1151HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
reinforced version



References

BMW 31 12 6 851 260

BMW 6 851 260

BMW (Brilliance) 31 12 6 855 742

BMW 31 12 6 855 742

BMW 6 855 742

BMW (Brilliance) 6 855 742

Application info

BMW 1 (F20, F21) (07/11--)

BMW 3 (F30, F31) (11/11-06/19)

BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)

BMW 3 (F34) (07/12--)

Control arm		316 050 0068/HD	MCA1211HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Left with rubber mount</p> <p>Article number of recommended accessories: 314 654 0007</p> <p>Length [mm]: 385</p> <p>Paired article number: 316 050 0069/HD MCA1212HD</p> <p>Replace in pairs only</p> <p>Required quantity: 1</p> <p>Thread Size: M14x1,5</p> <p>reinforced version</p>			

References			
BMW 31 12 6 854 723		BMW 6 854 723	
BMW (Brilliance) 31 12 6 854 723		BMW (Brilliance) 6 854 723	

Application info			
BMW 1 (F20, F21) (07/11--)		BMW 2 (F22,F23) (10/12--)	
BMW 3 (F30, F31) (11/11-06/19)		BMW 4 (F32, F33, F36) (07/13--)	

Control arm		316 050 0069/HD	MCA1212HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Right with rubber mount</p> <p>Article number of recommended accessories: 314 654 0007</p> <p>Length [mm]: 385</p> <p>Paired article number: 316 050 0068/HD MCA1211HD</p> <p>Replace in pairs only</p> <p>Required quantity: 1</p> <p>Thread Size: M14x1,5</p> <p>reinforced version</p>			

References			
BMW 31 12 6 854 724		BMW 6 854 724	
BMW (Brilliance) 31 12 6 854 724		BMW (Brilliance) 6 854 724	

Application info

BMW 1 (F20, F21) (07/11--)
 BMW 3 (F30, F31) (11/11-06/19)

BMW 2 (F22,F23) (10/12--)
 BMW 4 (F32, F33, F36) (07/13--)

Control arm

316 050 0070

MCA1308

Notes

Control Arm
 Rear
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 Upper

Required quantity
 replacement in pairs recommended



References

BMW 33 32 6 786 981

BMW 6 786 981

Application info

BMW X3 (F25) (09/10-08/17)

BMW X4 (F26) (05/13-03/18)

Control arm

316 050 0071

MCA1305

Notes

Centre
 Control Arm
 Lower
 Rear Axle Left
 Rear Axle Right
 Sheet Steel

Required quantity
 replacement in pairs recommended



References



BMW 33 32 6 795 812

BMW 6 795 812

Application info

BMW X3 (F25) (09/10-08/17)

BMW X4 (F26) (05/13-03/18)

Control arm		316 050 0084	MCA0827
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right Rear with ball joint with rubber mount</p> <p>Paired article number 316 050 0083 MCA0826</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 31 12 6 852 992 BMW 6 852 992</p> <p>BMW (Brilliance) 31 12 6 852 992 BMW (Brilliance) 6 852 992</p>			
<p>Application info</p> <p>BMW 1 (F20, F21) (07/11--)</p> <p>BMW 2 (F22,F23) (10/12--)</p> <p>BMW 3 (F30, F31) (11/11-06/19)</p> <p>BMW 3 (F34) (07/12--)</p> <p>BMW 4 (F32, F33, F36) (07/13--)</p>			
Control arm		316 050 0085/S	MCA1113
<p>Notes</p> <p>Aluminium Control Arm Rear Axle Left Rear Axle Right with fastening material</p> <p>Required quantity 2</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 33 32 6 775 902 BMW 6 775 902</p>			
<p>Application info</p> <p>BMW 5 (F10, F11) (01/09-02/17)</p> <p>BMW 6 (F12, F13) (12/10-10/18)</p> <p>BMW 7 (F01, F02, F03, F04) (02/08-12/15)</p>			

Control arm		316 050 0092	MCA1182
<p>Notes</p> <p>Cast Steel Control Arm Front Axle Right with ball joint</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Mini 2 444 414 Mini 31 12 9 804 432 Mini 9 804 432</p>		<p>Mini 31 12 2 444 414 Mini 31 12 9 806 520 Mini 9 806 520</p>	
<p>Application info</p> <p>Mini Countryman I (08/10-10/16)</p>		<p>Mini Paceman (03/12-10/16)</p>	
Control arm		316 050 0093	MCA1183
<p>Notes</p> <p>Cast Steel Control Arm Front Axle Left with ball joint</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Mini 2 444 415 Mini 31 12 9 804 431 Mini 9 804 431</p>		<p>Mini 31 12 2 444 415 Mini 31 12 9 806 519 Mini 9 806 519</p>	
<p>Application info</p> <p>Mini Countryman I (08/10-10/16)</p>		<p>Mini Paceman (03/12-10/16)</p>	

Control arm		316 050 0094	MCA1146
<p>Notes</p> <p>Aluminium Control Arm Front Lower Rear Axle Left Rear Axle Right with rubber mount</p> <p>Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 32 6 775 683 BMW (Brilliance) 33 32 6 775 683</p>		<p>BMW 6 775 683 BMW (Brilliance) 6 775 683</p>	
<p>Application info</p> <p>BMW 5 (F07) (01/09-02/17) BMW 6 (F12, F13) (12/10-10/18)</p>		<p>BMW 5 (F10, F11) (01/09-02/17) BMW 7 (F01, F02, F03, F04) (02/08-12/15)</p>	
Control arm		316 050 0095/HD	MCA1004HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Left with rubber mount</p> <p>Article number of recommended accessory 314 654 0019 Paired article number 316 050 0096/HD MCA1005HD Replace in pairs only Required quantity reinforced version 1</p>		 	
<p>References</p> <p>BMW 31 10 6 770 685</p>		<p>BMW 6 770 685</p>	
<p>Application info</p> <p>BMW 5 (E60, E61) (12/01-12/10)</p>		<p>Toyota Avensis (T27) (11/08-10/18)</p>	

Control arm


316 050 0096/HD

MCA1005HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
with rubber mount

Article number of recommended accessories: 314 654 0019
Paired article number: 316 050 0095/HD | MCA1004HD
Replace in pairs only
Required quantity: 1
reinforced version



References

BMW 31 10 6 770 686

BMW 6 770 686

Application info

BMW 5 (E60, E61) (12/01-12/10)

Control arm


316 050 0097/HD

MCA1157HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
Lower
with fastening material
with rubber mount

Paired article number: 316 050 0098/HD | MCA1158HD
Replace in pairs only
Required quantity: 1
reinforced version



References

BMW 2 348 049

BMW 31 10 2 348 049

BMW 31 12 4 046 439

BMW 31 12 6 765 997

BMW 31 12 6 774 829

BMW 4 046 439


BMW 6 765 997

BMW 6 774 829

Application info

BMW 6 (E63, E64) (09/03-12/10)

Control arm		316 050 0113	MCA1309
<p>Notes</p> <p>Control Arm Front Axle Left Lower Rear Steel</p> <p>Paired article number 316 050 0114 MCA1310 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 31 12 6 864 821 BMW 6 864 821</p>			
<p>Application info</p> <p>BMW X5 (F15) (08/13-07/18) BMW X6 (F16) (08/14-07/19)</p>			
Control arm		316 050 0114	MCA1310
<p>Notes</p> <p>Control Arm Front Axle Right Lower Rear Steel</p> <p>Paired article number 316 050 0113 MCA1309 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 31 12 6 864 822 BMW 6 864 822</p>			
<p>Application info</p> <p>BMW X5 (F15) (08/13-07/18) BMW X6 (F16) (08/14-07/19)</p>			

Control arm		316 050 0119/HD	MCA1240HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Left Lower with ball joint with rubber mount</p> <p>Article number of recommended accessories 314 654 0023 Paired article number 316 050 0120/HD MCA1241HD Replace in pairs only Required quantity 1 reinforced version</p>			
<p>References</p> <p>BMW 31 12 6 798 253 BMW 6 798 253</p>			
<p>Application info</p> <p>BMW 3 (F34) (07/12--)</p> <p>BMW 4 (F32, F33, F36) (07/13--)</p>			
Control arm		316 050 0120/HD	MCA1241HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Right Lower with ball joint with rubber mount</p> <p>Article number of recommended accessories 314 654 0023 Paired article number 316 050 0119/HD MCA1240HD Replace in pairs only Required quantity 1 reinforced version</p>			
<p>References</p> <p>BMW 31 12 6 798 254 BMW 6 798 254</p>			
<p>Application info</p> <p>BMW 3 (F34) (07/12--)</p> <p>BMW 4 (F32, F33, F36) (07/13--)</p>			


Control arm **316 050 0129** **MCA1228**

Notes

Rear Axle Left
 Rear Axle Right
 Sheet Steel
 Trailing Arm
 Upper

Required quantity
 replacement in pairs recommended

2



References

BMW 33 32 6 851 563
 BMW 33 32 6 884 693
 BMW 6 870 773
 BMW (Brilliance) 33 32 6 870 773
 Mini 33 32 6 851 563
 Mini 33 32 6 884 693
 Mini 6 870 773

BMW 33 32 6 870 773
 BMW 6 851 563
 BMW 6 884 693
 BMW (Brilliance) 6 870 773
 Mini 33 32 6 870 773
 Mini 6 851 563
 Mini 6 884 693

Application info

BMW 1 (F40), 2 Gran Coupe (F44) (07/19--)
 BMW X1 (F48) (11/14--)
 Mini Countryman II (10/16--)

BMW 2 (F45, F46) (11/13--)
 BMW X2 (F39) (11/17--)
 Mini Mini III (09/13--)


Control arm **316 050 0130** **MCA1302**

Notes

Lower
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 Trailing Arm

Required quantity
 replacement in pairs recommended

2



References

BMW 33 32 6 851 569
 BMW (Brilliance) 33 32 6 851 569
 Mini 33 32 6 851 569

BMW 6 851 569
 BMW (Brilliance) 6 851 569
 Mini 6 851 569

Application info

BMW 1 (F40), 2 Gran Coupe (F44) (07/19--)

BMW X1 (F48) (11/14--)

Mini Countryman II (10/16--)

BMW 2 (F45, F46) (11/13--)

BMW X2 (F39) (11/17--)

Mini Mini III (09/13--)

Control arm

316 050 0131/HD

MCA1161HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
Lower
with ball joint
with rubber mount

Paired article number

316 050 0132/HD | MCA1162HD

Replace in pairs only

Required quantity

1

reinforced version



References

BMW 2 450 835

BMW 31 12 4 083 309

BMW 4 083 309

BMW 31 12 2 450 835

BMW 31 12 6 777 733

BMW 6 777 733

Application info

BMW 5 (F10, F11) (01/09-02/17)

BMW 6 (F12, F13) (12/10-10/18)

Control arm

316 050 0132/HD

MCA1162HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
Lower
with ball joint
with rubber mount

Paired article number

316 050 0131 | MCA1161

Paired article number


316 050 0131/HD | MCA1161HD

Replace in pairs only

Required quantity

1

reinforced version



References

BMW 2 450 839 BMW 31 12 2 450 839
 BMW 31 12 4 083 310 BMW 31 12 6 777 734
 BMW 4 083 310 BMW 6 777 734

Application info


BMW 5 (F10, F11) (01/09-02/17) BMW 6 (F12, F13) (12/10-10/18)

Control arm

316 050 0138 MCA1561

Notes

Centre
 Control Arm
 Rear Axle Right
 Sheet Steel
 Upper
 Paired article number 316 050 0139 | MCA1562
 Required quantity 1
 replacement in pairs recommended



References

BMW 33 30 6 878 018 BMW 6 878 018

Application info

BMW X5 (G05) (08/18--)
 BMW X7 (G07) (03/19--)


BMW X6 (G06) (08/19--)

Control arm

316 050 0139 MCA1562

Notes

Centre
 Control Arm
 Rear Axle Left
 Sheet Steel
 Upper
 Paired article number 136 050 0138
 Paired article number 316 050 0138 | MCA1561
 Required quantity 1
 replacement in pairs recommended



References

BMW 33 30 6 878 017 BMW 6 878 017

DRIVER'S BEST FRIEND

MEYLE

Application info

BMW X5 (G05) (08/18--)
BMW X7 (G07) (03/19--)

BMW X6 (G06) (08/19--)

Control arm

316 050 0148


MSR0155

Notes

Centre
Control Arm
Rear
Rear Axle Right
Sheet Steel
with rubber mount

Paired article number
Required quantity
replacement in pairs recommended

316 050 0149 | MSR0156
1



References

BMW 33 32 6 861 126

BMW 6 861 126

Application info

BMW 5 (G30, G31) (09/16--)
BMW 7 (G11, G12) (07/15--)
BMW 8 Gran Coupe (G16) (07/19--)

BMW 6 (G32) (06/17--)
BMW 8 (G15) (07/18--)

Control arm

316 050 0149


MSR0156

Notes

Centre
Control Arm
Rear
Rear Axle Left
Sheet Steel
with rubber mount

Paired article number
Required quantity
replacement in pairs recommended

316 050 0148 | MSR0155
1



References

BMW 33 32 6 861 125



BMW 6 861 125

Application info

BMW 5 (G30, G31) (09/16--)
BMW 7 (G11, G12) (07/15--)
BMW 8 Gran Coupe (G16) (07/19--)

BMW 6 (G32) (06/17--)
BMW 8 (G15) (07/18--)

Control arm		316 050 0150	MCA1520
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Front Axle Right Upper</p> <p>Length [mm] 265.9 Required quantity 2 Width [mm] 237 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 31 10 6 868 530</p>		<p>BMW 6 868 530</p>	
<p>Application info</p> <p>BMW 6 (G32) (06/17--)</p>		<p>BMW 7 (G11, G12) (07/15--)</p>	
Control arm		316 050 0151/HD	MCA1392HD
<p>Notes</p> <p>Aluminium Carbon Neutral Front Axle Left Left Lower Trailing Arm</p> <p>Article number of recommended accessories 314 654 0027 Paired article number Replace in pairs only Required quantity 1</p>		 	
<p>References</p> <p>BMW 31 10 6 861 151</p>		<p>BMW 6 861 151</p>	
<p>Application info</p> <p>BMW 6 (G32) (06/17--)</p>		<p>BMW 7 (G11, G12) (07/15--)</p>	


Control arm		316 050 0152/HD	MCA1393HD
<p>Notes</p> <p>Aluminium Carbon Neutral Front Front Axle Right Lower Trailing Arm</p> <p>Article number of recommended accessori 314 654 0028</p> <p>Paired article number</p> <p>Replace in pairs only</p> <p>Required quantity 1</p>			
<p>References</p> <p>BMW 31 10 6 861 152 BMW 6 861 152</p>			
<p>Application info</p> <p>BMW 6 (G32) (06/17--)</p> <p>BMW 7 (G11, G12) (07/15--)</p>			
Control arm		316 050 0153	MCA1379
<p>Notes</p> <p>Aluminium Front Axle Left Lower Rear Trailing Arm</p> <p>Paired article number 316 050 0154 MCA1380</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 31 10 6 861 169 BMW 6 861 169</p>			
<p>Application info</p> <p>BMW 6 (G32) (06/17--)</p> <p>BMW 7 (G11, G12) (07/15--)</p>			

Control arm		316 050 0156	MCA1350
<p>Notes</p> <p>Aluminium Centre Rear Axle Right Trailing Arm Upper</p> <p>Paired article number 316 050 0155 MCA1349 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 781 470 BMW 33 32 2 781 470 BMW 33 32 6 861 120 BMW 6 861 120</p>			
<p>Application info</p> <p>BMW 5 (G30, G31) (09/16--) BMW 6 (G32) (06/17--)</p>			
Control arm		316 050 0157/HD	MCA1469HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Left Lower</p> <p>Article number of recommended accessori 314 654 0026 Paired article number 316 050 0158/HD MCA1470HD Replace in pairs only Required quantity 1</p>		 	
<p>References</p> <p>BMW 31 10 6 870 977 BMW 31 10 6 890 903 BMW 31 10 6 890 905 BMW 31 10 8 854 989 BMW 31 10 8 854 993 BMW 6 870 977 BMW 6 890 903 BMW 6 890 905 BMW 8 854 989</p>			
<p>Application info</p> <p>BMW X3 (G01) (07/17--) BMW iX3 (09/20--) BMW X4 (G02) (04/18--)</p>			

Control arm 316 050 0158/HD MCA1470HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
Lower
with rubber mount



Article number of recommended accessories: 314 654 0026
Paired article number: 316 050 0157/HD | MCA1469HD
Replace in pairs only
Required quantity: 1

References

- BMW 31 10 6 870 978
- BMW 31 10 6 890 906
- BMW 31 10 8 854 994
- BMW 6 890 904
- BMW 31 10 6 890 904
- BMW 31 10 8 854 990
- BMW 6 870 978
- BMW 6 890 906

Application info

- BMW X3 (G01) (07/17--)
- BMW iX3 (09/20--)
- BMW X4 (G02) (04/18--)

Control arm 316 050 0159/HD MCA1644HD

Notes

Aluminium
Control Arm
Front Axle Left
Lower
Rear
with rubber mount



Article number of recommended accessories: 314 654 0029
Paired article number: 316 050 0160/HD | MCA1645HD
Replace in pairs only
reinforced version

References

- BMW 31 10 6 870 971
- BMW 6 870 971
- BMW 31 10 6 871 467
- BMW 6 871 467

Application info

BMW X3 (G01) (07/17--)
BMW iX3 (09/20--)

BMW X4 (G02) (04/18--)

Control arm


316 050 0160/HD

MCA1645HD

Notes

Aluminium
Control Arm
Front Axle Right
Lower
Rear
with rubber mount

Article number of recommended accessory 314 654 0029
Paired article number 316 050 0159/HD | MCA1644HD
Replace in pairs only



References

BMW 31 10 6 870 972
BMW 6 870 972

BMW 31 10 6 871 468
BMW 6 871 468

Application info

BMW X3 (G01) (07/17--)
BMW iX3 (09/20--)

BMW X4 (G02) (04/18--)

Control arm


316 050 0163

MCA1381

Notes

Aluminium
Control Arm
Front Axle Left
Lower
Rear
outer

Paired article number 316 050 0164 | MCA1382
Required quantity 1
replacement in pairs recommended



References

BMW 31 10 6 861 173

BMW 6 861 173

Application info

BMW 5 (G30, G31) (09/16--)
BMW 7 (G11, G12) (07/15--)

BMW 6 (G32) (06/17--)

Control arm		316 050 0164	MCA1382
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right Lower Rear outer</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 31 10 6 861 174</p>		<p>BMW 6 861 174</p>	
<p>Application info</p> <p>BMW 5 (G30, G31) (09/16--) BMW 7 (G11, G12) (07/15--)</p>		<p>BMW 6 (G32) (06/17--)</p>	
Control arm		316 050 0165/HD	MCA1383HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Left Lower outer</p> <p>Paired article number Replace in pairs only Required quantity</p>		 	
<p>References</p> <p>BMW 31 10 6 861 157</p>		<p>BMW 6 861 157</p>	
<p>Application info</p> <p>BMW 5 (G30, G31) (09/16--) BMW 7 (G11, G12) (07/15--)</p>		<p>BMW 6 (G32) (06/17--)</p>	

Control arm

316 050 0166/HD

MCA1384HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
Lower
outer

Paired article number 316 050 0165/HD | MCA1383HD
Replace in pairs only
Required quantity 1
reinforced version



References

BMW 31 10 6 861 158

BMW 6 861 158

Application info

BMW 5 (G30, G31) (09/16--)
BMW 7 (G11, G12) (07/15--)

BMW 6 (G32) (06/17--)

Control arm


316 050 0167

MCA1385

Notes

Aluminium
Control Arm
Front Axle Left
Lower
Rear

Paired article number 316 050 0168 | MCA1386
Required quantity 1
replacement in pairs recommended



References

BMW 31 10 6 861 181

BMW 6 861 181


Application info

BMW 5 (G30, G31) (09/16--)

Control arm		316 050 0168	MCA1386
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right Lower Rear</p> <p>Paired article number 316 050 0167 MCA1385 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 31 10 6 861 182 BMW 6 861 182</p>			
<p>Application info</p> <p>BMW 5 (G30, G31) (09/16--)</p>			
Control arm		316 050 0169	MCA1372
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Left Lower outer</p> <p>Paired article number 316 050 0170 MCA1373 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 31 10 6 861 165 BMW 6 861 165</p>			
<p>Application info</p> <p>BMW 5 (G30, G31) (09/16--)</p>			


Control arm		316 050 0170	MCA1373
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Right Lower outer</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 31 10 6 861 166</p>		<p>BMW 6 861 166</p>	
<p>Application info</p> <p>BMW 5 (G30, G31) (09/16--)</p>			
Control arm		316 050 0172/HD	MCA1471HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Right Lower with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		 	
<p>References</p> <p>BMW 31 10 6 879 544 BMW 31 10 6 894 662 BMW 6 879 544 BMW 6 894 662</p>		<p>BMW 31 10 6 879 850 BMW 31 10 6 894 676 BMW 6 879 850 BMW 6 894 676</p>	
<p>Application info</p> <p>BMW 3 (G20, G21) (11/18--)</p> <p>BMW 4 (G22, G23, G26) (07/20--)</p>			

Control arm		316 050 0177	MCA1468
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Lower Rear</p> <p>Paired article number 316 050 0176 MCA1467</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 31 10 6 878 081 BMW 6 878 081</p>			
<p>Application info</p> <p>BMW X5 (G05) (08/18--) BMW X7 (G07) (03/19--)</p> <p>BMW X6 (G06) (08/19--) BMW iX (I20) (07/21--)</p>			
Control arm		316 050 0178/HD	MCA1508HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Front Axle Right Lower</p> <p>Paired article number 316 050 0179/HD MCA1509HD</p> <p>Replace in pairs only</p> <p>Required quantity 1</p> <p>reinforced version</p>		 	
<p>References</p> <p>BMW 31 10 6 878 074 BMW 31 10 6 893 550 BMW 6 878 074 BMW 6 893 550</p>			
<p>Application info</p> <p>BMW X5 (G05) (08/18--) BMW X7 (G07) (03/19--)</p> <p>BMW X6 (G06) (08/19--) BMW iX (I20) (07/21--)</p>			

Control arm		316 050 0183	MCA1444
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Left Lower</p> <p>Bore Diameter [mm] 14.2 Length [mm] 397 Paired article number 316 050 0184 MCA1444 Required quantity 1 Thread Size M16x1,5 replacement in pairs recommended</p>			

<p>References</p> <p>BMW 31 10 6 888 765 BMW 6 888 765</p>	
---	--

<p>Application info</p> <p>BMW 5 (G30, G31) (09/16--)</p>		<p>BMW 6 (G32) (06/17--)</p>
--	--	------------------------------

Control arm		316 050 0184	MCA1445
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Right Lower</p> <p>Bore Diameter [mm] 14.2 Length [mm] 397 Paired article number 316 050 0183 MCA1444 Required quantity 1 Thread Size M16x1,5 replacement in pairs recommended</p>			



<p>References</p> <p>BMW 31 10 6 888 766 BMW 6 888 766</p>	
---	--

<p>Application info</p> <p>BMW 5 (G30, G31) (09/16--)</p>		<p>BMW 6 (G32) (06/17--)</p>
--	--	------------------------------

Control arm		316 050 0187	MCA1563
<p>Notes</p> <p>Control Arm Front Rear Axle Left Sheet Steel Upper</p> <p>Paired article number 316 050 0188 MCA1564 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 30 6 871 005 BMW 6 871 005</p>			
<p>Application info</p> <p>BMW X3 (G01) (07/17--) BMW X4 (G02) (04/18--)</p>			
Control arm		316 050 0188	MCA1564
<p>Notes</p> <p>Control Arm Front Rear Axle Right Sheet Steel Upper</p> <p>Paired article number 316 050 0187 MCA1563 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 30 6 871 006 BMW 6 871 006</p>			
<p>Application info</p> <p>BMW X3 (G01) (07/17--) BMW X4 (G02) (04/18--)</p>			

Control arm		316 050 0190	MCA1440
<p>Notes</p> <p>Aluminium Control Arm Rear Rear Axle Right Upper with rubber mount</p> <p>Length [mm] 296 Paired article number 316 050 0191 MCA1441 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 30 6 871 012 BMW 6 871 012</p>			
<p>Application info</p> <p>BMW X3 (G01) (07/17--) BMW X4 (G02) (04/18--)</p>			
Control arm		316 050 0191	MCA1441
<p>Notes</p> <p>Aluminium Centre Control Arm Rear Rear Axle Left Upper with rubber mount</p> <p>Length [mm] 296 Paired article number 316 050 0190 MCA1440 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 30 6 871 011 BMW 6 871 011</p>			
<p>Application info</p> <p>BMW X3 (G01) (07/17--) BMW X4 (G02) (04/18--)</p>			


Control arm		316 050 0194	MCA1633
<p>Notes</p> <p>Front Rear Axle Right Semi-Trailing Arm Sheet Steel Upper</p> <p>Paired article number 316 050 0195 MCA1634 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 32 6 878 632 BMW 6 878 632</p>			
<p>Application info</p> <p>BMW 2 (G42) (08/21--) BMW 4 (G22, G23, G26) (07/20--) BMW i4 (G26) (11/21--)</p> <p>BMW 3 (G20, G21) (11/18--) BMW Z4 Roadster (G29) (11/18--)</p>			
Control arm		316 050 0195	MCA1634
<p>Notes</p> <p>Control Arm Front Rear Axle Left Sheet Steel Upper</p> <p>Paired article number 316 050 0194 MCA1633 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 32 6 878 631 BMW 6 878 631 Toyota 48770-WAA01</p>			
<p>Application info</p> <p>BMW 2 (G42) (08/21--) BMW 4 (G22, G23, G26) (07/20--) BMW i4 (G26) (11/21--)</p> <p>BMW 3 (G20, G21) (11/18--) BMW Z4 Roadster (G29) (11/18--)</p>			


Control arm		316 050 0196	MCA1455
<p>Notes</p> <p>Aluminium Control Arm Rear Rear Axle Right Upper outer</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 30 6 878 022</p>		<p>BMW 6 878 022</p>	
<p>Application info</p> <p>BMW X5 (G05) (08/18--) BMW X7 (G07) (03/19--)</p>		<p>BMW X6 (G06) (08/19--)</p>	
Control arm		316 050 0197	MCA1456
<p>Notes</p> <p>Aluminium Control Arm Rear Rear Axle Left Upper outer</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 30 6 878 021</p>		<p>BMW 6 878 021</p>	
<p>Application info</p> <p>BMW X5 (G05) (08/18--) BMW X7 (G07) (03/19--)</p>		<p>BMW X6 (G06) (08/19--)</p>	

Control arm		316 050 0198	MCA1619
<p>Notes</p> <p>Centre Control Arm Rear Rear Axle Right Sheet Steel</p> <p>Paired article number 316 050 0199 MCA1620 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 30 6 878 030 BMW 6 878 030</p>			
<p>Application info</p> <p>BMW X5 (G05) (08/18--) BMW X7 (G07) (03/19--)</p> <p>BMW X6 (G06) (08/19--)</p>			
Control arm		316 050 0199	MCA1620
<p>Notes</p> <p>Centre Control Arm Rear Rear Axle Left Sheet Steel</p> <p>Paired article number 316 050 0198 MCA1619 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 30 6 878 029 BMW 6 878 029</p>			
<p>Application info</p> <p>BMW X5 (G05) (08/18--) BMW X7 (G07) (03/19--)</p> <p>BMW X6 (G06) (08/19--)</p>			

Control arm		316 050 0200	MCA1459
Notes Aluminium Control Arm Front Axle Right Lower Rear Paired article number 316 050 0201 MCA1460 Required quantity 1 replacement in pairs recommended		 	
References BMW 31 12 6 854 728 BMW 6 854 728 BMW (Brilliance) 31 12 6 854 728 BMW (Brilliance) 6 854 728			
Application info BMW 1 (F20, F21) (07/11--) BMW 3 (F30, F31) (11/11-06/19) BMW 4 (F32, F33, F36) (07/13--) BMW 2 (F22,F23) (10/12--) BMW 3 (F34) (07/12--)			
Control arm		316 050 0201	MCA1460
Notes Aluminium Control Arm Front Axle Left Lower Rear Paired article number 316 050 0200 MCA1459 Required quantity 1 replacement in pairs recommended		 	
References BMW 31 12 6 854 727 BMW 6 854 727 BMW (Brilliance) 31 12 6 854 727 BMW (Brilliance) 6 854 727			
Application info BMW 1 (F20, F21) (07/11--) BMW 3 (F30, F31) (11/11-06/19) BMW 4 (F32, F33, F36) (07/13--) BMW 2 (F22,F23) (10/12--) BMW 3 (F34) (07/12--)			

Control arm		316 050 0202	MCA1595
Notes Control Arm Rear Axle Left Rear Axle Right Sheet Steel Bore Diameter [mm] 12.1 Length [mm] 329.4 Required quantity 2 replacement in pairs recommended		 	
References BMW 33 30 6 878 639 BMW 6 878 639 Toyota 48711-WAA01			
Application info BMW 2 (G42) (08/21--) BMW 4 (G22, G23, G26) (07/20--) Toyota Supra V (_A9_) (03/19--) BMW 3 (G20, G21) (11/18--) BMW Z4 Roadster (G29) (11/18--) 			
Control arm		316 050 0203	MCA1536
Notes Control Arm Rear Axle Left Rear Axle Right Sheet Steel Required quantity 2 replacement in pairs recommended		 	
References BMW 33 30 6 878 037 BMW 6 878 037			
Application info BMW X5 (G05) (08/18--) BMW X7 (G07) (03/19--) BMW X6 (G06) (08/19--) BMW XM (G09) (12/22--) 			

Control arm		316 050 0262	MCA1653
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right Lower Rear</p> <p>Paired article number 316 050 0261 MCA1652 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 283 578 BMW 31 10 2 283 578</p>			
<p>Application info</p> <p>BMW 1 (E81, E82, E87, E88) (02/03-12/13) BMW 3 (E90, E91, E92, E93) (02/04-12/13)</p>			
Control arm		316 050 0263	MCA1656
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Left Lower</p> <p>Paired article number 316 050 0264 MCA1657 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 283 575 BMW 31 10 2 283 575</p>			
<p>Application info</p> <p>BMW 1 (E81, E82, E87, E88) (02/03-12/13) BMW 3 (E90, E91, E92, E93) (02/04-12/13)</p>			

Control arm		316 050 0264	MCA1657
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Right Lower</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>BMW 2 283 576</p>		<p>BMW 31 10 2 283 576</p>	
<p>Application info</p> <p>BMW 1 (E81, E82, E87, E88) (02/03-12/13)</p>		<p>BMW 3 (E90, E91, E92, E93) (02/04-12/13)</p>	
Control arm		316 050 0265	MCA1640
<p>Notes</p> <p>Aluminium Control Arm Front Rear Axle Left Upper</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>BMW 2 283 547</p>		<p>BMW 33 32 2 283 547</p>	
<p>Application info</p> <p>BMW 1 (E81, E82, E87, E88) (02/03-12/13)</p>		<p>BMW 3 (E90, E91, E92, E93) (02/04-12/13)</p>	

Control arm		316 050 0268	MCA1643
<p>Notes</p> <p>Aluminium Centre Control Arm Rear Axle Right Upper</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 283 546</p>		<p>BMW 33 32 2 283 546</p>	
<p>Application info</p> <p>BMW 1 (E81, E82, E87, E88) (02/03-12/13)</p>		<p>BMW 3 (E90, E91, E92, E93) (02/04-12/13)</p>	
Control arm		316 050 0269	MCA1660
<p>Notes</p> <p>Aluminium Control Arm Lower Rear Rear Axle Left Rear Axle Right</p> <p>Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 283 549</p>		<p>BMW 33 32 2 283 549</p>	
<p>Application info</p> <p>BMW 1 (E81, E82, E87, E88) (02/03-12/13)</p>		<p>BMW 3 (E90, E91, E92, E93) (02/04-12/13)</p>	

Control arm

316 050 3601/HD

MCA0483HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Steel
with ball joint

Article number of recommended accessory 314 654 0009
Paired article number 316 050 3602/HD | MCA0484HD
Replace in pairs only
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M14x1,5
reinforced version



References

- | | |
|---------------------|---------------------|
| BMW 1 092 276 | BMW 1 136 530 |
| BMW 1 140 400 | BMW 1 140 958 |
| BMW 2 339 996 | BMW 31 12 1 092 276 |
| BMW 31 12 1 136 530 | BMW 31 12 1 140 400 |
| BMW 31 12 1 140 958 | BMW 31 12 2 339 996 |
| BMW 31 12 6 758 514 | BMW 31 12 6 758 516 |
| BMW 6 758 514 | BMW 6 758 516 |

Application info

BMW 3 (E36) (09/90-08/00) BMW Z3 (E36/7, E36/8) (10/95-06/03)

Control arm

316 050 3602/HD

MCA0484HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Steel
with ball joint

Article number of recommended accessory 314 654 0009
Paired article number 316 050 3601/HD | MCA0483HD
Replace in pairs only
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M14x1,5
reinforced version



References

- | | |
|---------------------|---------------------|
| BMW 1 094 275 | BMW 1 136 529 |
| BMW 1 140 399 | BMW 1 140 957 |
| BMW 2 339 997 | BMW 31 12 1 094 275 |
| BMW 31 12 1 136 529 | BMW 31 12 1 140 399 |
| BMW 31 12 1 140 957 | BMW 31 12 2 339 997 |
| BMW 31 12 6 758 513 | BMW 31 12 6 758 515 |
| BMW 6 758 513 | BMW 6 758 515 |

Application info

- | | |
|---------------------------|-------------------------------------|
| BMW 3 (E36) (09/90-08/00) | BMW Z3 (E36/7, E36/8) (10/95-06/03) |
|---------------------------|-------------------------------------|

Control arm

316 050 3807

MCA0485

Notes

Control Arm
Rear Axle Left
Sheet Steel
Upper
with ball joint
with rubber mount

- | | |
|----------------------------------|------------------------|
| Length [mm] | 306 |
| Paired article number | 316 050 3808 MCA0486 |
| Required quantity | 1 |
| Thread Size | M14x1,5 |
| replacement in pairs recommended | |



References

- | | |
|---------------------|---------------------|
| BMW 1 090 905 | BMW 33 32 1 090 905 |
| BMW 33 32 6 770 059 | BMW 6 770 059 |

Application info

- | | |
|---------------------------|----------------------------|
| BMW 7 (E38) (03/94-11/01) | BMW Z8 (E52) (01/00-12/03) |
|---------------------------|----------------------------|


Control arm		316 050 3808	MCA0486
Notes Control Arm Rear Axle Right Sheet Steel Upper with ball joint with rubber mount Length [mm] 306 Paired article number 316 050 3807 MCA0485 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended		 	
References BMW 1 090 906 BMW 33 32 1 090 906 BMW 33 32 6 770 060 BMW 6 770 060			
Application info BMW 7 (E38) (03/94-11/01) BMW Z8 (E52) (01/00-12/03)			
Control arm		316 050 3901	MCA0487
Notes Aluminium Control Arm Front Axle Left Rear with rubber mount Length [mm] 314 Paired article number 316 050 3902 MCA0488 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended		 	
References BMW 1 093 449 BMW 1 094 233 BMW 2 157 597 BMW 2 341 219 BMW 31 12 1 093 449 BMW 31 12 1 094 233 BMW 31 12 2 157 597 BMW 31 12 2 341 219 BMW 31 12 9 069 568 BMW 9 069 568			
Application info BMW 5 (E39) (09/95-06/04)			

Control arm **316 050 3902** **MCA0488**

Notes

Aluminium
Control Arm
Front Axle Right
Rear
with rubber mount

Length [mm] 314
Paired article number 316 050 3901 | MCA0487
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| BMW 1 093 450 | BMW 1 094 234 |
| BMW 2 157 597 | BMW 2 341 296 |
| BMW 31 12 1 093 450 | BMW 31 12 1 094 234 |
| BMW 31 12 2 157 597 | BMW 31 12 2 341 296 |
| BMW 31 12 9 069 568 | BMW 9 069 568 |

Application info


BMW 5 (E39) (09/95-06/04)

Control arm **316 050 3903/HD** **MCA0489HD**

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Left
with rubber mount

Length [mm] 428
Paired article number 316 050 3904/HD | MCA0490HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
reinforced version



References

- | | |
|---------------------|---------------------|
| BMW 1 092 023 | BMW 1 141 717 |
| BMW 31 12 1 092 023 | BMW 31 12 1 141 717 |

Application info

BMW 5 (E39) (09/95-06/04)

BMW Z8 (E52) (01/00-12/03)

Control arm

316 050 3904/HD

MCA0490HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front
Front Axle Right
with rubber mount

Length [mm]

428

Paired article number

316 050 3903/HD | MCA0489HD

Replace in pairs only


Required quantity

1

Thread Size

M14x1,5

reinforced version



References

BMW 1 092 024

BMW 1 141 718

BMW 31 12 1 092 024

BMW 31 12 1 141 718

Application info

BMW 5 (E39) (09/95-06/04)

BMW Z8 (E52) (01/00-12/03)

Control arm

316 050 4206

MCA0494

Notes

Control Arm
Front Axle Left
Lower
Steel
with rubber mount

Length [mm]

294

Paired article number

316 050 4207 | MCA0495

Required quantity

1

Thread Size

M12x1,5

replacement in pairs recommended



References

BMW 1 123 025

BMW 31 12 1 123 025

Application info

BMW 3 (E21) (06/75-03/84)

Control arm		316 050 4207	MCA0495
<p>Notes</p> <p>Control Arm Front Axle Right Lower Steel with rubber mount</p> <p>Length [mm] 294 Paired article number 316 050 4206 MCA0494 Required quantity 1 Thread Size M12x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 1 123 026 BMW 1 123 027 BMW 31 12 1 123 026 BMW 31 12 1 123 027</p>			
<p>Application info</p> <p>BMW 3 (E21) (06/75-03/84)</p>			
Control arm		316 050 4217	MCA0496
<p>Notes</p> <p>Control Arm Front Front Axle Left Steel with rubber mount</p> <p>Length [mm] 325 Paired article number 316 050 4218 MCA0497 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 1 124 401 BMW 1 131 587 BMW 1 139 991 BMW 31 12 1 124 401 BMW 31 12 1 131 587 BMW 31 12 1 139 991</p>			
<p>Application info</p> <p>BMW 5 (E28) (05/81-12/87) BMW 5 (E34) (02/87-07/96) BMW 6 (E24) (10/75-04/89) BMW 7 (E32) (03/85-10/94)</p>			

Control arm **316 050 4218** **MCA0497**

Notes

Control Arm
 Front
 Front Axle Right
 Steel
 with rubber mount
 Length [mm] 325
 Paired article number 316 050 4217 | MCA0496
 Required quantity 1
 Thread Size M14x1,5
 replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| BMW 1 124 402 | BMW 1 131 582 |
| BMW 1 131 588 | BMW 1 139 992 |
| BMW 31 12 1 124 402 | BMW 31 12 1 131 582 |
| BMW 31 12 1 131 588 | BMW 31 12 1 139 992 |

Application info

- | | |
|---------------------------|---------------------------|
| BMW 5 (E28) (05/81-12/87) | BMW 5 (E34) (02/87-07/96) |
| BMW 6 (E24) (10/75-04/89) | BMW 7 (E32) (03/85-10/94) |

Control arm **316 050 4317/HD** **MCA0500HD**

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Rear
 Steel
 with rubber mount
 Article number of recommended accessories 314 654 0015
 Length [mm] 414
 Paired article number 316 050 4318/HD | MCA0501HD
 Replace in pairs only
 Required quantity 1
 Thread Size M14x1,5
 reinforced version



References

- | | |
|---------------------|---------------------|
| BMW 1 130 089 | BMW 1 130 597 |
| BMW 1 139 999 | BMW 31 12 1 130 089 |
| BMW 31 12 1 130 597 | BMW 31 12 1 139 999 |

Application info

BMW 7 (E32) (03/85-10/94)

BMW 8 (E31) (01/90-12/99)

Control arm

316 050 4318/HD

MCA0501HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Rear
Steel
with rubber mount



Article number of recommended accessories 314 654 0015
Length [mm] 414
Paired article number 316 050 4317/HD | MCA0500HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
reinforced version

References

BMW 1 130 090 BMW 1 130 598
BMW 1 133 490 BMW 1 140 000
BMW 31 12 1 130 090 BMW 31 12 1 130 598
BMW 31 12 1 133 490 BMW 31 12 1 140 000

Application info

BMW 7 (E32) (03/85-10/94)

BMW 8 (E31) (01/90-12/99)

Control arm

316 050 4332/HD

MCA0502HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Rear
Steel
with rubber mount



Article number of recommended accessories 314 654 0016
Length [mm] 388
Paired article number 316 050 4333/HD | MCA0503HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
reinforced version

References

BMW 1 132 159	BMW 1 133 711
BMW 1 141 097	BMW 31 12 1 132 159
BMW 31 12 1 133 711	BMW 31 12 1 141 097

Application info

BMW 5 (E34) (02/87-07/96)

Control arm

316 050 4333/HD

MCA0503HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Rear
Steel
with rubber mount

Article number of recommended accessories 314 654 0016
Length [mm] 388
Paired article number 316 050 4332/HD | MCA0502HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
reinforced version



References

BMW 1 132 160	BMW 1 133 712
BMW 1 141 098	BMW 31 12 1 132 160
BMW 31 12 1 133 712	BMW 31 12 1 141 098

Application info

BMW 5 (E34) (02/87-07/96)

Control arm **316 050 4360** **MCA0504**

Notes

Aluminium
Control Arm
Front
Front Axle Right
with rubber mount

Length [mm] 323
Paired article number 316 050 4361 | MCA0505
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

BMW 1 142 088 BMW 31 12 1 142 088

Application info

BMW 7 (E38) (03/94-11/01)

Control arm **316 050 4361** **MCA0505**

Notes

Aluminium
Control Arm
Front
Front Axle Left
with rubber mount

Length [mm] 323
Paired article number 316 050 4360 | MCA0504
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

BMW 1 142 087 BMW 31 12 1 142 087

Application info

BMW 7 (E38) (03/94-11/01)

Application info

BMW 7 (E38) (03/94-11/01)

Control arm

316 050 4366

MCA0508

Notes

Control Arm
Front Axle Right
Steel
with ball joint

Paired article number 316 050 4367 | MCA0509
Required quantity 1
Thread Size 1 M14x1,5
Thread Size 2 M12x1,5
replacement in pairs recommended



References

BMW 1 127 726

BMW 31 12 1 127 726

Application info

BMW 3 (E30) (09/82-10/94)

BMW Z1 (06/88-06/91)

Control arm

316 050 4367

MCA0509

Notes

Control Arm
Front Axle Left
Steel
with ball joint

Paired article number 316 050 4366 | MCA0508
Required quantity 1
Thread Size 1 M14x1,5
Thread Size 2 M12x1,5
replacement in pairs recommended



References

BMW 1 127 725

BMW 31 12 1 127 725

Application info

BMW 3 (E30) (09/82-10/94)

BMW Z1 (06/88-06/91)

Control arm		316 050 4370	MCA0510
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Right with rubber mount</p> <p>Length [mm] 325 Paired article number 316 050 4371 MCA0511 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 1 133 238 BMW 1 139 988 BMW 31 12 1 133 238 BMW 31 12 1 139 988 BMW 32 21 1 139 988</p>			
<p>Application info</p> <p>BMW 5 (E34) (02/87-07/96) BMW 7 (E32) (03/85-10/94)</p>			
Control arm		316 050 4371	MCA0511
<p>Notes</p> <p>Aluminium Control Arm Front Front Axle Left with rubber mount</p> <p>Length [mm] 325 Paired article number 316 050 4370 MCA0510 Required quantity 1 Thread Size M14x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 1 133 237 BMW 1 139 987 BMW 31 12 1 133 237 BMW 31 12 1 139 987 BMW 32 21 1 139 987</p>			
<p>Application info</p> <p>BMW 5 (E34) (02/87-07/96) BMW 7 (E32) (03/85-10/94)</p>			

Control arm		32-16 050 0088	MCA1517
<p>Notes</p> <p>Control Arm Lower Rear Axle Left Rear Axle Right Sheet Steel</p> <p>Required quantity replacement in pairs recommended</p>		  	
<p>References</p> <p>Mitsubishi 4113A125 Mitsubishi 4113A135 Mitsubishi 4113A136</p>			
<p>Application info</p> <p>Mitsubishi ASX I (11/09--) Mitsubishi Outlander III (11/10--)</p>			
Control arm		32-16 050 0092/HD	MCA1540HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Right Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		  	
<p>References</p> <p>Citroën 16 124 484 80 Citroën 3521.R1 Citroën 3521.V0 Mitsubishi 4013A010 Mitsubishi 4013A218 Mitsubishi 4013A280 Mitsubishi 4013A282 Mitsubishi 4013A428 Mitsubishi 4013A430 Peugeot 16 124 484 80 Peugeot 3521 R1 Peugeot 3521.V0</p>			

Application info

Citroën C-Crosser (02/07--)
 Mitsubishi ASX I (11/09--)
 Mitsubishi Lancer VIII (03/07--)
 Mitsubishi Outlander III (11/10--)
 Peugeot 4008 (05/12--)

Citroën C4 AIRCROSS (08/10--)
 Mitsubishi Lancer VII (03/00-12/13)
 Mitsubishi Outlander II (11/06-12/12)
 Peugeot 4007 (02/07-03/13)

Control arm

32-16 050 0093/HD

MCA1541HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 32-16 050 0092/HD | MCA1540HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Citroën 16 124 483 80
 Citroën 3520.X9
 Mitsubishi 4013A217
 Mitsubishi 4013A281
 Mitsubishi 4013A429
 Peugeot 3520.V0

Citroën 3520.V0
 Mitsubishi 4013A009
 Mitsubishi 4013A279
 Mitsubishi 4013A427
 Peugeot 16 124 483 80
 Peugeot 3520.X9

Application info

Citroën C-Crosser (02/07--)
 Mitsubishi ASX I (11/09--)
 Mitsubishi Lancer VIII (03/07--)
 Mitsubishi Outlander III (11/10--)
 Peugeot 4008 (05/12--)

Citroën C4 AIRCROSS (08/10--)
 Mitsubishi Lancer VII (03/00-12/13)
 Mitsubishi Outlander II (11/06-12/12)
 Peugeot 4007 (02/07-03/13)

Control arm **33-16 050 0006** **MCA0546**

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount
 Paired article number 33-16 050 0007 | MCA0547
 Required quantity 1
 replacement in pairs recommended



References

Fiat 71742731	Fiat 71750149
Fiat 71768163	Suzuki 45201-54L00
Suzuki 45201-54L20	Suzuki 45201-79J00
Suzuki 45201-79J00-000	

Application info

Fiat Sedici (06/06-10/14)	Suzuki SX4 (06/06--)
---------------------------	----------------------

Control arm **33-16 050 0007** **MCA0547**

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount
 Paired article number 33-16 050 0006 | MCA0546
 Required quantity 1
 replacement in pairs recommended



References

Fiat 71742732	Fiat 71750211
Fiat 71768151	Suzuki 45202-54L00
Suzuki 45202-54L20	Suzuki 45202-79J00
Suzuki 45202-79J00-000	

Application info

Fiat Sedici (06/06-10/14)	Suzuki SX4 (06/06--)
---------------------------	----------------------

References

- | | |
|--------------------|--------------------|
| Mazda B32H-34 300 | Mazda B32H-34-300A |
| Mazda B32H-34-300B | Mazda B32H-34-300C |
| Mazda B32H-34-300D | Mazda B32H-34-300E |
| Mazda B37F-34-300A | Mazda B37F-34-300B |
| Mazda BP4K-34 300A | Mazda BP4K-34 300B |
| Mazda BP4K-34-300D | Mazda C513-34-300 |
| Mazda CC30-34 300A | Mazda CC30-34 300B |
| Mazda CC30-34 300C | Mazda CC30-34 300D |
| Mazda CC30-34 300E | Mazda CD99-34-300A |

Application info

- | | |
|----------------------------|----------------------------|
| Mazda 3 (BK) (09/99-12/09) | Mazda 5 (CR) (02/05-12/10) |
| Mazda 5 (CW) (06/10--) | |

Control arm

35-16 050 0061/HD

MCA0579HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

- Paired article number 35-16 050 0060/HD | MCA0578HD
- Replace in pairs only
- Required quantity 1



References

- | | |
|--------------------|--------------------|
| Mazda B32H-34 350 | Mazda B32H-34 350E |
| Mazda B32H-34-350A | Mazda B32H-34-350B |
| Mazda B32H-34-350C | Mazda B32H-34-350D |
| Mazda B37F-34-350A | Mazda B37F-34-350B |
| Mazda BP4K-34 350A | Mazda BP4K-34 350B |
| Mazda BP4K-34-350C | Mazda BP4K-34-350D |
| Mazda BP4K-34-350E | Mazda C513-34-350 |
| Mazda CC30-34 350A | Mazda CC30-34 350B |
| Mazda CC30-34 350C | Mazda CC30-34 350D |
| Mazda CC30-34 350E | Mazda CD99-34-350A |

Application info

- | | |
|----------------------------|----------------------------|
| Mazda 3 (BK) (09/99-12/09) | Mazda 5 (CR) (02/05-12/10) |
| Mazda 5 (CW) (06/10--) | |

Control arm		35-16 050 0099	MCA1387
<p>Notes</p> <p>Control Arm Front Axle Left Lower Sheet Steel</p> <p>Paired article number 35-16 050 0100 MCA1388</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mazda D10E-34-350 Mazda D10E-34-350A</p> <p>Mazda D10E-34-350B</p>			
<p>Application info</p> <p>Mazda CX-3 (DK) (01/15--)</p>			
Control arm		35-16 050 0100	MCA1388
<p>Notes</p> <p>Control Arm Front Axle Right Lower Sheet Steel</p> <p>Paired article number 35-16 050 0099 MCA1387</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mazda D10E-34-300 Mazda D10E-34-300A</p> <p>Mazda D10E-34-300B</p>			
<p>Application info</p> <p>Mazda CX-3 (DK) (01/15--)</p>			

Control arm

35-16 050 0101

MCA1409

Notes

Front
Lower
Rear Axle Left
Rear Axle Right
Sheet Steel
Trailing Arm

Required quantity
replacement in pairs recommended



References

Mazda KD35-28-500

Application info

Mazda CX-5 I (KE) (11/11-02/17)

Control arm

36-16 050 0007/HD

MCA0586HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Sheet Steel
with ball joint
with rubber mount

Paired article number
Replace in pairs only
Required quantity
reinforced version

36-16 050 0008/HD | MCA0587HD
1



References

Nissan 54501-BB00A
Nissan 54501-JD000
Nissan 54501-JG00A
Renault 54501JY00A

Nissan 54501-BR30A
Nissan 54501-JG000
Nissan 54501-JG00B
Renault 545055212R

Application info

Nissan Qashqai I (J10_) (12/06-04/14)
Renault Koleos I (09/08--)

Nissan X-Trail (T31) (03/07-12/18)

Control arm		36-16 050 0046	MCA0596
<p>Notes</p> <p>Control Arm Front Axle Right Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number 36-16 050 0045 MCA0595 Required quantity 1 Thread Size M12x1,25 replacement in pairs recommended</p>		  	
<p>References</p> <p>Nissan 54500-44B00 Nissan 54500-4F102 Nissan 54500-4F105 Nissan 54500-4F150</p>			
<p>Application info</p> <p>Nissan Micra (K11) (01/92-12/07)</p>			
Control arm		36-16 050 0059/HD	MCA0806HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Left Sheet Steel for left-hand drive vehicles for right-hand drive vehicles with ball joint with rubber mount</p> <p>Paired article number 36-16 050 0060/HD MCA0807HD Replace in pairs only Required quantity 1 reinforced version</p>		  	
<p>References</p> <p>Nissan 54501-1KA0A Nissan 54501-1KA0B Nissan 54501-1KA1B Nissan 54501-1KK0A Nissan 54501-5SN1A Nissan 54501-BA60A</p>			
<p>Application info</p> <p>Nissan Juke (F15) (06/10--) Nissan Leaf I (ZE0) (11/10--)</p>			

Control arm		36-16 050 0094	MCA1164
<p>Notes</p> <p>Control Arm Front Axle Left Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Nissan 54501-1HA0C Nissan 54501-1HA5D Nissan 54501-1HA7A</p>		<p>Nissan 54501-1HA5A Nissan 54501-1HA6A Nissan 545013VU0A</p>	
<p>Application info</p> <p>Nissan Micra (K13) (05/10--)</p>		<p>Nissan Note II (09/12--)</p>	
Control arm		36-16 050 0098	MCA1178
<p>Notes</p> <p>Control Arm Front Axle Right Lower Sheet Steel outer</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Nissan 54500-4EA0B</p>		<p>Renault 545004EA0B</p>	
<p>Application info</p> <p>Nissan Qashqai II (J11_) (11/13--)</p>		<p>Renault Kadjar (06/15--)</p>	

Control arm

36-16 050 0099

MCA1179

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
outer

Paired article number 36-16 050 0098 | MCA1178
Required quantity 1
replacement in pairs recommended



References

Nissan 54501-4EA0B Renault 545014EA0B

Application info

Nissan Qashqai II (J11_) (11/13--)
Renault Kadjar (06/15--)

Control arm

37-16 050 0069

MCA1290

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel

Paired article number 37-16 050 0070 | MCA1291
Required quantity 1
replacement in pairs recommended



References

Hyundai 54500-J9000

Application info

Hyundai Kona I (06/17--)

Control arm

37-16 050 0070

MCA1291

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel

Paired article number 37-16 050 0069 | MCA1290
Required quantity 1
replacement in pairs recommended



References

Hyundai 54501-J9000

Application info

Hyundai Kona I (06/17--)

Control arm

37-16 050 0083/HD

MCA1524HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
for left-hand drive vehicles
for right-hand drive vehicles

Length [mm] 348
Paired article number 37-16 050 0084/HD | MCA1525HD
Replace in pairs only
Required quantity 1
Width [mm] 298.7
reinforced version



References

Kia 54500-H8000

Application info

Kia Rio IV (01/17--)

Control arm**37-16 050 0098****MCA1408****Notes**

Control Arm
Rear
Rear Axle Left
Rear Axle Right
Sheet Steel
Upper
outer

Required quantity
replacement in pairs recommended

2

**References**

Hyundai 55100-2S050
Kia 55100 2S050

Hyundai 55100-3R050
Kia 55100 3R050

Application info

Hyundai Grandeur V (01/11--)
Hyundai Sonata VI (06/09-12/15)
Hyundai ix35 (08/09--)
Kia Sorento II (06/09--)

Hyundai Santa Fé III (09/12--)
Hyundai Tucson I (06/04--)
Kia Optima (01/10--)
Kia Sportage III (09/09--)

Control arm set**316 050 0000/HD****MCK0015HD****Notes**

Aluminium
Carbon Neutral
Front Axle Left
Front Axle Right
Pre-assembled
with ball joint
with holder

Required quantity
reinforced version

1

**References**

The references of this product can be found at www.meyle.com

Application info

BMW 3 (E46) (12/97-12/07)
BMW Z4 (E86) (03/06-01/09)

BMW Z4 (E85) (09/02-12/09)

Control arm set

316 050 0023/HD

MCK0016HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Pre-assembled
 Steel
 with ball joint
 with holder

Required quantity
 reinforced version

1



References

- BMW 1 092 276
- BMW 1 136 529
- BMW 1 140 399
- BMW 1 140 957
- BMW 2 339 996
- BMW 31 12 1 092 276
- BMW 31 12 1 136 529
- BMW 31 12 1 140 399
- BMW 31 12 1 140 957
- BMW 31 12 2 339 996
- BMW 31 12 6 758 513
- BMW 31 12 6 758 515
- BMW 6 758 513
- BMW 6 758 515

- BMW 1 094 275
- BMW 1 136 530
- BMW 1 140 400
- BMW 1 140 958
- BMW 2 339 997
- BMW 31 12 1 094 275
- BMW 31 12 1 136 530
- BMW 31 12 1 140 400
- BMW 31 12 1 140 958
- BMW 31 12 2 339 997
- BMW 31 12 6 758 514
- BMW 31 12 6 758 516
- BMW 6 758 514
- BMW 6 758 516

Application info

BMW 3 (E36) (09/90-08/00)

BMW Z3 (E36/7, E36/8) (10/95-06/03)

Control arm set

316 050 0080/HD


MCK0031HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 with accessories

Full Set
 Required quantity
 reinforced version

1



References

- | | |
|----------------------------------|----------------------------------|
| BMW 31 12 6 775 967 | BMW 31 12 6 775 971 |
| BMW 31 12 6 775 972 | BMW 31 12 6 779 871 |
| BMW 31 12 6 779 908 | BMW 31 12 6 794 203 |
| BMW 31 12 6 794 204 | BMW 31 12 6 854 613 |
| BMW 31 12 6 854 614 | BMW 31 12 6 857 516 |
| BMW 6 775 967 | BMW 6 775 971 |
| BMW 6 775 972 | BMW 6 779 871 |
| BMW 6 779 908 | BMW 6 794 203 |
| BMW 6 794 204 | BMW 6 854 613 |
| BMW 6 854 614 | BMW 6 857 516 |
| BMW (Brilliance) 31 12 6 775 967 | BMW (Brilliance) 31 12 6 775 971 |
| BMW (Brilliance) 31 12 6 775 972 | BMW (Brilliance) 31 12 6 794 203 |
| BMW (Brilliance) 6 775 967 | BMW (Brilliance) 6 775 971 |
| BMW (Brilliance) 6 775 972 | BMW (Brilliance) 6 794 203 |

Application info

- | | |
|--------------------------------|--------------------------------|
| BMW 5 (F10, F11) (01/09-02/17) | BMW 6 (F12, F13) (12/10-10/18) |
|--------------------------------|--------------------------------|

Control arm set

316 050 0101/HD


MCK0032HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with accessories

Full Set
Required quantity
reinforced version

1



References

BMW 31 12 4 036 269
 BMW 31 12 6 763 699
 BMW 31 12 6 763 703
 BMW 31 12 6 763 707
 BMW 31 12 6 769 797
 BMW 31 12 6 769 801
 BMW 31 12 6 770 849
 BMW 4 036 269
 BMW 6 763 699
 BMW 6 763 703
 BMW 6 763 707
 BMW 6 769 797
 BMW 6 769 801
 BMW 6 770 849
 BMW (Brilliance) 31 12 4 036 269
 BMW (Brilliance) 31 12 6 763 699
 BMW (Brilliance) 31 12 6 763 703
 BMW (Brilliance) 31 12 6 763 707
 BMW (Brilliance) 31 12 6 769 797
 BMW (Brilliance) 31 12 6 769 801
 BMW (Brilliance) 31 12 6 770 849
 BMW (Brilliance) 4 036 269
 BMW (Brilliance) 6 763 699
 BMW (Brilliance) 6 763 703
 BMW (Brilliance) 6 763 707
 BMW (Brilliance) 6 769 797
 BMW (Brilliance) 6 769 801
 BMW (Brilliance) 6 770 849

BMW 31 12 4 036 270
 BMW 31 12 6 763 700
 BMW 31 12 6 763 704
 BMW 31 12 6 763 708
 BMW 31 12 6 769 798
 BMW 31 12 6 769 802
 BMW 31 12 6 770 850
 BMW 4 036 270
 BMW 6 763 700
 BMW 6 763 704
 BMW 6 763 708
 BMW 6 769 798
 BMW 6 769 802
 BMW 6 770 850
 BMW (Brilliance) 31 12 4 036 270
 BMW (Brilliance) 31 12 6 763 700
 BMW (Brilliance) 31 12 6 763 704
 BMW (Brilliance) 31 12 6 763 708
 BMW (Brilliance) 31 12 6 769 798
 BMW (Brilliance) 31 12 6 769 802
 BMW (Brilliance) 31 12 6 770 850
 BMW (Brilliance) 4 036 270
 BMW (Brilliance) 6 763 700
 BMW (Brilliance) 6 763 704
 BMW (Brilliance) 6 763 708
 BMW (Brilliance) 6 769 798
 BMW (Brilliance) 6 769 802
 BMW (Brilliance) 6 770 850

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)
 BMW X1 (E84) (03/09-06/15)

BMW 3 (E90, E91, E92, E93) (02/04-12/13)
 BMW Z4 (E89) (02/09-08/16)

Control arm set

316 050 0103/HD

MCK0033HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with accessories

Full Set
Required quantity
reinforced version

1



References

- | | |
|---------------------|---------------------|
| BMW 1 092 023 | BMW 1 092 024 |
| BMW 1 093 449 | BMW 1 093 450 |
| BMW 1 094 233 | BMW 1 094 234 |
| BMW 1 141 717 | BMW 1 141 718 |
| BMW 2 157 597 | BMW 2 341 219 |
| BMW 2 341 296 | BMW 31 12 1 092 023 |
| BMW 31 12 1 092 024 | BMW 31 12 1 093 449 |
| BMW 31 12 1 093 450 | BMW 31 12 1 094 233 |
| BMW 31 12 1 094 234 | BMW 31 12 1 141 717 |
| BMW 31 12 1 141 718 | BMW 31 12 2 157 597 |
| BMW 31 12 2 341 219 | BMW 31 12 2 341 296 |
| BMW 31 12 9 069 568 | BMW 9 069 568 |

Application info

BMW 5 (E39) (09/95-06/04)

Control arm set

316 050 0104/HD

MCK0034HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with accessories

Full Set
Required quantity
reinforced version

1



References

BMW 2 348 046	BMW 2 348 047
BMW 31 10 2 348 046	BMW 31 10 2 348 047
BMW 31 10 4 026 719	BMW 31 10 4 026 720
BMW 31 12 4 028 607	BMW 31 12 4 028 608
BMW 31 12 4 046 437	BMW 31 12 4 046 438
BMW 31 12 6 760 181	BMW 31 12 6 760 182
BMW 31 12 6 760 183	BMW 31 12 6 760 184
BMW 31 12 6 765 995	BMW 31 12 6 765 996
BMW 31 12 6 768 297	BMW 31 12 6 768 298
BMW 31 12 6 774 825	BMW 31 12 6 774 826
BMW 4 026 719	BMW 4 026 720
BMW 4 028 607	BMW 4 028 608
BMW 4 046 437	BMW 4 046 438
BMW 6 760 181	BMW 6 760 182
BMW 6 760 183	BMW 6 760 184
BMW 6 765 995	BMW 6 765 996
BMW 6 768 297	BMW 6 768 298
BMW 6 774 825	BMW 6 774 826
BMW (Brilliance) 2 348 046	BMW (Brilliance) 2 348 047
BMW (Brilliance) 31 10 2 348 046	BMW (Brilliance) 31 10 2 348 047
BMW (Brilliance) 31 10 4 026 719	BMW (Brilliance) 31 10 4 026 720
BMW (Brilliance) 31 12 4 046 437	BMW (Brilliance) 31 12 4 046 438
BMW (Brilliance) 31 12 6 760 181	BMW (Brilliance) 31 12 6 760 182
BMW (Brilliance) 31 12 6 760 183	BMW (Brilliance) 31 12 6 760 184
BMW (Brilliance) 31 12 6 765 995	BMW (Brilliance) 31 12 6 765 996
BMW (Brilliance) 31 12 6 768 297	BMW (Brilliance) 31 12 6 768 298
BMW (Brilliance) 31 12 6 774 825	BMW (Brilliance) 31 12 6 774 826
BMW (Brilliance) 4 026 719	BMW (Brilliance) 4 026 720
BMW (Brilliance) 4 046 437	BMW (Brilliance) 4 046 438
BMW (Brilliance) 6 760 181	BMW (Brilliance) 6 760 182
BMW (Brilliance) 6 760 183	BMW (Brilliance) 6 760 184
BMW (Brilliance) 6 765 995	BMW (Brilliance) 6 765 996
BMW (Brilliance) 6 768 297	BMW (Brilliance) 6 768 298
BMW (Brilliance) 6 774 825	BMW (Brilliance) 6 774 826

Application info

BMW 5 (E60, E61) (12/01-12/10)

Control arm set

316 050 0105/HD


MCK0035HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with accessories

Full Set
Required quantity
reinforced version

1



References

- | | |
|---------------------|---------------------|
| BMW 2 347 983 | BMW 2 347 984 |
| BMW 2 347 985 | BMW 2 347 986 |
| BMW 31 12 2 347 983 | BMW 31 12 2 347 984 |
| BMW 31 12 2 347 985 | BMW 31 12 2 347 986 |
| BMW 31 12 4 026 453 | BMW 31 12 4 026 454 |
| BMW 31 12 4 046 441 | BMW 31 12 4 046 442 |
| BMW 31 12 6 755 835 | BMW 31 12 6 755 836 |
| BMW 31 12 6 756 101 | BMW 31 12 6 756 102 |
| BMW 31 12 6 760 519 | BMW 31 12 6 760 520 |
| BMW 31 12 6 765 993 | BMW 31 12 6 765 994 |
| BMW 31 12 6 770 121 | BMW 31 12 6 770 122 |
| BMW 31 12 6 770 771 | BMW 31 12 6 770 772 |
| BMW 31 12 6 770 837 | BMW 31 12 6 770 838 |
| BMW 31 12 6 774 831 | BMW 31 12 6 774 832 |
| BMW 31 12 6 777 937 | BMW 31 12 6 777 938 |
| BMW 31 12 6 777 939 | BMW 31 12 6 777 940 |
| BMW 4 026 453 | BMW 4 026 454 |
| BMW 4 046 441 | BMW 4 046 442 |
| BMW 6 755 835 | BMW 6 755 836 |
| BMW 6 756 101 | BMW 6 756 102 |
| BMW 6 760 519 | BMW 6 760 520 |
| BMW 6 765 993 | BMW 6 765 994 |
| BMW 6 770 121 | BMW 6 770 122 |
| BMW 6 770 771 | BMW 6 770 772 |
| BMW 6 770 837 | BMW 6 770 838 |
| BMW 6 774 831 | BMW 6 774 832 |
| BMW 6 777 937 | BMW 6 777 938 |
| BMW 6 777 939 | BMW 6 777 940 |

Application info

BMW 7 (E65, E66) (07/01-12/09)

Control arm set

316 050 0106/HD

MCK0036HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with accessories

Full Set

Required quantity
reinforced version

1



References

- BMW 1 096 169
- BMW 1 096 315
- BMW 31 12 1 096 169
- BMW 31 12 1 096 315
- BMW 31 12 6 760 275
- BMW 31 12 6 769 717
- BMW 6 760 275
- BMW 6 769 717

- BMW 1 096 170
- BMW 1 096 316
- BMW 31 12 1 096 170
- BMW 31 12 1 096 316
- BMW 31 12 6 760 276
- BMW 31 12 6 769 718
- BMW 6 760 276
- BMW 6 769 718

Application info

BMW X5 (E53) (01/00-12/06)

Control arm set

316 050 0107/HD

MCK0037HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with accessories

Full Set

Required quantity
reinforced version

1



References

- | | |
|---------------------|---------------------|
| BMW 0 360 275 | BMW 0 363 477 |
| BMW 0 363 478 | BMW 2 229 521 |
| BMW 2 229 522 | BMW 2 229 523 |
| BMW 3 412 135 | BMW 3 412 136 |
| BMW 3 412 138 | BMW 3 415 027 |
| BMW 3 415 028 | BMW 3 418 337 |
| BMW 3 418 338 | BMW 3 426 433 |
| BMW 3 426 434 | BMW 3 443 127 |
| BMW 3 443 128 | BMW 3 451 881 |
| BMW 3 451 882 | BMW 31 10 0 363 477 |
| BMW 31 10 0 363 478 | BMW 31 10 2 229 523 |
| BMW 31 10 3 412 135 | BMW 31 10 3 412 136 |
| BMW 31 10 3 412 138 | BMW 31 10 3 415 027 |
| BMW 31 10 3 415 028 | BMW 31 10 3 418 337 |
| BMW 31 10 3 418 338 | BMW 31 10 3 426 433 |
| BMW 31 10 3 426 434 | BMW 31 10 3 443 127 |
| BMW 31 10 3 443 128 | BMW 31 10 3 451 881 |
| BMW 31 10 3 451 882 | BMW 31 12 0 360 275 |
| BMW 31 12 2 229 521 | BMW 31 12 2 229 522 |

Application info

BMW X3 (E83) (01/03-12/11)

Control arm set

316 050 0109/HD

MCK0052HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 with attachment material

Full Set

Required quantity
 reinforced version

1



References

BMW 31 12 6 771 893	BMW 31 12 6 771 894
BMW 31 12 6 773 949	BMW 31 12 6 773 950
BMW 31 12 6 776 417	BMW 31 12 6 776 418
BMW 31 12 6 863 333	BMW 31 12 6 863 334
BMW 31 12 6 863 335	BMW 31 12 6 863 336
BMW 31 12 6 863 785	BMW 31 12 6 863 786
BMW 6 771 893	BMW 6 771 894
BMW 6 773 949	BMW 6 773 950
BMW 6 776 417	BMW 6 776 418
BMW 6 863 333	BMW 6 863 334
BMW 6 863 335	BMW 6 863 336
BMW 6 863 785	BMW 6 863 786

Application info

BMW X5 (E70) (02/06-07/13)	BMW X6 (E71) (06/07-07/14)
----------------------------	----------------------------

Control arm set

316 050 0110/HD

MCK0059HD


Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 for vehicles with Adaptive Drive

Full Set

Required quantity
 reinforced version

1



References

BMW 31 12 6 851 259
 BMW 31 12 6 852 991
 BMW 31 12 6 855 741
 BMW 31 30 6 792 211
 BMW 6 792 211
 BMW 6 851 259
 BMW 6 852 991
 BMW 6 855 741
 BMW (Brilliance) 31 12 6 851 259
 BMW (Brilliance) 31 12 6 852 991
 BMW (Brilliance) 31 12 6 855 741
 BMW (Brilliance) 31 30 6 792 211
 BMW (Brilliance) 6 792 211
 BMW (Brilliance) 6 851 259
 BMW (Brilliance) 6 852 991
 BMW (Brilliance) 6 855 741

BMW 31 12 6 851 260
 BMW 31 12 6 852 992
 BMW 31 12 6 855 742
 BMW 31 30 6 792 212
 BMW 6 792 212
 BMW 6 851 260
 BMW 6 852 992
 BMW 6 855 742
 BMW (Brilliance) 31 12 6 851 260
 BMW (Brilliance) 31 12 6 852 992
 BMW (Brilliance) 31 12 6 855 742
 BMW (Brilliance) 31 30 6 792 212
 BMW (Brilliance) 6 792 212
 BMW (Brilliance) 6 851 260
 BMW (Brilliance) 6 852 992
 BMW (Brilliance) 6 855 742

Application info

BMW 1 (F20, F21) (07/11--)
 BMW 3 (F30, F31) (11/11-06/19)
 BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)
 BMW 3 (F34) (07/12--)

Control arm set

316 050 0135/HD

MCK0056HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Front Axle Right
 with ball joint
 with rubber mount

Required quantity
 reinforced version

1



References

- | | |
|----------------------|----------------------|
| BMW 2 785 113 | BMW 2 785 114 |
| BMW 31 12 2 785 113 | BMW 31 12 2 785 114 |
| BMW 31 12 6 851 203 | BMW 31 12 6 851 204 |
| BMW 31 12 6 871 301 | BMW 31 12 6 871 302 |
| BMW 31 12 6 879 843 | BMW 31 12 6 879 844 |
| BMW 6 851 203 | BMW 6 851 204 |
| BMW 6 871 301 | BMW 6 871 302 |
| BMW 6 879 843 | BMW 6 879 844 |
| Mini 2 785 113 | Mini 2 785 114 |
| Mini 31 12 2 785 113 | Mini 31 12 2 785 114 |
| Mini 31 12 6 851 203 | Mini 31 12 6 851 204 |
| Mini 31 12 6 871 301 | Mini 31 12 6 871 302 |
| Mini 31 12 6 879 843 | Mini 31 12 6 879 844 |
| Mini 6 851 203 | Mini 6 851 204 |
| Mini 6 871 301 | Mini 6 871 302 |
| Mini 6 879 843 | Mini 6 879 844 |

Application info

- | | |
|---|----------------------------|
| BMW 1 (F40), 2 Gran Coupe (F44) (07/19--) | BMW 2 (F45, F46) (11/13--) |
| BMW X1 (F48) (11/14--) | BMW X2 (F39) (11/17--) |
| Mini Countryman II (10/16--) | Mini Mini III (09/13--) |

Control arm set

316 050 0136/HD

MCK0057HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Front Axle Right
with ball joint
with rubber mount

Required quantity
reinforced version

1



References

- | | |
|----------------------|----------------------|
| Mini 2 785 111 | Mini 2 785 112 |
| Mini 31 12 2 785 111 | Mini 31 12 2 785 112 |
| Mini 31 12 6 850 397 | Mini 31 12 6 850 398 |
| Mini 31 12 6 879 841 | Mini 31 12 6 879 842 |
| Mini 31 12 6 882 843 | Mini 31 12 6 882 844 |
| Mini 6 850 397 | Mini 6 850 398 |
| Mini 6 879 841 | Mini 6 879 842 |
| Mini 6 882 843 | Mini 6 882 844 |

Application info

Mini Mini III (09/13--)

Mount, axle carrier

316 710 0000

MCX0298

Notes

Front
Lower
Rear Axle Left
Rear Axle Right
Rubber-Metal Mount

Height [mm] 48
Inner Diameter [mm] 12
Outer Diameter [mm] 46
Required quantity 2
replacement in pairs recommended



References

BMW 33 32 6 763 092
BMW (Brilliance) 33 32 6 763 092

BMW 6 763 092
BMW (Brilliance) 6 763 092

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)
BMW X1 (E84) (03/09-06/15)

BMW 3 (E90, E91, E92, E93) (02/04-12/13)

Mount, control arm

314 711 0003

MCM0132

Notes

Rear Axle Left
Rear Axle Right
without holder
without retaining ring

Height [mm] 60.3
Inner Diameter [mm] 16.1
Outer Diameter [mm] 52
Required quantity 2
replacement in pairs recommended



References

BMW 33 32 6 780 438
BMW (Brilliance) 33 32 6 780 438

BMW 6 780 438
BMW (Brilliance) 6 780 438

Application info

BMW 5 (F07) (01/09-02/17)
BMW 6 (F12, F13) (12/10-10/18)

BMW 5 (F10, F11) (01/09-02/17)
BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Mount, control arm

316 010 4347

MCX0297

Notes

Rear Axle Left
Rear Axle Right
with accessories
without holder

Height [mm] 68
Inner Diameter [mm] 16
Outer Diameter [mm] 57
Required quantity 2
replacement in pairs recommended



References

BMW 1 090 504
BMW 2 347 944
BMW 33 32 1 095 631
BMW 33 32 6 750 371
BMW 6 750 371
BMW (Brilliance) 33 32 6 767 748

BMW 1 095 631
BMW 33 32 1 090 504
BMW 33 32 2 347 944
BMW 33 32 6 767 748
BMW 6 767 748
BMW (Brilliance) 6 767 748

Application info

BMW 5 (E39) (09/95-06/04)
BMW 6 (E63, E64) (09/03-12/10)
BMW 7 (E65, E66) (07/01-12/09)
BMW Z8 (E52) (01/00-12/03)

BMW 5 (E60, E61) (12/01-12/10)
BMW 7 (E38) (03/94-11/01)
BMW X5 (E53) (01/00-12/06)

Mount, control arm

32-14 610 0005

MCB0235

Notes

Front
Front Axle Left
Front Axle Right
Lower
without holder

Height [mm] 59
Inner Diameter [mm] 14
Outer Diameter [mm] 37
Required quantity 2
replacement in pairs recommended



References

Citroën 16 124 483 80
 Citroën 16 127 533 80
 Citroën 3520.V0
 Citroën 3521.R1
 Mitsubishi 4013A009
 Mitsubishi 4013A281
 Peugeot 16 12 753 380
 Peugeot 16 124 484 80
 Peugeot 3520.V0
 Peugeot 3521.R1

Citroën 16 124 484 80
 Citroën 16 127 535 80
 Citroën 3520.X9
 Citroën 3521.V0
 Mitsubishi 4013A010
 Mitsubishi 4013A282
 Peugeot 16 124 483 80
 Peugeot 16 127 535 80
 Peugeot 3520.X9
 Peugeot 3521.V0

Application info

Citroën C-Crosser (02/07--)
 Mitsubishi ASX I (11/09--)
 Mitsubishi Lancer VIII (03/07--)
 Mitsubishi Outlander III (11/10--)
 Peugeot 4008 (05/12--)

Citroën C4 AIRCROSS (08/10--)
 Mitsubishi Lancer VII (03/00-12/13)
 Mitsubishi Outlander II (11/06-12/12)
 Peugeot 4007 (02/07-03/13)

Mount, control arm

32-14 710 0007

MCB0523

Notes

Rear Axle Left
 Rear Axle Right
 Rubber/Metal
 Upper
 inner
 outer
 without holder

Height [mm] 35
 Inner Diameter [mm] 36.2
 Outer Diameter [mm] 35.7
 Required quantity 4
 replacement in pairs recommended



References

Citroën 16 074 983 80
 Peugeot 16 07 498 380

Mitsubishi MN184100

Application info

Citroën C4 AIRCROSS (08/10--)
 Mitsubishi Lancer VII (03/00-12/13)
 Mitsubishi Outlander II (11/06-12/12)
 Peugeot 4008 (05/12--)

Mitsubishi ASX I (11/09--)
 Mitsubishi Lancer VIII (03/07--)
 Mitsubishi Outlander III (11/10--)

Mount, control arm

35-14 610 0009/HD

MCM0079HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 with holder

Height [mm]

73

Inner Diameter [mm]

22

Replace in pairs only

Required quantity

2

Thread Size

M12x1,25

reinforced version



References

- Mazda B32H-34 300
- Mazda B32H-34 350E
- Mazda B32H-34-300B
- Mazda B32H-34-300D
- Mazda B32H-34-350A
- Mazda B32H-34-350C
- Mazda B37F-34-300A
- Mazda B37F-34-350A
- Mazda BP4K-34 300A
- Mazda BP4K-34 350A
- Mazda BP4K-34-300D
- Mazda BP4K-34-350D
- Mazda C513-34-300
- Mazda CC30-34 300A
- Mazda CC30-34 300C
- Mazda CC30-34 300E
- Mazda CC30-34 350B
- Mazda CC30-34 350D
- Mazda CD99-34-300A

- Mazda B32H-34 350
- Mazda B32H-34-300A
- Mazda B32H-34-300C
- Mazda B32H-34-300E
- Mazda B32H-34-350B
- Mazda B32H-34-350D
- Mazda B37F-34-300B
- Mazda B37F-34-350B
- Mazda BP4K-34 300B
- Mazda BP4K-34 350B
- Mazda BP4K-34-350C
- Mazda BP4K-34-350E
- Mazda C513-34-350
- Mazda CC30-34 300B
- Mazda CC30-34 300D
- Mazda CC30-34 350A
- Mazda CC30-34 350C
- Mazda CC30-34 350E
- Mazda CD99-34-350A

Application info

- Mazda 3 (BK) (09/99-12/09)
- Mazda 5 (CW) (06/10--)

- Mazda 5 (CR) (02/05-12/10)

Mount, control arm

35-14 610 0018

MCB0461

Notes

Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 78
 Inner Diameter [mm] 14.5
 Outer Diameter [mm] 60
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Ford 3L84-3A423-AC | Ford 3L84-3A424-AC |
| Ford 4 133 882 | Ford 4 133 883 |
| Ford 4 484 852 | Ford 4 484 853 |
| Ford 4 631 871 | Ford 4 631 878 |
| Ford 4 763 903 | Ford 4 763 905 |
| Ford 4L84-3A423-AA | Ford 4L84-3A423-AB |
| Ford 4L84-3A424-AA | Ford 4L84-3A424-AB |
| Ford YL843-A423H-AA | Ford YL843-A424H-AA |
| Mazda EC01-34-300F | Mazda EC01-34-300G |
| Mazda EC01-34-300H | Mazda EC01-34-300J |
| Mazda EC01-34-300K | Mazda EC01-34-300L |
| Mazda EC01-34-300M | Mazda EC01-34-300N |
| Mazda EC01-34-350F | Mazda EC01-34-350G |
| Mazda EC01-34-350H | Mazda EC01-34-350J |
| Mazda EC01-34-350K | Mazda EC01-34-350L |
| Mazda EC01-34-350M | Mazda EC01-34-350N |
| Mazda EC04-34 300G | |

Application info

Ford Maverick II (02/01--)

Mazda Tribute I (EP) (03/00-05/08)

Mount, control arm

35-14 610 0025

MCB0541

Notes

Front
 Front Axle Left
 Front Axle Right
 Rubber/Metal
 Upper
 without holder

Height [mm] 54
 Inner Diameter [mm] 14
 Outer Diameter [mm] 40
 Required quantity 2
 replacement in pairs recommended



References

Mazda D10E-34-300
 Mazda D10E-34-300B
 Mazda D10E-34-350A

Mazda D10E-34-300A
 Mazda D10E-34-350
 Mazda D10E-34-350B

Application info

Mazda CX-3 (DK) (01/15--)

Mount, control arm

35-14 610 0026

MCB0542

Notes

Front Axle Left
 Front Axle Right
 Rear
 Rubber/Metal
 Upper
 without holder

Height [mm] 62
 Inner Diameter [mm] 21
 Outer Diameter [mm] 80
 Required quantity 2
 replacement in pairs recommended



References

Mazda D10E-34-300
 Mazda D10E-34-300B
 Mazda D10E-34-350A

Mazda D10E-34-300A
 Mazda D10E-34-350
 Mazda D10E-34-350B

Application info

Mazda CX-3 (DK) (01/15--)

Mount, control arm

35-14 710 0004

MCM0193

Notes

Rear Axle Left
Rear Axle Right
without holder

Height [mm] 55
Inner Diameter [mm] 12
Outer Diameter [mm] 43
Required quantity 2
replacement in pairs recommended



References

Mazda KD35-28-500

Application info

Mazda CX-5 I (KE) (11/11-02/17)

Mount, control arm

36-14 610 0009

MCB0248

Notes

Front
Front Axle Left
Front Axle Right
Lower
without holder

Length [mm] 115
Outer Diameter [mm] 33
Required quantity 2
replacement in pairs recommended



References

Nissan 54500-BB00A	Nissan 54500-BR30A
Nissan 54500-JD000	Nissan 54500-JG00A
Nissan 54500-JG00B	Nissan 545004CA0A
Nissan 54501-BB00A	Nissan 54501-BR30A
Nissan 54501-JD000	Nissan 54501-JD00A
Nissan 54501-JG000	Nissan 54501-JG00B
Renault 54501JY00A	Renault 545040445R
Renault 545055212R	

Application info

Nissan Qashqai I (J10_) (12/06-04/14)	Nissan X-Trail (T31) (03/07-12/18)
Nissan X-Trail (T32) (10/13--)	Renault Koleos I (09/08--)

Mount, control arm

36-14 610 0010/HD

MCB0249HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 53
 Inner Diameter [mm] 12
 Outer Diameter [mm] 58
 Replace in pairs only
 Required quantity 2
 reinforced version



References

- | | |
|--------------------|--------------------|
| Nissan 54500-1KA0A | Nissan 54500-1KA0B |
| Nissan 54500-BB00A | Nissan 54500-BR30A |
| Nissan 54500-JD000 | Nissan 54500-JG000 |
| Nissan 54501-1KA0A | Nissan 54501-1KA0B |
| Nissan 54501-1KA1B | Nissan 54501-BB00A |
| Nissan 54501-BR30A | Nissan 54501-JD000 |
| Nissan 54501-JG000 | Nissan 54501-JG00B |
| Renault 54501JY00A | Renault 545040445R |
| Renault 545055212R | |

Application info

- | | |
|---------------------------------------|------------------------------------|
| Nissan Juke (F15) (06/10--) | Nissan Leaf I (ZE0) (11/10--) |
| Nissan Qashqai I (J10_) (12/06-04/14) | Nissan X-Trail (T31) (03/07-12/18) |
| Renault Koleos I (09/08--) | |

Mount, control arm

36-14 610 0024

MCB0477

Notes

Front
 Front Axle Left
 Front Axle Right
 without holder

Height [mm] 45
 Inner Diameter [mm] 12
 Outer Diameter [mm] 44.5
 Required quantity 2
 replacement in pairs recommended



References

Nissan 54500-1HA0C	Nissan 54500-1HA5A
Nissan 54500-1HA5D	Nissan 54500-1HA6A
Nissan 54501-1HA0C	Nissan 54501-1HA5A
Nissan 54501-1HA5D	Nissan 54501-1HA6A

Application info

Nissan Micra (K13) (05/10--)	Nissan Note II (09/12--)
------------------------------	--------------------------

Mount, control arm

36-14 610 0025 MCB0478

Notes

Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm]	50
Inner Diameter [mm]	19
Outer Diameter [mm]	53
Required quantity	2
replacement in pairs recommended	



References

Nissan 54500-1HA0C	Nissan 54500-1HA5A
Nissan 54500-1HA5D	Nissan 54500-1HA6A
Nissan 54501-1HA0C	Nissan 54501-1HA5A
Nissan 54501-1HA5D	Nissan 54501-1HA6A

Application info

Nissan Micra (K13) (05/10--)	Nissan Note II (09/12--)
------------------------------	--------------------------

Mount, control arm

36-14 610 0026 MCB0359

Notes

Front
 Front Axle Left
 Front Axle Right
 without holder

Height [mm]	49
Inner Diameter [mm]	14
Outer Diameter [mm]	50
Required quantity	2
replacement in pairs recommended	



References

Nissan 54500-1KA0A
 Nissan 54500-1KA1B
 Nissan 54501-1KA0B

Nissan 54500-1KA0B
 Nissan 54501-1KA0A
 Nissan 54501-1KA1B

Application info

Nissan Juke (F15) (06/10--)

Nissan Leaf I (ZE0) (11/10--)

Mount, control arm

37-14 610 0017

MCB0259

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 60
 Inner Diameter [mm] 14
 Outer Diameter [mm] 66
 Required quantity 2
 replacement in pairs recommended



References

Hyundai 54584-1G000

Kia 54584 1G000

Application info

Hyundai Accent III (11/05-12/12)

Kia Rio II (03/05--)

Mount, control arm

37-14 610 0018

MCB0260

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 54
 Inner Diameter [mm] 12
 Outer Diameter [mm] 33
 Required quantity 2
 replacement in pairs recommended



References

Hyundai 54551-07000
 Hyundai 54551-2K000
 Kia 54551 1E000
 Kia 54551-07000

Hyundai 54551-1E000
 Kia 54551 07001
 Kia 54551 2K000

Application info

Hyundai Accent III (11/05-12/12)
 Hyundai ix20 (11/10--)
 Kia Rio II (03/05--)
 Kia Venga (02/10--)

Hyundai i10 I (10/07--)
 Kia Picanto I (04/04--)
 Kia Soul I (01/09--)

Mount, control arm**37-14 610 0028****MCB0504****Notes**

Front
 Front Axle Left
 Front Axle Right
 without holder

Height [mm] 55
 Inner Diameter [mm] 12
 Outer Diameter [mm] 38
 Required quantity 2
 replacement in pairs recommended

**References**

Hyundai 54551-2S000

Kia 54551-2S000

Application info

Hyundai Tucson I (06/04--)
 Kia Sportage III (09/09--)

Hyundai ix35 (08/09--)

Mount, control arm

37-14 610 0034

MCB0517

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 inner
 without holder

Height [mm] 60
 Inner Diameter [mm] 14.1
 Outer Diameter [mm] 70.5
 Required quantity 2
 replacement in pairs recommended



References

Hyundai 54584-F2000

Application info

Hyundai Elantra VI (09/15--)

Hyundai Kona I (06/17--)

Mount, control arm

37-14 610 0035

MCB0518

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 inner
 without holder

Height [mm] 54
 Inner Diameter [mm] 12
 Outer Diameter [mm] 39
 Required quantity 2
 replacement in pairs recommended



References

Hyundai 54500-3Z700

Hyundai 54551-3X000

Hyundai 54501-3Z700

Kia 54551 3X000

Application info

Hyundai Creta I (01/16--)
 Hyundai Elantra V (09/10--)
 Hyundai Elantra VII (03/20--)
 Hyundai Kona I (06/17--)
 Hyundai Veloster I (03/11-12/17)
 Hyundai i30 III (11/16--)
 Kia Cee'd II (05/12--)
 Kia Ceed IV (03/18--)
 Kia Cerato IV (BD, BDM) (02/18--)
 Kia Soul III (SK3) (01/19--)

Hyundai Creta II (SU2_) (03/20--)
 Hyundai Elantra VI (09/15--)
 Hyundai Ioniq (AE) (03/16--)
 Hyundai Kona II (04/23--)
 Hyundai i30 II (06/11--)
 Hyundai i40 (07/11--)
 Kia Cee'd III (03/12--)
 Kia Cerato III (YD) (09/12--)
 Kia Niro I (DE) (09/16--)

Mount, control arm**37-14 711 0002****MCM0143****Notes**

Rear Axle Left
 Rear Axle Right
 without holder

Height [mm] 59
 Inner Diameter [mm] 14
 Outer Diameter [mm] 44
 Required quantity 2
 replacement in pairs recommended

**References**

Hyundai 55130-3U000
 Kia 55130 3U000

Hyundai 55130-4D000
 Kia 55130 4D000

Application info

Hyundai Elantra IV (09/05--)
 Hyundai Grandeur V (01/11--)
 Hyundai Sonata VII (06/14--)
 Hyundai Staria (US4) (01/21--)
 Hyundai i30 III (11/16--)
 Hyundai ix55 (09/06--)
 Kia Carens III (05/06--)
 Kia Cee'd I (12/06-02/13)
 Kia Optima (01/10--)
 Kia Sorento II (06/09--)
 Kia Sportage III (09/09--)

Hyundai Genesis I (01/08--)
 Hyundai Santa Fé III (09/12--)
 Hyundai Sonata VIII (03/19--)
 Hyundai i30 I (10/07-06/12)
 Hyundai i40 (07/11--)
 Kia Carens II (07/02--)
 Kia Carnival III (09/05--)
 Kia Magentis II (10/05--)
 Kia Optima IV (09/15--)
 Kia Sorento III (01/15--)

Mount, wheel bearing housing

316 010 0004

MCX0295

Notes

Rear Axle Left
Rear Axle Right

Height [mm] 57
Inner Diameter [mm] 12
Outer Diameter [mm] 45
Required quantity 2
replacement in pairs recommended



References

BMW 1 138 722
BMW 33 30 6 852 895
BMW 33 32 1 140 345
BMW 6 775 551
BMW (Brilliance) 33 32 6 775 551

BMW 1 140 345
BMW 33 32 1 138 722
BMW 33 32 6 775 551
BMW 6 852 895
BMW (Brilliance) 6 775 551

Application info

BMW 3 (E36) (09/90-08/00)
BMW Z4 (E85) (09/02-12/09)
BMW Z4 (E89) (02/09-08/16)

BMW 3 (E46) (12/97-12/07)
BMW Z4 (E86) (03/06-01/09)

Mount, wheel bearing housing

316 010 0012

MCX0296

Notes

Lower
Rear Axle Left
Rear Axle Right

Height [mm] 67
Inner Diameter [mm] 16
Outer Diameter [mm] 52
Required quantity 2
replacement in pairs recommended



References

BMW 33 32 6 770 985

BMW 6 770 985

Application info

BMW X5 (E70) (02/06-07/13)
BMW X6 (E71) (06/07-07/14)

BMW X5 (F15) (08/13-07/18)
BMW X6 (F16) (08/14-07/19)

Mount, wheel bearing housing

316 710 0001

MCX0299

Notes

Rear Axle Left
Rear Axle Right
outer

Height [mm] 55
Inner Diameter [mm] 14
Outer Diameter [mm] 47
Required quantity 2
replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 406 293 | BMW 33 32 2 406 293 |
| BMW 33 32 6 756 249 | BMW 33 32 6 775 552 |
| BMW 33 32 6 792 553 | BMW 6 756 249 |
| BMW 6 775 552 | BMW 6 792 553 |
| BMW (Brilliance) 2 406 293 | BMW (Brilliance) 33 32 2 406 293 |
| BMW (Brilliance) 33 32 6 756 249 | BMW (Brilliance) 33 32 6 775 552 |
| BMW (Brilliance) 6 756 249 | BMW (Brilliance) 6 775 552 |

Application info

- | | |
|--|--|
| BMW 1 (E81, E82, E87, E88) (02/03-12/13) | BMW 1 (F20, F21) (07/11--) |
| BMW 2 (F22,F23) (10/12--) | BMW 3 (E90, E91, E92, E93) (02/04-12/13) |
| BMW 3 (F30, F31) (11/11-06/19) | BMW 3 (F34) (07/12--) |
| BMW 3 (G20, G21) (11/18--) | BMW 4 (F32, F33, F36) (07/13--) |
| BMW 4 (G22, G23, G26) (07/20--) | BMW X1 (E84) (03/09-06/15) |
| BMW X3 (F25) (09/10-08/17) | BMW X4 (F26) (05/13-03/18) |
| BMW i8 (03/14-06/20) | |

Repair kit, stub axle

316 754 0001

MCX0653

Notes

Rear Axle Left
Rear Axle Right
with mounting sleeves

Required quantity 2
replacement in pairs recommended



References

BMW 1 090 504
 BMW 33 32 1 090 504
 BMW 33 32 6 750 371
 BMW 6 750 371
 BMW (Brilliance) 33 32 6 767 748

BMW 1 095 631
 BMW 33 32 1 095 631
 BMW 33 32 6 767 748
 BMW 6 767 748
 BMW (Brilliance) 6 767 748

Application info

BMW 5 (E39) (09/95-06/04)
 BMW 6 (E63, E64) (09/03-12/10)
 BMW 7 (E65, E66) (07/01-12/09)
 BMW Z8 (E52) (01/00-12/03)

BMW 5 (E60, E61) (12/01-12/10)
 BMW 7 (E38) (03/94-11/01)
 BMW X5 (E53) (01/00-12/06)

Rod/strut, suspension

316 035 0000

MSR0081

Notes

Aluminium
 Front
 Guide Rod
 Rear Axle Left
 Rear Axle Right
 Upper
 with rubber mount

Length [mm] 212
 Required quantity 2
 Thread Size M10x1,5
 replacement in pairs recommended



References

BMW 1 095 414
 BMW 33 32 6 768 269
 BMW 33 32 6 774 796
 BMW 6 770 742

BMW 33 32 1 095 414
 BMW 33 32 6 770 742
 BMW 6 768 269
 BMW 6 774 796

Application info

BMW X5 (E53) (01/00-12/06)

Rod/strut, suspension


316 035 0001

MSR0082

Notes

Aluminium
 Guide Rod
 Rear Axle Left
 Rear Axle Right
 Upper
 with rubber mount

Length [mm] 212
 Required quantity 2
 Thread Size M10x1,5
 replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| BMW 0 300 946 | BMW 0 398 361 |
| BMW 0 403 294 | BMW 0 414 345 |
| BMW 0 421 750 | BMW 1 096 797 |
| BMW 2 282 065 | BMW 2 348 886 |
| BMW 2 779 820 | BMW 33 32 0 300 946 |
| BMW 33 32 0 398 361 | BMW 33 32 0 403 294 |
| BMW 33 32 0 414 345 | BMW 33 32 0 421 750 |
| BMW 33 32 1 096 797 | BMW 33 32 2 282 065 |
| BMW 33 32 2 348 886 | BMW 33 32 2 779 820 |
| BMW 33 32 6 763 324 | BMW 33 32 6 768 268 |
| BMW 33 32 6 770 753 | BMW 33 32 6 774 795 |
| BMW 33 32 6 777 424 | BMW 6 763 324 |
| BMW 6 768 268 | BMW 6 770 753 |
| BMW 6 774 795 | BMW 6 777 424 |

Application info

- | | |
|--------------------------------|--------------------------------|
| BMW 5 (E39) (09/95-06/04) | BMW 5 (E60, E61) (12/01-12/10) |
| BMW 6 (E63, E64) (09/03-12/10) | BMW 7 (E65, E66) (07/01-12/09) |

Rod/strut, suspension		316 035 0010	MSR0083
<p>Notes</p> <p>Aluminium Guide Rod Rear Axle Left Upper with rubber mount</p> <p>Length [mm] 212 Paired article number 316 035 0011 MSR0084 Required quantity 1 Thread Size M12x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 348 885 BMW 33 32 2 348 885 BMW 33 32 6 775 083 BMW 6 775 083</p>			
<p>Application info</p> <p>BMW 5 (E60, E61) (12/01-12/10) BMW 6 (E63, E64) (09/03-12/10) BMW 7 (E65, E66) (07/01-12/09)</p>			
Rod/strut, suspension		316 035 0011	MSR0084
<p>Notes</p> <p>Aluminium Guide Rod Rear Axle Right Upper with rubber mount</p> <p>Length [mm] 212 Paired article number 316 035 0010 MSR0083 Required quantity 1 Thread Size M12x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 348 884 BMW 33 32 2 348 884 BMW 33 32 6 775 084 BMW 6 775 084</p>			
<p>Application info</p> <p>BMW 5 (E60, E61) (12/01-12/10) BMW 6 (E63, E64) (09/03-12/10) BMW 7 (E65, E66) (07/01-12/09)</p>			

Application info

BMW 1 (F20, F21) (07/11--)
 BMW 3 (F30, F31) (11/11-06/19)
 BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)
 BMW 3 (F34) (07/12--)

Rod/strut, suspension

316 035 0015/S

MSR0131

Notes

Guide Rod
 Rear
 Rear Axle Right
 Sheet Steel
 Upper
 with accessories
 with rubber mount

Length [mm]
 Paired article number
 Required quantity
 replacement in pairs recommended

290
 316 035 0016/S | MSR0132
 1



References

BMW 33 32 6 792 544
 BMW (Brilliance) 33 32 6 792 544

BMW 6 792 544
 BMW (Brilliance) 6 792 544

Application info

BMW 1 (F20, F21) (07/11--)
 BMW 3 (F30, F31) (11/11-06/19)
 BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)
 BMW 3 (F34) (07/12--)

Rod/strut, suspension

316 035 0016/S

MSR0132

Notes

Guide Rod
 Rear
 Rear Axle Left
 Sheet Steel
 Upper
 with accessories
 with rubber mount

Length [mm]
 Paired article number
 Required quantity
 replacement in pairs recommended

290
 316 035 0015/S | MSR0131
 1



References

BMW 33 32 6 792 543
 BMW (Brilliance) 33 32 6 792 543

BMW 6 792 543
 BMW (Brilliance) 6 792 543

Application info

BMW 1 (F20, F21) (07/11--)
 BMW 3 (F30, F31) (11/11-06/19)
 BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)
 BMW 3 (F34) (07/12--)

Rod/strut, suspension

316 035 0017


MSR0135

Notes

Guide Rod
 Lower
 Rear
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 with rubber mount

Length [mm]
 Required quantity
 replacement in pairs recommended

440
 2



References

BMW 33 32 6 792 533
 BMW (Brilliance) 33 32 6 792 533

BMW 6 792 533
 BMW (Brilliance) 6 792 533

Application info

BMW 1 (F20, F21) (07/11--)
 BMW 3 (F30, F31) (11/11-06/19)
 BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)
 BMW 3 (F34) (07/12--)

Rod/strut, suspension

316 035 0018


MSR0136

Notes

Front
 Guide Rod
 Lower
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 with rubber mount

Length [mm]
 Required quantity
 replacement in pairs recommended

330
 2



References

BMW 33 32 6 792 525
 BMW (Brilliance) 33 32 6 792 525

BMW 6 792 525
 BMW (Brilliance) 6 792 525

Application info

BMW 1 (F20, F21) (07/11--)
 BMW 3 (F30, F31) (11/11-06/19)
 BMW 4 (F32, F33, F36) (07/13--)
 Vauxhall Mokka A (06/12--)

BMW 2 (F22,F23) (10/12--)
 BMW 3 (F34) (07/12--)
 Opel Mokka A (06/12--)


Rod/strut, suspension

316 035 0019

MSR0144

Notes

Guide Rod
 Rear Axle Left
 Upper
 Length [mm] 331
 Paired article number 316 035 0020 | MSR0145
 Required quantity 1
 replacement in pairs recommended



References

BMW 33 32 6 861 115
 BMW 33 32 6 883 339
 BMW 6 870 535

BMW 33 32 6 870 535
 BMW 6 861 115
 BMW 6 883 339

Application info

BMW 5 (G30, G31) (09/16--)
 BMW 8 (G15) (07/18--)

BMW 7 (G11, G12) (07/15--)
 BMW 8 Gran Coupe (G16) (07/19--)


Rod/strut, suspension

316 035 0020

MSR0145

Notes

Guide Rod
 Rear Axle Right
 Upper
 Length [mm] 331
 Paired article number 316 035 0019 | MSR0144
 Required quantity 1
 replacement in pairs recommended



References

BMW 33 32 6 861 116
 BMW 33 32 6 883 340
 BMW 6 870 536

BMW 33 32 6 870 536
 BMW 6 861 116
 BMW 6 883 340

Application info

BMW 5 (G30, G31) (09/16--)
 BMW 8 (G15) (07/18--)

BMW 7 (G11, G12) (07/15--)
 BMW 8 Gran Coupe (G16) (07/19--)

Rod/strut, suspension


316 039 3807

MSR0086

Notes

Aluminium
 Guide Rod
 Rear Axle Left
 Rear Axle Right
 Upper
 with rubber mount
 Length [mm] 211
 Required quantity 2
 Thread Size M10x1,5

replacement in pairs recommended



References

BMW 1 090 745
 BMW 33 32 1 090 745
 BMW 33 32 6 768 791

BMW 1 097 264
 BMW 33 32 1 097 264
 BMW 6 768 791

Application info

BMW 5 (E39) (09/95-06/04)

BMW 7 (E38) (03/94-11/01)

Rod/strut, suspension

316 050 0024

MSR0087

Notes

Front
 Guide Rod
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 Upper
 with rubber mount

Length [mm] 241
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 406 288 | BMW 2 406 289 |
| BMW 2 409 890 | BMW 33 32 2 406 288 |
| BMW 33 32 2 406 289 | BMW 33 32 2 409 890 |
| BMW 33 32 6 765 425 | BMW 33 32 6 765 535 |
| BMW 33 32 6 782 237 | BMW 33 32 6 782 238 |
| BMW 6 765 425 | BMW 6 765 535 |
| BMW 6 782 237 | BMW 6 782 238 |
| BMW (Brilliance) 33 32 6 782 237 | BMW (Brilliance) 33 32 6 782 238 |
| BMW (Brilliance) 6 782 237 | BMW (Brilliance) 6 782 238 |

Application info

- | | |
|--|--|
| BMW 1 (E81, E82, E87, E88) (02/03-12/13) | BMW 3 (E90, E91, E92, E93) (02/04-12/13) |
| BMW X1 (E84) (03/09-06/15) | |

Rod/strut, suspension

316 050 0025

MSR0088

Notes

Guide Rod
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 Upper
 with rubber mount

Length [mm] 274
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 406 292 | BMW 33 32 2 406 292 |
| BMW 33 32 6 763 473 | BMW 33 32 6 777 980 |
| BMW 34 52 6 778 469 | BMW 6 763 473 |
| BMW 6 777 980 | BMW 6 778 469 |
| BMW (Brilliance) 33 32 6 763 473 | BMW (Brilliance) 33 32 6 777 980 |
| BMW (Brilliance) 6 763 473 | BMW (Brilliance) 6 777 980 |

Application info

- | | |
|--|--|
| BMW 1 (E81, E82, E87, E88) (02/03-12/13) | BMW 3 (E90, E91, E92, E93) (02/04-12/13) |
|--|--|

Rod/strut, suspension		316 050 0146	MSR0146
<p>Notes</p> <p>Front Guide Rod Rear Axle Right Upper</p> <p>Length [mm] 267 Paired article number 316 050 0147 MSR0147 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 32 6 867 538 BMW 6 867 538</p>			
<p>Application info</p> <p>BMW 5 (G30, G31) (09/16--) BMW 7 (G11, G12) (07/15--) BMW 8 Gran Coupe (G16) (07/19--)</p> <p>BMW 6 (G32) (06/17--) BMW 8 (G15) (07/18--)</p>			
Rod/strut, suspension		316 050 0147	MSR0147
<p>Notes</p> <p>Front Guide Rod Rear Axle Left Upper</p> <p>Length [mm] 267 Paired article number 316 050 0146 MSR0146 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 33 32 6 867 537 BMW 6 867 537</p>			
<p>Application info</p> <p>BMW 5 (G30, G31) (09/16--) BMW 7 (G11, G12) (07/15--) BMW 8 Gran Coupe (G16) (07/19--)</p> <p>BMW 6 (G32) (06/17--) BMW 8 (G15) (07/18--)</p>			

Rod/strut, suspension

316 050 2100

MSR0090

Notes

Guide Rod
Lower
Rear Axle Left
Rear Axle Right
Sheet Steel
with rubber mount

Length [mm] 557
Required quantity 2
replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------|
| BMW 1 092 237 | BMW 1 136 136 |
| BMW 1 136 728 | BMW 1 138 380 |
| BMW 2 294 284 | BMW 3 411 651 |
| BMW 33 30 3 411 651 | BMW 33 32 1 092 237 |
| BMW 33 32 1 136 136 | BMW 33 32 1 136 728 |
| BMW 33 32 1 138 380 | BMW 33 32 2 294 284 |
| BMW 33 32 6 760 675 | BMW 33 32 6 770 813 |
| BMW 6 760 675 | BMW 6 770 813 |
| BMW (Brilliance) 33 32 6 770 813 | BMW (Brilliance) 6 770 813 |

Application info

- | | |
|----------------------------|----------------------------|
| BMW 3 (E36) (09/90-08/00) | BMW 3 (E46) (12/97-12/07) |
| BMW X3 (E83) (01/03-12/11) | BMW Z1 (06/88-06/91) |
| BMW Z4 (E85) (09/02-12/09) | BMW Z4 (E86) (03/06-01/09) |
| BMW Z4 (E89) (02/09-08/16) | |

Rod/strut, suspension

316 060 4225

MSR0091

Notes

Guide Rod
Rear Axle Left
Rear Axle Right
Steel
with rubber mount

Length [mm] 50
Required quantity 2
replacement in pairs recommended



References

BMW 1 123 463	BMW 1 125 665
BMW 1 126 476	BMW 33 32 1 123 463
BMW 33 32 1 125 665	BMW 33 32 1 126 476

Application info

BMW 5 (E28) (05/81-12/87)	BMW 5 (E34) (02/87-07/96)
BMW 6 (E24) (10/75-04/89)	BMW 7 (E23) (05/77-04/88)
BMW 7 (E32) (03/85-10/94)	

Rod/strut, suspension

32-16 035 0000 MSR0142

Notes

	Pull Rod
	Rear Axle Left
	Rear Axle Right
	Sheet Steel
Length [mm]	165.5
Required quantity	2
replacement in pairs recommended	



References

Mitsubishi 4117A007

Application info

Mitsubishi Lancer VII (03/00-12/13)	Mitsubishi Lancer VIII (03/07--)
Mitsubishi Outlander II (11/06-12/12)	

Rod/strut, suspension

37-16 050 0093 MSR0148

Notes

	Front
	Guide Rod
	Lower
	Rear Axle Left
	Rear Axle Right
Length [mm]	235.6
Required quantity	2
replacement in pairs recommended	



References

Hyundai 55250-D7000	Kia 55250 D7000
---------------------	-----------------

Application info

Hyundai Tucson II (05/15--)
Kia Sportage IV (09/15--)

Hyundai ix35 (08/09--)

Stabilizer link

316 060 0000/HD

MSL0305HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
for vehicles without active stabiliser control
with spanner attachment



Length [mm] 207
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended

References

BMW 33 50 6 781 538
BMW 6 757 460

BMW 33 55 6 757 460
BMW 6 781 538

Application info

BMW 7 (E65, E66) (07/01-12/09)

Stabilizer link

316 060 0001/HD

MSL0306HD

Notes

Carbon Neutral
Coupling Rod
with spanner attachment

Length [mm] 231
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

BMW 2 227 203
Land Rover 6H525C486AB

BMW 31 35 2 227 203
Land Rover LR002876

Application info

BMW 3 (E36) (09/90-08/00)

Land Rover Freelander II (10/06-12/15)

BMW Z3 (E36/7, E36/8) (10/95-06/03)

Land Rover Range Rover Evoque I (06/11-12/19)

Stabilizer link

316 060 0002/HD

MSL0307HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

285

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

BMW 1 092 304

BMW 31 35 1 092 304

BMW 1 095 664

BMW 31 35 1 095 664

Application info

BMW 5 (E39) (09/95-06/04)

Stabilizer link

316 060 0003/HD

MSL0308HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left

Length [mm] 426

Paired article number 316 060 0004/HD | MSL0309HD

Required quantity 1

Thread Size 1 M10x1,5

Thread Size 2 M10x1,5

reinforced version

replacement in pairs recommended



References

BMW 31 30 6 781 545

BMW 31 35 6 778 069

BMW 6 778 069

BMW 31 35 6 753 767

BMW 6 753 767

BMW 6 781 545

Application info

BMW 7 (E65, E66) (07/01-12/09)

Stabilizer link

316 060 0004/HD

MSL0309HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right

Length [mm] 426
Paired article number 316 060 0003/HD | MSL0308HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

BMW 31 30 6 781 546 BMW 31 35 6 753 768
BMW 31 35 6 778 070 BMW 6 753 768
BMW 6 778 070 BMW 6 781 546

Application info

BMW 7 (E65, E66) (07/01-12/09)

Stabilizer link

316 060 0005/HD

MSL0310HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 358
Paired article number 316 060 0006/HD | MSL0311HD
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended



References

BMW 31 35 6 750 703 BMW 6 750 703

Application info

BMW X5 (E53) (01/00-12/06)

Stabilizer link

316 060 0006/HD

MSL0311HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 358
Paired article number 316 060 0005/HD | MSL0310HD
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended

**References**

BMW 31 35 6 750 704

BMW 6 750 704

Application info

BMW X5 (E53) (01/00-12/06)

Stabilizer link

316 060 0007/HD

MSL0312HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 240
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

BMW 1 701 066

BMW 31 35 1 701 066

Application info

BMW 3 (E30) (09/82-10/94)

Stabilizer link		316 060 0008/HD	MSL0313HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right with spanner attachment</p> <p>Length [mm] 65 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>BMW 1 096 735 BMW 33 55 1 096 735</p>			
<p>Application info</p> <p>BMW X5 (E53) (01/00-12/06)</p>			
Stabilizer link		316 060 0009/HD	MSL0314HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 308 Paired article number 316 060 0010/HD MSL0315HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>BMW 31 35 6 751 079 BMW 6 751 079</p>			
<p>Application info</p> <p>BMW 3 (E46) (12/97-12/07)</p>			

Stabilizer link		316 060 0010/HD	MSL0315HD
Notes	Carbon Neutral Coupling Rod Front Axle Right with spanner attachment		
Length [mm]	308		
Paired article number	316 060 0009/HD MSL0314HD		
Required quantity	1		
Thread Size 1	M10x1,5		
Thread Size 2	M10x1,5		
reinforced version replacement in pairs recommended			

References	BMW 31 35 6 751 080	BMW 6 751 080
-------------------	---------------------	---------------

Application info	BMW 3 (E46) (12/97-12/07)
-------------------------	---------------------------

Stabilizer link		316 060 0011/HD	MSL0316HD
Notes	Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right with spanner attachment		
Length [mm]	95		
Required quantity	2		
Thread Size 1	M10x1,5		
Thread Size 2	M10x1,5		
reinforced version replacement in pairs recommended			

References	BMW 3 412 794	BMW 3 413 197
	BMW 3 414 297	BMW 33 50 3 412 794
	BMW 33 50 3 413 197	BMW 33 50 3 414 297

Application info	BMW X3 (E83) (01/03-12/11)
-------------------------	----------------------------

References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 347 945 | BMW 31 30 6 781 547 |
| BMW 31 35 2 347 945 | BMW 31 35 4 014 531 |
| BMW 31 35 6 760 985 | BMW 31 35 6 769 499 |
| BMW 4 014 531 | BMW 6 760 985 |
| BMW 6 769 499 | BMW 6 781 547 |
| BMW (Brilliance) 31 30 6 781 547 | BMW (Brilliance) 31 35 4 014 531 |
| BMW (Brilliance) 31 35 6 760 985 | BMW (Brilliance) 31 35 6 769 499 |
| BMW (Brilliance) 4 014 531 | BMW (Brilliance) 6 760 985 |
| BMW (Brilliance) 6 769 499 | BMW (Brilliance) 6 781 547 |

Application info

BMW 5 (E60, E61) (12/01-12/10)

Stabilizer link

316 060 0014/HD

MSL0319HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
Length [mm] 300
Paired article number 316 060 0013/HD | MSL0318HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5

reinforced version
replacement in pairs recommended




References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 347 945 | BMW 31 30 6 781 548 |
| BMW 31 35 2 347 945 | BMW 31 35 4 014 532 |
| BMW 31 35 6 760 986 | BMW 31 35 6 769 500 |
| BMW 4 014 532 | BMW 6 760 986 |
| BMW 6 769 500 | BMW 6 781 548 |
| BMW (Brilliance) 31 30 6 781 548 | BMW (Brilliance) 31 35 4 014 532 |
| BMW (Brilliance) 31 35 6 760 986 | BMW (Brilliance) 31 35 6 769 500 |
| BMW (Brilliance) 4 014 532 | BMW (Brilliance) 6 760 986 |
| BMW (Brilliance) 6 769 500 | BMW (Brilliance) 6 781 548 |

Application info

BMW 5 (E60, E61) (12/01-12/10)

Stabilizer link		316 060 0016/HD	MSL0320HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 290 Paired article number 316 060 0017/HD MSL0321HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>BMW 2 405 868 BMW 31 35 2 405 868 BMW 31 35 6 765 933 BMW 6 765 933 BMW (Brilliance) 31 35 6 765 933 BMW (Brilliance) 6 765 933</p>			
<p>Application info</p> <p>BMW 1 (E81, E82, E87, E88) (02/03-12/13) BMW 3 (E90, E91, E92, E93) (02/04-12/13) BMW X1 (E84) (03/09-06/15) BMW Z4 (E89) (02/09-08/16)</p>			
Stabilizer link		316 060 0017/HD	MSL0321HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 290 Paired article number 316 060 0016/HD MSL0320HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>BMW 2 405 868 BMW 31 35 2 405 868 BMW 31 35 6 765 934 BMW 6 765 934 BMW (Brilliance) 31 35 6 765 934 BMW (Brilliance) 6 765 934</p>			

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)
 BMW X1 (E84) (03/09-06/15)

BMW 3 (E90, E91, E92, E93) (02/04-12/13)
 BMW Z4 (E89) (02/09-08/16)

Stabilizer link

316 060 0018/HD

MSL0322HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 with spanner attachment

Length [mm] 300
 Paired article number 316 060 0019/HD | MSL0323HD
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 0 359 385 BMW 3 413 201
 BMW 3 414 299 BMW 31 30 0 359 385
 BMW 31 30 3 413 201 BMW 31 30 3 414 299

Application info

BMW X3 (E83) (01/03-12/11)

Stabilizer link

316 060 0019/HD

MSL0323HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Right
 with spanner attachment

Length [mm] 300
 Paired article number 316 060 0018/HD | MSL0322HD
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 0 359 386	BMW 3 413 202
BMW 3 414 300	BMW 31 30 0 359 386
BMW 31 30 3 413 202	BMW 31 30 3 414 300

Application info

BMW X3 (E83) (01/03-12/11)

Stabilizer link

316 060 0020/HD MSL0324HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Inner Diameter 1 [mm] 8
Length [mm] 160
Required quantity 2
Thread Size 1 M10x1,5
reinforced version
replacement in pairs recommended



References

BMW 2 406 281	BMW 33 32 2 406 281
BMW 33 55 6 764 428	BMW 6 764 428
BMW (Brilliance) 33 55 6 764 428	BMW (Brilliance) 6 764 428

Application info

BMW 1 (E81, E82, E87, E88) (02/03-12/13)	BMW 3 (E90, E91, E92, E93) (02/04-12/13)
--	--

Stabilizer link

316 060 0021/HD MSL0325HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 331
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Mini 1 507 989

Mini 31 35 1 507 989

Application info

Mini Mini I (06/01-07/08)

Stabilizer link

316 060 0022/HD

MSL0326HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

300

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

Mini 31 35 6 759 537

Mini 31 35 6 778 831

Mini 6 759 537

Mini 6 778 831

Application info

Mini Mini I (06/01-07/08)

Mini Mini II (11/05-12/15)

Stabilizer link

316 060 0024/HD

MSL0328HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
for vehicles with dynamic drive
with spanner attachment

Length [mm]

215

Required quantity

2

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended



References

BMW 33 50 6 781 539
BMW 6 753 770

BMW 33 55 6 753 770
BMW 6 781 539

Application info

BMW 7 (E65, E66) (07/01-12/09)

Stabilizer link

316 060 0025/HD

MSL0329HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 340
Paired article number 316 060 0026/HD | MSL0330HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

BMW 31 35 6 768 771
BMW (Brilliance) 31 35 6 768 771

BMW 6 768 771
BMW (Brilliance) 6 768 771

Application info

BMW 3 (E90, E91, E92, E93) (02/04-12/13)

BMW X1 (E84) (03/09-06/15)

Stabilizer link

316 060 0026/HD

MSL0330HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 340
Paired article number 316 060 0025/HD | MSL0329HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

BMW 31 35 6 768 772

BMW (Brilliance) 31 35 6 768 772

BMW 6 768 772

BMW (Brilliance) 6 768 772

Application info

BMW 3 (E90, E91, E92, E93) (02/04-12/13)

BMW X1 (E84) (03/09-06/15)

Stabilizer link

316 060 0029/HD

MSL0332HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm]

161

Required quantity

2

Thread Size 1

M12x1,75

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended



References

BMW 33 50 6 768 493

BMW 33 55 6 771 937

BMW 6 768 493

BMW 6 781 537

BMW 33 50 6 781 537

BMW 33 55 6 857 626

BMW 6 771 937

BMW 6 857 626

Application info

BMW 5 (E60, E61) (12/01-12/10)

BMW X5 (E70) (02/06-07/13)

BMW X6 (E71) (06/07-07/14)

BMW 6 (E63, E64) (09/03-12/10)

BMW X5 (F15) (08/13-07/18)

BMW X6 (F16) (08/14-07/19)

Stabilizer link **316 060 0030/HD** **MSL0333HD**

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
for vehicles without Adaptive Drive
with spanner attachment

Length [mm] 248
Paired article number 316 060 0031/HD | MSL0334HD
Required quantity 1
Thread Size 1 M12x1,75
Thread Size 2 M12x1,75
reinforced version
replacement in pairs recommended



References

BMW 31 35 6 773 023 BMW 31 35 6 857 623
BMW 31 35 6 859 651 BMW 6 773 023
BMW 6 857 623 BMW 6 859 651

Application info

BMW X5 (E70) (02/06-07/13) BMW X5 (F15) (08/13-07/18)
BMW X6 (E71) (06/07-07/14) BMW X6 (F16) (08/14-07/19)

Stabilizer link **316 060 0031/HD** **MSL0334HD**

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
for vehicles without Adaptive Drive
with spanner attachment

Length [mm] 248
Paired article number 316 060 0030/HD | MSL0333HD
Required quantity 1
Thread Size 1 M12x1,75
Thread Size 2 M12x1,75
reinforced version
replacement in pairs recommended



References

BMW 31 35 6 773 024 BMW 31 35 6 857 624
BMW 31 35 6 859 652 BMW 6 773 024
BMW 6 857 624 BMW 6 859 652

Application info

BMW X5 (E70) (02/06-07/13)
 BMW X6 (E71) (06/07-07/14)

BMW X5 (F15) (08/13-07/18)
 BMW X6 (F16) (08/14-07/19)

Stabilizer link

316 060 0033/HD

MSL0335HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 300
 Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 2 450 662
 BMW 31 35 6 777 319
 BMW (Brilliance) 31 35 6 777 319

BMW 31 35 2 450 662
 BMW 6 777 319
 BMW (Brilliance) 6 777 319

Application info

BMW 5 (F07) (01/09-02/17)
 BMW 6 (F12, F13) (12/10-10/18)

BMW 5 (F10, F11) (01/09-02/17)
 BMW 7 (F01, F02, F03, F04) (02/08-12/15)

Stabilizer link

316 060 0036

MSL0338

Notes

Coupling Rod
 Front Axle Left
 for vehicles with Adaptive Drive

Length [mm] 248
 Paired article number 316 060 0037 | MSL0339
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 replacement in pairs recommended



References

BMW 37 11 6 771 929
 BMW 37 11 6 859 653
 BMW 6 857 627

BMW 37 11 6 857 627
 BMW 6 771 929
 BMW 6 859 653

Application info

BMW X5 (E70) (02/06-07/13)
 BMW X6 (E71) (06/07-07/14)

BMW X5 (F15) (08/13-07/18)
 BMW X6 (F16) (08/14-07/19)

Stabilizer link

316 060 0037

MSL0339

Notes

Coupling Rod
 Front Axle Right
 for vehicles with Adaptive Drive

Length [mm] 248
 Paired article number 316 060 0036 | MSL0338
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 replacement in pairs recommended



References

BMW 37 11 6 771 930
 BMW 37 11 6 859 654
 BMW 6 857 628

BMW 37 11 6 857 628
 BMW 6 771 930
 BMW 6 859 654

Application info

BMW X5 (E70) (02/06-07/13)
 BMW X6 (E71) (06/07-07/14)

BMW X5 (F15) (08/13-07/18)
 BMW X6 (F16) (08/14-07/19)

Stabilizer link

316 060 0038/HD

MSL0340HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 with spanner attachment

Length [mm] 340
 Paired article number 316 060 0039/HD | MSL0341HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 31 30 6 787 163

BMW 6 787 163

Application info

BMW X3 (F25) (09/10-08/17)

BMW X4 (F26) (05/13-03/18)

Stabilizer link

316 060 0039/HD

MSL0341HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm]

340

Paired article number

316 060 0038/HD | MSL0340HD

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended



References

BMW 31 30 6 787 164

BMW 6 787 164

Application info

BMW X3 (F25) (09/10-08/17)

BMW X4 (F26) (05/13-03/18)

Stabilizer link

316 060 0040/HD

MSL0342HD

Notes

Carbon Neutral
Coupling Rod
Front Axle
with spanner attachment

Length [mm]

310

Paired article number

316 060 0041/HD | MSL0343HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

BMW 31 30 6 792 211

BMW 6 792 211

BMW (Brilliance) 31 30 6 792 211

BMW (Brilliance) 6 792 211

Application info

BMW 1 (F20, F21) (07/11--)

BMW 3 (F30, F31) (11/11-06/19)

BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)

BMW 3 (F34) (07/12--)

Stabilizer link

316 060 0041/HD

MSL0343HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm]

310

Paired article number

316 060 0040/HD | MSL0342HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

BMW 31 30 6 792 212

BMW (Brilliance) 31 30 6 792 212

BMW 6 792 212

BMW (Brilliance) 6 792 212

Application info

BMW 1 (F20, F21) (07/11--)

BMW 3 (F30, F31) (11/11-06/19)

BMW 4 (F32, F33, F36) (07/13--)

BMW 2 (F22,F23) (10/12--)

BMW 3 (F34) (07/12--)

Stabilizer link

316 060 0042/HD

MSL0344HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
with spanner attachment

Length [mm]

136

Paired article number

316 060 0043/HD | MSL0345HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

BMW 33 50 6 785 607

BMW (Brilliance) 33 50 6 785 607

Toyota 48840-WAA01

BMW 6 785 607

BMW (Brilliance) 6 785 607

Application info

BMW 1 (F20, F21) (07/11--)

BMW 2 (G42) (08/21--)

BMW 3 (F34) (07/12--)

BMW 4 (F32, F33, F36) (07/13--)

BMW X1 (E84) (03/09-06/15)

Toyota Supra V (_A9_) (03/19--)

BMW 2 (F22,F23) (10/12--)

BMW 3 (F30, F31) (11/11-06/19)

BMW 3 (G20, G21) (11/18--)

BMW 4 (G22, G23, G26) (07/20--)

BMW Z4 Roadster (G29) (11/18--)

Stabilizer link**316 060 0043/HD****MSL0345HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Right
with spanner attachment

Length [mm]

136

Paired article number

316 060 0042/HD | MSL0344HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

BMW 33 50 6 785 608

BMW (Brilliance) 33 50 6 785 608

Toyota 48830-WAA01

BMW 6 785 608

BMW (Brilliance) 6 785 608

Application info

BMW 1 (F20, F21) (07/11--)

BMW 2 (G42) (08/21--)

BMW 3 (F34) (07/12--)

BMW 4 (F32, F33, F36) (07/13--)

BMW X1 (E84) (03/09-06/15)

Toyota Supra V (_A9_) (03/19--)

BMW 2 (F22,F23) (10/12--)

BMW 3 (F30, F31) (11/11-06/19)

BMW 3 (G20, G21) (11/18--)

BMW 4 (G22, G23, G26) (07/20--)

BMW Z4 Roadster (G29) (11/18--)

Stabilizer link		316 060 0048/HD	MSL0602HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right with spanner attachment</p> <p>Length [mm] 110 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>BMW 33 55 6 777 635 BMW 6 777 635 BMW (Brilliance) 33 55 6 777 635 BMW (Brilliance) 6 777 635</p>			
<p>Application info</p> <p>BMW 5 (F10, F11) (01/09-02/17) BMW 6 (F12, F13) (12/10-10/18) BMW 7 (F01, F02, F03, F04) (02/08-12/15)</p>			
Stabilizer link		316 060 0049/HD	MSL0603HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right with spanner attachment</p> <p>Length [mm] 200 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>BMW 2 450 704 BMW 33 32 2 450 704 BMW 33 55 6 786 429 BMW 6 786 429</p>			
<p>Application info</p> <p>BMW 5 (F07) (01/09-02/17) BMW 5 (F10, F11) (01/09-02/17)</p>			

Stabilizer link		316 060 0050/HD	MSL0609HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right with spanner attachment</p> <p>Length [mm] 110 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>BMW 37 10 6 775 189 BMW 6 775 189</p>			
<p>Application info</p> <p>BMW 5 (F10, F11) (01/09-02/17) BMW 6 (F12, F13) (12/10-10/18) BMW 7 (F01, F02, F03, F04) (02/08-12/15)</p>			
Stabilizer link		316 060 0051/HD	MSL0596HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 422 Paired article number 316 060 0052/HD MSL0597HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>BMW 2 347 949 BMW 31 30 6 781 549 BMW 31 35 2 347 949 BMW 31 35 6 768 083 BMW 6 768 083 BMW 6 781 549</p>			
<p>Application info</p> <p>BMW 5 (E60, E61) (12/01-12/10)</p>			

Stabilizer link		316 060 0052/HD	MSL0597HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 422 Paired article number 316 060 0051/HD MSL0596HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>BMW 2 347 949 BMW 31 30 6 781 550 BMW 31 35 2 347 949 BMW 31 35 6 768 084 BMW 6 768 084 BMW 6 781 550</p>			
<p>Application info</p> <p>BMW 5 (E60, E61) (12/01-12/10)</p>			
Stabilizer link		316 060 0054/HD	MSL0981HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Inner Diameter 2 [mm] 11 Length [mm] 132 Required quantity 2 Thread Size 1 M10x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>BMW 33 55 6 790 324 BMW 6 790 324</p>			
<p>Application info</p> <p>BMW X3 (F25) (09/10-08/17) BMW X4 (F26) (05/13-03/18)</p>			

Stabilizer link		316 060 0054	MSL0981
<p>Notes</p> <p>Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Inner Diameter 2 [mm] 11 Length [mm] 132 Required quantity 2 Thread Size 1 M10x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>BMW 33 55 6 790 324 BMW 6 790 324</p>			
<p>Application info</p> <p>BMW X3 (F25) (09/10-08/17) BMW X4 (F26) (05/13-03/18)</p>			
Stabilizer link		316 060 0056	MSL0681
<p>Notes</p> <p>Coupling Rod Front Axle Right</p> <p>Length [mm] 332 Paired article number 316 060 0057 MSL0682 Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>BMW 31 30 6 781 542 BMW 31 35 4 014 576 BMW 31 35 6 762 512 BMW 31 35 6 769 664 BMW 4 014 576 BMW 6 762 512 BMW 6 769 664 BMW 6 781 542</p>			
<p>Application info</p> <p>BMW 6 (E63, E64) (09/03-12/10)</p>			

Stabilizer link		316 060 0067	MSL0812
<p>Notes</p> <p>Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 358 Paired article number 316 060 0066 MSL0811 Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>BMW 31 35 6 750 703 BMW 6 750 703</p>			
<p>Application info</p> <p>BMW X5 (E53) (01/00-12/06)</p>			
Stabilizer link		316 060 0068	MSL0813
<p>Notes</p> <p>Coupling Rod Rear Axle Left Rear Axle Right with spanner attachment</p> <p>Length [mm] 65 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>BMW 1 096 735 BMW 33 55 1 096 735</p>			
<p>Application info</p> <p>BMW X5 (E53) (01/00-12/06)</p>			

Stabilizer link **316 060 0072** **MSL0817**

Notes

Coupling Rod
 Front Axle Right
 Length [mm] 300
 Paired article number 316 060 0073 | MSL0818
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 347 945 | BMW 31 30 6 781 548 |
| BMW 31 35 2 347 945 | BMW 31 35 4 014 532 |
| BMW 31 35 6 760 986 | BMW 31 35 6 769 500 |
| BMW 4 014 532 | BMW 6 760 986 |
| BMW 6 769 500 | BMW 6 781 548 |
| BMW (Brilliance) 31 30 6 781 548 | BMW (Brilliance) 31 35 4 014 532 |
| BMW (Brilliance) 31 35 6 760 986 | BMW (Brilliance) 31 35 6 769 500 |
| BMW (Brilliance) 4 014 532 | BMW (Brilliance) 6 760 986 |
| BMW (Brilliance) 6 769 500 | BMW (Brilliance) 6 781 548 |

Application info

BMW 5 (E60, E61) (12/01-12/10)

Stabilizer link **316 060 0073** **MSL0818**

Notes

Coupling Rod
 Front Axle Left
 Length [mm] 300
 Paired article number 316 060 0072 | MSL0817
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------------|
| BMW 2 347 945 | BMW 31 30 6 781 547 |
| BMW 31 35 2 347 945 | BMW 31 35 4 014 531 |
| BMW 31 35 6 760 985 | BMW 31 35 6 769 499 |
| BMW 4 014 531 | BMW 6 760 985 |
| BMW 6 769 499 | BMW 6 781 547 |
| BMW (Brilliance) 31 30 6 781 547 | BMW (Brilliance) 31 35 4 014 531 |
| BMW (Brilliance) 31 35 6 760 985 | BMW (Brilliance) 31 35 6 769 499 |
| BMW (Brilliance) 4 014 531 | BMW (Brilliance) 6 760 985 |
| BMW (Brilliance) 6 769 499 | BMW (Brilliance) 6 781 547 |

Application info

BMW 5 (E60, E61) (12/01-12/10)

Stabilizer link

316 060 0074

MSL0819

Notes

Coupling Rod
 Front Axle Right
 with spanner attachment
 Length [mm] 290
 Paired article number 316 060 0075 | MSL0820
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5

replacement in pairs recommended



References

- | | |
|----------------------------------|----------------------------|
| BMW 2 405 868 | BMW 31 35 2 405 868 |
| BMW 31 35 6 765 934 | BMW 6 765 934 |
| BMW (Brilliance) 31 35 6 765 934 | BMW (Brilliance) 6 765 934 |

Application info

- | | |
|--|--|
| BMW 1 (E81, E82, E87, E88) (02/03-12/13) | BMW 3 (E90, E91, E92, E93) (02/04-12/13) |
| BMW X1 (E84) (03/09-06/15) | BMW Z4 (E89) (02/09-08/16) |

Stabilizer link		316 060 0075	MSL0820
<p>Notes</p> <p>Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 290</p> <p>Paired article number 316 060 0074 MSL0819</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 2 405 868 BMW 31 35 2 405 868</p> <p>BMW 31 35 6 765 933 BMW 6 765 933</p> <p>BMW (Brilliance) 31 35 6 765 933 BMW (Brilliance) 6 765 933</p>			
<p>Application info</p> <p>BMW 1 (E81, E82, E87, E88) (02/03-12/13) BMW 3 (E90, E91, E92, E93) (02/04-12/13)</p> <p>BMW X1 (E84) (03/09-06/15) BMW Z4 (E89) (02/09-08/16)</p>			
Stabilizer link		316 060 0076	MSL0821
<p>Notes</p> <p>Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 300</p> <p>Paired article number 316 060 0077 MSL0822</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 3 413 202 BMW 3 414 300</p> <p>BMW 31 30 3 413 202 BMW 31 30 3 414 300</p>			
<p>Application info</p> <p>BMW X3 (E83) (01/03-12/11)</p>			

Stabilizer link		316 060 0077	MSL0822
<p>Notes</p> <p>Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 300</p> <p>Paired article number 316 060 0076 MSL0821</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 3 413 201 BMW 3 414 299</p> <p>BMW 31 30 3 413 201 BMW 31 30 3 414 299</p>			
<p>Application info</p> <p>BMW X3 (E83) (01/03-12/11)</p>			
Stabilizer link		316 060 0078	MSL0823
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 300</p> <p>Required quantity 2</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mini 2 318 481 Mini 31 35 2 318 481</p> <p>Mini 31 35 6 759 537 Mini 31 35 6 778 831</p> <p>Mini 6 759 537 Mini 6 778 831</p>			
<p>Application info</p> <p>Mini Mini I (06/01-07/08) Mini Mini II (11/05-12/15)</p>			

Stabilizer link		316 060 0079	MSL0824
<p>Notes</p> <p>Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 340</p> <p>Paired article number 316 060 0080 MSL0825</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 405 869 BMW 31 35 2 405 869</p> <p>BMW 31 35 6 768 771 BMW 6 768 771</p> <p>BMW (Brilliance) 31 35 6 768 771 BMW (Brilliance) 6 768 771</p>			
<p>Application info</p> <p>BMW 3 (E90, E91, E92, E93) (02/04-12/13) BMW X1 (E84) (03/09-06/15)</p>			
Stabilizer link		316 060 0080	MSL0825
<p>Notes</p> <p>Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 340</p> <p>Paired article number 316 060 0079 MSL0824</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 2 405 869 BMW 31 35 2 405 869</p> <p>BMW 31 35 6 768 772 BMW 6 768 772</p> <p>BMW (Brilliance) 31 35 6 768 772 BMW (Brilliance) 6 768 772</p>			
<p>Application info</p> <p>BMW 3 (E90, E91, E92, E93) (02/04-12/13) BMW X1 (E84) (03/09-06/15)</p>			

Application info

BMW 3 (E30) (09/82-10/94)
 BMW 5 (E28) (05/81-12/87)
 BMW 6 (E24) (10/75-04/89)
 BMW 8 (E31) (01/90-12/99)

BMW 3 (E36) (09/90-08/00)
 BMW 5 (E34) (02/87-07/96)
 BMW 7 (E32) (03/85-10/94)

Stabilizer link

316 060 0085

MSL0830

Notes

Coupling Rod
 Front Axle Left
 with spanner attachment

Length [mm] 240
 Paired article number 316 060 0086 | MSL0831
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

BMW 1 091 855 BMW 1 095 661
 BMW 31 35 1 091 855 BMW 31 35 1 095 661

Application info

BMW 5 (E39) (09/95-06/04)

Stabilizer link

316 060 0086

MSL0831

Notes

Coupling Rod
 Front Axle Right
 with spanner attachment

Length [mm] 240
 Paired article number 316 060 0085 | MSL0830
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

BMW 1 091 856 BMW 1 095 662
 BMW 31 35 1 091 856 BMW 31 35 1 095 662

Application info

BMW 5 (E39) (09/95-06/04)

Stabilizer link		316 060 0088	MSL0833
<p>Notes</p> <p>Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 340</p> <p>Paired article number 316 060 0089 MSL0834</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 2 457 373 BMW 31 30 6 787 164</p> <p>BMW 31 35 2 457 373 BMW 6 787 164</p>			
<p>Application info</p> <p>BMW X3 (F25) (09/10-08/17) BMW X4 (F26) (05/13-03/18)</p>			
Stabilizer link		316 060 0089	MSL0834
<p>Notes</p> <p>Coupling Rod Front Axle Left with spanner attachment</p> <p>Length [mm] 340</p> <p>Paired article number 316 060 0088 MSL0833</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M12x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 2 457 373 BMW 31 30 6 787 163</p> <p>BMW 31 35 2 457 373 BMW 6 787 163</p>			
<p>Application info</p> <p>BMW X3 (F25) (09/10-08/17) BMW X4 (F26) (05/13-03/18)</p>			

Stabilizer link		316 060 0090	MSL0835
<p>Notes</p> <p>Coupling Rod with spanner attachment</p> <p>Length [mm] 310</p> <p>Paired article number 316 060 0091 MSL0836</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 31 30 6 792 211 BMW 6 792 211</p> <p>BMW (Brilliance) 31 30 6 792 211 BMW (Brilliance) 6 792 211</p>			
<p>Application info</p> <p>BMW 1 (F20, F21) (07/11--)</p> <p>BMW 2 (F22,F23) (10/12--)</p> <p>BMW 3 (F30, F31) (11/11-06/19)</p> <p>BMW 3 (F34) (07/12--)</p> <p>BMW 4 (F32, F33, F36) (07/13--)</p>			
Stabilizer link		316 060 0091	MSL0836
<p>Notes</p> <p>Coupling Rod with spanner attachment</p> <p>Length [mm] 310</p> <p>Paired article number 316 060 0090 MSL0835</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>BMW 31 30 6 792 212 BMW 6 792 212</p> <p>BMW (Brilliance) 31 30 6 792 212 BMW (Brilliance) 6 792 212</p>			
<p>Application info</p> <p>BMW 1 (F20, F21) (07/11--)</p> <p>BMW 2 (F22,F23) (10/12--)</p> <p>BMW 3 (F30, F31) (11/11-06/19)</p> <p>BMW 3 (F34) (07/12--)</p> <p>BMW 4 (F32, F33, F36) (07/13--)</p>			

Application info

BMW 1 (F40), 2 Gran Coupe (F44) (07/19--)
 BMW X1 (F48) (11/14--)
 BMW X2 (F39) (11/17--)
 Mini Mini III (09/13--)

BMW 2 (F45, F46) (11/13--)
 BMW X1 (U11) (07/22--)
 Mini Countryman II (10/16--)

Stabilizer link

316 060 0094/HD

MSL0955HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right

Length [mm] 242
 Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 31 30 6 861 483
 BMW (Brilliance) 31 30 6 866 522

BMW 6 861 483
 BMW (Brilliance) 6 866 522

Application info

BMW 5 (G30, G31) (09/16--)
 BMW 7 (G11, G12) (07/15--)
 BMW 8 Gran Coupe (G16) (07/19--)

BMW 6 (G32) (06/17--)
 BMW 8 (G15) (07/18--)

Stabilizer link

316 060 0096/HD

MSL1056HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Right

Length [mm] 317
 Paired article number 316 060 0097/HD | MSL1057HD
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 31 30 6 893 360
 BMW (Brilliance) 31 30 6 893 360

BMW 6 893 360
 BMW (Brilliance) 6 893 360

Application info

BMW 2 (G42) (08/21--)
 BMW 4 (G22, G23, G26) (07/20--)

BMW 3 (G20, G21) (11/18--)
 BMW i4 (G26) (11/21--)

Stabilizer link

316 060 0097/HD

MSL1057HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Length [mm] 317
 Paired article number 316 060 0096/HD | MSL1056HD
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 31 30 6 893 359
 BMW (Brilliance) 31 30 6 893 359

BMW 6 893 359
 BMW (Brilliance) 6 893 359

Application info

BMW 2 (G42) (08/21--)
 BMW 4 (G22, G23, G26) (07/20--)

BMW 3 (G20, G21) (11/18--)
 BMW i4 (G26) (11/21--)

Stabilizer link

316 060 0098/HD

MSL1089HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Right
 Length [mm] 282
 Paired article number 316 060 0099/HD | MSL1090HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 31 35 6 881 808

BMW 6 881 808

Application info

BMW X5 (G05) (08/18--)

BMW X6 (G06) (08/19--)

BMW X7 (G07) (03/19--)

BMW XM (G09) (12/22--)

Stabilizer link

316 060 0099/HD

MSL1090HD

Notes

Carbon Neutral

Coupling Rod

Front Axle Left

Length [mm]

282

Paired article number

316 060 0098/HD | MSL1089HD

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended



References

BMW 31 35 6 881 807

BMW 6 881 807

Application info

BMW X5 (G05) (08/18--)

BMW X6 (G06) (08/19--)

BMW X7 (G07) (03/19--)

BMW XM (G09) (12/22--)

Stabilizer link

316 060 0100/HD

MSL1155HD

Notes

Carbon Neutral

Coupling Rod

Rear Axle Left

Rear Axle Right

Steel

Length [mm]

140

Pipe Diameter [mm]

10

Required quantity

2

Thread Size 1

M12x1,5

reinforced version

replacement in pairs recommended



References

BMW 33 55 6 882 924

BMW 6 882 924

Application info

BMW 7 (G11, G12) (07/15--)

BMW X6 (G06) (08/19--)

BMW X5 (G05) (08/18--)

BMW X7 (G07) (03/19--)

Stabilizer link**316 060 0101/HD****MSL1160HD****Notes**Carbon Neutral
Coupling Rod
Front Axle Left
Steel

Length [mm]

391.5

Paired article number

316 060 0102/HD | MSL1161HD

Pipe Diameter [mm]

12

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

BMW 31 30 6 886 279

Toyota 48820-WAA01

BMW 6 886 279

Application info

BMW Z4 Roadster (G29) (11/18--)

Toyota Supra V (_A9_) (03/19--)

Stabilizer link**316 060 0102/HD****MSL1161HD****Notes**Carbon Neutral
Coupling Rod
Front Axle Right
Steel

Length [mm]

391.5

Paired article number

316 060 0101/HD | MSL1160HD

Pipe Diameter [mm]

12

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

BMW 31 30 6 886 280

BMW 6 886 280

Toyota 48820-WAA02

Application info

BMW Z4 Roadster (G29) (11/18--)

Toyota Supra V (_A9_) (03/19--)

Stabilizer link**316 060 0103/HD****MSL1044HD****Notes**

Carbon Neutral

Coupling Rod

Front Axle Left

317

316 060 0104/HD | MSL1045HD

1

M12x1,5

M12x1,5

Length [mm]

Paired article number

Required quantity

Thread Size 1

Thread Size 2

reinforced version

replacement in pairs recommended

**References**

BMW 31 35 6 881 091

BMW 31 35 6 886 035

BMW 31 35 6 887 271

BMW 6 881 091

BMW 6 886 035

BMW 6 887 271

Application info

BMW X3 (G01) (07/17--)

BMW X4 (G02) (04/18--)

BMW iX3 (09/20--)

Stabilizer link**316 060 0104/HD****MSL1045HD****Notes**

Carbon Neutral

Coupling Rod

Front Axle Right

317

316 060 0103/HD | MSL1044HD

1

M12x1,5

M12x1,5

Length [mm]

Paired article number

Required quantity

Thread Size 1

Thread Size 2

reinforced version

replacement in pairs recommended



References

BMW 31 35 6 881 092
 BMW 31 35 6 887 272
 BMW 6 886 036

BMW 31 35 6 886 036
 BMW 6 881 092
 BMW 6 887 272

Application info

BMW X3 (G01) (07/17--)
 BMW iX3 (09/20--)

BMW X4 (G02) (04/18--)

Stabilizer link

316 060 0105/HD

MSL1114HD

Notes

Carbon Neutral
 Coupling Rod
 Rear Axle Left
 Rear Axle Right

Length [mm] 136
 Required quantity 2
 Thread Size 1 M10x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 33 55 6 870 702

BMW 6 870 702

Application info

BMW X3 (G01) (07/17--)
 BMW iX3 (09/20--)

BMW X4 (G02) (04/18--)

Stabilizer link

316 060 0106/HD

MSL1047HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right

Length [mm] 180
 Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M12x1,5
 reinforced version
 replacement in pairs recommended



References

BMW 31 30 6 861 485

BMW 6 861 485

Application info

BMW 5 (G30, G31) (09/16--)

BMW 7 (G11, G12) (07/15--)

BMW 8 Gran Coupe (G16) (07/19--)

BMW 6 (G32) (06/17--)

BMW 8 (G15) (07/18--)

Stabilizer link

316 060 0107/HD

MSL1025HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

320

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

Mini 31 30 6 862 863

Mini 6 862 863

Application info

Mini Mini III (09/13--)

Stabilizer link

316 060 0108/HD

MSL1049HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Right

Length [mm]

155

Paired article number

316 060 0109/HD | MSL1050HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References


Mini 33 50 9 803 516

Mini 9 803 516

Application info

Mini Countryman I (08/10-10/16)

Mini Paceman (03/12-10/16)

Stabilizer link**316 060 0109/HD****MSL1050HD****Notes**Carbon Neutral
Coupling Rod
Rear Axle LeftLength [mm] 155
Paired article number 316 060 0108/HD | MSL1049HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended**References**

Mini 33 50 9 803 515

Mini 9 803 515

Application info

Mini Countryman I (08/10-10/16)

Mini Paceman (03/12-10/16)

Stabilizer link**316 060 0110/HD****MSL1125HD****Notes**Carbon Neutral
Coupling Rod
Front Axle RightLength [mm] 235
Paired article number 316 060 0111/HD | MSL1126HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
replacement in pairs recommended**References**

BMW 31 30 6 862 858

BMW 6 862 858

Application info

BMW i3 (08/13--)

Stabilizer link		316 060 0111/HD	MSL1126HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left</p> <p>Length [mm] 235 Paired article number 316 060 0110/HD MSL1125HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>		 <p>A black metal coupling rod for the front axle left, featuring a yellow 'HD' (High Duty) seal on the right end.</p>	
<p>References</p> <p>BMW 31 30 6 862 857 BMW 6 862 857</p>			
<p>Application info</p> <p>BMW i3 (08/13--)</p>			
Stabilizer link		316 060 0114	MSL1196
<p>Notes</p> <p>Coupling Rod Rear Axle Right</p> <p>Length [mm] 97 Paired article number 316 060 0115 MSL1197 Required quantity 1 Thread Size 1 M10 x 1,5 Thread Size 2 M10 X 1,5 replacement in pairs recommended</p>		 <p>A black metal coupling rod for the rear axle right, featuring a blue 'ORIGINAL' seal on the right end.</p>	
<p>References</p> <p>BMW 33 50 6 888 790 BMW 6 888 790</p>			
<p>Application info</p> <p>BMW iX (I20) (07/21--)</p>			

Stabilizer link		316 060 0115	MSL1197
<p>Notes</p> <p>Coupling Rod Rear Axle Left</p> <p>Length [mm] 97</p> <p>Paired article number 316 060 0114 MSL1196</p> <p>Required quantity 1</p> <p>Thread Size 1 M10 x 1,5</p> <p>Thread Size 2 M10 x 1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 33 50 6 888 789 BMW 6 888 789</p>			
<p>Application info</p> <p>BMW iX (I20) (07/21--)</p>			
Stabilizer link		316 060 0119/HD	MSL1198HD
<p>Notes</p> <p>Coupling Rod Rear Axle Left</p> <p>Length [mm] 94.5</p> <p>Paired article number 316 060 0120/HD MSL1199HD</p> <p>Pipe Diameter [mm] 10</p> <p>Required quantity 1</p> <p>Thread Size 1 M10 x 1,5</p> <p>Thread Size 2 M10 X 1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 33 50 6 895 143 BMW 6 895 143</p>			
<p>Application info</p> <p>BMW i4 (G26) (11/21--)</p>			

Stabilizer link		316 060 0120/HD	MSL1198HD
<p>Notes</p> <p>Coupling Rod Rear Axle Right</p> <p>Length [mm] 94.5</p> <p>Paired article number 316 060 0119/HD MSL1198HD</p> <p>Pipe Diameter [mm] 10</p> <p>Required quantity 1</p> <p>Thread Size 1 M10 x 1,5</p> <p>Thread Size 2 M10 X 1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 33 50 6 895 144 BMW 6 895 144</p>			
<p>Application info</p> <p>BMW i4 (G26) (11/21--)</p>			
Stabilizer link		316 060 4311/HD	MSL0346HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Inner Diameter 1 [mm] 8</p> <p>Length [mm] 67</p> <p>Required quantity 2</p> <p>Thread Size 1 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>BMW 1 091 764 BMW 1 127 689</p> <p>BMW 1 128 737 BMW 31 35 1 091 764</p> <p>BMW 31 35 1 127 689 BMW 31 35 1 128 737</p>			
<p>Application info</p> <p>BMW 3 (E30) (09/82-10/94) BMW 3 (E36) (09/90-08/00)</p> <p>BMW Z1 (06/88-06/91) BMW Z3 (E36/7, E36/8) (10/95-06/03)</p>			

Stabilizer link

316 060 4322/HD

MSL0347HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 240
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| BMW 1 124 380 | BMW 1 127 194 |
| BMW 1 128 050 | BMW 1 130 075 |
| BMW 1 134 582 | BMW 31 35 1 124 380 |
| BMW 31 35 1 127 194 | BMW 31 35 1 128 050 |
| BMW 31 35 1 130 075 | BMW 31 35 1 134 582 |

Application info

- | | |
|---------------------------|---------------------------|
| BMW 3 (E30) (09/82-10/94) | BMW 3 (E36) (09/90-08/00) |
| BMW 5 (E28) (05/81-12/87) | BMW 5 (E34) (02/87-07/96) |
| BMW 6 (E24) (10/75-04/89) | BMW 7 (E32) (03/85-10/94) |
| BMW 8 (E31) (01/90-12/99) | |

Stabilizer link

316 060 4358/HD

MSL0348HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 240
Paired article number 316 060 4359/HD | MSL0349HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

BMW 1 091 856

BMW 31 35 1 091 856

BMW 1 095 662

BMW 31 35 1 095 662

Application info

BMW 5 (E39) (09/95-06/04)

Stabilizer link

316 060 4359/HD

MSL0349HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm]

240

Paired article number

316 060 4358/HD | MSL0348HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

BMW 1 091 855

BMW 31 35 1 091 855

BMW 1 095 661

BMW 31 35 1 095 661

Application info

BMW 5 (E39) (09/95-06/04)

Stabilizer link

316 060 4364/HD

MSL0350HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

308

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

BMW 1 091 496

BMW 31 35 1 091 496

BMW 1 095 695

BMW 31 35 1 095 695

Application info

BMW 7 (E38) (03/94-11/01)

BMW Z8 (E52) (01/00-12/03)

Stabilizer link

316 060 4365/HD

MSL0351HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm]

77

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

BMW 1 091 497

BMW 33 55 1 091 497

BMW 1 095 696

BMW 33 55 1 095 696

Application info

BMW 7 (E38) (03/94-11/01)

BMW Z8 (E52) (01/00-12/03)

Stabilizer link

316 060 4607/HD

MSL0352HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

270

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

BMW 1 095 694

BMW 31 35 1 095 694

BMW 31 35 6 780 847

BMW (Brilliance) 1 095 694

BMW (Brilliance) 31 35 6 780 847

BMW 2 241 254

BMW 31 35 2 241 254

BMW 6 780 847

BMW (Brilliance) 31 35 1 095 694

BMW (Brilliance) 6 780 847

Application info

BMW 3 (E46) (12/97-12/07)

BMW Z4 (E86) (03/06-01/09)

BMW Z4 (E85) (09/02-12/09)

Stabilizer link**32-16 060 0005****MSL0356****Notes**

	Coupling Rod
Length [mm]	60
Required quantity	2
Thread Size 1	M10x1,25
Thread Size 2	M10x1,25
replacement in pairs recommended	

**References**

Hyundai MB518892

Mitsubishi MB518892

Mitsubishi MB892982

Mitsubishi 4056A014

Mitsubishi MB573043

Application info

Hyundai Pony (X-2) (04/89-01/95)

Mitsubishi 3000 GT (06/89-08/00)

Mitsubishi Galant IV (11/87-03/93)

Mitsubishi Lancer IV (04/88-12/97)

Mitsubishi Sigma (10/90-10/96)


Hyundai S Coupé (02/90-05/96)

Mitsubishi Eclipse II (04/94-04/99)

Mitsubishi Galant V (11/92-12/98)

Mitsubishi Pajero Pinin (H60) (01/99-06/07)

Stabilizer link		32-16 060 0024	MSL0368
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 93 Required quantity 2 Thread Size 1 M10x1,25 Thread Size 2 M10x1,25 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mitsubishi 4056A040 Mitsubishi MR476595</p>		<p>Mitsubishi MR319147</p>	
<p>Application info</p> <p>Mitsubishi Outlander I (03/01-07/08)</p>			
Stabilizer link		32-16 060 0032/HD	MSL0610HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 273.5 Paired article number 32-16 060 0033/HD MSL0611HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12X1,5 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>Mitsubishi MR594340</p>			
<p>Application info</p> <p>Mitsubishi Grandis (03/03-12/11)</p>			

Stabilizer link		32-16 060 0033/HD	MSL0611HD
Notes Carbon Neutral Coupling Rod Front Axle Left with spanner attachment Length [mm] 273.5 Paired article number 32-16 060 0032/HD MSL0610HD Required quantity 1 Thread Size 1 M12X1,5 Thread Size 2 M12X1,5 reinforced version replacement in pairs recommended			
References Mitsubishi MR594339			
Application info Mitsubishi Grandis (03/03-12/11)			
Stabilizer link		32-16 060 0037/HD	MSL1145HD
Notes Carbon Neutral Coupling Rod Front Axle Left Length [mm] 80 Paired article number Required quantity 1 Thread Size 1 M14x1,5 reinforced version replacement in pairs recommended			
References Fiat 6000605889 Mitsubishi 4056A198			
Application info Fiat Fullback Pick Up (01/16--) Mitsubishi Pajero Sport III (KS) (08/15--) Mitsubishi L200 V (11/14--)			

Stabilizer link		32-16 060 0038/HD	MSL1146HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right</p> <p>Length [mm] 80 Paired article number 32-16 060 0037/HD MSL1145HD Required quantity 1 Thread Size 1 M14x1,5 reinforced version replacement in pairs recommended</p>		 <p>HD PRODUCT</p>	
<p>References</p> <p>Fiat 6000605890</p>		<p>Mitsubishi 4056A199</p>	
<p>Application info</p> <p>Fiat Fullback Pick Up (01/16--) Mitsubishi Pajero Sport III (KS) (08/15--)</p>		<p>Mitsubishi L200 V (11/14--)</p>	
Stabilizer link		33-16 060 0000	MSL0371
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 93 Required quantity 2 Thread Size 1 M10x1,25 Thread Size 2 M10x1,25 replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL PRODUCT</p>	
<p>References</p> <p>Suzuki 42420-81A10</p>			
<p>Application info</p> <p>Suzuki Jimny I (SN) (01/98--)</p>			


Stabilizer link **33-16 060 0005/HD** **MSL0374HD**

Notes	Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment	
Length [mm]	300	
Required quantity	2	
Thread Size 1	M10x1,5	
Thread Size 2	M10x1,5	
reinforced version		
replacement in pairs recommended		

References
Suzuki 42420-65J00

Application info
Suzuki Grand Vitara II (JB) (04/05--)

Stabilizer link **33-16 060 0006/HD** **MSL0375HD**

Notes	Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment	
Length [mm]	300	
Required quantity	2	
Thread Size 1	M10x1,5	
Thread Size 2	M10x1,5	
reinforced version		
replacement in pairs recommended		

References

GENERAL MOTORS 93195093	Opel 47 09 702
Suzuki 42420-62J00	Suzuki 42420-63J00
Vauxhall 47 09 702	

Application info

Opel Agila B (04/08-10/14)	Suzuki Splash (01/08--)
Suzuki Swift III (02/05--)	Vauxhall Agila Mk II (01/08-11/14)

Stabilizer link

33-16 060 0007/HD

MSL0376HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 270
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Suzuki 42420-58M00
Suzuki 42420-59J00-M

Suzuki 42420-59J00

Application info

Suzuki Celerio (02/14--)

Suzuki Liana (06/01--)

Stabilizer link

33-16 060 0010

MSL0838

Notes

Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 300
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
replacement in pairs recommended

**References**

Suzuki 42420-65J00

Application info

Suzuki Grand Vitara II (JB) (04/05--)

Stabilizer link		33-16 060 0011	MSL0839
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 300 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>GENERAL MOTORS 93195093 Opel 47 09 702 Suzuki 42420-62J00 Suzuki 42420-63J00 Vauxhall 47 09 702</p>			
<p>Application info</p> <p>Opel Agila B (04/08-10/14) Suzuki Splash (01/08--) Suzuki Swift III (02/05--) Vauxhall Agila Mk II (01/08-11/14)</p>			
Stabilizer link		33-16 060 0012	MSL0840
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 270 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Suzuki 42420-58M00 Suzuki 42420-59J00 Suzuki 42420-59J00-M</p>			
<p>Application info</p> <p>Suzuki Celerio (02/14--) Suzuki Liana (06/01--)</p>			

Stabilizer link **33-16 060 0015/HD** **MSL1074HD**

Notes	Carbon Neutral Coupling Rod Front Axle Left Front Axle Right	 
Length [mm]	350	
Required quantity	2	
Thread Size 1	M10 X 1,25	
Thread Size 2	M10 X 1,25	
reinforced version		
replacement in pairs recommended		

References	Suzuki 42420-53R00	Suzuki 42420-53R01
-------------------	--------------------	--------------------

Application info	Suzuki Swift V (01/17--)
-------------------------	--------------------------

Stabilizer link **33-16 060 0017/HD** **MSL1135HD**

Notes	Carbon Neutral Coupling Rod Front Axle Left Front Axle Right	 
Length [mm]	350	
Required quantity	2	
Thread Size 1	M10x1,5	
Thread Size 2	M10x1,5	
reinforced version		
replacement in pairs recommended		

References	Suzuki 42420M68P00
-------------------	--------------------

Application info	Suzuki Baleno II (02/16--)
-------------------------	----------------------------

Stabilizer link		34-16 060 0008	MSL0992
<p>Notes</p> <p>Coupling Rod Front Axle Right</p> <p>Length [mm] 315</p> <p>Paired article number 34-16 060 0007 MSL0991</p> <p>Required quantity 1</p> <p>Thread Size 1 12x1,25</p> <p>Thread Size 2 12x1,25</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Subaru 20420FL020</p>			
<p>Application info</p> <p>Subaru XV II (04/17--)</p>			
Stabilizer link		34-16 060 0009/HD	MSL1170HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left</p> <p>Length [mm] 112.4</p> <p>Paired article number 34-16 060 0010/HD MSL1171HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10X1,25</p> <p>Thread Size 2 M10X1,25</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Subaru 20470FL010</p>			
<p>Application info</p> <p>Subaru Forester V (SK) (04/18--)</p> <p>Subaru XV II (04/17--)</p> <p>Subaru Impreza V (GT) (10/16--)</p>			

Stabilizer link**34-16 060 0010/HD****MSL1171HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Right

Length [mm] 112.4
Paired article number 34-16 060 0009/HD | MSL1170HD
Required quantity 1
Thread Size 1 M10X1,25
Thread Size 2 M10X1,25
reinforced version
replacement in pairs recommended

**References**

Subaru 20470FL000

Application info

Subaru Forester V (SK) (04/18--)
Subaru XV II (04/17--)

Subaru Impreza V (GT) (10/16--)

Stabilizer link**34-16 060 0011/HD****MSL1189HD****Notes**

Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 107
Required quantity 2
Thread Size 1 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Subaru 20470AJ010

Subaru 20470SC000

Application info

Subaru Forester III (SH) (12/07--)
Subaru Impreza IV (GP, GJ) (07/11--)
Subaru Outback IV (BM, BR) (06/09--)
Subaru XV I (09/11--)

Subaru Forester IV (SJ) (11/12--)
Subaru Legacy V (06/08--)
Subaru Outback V (10/14--)

Stabilizer link		34-16 060 0014/HD	MSL1185HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right</p> <p>Length [mm] 341</p> <p>Paired article number 34-16 060 0013/HD MSL1184HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12X1,5</p> <p>Thread Size 2 M12X1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 <p>MEYLE Carbon Neutral HD Product</p>	
<p>References</p> <p>Subaru 20420AL000</p>		<p>Subaru 20420AL001</p>	
<p>Application info</p> <p>Subaru Legacy VI (BN, BS) (01/15--)</p>		<p>Subaru Outback V (10/14--)</p>	
Stabilizer link		35-16 060 0000/HD	MSL0382HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right with spanner attachment</p> <p>Length [mm] 190</p> <p>Required quantity 2</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 <p>MEYLE Carbon Neutral HD Product</p>	
<p>References</p> <p>Mazda B26R-28-170</p>			
<p>Application info</p> <p>Mazda 323 (BJ) (05/98-05/04)</p>		<p>Mazda Premacy (01/99-06/05)</p>	

Stabilizer link**35-16 060 0001****MSL0383****Notes**

	Coupling Rod
	Front Axle Left
Length [mm]	105
Paired article number	35-16 060 0002 MSL0384
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M10x1,25
replacement in pairs recommended	

**References**

Ford 3 410 592	Ford GA2A-34170-A
Kia KGA2A 34170	Kia KGA2A 34170A
Kia KGA2A 34170B	Kia KGA2A 34170BAS
Mazda F151-34-170	Mazda F189-34-170
Mazda GA2A-34-170	Mazda GA2A-34-170A
Mazda L206-34-170A	Toyota L2063-4170A

Application info

Kia Clarus (05/96--)	Mazda 323 (BA) (09/92-12/03)
Mazda 626 (GE) (08/91-08/98)	Mazda 626 (GF, GW) (05/97-12/02)
Mazda 929 (HB, HC, HV) (12/81-08/91)	Mazda CX-7 (ER) (06/06-12/14)
Mazda MX-5 (NC) (03/05-12/14)	Mazda MX-6 (GE) (07/91-09/97)
Mazda RX-8 (10/03-06/12)	Mazda Xedos 6 (01/92-10/99)

Stabilizer link**35-16 060 0002****MSL0384****Notes**

	Coupling Rod
	Front Axle Right
Length [mm]	105
Paired article number	35-16 060 0001 MSL0383
Required quantity	1
Thread Size 1	M10x1,25
Thread Size 2	M10x1,25
replacement in pairs recommended	



References

Ford 3 410 591
 Kia KGA2A 34150
 Kia KGA2A 34150B
 Mazda F151-34-150
 Mazda GA2A-34-150
 Mazda L206-34-150A

Ford 35-16 060 0002
 Kia KGA2A 34150A
 Kia KGA2A 34150BAS
 Mazda F189-34-150
 Mazda GA2A-34-150A

Application info

Kia Clarus (05/96--)
 Mazda 626 (GE) (08/91-08/98)
 Mazda 929 (HB, HC, HV) (12/81-08/91)
 Mazda MX-5 (NC) (03/05-12/14)
 Mazda RX-8 (10/03-06/12)

Mazda 323 (BA) (09/92-12/03)
 Mazda 626 (GF, GW) (05/97-12/02)
 Mazda CX-7 (ER) (06/06-12/14)
 Mazda MX-6 (GE) (07/91-09/97)
 Mazda Xedos 6 (01/92-10/99)

Stabilizer link

35-16 060 0005/HD

MSL0386HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 190
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

Mazda B26R-34-170

Application info

Mazda 323 (BJ) (05/98-05/04)

Mazda Premacy (01/99-06/05)

Stabilizer link		35-16 060 0011/HD	MSL0389HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right with spanner attachment</p> <p>Length [mm] 230 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mazda GA20-28-170B Mazda GE4T-12-8170 Mazda GE4T-28-170</p>			
<p>Application info</p> <p>Mazda 626 (GF, GW) (05/97-12/02)</p>			
Stabilizer link		35-16 060 0012	MSL0390
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 300 Required quantity 2 Thread Size 1 M10x1,25 Thread Size 2 M10x1,25 replacement in pairs recommended</p>			
<p>References</p> <p>Mazda B39D-34-170 Mazda BBM2-34 170 Mazda BBM2-34-170A</p>			
<p>Application info</p> <p>Mazda 3 (BL) (12/08-12/14)</p>			

Stabilizer link

35-16 060 0014/HD

MSL0391HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm] 80
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Fiat 50704671	Fiat 51856959
Mazda EA01-28 170C	Mazda EA01-28-170
Mazda EA01-28-170A	Mazda EA01-28-170B
Mazda EA01-28-170D	

Application info

Fiat Panda II (09/03--)	Mazda MX-3 (EC) (05/91-09/98)
-------------------------	-------------------------------

Stabilizer link

35-16 060 0015/HD

MSL0392HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 265
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Chrysler 05174185AA
 Chrysler 05174185AC
 Chrysler 5174185AB
 Daewoo 96300627
 Dodge 5174185AB
 Fiat K05174185AC
 Jeep 5174185AC
 Mazda LC62-34-170A

Chrysler 05174185AB
 Chrysler 5174185AA
 Chrysler 5174185AC
 Dodge 5174185AA
 Dodge 5174185AC
 Jeep 5174185AB
 Mazda LC62-34-170
 Mazda LC62-34-170B

Application info

Chrysler Sebring (JS) (09/06-12/10)
 Jeep Compass (MK) (08/06--)
 Mazda 323 (BJ) (05/98-05/04)
 Mazda MPV II (LW) (08/99-12/06)

Daewoo Nubira (KLAJ) (04/97--)
 Jeep Patriot (MK) (02/07-12/17)
 Mazda MPV I (LV) (09/88-09/99)
 Mazda Premacy (01/99-06/05)

Stabilizer link

35-16 060 0017

MSL0393

Notes

Coupling Rod
 Rear Axle Left
 Rear Axle Right
 Length [mm] 95
 Required quantity 2
 Thread Size 1 M10x1,25
 Thread Size 2 M10x1,25

replacement in pairs recommended



References

Mazda GS1D-28-170

Application info

Mazda 6 (GH) (08/07-12/13)

Stabilizer link**35-16 060 0018/HD****MSL0394HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 155
Paired article number 35-16 060 0020/HD | MSL0396HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Mazda GJ6A-34-170A
Mazda GS1D-34-170

Mazda GK2A-34 170

Application info

Mazda 6 (GG, GY) (01/02-12/08)

Mazda 6 (GH) (08/07-12/13)

Stabilizer link**35-16 060 0019/HD****MSL0395HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm] 77
Required quantity 2
Thread Size 1 M10x1,5
reinforced version
replacement in pairs recommended

**References**

Mazda GJ6A-28-170
Mazda GJ6A-28-170B

Mazda GJ6A-28-170A
Mazda GJ6A-30-170B

Application info

Mazda 6 (GG, GY) (01/02-12/08)

Stabilizer link		35-16 060 0020/HD	MSL0396HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 155 Paired article number 35-16 060 0018/HD MSL0394HD Required quantity 1 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mazda GJ6A-34-150A Mazda GK2A-34 150A Mazda GS1D-34-150</p>			
<p>Application info</p> <p>Mazda 6 (GG, GY) (01/02-12/08) Mazda 6 (GH) (08/07-12/13)</p>			
Stabilizer link		35-16 060 0021/HD	MSL0397HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Rear Axle with spanner attachment</p> <p>Length [mm] 250 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			

References

Ford 1 513 343	Ford 1 745 924
Ford 1 790 310	Ford 1 905 043
Ford 2 033 497	Ford 2 069 658
Ford 2 513 086	Ford 3L84-3052-AA
Ford 4 049 981	Ford 4 133 885
Ford 4 462 153	Ford 4 487 771
Ford 4 562 792	Ford 4 779 527
Ford 5 096 832	Ford 5L84-5K483-AB
Ford 5L84-5K483-AC	Ford 7L84-5K483-AA
Ford 7L84-5K483-AB	Ford 8V51-3B438-AB
Ford 8V51-3B438-BA	Ford 8V51-3B438-BB
Ford 8V51-3B438-BC	Ford 8V51-3B438-BD
Ford ME8V5J-3B438-BD	Ford YL84-3052-AA
Mazda BC1D-28-170	Mazda BC1D-28-170A
Mazda D651-34-170	Mazda D651-34-170A
Mazda EF91-34-150	Mazda EF91-34-150A
Mazda EF91-34-150B	Mazda EF91-34-150C
Mazda EF91-34-150D	Mazda ZZC0-34-150
Mazda ZZC0-34-150A	Nissan 54618-9U00A
Nissan 54618-AX600	Nissan 54618-BC40A
Renault 551100748R	Renault 551107041R
Renault 551107916R	Renault 551108147R
Renault 8200127308	Renault 8200605381
Renault 8201079463	

Application info

Ford B-MAX (08/12--)	Ford Ecosport (09/11--)
Ford Fiesta VI (06/08--)	Ford Fiesta VII (05/17--)
Ford KA III (08/14--)	Ford Puma (09/19--)
Ford Tourneo '14 (02/14--)	Ford Transit Courier '14 (02/14--)
Mazda 2 (DE) (07/07-06/15)	Mazda 323 (BA) (09/92-12/03)
Nissan Micra (K12) (03/02--)	Nissan Note I (01/05-08/13)
Renault Captur I (06/13--)	Renault Clio III / Modus (09/04--)
Renault Clio IV (11/12--)	Renault Zoe (06/12--)

Stabilizer link

35-16 060 0022/HD

MSL0398HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

325

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Mazda LC70-34-170

Application info

Mazda MPV II (LW) (08/99-12/06)

Stabilizer link

35-16 060 0025/HD

MSL0399HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm]

160

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Mazda B30H-28-170B

Application info

Mazda 323 (BJ) (05/98-05/04)

Mazda Premacy (01/99-06/05)

Stabilizer link		35-16 060 0026	MSL0400
<p>Notes</p> <p>Coupling Rod Front Axle Right</p> <p>Length [mm] 105</p> <p>Paired article number 35-16 060 0027 MSL0401</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M10x1,25</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mazda NC10-34-150</p>			
<p>Application info</p> <p>Mazda MX-5 (NB) (01/98-10/05)</p>			
Stabilizer link		35-16 060 0027	MSL0401
<p>Notes</p> <p>Coupling Rod Front Axle Left</p> <p>Length [mm] 105</p> <p>Paired article number 35-16 060 0026 MSL0400</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M10x1,25</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Mazda NC10-34-170</p>			
<p>Application info</p> <p>Mazda MX-5 (NB) (01/98-10/05)</p>			

Application info

Mazda 6 (GG, GY) (01/02-12/08)

Mazda 6 (GH) (08/07-12/13)

Stabilizer link**35-16 060 0038****MSL0850****Notes**

Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 155
Paired article number 35-16 060 0037 | MSL0849
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
replacement in pairs recommended

**References**

Mazda GJ6A-34-150A

Mazda GK2A-34 150A

Mazda GS1D-34-150

Application info

Mazda 6 (GG, GY) (01/02-12/08)

Mazda 6 (GH) (08/07-12/13)

Stabilizer link**35-16 060 0044/HD****MSL0911HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm] 75
Required quantity 2
Thread Size 1 M12x1,25
Thread Size 2 M10x1,25
reinforced version
replacement in pairs recommended

**References**

Mazda B37F-28-170

Mazda B37F-28-170A

Mazda B37F-28-170B

Application info

Mazda 3 (BL) (12/08-12/14)

Stabilizer link		35-16 060 0045/HD	MSL1053HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left</p> <p>Length [mm] 150 Paired article number 35-16 060 0046/HD MSL1054HD Required quantity 1 Thread Size 1 M10 X 1,5 Thread Size 2 M10 X 1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mazda KD31-28-190</p>			
<p>Application info</p> <p>Mazda 3 (BM) (07/13--)</p> <p>Mazda CX-5 I (KE) (11/11-02/17)</p> <p>Mazda 6 (GJ) (08/12--)</p> <p>Mazda CX-5 II (KF) (11/16--)</p>			
Stabilizer link		35-16 060 0046/HD	MSL1054HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Right</p> <p>Length [mm] 150 Paired article number 35-16 060 0045/HD MSL1053HD Required quantity 1 Thread Size 1 M10 X 1,5 Thread Size 2 M10 X 1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Mazda KD31-28-170</p>			
<p>Application info</p> <p>Mazda 3 (BM) (07/13--)</p> <p>Mazda CX-5 I (KE) (11/11-02/17)</p> <p>Mazda 6 (GJ) (08/12--)</p> <p>Mazda CX-5 II (KF) (11/16--)</p>			

Stabilizer link**35-16 060 0047/HD****MSL1067HD****Notes**Carbon Neutral
Coupling Rod
Front Axle LeftLength [mm] 284
Paired article number 35-16 060 0048/HD | MSL1068HD
Required quantity 1
Thread Size 1 M10 X 1,25
Thread Size 2 M10 X 1,25
reinforced version
replacement in pairs recommended**References**

Mazda B45A-34-170

Application info

Mazda 3 (BM) (07/13--)

Stabilizer link**35-16 060 0048/HD****MSL1068HD****Notes**Carbon Neutral
Coupling Rod
Front Axle RightLength [mm] 284
Paired article number 35-16 060 0047/HD | MSL1067HD
Required quantity 1
Thread Size 1 M10 X 1,25
Thread Size 2 M10 X 1,25
reinforced version
replacement in pairs recommended**References**

Mazda B45A-34-150

Application info

Mazda 3 (BM) (07/13--)

Stabilizer link		35-16 060 0049/HD	MSL1062HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 288 Required quantity 2 Thread Size 1 M10 X 1,25 Thread Size 2 M10 X 1,25 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Mazda KD35-34-170</p>			
<p>Application info</p> <p>Mazda 6 (GJ) (08/12--)</p> <p>Mazda CX-5 I (KE) (11/11-02/17)</p> <p>Mazda CX-5 II (KF) (11/16--)</p> <p>Mazda CX-9 (TB) (09/06--)</p>			
Stabilizer link		35-16 060 0050/HD	MSL1059HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 250 Required quantity 2 Thread Size 1 M10 X 1,5 Thread Size 2 M10 X 1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Mazda DA6A-34-170</p> <p>Mazda DA7V-34-170</p>			
<p>Application info</p> <p>Mazda 2 (DJ) (08/14--)</p> <p>Mazda CX-3 (DK) (01/15--)</p>			

Stabilizer link**35-16 060 0051/HD****MSL1060HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

270

Required quantity

2

Thread Size 1

M10 X 1,5

Thread Size 2

M10 X 1,5

replacement in pairs recommended

**References**

Mazda BCKE-34-170

Application info

Mazda 3 (BP) (11/18--)

Mazda CX-30 (DM) (04/19--)

Mazda MX-30 (DR) (05/20--)

Stabilizer link**36-16 060 0001/HD****MSL0402HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm]

90

Pipe Diameter [mm]

10

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Nissan 56261-47B01

Nissan 56261-4F702

Nissan 56261-4F725

Nissan 56261-6F600

Application info

Nissan Micra (K11) (01/92-12/07)

Stabilizer link

36-16 060 0002

MSL0403

Notes

	Coupling Rod
	Rear Axle Right
Length [mm]	65
Paired article number	36-16 060 0003 MSL0404
Required quantity	1
Thread Size 1	M12x1,25
Thread Size 2	M12x1,25
replacement in pairs recommended	

**References**

Nissan 56261-EA500

Application info

Nissan Pathfinder (R51) (01/05--)

Stabilizer link

36-16 060 0003

MSL0404

Notes

	Coupling Rod
	Rear Axle Left
Length [mm]	65
Paired article number	36-16 060 0002 MSL0403
Required quantity	1
Thread Size 1	M12x1,25
Thread Size 2	M12x1,25
replacement in pairs recommended	

**References**

Nissan 56261-EA510

Application info

Nissan Pathfinder (R51) (01/05--)

Stabilizer link		36-16 060 0007	MSL0407
<p>Notes</p> <p>Coupling Rod Front Axle Left</p> <p>Length [mm] 65</p> <p>Paired article number 36-16 060 0008 MSL0409</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,25</p> <p>Thread Size 2 M12x1,25</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Nissan 54668-EA010</p>		<p>Nissan 54668-EB30A</p>	
<p>Application info</p> <p>Nissan Navara (D40) (10/04--)</p>		<p>Nissan Pathfinder (R51) (01/05--)</p>	
Stabilizer link		36-16 060 0008	MSL0409
<p>Notes</p> <p>Coupling Rod Front Axle Right</p> <p>Length [mm] 65</p> <p>Paired article number 36-16 060 0007 MSL0407</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,25</p> <p>Thread Size 2 M12x1,25</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Nissan 54618-EA010</p>		<p>Nissan 54618-EB30A</p>	
<p>Application info</p> <p>Nissan Navara (D40) (10/04--)</p>		<p>Nissan Pathfinder (R51) (01/05--)</p>	

Stabilizer link

36-16 060 0023

MSL0415

Notes

Coupling Rod
Front Axle Left

Length [mm] 65

Paired article number 36-16 060 0025 | MSL0416

Required quantity 1

Thread Size 1 M10x1,25

Thread Size 2 M10x1,25

replacement in pairs recommended

**References**

Nissan 54668-AU000

Nissan 54668-BA30A

Application info

Nissan Primera (P12, WP12) (01/02--)

Stabilizer link

36-16 060 0025

MSL0416

Notes

Coupling Rod
Front Axle Right

Length [mm] 65

Paired article number 36-16 060 0023 | MSL0415

Required quantity 1

Thread Size 1 M10x1,25

Thread Size 2 M10x1,25

replacement in pairs recommended

**References**

Nissan 54618-AU000

Nissan 54618-BA30A

Application info

Nissan Primera (P12, WP12) (01/02--)

Stabilizer link		36-16 060 0026/HD	MSL0417HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right with spanner attachment</p> <p>Length [mm] 90 Pipe Diameter [mm] 10 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M12X1,5 reinforced version replacement in pairs recommended</p>		 	

<p>References</p> <p>Nissan 56261-AV610 Nissan 56261-AV611</p>	
---	--

<p>Application info</p> <p>Nissan Primera (P12, WP12) (01/02--)</p>	
--	--

Stabilizer link		36-16 060 0030/HD	MSL0421HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right with spanner attachment</p> <p>Length [mm] 65 Paired article number 36-16 060 0031/HD MSL0422HD Required quantity 1 Thread Size 1 M12X1,5 Thread Size 2 M12X1,5 reinforced version replacement in pairs recommended</p>		 	

<p>References</p> <p>Nissan 54618-8H300</p>	
--	--

<p>Application info</p> <p>Nissan X-Trail (T30) (01/01-12/13)</p>	
--	--

Stabilizer link


36-16 060 0037/HD

MSL0426HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 65
Paired article number 36-16 060 0040/HD | MSL0427HD
Required quantity 1
Thread Size 1 M10X1,50
Thread Size 2 M10X1,50
reinforced version
replacement in pairs recommended

**References**

Nissan 54618-4U000

Nissan 54618-BU70A

Application info

Nissan Almera Tino (12/98-02/06)

Stabilizer link


36-16 060 0040/HD

MSL0427HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 65
Paired article number 36-16 060 0037/HD | MSL0426HD
Required quantity 1
Thread Size 1 M10x1,50
Thread Size 2 M10X1,50
reinforced version
replacement in pairs recommended

**References**

Nissan 54668-4U000

Nissan 54668-BU70A

Application info

Nissan Almera Tino (12/98-02/06)

Stabilizer link**36-16 060 0046/HD****MSL0428HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 299
Paired article number 36-16 060 0047/HD | MSL0429HD
Required quantity 1
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended

**References**

Nissan 54668-1AA0A Nissan 54668-1AA0E
Nissan 54668-4CB0A Nissan 54668-JD00A
Renault 546681AA0E Renault 546684CB0A
Renault 54668JD00A

Application info

Nissan Murano (Z51) (10/07-09/14) Nissan Qashqai I (J10_) (12/06-04/14)
Nissan Qashqai II (J11_) (11/13--)
Nissan X-Trail (T32) (10/13--)
Renault Koleos II (08/16--)
Nissan X-Trail (T31) (03/07-12/18)
Renault Koleos I (09/08--)

Stabilizer link**36-16 060 0047/HD****MSL0429HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 299
Paired article number 36-16 060 0046/HD | MSL0428HD
Required quantity 1
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended



References

Nissan 54618-1AA0A
 Nissan 54618-4CB0A
 Renault 546181AA0E
 Renault 54618JD00A

Nissan 54618-1AA0E
 Nissan 54618-JD00A
 Renault 546184CB0A

Application info

Nissan Murano (Z51) (10/07-09/14)
 Nissan Qashqai II (J11_) (11/13--)
 Nissan X-Trail (T32) (10/13--)
 Renault Koleos II (08/16--)

Nissan Qashqai I (J10_) (12/06-04/14)
 Nissan X-Trail (T31) (03/07-12/18)
 Renault Koleos I (09/08--)

Stabilizer link**36-16 060 0052/HD****MSL0573HD****Notes**

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]

255

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10X1,5

reinforced version

replacement in pairs recommended

**References**

Nissan 54618-1FE0A
 Nissan 54618-ED00A
 Nissan 54618-JX30A

Nissan 54618-3LH0A
 Nissan 54618-JX00A

Application info

Nissan Almera III (N17) (09/11--)
 Nissan Micra (K13) (05/10--)
 Nissan NV200 (02/10--)
 Nissan Note II (09/12--)

Nissan Cube (Z12) (09/07--)
 Nissan Micra (K14) (12/16--)
 Nissan Note I (01/05-08/13)
 Nissan Tiida (05/04-12/13)

Stabilizer link**36-16 060 0060****MSL0859****Notes**

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]

250

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

replacement in pairs recommended

**References**

Nissan 54618-9U00A

Nissan 54618-AX600

Nissan 54618-BC40A

Renault 55 11 079 16R

Renault 551100748R

Renault 551107041R

Renault 551108147R

Renault 8200127308

Renault 8200605381

Renault 8201079463

Application info

Nissan Micra (K12) (03/02--)

Nissan Note I (01/05-08/13)

Renault Captur I (06/13--)

Renault Clio III / Modus (09/04--)

Renault Clio IV (11/12--)

Renault Zoe (06/12--)

Stabilizer link**36-16 060 0061/HD****MSL1018HD****Notes**

Carbon Neutral
 Coupling Rod
 Front Axle Left

Length [mm]

70

Paired article number

36-16 060 0062/HD | MSL1019HD

Required quantity

1

Thread Size 1

M12X1,5

Thread Size 2

M12X1,5

reinforced version

replacement in pairs recommended

**References**

Nissan 54668-4KH0A

Nissan 54668-5XA0A

Renault 54668-5XA0A

Application info

Nissan Navara (D40) (10/04--)

Renault Alaskan (10/16--)

Stabilizer link		36-16 060 0062/HD	MSL1019HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right</p> <p>Length [mm] 70</p> <p>Paired article number 36-16 060 0061/HD MSL1018HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12X1,5</p> <p>Thread Size 2 M12X1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Nissan 54618-4KH0A Nissan 54618-5XA0A</p> <p>Renault 54618-5XA0A</p>			
<p>Application info</p> <p>Nissan Navara (D40) (10/04--)</p>		<p>Renault Alaskan (10/16--)</p>	
Stabilizer link		36-16 060 0064/HD	MSL1154HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 113</p> <p>Required quantity 2</p> <p>Thread Size 1 M12X1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Nissan 54618-4FA0A Nissan 54618-JX05B</p>			
<p>Application info</p> <p>Nissan NV200 (02/10--)</p>			

Stabilizer link		36-16 060 0066/HD	MSL1203HD
<p>Notes</p> <p>Coupling Rod Rear Axle Left</p> <p>Length [mm] 113</p> <p>Paired article number 36-16 060 0067/HD MSL1204HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 <p>A black metal coupling rod with two ball joints and nuts. A yellow 'HD' logo is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Nissan 56261-6RR0B</p>			
<p>Application info</p> <p>Nissan Ariya (07/20--)</p> <p>Nissan X-Trail (T33) (09/22--)</p>			
Stabilizer link		36-16 060 0067/HD	MSL1204HD
<p>Notes</p> <p>Coupling Rod Rear Axle Right</p> <p>Length [mm] 113</p> <p>Paired article number 36-16 060 0066</p> <p>Paired article number 36-16 060 0066/HD MSL1203HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 <p>A black metal coupling rod with two ball joints and nuts. A yellow 'HD' logo is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Nissan 56261-6RR0A</p>			
<p>Application info</p> <p>Nissan Ariya (07/20--)</p> <p>Nissan X-Trail (T33) (09/22--)</p>			

Stabilizer link

37-16 060 0010/HD

MSL0436HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm] 220
Required quantity 2
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended

**References**

Hyundai 55530-2E000
Hyundai 55530-2E200

Hyundai 55530-2E100
Kia 55530-1F000

Application info

Hyundai Tucson I (06/04--)

Kia Sportage II (09/04--)

Stabilizer link

37-16 060 0013/HD

MSL0438HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 264
Paired article number 37-16 060 0014/HD | MSL0439HD
Required quantity 1
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended

**References**

Hyundai 54830-26000

Hyundai 54830-26100

Application info

Hyundai Santa Fé I (11/00-03/06)

Stabilizer link **37-16 060 0014/HD** **MSL0439HD**

Notes	Carbon Neutral Coupling Rod Front Axle Right with spanner attachment	 
Length [mm]	264	
Paired article number	37-16 060 0013/HD MSL0438HD	
Required quantity	1	
Thread Size 1	M12X1,5	
Thread Size 2	M12X1,5	
reinforced version		
replacement in pairs recommended		

References	Hyundai 54840-26000	Hyundai 54840-26100
-------------------	---------------------	---------------------

Application info	Hyundai Santa Fé I (11/00-03/06)
-------------------------	----------------------------------

Stabilizer link **37-16 060 0018/HD** **MSL0443HD**

Notes	Carbon Neutral Coupling Rod Front Axle Left Front Axle Right	 
Length [mm]	54	
Required quantity	2	
Thread Size 1	M12X1,5	
Thread Size 2	M12X1,5	
reinforced version		
replacement in pairs recommended		

References	Hyundai 54830-4A000	Hyundai 54830-4A002
	Hyundai 54830-4A003	Hyundai 54830-4A850

Application info	Hyundai H-1 I (10/97-04/08)	Hyundai Starex (06/97--)
-------------------------	-----------------------------	--------------------------

Stabilizer link

37-16 060 0021/HD

MSL0446HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 198
Paired article number 37-16 060 0023/HD | MSL0448HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Hyundai 54840-1C000

Hyundai 54840-1C100

Application info

Hyundai Getz (06/01-01/11)

Stabilizer link

37-16 060 0022/HD

MSL0447HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 130
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Citroën 5170.F5

Citroën 5170.F6

Hyundai 55530-29000

Hyundai 55530-29300

Hyundai 55530-29500

Hyundai 56530-29000

Peugeot 16 08 078 280

Peugeot 5170.F5

Peugeot 5170.F6

Application info

Citroën Jumper III (04/06--)
 Hyundai Coupé II (05/96-04/02)
 Hyundai Lantra II (06/95-12/00)

Fiat Ducato (250) (07/06--)
 Hyundai Coupé III (01/01-12/12)
 Peugeot Boxer III (09/05--)

Stabilizer link

37-16 060 0023/HD

MSL0448HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 with spanner attachment

Length [mm] 198
 Paired article number 37-16 060 0021/HD | MSL0446HD
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

Hyundai 54830-1C000

Hyundai 54830-1C100

Application info

Hyundai Getz (06/01-01/11)

Stabilizer link

37-16 060 0028/HD

MSL0453HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 237
 Required quantity 2
 Thread Size 1 M12X1,5
 Thread Size 2 M12X1,5
 reinforced version
 replacement in pairs recommended



References

Hyundai 54830-2E000
 Kia 54830 1F000

Hyundai 54830-2E100

Application info

Hyundai Tucson I (06/04--)

Kia Sportage II (09/04--)

Stabilizer link

37-16 060 0031/HD

MSL0456HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 341

Paired article number 37-16 060 0032/HD | MSL0457HD

Required quantity 1

Thread Size 1 M12X1,5

Thread Size 2 M12X1,5

reinforced version

replacement in pairs recommended



References

Hyundai 54840-2B000

Hyundai 54840-2B200

Kia 54840 2B000

Kia 54840 2B200

Application info

Hyundai Santa Fé II (10/05-03/15)

Hyundai ix55 (09/06--)

Kia Sorento II (06/09--)

Stabilizer link

37-16 060 0032/HD

MSL0457HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 341

Paired article number 37-16 060 0031/HD | MSL0456HD

Required quantity 1

Thread Size 1 M12X1,5

Thread Size 2 M12X1,5

reinforced version

replacement in pairs recommended



References

Hyundai 54830-2B000

Hyundai 54830-2B200

Kia 54830 2B000

Kia 54830 2B200

Application info

Hyundai Santa Fé II (10/05-03/15)

Kia Sorento II (06/09--)

Hyundai ix55 (09/06--)

Stabilizer link**37-16 060 0033/HD****MSL0458HD****Notes**Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm]

99

Required quantity

2

Thread Size 1

M12X1,5

Thread Size 2

M12X1,5

reinforced version

replacement in pairs recommended

**References**

Hyundai 55530-2B000

Kia 55530 2B000

Hyundai 55530-2B200

Kia 55530 2B200

Application info

Hyundai Santa Fé II (10/05-03/15)

Kia Sorento II (06/09--)

Hyundai ix55 (09/06--)

Stabilizer link**37-16 060 0034/HD****MSL0459HD****Notes**Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm]

286

Paired article number

37-16 060 0036/HD | MSL0461HD

Required quantity

1

Thread Size 1

10x1,5

Thread Size 2

10x1,5

reinforced version

replacement in pairs recommended



References

Hyundai 54840-1E000	Hyundai 54840-1E100
Hyundai 54840-1G000	Hyundai 54840-1G500
Kia 54840 1E000	Kia 54840 1E100
Kia 54840 1G000	Kia 54840 1G500

Application info

Hyundai Accent III (11/05-12/12)	Kia Rio II (03/05--)
----------------------------------	----------------------

Stabilizer link

37-16 060 0036/HD

MSL0461HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm]	286
Paired article number	37-16 060 0034/HD MSL0459HD
Required quantity	1
Thread Size 1	10x1,5
Thread Size 2	10x1,5
reinforced version	
replacement in pairs recommended	



References

Hyundai 54830-1E000	Hyundai 54830-1E100
Hyundai 54830-1G000	Hyundai 54830-1G500
Kia 54830 1E000	Kia 54830 1E100
Kia 54830 1G000	Kia 54830 1G500

Application info

Hyundai Accent III (11/05-12/12)	Kia Rio II (03/05--)
----------------------------------	----------------------

Stabilizer link

37-16 060 0041/HD

MSL0464HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 267
Required quantity 2
Thread Size 1 M12x1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended



References

Dodge 4766962AA
Hyundai 54830-1S000
Hyundai 54830-2S200
Hyundai 54830-3U000
Kia 54830 2S000
Kia 54830 3U000
Lancia K04766962AA

Fiat K04766962AA
Hyundai 54830-2S000
Hyundai 54830-2S200QQK
Hyundai 54830-3W300
Kia 54830 2S200
Kia 54830 3W300

Application info

Dodge Journey (06/08--)
Hyundai Tucson I (06/04--)
Kia Sportage III (09/09--)

Fiat Freemont (JC) (08/11--)
Hyundai ix35 (08/09--)

Stabilizer link

37-16 060 0042

MSL0465

Notes

Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 140
Required quantity 2
Thread Size 1 M12x1,25
Thread Size 2 M12x1,25
replacement in pairs recommended



References

Hyundai 55530-2S100
 Hyundai 55530-2Z100
 Kia 55530 2S100
 Kia 55530 3U900

Hyundai 55530-2S200
 Hyundai 55530-3U900
 Kia 55530 2S200

Application info

Hyundai Creta I (01/16--)
 Hyundai ix35 (08/09--)

Hyundai Tucson I (06/04--)
 Kia Sportage III (09/09--)

Stabilizer link**37-16 060 0043****MSL0466****Notes**

Coupling Rod
 Rear Axle Left
 Rear Axle Right

Length [mm] 88
 Required quantity 2
 Thread Size M12x1,25
 Thread Size 1 M12x1,25
 replacement in pairs recommended

**References**

Hyundai 55530-3R000
 Hyundai 55540-3R000
 Kia 55530 3R000
 Kia 55540 3R000

Hyundai 55530-3U800
 Hyundai 55540-3U800
 Kia 55530 3U800
 Kia 55540 3U800

Application info

Hyundai Grandeur V (01/11--)
 Hyundai Tucson I (06/04--)
 Hyundai ix35 (08/09--)
 Kia Cee'd III (03/12--)
 Kia Sportage III (09/09--)

Hyundai Sonata VI (06/09-12/15)
 Hyundai i30 II (06/11--)
 Kia Cee'd II (05/12--)
 Kia Optima (01/10--)

Stabilizer link**37-16 060 0053****MSL0862****Notes**

Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm]

220

Required quantity

2

Thread Size 1

M12X1,5

Thread Size 2

M12X1,5

replacement in pairs recommended

**References**

Hyundai 55530-2E000

Hyundai 55530-2E100

Hyundai 55530-2E200

Kia 55530-1F000

Application info

Hyundai Tucson I (06/04--)

Kia Sportage II (09/04--)

Suspension Kit**36-14 653 0000/HD****MCR0025HD****Notes**

Carbon Neutral
Front Axle Left
Front Axle Right

Replace in pairs only

Required quantity

2

reinforced version

**References**

Nissan 54500-BB00A

Nissan 54500-BR30A

Nissan 54500-JD000

Nissan 54501-BB00A

Nissan 54501-BR30A

Nissan 54501-JD000

Nissan 54501-JG000

Nissan 54501-JG00B

Renault 54501JY00A

Renault 545040445R

Renault 545055212R

Application info

Nissan Qashqai I (J10_) (12/06-04/14)

Nissan X-Trail (T31) (03/07-12/18)

Renault Koleos I (09/08--)

Suspension Kit

36-16 610 0001

MCR0116

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

Nissan 40160-9W200
Nissan 54500-BB00A
Nissan 54500-JD000
Nissan 54500-JG00A
Nissan 54501-1KA0B
Nissan 54501-BB00A
Nissan 54501-JD000
Nissan 54501-JG000
Nissan 54501-JG00B
Renault 54501JY00A
Renault 545055212R

Nissan 54500-1KA0B
Nissan 54500-BR30A
Nissan 54500-JG000
Nissan 54500-JG00B
Nissan 54501-1KA1B
Nissan 54501-BR30A
Nissan 54501-JD00A
Nissan 54501-JG00A
Renault 54500JY00A
Renault 545040445R

Application info

Nissan Qashqai I (J10_) (12/06-04/14)
Renault Koleos I (09/08--)

Nissan X-Trail (T31) (03/07-12/18)

Suspension Kit

36-16 610 0005

MCR0075

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

Nissan 54500-AX600

Nissan 54500-BC41A

Nissan 54501-AX600

Nissan 54501-BC41A

Nissan 54560-AX600

Nissan 54500-AX60B

Nissan 54500-BC42A

Nissan 54501-AX60B

Nissan 54501-BC42A

Nissan 54570-AX600

Application info

Nissan Micra (K12) (03/02--)

Nissan Note I (01/05-08/13)