



DRIVER'S BEST FRIEND

MEYLE

Drive train/Transmission

Mount, manual transmission

714 130 0006

MTM0078

Notes

Rubber-Metal Mount
Torque Support
Upper
transmission sided



References

Ford 1 070 177

Ford 1 102 416

Ford 5 062 530

Ford 5 208 219

Ford 98AB-6P082-MA

Ford 98AB-6P082-MB

Ford 9T16-6P082-BA

Ford 9T16-6P082-BB

Application info

Ford Focus I (08/98-11/09)

Ford Tourneo '02 (06/02-12/13)

Ford Transit '02 (06/02--)

Steering

Axial rod

40-16 031 0000/HD

MAR0476HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

238.5

Required quantity

2

Thread Size 1

M12x1

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended



References

Citroën 3812.E6

Peugeot 3812.E6

Application info

Citroën C2 / C3 I / Pluriel (02/02--)

Peugeot 1007 (04/05--)

Axial rod

40-16 031 0001/HD

MAR0524HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

230.5

Required quantity

2

Thread Size 1

M12x1

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended



References

Citroën 16 08 652 180

DS 16 086 521 80

Peugeot 16 08 652 180

Application info

Citroën C Elyse (11/12--)

Citroën DS3 (11/09-12/16)

DS DS 3 (04/15-07/19)

Peugeot 208 I (03/12--)

Peugeot 301 (11/12--)

Axial rod

40-16 031 0002/HD

MAR0480HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 221
Required quantity 2
Thread Size 1 M14X1,5
Thread Size 2 M14X1,5
reinforced version
replacement in pairs recommended



References

Citroën 16 108 176 80 DS 16 108 176 80
GENERAL MOTORS 93476592 Opel 16 108 176 80
Peugeot 16 10 817 680

Application info

Citroën C4 Cactus (09/14--)
Citroën C4 II / DS4 (02/09--)
Citroën C5 AIRCROSS (11/18--)
DS DS 9 (09/20--)
Peugeot 3008 II (05/16--)
Peugeot 508 II (09/18--)
Citroën C4 Grand Picasso II (01/13--)
Citroën C4 SPACETOURER / GRAND SPACETOURER (04/18--)
DS DS 7 (09/17--)
Opel Grandland X (75) (06/17--)
Peugeot 5008 II (12/16--)

Axial rod

416 031 0000

MAR0361

Notes

Front Axle Left
Front Axle Right

Length [mm] 231
Required quantity 2
Thread Size 1 M18x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Porsche 997 347 322 00 Porsche 997 347 322 01

Application info

Porsche 911 (997) (07/04-12/13)

Porsche Cayman (987) (11/05-12/13)

Porsche Boxster (987) (06/04-12/13)

Axial rod

416 031 0002/HD

MAR0550HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

192

Required quantity

2

Thread Size 1

16x1,5

Thread Size 2

14x1,5

reinforced version

replacement in pairs recommended



References

Porsche 996 347 322 03

Application info

Porsche 911 (993) (10/93-12/97)

Porsche Boxster (986) (09/96-12/04)

Porsche 911 (996) (09/97-09/05)

Axial rod

416 031 0003

MAR0603

Notes

Front Axle Left
Front Axle Right

Length [mm]

189

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended



References

Audi 971 423 810

Porsche 971 423 810

Application info

Audi E-TRON (GE_) (09/18--)

Porsche Taycan (Y1_) (05/19--)

Porsche Panamera (971) (05/16--)

Axial rod

416 031 0004

MAR0628

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 225
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Porsche 991 347 322 00

Application info

Porsche 911 (991) (12/11--)
 Porsche Boxster (982) (04/16--)
 Porsche Cayman (982) (04/16--)
 Porsche Boxster (981) (04/12--)
 Porsche Cayman (981) (03/13--)

Axial rod

416 031 0005

MAR0604

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 189
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Porsche 970 347 133 00

Application info

Porsche Panamera (970) (03/09-12/17)

Axial rod

44-16 031 0000

MAR0281

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 293
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Chrysler 68019643AA Chrysler 68019643AB

Application info

Chrysler Voyager III/Caravan (01/95-12/01) Chrysler Voyager IV/ Town Country (09/99-12/08)

Axial rod

44-16 031 0002/HD

MAR0525HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Length [mm] 289.5
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14X1,5
 reinforced version
 replacement in pairs recommended



References

Chrysler 5272500AE

Application info

Chrysler Neon II (08/99-12/06) Chrysler PT Cruiser (06/00-12/10)

Axial rod

516 030 0004

MAR0285

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	133
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M14x2,0
replacement in pairs recommended	

**References**

Volvo 272428

Application info

Volvo S80 I (05/98-02/08)

Axial rod

516 030 0027

MAR0286

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	304
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M12x1,25
replacement in pairs recommended	

**References**

Mitsubishi MR244901

Volvo 3345797

Application info

Mitsubishi Carisma (07/95-06/06)

Volvo S/V 40 (07/95-12/04)

Axial rod**516 030 5539****MAR0292****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	285
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M14x2,0
replacement in pairs recommended	

**References**

Volvo 1387463

Volvo 9140504

Application info

Volvo 740 / 760 / 780 (08/81-12/92)

Volvo 940 / 960 (08/90-10/95)

Volvo 940 / 960 / S/V 90 (09/90-12/98)

Axial rod**516 030 5551****MAR0293****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	172
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M14x2,0
replacement in pairs recommended	

**References**

Trade number 1017743

Volvo 3546266

Application info

Volvo 850 (06/91-10/97)

Volvo C/S/V 70 (12/95-10/05)

Volvo XC70 I (10/97-10/07)

Axial rod**516 031 0002****MAR0296****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	125
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	

**References**

Volvo 274353

Application info

Volvo S60 I / V70 II (11/99-04/10)

Volvo XC70 I (10/97-10/07)

Volvo S80 I (05/98-02/08)

Volvo XC90 I (06/02-01/15)

Axial rod**516 031 0003****MAR0297****Notes**

	Front Axle Left
	Front Axle Right
Length [mm]	294
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

Ford 1 251 937

Ford 3M51-3L519-AA

Volvo 274502

Ford 1 510 270

Ford 3M51-3L519-AB

Volvo 31201817

Application info

Ford C-Max I (02/07-09/10)

Ford Kuga I (02/08-11/12)

Volvo C70 II (03/06-12/13)

Ford Focus II (10/03--)

Volvo C30 (09/06-12/13)

Volvo S40 II / V50 (12/03-12/12)

Axial rod

516 031 0004/HD

MAR0526HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 294
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M16x1,5
reinforced version
replacement in pairs recommended



References

Ford 1 251 937

Ford 3M51-3L519-AA

Volvo 274502

Ford 1 510 270

Ford 3M51-3L519-AB

Volvo 31201817

Application info

Ford C-Max I (02/07-09/10)

Ford Kuga I (02/08-11/12)

Volvo C70 II (03/06-12/13)

Ford Focus II (10/03--)

Volvo C30 (09/06-12/13)

Volvo S40 II / V50 (12/03-12/12)

Axial rod

516 031 0005

MAR0542

Notes

Front Axle Left
Front Axle Right

Length [mm] 303
Required quantity 2
Thread Size 1 16x1,5
Thread Size 2 18x1,5
replacement in pairs recommended



References

Volvo 30776255

Volvo 31406474

Volvo 30776425

Application info

Volvo S60 II / V60 (04/10--)

Volvo V70 III (04/07--)

Volvo S80 II (03/06-12/16)

Volvo XC70 II (04/07-12/16)

Axial rod

516 031 0008/HD

MAR0629HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

330

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M18x1,5

reinforced version

replacement in pairs recommended

**References**

Volvo 31280409

Volvo 31451037

Application info

Volvo XC60 I (05/08-12/17)

Axial rod

516 031 0009

MAR0581

Notes

Front Axle Left
 Front Axle Right

Length [mm]

188

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M18x1,5

replacement in pairs recommended

**References**

Volvo 31429234

Volvo 31658398

Volvo 32268668

Application info

Volvo S60 III (224) (02/19--)

Volvo S90 II / V90 II (03/16--)

Volvo V60 II (02/18--)

Volvo XC60 II (03/17--)

Volvo XC90 II (09/14--)

Axial rod**516 031 0012****MAR0641****Notes**Front Axle Left
Front Axle Right

Length [mm]

204

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M14x1,5

replacement in pairs recommended

**References**

Volvo 32221544

Volvo 32268542

Volvo 32333943

Application info

POLESTAR POLESTAR 2 (02/19--)

Volvo C40 (539) (10/21--)

Volvo XC40 (536) (10/17--)

Axial rod**53-16 031 0002****MAR0302****Notes**Front Axle Left
Front Axle Right

Length [mm]

230

Required quantity

2

Thread Size 1

M18x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended

**References**

Land Rover QJB500060

Land Rover TIQ000040

Application info

Land Rover Range Rover III (03/02-12/12)

Axial rod

53-16 031 0003

MAR0303

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 365
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Land Rover QFK500030

Application info

Land Rover Range Rover Sport I (02/05-03/13)

Axial rod

53-16 031 0004

MAR0392

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 298
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M18x1,5
 replacement in pairs recommended



References

Jaguar J9C7533

Land Rover LR026271

Land Rover LR097993

Application info

Jaguar E-Pace (X540) (09/17--)

Land Rover Discovery Sport (09/14--)

Land Rover Range Rover Evoque I (06/11-12/19)

Axial rod **53-16 031 0005/HD** **MAR0527HD**

Notes		
	Carbon Neutral	
Length [mm]	375	
Paired article number	53-16 031 0006/HD MAR0528HD	
Required quantity	1	
Thread Size 1	M20x1,5	
Thread Size 2	M16x1,5	
reinforced version replacement in pairs recommended		

References
Land Rover QFK500020

Application info
Land Rover Discovery III (07/04-09/09) Land Rover Discovery IV (09/09-12/18)

Axial rod **53-16 031 0006/HD** **MAR0528HD**

Notes		
	Carbon Neutral	
Length [mm]	375	
Paired article number	53-16 031 0005/HD MAR0527HD	
Required quantity	1	
Thread Size 1	M16x1,5	
Thread Size 2	M16x1,5	
reinforced version replacement in pairs recommended		

References
Land Rover QFK500010

Application info
Land Rover Discovery III (07/04-09/09) Land Rover Discovery IV (09/09-12/18)

Axial rod		53-16 031 0008	MAR0547
Notes Front Axle Left Front Axle Right Length [mm] 329 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References Land Rover LR033529			
Application info Land Rover Range Rover IV (08/12--)		Land Rover Range Rover Sport II (04/13--)	
Axial rod		53-16 031 0009	MAR0554
Notes Front Axle Left Front Axle Right Length [mm] 335 Required quantity 2 Thread Size 1 M16x1,5 Thread Size 2 M16x1,5 replacement in pairs recommended		 	
References Land Rover LR059264			
Application info Land Rover Discovery V (09/16--) Land Rover Range Rover Sport II (04/13--)		Land Rover Range Rover IV (08/12--)	

Axial rod

57-16 031 0000/HD

MAR0617HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 213
Required quantity 2
Thread Size 1 M16X1,5
Thread Size 2 M18x1,5
reinforced version
replacement in pairs recommended



References

Jeep 68105872AA

Jeep 68105872AB

Jeep 68105872AC

Jeep K68105872AA

Jeep K68105872AB

Jeep K68105872AC

Application info

Jeep Grand Cherokee IV (WK) (06/10--)

Axial rod

616 030 5563

MAR0305

Notes

Front Axle Left
with left-hand thread

Length [mm] 434
Paired article number 616 030 5566 | MAR0306
Required quantity 1
Thread Size 2 M16x2
replacement in pairs recommended



References

GENERAL MOTORS 90304625

GENERAL MOTORS 90373521

Opel 03 22 079

Opel 03 22 147

Opel 3 22 079

Opel 3 22 147

Saab 42 42 673

Vauxhall 03 22 079

Vauxhall 03 22 147

Vauxhall 3 22 079

Vauxhall 3 22 147

Application info

Opel Astra F (09/91-01/05)
 Opel Vectra A (04/88-12/95)
 Saab 900 II (07/93-04/99)
 Vauxhall Calibra Mk I (06/90-07/97)

Opel Calibra (08/89-07/97)
 Saab 9-3 (YS3D) (02/98-08/03)
 Vauxhall Astra Mk III (01/91-03/01)
 Vauxhall Cavalier Mk III (08/88-11/95)

Axial rod

616 030 5566

MAR0306

Notes

Front Axle Right
 with right-hand thread
 Length [mm] 434
 Paired article number 616 030 5563 | MAR0305
 Required quantity 1
 Thread Size 2 M16x2

replacement in pairs recommended



References

GENERAL MOTORS 90304626
 Opel 03 22 146
 Saab 42 42 681
 Vauxhall 3 22 146

GENERAL MOTORS 90373522
 Opel 3 22 146
 Vauxhall 03 22 146

Application info

Opel Astra F (09/91-01/05)
 Opel Vectra A (04/88-12/95)
 Saab 900 II (07/93-04/99)
 Vauxhall Calibra Mk I (06/90-07/97)
 Vauxhall Cavalier Mk III (08/88-11/95)

Opel Calibra (08/89-07/97)
 Saab 9-3 (YS3D) (02/98-08/03)
 Vauxhall Astra Mk III (01/91-03/01)
 Vauxhall Carlton Mk III (09/86-03/94)

Axial rod

616 030 5581

MAR0310

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 344
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M14x1,5

replacement in pairs recommended



References

GENERAL MOTORS 90498181
 Opel 03 24 186
 Opel 16 03 206
 Saab 48 36 557
 Vauxhall 03 24 186
 Vauxhall 16 03 206

GENERAL MOTORS 90540319
 Opel 16 03 198
 Opel 3 24 186
 Saab 52-33-424
 Vauxhall 16 03 198
 Vauxhall 3 24 186

Application info

Opel Vectra B (09/95-07/04)
 Vauxhall Vectra Mk I (08/95-07/03)

Saab 9-5 (YS3E) (09/97-12/09)

Axial rod**616 031 0001****MAR0311****Notes**

Front Axle Left
 Front Axle Right

Length [mm] 316
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M12x1,5
 replacement in pairs recommended

**References**

GENERAL MOTORS 26087867
 Opel 16 03 008
 Vauxhall 16 03 008

GENERAL MOTORS 93192421
 Opel 16 03 845

Application info

Opel Corsa C / Combo / Tigra (09/00--)
 Vauxhall Corsa Mk II / Tigra / Combo (08/00-02/12)

Vauxhall Combo Mk II (09/01-02/12)

Axial rod**616 031 0002****MAR0312****Notes**

Front Axle Left
 Front Axle Right

Length [mm] 282
 Required quantity 2
 Thread Size 1 M18x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

GENERAL MOTORS 93172256
Vauxhall 16 03 229

Opel 16 03 229

Application info

Opel Vectra C / Signum (04/02-01/09)

Vauxhall Vectra Mk II / Signum (01/00-05/09)

Axial rod

616 031 0003

MAR0313

Notes

Front Axle Left
Front Axle Right
for vehicles without electric power steering

Length [mm] 330
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

GENERAL MOTORS 26102922
Opel 16 03 239
Vauxhall 16 03 239

GENERAL MOTORS 93192415
Opel 16 03 428
Vauxhall 16 03 428

Application info

Opel Meriva A (05/03-05/10)

Vauxhall Meriva Mk I A (01/03-06/10)

Axial rod

616 031 0004

MAR0314

Notes

Front Axle Left
Front Axle Right

Length [mm] 284
Required quantity 2
Thread Size 1 M18x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

GENERAL MOTORS 93175520
 GENERAL MOTORS 93191672
 Opel 16 03 244
 Opel 16 03 416
 Saab 93 18 7434
 Saab 93 19 1672
 Vauxhall 16 03 244
 Vauxhall 16 03 416

GENERAL MOTORS 93187434
 GENERAL MOTORS 95507450
 Opel 16 03 384
 Opel 16 09 050
 Saab 93 18 7485
 Saab 95 50 7450
 Vauxhall 16 03 384
 Vauxhall 16 09 050

Application info

Fiat Croma II (06/05--)
 Saab 9-3 (YS3F) (09/02-02/15)

Opel Vectra C / Signum (04/02-01/09)
 Vauxhall Vectra Mk II / Signum (01/00-05/09)

Axial rod

616 031 0005

MAR0315

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	315
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M12x1,5
replacement in pairs recommended	



References

GENERAL MOTORS 26110431
 Opel 16 03 018
 Vauxhall 16 03 018

GENERAL MOTORS 93192418
 Opel 16 03 843

Application info

Opel Corsa C / Combo / Tigra (09/00--)
 Vauxhall Corsa Mk II / Tigra / Combo (08/00-02/12)

Vauxhall Combo Mk II (09/01-02/12)

Axial rod		616 031 0006	MAR0316
Notes Front Axle Left Front Axle Right Length [mm] 175 Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M16x1,5 replacement in pairs recommended		 	
References GENERAL MOTORS 9161561 Nissan 48521-00Q0B Opel 44 18 780 Renault 7701470362 Vauxhall 44 18 780		GENERAL MOTORS 93196241 Nissan 48521-00QAF Opel 45 01 261 Renault 7701478762 Vauxhall 45 01 261	
Application info Nissan Interstar I (X70) (04/02--) Opel Movano A (07/98--) Renault Trafic I (03/80-10/02)		Nissan NV400 (11/11--) Renault Master II (03/98--) Vauxhall Movano Mk I (10/98-12/10)	
Axial rod		616 031 0007	MAR0317
Notes Front Axle Left Front Axle Right Length [mm] 314 Required quantity 2 Thread Size 1 M14x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References GENERAL MOTORS 900905 Opel 09 00 905 Vauxhall 09 00 905		GENERAL MOTORS 97184819 Opel 9 00 905 Vauxhall 9 00 905	
Application info Opel Frontera B / Monterey B (07/98-07/04)		Vauxhall Frontera Mk II (10/98-10/04)	

Axial rod

616 031 0008

MAR0318

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	289
Required quantity	2
Thread Size 1	M18x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

GENERAL MOTORS 93178160
 GENERAL MOTORS 93191673
 Opel 16 03 290
 Vauxhall 16 03 252
 Vauxhall 16 03 417

GENERAL MOTORS 93187435
 Opel 16 03 252
 Opel 16 03 417
 Vauxhall 16 03 290

Application info

Opel Vectra C / Signum (04/02-01/09)

Vauxhall Vectra Mk II / Signum (01/00-05/09)

Axial rod

616 031 0009

MAR0319

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	245
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M12x1,25
replacement in pairs recommended	



References

GENERAL MOTORS 9204752
 Subaru 48830-86G00
 Suzuki 48830-86G00

Opel 47 01 745
 Suzuki 48830-83E00
 Vauxhall 47 01 745

Application info

Opel Agila A (09/00-12/07)
 Suzuki Ignis II (MH) (08/03--)
 Vauxhall Agila Mk I (02/00-03/08)

Subaru Justy III (G3X) (09/03--)
 Suzuki Wagon R+ II (MM) (05/00--)

Axial rod

616 031 0012

MAR0320

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 278
 Manufacturer Restriction ZF
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

GENERAL MOTORS 93181229	GENERAL MOTORS 93181230
GENERAL MOTORS 93181662	GENERAL MOTORS 93189668
GENERAL MOTORS 93189669	GENERAL MOTORS 93189670
Opel 16 03 264	Opel 16 03 265
Opel 16 03 268	Opel 16 03 357
Opel 16 03 358	Opel 16 03 359
Vauxhall 16 03 264	Vauxhall 16 03 268
Vauxhall 16 03 357	Vauxhall 16 03 358
Vauxhall 16 03 359	

Application info

Opel Astra H / Zafira B (01/04-05/19)	Opel Astra J (12/06--)
Vauxhall Astra Mk V (01/04--)	Vauxhall Zafira Mk II (04/05-11/14)

Axial rod

616 031 0013

MAR0321

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 293
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Fiat 51861102	Fiat 52049738
GENERAL MOTORS 93189022	GENERAL MOTORS 93196540
Opel 16 03 543	Opel 16 09 456
Vauxhall 16 03 543	Vauxhall 16 09 456

Application info

ABARTH Grande Punto (12/07-12/12)
 Alfa Romeo Mito (08/08--)
 Fiat Punto Evo (07/08--)
 Vauxhall Combo Mk III (07/06--)

ABARTH Punto III (03/12--)
 Fiat Grande Punto (06/05--)
 Opel Corsa D (07/06-08/14)
 Vauxhall Corsa Mk III (07/06-08/14)

Axial rod

616 031 0014

MAR0322

Notes

Front Axle Left
 Front Axle Right
 277.5
 2
 M18x1,5
 M14x1,5

Length [mm]
 Required quantity
 Thread Size 1
 Thread Size 2
 replacement in pairs recommended



References

- | | |
|-------------------------|-------------------------|
| Chevrolet 26059293 | Chevrolet 9118128 |
| Chevrolet 93179557 | Chevrolet 93186330 |
| Chevrolet 93189451 | Chevrolet 93191521 |
| Chevrolet 93191526 | Chevrolet 93196777 |
| Chevrolet 93196778 | GENERAL MOTORS 26059293 |
| GENERAL MOTORS 9118128 | GENERAL MOTORS 9196409 |
| GENERAL MOTORS 93179557 | GENERAL MOTORS 93186330 |
| GENERAL MOTORS 93189450 | GENERAL MOTORS 93189451 |
| GENERAL MOTORS 93191521 | GENERAL MOTORS 93191526 |
| GENERAL MOTORS 93191529 | GENERAL MOTORS 93196777 |
| GENERAL MOTORS 93196778 | Opel 16 03 003 |
| Opel 16 03 213 | Opel 16 03 216 |
| Opel 16 03 256 | Opel 16 03 287 |
| Opel 16 03 302 | Opel 16 03 303 |
| Opel 16 03 642 | Opel 16 03 643 |
| Opel 16 09 000 | Opel 16 09 011 |
| Vauxhall 16 03 003 | Vauxhall 16 03 213 |
| Vauxhall 16 03 216 | Vauxhall 16 03 256 |
| Vauxhall 16 03 287 | Vauxhall 16 03 642 |
| Vauxhall 16 03 643 | Vauxhall 16 09 000 |
| Vauxhall 16 09 011 | |

Application info

Chevrolet Zafira (F75) (02/99-12/12)
 Opel Astra H / Zafira B (01/04-05/19)
 Opel Meriva B (06/10-03/17)
 Vauxhall Astra Mk IV (01/93-08/06)
 Vauxhall Insignia Mk I A (07/08-05/17)
 Vauxhall Zafira Mk I (11/98-08/05)

Opel Astra G / Astra Classic / Zafira A (02/98-12/09)
 Opel Astra J (12/06--)
 Vauxhall Astra Mk II (09/84-09/93)
 Vauxhall Astra Mk V (01/04--)
 Vauxhall Meriva Mk II B (06/10--)
 Vauxhall Zafira Mk II (04/05-11/14)

Axial rod**616 031 0015****MAR0323****Notes**

Front Axle Left
 Front Axle Right
 for vehicles with electric power steering

Length [mm] 317
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended

**References**

GENERAL MOTORS 26110429
 Opel 16 03 016
 Vauxhall 16 03 016

GENERAL MOTORS 93192416
 Opel 16 03 429
 Vauxhall 16 03 429

Application info

Opel Meriva A (05/03-05/10)

Vauxhall Meriva Mk I A (01/03-06/10)

Axial rod**616 031 0016****MAR0324****Notes**

Front Axle Left
 Front Axle Right

Length [mm] 361
 Required quantity 2
 Thread Size 1 M16x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Chevrolet 95954754	Chevrolet 96626521
GENERAL MOTORS 94567347	GENERAL MOTORS 96626521
GENERAL MOTORS 96626525	Opel 48 08 602
Opel 48 08 603	Opel 48 17 547
Vauxhall 48 08 602	Vauxhall 48 08 603
Vauxhall 48 17 547	

Application info

Chevrolet Captiva I (06/06--)	Opel Antara (05/06--)
Vauxhall Antara (08/06--)	

Axial rod

616 031 0017 MAR0325

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	308
Required quantity	2
Thread Size 1	M18x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	



References

Buick 13271996	GENERAL MOTORS 13271996
Opel 66 06 030	Vauxhall 66 06 030

Application info

Opel Insignia A (07/08-03/17)	Vauxhall Insigna Mk I A (07/08-05/17)
-------------------------------	---------------------------------------

Axial rod

616 031 0018 MAR0326

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	305
Required quantity	2
Thread Size 1	M18x1,5
Thread Size 2	M12x1,25
replacement in pairs recommended	



References

GENERAL MOTORS 93194002
Suzuki 48830-62J00
Suzuki 48830-63J00-000

Opel 47 09 161
Suzuki 48830-63J00
Vauxhall 47 09 161

Application info

Opel Agila B (04/08-10/14)
Suzuki Swift III (02/05--)

Suzuki Splash (01/08--)
Vauxhall Agila Mk II (01/08-11/14)

Axial rod**616 031 0019****MAR0327****Notes**

Front Axle Left
Front Axle Right
for vehicles with electric power steering

Length [mm] 290
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended

**References**

Chevrolet 13286687
GENERAL MOTORS 13314465
Opel 16 09 029
Vauxhall 16 09 029

GENERAL MOTORS 13286687
Opel 16 09 027
Vauxhall 16 09 027

Application info

Chevrolet Cruze (J300, J305) (07/00--)
Chevrolet Volt (04/11--)
Opel Astra J (12/06--)
Vauxhall Astra Mk V (01/04--)

Chevrolet Cruze (J308) (08/12--)
Opel Ampera (11/11-03/15)
Vauxhall Ampera (03/12--)
Vauxhall Astra Mk VI (12/09-10/15)

Axial rod**616 031 0022****MAR0330****Notes**

Front Axle Left
Front Axle Right

Length [mm] 315
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

GENERAL MOTORS 13332651
Opel 16 09 181
Vauxhall 13332651

GENERAL MOTORS 13332653
Opel 16 09 183
Vauxhall 13332653

Application info

Opel Insignia A (07/08-03/17)

Vauxhall Insignia Mk I A (07/08-05/17)

Axial rod**616 031 0023****MAR0331****Notes**

Front Axle Left
Front Axle Right
for vehicles with electric power steering

Length [mm] 226
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended

**References**

GENERAL MOTORS 13354542
Vauxhall 16 09 187

Opel 16 09 187

Application info

Opel Astra J (12/06--)
Vauxhall Astra Mk VI (12/09-10/15)

Opel Cascada (03/13-04/19)
Vauxhall Cascada (02/13--)

Axial rod**616 031 0024****MAR0332****Notes**

Front Axle Left
Front Axle Right

Length [mm] 335
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended

**References**

Chevrolet 95952929
GENERAL MOTORS 95952929
Opel 16 09 213

GENERAL MOTORS 95915221
Opel 16 09 202
Vauxhall 16 09 213

Application info

Chevrolet Aveo II (03/11--)
Opel Mokka A (06/12--)

Chevrolet Trax (12/12--)
Vauxhall Mokka A (06/12--)

Axial rod

616 031 0028

MAR0393

Notes

Front Axle Left
Front Axle Right
Length [mm] 309
Required quantity 2
Thread Size 1 M16X1,5
Thread Size 2 M16X1,5

replacement in pairs recommended



References

Chevrolet 13286688
GENERAL MOTORS 13286688
Opel 16 09 184
Vauxhall 16 09 184

Chevrolet 13398595
Opel 13286688
Vauxhall 13 28 6688

Application info

Chevrolet Orlando (J309) (12/10--)
Vauxhall Zafira Mk III (10/11-08/18)

Opel Zafira C (Tourer) (10/11--)

Axial rod

616 031 0030/HD

MAR0529HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Length [mm] 245
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M12x1,25

reinforced version
replacement in pairs recommended



References

GENERAL MOTORS 9204752
Subaru 48830-86G00
Suzuki 48830-86G00

Opel 47 01 745
Suzuki 48830-83E00
Vauxhall 47 01 745

Application info

Opel Agila A (09/00-12/07)
 Suzuki Ignis II (MH) (08/03--)
 Vauxhall Agila Mk I (02/00-03/08)

Subaru Justy III (G3X) (09/03--)
 Suzuki Wagon R+ II (MM) (05/00--)

Axial rod**616 031 0031/HD****MAR0530HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 293

Required quantity 2

Thread Size 1 M14x1,5

Thread Size 2 M14x1,5

reinforced version

replacement in pairs recommended

**References**

GENERAL MOTORS 93189022

Opel 16 03 543

Vauxhall 16 03 543

GENERAL MOTORS 93196540

Opel 16 09 456

Vauxhall 16 09 456

Application info

ABARTH Grande Punto (12/07-12/12)

Alfa Romeo Mito (08/08--)

Fiat Punto Evo (07/08--)

Vauxhall Combo Mk III (07/06--)

ABARTH Punto III (03/12--)

Fiat Grande Punto (06/05--)

Opel Corsa D (07/06-08/14)

Vauxhall Corsa Mk III (07/06-08/14)

Axial rod**616 031 0032/HD****MAR0531HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right
 for vehicles with hydraulic power steering

Length [mm] 350

Required quantity 2

Thread Size 1 M16x1,5

Thread Size 2 M14x1,5

reinforced version

replacement in pairs recommended



References

Chevrolet 95932789
Opel 16 09 205

GENERAL MOTORS 95932789
Vauxhall 16 09 205

Application info

Chevrolet Trax (12/12--)
Vauxhall Mokka A (06/12--)

Opel Mokka A (06/12--)

Axial rod

616 031 0033/HD

MAR0532HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 290
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14X1,5
reinforced version
replacement in pairs recommended



References

GENERAL MOTORS 39075199
Opel 16 09 211

GENERAL MOTORS 95514914
Vauxhall 16 09 211

Application info

Opel Adam (10/12-02/19)
Vauxhall Adam (10/12-04/19)

Opel Corsa E (09/14--)
Vauxhall Corsa Mk IV (08/14--)

Axial rod

616 031 0034/HD

MAR0533HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 284
Required quantity 2
Thread Size 1 M18x1,5
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

GENERAL MOTORS 93175520
 GENERAL MOTORS 93191672
 Opel 16 03 244
 Opel 16 03 416
 Saab 93 18 7434
 Saab 93 19 1672
 Vauxhall 16 03 244
 Vauxhall 16 03 416

GENERAL MOTORS 93187434
 GENERAL MOTORS 95507450
 Opel 16 03 384
 Opel 16 09 050
 Saab 93 18 7485
 Saab 95 50 7450
 Vauxhall 16 03 384
 Vauxhall 16 09 050

Application info

Fiat Cromo II (06/05--)
 Saab 9-3 (YS3F) (09/02-02/15)

Opel Vectra C / Signum (04/02-01/09)
 Vauxhall Vectra Mk II / Signum (01/00-05/09)

Axial rod**616 031 0035/HD****MAR0534HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Length [mm] 289
 Required quantity 2
 Thread Size 1 M18x1,5
 Thread Size 2 M14x1,5

Length [mm]


Required quantity

Thread Size 1

Thread Size 2

reinforced version

replacement in pairs recommended

**References**

GENERAL MOTORS 93178160
 GENERAL MOTORS 93191673
 Opel 16 03 290
 Vauxhall 16 03 252
 Vauxhall 16 03 417

GENERAL MOTORS 93187435
 Opel 16 03 252
 Opel 16 03 417
 Vauxhall 16 03 290

Application info

Opel Vectra C / Signum (04/02-01/09)

Vauxhall Vectra Mk II / Signum (01/00-05/09)

Axial rod

616 031 0036/HD

MAR0535HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

308

Required quantity

2

Thread Size 1

M18x1,5

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended



References

Buick 13271996

GENERAL MOTORS 13271996

Opel 66 06 030

Vauxhall 66 06 030

Application info

Opel Insignia A (07/08-03/17)

Vauxhall Insignia Mk I A (07/08-05/17)

Axial rod

616 031 0037/HD

MAR0536HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
for vehicles with electro-hydraulic steering

Length [mm]

290

Required quantity

2

Thread Size 1

M16x1,5

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended



References

Chevrolet 13278358

GENERAL MOTORS 13278358

GENERAL MOTORS 13314168

GENERAL MOTORS 920005

GENERAL MOTORS 920007

Opel 09 20 005

Opel 09 20 007

Opel 9 20 005

Opel 9 20 007

Vauxhall 9 20 005

Vauxhall 9 20 007

Application info

Chevrolet Cruze (J300, J305) (07/00--)

Chevrolet Cruze (J308) (08/12--)

Opel Astra J (12/06--)

Vauxhall Astra Mk VI (12/09-10/15)

Axial rod**616 031 0038/HD****MAR0556HD****Notes**Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

242

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14X1,5

reinforced version

replacement in pairs recommended

**References**

GENERAL MOTORS 13464344

Opel 13464344

Vauxhall 13 46 4344

Application info

Opel Astra K (06/15--)

Vauxhall Astra Mk VII (07/15--)

Axial rod**616 031 0039/HD****MAR0618HD****Notes**Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

242

Required quantity

2

Thread Size 1

M16X1,5

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended

**References**

GENERAL MOTORS 95371542

Opel 16 09 224

Vauxhall 16 09 224

Application info

Opel Karl (01/15-03/19)

Vauxhall Viva (01/15-03/19)

Axial rod

616 031 0041

MAR0588

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	281
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Citroën 16 310 567 80	GENERAL MOTORS 3556147
Opel 16 310 567 80	Opel 35 56 147
Vauxhall 35 56 147	

Application info

Citroën C3 AIRCROSS II (06/17--)	Opel Crossland X (03/17--)
Vauxhall Crossland X (03/17--)	

Axial rod

616 031 0044/HD

MAR0614HD

Notes

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	242
Required quantity	2
Thread Size 1	M18x1,5
Thread Size 2	M16x1,5
reinforced version	
replacement in pairs recommended	



References

GENERAL MOTORS 22776531	Opel 16 09 219
Vauxhall 16 09 219	

Application info

Opel Insignia A (07/08-03/17)	Vauxhall Insignia Mk I A (07/08-05/17)
-------------------------------	--

Axial rod

716 031 0007

MAR0348

Notes

Front Axle Left
Front Axle Right

Length [mm] 292
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended

**References**

Ford 1 317 453

Ford 1 377 655

Ford 4M51-3L519-AA

Ford 4M51-3L519-AB

Application info

Ford Focus II (10/03--)

Axial rod

716 031 0008

MAR0349

Notes

Front Axle Left
Front Axle Right

Length [mm] 278
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended

**References**

Ford 2S6C-3280-KA

Ford 2S6C-3280-KB

Ford 4 342 539

Ford 4 472 940

Mazda DE90-32-240

Application info

Ford Fiesta V / Fusion (11/01-12/14)

Mazda 2 (DY) (02/03-06/07)

Axial rod

716 031 0009

MAR0350

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	345
Required quantity	2
Thread Size 1	M14x1,5
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

Ford 1S7C-3280-BA	Ford 1S7C-3280-BB
Ford 4 097 484	Ford 4 111 327
Ford (Chanagan) 1S7C-3280-BB	

Application info

Ford Mondeo III (10/00-09/07)

Axial rod

716 031 0010

MAR0351

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	315
Required quantity	2
Thread Size 1	M16x1,5
Thread Size 2	M18x1,5
replacement in pairs recommended	

**References**

Ford 1 433 271	Ford 1 596 574
Ford 6G91-3280-AA	Ford 6G91-3280-AB
Land Rover LR016869	Volvo 30776250
Volvo 31280658	Volvo 31451035
Volvo (Changan) 31280658	

Application info

Ford Galaxy II (05/06-06/15)	Ford Mondeo IV (03/07-01/15)
Ford S-Max I (05/06-12/14)	Land Rover Freelander II (10/06-12/15)
Volvo S60 II / V60 (04/10--)	Volvo S80 II (03/06-12/16)
Volvo V70 III (04/07--)	Volvo XC70 II (04/07-12/16)

Axial rod

716 031 0016/HD

MAR0537HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

289

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

Ford 1 545 457

Ford 1 894 111

Ford 8V51-3L519-AA

Ford E4B1-3280-AA

Mazda D651-32-240

Application info

Ford B-MAX (08/12--)

Ford Fiesta VI (06/08--)

Ford KA III (08/14--)

Ford Tourneo '14 (02/14--)

Ford Transit Courier '14 (02/14--)

Mazda 2 (DE) (07/07-06/15)

Axial rod

716 031 0017/HD

MAR0538HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm]

289

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended



References

Ford 1 714 484

Ford 1 780 104

Ford 2 253 495

Ford AV6C-3L519-AA

Ford AV6C-3L519-BA

Ford KV6C-3280-AB

Volvo 31317779

Application info

Ford C-Max II (04/10--)
 Ford Kuga II (05/12--)
 Ford Transit '13 (02/13--)

Ford Focus III (07/10--)
 Ford Tourneo '13 (09/13--)
 Volvo V40 II (03/12--)

Axial rod**716 031 0018/HD****MAR0539HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm] 292
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended

**References**

Ford 1 317 453
 Ford 4M51-3L519-AA

Ford 1 377 655
 Ford 4M51-3L519-AB

Application info

Ford Focus II (10/03--)

Axial rod**716 031 0019/HD****MAR0540HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right
 for vehicles with hydraulic power steering

Length [mm] 300
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended

**References**

Ford 1 754 076
 Ford 1 899 978
 Ford BV61-3L519-AB

Ford 1 836 649
 Ford BV61-3L519-AA
 Ford BV61-3L519-AC

Application info

Ford Focus III (07/10--)

Axial rod

716 031 0020/HD

MAR0541HD

NotesCarbon Neutral
Front Axle Left
Front Axle RightLength [mm] 382
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16X1,5
reinforced version
replacement in pairs recommended**References**

Ford 1 763 991

Ford BK21-3L519-AA

Application info

Ford Tourneo '12 (04/12--)

Ford Transit '14 (08/13--)

Ford Transit Custom '12 (04/12--)

Axial rod

716 031 0021

MAR0580

NotesFront Axle Left
Front Axle RightLength [mm] 275
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended**References**

Ford 2 090 582

Ford KTH1BC-3L519-AA

Application info

Ford Fiesta VII (05/17--)

Axial rod

716 031 0022

MAR0592

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	300
Required quantity	2
Thread Size 1	M16X1,5
Thread Size 2	M18x1,5
replacement in pairs recommended	



References

Ford 1 824 228

Ford DG9C-3D032-BA

Ford D38KADG9C3280RW

Volvo 31360303

Application info

Ford Galaxy III (01/15--)

Ford S-Max II (01/15--)

Ford Mondeo V (09/12--)

Volvo S60 II / V60 (04/10--)

Axial rod

716 031 0027/HD

MAR0611HD

Notes

	Carbon Neutral
	Front Axle Left
	Front Axle Right
Length [mm]	303
Required quantity	2
Thread Size 1	14x1,5
Thread Size 2	14x1,5
reinforced version	
replacement in pairs recommended	



References

Ford 1 831 526

Ford C1BC-3L519-AA

Application info

Ford Fiesta VI (06/08--)

Axial rod

716 031 0028/HD

MAR0569HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

308

Required quantity

2

Thread Size 1


M14x1,5

Thread Size 2

M14X1,5

reinforced version

replacement in pairs recommended

**References**

Ford 1 785 002

Ford 1 933 357

Ford CN15-3280-AA

Ford CN15-3280-BA

Application info

Ford Ecosport (09/11--)

Axial rod

716 031 0029/HD

MAR0570HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

279

Required quantity

2

Thread Size 1

M14x1,5

Thread Size 2

M14X1,5

reinforced version

replacement in pairs recommended

**References**

Ford 2 180 383

Ford GN15-3280-AA

Application info

Ford Ecosport (09/11--)

Axial rod

716 031 0030

MAR0605

Notes

Front Axle Left
Front Axle Right

Length [mm] 284
Required quantity 2
Thread Size 1 M16X1,5
Thread Size 2 M16X1,5
replacement in pairs recommended

**References**

Ford 2 194 056

Ford 2 475 900

Ford JX6C-3D032-AA

Ford JX6C-3L519-AA

Application info

Ford Focus IV (01/18--)

Axial rod

816 031 0001

MAR0474

Notes

Front Axle Left
Front Axle Right

Length [mm] 286
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended

**References**

Saab 52-35-585

Saab 52-39-330

Saab 93194335

Application info

Saab 9-5 (YS3E) (09/97-12/09)

Saab 9-5 (YS3G) (01/10-01/12)

Axial rod

816 031 0004

MAR0464

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 295
 Required quantity 2
 Thread Size 1 M14x1,5
 Thread Size 2 M14X1,5
 replacement in pairs recommended



References

Saab 12 787 823

Saab 12 804 238

Application info

Saab 9-3 (YS3F) (09/02-02/15)

Tie rod assembly

716 030 0003/HD

MTA0302HD

Notes

Front Axle Left
 Paired article number
 Required quantity 1
 Thread Size 1 M12x1,75
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Ford 1 545 339

Ford 1 545 456

Ford 1 545 457

Ford 1 871 102

Ford 1 894 111

Ford 2 248 199

Ford 8V51-3C437-AA

Ford 8V51-3L519-AA

Ford 8V51-3L575-AA

Ford 8V51-3L575-AB

Ford E4B1-3280-AA

Ford J7BC-3C437-AA

Application info

Ford B-MAX (08/12--)

Ford Fiesta VI (06/08--)

Ford Tourneo '14 (02/14--)

Ford Transit Courier '14 (02/14--)

Tie rod end

40-16 020 0000/HD

MTE0769HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 215
 Paired article number 40-16 020 0001/HD | MTE0770HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Citroën 16 108 178 80	Citroën 16 112 422 80
DS 16 108 178 80	GENERAL MOTORS 16 759 576 80
GENERAL MOTORS 93476595	Opel 16 108 178 80
Opel 16 759 576 80	Peugeot 16 108 178 80
Peugeot 16 112 422 80	Peugeot 16 75 957 680
Toyota SU001-A8529	Toyota SU001-B3184
Toyota SU001-B3186	Vauxhall 16 108 178 80

Application info

Citroën Berlingo III (06/18--)	Citroën C4 Cactus (09/14--)
Citroën C4 Grand Picasso II (01/13--)	Citroën C4 II / DS4 (02/09--)
Citroën C4 SPACETOURER / GRAND SPACETOURER (04/18--)	Citroën C5 AIRCROSS (11/18--)
DS DS 9 (09/20--)	Opel Astra L (10/21--)
Opel Combo E (K9) (06/18--)	Opel Grandland X (75) (06/17--)
Peugeot 3008 II (05/16--)	Peugeot 308 I (09/07--)
Peugeot 308 II (09/13--)	Peugeot 308 III (07/21--)
Peugeot 5008 II (12/16--)	Peugeot 508 II (09/18--)
Peugeot Rifter (09/18--)	Toyota Proace City (10/19--)
Vauxhall Astra Mk VIII (10/21--)	Vauxhall Combo Mk IV (06/18--)
Vauxhall Grandland X (75) (06/17--)	

Tie rod end

40-16 020 0001/HD

MTE0770HD

Notes

	Carbon Neutral
	Front Axle Left
Length [mm]	215
Paired article number	40-16 020 0000/HD MTE0769HD
Required quantity	1
Thread Size 1	M12x1,5
Thread Size 2	M14x1,5
reinforced version	
replacement in pairs recommended	



References

Citroën 16 108 177 80	Citroën 16 112 421 80
DS 16 108 177 80	GENERAL MOTORS 1675957780
GENERAL MOTORS 93476594	Opel 16 108 177 80
Opel 16 759 577 80	Peugeot 16 108 177 80
Peugeot 16 112 421 80	Peugeot 16 75 957 780
Toyota SU001-A8528	Toyota SU001-B3183
Toyota SU001-B3185	Vauxhall 16 108 177 80

Application info

Citroën Berlingo III (06/18--)	Citroën C4 Cactus (09/14--)
Citroën C4 Grand Picasso II (01/13--)	Citroën C4 II / DS4 (02/09--)
Citroën C4 SPACETOURER / GRAND SPACETOURER (04/18--)	Citroën C5 AIRCROSS (11/18--)
DS DS 9 (09/20--)	Opel Astra L (10/21--)
Opel Combo E (K9) (06/18--)	Opel Grandland X (75) (06/17--)
Peugeot 3008 II (05/16--)	Peugeot 308 I (09/07--)
Peugeot 308 II (09/13--)	Peugeot 308 III (07/21--)
Peugeot 5008 II (12/16--)	Peugeot 508 II (09/18--)
Peugeot Rifter (09/18--)	Toyota Proace City (10/19--)
Vauxhall Astra Mk VIII (10/21--)	Vauxhall Combo Mk IV (06/18--)
Vauxhall Grandland X (75) (06/17--)	

Tie rod end		40-16 020 0002	MTE0437
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 175</p> <p>Paired article number 11-16 020 0008 MTE0078</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Citroën 3817.55 Peugeot 3817.55</p>			
<p>Application info</p> <p>Citroën C2 / C3 I / Pluriel (02/02--)</p> <p>Peugeot 1007 (04/05--)</p>			
Tie rod end		40-16 020 0005	MTE0867
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 192</p> <p>Paired article number</p> <p>Required quantity 1</p> <p>Thread Size 1 10x1,25</p> <p>Thread Size 2 14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Citroën 16 231 410 80 DS 16 231 410 80</p>			
<p>Application info</p> <p>Citroën C3 II (09/09--)</p> <p>DS DS 3 (04/15-07/19)</p> <p>Citroën C3 III (07/16--)</p>			

Tie rod end

40-16 020 0006

MTE0868

Notes

Front Axle Right

Length [mm]

192

Paired article number

Required quantity

1

Thread Size 1

10x1,25

Thread Size 2

14x1,5

replacement in pairs recommended



References

Citroën 16 231 411 80

DS 16 231 411 80

Application info

Citroën C3 II (09/09--)

Citroën C3 III (07/16--)

DS DS 3 (04/15-07/19)

Tie rod end

40-16 020 5723/HD

MTE0438HD

Notes

Carbon Neutral

Length [mm]

112

Paired article number

40-16 020 5724/HD | MTE0439HD

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

CITROËN (DF-PSA) 3817.41

Citroën 3817.41

Citroën 94 580 841 80

Citroën 94 710 005 65

Citroën 94 710 075 65

Peugeot 3817.14

Peugeot 3817.30

Peugeot 3817.41

Peugeot (DF-PSA) 3817.41

Application info

Citroën AX (07/86-12/98)

Citroën Saxo (02/96-04/04)

Citroën Xantia (03/93-04/03)

Peugeot 206 (08/98--)

Peugeot 605 (06/89-09/99)

Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck
(11/04--)

Citroën XM (05/89-10/00)

Peugeot 106 (08/91-05/05)

Peugeot 307 (08/00-12/12)

Tie rod end**40-16 020 5724/HD****MTE0439HD****Notes**

Carbon Neutral

Length [mm]

112

Paired article number

40-16 020 5723/HD | MTE0438HD

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended

**References**

CITROËN (DF-PSA) 3817.42

Citroën 3817.42

Citroën 94 710 006 65

Peugeot 3817.16

Peugeot 3817.42

Citroën 3817.31

Citroën 94 580 842 80

Citroën 94 710 074 65

Peugeot 3817.31

Peugeot (DF-PSA) 3817.42

Application info

Citroën AX (07/86-12/98)

Citroën Saxo (02/96-04/04)

Citroën Xantia (03/93-04/03)

Peugeot 206 (08/98--)

Peugeot 605 (06/89-09/99)

Citroën C4 I / Coupe / Grand Picasso / Picasso / Stufenheck
(11/04--)

Citroën XM (05/89-10/00)

Peugeot 106 (08/91-05/05)

Peugeot 307 (08/00-12/12)

Tie rod end		416 020 0000/HD	MTE0552HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left Front Axle Right</p> <p>Length [mm] 216 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M14x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Porsche 996 347 131 03</p>		<p>Porsche 996 347 131 04</p>	
<p>Application info</p> <p>Porsche 911 (996) (09/97-09/05) Porsche Boxster (986) (09/96-12/04) Porsche Cayman (987) (11/05-12/13)</p>		<p>Porsche 911 (997) (07/04-12/13) Porsche Boxster (987) (06/04-12/13)</p>	
Tie rod end		416 020 0002	MTE0830
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 216.5 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Porsche 991 347 131 00</p>			
<p>Application info</p> <p>Porsche 911 (991) (12/11--) Porsche Boxster (982) (04/16--) Porsche Cayman (982) (04/16--)</p>		<p>Porsche Boxster (981) (04/12--) Porsche Cayman (981) (03/13--)</p>	

Tie rod end


416 020 0003/HD

MTE0875HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right

Length [mm] 220
Required quantity 2
Thread Size 1 M14x1,5
Thread Size 2 M16x1,5
reinforced version
replacement in pairs recommended



References

Porsche 958 423 811 A

Application info

Porsche Cayenne III (9Y_) (05/17--)

Tie rod end


416 020 0004/HD

MTE0888HD

Notes

Carbon Neutral
Front Axle Right

Length [mm] 197
Paired article number 416 020 0005/HD | MTE0889HD
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M16x1,5
reinforced version
replacement in pairs recommended



References

Porsche 971 423 812 B

Application info

Porsche Panamera (971) (05/16--)

Tie rod end

416 020 0005/HD

MTE0889HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 197
 Paired article number 416 020 0004/HD | MTE0888HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Porsche 971 423 811 B

Application info

Porsche Panamera (971) (05/16--)

Tie rod end

416 020 0006/HD

MTE0923HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 200
 Paired article number 416 020 0007/HD | MTE0924HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Porsche 970 347 132 01

Application info

Porsche Panamera (970) (03/09-12/17)

Tie rod end

416 020 0007/HD

MTE0924HD

Notes

Carbon Neutral
Front Axle Left

Length [mm] 200
Paired article number
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

Porsche 970 347 131 01

Application info

Porsche Panamera (970) (03/09-12/17)

Tie rod end

44-16 020 0001

MTE0441

Notes

Front Axle Left
Front Axle Right

Length [mm] 119
Required quantity 2
Thread Size 1 M12x1,25
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Chrysler 04762861AA
Chrysler 4762861AA

Chrysler 4762861
Dodge 4762861AA

Application info

Chrysler Neon (05/94-09/00)
Chrysler PT Cruiser (06/00-12/10)
Chrysler Voyager III/Caravan (01/95-12/01)
Dodge Neon II (08/99--)

Chrysler Neon II (08/99-12/06)
Chrysler Voyager II (08/90-09/95)
Dodge Neon I (05/94-08/99)

Tie rod end

44-16 020 0002

MTE0442

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	122.5
Required quantity	2
Thread Size 1	M12x1,25
Thread Size 2	M14x1,5
replacement in pairs recommended	



References

Chrysler 5066373AA	Chrysler 5066373AB
Chrysler 5183761AB	Chrysler 5183761AC
Chrysler 5183761AD	Chrysler 68014944AA
Chrysler 68033171AA	Dodge 5183761AA
Dodge 5183761AB	Dodge 5183761AC
Dodge 5183761AD	Dodge 68141058AA
Fiat K05183761AA	Fiat K05183761AB
Fiat K05183761AC	Fiat K05183761AD
Fiat K68014944AA	Fiat K68141058AA
Jeep 5183761AA	Jeep 5183761AB
Jeep 5183761AD	Jeep 68141058AA
Lancia K05183761AD	Lancia K68156146AA

Application info

Chrysler Sebring (JS) (09/06-12/10)	Chrysler Voyager IV/ Town Country (09/99-12/08)
Chrysler Voyager V/Town Country (10/07--)	Dodge Caliber (06/06--)
Dodge Caravan III (02/00-12/07)	Dodge Journey (06/08--)
Fiat Freemont (JC) (08/11--)	Jeep Compass (MK) (08/06--)
Jeep Patriot (MK) (02/07-12/17)	Lancia Flavia (03/12-12/14)
Lancia Voyager (09/11-12/14)	

Tie rod end		516 020 0002	MTE0445
<p>Notes</p> <p>Front Axle Left Front Axle Right for vehicles with power steering with right-hand thread</p> <p>Length [mm] 74 Required quantity 2 Thread Size 1 M12x1,25 Thread Size 2 M12x1,25 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mazda 8AB0-32-280 Mazda 8AB2-32-280 Mazda B455-32-280 Volvo 3448334 Volvo 3480012</p>			
<p>Application info</p> <p>Mazda 121 (DB) (11/90-05/97) Mazda 323 (BA) (09/92-12/03) Mazda 323 (BG) (04/87-09/00) Mazda Demio (01/96-07/03) Mazda MX-3 (EC) (05/91-09/98) Mazda RX-7 (FD) (07/92-08/02) Volvo 440 K / 460 L / 480 E (04/86-12/96)</p>			
Tie rod end		516 020 0008/HD	MTE0450HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left</p> <p>Length [mm] 258 Paired article number 516 020 0009/HD MTE0451HD Required quantity 1 Thread Size 1 M12x1,75 Thread Size 2 M14x1,5 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>Volvo 274191 Volvo 274351 Volvo 274498 Volvo 30760806 Volvo 3076806 Volvo 31201228</p>			
<p>Application info</p> <p>Volvo XC70 I (10/97-10/07) Volvo XC90 I (06/02-01/15)</p>			

Tie rod end

516 020 0013/HD

MTE0718HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 109.5
 Paired article number 516 020 0012/HD | MTE0717HD
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

Volvo 31317781

Application info

Volvo V40 II (03/12--)

Tie rod end

516 020 0018

MTE0452

Notes

Front Axle Left
 with right-hand thread
 Length [mm] 230
 Paired article number 516 020 0019 | MTE0453
 Required quantity 1
 Thread Size 1 M12x1,75
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Volvo 274175

Volvo 274496

Volvo 30761719

Application info

Volvo S60 I / V70 II (11/99-04/10)

Volvo S80 I (05/98-02/08)

Tie rod end		516 020 0018/HD	MTE0452HD
Notes Carbon Neutral Front Axle Left with right-hand thread Length [mm] 230 Paired article number 516 020 0019/HD MTE0453HD Required quantity 1 Thread Size 1 M12x1,75 Thread Size 2 M14x1,5 reinforced version replacement in pairs recommended			
References Volvo 274175 Volvo 274496 Volvo 30761719			
Application info Volvo S60 I / V70 II (11/99-04/10) Volvo S80 I (05/98-02/08)			
Tie rod end		516 020 0019	MTE0453
Notes Front Axle Right with right-hand thread Length [mm] 230 Paired article number 516 020 0018 MTE0452 Required quantity 1 Thread Size 1 M12x1,75 Thread Size 2 M14x1,5 replacement in pairs recommended			
References Volvo 274176 Volvo 274497 Volvo 30761718			
Application info Volvo S60 I / V70 II (11/99-04/10) Volvo S80 I (05/98-02/08)			

Tie rod end

516 020 0019/HD

MTE0453HD

Notes

Carbon Neutral
Front Axle Right
with right-hand thread

Length [mm] 230
Paired article number 516 020 0018/HD | MTE0452HD
Required quantity 1
Thread Size 1 M12x1,75
Thread Size 2 M14x1,5
reinforced version
replacement in pairs recommended



References

Volvo 274176 Volvo 274497
Volvo 30761718

Application info

Volvo S60 I / V70 II (11/99-04/10) Volvo S80 I (05/98-02/08)

Tie rod end

516 020 0020

MTE0454

Notes

Front Axle Left
Front Axle Right
with right-hand thread

Length [mm] 78
Required quantity 2
Thread Size 1 M10x1,25
Thread Size 2 M12x1,25
replacement in pairs recommended



References

Hyundai 56820-02500 Hyundai 56820-28000
Mitsubishi 4422A028 Mitsubishi 4422A063
Mitsubishi MB241982 Mitsubishi MB527169
Mitsubishi MB535996 Mitsubishi MB597605
Mitsubishi MB598023 Mitsubishi MB912076
Mitsubishi MR476457 Mitsubishi MR485672
Mitsubishi MR535996 Mitsubishi MR598023
Mitsubishi MR912076 Proton MB598023
Volvo 30870695 Volvo 30875012
Volvo 510185

Application info

- | | |
|--|---|
| Hyundai Atos (01/97--) | Hyundai Lantra I (10/90-11/95) |
| Mitsubishi Carisma (07/95-06/06) | Mitsubishi Colt III (10/86-05/92) |
| Mitsubishi Colt IV (03/92-04/96) | Mitsubishi Colt V (09/95-08/04) |
| Mitsubishi Lancer III (11/83-08/92) | Mitsubishi Lancer IV (04/88-12/97) |
| Mitsubishi Lancer V (07/91-10/03) | Mitsubishi Lancer VI (09/95-12/03) |
| Mitsubishi Lancer VII (03/00-12/13) | Mitsubishi Space Star (DG_) (06/98-12/04) |
| Mitsubishi Space Star / Mirage (01/12--) | Proton Persona 400 (01/94-02/08) |
| Volvo S/V 40 (07/95-12/04) | |

Tie rod end

516 020 0029/HD

MTE0801HD

Notes

Carbon Neutral
 Front Axle Left
 outer
 Length [mm] 169
 Paired article number 516 020 0030/HD | MTE0802HD
 Required quantity 1
 Thread Size 1 M12x1,75
 Thread Size 2 M18x1,5
 reinforced version
 replacement in pairs recommended



References

- | | |
|----------------|----------------|
| Volvo 31429235 | Volvo 31476317 |
| Volvo 31476415 | |

Application info

- | | |
|---------------------------------|-------------------------|
| Volvo S90 II / V90 II (03/16--) | Volvo XC60 II (03/17--) |
| Volvo XC90 II (09/14--) | |

Tie rod end

516 020 0030/HD

MTE0802HD

Notes

Carbon Neutral
 Front Axle Right
 outer
 Length [mm] 169
 Paired article number 516 020 0029/HD | MTE0801HD
 Required quantity 1
 Thread Size 1 M12x1,75
 Thread Size 2 M18x1,5
 reinforced version
 replacement in pairs recommended



References

Volvo 31429236

Volvo 31476416

Volvo 31476318

Application info

Volvo S90 II / V90 II (03/16--)

Volvo XC90 II (09/14--)

Volvo XC60 II (03/17--)

Tie rod end

516 020 0031

MTE0866

Notes

Front Axle Left

Length [mm]

155.5

Paired article number

Required quantity

1

Thread Size 1

M12x1,75

Thread Size 2

M18x1,5

replacement in pairs recommended

**References**

Volvo 31476319

Volvo 31658181

Application info

Volvo S90 II / V90 II (03/16--)

Tie rod end

516 020 0032

MTE0865

Notes

Front Axle Right

Length [mm]

155.5

Paired article number

Required quantity

1

Thread Size 1

M12x1,75

Thread Size 2

M18x1,5

replacement in pairs recommended

**References**

Volvo 31658182

Application info

Volvo S90 II / V90 II (03/16--)

Tie rod end		516 020 0033/HD	MTE0951HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left</p> <p>Length [mm] 207</p> <p>Paired article number 40-14 899 0002 MAS0569</p> <p>Paired article number 516 020 0034/HD MTE0952HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>POLESTAR 32283512 Volvo 31476748</p> <p>Volvo 32221545 Volvo 32283511</p> <p>Volvo 32283512</p>			
<p>Application info</p> <p>POLESTAR POLESTAR 2 (02/19--)</p> <p>Volvo XC40 (536) (10/17--)</p> <p>Volvo C40 (539) (10/21--)</p>			
Tie rod end		516 020 0034/HD	MTE0952HD
<p>Notes</p> <p>Carbon Neutral Front Axle Right</p> <p>Length [mm] 207</p> <p>Paired article number 516 020 0033/HD MTE0951HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>POLESTAR 32283514 Volvo 31476749</p> <p>Volvo 32221546 Volvo 32283513</p> <p>Volvo 32283514</p>			
<p>Application info</p> <p>POLESTAR POLESTAR 2 (02/19--)</p> <p>Volvo XC40 (536) (10/17--)</p> <p>Volvo C40 (539) (10/21--)</p>			

Tie rod end		53-16 020 0001	MTE0461
<p>Notes</p> <p>Front Axle Right with right-hand thread</p> <p>Length [mm] 70</p> <p>Paired article number 53-16 020 0000 MTE0460</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Land Rover QJB100220</p>			
<p>Application info</p> <p>Land Rover Freelander I (02/98-10/06)</p>			
Tie rod end		53-16 020 0002	MTE0462
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 87</p> <p>Required quantity 2</p> <p>Thread Size 1 M14x2,0</p> <p>Thread Size 2 M16x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Land Rover LR010672</p> <p>Land Rover QJB500080</p>			
<p>Application info</p> <p>Land Rover Discovery III (07/04-09/09)</p> <p>Land Rover Discovery IV (09/09-12/18)</p>			

Tie rod end		53-16 020 0010	MTE0468
Notes Front Axle Left with left-hand thread Length [mm] 86 Paired article number 53-16 020 0011 MTE0469 Required quantity 1 Thread Size 1 M12X1,75 Thread Size 2 W11/16"-16UNF replacement in pairs recommended			
References Land Rover NTC1887D		Land Rover RTC5870	
Application info Land Rover Defender I (05/90-05/16)		Land Rover Discovery I (06/89-12/98)	
Tie rod end		53-16 020 0011	MTE0469
Notes Front Axle Right with right-hand thread Length [mm] 86 Paired article number 53-16 020 0010 MTE0468 Required quantity 1 Thread Size 1 M12x1,25 Thread Size 2 W11/16"-16UNF replacement in pairs recommended			
References Land Rover NTC1886D		Land Rover RTC5869	
Application info Land Rover Defender I (05/90-05/16)		Land Rover Discovery I (06/89-12/98)	

Tie rod end		53-16 020 0012	MTE0560
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 116</p> <p>Paired article number 53-16 020 0013 MTE0561</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x2,0</p> <p>Thread Size 2 M18x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Jaguar T4N20184 Land Rover LR026267</p>			
<p>Application info</p> <p>Jaguar E-Pace (X540) (09/17--)</p> <p>Land Rover Range Rover Evoque I (06/11-12/19)</p> <p>Land Rover Discovery Sport (09/14--)</p>			
Tie rod end		53-16 020 0013	MTE0561
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 116</p> <p>Paired article number 53-16 020 0012 MTE0560</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x2,0</p> <p>Thread Size 2 M18x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Jaguar T4N20185 Land Rover LR027570</p>			
<p>Application info</p> <p>Jaguar E-Pace (X540) (09/17--)</p> <p>Land Rover Range Rover Evoque I (06/11-12/19)</p> <p>Land Rover Discovery Sport (09/14--)</p>			

Tie rod end		53-16 020 0015	MTE0835
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 115 Required quantity 2 Thread Size 1 M14x2,0 Thread Size 2 M16x1,5 replacement in pairs recommended</p>		 <p>A black plastic tie rod end with a silver metal upper stud and a black metal lower arm. A blue circular seal with 'MEYLE ORIGINAL' is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Land Rover LR059261</p>			
<p>Application info</p> <p>Land Rover Discovery V (09/16--) Land Rover Range Rover Sport II (04/13--)</p> <p style="text-align: right;">Land Rover Range Rover IV (08/12--)</p>			
Tie rod end		53-16 020 0016	MTE0871
<p>Notes</p> <p>Front Axle Left Front Axle Right</p> <p>Length [mm] 210 Required quantity 2 Thread Size 1 M14x2,0 Thread Size 2 M14x1,5 replacement in pairs recommended</p>		 <p>A black plastic tie rod end with a silver metal upper stud and a black metal lower arm. A blue circular seal with 'MEYLE ORIGINAL' is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Jaguar T4A12525 Land Rover LR090883</p> <p style="text-align: right;">Jaguar T4A28746 Land Rover LR111480</p>			
<p>Application info</p> <p>Jaguar F-Pace (X761) (09/15--) Land Rover Range Rover Velar (03/17--)</p> <p style="text-align: right;">Jaguar I-Pace (X590) (02/18--)</p>			

Tie rod end

53-16 020 0017/HD

MTE0756HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

102.5

Required quantity

2

Thread Size 1

M14x2,0

Thread Size 2

M14x1,5

reinforced version

replacement in pairs recommended



References

Land Rover LR033534

Application info

Land Rover Range Rover IV (08/12--)

Land Rover Range Rover Sport II (04/13--)

Tie rod end

53-16 020 0018/HD

MTE0825HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]

89

Required quantity

2

Thread Size 1

M12x1,75

Thread Size 2

M16x1,5

reinforced version

replacement in pairs recommended



References

Land Rover LR010671

Land Rover QJB500010

Application info

Land Rover Discovery III (07/04-09/09)

Tie rod end		53-16 020 0019	MTE0959
Notes Front Axle Left Front Axle Right Length [mm] 120 Required quantity 2 Thread Size 1 M14x2,0 Thread Size 2 M16x1,5 replacement in pairs recommended			
References Jaguar J9C22780 Land Rover LR135927		Land Rover LR125333	
Application info Jaguar E-Pace (X540) (09/17--) Land Rover Range Rover Evoque II (12/18--)		Land Rover Discovery Sport (09/14--)	
Tie rod end		53-16 020 0020/HD	MTE0998HD
Notes Front Axle Left Front Axle Right Length [mm] 135 Required quantity 2 Thread Size 1 M14x2 Thread Size 2 M16x1,5 reinforced version replacement in pairs recommended			
References Land Rover LR129166			
Application info Land Rover Defender II (09/19--)		Land Rover Discovery V (09/16--)	

Tie rod end

57-16 020 0001

MTE0831

Notes

Front Axle Left
 outer
 Length [mm] 94
 Paired article number 57-16 020 0002 | MTE0832
 Required quantity 1
 Thread Size 1 M12X1,5
 Thread Size 2 M16X1,5
 replacement in pairs recommended



References

Jeep 68224937AA

Jeep K68224937AA

Application info

Jeep Cherokee (KL) (06/13--)

Tie rod end

57-16 020 0002

MTE0832

Notes

Front Axle Right
 outer
 Length [mm] 94
 Paired article number 57-16 020 0001 | MTE0831
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Jeep 68224936AA

Jeep K68224936AA

Application info

Jeep Cherokee (KL) (06/13--)

Tie rod end

616 020 0001

MTE0474

Notes

Front Axle Left
Front Axle Right

Length [mm] 70
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M12x1,5
replacement in pairs recommended



References

GENERAL MOTORS 07840452
GENERAL MOTORS 26087868
GENERAL MOTORS 93388621
Opel 16 03 009
Opel 3 24 050
Smart 451 338 01 37
Smart A 451 338 01 37
Vauxhall 16 03 009
Vauxhall 3 24 050

GENERAL MOTORS 26011925
GENERAL MOTORS 93192419
Opel 03 24 050
Opel 16 03 645
Smart 451 338 00 37
Smart A 451 338 00 37
Vauxhall 03 24 050
Vauxhall 16 03 645

Application info

Opel Corsa A (09/82-09/94)
Opel Corsa C / Combo / Tigra (09/00--)
Vauxhall Combo Mk I (07/94-10/01)
Vauxhall Corsa Mk I Tigra (12/92-12/00)
Vauxhall Nova (09/82-12/93)

Opel Corsa B / Combo / Tigra (03/93-12/02)
Smart Fortwo II (01/07--)
Vauxhall Combo Mk II (09/01-02/12)
Vauxhall Corsa Mk II / Tigra / Combo (08/00-02/12)

Tie rod end

616 020 0002

MTE0475

Notes

Front Axle Left
Front Axle Right

Length [mm] 68
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

GENERAL MOTORS 26102923
 Opel 16 03 240
 Vauxhall 16 03 240

GENERAL MOTORS 93192417
 Opel 16 03 430
 Vauxhall 16 03 430

Application info

Opel Meriva A (05/03-05/10)

Vauxhall Meriva Mk I A (01/03-06/10)

Tie rod end

616 020 0005/HD

MTE0476HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 140
 Paired article number 616 020 0011/HD | MTE0482HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5

reinforced version
 replacement in pairs recommended



References

GENERAL MOTORS 93179559
 GENERAL MOTORS 93186333
 Opel 16 03 258
 Opel 16 03 289
 Vauxhall 16 03 258
 Vauxhall 16 03 289

GENERAL MOTORS 93181232
 GENERAL MOTORS 93196780
 Opel 16 03 266
 Opel 16 09 013
 Vauxhall 16 03 266
 Vauxhall 16 09 013

Application info

Opel Astra H / Zafira B (01/04-05/19)
 Opel Meriva B (06/10-03/17)
 Vauxhall Insignia Mk I A (07/08-05/17)
 Vauxhall Zafira Mk II (04/05-11/14)

Opel Astra J (12/06--)
 Vauxhall Astra Mk V (01/04--)
 Vauxhall Meriva Mk II B (06/10--)

Tie rod end		616 020 0006	MTE0477
<p>Notes</p> <p>Front Axle Left</p> <p>Length [mm] 220</p> <p>Paired article number 616 020 0008 MTE0479</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>GENERAL MOTORS 9161562</p> <p>Opel 45 01 262</p> <p>Vauxhall 45 01 262</p>		<p>Nissan 48520-00QAH</p> <p>Renault 7701470363</p>	
<p>Application info</p> <p>Nissan Interstar I (X70) (04/02--)</p> <p>Renault Master II (03/98--)</p>		<p>Opel Movano A (07/98--)</p> <p>Vauxhall Movano Mk I (10/98-12/10)</p>	
Tie rod end		616 020 0007	MTE0478
<p>Notes</p> <p>Front Axle Left</p> <p>Front Axle Right</p> <p>Length [mm] 75</p> <p>Required quantity 2</p> <p>Thread Size 1 M14x1,5</p> <p>Thread Size 2 M14x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>GENERAL MOTORS 900907</p> <p>Opel 09 00 907</p> <p>Vauxhall 09 00 907</p>		<p>GENERAL MOTORS 97184821</p> <p>Opel 9 00 907</p> <p>Vauxhall 9 00 907</p>	
<p>Application info</p> <p>Opel Frontera B / Monterey B (07/98-07/04)</p>		<p>Vauxhall Frontera Mk II (10/98-10/04)</p>	

Tie rod end

616 020 0008

MTE0479

Notes

Front Axle Right

Length [mm] 223
 Paired article number 616 020 0006 | MTE0477
 Required quantity 1
 Thread Size 1 M14x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

GENERAL MOTORS 9161563 Nissan 48520-00QAJ
 Opel 45 01 263 Renault 7701470364
 Vauxhall 45 01 263

Application info

Nissan Interstar I (X70) (04/02--) Opel Movano A (07/98--)
 Renault Master II (03/98--) Vauxhall Movano Mk I (10/98-12/10)

Tie rod end

616 020 0011/HD

MTE0482HD

Notes

Carbon Neutral
 Front Axle Right

Length [mm] 140
 Paired article number 616 020 0005/HD | MTE0476HD
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

GENERAL MOTORS 93179558 GENERAL MOTORS 93181233
 GENERAL MOTORS 93186332 GENERAL MOTORS 93196779
 Opel 16 03 257 Opel 16 03 267
 Opel 16 03 288 Opel 16 09 012
 Vauxhall 16 03 257 Vauxhall 16 03 267
 Vauxhall 16 03 288 Vauxhall 16 09 012

Application info

Opel Astra H / Zafira B (01/04-05/19)
 Opel Meriva B (06/10-03/17)
 Vauxhall Insigna Mk I A (07/08-05/17)
 Vauxhall Zafira Mk II (04/05-11/14)

Opel Astra J (12/06--)
 Vauxhall Astra Mk V (01/04--)
 Vauxhall Meriva Mk II B (06/10--)

Tie rod end

616 020 0012

MTE0483

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 74
 Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5

replacement in pairs recommended



References

Chevrolet 95932779
 GENERAL MOTORS 95932790
 Opel 16 09 206
 Opel 9 20 010
 Vauxhall 48 03 429

Chevrolet 96626667
 GENERAL MOTORS 96626667
 Opel 48 03 429
 Vauxhall 16 09 206
 Vauxhall 9 20 010

Application info

Chevrolet Captiva I (06/06--)
 Opel Antara (05/06--)
 Vauxhall Antara (08/06--)

Chevrolet Trax (12/12--)
 Opel Mokka A (06/12--)
 Vauxhall Mokka A (06/12--)

Tie rod end

616 020 0015/HD

MTE0484HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Length [mm] 115
 Required quantity 2
 Thread Size 1 M12x1,75
 Thread Size 2 M16x1,5

reinforced version
 replacement in pairs recommended



References

Buick 13272000	Chevrolet 13278359
Chevrolet 13286686	Chevrolet 13396771
GENERAL MOTORS 13272000	GENERAL MOTORS 13278359
GENERAL MOTORS 13286686	GENERAL MOTORS 13372000
GENERAL MOTORS 920008	Opel 09 20 008
Opel 13278359	Opel 16 09 026
Opel 66 06 031	Opel 9 20 008
Saab 13 27 2000	Vauxhall 16 09 026
Vauxhall 66 06 031	Vauxhall 9 20 008

Application info

Chevrolet Cruze (J300, J305) (07/00--)	Chevrolet Cruze (J308) (08/12--)
Chevrolet Orlando (J309) (12/10--)	Chevrolet Volt (04/11--)
Opel Ampera (11/11-03/15)	Opel Astra J (12/06--)
Opel Insignia A (07/08-03/17)	Opel Zafira C (Tourer) (10/11--)
Saab 9-5 (YS3G) (01/10-01/12)	Vauxhall Ampera (03/12--)
Vauxhall Astra Mk VI (12/09-10/15)	Vauxhall Insignia Mk I A (07/08-05/17)
Vauxhall Zafira Mk III (10/11-08/18)	

Tie rod end**616 020 0016****MTE0485****Notes**

	Front Axle Left
Length [mm]	160
Paired article number	616 020 0017 MTE0486
Required quantity	1
Thread Size 1	M12x1,75
Thread Size 2	M16x1,5
replacement in pairs recommended	

**References**

GENERAL MOTORS 13337880	GENERAL MOTORS 13354538
Opel 16 09 137	Opel 16 09 185
Vauxhall 16 09 137	Vauxhall 16 09 185

Application info

Opel Astra J (12/06--)	Opel Cascada (03/13-04/19)
Vauxhall Astra Mk VI (12/09-10/15)	Vauxhall Cascada (02/13--)

Tie rod end

616 020 0023

MTE0736

Notes

Front Axle Left
Front Axle Right

Length [mm] 136
Required quantity 2
Thread Size 1 M12x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Chevrolet 26059294
Chevrolet 93186537
GENERAL MOTORS 9118127
Opel 16 03 214
Opel 16 03 542
Vauxhall 16 03 215

Chevrolet 9118127
GENERAL MOTORS 26059294
GENERAL MOTORS 93186537
Opel 16 03 215
Vauxhall 16 03 214
Vauxhall 16 03 542

Application info

Chevrolet Zafira (F75) (02/99-12/12)
Vauxhall Astra Mk II (09/84-09/93)
Vauxhall Zafira Mk I (11/98-08/05)

Opel Astra G / Astra Classic / Zafira A (02/98-12/09)
Vauxhall Astra Mk IV (01/93-08/06)

Tie rod end

616 020 0024/HD

MTE0780HD

Notes

Carbon Neutral
Front Axle Right
outer

Length [mm] 83
Paired article number 616 020 0025/HD | MTE0781HD
Required quantity 1
Thread Size 1 12x1,75
Thread Size 2 14x1,5
reinforced version
replacement in pairs recommended



References

GENERAL MOTORS 9 20 014
Opel 9 20 014
Vauxhall 9 20 014

GENERAL MOTORS 95371539
Opel 95371539
Vauxhall 95 37 1539

Application info

Opel Karl (01/15-03/19)

Vauxhall Viva (01/15-03/19)

Tie rod end**616 020 0025/HD****MTE0781HD****Notes**

Carbon Neutral

Front Axle Left

outer

Length [mm]

83

Paired article number

616 020 0024/HD | MTE0780HD

Required quantity

1

Thread Size 1

12x1,75

Thread Size 2

14x1,5

reinforced version

replacement in pairs recommended

**References**

GENERAL MOTORS 9 20 013

Opel 9 20 013

Vauxhall 9 20 013

GENERAL MOTORS 95371538

Opel 95371538

Vauxhall 95 37 1538

Application info

Opel Karl (01/15-03/19)

Vauxhall Viva (01/15-03/19)

Tie rod end**616 020 0026/HD****MTE0777HD****Notes**

Carbon Neutral

Front Axle Right

outer

Length [mm]

142

Paired article number

616 020 0027/HD | MTE0778HD

Required quantity

1

Thread Size 1

12x1,75

Thread Size 2

14x1,5

reinforced version

replacement in pairs recommended

**References**

GENERAL MOTORS 39008083

Vauxhall 39 00 8083

Opel 39008083

Application info

Opel Astra K (06/15--)

Vauxhall Astra Mk VII (07/15--)

Tie rod end

616 020 0027/HD

MTE0778HD

Notes

Carbon Neutral
 Front Axle Left
 outer
 Length [mm] 142
 Paired article number 616 020 0026/HD | MTE0777HD
 Required quantity 1
 Thread Size 1 12x1,75
 Thread Size 2 14x1,5
 reinforced version
 replacement in pairs recommended



References

GENERAL MOTORS 39008084
 Vauxhall 39 00 8084

Opel 39008084

Application info

Opel Astra K (06/15--)

Vauxhall Astra Mk VII (07/15--)

Tie rod end

616 020 0028/HD

MTE0763HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Length [mm] 74
 Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Chevrolet 93746130
 GENERAL MOTORS 93746130
 Opel 48 19 273
 Vauxhall 48 19 273

Chevrolet 95940332
 GENERAL MOTORS 95940332
 Opel 48 19 620
 Vauxhall 48 19 620

Application info

Chevrolet Captiva I (06/06--)
 Vauxhall Antara (08/06--)

Opel Antara (05/06--)

Tie rod end		616 020 0029/HD	MTE0869HD
Notes Carbon Neutral Front Axle Left Length [mm] 186 Paired article number 616 020 0030/HD MTE0870HD Required quantity 1 Thread Size 1 12x1,75 Thread Size 2 14x1,5 reinforced version replacement in pairs recommended		 	
References GENERAL MOTORS 23449522 Opel 23449522 Vauxhall 23 44 9522			
Application info Opel Insignia B (03/17--) Vauxhall Insignia Mk II B (03/17--)			
Tie rod end		616 020 0030/HD	MTE0870HD
Notes Carbon Neutral Front Axle Right Length [mm] 186 Paired article number 616 020 0029/HD MTE0869HD Required quantity 1 Thread Size 1 12x1,75 Thread Size 2 14x1,5 reinforced version replacement in pairs recommended		 	
References GENERAL MOTORS 23449523 Opel 23449523 Vauxhall 23 44 9523			
Application info Opel Insignia B (03/17--) Vauxhall Insignia Mk II B (03/17--)			

Tie rod end

616 020 0031

MTE0890

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	155
Required quantity	2
Thread Size 1	10x1,25
Thread Size 2	14x1,5
replacement in pairs recommended	



References

Citroën 16 310 569 80
Opel 35 56 146

GENERAL MOTORS 3556146
Vauxhall 35 56 146

Application info

Citroën C3 AIRCROSS II (06/17--)
Vauxhall Crossland X (03/17--)

Opel Crossland X (03/17--)

Tie rod end

616 020 5562

MTE0494

Notes

	Front Axle Left with right-hand thread
Length [mm]	66
Paired article number	616 020 5565 MTE0495
Required quantity	1
Thread Size 1	M12x1,5
Thread Size 2	M16x2,0
replacement in pairs recommended	



References

GENERAL MOTORS 90350447
Opel 03 24 053
Opel 3 24 053
Saab 42 42 749
Vauxhall 03 24 055
Vauxhall 3 24 055

GENERAL MOTORS 90369704
Opel 03 24 055
Opel 3 24 055
Vauxhall 03 24 053
Vauxhall 3 24 053

Application info

Opel Astra F (09/91-01/05)
 Opel Vectra A (04/88-12/95)
 Saab 900 II (07/93-04/99)
 Vauxhall Calibra Mk I (06/90-07/97)

Opel Calibra (08/89-07/97)
 Saab 9-3 (YS3D) (02/98-08/03)
 Vauxhall Astra Mk III (01/91-03/01)
 Vauxhall Cavalier Mk III (08/88-11/95)

Tie rod end

616 020 5565

MTE0495

Notes

Front Axle Right
 with left-hand thread
 Length [mm] 66
 Paired article number 616 020 5562 | MTE0494
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M16x2,0
 replacement in pairs recommended



References

GENERAL MOTORS 90350446
 GENERAL MOTORS 90369705
 Opel 03 24 056
 Opel 3 24 056
 Vauxhall 03 24 054
 Vauxhall 3 24 054

GENERAL MOTORS 90350448
 Opel 03 24 054
 Opel 3 24 054
 Saab 42 42 756
 Vauxhall 03 24 056
 Vauxhall 3 24 056

Application info

Opel Astra F (09/91-01/05)
 Opel Vectra A (04/88-12/95)
 Saab 900 II (07/93-04/99)
 Vauxhall Calibra Mk I (06/90-07/97)

Opel Calibra (08/89-07/97)
 Saab 9-3 (YS3D) (02/98-08/03)
 Vauxhall Astra Mk III (01/91-03/01)
 Vauxhall Cavalier Mk III (08/88-11/95)

Tie rod end

616 020 5570

MTE0496

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 78
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M12x1,5
 replacement in pairs recommended



References

GENERAL MOTORS 26065265
 Opel 3 24 066
 Vauxhall 3 24 066

Opel 03 24 066
 Vauxhall 03 24 066

Application info

Opel Corsa B / Combo / Tigra (03/93-12/02)
 Vauxhall Corsa Mk I Tigra (12/92-12/00)

Vauxhall Combo Mk I (07/94-10/01)

Tie rod end

616 020 5588

MTE0498

Notes

Front Axle Right
 outer
 with left-hand thread
 Length [mm] 233
 Paired article number 616 020 5589 | MTE0499
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5

replacement in pairs recommended



References

GENERAL MOTORS 90473812
 GENERAL MOTORS 90510654
 Opel 03 22 180
 Opel 03 24 155
 Opel 3 24 060
 Vauxhall 03 22 180
 Vauxhall 03 24 155
 Vauxhall 3 24 060

GENERAL MOTORS 9051054
 GENERAL MOTORS 93169283
 Opel 03 24 060
 Opel 3 22 180
 Opel 3 24 155
 Vauxhall 03 24 060
 Vauxhall 3 22 180
 Vauxhall 3 24 155

Application info

Opel Omega B (03/94-12/05)

Vauxhall Omega Mk II (12/93-07/03)

Tie rod end		616 020 5589	MTE0499
Notes Front Axle Left outer with right-hand thread Length [mm] 233 Paired article number 616 020 5588 MTE0498 Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M14x1,5 replacement in pairs recommended		 	
References GENERAL MOTORS 90473811 Opel 03 22 179 Opel 3 22 004 Opel 3 24 059 Vauxhall 03 24 059 Vauxhall 3 24 059		GENERAL MOTORS 90510653 Opel 03 24 059 Opel 3 22 179 Vauxhall 03 22 179 Vauxhall 3 22 179	
Application info Opel Omega B (03/94-12/05)		Vauxhall Omega Mk II (12/93-07/03)	
Tie rod end		616 020 6002/HD	MTE0500HD
Notes Carbon Neutral Front Axle Left Front Axle Right Length [mm] 136 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M14x1,5 reinforced version replacement in pairs recommended		 	
References Chevrolet 26059294 Chevrolet 93186537 GENERAL MOTORS 9118127 Opel 16 03 214 Opel 16 03 542 Vauxhall 16 03 215		Chevrolet 9118127 GENERAL MOTORS 26059294 GENERAL MOTORS 93186537 Opel 16 03 215 Vauxhall 16 03 214 Vauxhall 16 03 542	

Application info

Chevrolet Zafira (F75) (02/99-12/12)
 Vauxhall Astra Mk II (09/84-09/93)
 Vauxhall Zafira Mk I (11/98-08/05)

Opel Astra G / Astra Classic / Zafira A (02/98-12/09)
 Vauxhall Astra Mk IV (01/93-08/06)

Tie rod end

70-16 020 0002/HD

MTE0976HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right

Length [mm]
 Required quantity
 Thread Size 1
 Thread Size 2
 reinforced version
 replacement in pairs recommended

150
 2
 M14x1,5
 M14x1,5



References

TESLA 1044831-00-E
 TESLA 1044841-00-E

TESLA 1044831-00-H

Application info

TESLA Model 3 (01/17--)

TESLA Model Y (03/19--)

Tie rod end

70-16 020 0004/HD

MTE0995HD

Notes

Front Axle Left
 Front Axle Right

Length [mm]
 Required quantity
 Thread Size 1
 Thread Size 2
 reinforced version
 replacement in pairs recommended

193.5
 2
 M14x2,0
 M14x1,5



References

TESLA 1027841-00-B

Application info

TESLA Model S (09/12--)

TESLA Model X (09/13--)

Tie rod end **716 020 0004** **MTE0501**

Notes

Front Axle Left
 Length [mm] 94
 Paired article number 716 020 0016 | MTE0511
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Ford 1 202 549 Ford 2S6J-3290-AC
 Mazda DD32-32 290 Mazda DE90-32-290

Application info

Ford Fiesta V / Fusion (11/01-12/14) Mazda 2 (DY) (02/03-06/07)

Tie rod end **716 020 0006** **MTE0502**

Notes

Front Axle Left
 Front Axle Right
 Length [mm] 68
 Required quantity 2
 Thread Size 1 M10x1
 Thread Size 2 1/2"-20 UNF
 replacement in pairs recommended



References

Ford 1 032 567 Ford 1 032 689
 Ford 1 034 417 Ford 6 969 517
 Ford 6 969 518 Ford 94FB-3289-A1A
 Ford 94FB-3289-A2A Ford 94FX-3270-AA
 Ford 97KB-3289-BA Ford 97KX-3270-AA

Application info

Ford Fiesta III (01/89-01/97) Ford KA I (09/96-11/08)

Tie rod end

716 020 0007

MTE0503

Notes

	Front Axle Left with right-hand thread
Length [mm]	74
Paired article number	716 020 0008 MTE0504
Required quantity	1
Thread Size 1	M10x1,5
Thread Size 2	M14x2,0
replacement in pairs recommended	



References

Ford 1 074 306

Ford 1 107 015

Ford 98AG-3290-AA

Ford 98AX-3270-BA

Application info

Ford Focus I (08/98-11/09)

Tie rod end

716 020 0008

MTE0504

Notes

	Front Axle Right
Length [mm]	74
Paired article number	716 020 0007 MTE0503
Required quantity	1
Thread Size 1	M10x1,5
Thread Size 2	M14x2,0
replacement in pairs recommended	



References

Ford 1 074 305

Ford 1 107 013

Ford 98AG-3289-AA

Ford 98AX-3270-AA

Application info

Ford Focus I (08/98-11/09)

Tie rod end

716 020 0014

MTE0509

Notes

Front Axle Left
Front Axle Right

Length [mm] 92
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

Ford 1 138 313	Ford 1 138 314
Ford 1S7C-3290-AB	Ford 1S7C-3290-BB
Ford 1S7J-3290-AB	Ford 1S7J-3290-BB
Ford 4 118 933	Ford 4 118 934
Ford (Chanagan) 1S7C-3290-AB	Ford (Chanagan) 1S7J-3290-AB
Jaguar 1X433289AB	Jaguar C2S12013
Jaguar C2S47357	

Application info

Ford Mondeo III (10/00-09/07) Jaguar X-Type (03/01-12/09)

Tie rod end

716 020 0015

MTE0510

Notes

Front Axle Left
Front Axle Right

Length [mm] 90
Required quantity 2
Thread Size 1 M14x2,0
Thread Size 2 M16x1,5
replacement in pairs recommended



References

Ford 1 138 275	Ford 1 370 741
Ford 1 490 759	Ford 1 736 669
Ford 1 743 642	Ford 1 763 989
Ford 4 047 091	Ford 6C11-3289-AA
Ford 6C11-3289-AB	Ford 6C11-3289-AC
Ford 6C1J-3289-AA	Ford BK21-3289-AA
Ford YC15-3289-AA	Ford YC1J-3289-AA

Application info

Ford Tourneo '12 (04/12--)
 Ford Transit '06 (04/06-12/14)
 Ford Transit Custom '12 (04/12--)

Ford Transit '00 (01/00-05/06)
 Ford Transit '14 (08/13--)

Tie rod end

716 020 0016

MTE0511

Notes

Front Axle Right

Length [mm] 94
 Paired article number 716 020 0004 | MTE0501
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Ford 1 202 548
 Mazda DD32-32 280

Ford 2S6J-3289-AC
 Mazda DE90-32-280

Application info

Ford Fiesta V / Fusion (11/01-12/14)

Mazda 2 (DY) (02/03-06/07)

Tie rod end

716 020 0017/HD

MTE0512HD

Notes

Carbon Neutral
 Front Axle Right

Length [mm] 100
 Paired article number 716 020 0018/HD | MTE0513HD
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M16x1,5
 reinforced version
 replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Ford 1 251 925 | Ford 1 306 177 |
| Ford 1 315 074 | Ford 1 317 446 |
| Ford 1 328 877 | Ford 1 388 549 |
| Ford 1 541 652 | Ford 1 730 933 |
| Ford 1 894 033 | Ford 3M51-3289-AC |
| Ford 3M51-3290-AA | Ford 3M51-3290-AB |
| Ford 3M51-3C367-AA | Ford 3M51-3C367-AB |
| Ford 4M51-3289-AB | Ford 4M51-3289-AC |
| Ford 4M51-3289-AD | Ford EV61-3289-AA |
| Volvo 274500 | Volvo 30723104 |
| Volvo 31201412 | |

Application info

- | | |
|----------------------------|----------------------------------|
| Ford C-Max I (02/07-09/10) | Ford Focus II (10/03--) |
| Ford Focus III (07/10--) | Volvo C30 (09/06-12/13) |
| Volvo C70 II (03/06-12/13) | Volvo S40 II / V50 (12/03-12/12) |

Tie rod end

716 020 0018/HD

MTE0513HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 100
 Paired article number 716 020 0017/HD | MTE0512HD
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M16x1,5

reinforced version
 replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Ford 1 251 924 | Ford 1 306 176 |
| Ford 1 315 083 | Ford 1 317 447 |
| Ford 1 328 881 | Ford 1 404 785 |
| Ford 1 541 811 | Ford 1 730 934 |
| Ford 1 894 034 | Ford 3M3C 437A A |
| Ford 3M51-3289-AA | Ford 3M51-3289-AB |
| Ford 3M51-3290-AC | Ford 3M51-3C437-AA |
| Ford 3M51-3C437-AB | Ford 4M51-3290-AB |
| Ford 4M51-3290-AC | Ford 4M51-3290-AD |
| Ford EV61-3290-AA | Volvo 274501 |
| Volvo 30723103 | Volvo 31201413 |

Application info

Ford C-Max I (02/07-09/10)
 Ford Focus III (07/10--)
 Volvo C70 II (03/06-12/13)

Ford Focus II (10/03--)
 Volvo C30 (09/06-12/13)
 Volvo S40 II / V50 (12/03-12/12)

Tie rod end

716 020 0019

MTE0514

Notes

Length [mm] 74
 Required quantity 2
 Thread Size 1 M10x1,25
 Thread Size 2 M14x2
 replacement in pairs recommended

Front Axle Left
 Front Axle Right



References

Ford 2T14-3289-AA

Ford 4 381 840

Application info

Ford Tourneo '02 (06/02-12/13)

Ford Transit '02 (06/02--)

Tie rod end

716 020 0020

MTE0515

Notes

Length [mm] 113
 Paired article number 716 020 0021 | MTE0516
 Required quantity 1
 Thread Size 1 M14x2,0
 Thread Size 2 M18x1,5
 replacement in pairs recommended

Front Axle Left



References

Ford 1 433 274

Ford 6G91-3290-AA

Land Rover LR002610

Volvo 30776249

Volvo 31280000

Volvo 31302344

Volvo (Changan) 31302344

Application info

Ford Galaxy II (05/06-06/15)
 Ford S-Max I (05/06-12/14)
 Volvo S60 II / V60 (04/10--)
 Volvo V70 III (04/07--)
 Volvo XC70 II (04/07-12/16)

Ford Mondeo IV (03/07-01/15)
 Land Rover Freelander II (10/06-12/15)
 Volvo S80 II (03/06-12/16)
 Volvo XC60 I (05/08-12/17)

Tie rod end**716 020 0021****MTE0516****Notes**

Front Axle Right

Length [mm]

113

Paired article number

716 020 0020 | MTE0515

Required quantity

1

Thread Size 1

M14x2,0

Thread Size 2

M18x1,5

replacement in pairs recommended

**References**

Ford 1 433 273
 Land Rover LR002609
 Volvo 31280001
 Volvo (Changan) 31302345

Ford 6G91-3289-AA
 Volvo 30776248
 Volvo 31302345

Application info

Ford Galaxy II (05/06-06/15)
 Ford S-Max I (05/06-12/14)
 Volvo S60 II / V60 (04/10--)
 Volvo V70 III (04/07--)
 Volvo XC70 II (04/07-12/16)

Ford Mondeo IV (03/07-01/15)
 Land Rover Freelander II (10/06-12/15)
 Volvo S80 II (03/06-12/16)
 Volvo XC60 I (05/08-12/17)

Tie rod end **716 020 0022/HD** **MTE0517HD**

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 94
 Paired article number 716 020 0023 | MTE0518
 Paired article number 716 020 0023/HD | MTE0518HD
 Required quantity 1
 Thread Size 1 M12x1,75
 Thread Size 2 M14x1,5
 reinforced version
 replacement in pairs recommended



References

Ford 1 545 339 Ford 2 248 199
 Ford 8V51-3C437-AA Ford J7BC-3C437-AA

Application info

Ford B-MAX (08/12--) Ford Ecosport (09/11--)
 Ford Fiesta VI (06/08--) Ford KA III (08/14--)
 Ford Tourneo '14 (02/14--) Ford Transit Courier '14 (02/14--)

Tie rod end **716 020 0022** **MTE0517**

Notes

Front Axle Left
 Length [mm] 94
 Paired article number 716 020 0023 | MTE0518
 Required quantity 1
 Thread Size 1 M12x1,75
 Thread Size 2 M14x1,5
 replacement in pairs recommended



References

Ford 1 545 339 Ford 2 248 199
 Ford 8V51-3C437-AA Ford J7BC-3C437-AA

Application info

Ford B-MAX (08/12--) Ford Ecosport (09/11--)
 Ford Fiesta VI (06/08--) Ford KA III (08/14--)
 Ford Tourneo '14 (02/14--) Ford Transit Courier '14 (02/14--)

Tie rod end		716 020 0023	MTE0518
Notes Front Axle Right Length [mm] 94 Paired article number 716 020 0022 MTE0517 Paired article number 716 020 0022/HD MTE0517HD Required quantity 1 Thread Size 1 M12x1,75 Thread Size 2 M14x1,5 replacement in pairs recommended			
References Ford 1 545 338 Ford 2 248 197 Ford 8V51-3C367-AA Ford J7BC-3C367-AA			
Application info Ford B-MAX (08/12--) Ford Ecosport (09/11--) Ford Fiesta VI (06/08--) Ford KA III (08/14--) Ford Tourneo '14 (02/14--) Ford Transit Courier '14 (02/14--)			
Tie rod end		716 020 0023/HD	MTE0518HD
Notes Carbon Neutral Front Axle Right Length [mm] 94 Paired article number 716 020 0022/HD MTE0517HD Required quantity 1 Thread Size 1 M12x1,75 Thread Size 2 M14x1,5 reinforced version replacement in pairs recommended			
References Ford 1 545 338 Ford 2 248 197 Ford 8V51-3C367-AA Ford J7BC-3C367-AA			
Application info Ford B-MAX (08/12--) Ford Ecosport (09/11--) Ford Fiesta VI (06/08--) Ford KA III (08/14--) Ford Tourneo '14 (02/14--) Ford Transit Courier '14 (02/14--)			

Tie rod end

716 020 0024

MTE0519

Notes

Front Axle Left

Length [mm]

108

Paired article number

716 020 0025 | MTE0520

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended



References

Ford 1 501 855

Ford 1 541 488

Ford 8V41-3290-AA

Ford 8V41-3C437-AA

Application info

Ford Kuga I (02/08-11/12)

Tie rod end

716 020 0025

MTE0520

Notes

Front Axle Right

Length [mm]

108

Paired article number

716 020 0024 | MTE0519

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M16x1,5

replacement in pairs recommended



References

Ford 1 501 853

Ford 1 541 485

Ford 8V41-3289-AA

Ford 8V41-3C367-AA

Application info

Ford Kuga I (02/08-11/12)

Tie rod end **716 020 0026** **MTE0521**

Notes

Front Axle Left
 Length [mm] 110
 Paired article number 716 020 0027 | MTE0522
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Ford 1 714 700	Ford 1 748 239
Ford 1 780 103	Ford 1 826 505
Ford AC6C-3C437-AA	Ford AV6C-3C437-AA
Ford BV6C-3C437-AA	Ford BV6C-3C437-BA
Ford BV6C-3C437-BB	

Application info

Ford C-Max II (04/10--)	Ford Focus III (07/10--)
Ford Kuga II (05/12--)	Ford Tourneo '13 (09/13--)
Ford Transit '13 (02/13--)	

Tie rod end **716 020 0027** **MTE0522**

Notes

Front Axle Right
 Length [mm] 110
 Paired article number 716 020 0026 | MTE0521
 Required quantity 1
 Thread Size 1 M10x1,5
 Thread Size 2 M16x1,5
 replacement in pairs recommended



References

Ford 1 714 576	Ford 1 748 237
Ford 1 780 102	Ford 1 826 501
Ford AV6C-3C367-AA	Ford BV6C-3C367-AA
Ford BV6C-3C367-BA	Ford BV6C-3C367-BB

Application info

Ford C-Max II (04/10--)
 Ford Kuga II (05/12--)
 Ford Transit '13 (02/13--)

Ford Focus III (07/10--)
 Ford Tourneo '13 (09/13--)

Tie rod end

716 020 0032/HD

MTE0854HD

Notes

Carbon Neutral
 Front Axle Right
 outer

Length [mm] 116
 Paired article number 716 020 0033/HD | MTE0855HD
 Required quantity 1
 Thread Size 1 M14x2
 Thread Size 2 M18x1,5
 reinforced version
 replacement in pairs recommended



References

Ford 1 802 974 Ford 5 333 720
 Ford DG9C-3289-CA Ford E1GC-3290-AA

Application info

Ford Galaxy III (01/15--)
 Ford S-Max II (01/15--)

Ford Mondeo V (09/12--)

Tie rod end

716 020 0033/HD

MTE0855HD

Notes

Carbon Neutral
 Front Axle Left
 outer

Length [mm] 116
 Paired article number 716 020 0032/HD | MTE0854HD
 Required quantity 1
 Thread Size 1 M14x2
 Thread Size 2 M18x1,5
 reinforced version
 replacement in pairs recommended



References

Ford 1 802 977 Ford 5 333 724
 Ford DG9C-3290-CA Ford E1GC-3289-AA

Application info

Ford Galaxy III (01/15--)
Ford S-Max II (01/15--)

Ford Mondeo V (09/12--)

Tie rod end**716 020 0043/HD****MTE0918HD****Notes**

Carbon Neutral
Front Axle Left

Length [mm] 119
Paired article number 716 020 0044/HD | MTE0920HD
Required quantity 1
Thread Size 1 12x1,75
Thread Size 2 14x1,5
reinforced version
replacement in pairs recommended

**References**

Ford 2 095 043

Ford KTH1BC3C437AA

Application info

Ford Ecosport (09/11--)

Ford Fiesta VII (05/17--)

Tie rod end**716 020 0044/HD****MTE0920HD****Notes**

Carbon Neutral
Front Axle Right

Length [mm] 119
Paired article number 716 020 0043/HD | MTE0918HD
Required quantity 1
Thread Size 1 12x1,75
Thread Size 2 14x1,5
reinforced version
replacement in pairs recommended

**References**

Ford 2 090 579

Ford KTH1BC3C367AA

Application info

Ford Ecosport (09/11--)

Ford Fiesta VII (05/17--)

Tie rod end

716 020 0045/HD

MTE0921HD

Notes

Carbon Neutral
 Front Axle Left
 Length [mm] 116
 Paired article number 716 020 0046/HD | MTE0922HD
 Required quantity 1
 Thread Size 1 M16x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

Ford 2 194 040

Ford JX6C-3C437-AA

Application info

Ford Focus IV (01/18--)

Tie rod end

716 020 0046/HD

MTE0922HD

Notes

Carbon Neutral
 Front Axle Right
 Length [mm] 116
 Paired article number 716 020 0045/HD | MTE0921HD
 Required quantity 1
 Thread Size 1 M16x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References


Ford 2 194 042

Ford JX6C-3C367-AA

Application info

Ford Focus IV (01/18--)

Tie rod end		716 020 0047	MTE0960
<p>Notes</p> <p>Front Axle Right outer</p> <p>Length [mm] 108</p> <p>Paired article number 716 020 0048 MTE0961</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Ford 2 252 867 Ford KV6C-3C367-AA</p>			
<p>Application info</p> <p>Ford Tourneo '13 (09/13--)</p> <p>Ford Transit '13 (02/13--)</p>			
Tie rod end		716 020 0048	MTE0961
<p>Notes</p> <p>Front Axle Left outer</p> <p>Length [mm] 108</p> <p>Paired article number 716 020 0047 MTE0960</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Ford 2 252 870 Ford KV6C-3C437-AA</p>			
<p>Application info</p> <p>Ford Tourneo '13 (09/13--)</p> <p>Ford Transit '13 (02/13--)</p>			

Tie rod end		716 020 0051/HD	MTE0983HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left</p> <p>Length [mm] 122</p> <p>Paired article number 716 020 0050/HD MTE0982HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M16x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Ford 2 500 067 Ford 2 514 510</p> <p>Ford LX6C-3290-AB Ford LX6C-3C437-AA</p>			
<p>Application info</p> <p>Ford Kuga III (07/19--)</p>			
Tie rod end		716 020 0054/HD	MTE0996HD
<p>Notes</p> <p>Front Axle Right</p> <p>Length [mm] 122</p> <p>Paired article number 716 020 0055/HD MTE0997HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M16x1,5</p> <p>Thread Size 2 M14X2</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Ford 2 486 867 Ford LJ9C-3C367-AA</p> <p>Ford USA LJ9C3C367AA</p>			
<p>Application info</p> <p>Ford USA Mustang Mach-E (CGW) (07/20--)</p>			

Tie rod end

716 020 0055/HD

MTE0997HD

Notes

	Front Axle Left
Length [mm]	122
Paired article number	716 020 0054/HD MTE0996HD
Required quantity	1
Thread Size 1	M16x1,5
Thread Size 2	M14X2
reinforced version	
replacement in pairs recommended	



References

Ford 2 486 869

Ford LJ9C-3C437-AA

Ford USA LJ9C3C437AA

Application info

Ford USA Mustang Mach-E (CGW) (07/20--)

Tie rod end

716 020 0331

MTE0523

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	67
Required quantity	2
Thread Size 1	M10x1,25
Thread Size 2	1/2"-20 UNF
replacement in pairs recommended	



References

Ford 5 021 410

Ford 6 081 391

Ford 6 128 814

Ford 81AB-3289-AA

Ford 84AB-3289-AA

Ford 880X-3270-AA

Application info

Ford Escort III, IV / Orion I, II (09/80-10/94)

Ford Fiesta I (05/76-11/86)

Ford Fiesta II (03/83-12/95)

Ford Fiesta III (01/89-01/97)

Tie rod end

716 020 4100

MTE0527

Notes

Front Axle Right
 Length [mm] 90
 Paired article number 716 020 4101 | MTE0528
 Required quantity 1
 Thread Size 1 M16x1,5
 Thread Size 2 M20x1,5
 replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| Ford 5 021 446 | Ford 6 163 543 |
| Ford 6 792 900 | Ford 880X-3270-SA |
| Ford 88VB-3285-AA | Ford 88VB-3285-AB |
| Ford 9 792 900 | Mercedes-Benz 000 463 37 29 |
| Mercedes-Benz 001 330 48 35 | Mercedes-Benz 460 330 04 35 |
| Mercedes-Benz 460 330 12 35 | Mercedes-Benz 460 330 13 35 |
| Mercedes-Benz 631 338 05 10 | Mercedes-Benz A 000 463 37 29 |
| Mercedes-Benz A 001 330 48 35 | Mercedes-Benz A 460 330 04 35 |
| Mercedes-Benz A 460 330 12 35 | Mercedes-Benz A 460 330 13 35 |
| Mercedes-Benz A 631 338 05 10 | |

Application info

- | | |
|--------------------------------|------------------------------------|
| Ford Transit '85 (09/85-12/00) | Mercedes-Benz BM 631 (02/88-04/96) |
|--------------------------------|------------------------------------|

Tie rod end

716 020 4101

MTE0528

Notes

Front Axle Left
 with left-hand thread
 Length [mm] 90
 Paired article number 716 020 4100 | MTE0527
 Required quantity 1
 Thread Size 1 M16x1,5
 Thread Size 2 M20x1,5
 replacement in pairs recommended



References

- | | |
|-----------------------------|-------------------------------|
| Ford 5 021 447 | Ford 6 163 544 |
| Ford 6 792 901 | Ford 880X-3270-TA |
| Ford 88VB-3286-AB | Ford 88VB-3286-AD |
| Mercedes-Benz 631 330 04 35 | Mercedes-Benz A 631 330 04 35 |

Application info

Ford Transit '85 (09/85-12/00)

Mercedes-Benz BM 631 (02/88-04/96)

Tie rod end

716 020 4107

MTE0531

Notes

Front Axle Left
Front Axle Right

Length [mm] 100
Required quantity 2
Thread Size 1 M16x1,5
Thread Size 2 M16x1,5
replacement in pairs recommended



References

Ford 1 039 103	Ford 1 047 145
Ford 6 517 364	Ford 6 687 191
Ford 92VB-3289-AA	Ford 92VX-3270-AA
Ford 97VB-3289-AA	Ford 97VX-3270-AA

Application info

Ford Transit '91 (01/91-09/94)

Ford Transit '94 (06/94-07/00)

Tie rod end

816 020 0001

MTE0536

Notes

Front Axle Right
with right-hand thread

Length [mm] 136
Paired article number 816 020 0020 | MTE0537
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M14x1,5
replacement in pairs recommended



References

Fiat 77363712	GENERAL MOTORS 93172255
Opel 16 03 228	Saab 12 78 7822
Saab 12 80 1424	Saab 12-76-5897
Saab 52 35 668	Saab 52 39 322
Saab 93 17 2255	Saab 93 19 4522
Saab 93-19-4329	Vauxhall 16 03 228

Application info

Fiat Cromo II (06/05--)
 Saab 9-3 (YS3F) (09/02-02/15)
 Saab 9-5 (YS3G) (01/10-01/12)

Opel Vectra C / Signum (04/02-01/09)
 Saab 9-5 (YS3E) (09/97-12/09)
 Vauxhall Vectra Mk II / Signum (01/00-05/09)

Tie rod end

816 020 0020

MTE0537

Notes

Front Axle Left
 with right-hand thread
 Length [mm] 136
 Paired article number 816 020 0001 | MTE0536
 Required quantity 1
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5

replacement in pairs recommended



References

Fiat 77363713
 Opel 16 03 227
 Saab 12 80 1423
 Saab 52 39 314
 Saab 93 19 4521
 Vauxhall 16 03 227

GENERAL MOTORS 93172254
 Saab 12 78 7821
 Saab 52 35 650
 Saab 93 17 2254
 Saab 93-19-4328

Application info

Fiat Cromo II (06/05--)
 Saab 9-3 (YS3F) (09/02-02/15)
 Saab 9-5 (YS3G) (01/10-01/12)

Opel Vectra C / Signum (04/02-01/09)
 Saab 9-5 (YS3E) (09/97-12/09)
 Vauxhall Vectra Mk II / Signum (01/00-05/09)

Tie rod end

816 020 4904

MTE0539

Notes

Front Axle Left
 Front Axle Right
 for vehicles with power steering
 with right-hand thread
 Length [mm] 125
 Required quantity 2
 Thread Size 1 M12x1,5
 Thread Size 2 M14x1,5

replacement in pairs recommended



DRIVER'S BEST FRIEND

MEYLE

References

Saab 89 57 839

Saab 89 93 453

Application info

Saab 9000 (09/84-12/98)

Suspension

Axle support bushing

53-14 710 0001

MAB0216

Notes

Lower
Rear Axle Left
Rear Axle Right

Height [mm] 65
Inner Diameter [mm] 16
Outer Diameter [mm] 54
Required quantity 2
replacement in pairs recommended



References

Land Rover LR032644
Land Rover RBK000041
Land Rover RBK500012
Land Rover RBK500220

Land Rover RBK000040
Land Rover RBK000042
Land Rover RBK500014

Application info

Land Rover Discovery III (07/04-09/09)
Land Rover Range Rover III (03/02-12/12)

Land Rover Discovery IV (09/09-12/18)
Land Rover Range Rover Sport I (02/05-03/13)

Axle support bushing

614 710 0004/HD

MAB0206HD

Notes

Carbon Neutral
Rear Axle Left
Rear Axle Right

Height [mm] 90
Inner Diameter [mm] 12
Outer Diameter [mm] 68
Replace in pairs only
Required quantity 2
reinforced version



References

Chevrolet 13313230
Opel 13313230
Vauxhall 13313230

Chevrolet 4 02 041
Opel 4 02 041
Vauxhall 4 02 041

Application info

Chevrolet Cruze (J300, J305) (07/00--)
Vauxhall Astra Mk VI (12/09-10/15)

Opel Astra J (12/06--)

Ball joint**40-16 010 0002****MBJ0248****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Cone Size [mm] 16
 Required quantity 2
 replacement in pairs recommended

**References**

Citroën 3640.39
 Citroën 3640.43
 Citroën 96 103 696
 Peugeot 3640.42
 Peugeot 96087507

Citroën 3640.42
 Citroën 96 025 445
 Peugeot 3640.38
 Peugeot 3640.43

Application info

Citroën Berlingo I (07/96-12/11)
 Citroën ZX (03/91-07/99)

Citroën Xsara (04/97-03/10)
 Peugeot Partner I (05/96--)

Ball joint**40-16 010 0004/HD****MBJ0249HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity 2
 Thread Size M16x1,5
 reinforced version
 replacement in pairs recommended

**References**

Citroën 3640.55
 Peugeot 3640.55

Fiat 1331640080

Application info

Citroën Jumper I (02/94-08/02)
 Fiat Ducato (230) (03/94-05/05)
 Peugeot Boxer I (03/94-08/05)

Citroën Jumper II (02/02--)
 Fiat Ducato (244) (04/02--)
 Peugeot Boxer II (12/01--)

Ball joint

416 010 0001

MBJ0486

Notes

Lower
Rear Axle Left
Rear Axle Right

Required quantity
replacement in pairs recommended

2



References

Porsche 298 501 341
Porsche 9J1 501 341

Porsche 970 331 244 00

Application info

Porsche Panamera (970) (03/09-12/17)

Porsche Panamera (971) (05/16--)

Ball joint

42-16 010 0010

MBJ0252

Notes

Front Axle Left
Front Axle Right
Lower

Length [mm]
Required quantity
Thread Size
replacement in pairs recommended

51

2

M18x1,5



References

GENERAL MOTORS 94459465
Isuzu 8944521021
Isuzu 8944594652
Isuzu 8980058750
Isuzu 98005874
Opel 03 52 828
Vauxhall 03 52 828

Isuzu 8944521020
Isuzu 8944594651
Isuzu 8980058740
Isuzu 94459465
Isuzu 98005875
Opel 3 52 828
Vauxhall 3 52 828

Application info

Isuzu D-Max I (05/02-12/12)

Isuzu Trooper III (05/98-08/04)

Opel Frontera A / Monterey A (08/91-10/98)

Vauxhall Brava Pickup (12/88-12/02)

Vauxhall Frontera Mk II (10/98-10/04)

Vauxhall Monterey Mk II (07/98-08/99)

Isuzu Trooper II (Bighorn) (08/91-07/98)

Opel Campo (08/87-06/02)

Opel Frontera B / Monterey B (07/98-07/04)

Vauxhall Frontera Mk I (09/91-10/98)

Vauxhall Monterey Mk I (09/91-07/98)

Ball joint

44-16 010 0001

MBJ0253

Notes

Front Axle Left
Front Axle Right
Lower

Height [mm]

63

Required quantity

2

replacement in pairs recommended



References

Chrysler 04443405

Chrysler 04656010AE

Chrysler 4449553

Chrysler 4656010AE

Chrysler 04656010

Chrysler 4443405

Chrysler 4656010

Chrysler 4694747

Application info

Chrysler Neon (05/94-09/00)

Chrysler Voyager II (08/90-09/95)

Chrysler PT Cruiser (06/00-12/10)

Chrysler Voyager III/Caravan (01/95-12/01)

Ball joint

44-16 010 0004

MBJ0338

Notes

Front Axle Left
Front Axle Right

Outer Diameter [mm]

38

Required quantity

2

Thread Size

M12x1,25

replacement in pairs recommended



References

Chrysler 4766542AA
Chrysler 4766543AA

Chrysler 4766542AD
Chrysler 4766543AD

Application info

Chrysler Voyager IV/ Town Country (09/99-12/08)

Ball joint

516 010 0002

MBJ0255

Notes

Front Axle Left
Front Axle Right
Lower
with accessories

Cone Size [mm] 12.7
Required quantity 2
Thread Size M12x1,75
replacement in pairs recommended



References

Volvo 274185
Volvo 274524
Volvo 274548
Volvo 8634438
Volvo 91736132

Volvo 274193
Volvo 274544
Volvo 274593
Volvo 9173613
Volvo 9492639

Application info

Volvo S60 I / V70 II (11/99-04/10)
Volvo XC70 I (10/97-10/07)

Volvo S80 I (05/98-02/08)

Ball joint

516 010 0003/HD

MBJ0256HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Lower
with accessories

Required quantity 2
Thread Size M14x2,0
reinforced version
replacement in pairs recommended



References

Volvo 274377
Volvo 274573

Volvo 274523
Volvo 31201485

Application info

Volvo S60 I / V70 II (11/99-04/10)
Volvo XC90 I (06/02-01/15)

Volvo XC70 I (10/97-10/07)

Ball joint

516 010 0005

MBJ0257

Notes

Required quantity
replacement in pairs recommended

Front Axle Left
Front Axle Right
with accessories
2



References

Volvo 31277525
Volvo 31317665

Volvo 31277526
Volvo 31317666

Application info

Volvo S60 II / V60 (04/10--)
Volvo XC70 II (04/07-12/16)

Volvo XC60 I (05/08-12/17)

Ball joint

516 010 0006

MBJ0342

Notes

Height [mm] 49
Outer Diameter [mm] 40
Required quantity 2
Thread Size M12x1,25
replacement in pairs recommended

Front Axle Left
Front Axle Right
Lower
with retaining ring



References

- | | |
|---------------------|---------------------|
| Mitsubishi AW311699 | Mitsubishi MN133617 |
| Mitsubishi MN133618 | Mitsubishi MR179479 |
| Mitsubishi MR179480 | Volvo 30821650 |
| Volvo 30821651 | Volvo 30863988 |
| Volvo 30863989 | Volvo 30887025 |
| Volvo 30887033 | Volvo 3088746 |
| Volvo 3088747 | Volvo 30887653 |
| Volvo 30887654 | Volvo 3088896 |
| Volvo 30888962 | Volvo 30889962 |
| Volvo 30889963 | |

Application info

- | | |
|----------------------------------|----------------------------|
| Mitsubishi Carisma (07/95-06/06) | Volvo S/V 40 (07/95-12/04) |
| Volvo S40 II / V50 (12/03-12/12) | |

Ball joint

516 010 0007

MBJ0440

Notes

Front Axle Left
 Lower
 outer
 with attachment material
 Paired article number 516 010 0008 | MBJ0441
 Required quantity 1

replacement in pairs recommended



References

- Volvo 31340232

Application info

- Volvo V40 II (03/12--)

Ball joint		516 010 5292	MBJ0260
<p>Notes</p> <p>Front Axle Left Lower for vehicles with power steering with accessories</p> <p>Length [mm] 49.8 Paired article number 516 010 5293 MBJ0261 Required quantity 1 Thread Size M12x1,75 replacement in pairs recommended</p>			
<p>References</p> <p>Volvo 1228799 Volvo 1273139 Volvo 1330821 Volvo 274118</p>			
<p>Application info</p> <p>Volvo 240 / 260 (08/74-12/93)</p>			
Ball joint		516 010 5293	MBJ0261
<p>Notes</p> <p>Front Axle Right Lower for vehicles with power steering with accessories</p> <p>Length [mm] 49.8 Paired article number 516 010 5292 MBJ0260 Required quantity 1 Thread Size M12x1,75 replacement in pairs recommended</p>			
<p>References</p> <p>Volvo 1228800 Volvo 1273140 Volvo 1330820 Volvo 274119</p>			
<p>Application info</p> <p>Volvo 240 / 260 (08/74-12/93)</p>			

Ball joint

516 010 5554

MBJ0262

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Cone Size [mm] 19
 Length [mm] 38
 Required quantity 2
 replacement in pairs recommended



References

Volvo 271591

Volvo 3546524

Application info

Volvo 850 (06/91-10/97)

Ball joint

53-16 010 0000

MBJ0264

Notes

Front Axle Left
 Front Axle Right
 Upper

Height [mm] 95
 Outer Diameter [mm] 42
 Required quantity 2
 Thread Size M12x1,75
 replacement in pairs recommended



References

Land Rover RBJ500221

Land Rover RBJ500222

Land Rover RBJ500231

Land Rover RBJ500232

Land Rover RBK500030

Application info

Land Rover Discovery III (07/04-09/09)

Ball joint

53-16 010 0011/HD

MBJ0448HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Upper
 with accessories

Required quantity
 only in connection with
 only in connection with
 reinforced version
 replacement in pairs recommended

2
 53-16 050 0027/HD
 53-16 050 0028/HD



References

Land Rover LR034211
 Land Rover LR034213
 Land Rover LR034215
 Land Rover LR044841
 Land Rover LR044843
 Land Rover LR044845
 Land Rover LR108765
 Land Rover LR113259
 Land Rover LR113261
 Land Rover LR113263
 Land Rover LR113265
 Land Rover LR113267
 Land Rover LR113270
 Land Rover LR125697
 Land Rover LR125701
 Land Rover LR125711
 Land Rover LR125713
 Land Rover LR139239
 Land Rover LR148192

Land Rover LR034212
 Land Rover LR034214
 Land Rover LR034216
 Land Rover LR044842
 Land Rover LR044844
 Land Rover LR044846
 Land Rover LR108766
 Land Rover LR113260
 Land Rover LR113262
 Land Rover LR113264
 Land Rover LR113266
 Land Rover LR113268
 Land Rover LR113271
 Land Rover LR125698
 Land Rover LR125702
 Land Rover LR125712
 Land Rover LR125714
 Land Rover LR139240
 Land Rover LR148193

Application info

Land Rover Discovery V (09/16--)
 Land Rover Range Rover Sport II (04/13--)

Land Rover Range Rover IV (08/12--)

Ball joint

53-16 010 0014

MBJ0507

Notes

Front Axle Left
Front Axle Right
for control arm

Required quantity
replacement in pairs recommended

2



References

- | | |
|------------------------|------------------------|
| Jaguar J9C13931 | Jaguar J9C13932 |
| Jaguar J9C19214 | Jaguar J9C19215 |
| Jaguar J9C2115 | Jaguar J9C2117 |
| Jaguar J9C33A052AB | Jaguar J9C33A052AC |
| Jaguar J9C33A052AD | Jaguar J9C33A052AE |
| Jaguar J9C33A053AC | Jaguar J9C33A053AD |
| Jaguar J9C33A053AE | Land Rover FK723A052AD |
| Land Rover FK723A052AE | Land Rover FK723A052AF |
| Land Rover FK723A052AJ | Land Rover FK723A052AK |
| Land Rover FK723A053AD | Land Rover FK723A053AE |
| Land Rover FK723A053AF | Land Rover FK723A053AH |
| Land Rover FK723A053AJ | Land Rover FK723A053AK |
| Land Rover J9C33A052AB | Land Rover J9C33A052AC |
| Land Rover J9C33A052AD | Land Rover J9C33A052AE |
| Land Rover J9C33A053AB | Land Rover J9C33A053AC |
| Land Rover J9C33A053AD | Land Rover J9C33A053AE |
| Land Rover LR060046 | Land Rover LR060047 |
| Land Rover LR086107 | Land Rover LR086108 |
| Land Rover LR096362 | Land Rover LR096363 |
| Land Rover LR101811 | Land Rover LR101812 |
| Land Rover LR104884 | Land Rover LR104885 |
| Land Rover LR110277 | Land Rover LR110278 |
| Land Rover LR110312 | Land Rover LR110313 |
| Land Rover LR115121 | Land Rover LR115123 |
| Land Rover LR117140 | Land Rover LR117141 |
| Land Rover LR126118 | Land Rover LR126119 |

Application info

- | | |
|---|--------------------------------------|
| Jaguar E-Pace (X540) (09/17--) | Land Rover Discovery Sport (09/14--) |
| Land Rover Range Rover Evoque I (06/11-12/19) | |

Ball joint **57-16 010 0002** **MBJ0454**

Notes

Front Axle Left
 Front Axle Right
 Lower
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|-----------------|-----------------|
| Dodge 5135651AC | Dodge 5135651AD |
| Dodge 5135651AE | Jeep 5135651AC |
| Jeep 5135651AD | Jeep 5135651AE |
| Jeep 52089980AD | Jeep 52089980AF |
| Jeep 52089980AG | Jeep 52089980AI |
| Jeep 52089981AD | Jeep 52089981AF |
| Jeep 52089981AG | Jeep 52089981AI |

Application info

- | | |
|--|-----------------------------------|
| Dodge Nitro (09/06-12/12) | Jeep Commander (XK) (09/05-12/10) |
| Jeep Grand Cherokee (WH) (10/04-10/11) | |

Ball joint **616 010 0001** **MBJ0268**

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories
 Length [mm] 26
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|------------------------|--------------------|
| GENERAL MOTORS 9196394 | Opel 03 52 803 |
| Opel 3 52 803 | Vauxhall 03 52 803 |
| Vauxhall 3 52 803 | |

Application info

Opel Corsa C / Combo / Tigra (09/00--)

Vauxhall Combo Mk II (09/01-02/12)

Vauxhall Corsa Mk II / Tigra / Combo (08/00-02/12)

Ball joint

616 010 0003

MBJ0269

Notes

Front Axle Right

Lower

with accessories

Paired article number

616 010 0004 | MBJ0270

Required quantity

1

replacement in pairs recommended



References

GENERAL MOTORS 93174599

GENERAL MOTORS 93190906

Opel 03 52 086

Opel 3 52 086

Opel 53 52 026

Vauxhall 3 52 086

Vauxhall 53 52 026

Application info

Opel Meriva A (05/03-05/10)

Vauxhall Meriva Mk I A (01/03-06/10)

Ball joint

616 010 0004

MBJ0270

Notes

Front Axle Left

Lower

with accessories

Paired article number

616 010 0003 | MBJ0269

Required quantity

1

replacement in pairs recommended



References

GENERAL MOTORS 93174598

GENERAL MOTORS 93190905

Opel 03 52 085

Opel 3 52 085

Opel 53 52 025

Vauxhall 3 52 085

Vauxhall 53 52 025

Application info

Opel Meriva A (05/03-05/10)

Vauxhall Meriva Mk I A (01/03-06/10)

Ball joint**616 010 0005/HD****MBJ0271HD****Notes**

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Upper

Outer Diameter [mm]

45

Required quantity

2

Thread Size

M14x1,5

reinforced version

replacement in pairs recommended

**References**

GENERAL MOTORS 9160554

Nissan 40160-00QAB

Opel 45 00 254

Renault 7700312851

Vauxhall 45 00 254

Application info

Nissan Interstar I (X70) (04/02--)

Opel Movano A (07/98--)

Renault Master II (03/98--)

Vauxhall Movano Mk I (10/98-12/10)

Ball joint**616 010 0006****MBJ0272****Notes**

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Length [mm]

39

Required quantity

2

replacement in pairs recommended



References

Alfa Romeo 50511650
 Alfa Romeo 51783056
 Alfa Romeo 51892273
 Alfa Romeo 51895367
 Alfa Romeo 55703629
 Citroën 3520.W3
 Citroën 3521.S6
 Fiat 51783057
 Fiat 51839040
 Fiat 51874462
 Fiat 51892273
 Fiat 51895367
 GENERAL MOTORS 93190907
 Opel 03 52 087
 Opel 3 52 087
 Peugeot 3520.W3
 Peugeot 3521.S6
 Vauxhall 03 52 087
 Vauxhall 3 52 087

Alfa Romeo 50521486
 Alfa Romeo 51892272
 Alfa Romeo 51895366
 Alfa Romeo 55703627
 Citroën 3520 Y4
 Citroën 3521 V5
 Fiat 51783056
 Fiat 51839039
 Fiat 51874461
 Fiat 51892272
 Fiat 51895366
 GENERAL MOTORS 93188808
 Opel 03 52 067
 Opel 3 52 067
 Peugeot 3520 Y4
 Peugeot 3521 V5
 Vauxhall 03 52 067
 Vauxhall 3 52 067

Application info

ABARTH Grande Punto (12/07-12/12)
 Alfa Romeo Mito (08/08--)
 Fiat Grande Punto (06/05--)
 Fiat Punto Evo (07/08--)
 Fiat Qubo (02/08--)
 Opel Corsa D (07/06-08/14)
 Peugeot Bipper (02/08--)
 Vauxhall Combo Mk III (07/06--)
 Vauxhall Corsa Mk IV (08/14--)

ABARTH Punto III (03/12--)
 Citroën Nemo (02/08--)
 Fiat Linea (10/06--)
 Fiat Punto III (01/12--)
 Opel Adam (10/12-02/19)
 Opel Corsa E (09/14--)
 Vauxhall Adam (10/12-04/19)
 Vauxhall Corsa Mk III (07/06-08/14)

Ball joint**616 010 0007****MBJ0273****Notes**

Front Axle Left
 Front Axle Right
 Upper
 with accessories

Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended



References

GENERAL MOTORS 94374424
 Isuzu 8980058260
 Opel 03 10 823
 Vauxhall 03 10 823

Isuzu 8943744240
 Isuzu 98005826
 Opel 3 10 823
 Vauxhall 3 10 823

Application info

Isuzu Trooper II (Bighorn) (08/91-07/98)
 Opel Frontera A / Monterey A (08/91-10/98)
 Vauxhall Frontera Mk I (09/91-10/98)
 Vauxhall Monterey Mk I (09/91-07/98)

Isuzu Trooper III (05/98-08/04)
 Opel Frontera B / Monterey B (07/98-07/04)
 Vauxhall Frontera Mk II (10/98-10/04)
 Vauxhall Monterey Mk II (07/98-08/99)

Ball joint

616 010 0008

MBJ0274

Notes

Front Axle Left
 Front Axle Right
 with accessories

Required quantity 2
 Thread Size M12x1,5
 replacement in pairs recommended



References

Chevrolet 25995128
 Chevrolet 96626236
 Chevrolet 96819161
 Chevrolet 96852964
 GENERAL MOTORS 20946158
 GENERAL MOTORS 25995129
 GENERAL MOTORS 96626236
 GENERAL MOTORS 96819162
 Opel 48 02 540
 Opel 48 06 300
 Opel 48 10 831
 Opel 48 17 777
 Vauxhall 48 02 540
 Vauxhall 48 06 300
 Vauxhall 48 10 831
 Vauxhall 48 17 778

Chevrolet 96626235
 Chevrolet 96810754
 Chevrolet 96819162
 GENERAL MOTORS 20946157
 GENERAL MOTORS 25995128
 GENERAL MOTORS 96626235
 GENERAL MOTORS 96819161
 Opel 47 17 777
 Opel 48 02 541
 Opel 48 06 301
 Opel 48 12 870
 Opel 48 17 778
 Vauxhall 48 02 541
 Vauxhall 48 06 301
 Vauxhall 48 12 870

Application info

Chevrolet Captiva I (06/06--)
Vauxhall Antara (08/06--)

Opel Antara (05/06--)

Ball joint

616 010 0009

MBJ0275

Notes

Front Axle Left
Front Axle Right
with accessories

Required quantity
replacement in pairs recommended

2



References

Chevrolet 95017034
Chevrolet 95916024
GENERAL MOTORS 95916024
Opel 3 52 532

Chevrolet 95907943
Chevrolet 95952907
Opel 03 52 532
Vauxhall 3 52 532

Application info

Chevrolet Aveo II (03/11--)
Opel Mokka A (06/12--)

Chevrolet Trax (12/12--)
Vauxhall Mokka A (06/12--)

Ball joint

616 010 0013


MBJ0462

Notes

Front Axle Left
Front Axle Right
Upper

Required quantity
replacement in pairs recommended

2



References

GENERAL MOTORS 13258056
Vauxhall 3 24 000

Opel 3 24 000

Application info

Opel Astra J (12/06--)
 Opel Insignia A (07/08-03/17)
 Vauxhall Cascada (02/13--)

Opel Cascada (03/13-04/19)
 Vauxhall Astra Mk VI (12/09-10/15)
 Vauxhall Insignia Mk I A (07/08-05/17)

Ball joint

616 010 0015

MBJ0465

Notes

Required quantity
 Thread Size
 replacement in pairs recommended

Front Axle Left
 Front Axle Right
 outer
 2
 M14x1,5



References

Citroën 98 034 340 80
 Opel 36 37 430
 Vauxhall 3637430

GENERAL MOTORS 3637430
 Peugeot 98 03 434 080

Application info

Citroën C4 Grand Picasso II (01/13--)
 Citroën C4 SPACETOURER / GRAND SPACETOURER
 (04/18--)
 Opel Grandland X (75) (06/17--)
 Peugeot 5008 II (12/16--)
 Vauxhall Grandland X (75) (06/17--)

Citroën C4 II / DS4 (02/09--)
 Citroën C5 AIRCROSS (11/18--)
 Peugeot 3008 II (05/16--)
 Peugeot 508 II (09/18--)

Ball joint

616 010 0016/HD

MBJ0476HD

Notes

Required quantity
 Thread Size
 reinforced version
 replacement in pairs recommended

Carbon Neutral
 Front Axle Left
 Front Axle Right
 for control arm
 2
 M12x1,75



References

GENERAL MOTORS 39021472
 GENERAL MOTORS 39089344
 Opel 39021472
 Opel 39089344
 Vauxhall 39 08 9345
 Vauxhall 39021473

GENERAL MOTORS 39021473
 GENERAL MOTORS 39089345
 Opel 39021473
 Opel 39089345
 Vauxhall 39021472
 Vauxhall 39089344

Application info

Opel Astra K (06/15--)

Vauxhall Astra Mk VII (07/15--)

Ball joint

616 010 0017

MBJ0472

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer
 2

Required quantity
 replacement in pairs recommended



References

Fiat 6000618835
 Nissan 54500-00Q2B
 Renault 545006069R

GENERAL MOTORS 93868599
 Opel 44 22 269
 Vauxhall 44 22 269

Application info

Fiat Talento (06/16--)
 Nissan Primastar II (X82) (11/21--)
 Renault Trafic III (05/14--)

Nissan NV300 (09/16--)
 Opel Vivaro B (06/14--)
 Vauxhall Vivaro B (05/14--)

Ball joint

616 010 5382

MBJ0278

Notes

Front Axle Left
 Front Axle Right
 with accessories
 34
 2
 M12x1,5

Length [mm]
 Required quantity
 Thread Size
 replacement in pairs recommended



References

GENERAL MOTORS 90295479
 GENERAL MOTORS 90444858
 Opel 16 03 163
 Opel 16 03 190
 Vauxhall 16 03 163

GENERAL MOTORS 90297863
 Opel 16 03 121
 Opel 16 03 167
 Vauxhall 16 03 121
 Vauxhall 16 03 167

Application info

Opel Ascona C (09/81-10/88)
 Opel Calibra (08/89-07/97)
 Vauxhall Astra Mk III (01/91-03/01)
 Vauxhall Cavalier Mk III (08/88-11/95)

Opel Astra F (09/91-01/05)
 Opel Vectra A (04/88-12/95)
 Vauxhall Calibra Mk I (06/90-07/97)

Ball joint

616 010 5583

MBJ0282

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories
 77
 2

Length [mm]
 Required quantity
 replacement in pairs recommended



References

Chevrolet 90487561
 Chevrolet 90542995
 GENERAL MOTORS 90512982
 Opel 3 52 800
 Opel 3 52 830
 Saab 52 31 683
 Vauxhall 3 52 800
 Vauxhall 3 52 830

Chevrolet 90512982
 GENERAL MOTORS 90487561
 GENERAL MOTORS 90542995
 Opel 3 52 829
 Saab 48 35 740
 Saab 93-18-5278
 Vauxhall 3 52 829

Application info

Chevrolet Zafira (F75) (02/99-12/12)
 Opel Astra H / Zafira B (01/04-05/19)
 Opel Meriva B (06/10-03/17)
 Opel Vectra B (09/95-07/04)
 Vauxhall Astra Mk IV (01/93-08/06)
 Vauxhall Insignia Mk I A (07/08-05/17)
 Vauxhall Omega Mk II (12/93-07/03)
 Vauxhall Zafira Mk I (11/98-08/05)

Opel Astra G / Astra Classic / Zafira A (02/98-12/09)
 Opel Astra J (12/06--)
 Opel Omega B (03/94-12/05)
 Saab 9-5 (YS3E) (09/97-12/09)
 Vauxhall Astra Mk V (01/04--)
 Vauxhall Meriva Mk II B (06/10--)
 Vauxhall Vectra Mk I (08/95-07/03)
 Vauxhall Zafira Mk II (04/05-11/14)

Ball joint		616 010 6005	MBJ0283
Notes Front Axle Left Front Axle Right Lower with accessories Length [mm] 64 Required quantity 2 replacement in pairs recommended			
References GENERAL MOTORS 90542574 Opel 17 73 902 Vauxhall 17 73 902		Opel 16 03 202 Vauxhall 16 03 202	
Application info Opel Corsa B / Combo / Tigra (03/93-12/02) Vauxhall Corsa Mk I Tigra (12/92-12/00)		Vauxhall Combo Mk I (07/94-10/01)	
Ball joint		716 010 0001	MBJ0284
Notes Front Axle Left Front Axle Right Lower with accessories Length [mm] 37 Required quantity 2 replacement in pairs recommended			
References Ford 1 047 853 Ford 6 732 631		Ford 1 522 781 Ford 89FB-3395-AB	
Application info Ford Escort V, VI, VII / Orion III (01/90-10/02)		Ford Fiesta III (01/89-01/97)	

Ball joint

716 010 0004

MBJ0285

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Length [mm] 56
 Required quantity 2
 Thread Size M18x1,5
 replacement in pairs recommended

**References**

Ford 5 021 430

Ford 86VB-3395A-2B

Ford 6 154 162

Ford 880X-3K209-GA

Application info

Ford Transit '77 (01/77-10/86)

Ford Transit '85 (09/85-12/00)

Ball joint

716 010 0005

MBJ0286

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Length [mm] 55
 Required quantity 2
 Thread Size M20x1,5
 replacement in pairs recommended

**References**

Ford 1 055 194

Ford 6 650 261

Ford 92VB-3395-A2C

Ford 92VX-3K209-AA

Ford 5 025 676

Ford 6 924 365

Ford 92VB-3395-A2D

Ford 97VX-3K209-AA

Application info

Ford Transit '91 (01/91-09/94)

Ford Transit '94 (06/94-07/00)

Ball joint

716 010 0006

MBJ0287

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories


Length [mm]

37

Required quantity

2

replacement in pairs recommended

**References**

Ford 1 030 025

Ford 1 047 797

Ford 1 679 398

Ford 94FB-3395A-2B

Ford 94FB-3B376-AA

Ford 94FB-3B376-AB

Ford 94FB-3B378-AA

Ford ME96FB3395AA

Mazda 1E00-34-550

Application info

Ford Fiesta III (01/89-01/97)

Ford Fiesta IV / Puma (08/95--)

Ford KA I (09/96-11/08)

Mazda 121 (JASM, JBSM) (01/96-04/03)

Ball joint

716 010 0009

MBJ0288

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Length [mm]

38

Required quantity

2

replacement in pairs recommended

**References**

Ford 1 138 160

Ford 1 148 931

Ford 1 207 973

Ford 1 679 401

Ford 98AG-3395-AE

Ford ME98AG3395AA

Application info

Ford Focus I (08/98-11/09)

Ball joint

716 010 0012/HD

MBJ0289HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 with accessories

Height [mm] 93
 Outer Diameter [mm] 44.4
 Required quantity 2
 Thread Size M16x1,5
 reinforced version
 replacement in pairs recommended



References

- | | |
|----------------------|----------------------|
| Ford 1 417 352 | Ford 1 451 914 |
| Ford 1 743 281 | Ford 1 763 713 |
| Ford 1 817 752 | Ford 2 115 116 |
| Ford 2 207 758 | Ford 2 207 780 |
| Ford 2 315 613 | Ford 4 041 454 |
| Ford 4 120 734 | Ford 4 173 761 |
| Ford 4 381 927 | Ford 4 386 870 |
| Ford 4 616 978 | Ford 4 630 551 |
| Ford KK21-3395-AA | Ford KK21-3395-AB |
| Ford KT2T14-3468-AA | Ford KT6C11-3K209-BA |
| Ford KTBK21-3K209-AA | Ford KTBK21-3K209-AB |
| Ford KTBK21-3K209-AC | Ford KTKK21-3K209-AA |
| Ford KTYC15-3468-AA | Ford KTYC15-3468-AC |
| Ford KTYC15-3468-AD | Ford KTYC15-3468-AE |
| Ford KTYC15-3468-AF | Ford YC1A-3395-BA |
| Ford YC1A-3395-CA | Ford YC1A-3395-CB |

Application info

- | | |
|--------------------------------|-----------------------------------|
| Ford Tourneo '02 (06/02-12/13) | Ford Tourneo '12 (04/12--) |
| Ford Transit '02 (06/02--) | Ford Transit '06 (04/06-12/14) |
| Ford Transit '14 (08/13--) | Ford Transit Custom '12 (04/12--) |

Ball joint

716 010 0013

MBJ0290

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Required quantity
 replacement in pairs recommended

2



References

- | | |
|-------------------|---------------------|
| Ford 1 146 130 | Ford 1 146 131 |
| Ford 1 207 447 | Ford 1 207 448 |
| Ford 1 211 757 | Ford 1 212 807 |
| Ford 1 212 808 | Ford 1 214 911 |
| Ford 1 214 912 | Ford 1 436 095 |
| Ford 1 436 097 | Ford 1 436 169 |
| Ford 1 436 170 | Ford 1 679 382 |
| Ford 1 706 970 | Ford 1 706 971 |
| Ford 2N11-3042-AE | Ford 2N11-3042-AH |
| Ford 2N11-3051-AE | Ford 2N11-3051-AG |
| Ford 2N11-3051-AH | Ford 2S61-3042-AD |
| Ford 2S61-3042-AH | Ford 2S61-3042-AJ |
| Ford 2S61-3042-AK | Ford 2S61-3042-DA |
| Ford 2S61-3051-AD | Ford 2S61-3051-AH |
| Ford 2S61-3051-AJ | Ford 2S61-3051-AK |
| Ford 2S61-3051-DA | Ford ME2S6J-3395-AA |
| Mazda DD32-34-300 | Mazda DD32-34-350 |

Application info

- | | |
|--------------------------------------|----------------------------|
| Ford Fiesta V / Fusion (11/01-12/14) | Mazda 2 (DY) (02/03-06/07) |
|--------------------------------------|----------------------------|

Ball joint

716 010 0014

MBJ0291

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Cone Size [mm] 18
 Length [mm] 83
 Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended



References

The references of this product can be found at www.meyle.com

Application info

Ford Focus II (10/03--)
 Volvo C70 II (03/06-12/13)

Volvo C30 (09/06-12/13)
 Volvo S40 II / V50 (12/03-12/12)

Ball joint

716 010 0017

MBJ0293

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Cone Size [mm] 21
 Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended



References

Ford 1 470 387
 Ford 3M51-3K209-BA
 Volvo 31201181

Ford 1 679 388
 Volvo 31201180

Application info

Ford C-Max I (02/07-09/10)
 Volvo C30 (09/06-12/13)
 Volvo S40 II / V50 (12/03-12/12)

Ford Focus II (10/03--)
 Volvo C70 II (03/06-12/13)

Ball joint**716 010 0018****MBJ0294****Notes**

Front Axle Left
Front Axle Right
with accessories

Required quantity 2

Thread Size M14x1,5

replacement in pairs recommended

**References**

Ford 1 377 846	Ford 1 385 593
Ford 1 403 408	Ford 1 419 814
Ford 1 426 875	Ford 1 435 745
Ford 1 458 773	Ford 1 460 693
Ford 1 466 186	Ford 1 466 188
Ford 1 469 024	Ford 1 507 181
Ford 1 507 182	Ford 6G9N-3A052-DA
Ford 6G9N-3A052-DB	Ford 6G9N-3A052-DC
Ford 6G9N-3A052-DD	Ford 6G9N-3A052-DE
Ford 6G9N-3A052-DF	Ford 6G9N-3A052-DG
Ford 6G9N-3A052-DH	Ford 6G9N-3A053-DG
Ford 6G9N-3A053-DH	Ford 7G9N-3A052-BA
Ford 7G9N-3A052-BB	Ford 7G9N-3A053-BA
Ford 7G9N-3A053-BB	Ford (Chanagan) 7G9N-3A052-BA
Ford (Chanagan) 7G9N-3A052-BB	Ford (Chanagan) 7G9N-3A053-BA
Ford (Chanagan) 7G9N-3A053-BB	Volvo 31200563
Volvo 31200775	Volvo 31200776
Volvo 31212781	Volvo 31212782
Volvo 31277343	Volvo 31277344
Volvo 31317661	Volvo 31317662

Application info

Ford Galaxy II (05/06-06/15)	Ford Mondeo IV (03/07-01/15)
Ford S-Max I (05/06-12/14)	Volvo S60 II / V60 (04/10--)
Volvo S80 II (03/06-12/16)	Volvo V70 III (04/07--)

Ball joint

716 010 0019

MBJ0295

Notes

Front Axle Left
 Front Axle Right
 Lower
 2

Required quantity
 replacement in pairs recommended



References

- | | |
|-----------------------|-----------------------|
| Ford 1 518 904 | Ford 1 520 778 |
| Ford 1 521 773 | Ford 1 532 421 |
| Ford 1 532 433 | Ford 1 540 724 |
| Ford 1 540 725 | Ford 1 700 809 |
| Ford 1 700 810 | Ford 1 708 222 |
| Ford 1 708 226 | Ford 1 712 696 |
| Ford 1 712 697 | Ford 1 737 305 |
| Ford 1 737 309 | Ford 8V51-3042-BH |
| Ford USA 8V51-3042-BD | Ford USA 8V51-3042-BE |
| Ford USA 8V51-3042-BF | Ford USA 8V51-3042-BG |
| Ford USA 8V51-3051-BD | Ford USA 8V51-3051-BE |
| Ford USA 8V51-3051-BF | Ford USA 8V51-3051-BG |
| Mazda D651-34-300B | Mazda D651-34-300C |
| Mazda D651-34-300D | Mazda D651-34-350 |
| Mazda D651-34-350A | Mazda D651-34-350B |
| Mazda D651-34-350C | Mazda D651-34-350D |
| Mazda D651-34-350E | |

Application info

- | | |
|--------------------------|----------------------------|
| Ford Fiesta VI (06/08--) | Mazda 2 (DE) (07/07-06/15) |
|--------------------------|----------------------------|

Ball joint		716 010 0020	MBJ0296								
<p>Notes</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		<p>Front Axle Left with accessories 716 010 0021 MBJ0297 1</p> 									
<p>References</p> <table border="0"> <tr> <td>Ford 1 502 087</td> <td>Ford 1 723 324</td> </tr> <tr> <td>Ford 1 781 660</td> <td>Ford 1 793 237</td> </tr> <tr> <td>Ford 8V41-3A424-AB</td> <td>Ford 8V41-3A424-AC</td> </tr> <tr> <td>Ford CV61-3A424-AAB</td> <td>Ford CV61-3A424-AAC</td> </tr> </table>				Ford 1 502 087	Ford 1 723 324	Ford 1 781 660	Ford 1 793 237	Ford 8V41-3A424-AB	Ford 8V41-3A424-AC	Ford CV61-3A424-AAB	Ford CV61-3A424-AAC
Ford 1 502 087	Ford 1 723 324										
Ford 1 781 660	Ford 1 793 237										
Ford 8V41-3A424-AB	Ford 8V41-3A424-AC										
Ford CV61-3A424-AAB	Ford CV61-3A424-AAC										
<p>Application info</p> <table border="0"> <tr> <td>Ford Kuga I (02/08-11/12)</td> <td>Ford Kuga II (05/12--)</td> </tr> </table>				Ford Kuga I (02/08-11/12)	Ford Kuga II (05/12--)						
Ford Kuga I (02/08-11/12)	Ford Kuga II (05/12--)										
Ball joint		716 010 0021	MBJ0297								
<p>Notes</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		<p>Front Axle Right with accessories 716 010 0020 MBJ0296 1</p> 									
<p>References</p> <table border="0"> <tr> <td>Ford 1 502 086</td> <td>Ford 1 723 323</td> </tr> <tr> <td>Ford 1 781 658</td> <td>Ford 1 793 236</td> </tr> <tr> <td>Ford 8V41-3A423-AB</td> <td>Ford 8V41-3A423-AC</td> </tr> <tr> <td>Ford CV61-3A423-AAB</td> <td>Ford CV61-3A423-AAC</td> </tr> </table>				Ford 1 502 086	Ford 1 723 323	Ford 1 781 658	Ford 1 793 236	Ford 8V41-3A423-AB	Ford 8V41-3A423-AC	Ford CV61-3A423-AAB	Ford CV61-3A423-AAC
Ford 1 502 086	Ford 1 723 323										
Ford 1 781 658	Ford 1 793 236										
Ford 8V41-3A423-AB	Ford 8V41-3A423-AC										
Ford CV61-3A423-AAB	Ford CV61-3A423-AAC										
<p>Application info</p> <table border="0"> <tr> <td>Ford Kuga I (02/08-11/12)</td> <td>Ford Kuga II (05/12--)</td> </tr> </table>				Ford Kuga I (02/08-11/12)	Ford Kuga II (05/12--)						
Ford Kuga I (02/08-11/12)	Ford Kuga II (05/12--)										

Ball joint

716 010 0022

MBJ0308

Notes

Paired article number
Required quantity
replacement in pairs recommended

Front Axle Right
with accessories
716 010 0023 | MBJ0309
1



References

- | | |
|---------------------|---------------------|
| Ford 1 702 970 | Ford 1 709 457 |
| Ford 1 742 265 | Ford 1 742 266 |
| Ford 1 857 345 | Ford 1 865 168 |
| Ford 1 865 173 | Ford 1 866 068 |
| Ford 2 172 992 | Ford 2 173 539 |
| Ford AV61-3A423-LB | Ford AV61-3A423-LC |
| Ford BV61-3A423-AAB | Ford BV61-3A423-AAC |
| Ford BV61-3A423-AAD | Ford BV61-3A423-BAB |
| Ford BV61-3A423-BAC | Ford BV613-A424B-AB |
| Ford F1F1-3A423-AAA | Ford F1F1-3A423-AAB |

Application info

Ford C-Max II (04/10--)

Ford Focus III (07/10--)

Ball joint

716 010 0023

MBJ0309

Notes

Paired article number
Required quantity
replacement in pairs recommended

Front Axle Left
with accessories
716 010 0022 | MBJ0308
1



References

Ford 1 702 983	Ford 1 709 466
Ford 1 742 266	Ford 1 857 346
Ford 1 865 175	Ford 1 865 176
Ford 1 866 073	Ford 2 173 541
Ford 2 176 249	Ford AV61-3A424-LB
Ford AV61-3A424-LC	Ford BV61-3A424-AAB
Ford BV61-3A424-AAC	Ford BV61-3A424-AAD
Ford BV61-3A424-BAB	Ford BV61-3A424-BAC
Ford F1F1-3A424-AAA	Ford F1F1-3A424-AAB

Application info

Ford C-Max II (04/10--)	Ford Focus III (07/10--)
-------------------------	--------------------------

Ball joint

716 010 0026

MBJ0445

Notes

Front Axle Right
 Lower
 outer
 Paired article number 716 010 0027 | MBJ0446
 Required quantity 1
 replacement in pairs recommended



References

Ford 1 773 516	Ford 1 805 952
Ford 1 866 070	Ford BV61-3A423-LAA
Ford BV61-3A423-LAB	Ford F1F13-A423B-AA

Application info

Ford Focus III (07/10--)

Ball joint **716 010 0027** **MBJ0446**

Notes

Front Axle Left
 Lower
 outer
 Paired article number 716 010 0026 | MBJ0445
 Required quantity 1
 replacement in pairs recommended



References

Ford 1 773 518	Ford 1 805 953
Ford 1 866 072	Ford BV61-3A424-LAA
Ford BV61-3A424-LAB	Ford F1F1-3A424-BAA

Application info

Ford Focus III (07/10--)

Ball joint **716 010 0029** **MBJ0477**

Notes

Front Axle Left
 Front Axle Right
 Required quantity 2
 replacement in pairs recommended



References

Ford 2 084 192	Ford 2 084 194
Ford 2 112 614	Ford 2 112 616
Ford 2 201 370	Ford 2 201 372
Ford H1BC-3042-AD	Ford H1BC-3042-AE
Ford H1BC-3051-AD	Ford H1BC-3051-AE

Application info

Ford Fiesta VII (05/17--)

Ball joint

716 010 0032

MBJ0481

Notes

Front Axle Left
 Front Axle Right
 Lower

Required quantity
 replacement in pairs recommended

2



References

Ford 2 216 265
 Ford JX61-3A423-CEB

Ford 2 216 267
 Ford JX61-3A424-CEB

Application info

Ford Focus IV (01/18--)

Ball joint

716 010 0034/HD

MBJ0496HD

Notes

Carbon Neutral
 Front Axle Right
 Paired article number
 Required quantity
 only in connection with
 reinforced version
 replacement in pairs recommended

716 010 0035/HD | MBJ0497HD

1

716 050 0074/HD



References

Ford 1 927 131
 Ford 2 180 767
 Ford 5 303 328
 Ford FG9C3-A052A-NA
 Ford FG9C3-A052A-NC
 Ford FG9C3-A053A-NB

Ford 1 927 132
 Ford 2 180 769
 Ford 5 303 329
 Ford FG9C3-A052A-NB
 Ford FG9C3-A053A-NA
 Ford FG9C3-A053A-NC

Application info

Ford Mondeo V (09/12--)

Ball joint

716 010 0035/HD

MBJ0497HD

Notes

Carbon Neutral
 Front Axle Left
 Paired article number 716 010 0034/HD | MBJ0496HD
 Required quantity 1
 only in connection with 716 050 0073/HD
 reinforced version
 replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Ford 1 927 131 | Ford 1 927 132 |
| Ford 2 180 767 | Ford 2 180 769 |
| Ford 5 303 328 | Ford 5 303 329 |
| Ford FG9C3-A052A-NA | Ford FG9C3-A052A-NB |
| Ford FG9C3-A052A-NC | Ford FG9C3-A053A-NA |
| Ford FG9C3-A053A-NB | Ford FG9C3-A053A-NC |

Application info

Ford Mondeo V (09/12--)

Ball joint

716 010 0036/HD

MBJ0508HD

Notes

Carbon Neutral
 Front Axle Right
 Lower
 outer
 Paired article number 716 010 0037/HD | MBJ0509HD
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|----------------|---------------------|
| Ford 1 877 652 | Ford E1GC-3A052-AEB |
|----------------|---------------------|

Application info

Ford Galaxy III (01/15--)
 Ford S-Max II (01/15--)

Ball joint		716 010 0037/HD	MBJ0509HD
<p>Notes</p> <p>Carbon Neutral Front Axle Left Lower outer</p> <p>Paired article number 716 010 0036/HD MBJ0508HD</p> <p>Required quantity 1</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Ford 1 877 653</p>		<p>Ford E1GC-3A053-AEB</p>	
<p>Application info</p> <p>Ford Galaxy III (01/15--)</p>		<p>Ford S-Max II (01/15--)</p>	
Ball joint		716 010 4115	MBJ0298
<p>Notes</p> <p>Front Axle Left Front Axle Right Lower with accessories</p> <p>Cone Size [mm] 18</p> <p>Length [mm] 25</p> <p>Required quantity 2</p> <p>replacement in pairs recommended</p>			

References

- | | |
|-------------------|-------------------------|
| Ford 1 023 026 | Ford 1 030 277 |
| Ford 1 030 278 | Ford 1 043 158 |
| Ford 1 043 159 | Ford 1 102 948 |
| Ford 1 102 949 | Ford 1 130 576 |
| Ford 1 130 577 | Ford 1 141 293 |
| Ford 1 141 294 | Ford 1 141 296 |
| Ford 1 679 390 | Ford 1M2J-A20164-ABYBD5 |
| Ford 6 790 117 | Ford 6 870 550 |
| Ford 6 870 551 | Ford 6 954 470 |
| Ford 6 954 471 | Ford 93BB-3042-BA |
| Ford 93BB-3042-BB | Ford 93BB-3042-BC |
| Ford 93BB-3051-BB | Ford 93BB-3051-BC |
| Ford 93BB-3395-AC | Ford 95BG-3042-AA |
| Ford 97BG-3042-AA | Ford 97BG-3042-BC |
| Ford 97BG-3042-CA | Ford 97BG-3051-AA |
| Ford 97BG-3051-BC | Ford 97BG-3051-CA |
| Ford 99BB-3395-AC | Ford ME93BB-3395-AA |
| Ford YS71-3042-AA | Ford YS71-3042-AB |
| Ford YS71-3051-AA | Ford YS71-3051-AB |

Application info

Ford Mondeo I, II (01/93-09/00)

Ball joint

816 010 0002

MBJ0299

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Cone Size [mm] 20
 Required quantity 2
 replacement in pairs recommended



References

Saab 52 37 516

Application info

Saab 9-5 (YS3E) (09/97-12/09)

Saab 9-5 (YS3G) (01/10-01/12)

Ball joint

816 010 4903

MBJ0301

Notes

Front Axle Left
 Front Axle Right
 Lower
 with accessories

Cone Size [mm] 20
 Length [mm] 13
 Required quantity 2
 Thread Size M14x1,5
 replacement in pairs recommended



References

Saab 89 57 045 Saab 89 72 135
 Saab 89 94 212

Application info

Saab 9000 (09/84-12/98)

Bracket, control arm

614 035 0037

MBC0005

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 with accessories
 with rubber mount

Inner Diameter [mm] 19
 Required quantity 2



References

Fiat 51748652 Fiat 51748653
 GENERAL MOTORS 9191175 GENERAL MOTORS 93171448
 Opel 03 52 319 Opel 3 52 319
 Saab 12 78 6412 Vauxhall 9191175
 Vauxhall 93171448

Application info

Fiat Croma II (06/05--) Opel Vectra C / Signum (04/02-01/09)
 Saab 9-3 (YS3F) (09/02-02/15) Vauxhall Vectra Mk II / Signum (01/00-05/09)

Control arm

40-16 050 0002/HD

MCA0640HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount



Paired article number 40-16 050 0004/HD | MCA0641HD
Replace in pairs only
Required quantity 1
reinforced version

References

- | | |
|-----------------------|-----------------------|
| Citroën 16 144 183 80 | Citroën 16 144 476 80 |
| Citroën 3520.A1 | Citroën 3520.A2 |
| Citroën 3520.A6 | Citroën 3520.F5 |
| Citroën 3520.F6 | Citroën 3520.F7 |
| Citroën 3520.F8 | Citroën 3520.H5 |
| Citroën 3520.H8 | Citroën 3520.K7 |
| Citroën 95 658 882 | Citroën 95 658 884 |
| Citroën 95 668 510 | Citroën 95 668 512 |
| Peugeot 16 14 418 380 | Peugeot 16 14 447 680 |
| Peugeot 3520.H5 | Peugeot 3520.K7 |

Application info

- | | |
|----------------------------------|-----------------------------|
| Citroën Berlingo I (07/96-12/11) | Citroën Xsara (04/97-03/10) |
| Citroën ZX (03/91-07/99) | Peugeot Partner I (05/96--) |
| Peugeot Partner II (04/08--) | |

Control arm

40-16 050 0004/HD

MCA0641HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount



Paired article number 40-16 050 0002/HD | MCA0640HD
Replace in pairs only
Required quantity 1
reinforced version

References

Citroën 16 144 184 80
Citroën 3520.E8
Citroën 3521.72
Citroën 3521.A6
Citroën 3521.A8
Citroën 3521.G7
Citroën 95 658 885
Peugeot 16 14 418 480
Peugeot 3521.E5

Citroën 16 144 477 80
Citroën 3521.71
Citroën 3521.A5
Citroën 3521.A7
Citroën 3521.E5
Citroën 95 658 883
Citroën 95 668 511
Peugeot 16 14 447 780
Peugeot 3521.G7

Application info

Citroën Berlingo I (07/96-12/11)
Citroën ZX (03/91-07/99)
Peugeot Partner II (04/08--)

Citroën Xsara (04/97-03/10)
Peugeot Partner I (05/96--)

Control arm

416 050 0027


MCA1447

Notes

Aluminium
Centre
Control Arm
Rear Axle Left
Rear Axle Right
Upper

Required quantity
replacement in pairs recommended

2



References

Porsche 970 331 047 00

Application info

Porsche Panamera (970) (03/09-12/17)

Control arm

44-16 050 0000

MCA0645

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number
Required quantity
replacement in pairs recommended

44-16 050 0001 | MCA0646

1



References

Chrysler 04656731AH
Chrysler 4656731AD
Chrysler 4656731AL
Chrysler 5272237
Chrysler 5272237AC
Chrysler 5272237AH
Chrysler 5272237AK
Chrysler 5272237AM
Dodge 5272237AF
Dodge 5272237AJ
Dodge 5272237AL

Chrysler 04656731AN
Chrysler 4656731AH
Chrysler 4656731AN
Chrysler 5272237AB
Chrysler 5272237AF
Chrysler 5272237AJ
Chrysler 5272237AL
Dodge 5272237AB
Dodge 5272237AH
Dodge 5272237AK
Dodge 5272237AM

Application info

Chrysler Neon II (08/99-12/06)
 Dodge Neon II (08/99--)

Chrysler PT Cruiser (06/00-12/10)

Control arm

44-16 050 0001

MCA0646

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number
 Required quantity
 replacement in pairs recommended

44-16 050 0000 | MCA0645
 1



References

Chrysler 04656730AH
 Chrysler 4656730AD
 Chrysler 4656730AL
 Chrysler 5272236
 Chrysler 5272236AC
 Chrysler 5272236AH
 Chrysler 5272236AK
 Chrysler 5272236AM
 Dodge 5272236AF
 Dodge 5272236AJ
 Dodge 5272236AL

Chrysler 04656730AN
 Chrysler 4656730AH
 Chrysler 4656730AN
 Chrysler 5272236AB
 Chrysler 5272236AF
 Chrysler 5272236AJ
 Chrysler 5272236AL
 Dodge 5272236AC
 Dodge 5272236AH
 Dodge 5272236AK
 Dodge 5272236AM

Application info

Chrysler Neon II (08/99-12/06)
 Dodge Neon II (08/99--)

Chrysler PT Cruiser (06/00-12/10)

Control arm 44-16 050 0008 MCA1124

Notes	Cast Steel Control Arm Front Axle Right with ball joint with rubber mount Paired article number Required quantity replacement in pairs recommended	  
	44-16 050 0009 MCA1125 1	

References	Chrysler 4766542AA	Chrysler 4766542AD
-------------------	--------------------	--------------------

Application info	Chrysler Voyager IV/ Town Country (09/99-12/08)
-------------------------	---

Control arm 44-16 050 0009 MCA1125

Notes	Cast Steel Control Arm Front Axle Left with ball joint with rubber mount Paired article number Required quantity replacement in pairs recommended	  
	44-16 050 0008 MCA1124 1	

References	Chrysler 4766543AA	Chrysler 4766543AD
-------------------	--------------------	--------------------

Application info	Chrysler Voyager IV/ Town Country (09/99-12/08)
-------------------------	---

Control arm		516 050 0000	MCA0652
<p>Notes</p> <p>Control Arm Front Axle Right Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number 516 050 0009 MCA0659 Required quantity 1 Thread Size M12x1,25 replacement in pairs recommended</p>		  	
<p>References</p> <p>Volvo 30863989 Volvo 30887654</p>			
<p>Application info</p> <p>Volvo S/V 40 (07/95-12/04) Volvo S40 II / V50 (12/03-12/12)</p>			
Control arm		516 050 0001	MCA0653
<p>Notes</p> <p>Control Arm Front Axle Left Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number 516 050 0002 MCA0654 Required quantity 1 Thread Size M12x1,25 replacement in pairs recommended</p>		  	
<p>References</p> <p>Mitsubishi MN133617 Mitsubishi MR179479 Volvo 30821650 Volvo 30863988 Volvo 30887025 Volvo 3088746 Volvo 3088896 Volvo 30888962 Volvo 30889962</p>			
<p>Application info</p> <p>Mitsubishi Carisma (07/95-06/06) Volvo S/V 40 (07/95-12/04)</p>			

Control arm		516 050 0002	MCA0654
<p>Notes</p> <p>Control Arm Front Axle Right Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number 516 050 0001 MCA0653 Required quantity 1 Thread Size M12x1,25 replacement in pairs recommended</p>		 	
<p>References</p> <p>Mitsubishi MN133618 Mitsubishi MR179480 Volvo 30821651 Volvo 30863989 Volvo 30887033 Volvo 3088747 Volvo 30889963</p>			
<p>Application info</p> <p>Mitsubishi Carisma (07/95-06/06) Volvo S/V 40 (07/95-12/04)</p>			
Control arm		516 050 0007/HD	MCA0657HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Left Lower with rubber mount</p> <p>Paired article number 516 050 0008/HD MCA0658HD Replace in pairs only Required quantity 1 reinforced version</p>		 	
<p>References</p> <p>Volvo 30635227 Volvo 8623955 Volvo 8649541 Volvo 94616372 Volvo 9492105</p>			
<p>Application info</p> <p>Volvo S80 I (05/98-02/08)</p>			

Control arm 516 050 0017/HD MCA0665HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Lower
with rubber mount
516 050 0018/HD | MCA0666HD

Paired article number
Replace in pairs only
Required quantity
reinforced version

1



References

Volvo 30635229	Volvo 30714752
Volvo 36012457	Volvo 36051002
Volvo 8623957	Volvo 8649543

Application info

Volvo S60 I / V70 II (11/99-04/10)

Control arm 516 050 0018/HD MCA0666HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Lower
with rubber mount
516 050 0017/HD | MCA0665HD

Paired article number
Replace in pairs only
Required quantity
reinforced version

1



References

Volvo 30635230	Volvo 30714753
Volvo 36012458	Volvo 36051003
Volvo 8623958	Volvo 8649544

Application info

Volvo S60 I / V70 II (11/99-04/10)

Control arm	516 050 0019	MCA0667
--------------------	---------------------	----------------

Notes

Control Arm
 Front Axle Left
 Lower
 Steel
 with accessories
 with rubber mount
 Paired article number 516 050 0020 | MCA0668
 Required quantity 1
 replacement in pairs recommended



References

Volvo 8628499

Application info

Volvo C/S/V 70 (12/95-10/05)

Control arm	516 050 0020	MCA0668
--------------------	---------------------	----------------

Notes

Control Arm
 Front Axle Right
 Lower
 Steel
 with accessories
 with rubber mount
 Paired article number 516 050 0019 | MCA0667
 Required quantity 1
 replacement in pairs recommended



References

Volvo 8628500

Application info

Volvo C/S/V 70 (12/95-10/05)

Control arm 516 050 0026/HD MCA0671HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Steel
with rubber mount
Paired article number 516 050 0027/HD | MCA0672HD

Replace in pairs only
Required quantity 1
reinforced version



References

- Volvo 30639781
- Volvo 30681615
- Volvo 31304046
- Volvo 30645846
- Volvo 31201005
- Volvo 36050810

Application info

Volvo XC90 I (06/02-01/15)

Control arm 516 050 0027/HD MCA0672HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Steel
with rubber mount
Paired article number 516 050 0026/HD | MCA0671HD

Replace in pairs only
Required quantity 1
reinforced version



References

- Volvo 30639780
- Volvo 31201004
- Volvo 36050809
- Volvo 30645845
- Volvo 31304045

Application info

Volvo XC90 I (06/02-01/15)

Control arm

516 050 0030/HD

MCA0673HD

Notes

Carbon Neutral
Cast Steel
Control Arm
Front Axle Left
with rubber mount

Paired article number 516 050 0031/HD | MCA0674HD
Replace in pairs only
Required quantity 1
reinforced version



References

Volvo 30760586

Application info

Volvo S60 I / V70 II (11/99-04/10)

Control arm

516 050 0031/HD

MCA0674HD

Notes

Carbon Neutral
Cast Steel
Control Arm
Front Axle Right
with rubber mount

Paired article number 516 050 0030/HD | MCA0673HD
Replace in pairs only
Required quantity 1
reinforced version



References

Volvo 30760587

Application info

Volvo S60 I / V70 II (11/99-04/10)

Control arm		516 050 0032	MCA1084
<p>Notes</p> <p>Aluminium Control Arm Front Axle Right Lower with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Volvo 30635230 Volvo 8623958</p>		<p>Volvo 30714753 Volvo 8649544</p>	
<p>Application info</p> <p>Volvo S60 I / V70 II (11/99-04/10)</p>			
Control arm		516 050 0033	MCA1085
<p>Notes</p> <p>Aluminium Control Arm Front Axle Left Lower with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Volvo 30635229 Volvo 8623957</p>		<p>Volvo 30714752 Volvo 8649543</p>	
<p>Application info</p> <p>Volvo S60 I / V70 II (11/99-04/10)</p>			

Control arm		516 050 0036/HD	MCA1586HD
Notes	Carbon Neutral Control Arm Front Axle Right Lower Sheet Steel outer		
Length [mm]	363.5		
Paired article number	516 050 0037/HD MCA1587HD		
Replace in pairs only			
Required quantity	1		
Width [mm]	304		
reinforced version			

References	
Volvo 30683249	Volvo 31202229
Volvo 31277346	Volvo 31317664

Application info	
Volvo S60 II / V60 (04/10--)	Volvo XC70 II (04/07-12/16)

Control arm		516 050 0037/HD	MCA1587HD
Notes	Carbon Neutral Control Arm Front Axle Left Lower Sheet Steel outer		
Length [mm]	363.5		
Paired article number	516 050 0036/HD MCA1586HD		
Replace in pairs only			
Required quantity	1		
Width [mm]	304		
reinforced version			

References	
Volvo 30683248	Volvo 31202228
Volvo 31277345	Volvo 31317663

Application info	
Volvo S60 II / V60 (04/10--)	Volvo XC70 II (04/07-12/16)

Control arm	516 050 0038/HD	MCA1582HD
--------------------	------------------------	------------------

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Sheet Steel

Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

1



References		
Volvo 31277621		Volvo 31340231

Application info

Volvo V40 II (03/12--)

Control arm	516 050 0039/HD	MCA1583HD
--------------------	------------------------	------------------

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Sheet Steel

Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

1



References		
Volvo 31277620		Volvo 31340232

Application info

Volvo V40 II (03/12--)

Control arm **516 050 0040** **MCA1210**

Notes

Rear Axle Left
 Rear Axle Right
 Semi-Trailing Arm
 Sheet Steel

Required quantity 2
 replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Ford 1 719 007 | Ford 1 744 422 |
| Ford 1 787 961 | Ford 1 882 882 |
| Ford 1 894 048 | Ford 1 949 978 |
| Ford BV61-5K652-CD | Ford BV61-5K652-CE |
| Ford BV61-5K652-CF | Ford BV61-5K652-CG |
| Ford BV61-5K652-CH | Ford F1F1-5K652-CA |
| Volvo 31387063 | |

Application info

- | | |
|-------------------------|--------------------------|
| Ford C-Max II (04/10--) | Ford Focus III (07/10--) |
| Volvo V40 II (03/12--) | |

Control arm **516 050 0054/HD** **MCA1596HD**

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Right
 Upper

Bore Diameter [mm] 10
 Length [mm] 187
 Paired article number 516 050 0055/HD | MCA1597HD
 Replace in pairs only
 Required quantity 1
 Width [mm] 188
 reinforced version



References

- | | |
|----------------|----------------|
| Volvo 31476302 | Volvo 32395247 |
|----------------|----------------|

Application info

Volvo S60 III (224) (02/19--)

Volvo V60 II (02/18--)

Control arm

516 050 0055/HD

MCA1597HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Upper

Bore Diameter [mm] 10
Length [mm] 187
Paired article number 516 050 0054/HD | MCA1596HD
Replace in pairs only
Required quantity 1
Width [mm] 188
reinforced version



References

Volvo 31476301

Volvo 32395246

Application info

Volvo S60 III (224) (02/19--)

Volvo V60 II (02/18--)

Control arm

516 050 0100/HD

MCA1671HD

Notes

Control Arm
Front Axle Right
Lower
Steel

Paired article number 516 050 0101/HD | MCA1672HD
Replace in pairs only
Required quantity 1
reinforced version



References

Volvo 271629

Volvo 271902

Volvo 8628492

Volvo 8628496

Volvo 9492288

Volvo 9492531

Volvo 9492672

Volvo 9492915

Application info

Volvo 850 (06/91-10/97)

Volvo C/S/V 70 (12/95-10/05)

Control arm		516 050 0101/HD	MCA1672HD
<p>Notes</p> <p>Control Arm Front Axle Left Lower Steel</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>			
<p>References</p> <p>Volvo 271628 Volvo 8628491 Volvo 9492287 Volvo 9492671</p>		<p>Volvo 271901 Volvo 8628495 Volvo 9492530 Volvo 9492914</p>	
<p>Application info</p> <p>Volvo 850 (06/91-10/97)</p>		<p>Volvo C/S/V 70 (12/95-10/05)</p>	
Control arm		516 050 7003	MCA0675
<p>Notes</p> <p>Control Arm Front Axle Left Lower Steel with accessories</p> <p>Length [mm] Paired article number Required quantity replacement in pairs recommended</p>			
<p>References</p> <p>Volvo 2722734 Volvo 8628493 Volvo 9492673</p>		<p>Volvo 272336 Volvo 8628497 Volvo 9492916</p>	
<p>Application info</p> <p>Volvo 850 (06/91-10/97)</p>		<p>Volvo C/S/V 70 (12/95-10/05)</p>	

References

- | | |
|----------------------|----------------------|
| Land Rover LR014138 | Land Rover LR014674 |
| Land Rover LR025613 | Land Rover LR025618 |
| Land Rover LR028249 | Land Rover LR028252 |
| Land Rover LR029302 | Land Rover LR029306 |
| Land Rover LR051584 | Land Rover LR071929 |
| Land Rover LR073369 | Land Rover LR075995 |
| Land Rover RBJ500193 | Land Rover RBJ500456 |
| Land Rover RBJ501250 | Land Rover RBJ501290 |
| Land Rover RBJ501350 | Land Rover RBJ501390 |
| Land Rover RBJ501470 | Land Rover RBJ501510 |
| Land Rover RBJ501550 | Land Rover RBJ501610 |

Application info

- | | |
|--|---------------------------------------|
| Land Rover Discovery III (07/04-09/09) | Land Rover Discovery IV (09/09-12/18) |
| Land Rover Range Rover Sport I (02/05-03/13) | |

Control arm

53-16 050 0010/HD

MCA1019HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

- Paired article number 53-16 050 0009/HD | MCA1018HD
- Replace in pairs only
- Required quantity 1
- reinforced version



References

- | | |
|----------------------|----------------------|
| Land Rover LR014136 | Land Rover LR014673 |
| Land Rover LR025610 | Land Rover LR025617 |
| Land Rover LR028245 | Land Rover LR028248 |
| Land Rover LR029301 | Land Rover LR029304 |
| Land Rover LR051583 | Land Rover LR071166 |
| Land Rover LR073367 | Land Rover LR075993 |
| Land Rover RBJ500183 | Land Rover RBJ500446 |
| Land Rover RBJ501240 | Land Rover RBJ501280 |
| Land Rover RBJ501340 | Land Rover RBJ501380 |
| Land Rover RBJ501500 | Land Rover RBJ501540 |
| Land Rover RBJ501600 | |

Application info

Land Rover Discovery III (07/04-09/09)
 Land Rover Range Rover Sport I (02/05-03/13)

Land Rover Discovery IV (09/09-12/18)

Control arm

53-16 050 0020/HD

MCA1257HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Right
 Lower

Paired article number 53-16 050 0021/HD | MCA1258HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Land Rover LR024472
 Land Rover LR073521

Land Rover LR045803
 Land Rover LR078656

Application info

Land Rover Discovery Sport (09/14--)

Land Rover Range Rover Evoque I (06/11-12/19)

Control arm

53-16 050 0021/HD

MCA1258HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Left
 Lower

Paired article number 53-16 050 0020/HD | MCA1257HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Land Rover LR024473
 Land Rover LR073522

Land Rover LR045802
 Land Rover LR078657

Application info

Land Rover Discovery Sport (09/14--)

Land Rover Range Rover Evoque I (06/11-12/19)

Control arm

53-16 050 0027/HD

MCA1191HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Upper
can be adjusted three times
53-16 050 0028/HD | MCA1192HD

Paired article number
Replace in pairs only
Required quantity
reinforced version

1



References

Land Rover LR034214
Land Rover LR034216
Land Rover LR044845
Land Rover LR108766
Land Rover LR113266
Land Rover LR113268
Land Rover LR113271
Land Rover LR125712
Land Rover LR125714
Land Rover LR148193

Land Rover LR034215
Land Rover LR044844
Land Rover LR044846
Land Rover LR113265
Land Rover LR113267
Land Rover LR113270
Land Rover LR125711
Land Rover LR125713
Land Rover LR139240

Application info

Land Rover Discovery V (09/16--)
Land Rover Range Rover Sport II (04/13--)

Land Rover Range Rover IV (08/12--)

Control arm

53-16 050 0028/HD

MCA1192HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Upper
can be adjusted three times
53-16 050 0027/HD | MCA1191HD

Paired article number
Replace in pairs only
Required quantity
reinforced version

1



References

- | | |
|---------------------|---------------------|
| Land Rover LR034211 | Land Rover LR034212 |
| Land Rover LR034213 | Land Rover LR044841 |
| Land Rover LR044842 | Land Rover LR044843 |
| Land Rover LR108765 | Land Rover LR113259 |
| Land Rover LR113260 | Land Rover LR113261 |
| Land Rover LR113262 | Land Rover LR113263 |
| Land Rover LR113264 | Land Rover LR125697 |
| Land Rover LR125698 | Land Rover LR125701 |
| Land Rover LR125702 | Land Rover LR139239 |
| Land Rover LR148192 | |

Application info

- | | |
|---|-------------------------------------|
| Land Rover Discovery V (09/16--) | Land Rover Range Rover IV (08/12--) |
| Land Rover Range Rover Sport II (04/13--) | |


Control arm

53-16 050 0049

MCA1389

Notes

- | | |
|----------------------------------|--------------------------|
| | Control Arm |
| | Lower |
| | Rear Axle Left |
| | Sheet Steel |
| Paired article number | 53-16 050 0050 MCA1390 |
| Required quantity | 1 |
| replacement in pairs recommended | |



References

- | | |
|---------------------|---------------------|
| Jaguar J9C18609 | Jaguar J9C4821 |
| Land Rover LR068167 | Land Rover LR097278 |
| Land Rover LR125868 | |

Application info

- | | |
|--------------------------------|--------------------------------------|
| Jaguar E-Pace (X540) (09/17--) | Land Rover Discovery Sport (09/14--) |
|--------------------------------|--------------------------------------|

Control arm		53-16 050 0055	MCA1448
<p>Notes</p> <p>Aluminium Control Arm Rear Rear Axle Left Upper</p> <p>Bore Diameter [mm] 12.3 Length [mm] 363 Paired article number 53-16 050 0056 MCA1449 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Jaguar J9C1717 Land Rover LR060768 Land Rover LR073526 Land Rover LR078520</p>			
<p>Application info</p> <p>Jaguar E-Pace (X540) (09/17--) Land Rover Discovery Sport (09/14--) Land Rover Range Rover Evoque II (12/18--)</p>			
Control arm		53-16 050 0056	MCA1449
<p>Notes</p> <p>Aluminium Control Arm Rear Rear Axle Right Upper</p> <p>Bore Diameter [mm] 12.3 Length [mm] 363 Paired article number 53-16 050 0055 MCA1448 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Jaguar J9C1348 Land Rover LR060763 Land Rover LR073525 Land Rover LR078519 Land Rover LR117513</p>			
<p>Application info</p> <p>Jaguar E-Pace (X540) (09/17--) Land Rover Discovery Sport (09/14--) Land Rover Range Rover Evoque II (12/18--)</p>			

Control arm

53-16 050 0057/HD

MCA1590HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel

Length [mm] 362
Paired article number 53-16 050 0058/HD | MCA1591HD
Replace in pairs only
Required quantity 1
Width [mm] 230.8
reinforced version



References

- | | |
|------------------------|------------------------|
| Jaguar J9C13932 | Jaguar J9C19215 |
| Jaguar J9C2117 | Jaguar J9C33A053AC |
| Jaguar J9C33A053AD | Jaguar J9C33A053AE |
| Land Rover FK723A053AD | Land Rover FK723A053AE |
| Land Rover FK723A053AF | Land Rover FK723A053AH |
| Land Rover FK723A053AJ | Land Rover FK723A053AK |
| Land Rover J9C33A053AB | Land Rover J9C33A053AC |
| Land Rover J9C33A053AD | Land Rover J9C33A053AE |
| Land Rover LR060047 | Land Rover LR086108 |
| Land Rover LR096362 | Land Rover LR101812 |
| Land Rover LR104885 | Land Rover LR110278 |
| Land Rover LR110313 | Land Rover LR115123 |
| Land Rover LR117141 | Land Rover LR126119 |

Application info

- | | |
|---|--------------------------------------|
| Jaguar E-Pace (X540) (09/17--) | Land Rover Discovery Sport (09/14--) |
| Land Rover Range Rover Evoque I (06/11-12/19) | |

Control arm

53-16 050 0058/HD

MCA1591HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel

Length [mm] 362
Paired article number 53-16 050 0057/HD | MCA1590HD
Replace in pairs only
Required quantity 1
Width [mm] 230.8
reinforced version



References

Jaguar J9C13931	Jaguar J9C19214
Jaguar J9C2115	Jaguar J9C33A052AB
Jaguar J9C33A052AC	Jaguar J9C33A052AD
Jaguar J9C33A052AE	Land Rover FK723A052AD
Land Rover FK723A052AE	Land Rover FK723A052AF
Land Rover FK723A052AJ	Land Rover FK723A052AK
Land Rover J9C33A052AB	Land Rover J9C33A052AC
Land Rover J9C33A052AD	Land Rover J9C33A052AE
Land Rover LR060046	Land Rover LR086107
Land Rover LR096363	Land Rover LR101811
Land Rover LR104884	Land Rover LR110277
Land Rover LR110312	Land Rover LR115121
Land Rover LR117140	Land Rover LR126118

Application info

Jaguar E-Pace (X540) (09/17--)	Land Rover Discovery Sport (09/14--)
Land Rover Range Rover Evoque I (06/11-12/19)	

Control arm

616 050 0001

MCA0680

Notes

Aluminium
Control Arm
Front Axle Left
Lower

with rubber mount

Paired article number

616 050 0002 | MCA0681

Required quantity

1

replacement in pairs recommended



References

Fiat 51748653

GENERAL MOTORS 13225798

GENERAL MOTORS 24413015

Opel 03 52 051

Opel 03 52 081

Opel 3 52 051

Opel 3 52 081

Saab 12 78 0952

Saab 12 78 3757

Saab 12 79 6013

Saab 12 79 9199

Vauxhall 03 52 051

Vauxhall 3 52 051

Vauxhall 3 52 081

Application info

Fiat Croma II (06/05--)

Opel Vectra C / Signum (04/02-01/09)

Saab 9-3 (YS3F) (09/02-02/15)

Vauxhall Vectra Mk II / Signum (01/00-05/09)

Control arm

616 050 0002

MCA0681

Notes

Aluminium
Control Arm
Front Axle Right
Lower

with rubber mount

Paired article number

616 050 0001 | MCA0680

Required quantity

1

replacement in pairs recommended



References

Fiat 51748652
 GENERAL MOTORS 24413016
 Opel 03 52 082
 Opel 3 52 082
 Saab 12 78 3758
 Saab 12 79 9200
 Vauxhall 3 52 052

GENERAL MOTORS 13225799
 Opel 03 52 052
 Opel 3 52 052
 Saab 12 78 0953
 Saab 12 79 6014
 Vauxhall 03 52 052
 Vauxhall 3 52 082

Application info

Fiat Cromia II (06/05--)
 Saab 9-3 (YS3F) (09/02-02/15)

Opel Vectra C / Signum (04/02-01/09)
 Vauxhall Vectra Mk II / Signum (01/00-05/09)

Control arm

616 050 0009/HD

MCA0686HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 616 050 0010/HD | MCA0687HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

GENERAL MOTORS 90473224
 GENERAL MOTORS 90495103
 GENERAL MOTORS 90495161
 Opel 03 52 193
 Opel 3 52 077
 Opel 53 52 001
 Vauxhall 03 52 077
 Vauxhall 3 52 077
 Vauxhall 53 52 001

GENERAL MOTORS 90473226
 GENERAL MOTORS 90495159
 Opel 03 52 077
 Opel 3 52 075
 Opel 3 52 193
 Opel 53 52 015
 Vauxhall 03 52 193
 Vauxhall 3 52 193
 Vauxhall 53 52 015

Application info

Opel Astra F (09/91-01/05)
 Opel Vectra A (04/88-12/95)
 Vauxhall Calibra Mk I (06/90-07/97)

Opel Calibra (08/89-07/97)
 Vauxhall Astra Mk III (01/91-03/01)
 Vauxhall Cavalier Mk III (08/88-11/95)

Control arm

616 050 0010/HD

MCA0687HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Sheet Steel
with ball joint
with rubber mount

Paired article number 616 050 0009/HD | MCA0686HD
Replace in pairs only
Required quantity 1
reinforced version



References

GENERAL MOTORS 90373262
GENERAL MOTORS 90473227
GENERAL MOTORS 90495160
Opel 03 52 076
Opel 3 52 074
Opel 3 52 166
Opel 53 52 000
Vauxhall 03 52 076
Vauxhall 3 52 076
Vauxhall 53 52 000

GENERAL MOTORS 90473225
GENERAL MOTORS 90495104
GENERAL MOTORS 90495162
Opel 03 52 192
Opel 3 52 076
Opel 3 52 192
Opel 53 52 018
Vauxhall 03 52 192
Vauxhall 3 52 192
Vauxhall 53 52 018

Application info

Opel Astra F (09/91-01/05)
Opel Vectra A (04/88-12/95)
Vauxhall Calibra Mk I (06/90-07/97)

Opel Calibra (08/89-07/97)
Vauxhall Astra Mk III (01/91-03/01)
Vauxhall Cavalier Mk III (08/88-11/95)

Control arm

616 050 0011

MCA0688

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 616 050 0012 | MCA0689
Required quantity 1
replacement in pairs recommended



References

GENERAL MOTORS 13140038
 GENERAL MOTORS 24428978
 Opel 03 52 042
 Opel 03 52 063
 Opel 3 52 042
 Opel 3 52 063
 Vauxhall 03 52 042
 Vauxhall 03 52 063
 Vauxhall 3 52 042
 Vauxhall 3 52 063

GENERAL MOTORS 13140040
 GENERAL MOTORS 24449455
 Opel 03 52 046
 Opel 03 52 065
 Opel 3 52 046
 Opel 3 52 065
 Vauxhall 03 52 046
 Vauxhall 03 52 065
 Vauxhall 3 52 046
 Vauxhall 3 52 065

Application info

Opel Corsa C / Combo / Tigra (09/00--)

Vauxhall Corsa Mk II / Tigra / Combo (08/00-02/12)

Vauxhall Combo Mk II (09/01-02/12)

Control arm

616 050 0012

MCA0689

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount
 Paired article number 616 050 0011 | MCA0688
 Required quantity 1

Paired article number
 Required quantity
 replacement in pairs recommended



References

GENERAL MOTORS 13140037
 GENERAL MOTORS 24428977
 Opel 03 52 041
 Opel 03 52 061
 Opel 3 52 041
 Opel 3 52 061
 Vauxhall 03 52 041
 Vauxhall 03 52 061
 Vauxhall 3 52 041
 Vauxhall 3 52 061

GENERAL MOTORS 13140039
 GENERAL MOTORS 24449453
 Opel 03 52 045
 Opel 03 52 064
 Opel 3 52 045
 Opel 3 52 064
 Vauxhall 03 52 045
 Vauxhall 03 52 064
 Vauxhall 3 52 045
 Vauxhall 3 52 064

Application info

Opel Corsa C / Combo / Tigra (09/00--)

Vauxhall Corsa Mk II / Tigra / Combo (08/00-02/12)

Vauxhall Combo Mk II (09/01-02/12)

Control arm **616 050 0015** **MCA0690**

Notes

Aluminium
Control Arm
Front Axle Left
with rubber mount
Paired article number 616 050 0016 | MCA0691
Required quantity 1
replacement in pairs recommended



References

- | | |
|-------------------------|-------------------------|
| GENERAL MOTORS 13273604 | GENERAL MOTORS 13280210 |
| GENERAL MOTORS 13318884 | GENERAL MOTORS 13318886 |
| GENERAL MOTORS 13360017 | GENERAL MOTORS 22792990 |
| GENERAL MOTORS 23354434 | GENERAL MOTORS 23361708 |
| Opel 3 52 050 | Opel 3 52 073 |
| Opel 3 52 520 | Opel 3 52 560 |
| Opel 3 52 869 | Opel 3 52 871 |
| Saab 13 318 886 | Vauxhall 13 27 3604 |
| Vauxhall 13 28 0210 | Vauxhall 13 31 8884 |
| Vauxhall 13 31 8886 | Vauxhall 13 36 0017 |
| Vauxhall 22 79 2990 | Vauxhall 23 35 4434 |
| Vauxhall 23 36 1708 | |

Application info

- | | |
|---------------------------------------|-------------------------------|
| Opel Insignia A (07/08-03/17) | Saab 9-5 (YS3G) (01/10-01/12) |
| Vauxhall Insigna Mk I A (07/08-05/17) | |

Control arm **616 050 0016** **MCA0691**

Notes

Aluminium
Control Arm
Front Axle Right
with rubber mount
Paired article number 616 050 0015 | MCA0690
Required quantity 1
replacement in pairs recommended



References

GENERAL MOTORS 13273605
 GENERAL MOTORS 13318885
 GENERAL MOTORS 13360020
 GENERAL MOTORS 23354435
 Opel 3 52 071
 Opel 3 52 521
 Opel 3 52 870
 Saab 13 318 887
 Vauxhall 13 28 0211
 Vauxhall 13 31 8887
 Vauxhall 22 79 2991
 Vauxhall 23 36 1709

GENERAL MOTORS 13280211
 GENERAL MOTORS 13318887
 GENERAL MOTORS 22792991
 GENERAL MOTORS 23361709
 Opel 3 52 080
 Opel 3 52 561
 Opel 3 52 872
 Vauxhall 13 27 3605
 Vauxhall 13 31 8885
 Vauxhall 13 36 0020
 Vauxhall 23 35 4435

Application info

Opel Insignia A (07/08-03/17)
 Vauxhall Insigna Mk I A (07/08-05/17)

Saab 9-5 (YS3G) (01/10-01/12)

Control arm

616 050 0017

MCA0692

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number
 Required quantity
 replacement in pairs recommended

616 050 0018 | MCA0693
 1



References

GENERAL MOTORS 90445669
 GENERAL MOTORS 90576788
 Opel 3 52 197
 Vauxhall 3 52 029
 Vauxhall 53 52 007

GENERAL MOTORS 90497307
 Opel 3 52 029
 Opel 53 52 007
 Vauxhall 3 52 197

Application info

Opel Omega B (03/94-12/05)

Vauxhall Omega Mk II (12/93-07/03)

Control arm **616 050 0018** **MCA0693**

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount
 Paired article number 616 050 0017 | MCA0692
 Required quantity 1
 replacement in pairs recommended



References

GENERAL MOTORS 90445670	GENERAL MOTORS 90497308
GENERAL MOTORS 90576789	Opel 3 52 028
Opel 3 52 196	Opel 53 52 008
Vauxhall 3 52 028	Vauxhall 3 52 196
Vauxhall 53 52 008	

Application info

Opel Omega B (03/94-12/05) Vauxhall Omega Mk II (12/93-07/03)

Control arm **616 050 0019/HD** **MCA0694HD**

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount
 Paired article number 616 050 0020/HD | MCA0695HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Chevrolet 24428208
 Chevrolet 90498735
 GENERAL MOTORS 24454477
 Opel 03 52 037
 Opel 53 52 016
 Vauxhall 03 52 037
 Vauxhall 53 52 016

Chevrolet 24454477
 GENERAL MOTORS 24428208
 GENERAL MOTORS 90498735
 Opel 3 52 037
 Opel 53 52 029
 Vauxhall 3 52 037
 Vauxhall 53 52 029

Application info

Chevrolet Zafira (F75) (02/99-12/12)
 Opel Astra H / Zafira B (01/04-05/19)
 Opel Meriva B (06/10-03/17)
 Vauxhall Astra Mk V (01/04--)
 Vauxhall Meriva Mk II B (06/10--)
 Vauxhall Zafira Mk II (04/05-11/14)

Opel Astra G / Astra Classic / Zafira A (02/98-12/09)
 Opel Astra J (12/06--)
 Vauxhall Astra Mk IV (01/93-08/06)
 Vauxhall Insigna Mk I A (07/08-05/17)
 Vauxhall Zafira Mk I (11/98-08/05)

Control arm

616 050 0019

MCA0694

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount
 Paired article number 616 050 0020 | MCA0695
 Required quantity 1
 replacement in pairs recommended



References

Chevrolet 24428208
 Chevrolet 90498735
 GENERAL MOTORS 24454477
 Opel 03 52 037
 Opel 53 52 016
 Vauxhall 03 52 037
 Vauxhall 53 52 016

Chevrolet 24454477
 GENERAL MOTORS 24428208
 GENERAL MOTORS 90498735
 Opel 3 52 037
 Opel 53 52 029
 Vauxhall 3 52 037
 Vauxhall 53 52 029

Application info

Chevrolet Zafira (F75) (02/99-12/12)
 Opel Astra H / Zafira B (01/04-05/19)
 Opel Meriva B (06/10-03/17)
 Vauxhall Astra Mk V (01/04--)
 Vauxhall Meriva Mk II B (06/10--)
 Vauxhall Zafira Mk II (04/05-11/14)

Opel Astra G / Astra Classic / Zafira A (02/98-12/09)
 Opel Astra J (12/06--)
 Vauxhall Astra Mk IV (01/93-08/06)
 Vauxhall Insigna Mk I A (07/08-05/17)
 Vauxhall Zafira Mk I (11/98-08/05)

Control arm

616 050 0020

MCA0695

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 616 050 0019 | MCA0694
 Required quantity 1
 replacement in pairs recommended



References

Chevrolet 24428209
 Chevrolet 90498736
 GENERAL MOTORS 24454478
 Opel 03 52 038
 Opel 53 52 017
 Vauxhall 03 52 038
 Vauxhall 53 52 017

Chevrolet 24454478
 GENERAL MOTORS 24428209
 GENERAL MOTORS 90498736
 Opel 3 52 038
 Opel 53 52 030
 Vauxhall 3 52 038
 Vauxhall 53 52 030

Application info

Chevrolet Zafira (F75) (02/99-12/12)
 Opel Astra H / Zafira B (01/04-05/19)
 Opel Meriva B (06/10-03/17)
 Vauxhall Astra Mk V (01/04--)
 Vauxhall Meriva Mk II B (06/10--)
 Vauxhall Zafira Mk II (04/05-11/14)

Opel Astra G / Astra Classic / Zafira A (02/98-12/09)
 Opel Astra J (12/06--)
 Vauxhall Astra Mk IV (01/93-08/06)
 Vauxhall Insigna Mk I A (07/08-05/17)
 Vauxhall Zafira Mk I (11/98-08/05)

Control arm

616 050 0020/HD

MCA0695HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 616 050 0019/HD | MCA0694HD
Replace in pairs only
Required quantity 1
reinforced version



References

- Chevrolet 24428209
- Chevrolet 90498736
- GENERAL MOTORS 24454478
- Opel 03 52 038
- Opel 53 52 017
- Vauxhall 03 52 038
- Vauxhall 53 52 017
- Chevrolet 24454478
- GENERAL MOTORS 24428209
- GENERAL MOTORS 90498736
- Opel 3 52 038
- Opel 53 52 030
- Vauxhall 3 52 038
- Vauxhall 53 52 030

Application info

- Chevrolet Zafira (F75) (02/99-12/12)
- Opel Astra H / Zafira B (01/04-05/19)
- Opel Meriva B (06/10-03/17)
- Vauxhall Astra Mk V (01/04--)
- Vauxhall Meriva Mk II B (06/10--)
- Vauxhall Zafira Mk II (04/05-11/14)
- Opel Astra G / Astra Classic / Zafira A (02/98-12/09)
- Opel Astra J (12/06--)
- Vauxhall Astra Mk IV (01/93-08/06)
- Vauxhall Insigna Mk I A (07/08-05/17)
- Vauxhall Zafira Mk I (11/98-08/05)

Control arm

616 050 0021

MCA0696

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 616 050 0022 | MCA0697
Required quantity 1
replacement in pairs recommended



References

GENERAL MOTORS 13279533
 Opel 03 52 088
 Opel 53 52 027
 Vauxhall 53 52 027

GENERAL MOTORS 93388568
 Opel 3 52 088
 Vauxhall 3 52 088

Application info

Opel Meriva A (05/03-05/10)

Vauxhall Meriva Mk I A (01/03-06/10)

Control arm

616 050 0022

MCA0697

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount
 Paired article number 616 050 0021 | MCA0696
 Required quantity 1

Paired article number
 Required quantity
 replacement in pairs recommended



References

GENERAL MOTORS 13279534
 Opel 03 52 090
 Opel 53 52 028
 Vauxhall 53 52 028

GENERAL MOTORS 93388569
 Opel 3 52 090
 Vauxhall 3 52 090

Application info

Opel Meriva A (05/03-05/10)

Vauxhall Meriva Mk I A (01/03-06/10)

Control arm


616 050 0025

MCA0698

Notes

Control Arm
 Front Axle Left
 Front Axle Right
 Lower
 Steel
 with rubber mount

Required quantity
 replacement in pairs recommended



References

GENERAL MOTORS 9208987
 Opel 47 05 172
 Suzuki 45200-75F00
 Suzuki 45200-75F21
 Vauxhall 47 08 233

GENERAL MOTORS 9217259
 Opel 47 08 233
 Suzuki 45200-75F20
 Vauxhall 47 05 172

Application info


Opel Agila A (09/00-12/07)
 Suzuki Wagon R+ II (MM) (05/00--)

Suzuki Wagon R+ I (EM) (10/97-10/00)
 Vauxhall Agila Mk I (02/00-03/08)

Control arm**616 050 0026****MCA0699****Notes**

Control Arm
 Front Axle Left
 Front Axle Right
 Lower
 Steel
 with rubber mount

Length [mm] 290
 Required quantity 2
 replacement in pairs recommended

**References**

GENERAL MOTORS 9210270
 GENERAL MOTORS 9214826
 Opel 47 06 665
 Subaru 4520085E00
 Suzuki 45200-84E00
 Vauxhall 47 05 742
 Vauxhall 47 07 280

GENERAL MOTORS 9212530
 Opel 47 05 742
 Opel 47 07 280
 Suzuki 45200-83E00
 Suzuki 45200-85E00
 Vauxhall 47 06 665

Application info

Opel Agila A (09/00-12/07)
 Suzuki Ignis II (MH) (08/03--)
 Vauxhall Agila Mk I (02/00-03/08)

Subaru Justy III (G3X) (09/03--)
 Suzuki Wagon R+ II (MM) (05/00--)

Control arm

616 050 0028

MCA0700

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number

616 050 0029 | MCA0701

Required quantity

1

replacement in pairs recommended



References

Alfa Romeo 51783056

Alfa Romeo 51892273

Alfa Romeo 51895366

Alfa Romeo 55703627

Citroën 3521.S6

Citroën 3521.V5

Fiat 51783056

Fiat 51839039

Fiat 51874461

Fiat 51892273

Fiat 51895366

Fiat 55703627

GENERAL MOTORS 13426553

GENERAL MOTORS 55703231

Opel 3 52 543

Opel 53 52 038

Peugeot 16 109 421 80

Peugeot 16 180 674 80

Peugeot 3521.S6

Peugeot 3521.V5

Vauxhall 53 52 038

Application info

ABARTH Grande Punto (12/07-12/12)

ABARTH Punto III (03/12--)

Alfa Romeo Mito (08/08--)

Citroën Nemo (02/08--)

Fiat Fiorino Nuovo (225) (01/07--)

Fiat Grande Punto (06/05--)

Fiat Linea (10/06--)

Fiat Punto Evo (07/08--)

Fiat Punto III (01/12--)

Fiat Qubo (02/08--)

Opel Adam (10/12-02/19)

Opel Corsa D (07/06-08/14)

Opel Corsa E (09/14--)

Peugeot Bipper (02/08--)

Vauxhall Adam (10/12-04/19)

Vauxhall Combo Mk III (07/06--)

Vauxhall Corsa Mk III (07/06-08/14)

Vauxhall Corsa Mk IV (08/14--)

Control arm

616 050 0029

MCA0701

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 616 050 0028 | MCA0700
Required quantity 1
replacement in pairs recommended



References

- | | |
|-------------------------|-------------------------|
| Alfa Romeo 51892272 | Alfa Romeo 51895367 |
| Alfa Romeo 55703629 | Citroën 3520.W3 |
| Citroën 3520Y4 | Fiat 51783057 |
| Fiat 51839040 | Fiat 51874462 |
| Fiat 51892272 | Fiat 51895367 |
| Fiat 55703629 | GENERAL MOTORS 13426552 |
| GENERAL MOTORS 55703230 | Opel 3 52 542 |
| Opel 53 52 039 | Peugeot 16 109 420 80 |
| Peugeot 16 180 675 80 | Peugeot 3520 Y4 |
| Peugeot 3520.W3 | Vauxhall 53 52 039 |

Application info

- | | |
|-------------------------------------|---------------------------------|
| ABARTH Grande Punto (12/07-12/12) | ABARTH Punto III (03/12--) |
| Alfa Romeo Mito (08/08--) | Citroën Nemo (02/08--) |
| Fiat Fiorino Nuovo (225) (01/07--) | Fiat Grande Punto (06/05--) |
| Fiat Linea (10/06--) | Fiat Punto Evo (07/08--) |
| Fiat Punto III (01/12--) | Fiat Qubo (02/08--) |
| Opel Adam (10/12-02/19) | Opel Corsa D (07/06-08/14) |
| Opel Corsa E (09/14--) | Peugeot Bipper (02/08--) |
| Vauxhall Adam (10/12-04/19) | Vauxhall Combo Mk III (07/06--) |
| Vauxhall Corsa Mk III (07/06-08/14) | Vauxhall Corsa Mk IV (08/14--) |

DRIVER'S BEST FRIEND

MEYLE

Control arm

616 050 0031

MCA0703

Notes

Control Arm
Front Axle Right
Sheet Steel
with ball joint
with rubber mount
Paired article number 616 050 0032 | MCA0704
Required quantity 1
Thread Size M12x1,5
replacement in pairs recommended



References

- | | |
|-------------------------|-------------------------|
| Chevrolet 20946157 | Chevrolet 25995129 |
| Chevrolet 95248456 | Chevrolet 96626236 |
| Chevrolet 96810754 | Chevrolet 96819162 |
| GENERAL MOTORS 20946157 | GENERAL MOTORS 25995129 |
| GENERAL MOTORS 96626236 | GENERAL MOTORS 96819162 |
| Opel 48 02 540 | Opel 48 06 301 |
| Opel 48 12 870 | Opel 48 17 778 |
| Vauxhall 48 02 540 | Vauxhall 48 06 301 |
| Vauxhall 48 12 870 | Vauxhall 48 17 778 |

Application info

- | | |
|-------------------------------|-----------------------|
| Chevrolet Captiva I (06/06--) | Opel Antara (05/06--) |
| Vauxhall Antara (08/06--) | |

Control arm

616 050 0032

MCA0704

Notes

Control Arm
Front Axle Left
Sheet Steel
with ball joint
with rubber mount
Paired article number 616 050 0031 | MCA0703
Required quantity 1
Thread Size M12x1,75
replacement in pairs recommended



References

- | | |
|-------------------------|-------------------------|
| Chevrolet 20946158 | Chevrolet 95248455 |
| Chevrolet 96626235 | Chevrolet 96810753 |
| Chevrolet 96819161 | GENERAL MOTORS 20946158 |
| GENERAL MOTORS 25995128 | GENERAL MOTORS 96626235 |
| GENERAL MOTORS 96819161 | Opel 47 17 777 |
| Opel 48 02 541 | Opel 48 06 300 |
| Opel 48 10 831 | Opel 48 17 777 |
| Vauxhall 47 17 777 | Vauxhall 48 02 541 |
| Vauxhall 48 06 300 | Vauxhall 48 10 831 |

Application info

- | | |
|-------------------------------|-----------------------|
| Chevrolet Captiva I (06/06--) | Opel Antara (05/06--) |
| Vauxhall Antara (08/06--) | |

Control arm

616 050 0033

MCA0705

Notes

Aluminium
Control Arm
Front Axle Right
with accessories
with rubber mount

Paired article number 616 050 0034 | MCA0706

Required quantity 1

replacement in pairs recommended



References

- | | |
|-------------------------|-------------------------|
| Chevrolet 13272606 | Chevrolet 13313750 |
| GENERAL MOTORS 13321339 | GENERAL MOTORS 13334023 |
| GENERAL MOTORS 13401130 | GENERAL MOTORS 13401132 |
| GENERAL MOTORS 13463245 | Opel 03 52 115 |
| Opel 03 52 493 | Opel 3 52 115 |
| Opel 3 52 493 | Opel 3 52 531 |
| Opel 3 52 548 | Vauxhall 3 52 115 |
| Vauxhall 3 52 493 | |

Application info

- | | |
|--|----------------------------------|
| Chevrolet Cruze (J300, J305) (07/00--) | Chevrolet Cruze (J308) (08/12--) |
| Chevrolet Volt (04/11--) | Opel Ampera (11/11-03/15) |
| Opel Astra J (12/06--) | Vauxhall Ampera (03/12--) |
| Vauxhall Astra Mk VI (12/09-10/15) | |

Control arm

616 050 0034

MCA0706

Notes

Aluminium
Control Arm
Front Axle Left
with accessories
with rubber mount
Paired article number 616 050 0033 | MCA0705
Required quantity 1
replacement in pairs recommended



References

- | | |
|-------------------------|-------------------------|
| Chevrolet 13272605 | Chevrolet 13313749 |
| Chevrolet 13401131 | GENERAL MOTORS 13321338 |
| GENERAL MOTORS 13334022 | GENERAL MOTORS 13401129 |
| GENERAL MOTORS 13463244 | Opel 03 52 110 |
| Opel 03 52 492 | Opel 3 52 110 |
| Opel 3 52 492 | Opel 3 52 530 |
| Opel 3 52 547 | Vauxhall 3 52 110 |
| Vauxhall 3 52 492 | |

Application info

- | | |
|--|----------------------------------|
| Chevrolet Cruze (J300, J305) (07/00--) | Chevrolet Cruze (J308) (08/12--) |
| Chevrolet Volt (04/11--) | Opel Ampera (11/11-03/15) |
| Opel Astra J (12/06--) | Vauxhall Ampera (03/12--) |
| Vauxhall Astra Mk VI (12/09-10/15) | |

Control arm

616 050 0037

MCA1345

Notes

Control Arm
Front Axle Right
Sheet Steel
with ball joint
with rubber mount
Paired article number 616 050 0038 | MCA1346
Required quantity 1
replacement in pairs recommended



References

- | | |
|-------------------------|-------------------------|
| Chevrolet 94540669 | Chevrolet 94540670 |
| Chevrolet 95025704 | Chevrolet 95025705 |
| GENERAL MOTORS 94540669 | GENERAL MOTORS 94540670 |
| GENERAL MOTORS 95025704 | GENERAL MOTORS 95025705 |
| Opel 3 52 522 | Opel 3 52 523 |
| Opel 3 52 552 | Opel 3 52 553 |
| Opel 94540670 | Opel 95025704 |
| Vauxhall 3 52 523 | Vauxhall 3 52 552 |
| Vauxhall 94540669 | Vauxhall 94540670 |

Application info

- | | |
|----------------------------|------------------------|
| Chevrolet Trax (12/12--) | Opel Mokka A (06/12--) |
| Vauxhall Mokka A (06/12--) | |

Control arm

616 050 0038 MCA1346

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 with ball joint
 with rubber mount
 Paired article number 616 050 0037 | MCA1345
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-------------------------|-------------------------|
| Chevrolet 94540668 | Chevrolet 95025706 |
| GENERAL MOTORS 94540668 | GENERAL MOTORS 95025706 |
| Opel 3 52 524 | Opel 3 52 551 |
| Opel 94540668 | Opel 95025706 |
| Vauxhall 3 52 524 | Vauxhall 94540668 |

Application info

- | | |
|----------------------------|------------------------|
| Chevrolet Trax (12/12--) | Opel Mokka A (06/12--) |
| Vauxhall Mokka A (06/12--) | |

Control arm		616 050 0040	MCA1243
<p>Notes</p> <p>Rear Axle Right Semi-Trailing Arm Steel Upper</p> <p>Paired article number 616 050 0041 MCA1244 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Chevrolet 13318345 Opel 13219163 Opel 13318345 Opel 4 23 043 Opel 4 23 071 Saab 13 31 8345 Vauxhall 13219163 Vauxhall 13318345</p>			
<p>Application info</p> <p>Opel Insignia A (07/08-03/17) Saab 9-5 (YS3G) (01/10-01/12) Vauxhall Insigna Mk I A (07/08-05/17)</p>			
Control arm		616 050 0041	MCA1244
<p>Notes</p> <p>Rear Axle Left Semi-Trailing Arm Steel Upper outer</p> <p>Paired article number 616 050 0040 MCA1243 Required quantity 1 replacement in pairs recommended</p>		 	
<p>References</p> <p>Chevrolet 13318344 Opel 13219162 Opel 13318344 Opel 4 23 042 Opel 4 23 073 Saab 13 31 8344 Vauxhall 13219162 Vauxhall 13318344</p>			
<p>Application info</p> <p>Opel Insignia A (07/08-03/17) Saab 9-5 (YS3G) (01/10-01/12) Vauxhall Insigna Mk I A (07/08-05/17)</p>			

Control arm

616 050 0045

MCA1328

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel

Paired article number 616 050 0046 | MCA1329
Required quantity 1
replacement in pairs recommended



References

Fiat 6000618836	GENERAL MOTORS 93868600
GENERAL MOTORS 95530921	Nissan 54501-00Q1M
Opel 44 22 270	Opel 95530921
Renault 545016850R	Renault 545019956R
Vauxhall 44 22 270	Vauxhall 95 53 0921

Application info

Fiat Talento (06/16--)	Nissan NV300 (09/16--)
Nissan Primastar II (X82) (11/21--)	Opel Vivaro B (06/14--)
Renault Trafic III (05/14--)	Vauxhall Vivaro B (05/14--)

Control arm

616 050 0046

MCA1329

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel

Paired article number 616 050 0045 | MCA1328
Required quantity 1
replacement in pairs recommended



References

Fiat 6000618835	GENERAL MOTORS 93868599
GENERAL MOTORS 95530938	Nissan 54500-00Q2B
Opel 44 22 269	Opel 95530938
Renault 545002914R	Renault 545006069R
Vauxhall 44 22 269	Vauxhall 95 53 0938

Application info

Fiat Talento (06/16--)
 Nissan Primastar II (X82) (11/21--)
 Renault Trafic III (05/14--)

Nissan NV300 (09/16--)
 Opel Vivaro B (06/14--)
 Vauxhall Vivaro B (05/14--)

Control arm

616 050 0049/HD

MCA1353HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Sheet Steel

Paired article number 616 050 0050/HD | MCA1354HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

GENERAL MOTORS 39010110
 GENERAL MOTORS 39089344
 Opel 39021472
 Vauxhall 39010110
 Vauxhall 39089344

GENERAL MOTORS 39021472
 Opel 39010110
 Opel 39089344
 Vauxhall 39021472

Application info

Opel Astra K (06/15--)

Vauxhall Astra Mk VII (07/15--)

Control arm

616 050 0050/HD

MCA1354HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Sheet Steel

Paired article number 616 050 0049/HD | MCA1353HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

GENERAL MOTORS 39001026
 GENERAL MOTORS 39089345
 Opel 39021473
 Vauxhall 39 08 9345
 Vauxhall 39021473

GENERAL MOTORS 39021473
 Opel 39001026
 Opel 39089345
 Vauxhall 39001026

Application info

Opel Astra K (06/15--)

Vauxhall Astra Mk VII (07/15--)

Control arm

616 050 0070/HD

MCA1118HD

Notes

Aluminium
 Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 outer
 with rubber mount
 Paired article number
 616 050 0071/HD | MCA1119HD

Replace in pairs only
 Required quantity
 reinforced version

1



References

GENERAL MOTORS 13371817
 Opel 3 52 510
 Vauxhall 13371817

GENERAL MOTORS 13461921
 Opel 3 52 550
 Vauxhall 13461921

Application info

Opel Zafira C (Tourer) (10/11--)

Vauxhall Zafira Mk III (10/11-08/18)

Control arm		616 050 0073	MCA1295
<p>Notes</p> <p>Control Arm Front Axle Left Lower Sheet Steel</p> <p>Paired article number 616 050 0072 MCA1294 Required quantity 1 replacement in pairs recommended</p>			
<p>References</p> <p>GENERAL MOTORS 84198832 Opel 84198832 Vauxhall 84 19 8832</p>			
<p>Application info</p> <p>Opel Insignia B (03/17--) Vauxhall Insignia Mk II B (03/17--)</p>			
Control arm		616 050 0076	MCA1522
<p>Notes</p> <p>Control Arm Front Axle Right Lower Steel for left-hand drive vehicles for right-hand drive vehicles outer without ball joint</p> <p>Bore Diameter [mm] 14.1 Length [mm] 320.4 Paired article number 616 050 0077 MCA1523 Required quantity 1 Width [mm] 276.4 replacement in pairs recommended</p>			
<p>References</p> <p>Citroën 98 168 654 80 Citroën 98 463 290 80 Fiat 9831088580 Opel 36 46 247 Opel 98 168 654 80 Opel 98 463 290 80 Peugeot 98 168 654 80 Peugeot 98 463 290 80 Vauxhall 36 46 247 Vauxhall 98 168 654 80 Vauxhall 98 463 290 80</p>			

Application info

Citroën Berlingo III (06/18--)
 Citroën C4 II / DS4 (02/09--)

Citroën C5 AIRCROSS (11/18--)
 Opel Combo E (K9) (06/18--)
 Peugeot 3008 II (05/16--)
 Peugeot Rifter (09/18--)
 Vauxhall Combo Mk IV (06/18--)

Citroën C4 Grand Picasso II (01/13--)
 Citroën C4 SPACETOURER / GRAND SPACETOURER
 (04/18--)
 Fiat Doblo (510_, 511_) (06/22--)
 Opel Grandland X (75) (06/17--)
 Peugeot 5008 II (12/16--)
 Toyota Proace City (10/19--)
 Vauxhall Grandland X (75) (06/17--)

Control arm

616 050 0076/S

MCA1530

Notes

Control Arm
 Front Axle Right
 Lower
 Steel
 for left-hand drive vehicles
 for right-hand drive vehicles
 outer
 with ball joint

Bore Diameter [mm] 14.1
 Length [mm] 380.1
 Paired article number 616 050 0077/S | MCA1531
 Required quantity 1
 Thread Size M14x1,5
 Width [mm] 276.4
 replacement in pairs recommended



References

Citroën 98 034 340 80
 Citroën 98 463 290 80
 GENERAL MOTORS 9816865480
 Opel 36 46 247
 Peugeot 98 03 434 080
 Peugeot 98 463 290 80
 Vauxhall 36 46 247

Citroën 98 168 654 80
 GENERAL MOTORS 3637430
 Opel 36 37 430
 Opel 98 168 654 80
 Peugeot 98 16 865 480
 Vauxhall 36 37 430
 Vauxhall 98 168 654 80

Application info

Citroën Berlingo III (06/18--)
 Citroën C4 II / DS4 (02/09--)

Citroën C5 AIRCROSS (11/18--)
 Opel Grandland X (75) (06/17--)
 Peugeot 5008 II (12/16--)
 Vauxhall Grandland X (75) (06/17--)

Citroën C4 Grand Picasso II (01/13--)
 Citroën C4 SPACETOURER / GRAND SPACETOURER
 (04/18--)
 Opel Combo E (K9) (06/18--)
 Peugeot 3008 II (05/16--)
 Vauxhall Combo Mk IV (06/18--)

Control arm

616 050 0077

MCA1523

Notes

Control Arm
 Front Axle Left
 Lower
 Steel
 for left-hand drive vehicles
 for right-hand drive vehicles
 outer
 without ball joint



Bore Diameter [mm] 14.1
 Length [mm] 320.4
 Paired article number 616 050 0076 | MCA1522
 Required quantity 1
 Width [mm] 276.4
 replacement in pairs recommended

References

Citroën 98 168 655 80
 Fiat 9846329580
 Opel 98 168 655 80
 Peugeot 98 16 865 580
 Vauxhall 36 46 272
 Vauxhall 98 463 295 80

Citroën 98 463 295 80
 Opel 36 46 272
 Opel 98 463 295 80
 Peugeot 98 463 295 80
 Vauxhall 98 168 655 80

Application info

Citroën Berlingo III (06/18--)
 Citroën C4 II / DS4 (02/09--)

Citroën C5 AIRCROSS (11/18--)
 Opel Combo E (K9) (06/18--)
 Peugeot 3008 II (05/16--)
 Peugeot Rifter (09/18--)
 Vauxhall Combo Mk IV (06/18--)

Citroën C4 Grand Picasso II (01/13--)
 Citroën C4 SPACETOURER / GRAND SPACETOURER
 (04/18--)
 Fiat Doblo (510_, 511_) (06/22--)
 Opel Grandland X (75) (06/17--)
 Peugeot 5008 II (12/16--)
 Toyota Proace City (10/19--)
 Vauxhall Grandland X (75) (06/17--)

Control arm

616 050 0077/S

MCA1531

Notes

Control Arm
 Front Axle Left
 Lower
 Steel
 for left-hand drive vehicles
 for right-hand drive vehicles
 outer
 with ball joint

Length [mm]

380.1

Paired article number

616 050 0076/S | MCA1530

Required quantity

1

Thread Size

M14x1,5

Width [mm]

276.4

replacement in pairs recommended



References

Citroën 98 034 340 80

Citroën 98 463 295 80

GENERAL MOTORS 9816865580

Opel 36 46 272

Peugeot 98 03 434 080

Peugeot 98 463 295 80

Vauxhall 36 46 272

Citroën 98 168 655 80

GENERAL MOTORS 3637430

Opel 36 37 430

Opel 98 168 655 80

Peugeot 98 16 865 580

Vauxhall 36 37 430

Vauxhall 98 168 655 80

Application info

Citroën Berlingo III (06/18--)

Citroën C4 II / DS4 (02/09--)

Citroën C5 AIRCROSS (11/18--)

Opel Grandland X (75) (06/17--)

Peugeot 5008 II (12/16--)

Vauxhall Grandland X (75) (06/17--)

Citroën C4 Grand Picasso II (01/13--)

Citroën C4 SPACETOURER / GRAND SPACETOURER
(04/18--)

Opel Combo E (K9) (06/18--)

Peugeot 3008 II (05/16--)

Vauxhall Combo Mk IV (06/18--)

Control arm		616 050 0210	MCA0707
<p>Notes</p> <p>Control Arm Front Axle Left Lower Sheet Steel with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>GENERAL MOTORS 90496039 Vauxhall 53 52 005</p>		<p>Opel 53 52 005</p>	
<p>Application info</p> <p>Opel Vectra B (09/95-07/04)</p>		<p>Vauxhall Vectra Mk I (08/95-07/03)</p>	
Control arm		616 050 0211	MCA0708
<p>Notes</p> <p>Control Arm Front Axle Right Lower Sheet Steel for vehicles without xenon light with ball joint with rubber mount</p> <p>Paired article number Required quantity replacement in pairs recommended</p>		 	
<p>References</p> <p>GENERAL MOTORS 90496040 Opel 03 52 030 Opel 53 52 004 Vauxhall 3 52 030</p>		<p>GENERAL MOTORS 9228477 Opel 3 52 030 Vauxhall 03 52 030 Vauxhall 53 52 004</p>	
<p>Application info</p> <p>Opel Vectra B (09/95-07/04)</p>		<p>Vauxhall Vectra Mk I (08/95-07/03)</p>	

Control arm		70-16 050 0010/HD	MCA1560HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Right Upper</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		 <p>MEYLE HD PRODUCT</p>	
<p>References</p> <p>TESLA 1044326-00-F TESLA 1044326-00-H TESLA 1288326-00-A</p>		<p>TESLA 1044326-00-G TESLA 1044326-00-J</p>	
<p>Application info</p> <p>TESLA Model 3 (01/17--)</p>		<p>TESLA Model Y (03/19--)</p>	
Control arm		70-16 050 0012	MCA1598
<p>Notes</p> <p>Centre Control Arm Rear Axle Left Rear Axle Right Steel Upper</p> <p>Bore Diameter [mm] Length [mm] Required quantity replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL PRODUCT</p>	
<p>References</p> <p>TESLA 1044423-00-G TESLA 1188423-00-A</p>		<p>TESLA 1044423-00-H</p>	
<p>Application info</p> <p>TESLA Model 3 (01/17--)</p>		<p>TESLA Model Y (03/19--)</p>	

Control arm

716 050 0007

MCA0713

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Length [mm]

332

Paired article number

716 050 0008 | MCA0714

Required quantity

1

replacement in pairs recommended



References

Ford 1 073 214

Ford 1 090 730

Ford 1 138 160

Ford 1 207 973

Ford 1 212 809

Ford 1 344 966

Ford 2M51-3042-BA

Ford 2M51-3042-BC

Ford 2M51-3042-BD

Ford 2M51-3042-BE

Ford 98AG-3042-AJ

Ford 98AG-3042-AK

Application info

Ford Focus I (08/98-11/09)

Control arm

716 050 0008

MCA0714

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Length [mm]

332

Paired article number

716 050 0007 | MCA0713

Required quantity

1

replacement in pairs recommended



References

- | | |
|-------------------|-------------------|
| Ford 1 073 215 | Ford 1 090 738 |
| Ford 1 138 161 | Ford 1 207 974 |
| Ford 1 212 810 | Ford 1 344 968 |
| Ford 2M51-3051-BA | Ford 2M51-3051-BC |
| Ford 2M51-3051-BD | Ford 2M51-3051-BE |
| Ford 98AG-3051-AJ | Ford 98AG-3051-AK |

Application info

Ford Focus I (08/98-11/09)

Control arm

716 050 0009

MCA0715

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount
 Cone Size [mm] 18
 Length [mm] 296.6
 Paired article number 716 050 0010 | MCA0716
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-------------------|---------------------|
| Ford 1 023 026 | Ford 1 030 277 |
| Ford 1 043 159 | Ford 1 102 948 |
| Ford 1 141 293 | Ford 1 710 790 |
| Ford 6 790 117 | Ford 6 870 550 |
| Ford 6 954 470 | Ford 93BB-3042-BA |
| Ford 93BB-3042-BB | Ford 93BB-3042-BC |
| Ford 95BG-3042-AA | Ford 97BG-3042-AA |
| Ford 97BG-3042-CA | Ford ME93BB-3042-AA |
| Ford YS71-3042-AA | Ford YS71-3042-AB |

Application info

Ford Mondeo I, II (01/93-09/00)

Control arm

716 050 0010

MCA0716

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Cone Size [mm] 18
Length [mm] 296.6
Paired article number 716 050 0009 | MCA0715
Required quantity 1
replacement in pairs recommended



References

Ford 1 030 278	Ford 1 043 158
Ford 1 102 949	Ford 1 141 294
Ford 1 710 794	Ford 6 870 551
Ford 6 954 471	Ford 93BB-3051-BB
Ford 93BB-3051-BC	Ford 97BG3051AA
Ford 97BG3051CA	Ford ME93BB-3051-AA
Ford YS71-3051-AA	Ford YS71-3051-AB

Application info

Ford Mondeo I, II (01/93-09/00)

Control arm

716 050 0015

MCA1002

Notes

Control Arm
Front Axle Left
Sheet Steel
with ball joint
with rubber mount

Paired article number 716 050 0016 | MCA1003
Required quantity 1
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Ford 1 702 983 | Ford 1 709 466 |
| Ford 1 742 266 | Ford 1 857 346 |
| Ford 1 865 175 | Ford 1 865 176 |
| Ford 1 866 073 | Ford 2 173 541 |
| Ford 2 176 249 | Ford AV61-3A424-LB |
| Ford AV61-3A424-LC | Ford BV61-3A424-AAB |
| Ford BV61-3A424-AAC | Ford BV61-3A424-AAD |
| Ford BV61-3A424-BAB | Ford BV61-3A424-BAC |
| Ford F1F1-3A424-AAA | Ford F1F1-3A424-AAB |

Application info

- | | |
|-------------------------|--------------------------|
| Ford C-Max II (04/10--) | Ford Focus III (07/10--) |
|-------------------------|--------------------------|

Control arm

716 050 0015/HD

MCA1002HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Sheet Steel
with ball joint
with rubber mount

Paired article number
Replace in pairs only
Required quantity
reinforced version

1



References

- | | |
|---------------------|---------------------|
| Ford 1 702 983 | Ford 1 709 466 |
| Ford 1 742 266 | Ford 1 857 346 |
| Ford 1 865 175 | Ford 1 865 176 |
| Ford 1 866 073 | Ford 2 173 541 |
| Ford 2 176 249 | Ford AV61-3A424-LB |
| Ford AV61-3A424-LC | Ford BV61-3A424-AAB |
| Ford BV61-3A424-AAC | Ford BV61-3A424-AAD |
| Ford BV61-3A424-BAB | Ford BV61-3A424-BAC |
| Ford F1F1-3A424-AAA | Ford F1F1-3A424-AAB |

Application info

- | | |
|-------------------------|--------------------------|
| Ford C-Max II (04/10--) | Ford Focus III (07/10--) |
|-------------------------|--------------------------|

Control arm

716 050 0015/S

MCA1101

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 with ball joint
 with fastening material
 with rubber mount

Paired article number 716 050 0016/S | MCA1102
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Ford 1 702 983 | Ford 1 709 466 |
| Ford 1 742 266 | Ford 1 857 346 |
| Ford 1 865 175 | Ford 1 865 176 |
| Ford 1 866 073 | Ford 2 173 541 |
| Ford 2 176 249 | Ford AV61-3A424-LB |
| Ford AV61-3A424-LC | Ford BV61-3A424-AAB |
| Ford BV61-3A424-AAC | Ford BV61-3A424-AAD |
| Ford BV61-3A424-BAB | Ford BV61-3A424-BAC |
| Ford F1F1-3A424-AAA | Ford F1F1-3A424-AAB |

Application info

Ford C-Max II (04/10--)

Ford Focus III (07/10--)

Control arm

716 050 0016

MCA1003

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 716 050 0015 | MCA1002
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Ford 1 702 970 | Ford 1 709 457 |
| Ford 1 742 265 | Ford 1 857 345 |
| Ford 1 865 168 | Ford 1 865 173 |
| Ford 1 866 068 | Ford 2 172 992 |
| Ford 2 173 539 | Ford AV61-3A423-LB |
| Ford AV61-3A423-LC | Ford BV61-3A423-AAB |
| Ford BV61-3A423-AAC | Ford BV61-3A423-AAD |
| Ford BV61-3A423-BAB | Ford BV61-3A423-BAC |
| Ford F1F1-3A423-AAA | Ford F1F1-3A423-AAB |

Application info

- | | |
|-------------------------|--------------------------|
| Ford C-Max II (04/10--) | Ford Focus III (07/10--) |
|-------------------------|--------------------------|

Control arm

716 050 0016/HD

MCA1003HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Sheet Steel
with ball joint
with rubber mount

Paired article number
Replace in pairs only
Required quantity
reinforced version

716 050 0015/HD | MCA1002HD

1



References

- | | |
|---------------------|---------------------|
| Ford 1 702 970 | Ford 1 709 457 |
| Ford 1 742 265 | Ford 1 857 345 |
| Ford 1 865 168 | Ford 1 865 173 |
| Ford 1 866 068 | Ford 2 172 992 |
| Ford 2 173 539 | Ford AV61-3A423-LB |
| Ford AV61-3A423-LC | Ford BV61-3A423-AAB |
| Ford BV61-3A423-AAC | Ford BV61-3A423-AAD |
| Ford BV61-3A423-BAB | Ford BV61-3A423-BAC |
| Ford F1F1-3A423-AAA | Ford F1F1-3A423-AAB |

Application info

- | | |
|-------------------------|--------------------------|
| Ford C-Max II (04/10--) | Ford Focus III (07/10--) |
|-------------------------|--------------------------|

Control arm

716 050 0016/S

MCA1102

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 with ball joint
 with fastening material
 with rubber mount

Paired article number 716 050 0015/S | MCA1101
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Ford 1 702 970 | Ford 1 709 457 |
| Ford 1 742 265 | Ford 1 857 345 |
| Ford 1 865 168 | Ford 1 865 173 |
| Ford 1 866 068 | Ford 2 172 992 |
| Ford 2 173 539 | Ford AV61-3A423-LB |
| Ford AV61-3A423-LC | Ford BV61-3A423-AAB |
| Ford BV61-3A423-AAC | Ford BV61-3A423-AAD |
| Ford BV61-3A423-BAB | Ford BV61-3A423-BAC |
| Ford F1F1-3A423-AAA | Ford F1F1-3A423-AAB |

Application info

Ford C-Max II (04/10--)

Ford Focus III (07/10--)

Control arm

716 050 0019

MCA0719

Notes

Front
 Lower
 Rear Axle Left
 Rear Axle Right
 Semi-Trailing Arm
 Sheet Steel
 with rubber mount

Length [mm] 195
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Ford 1 377 449 | Ford 1 381 443 |
| Ford 1 387 628 | Ford 1 426 770 |
| Ford 6G91-5K743-XAA | Ford 6G91-5K743-XAB |
| Ford 6G91-5K743-XAC | Ford 6G91-5K743-XAD |
| Volvo 30736864 | Volvo 30760069 |
| Volvo 31262127 | Volvo 31262930 |
| Volvo 31262931 | |

Application info

- | | |
|------------------------------|------------------------------|
| Ford Galaxy II (05/06-06/15) | Ford Mondeo IV (03/07-01/15) |
| Ford S-Max I (05/06-12/14) | Volvo S60 II / V60 (04/10--) |
| Volvo S80 II (03/06-12/16) | Volvo V70 III (04/07--) |
| Volvo XC70 II (04/07-12/16) | |

Control arm

716 050 0021

MCA0720

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with rubber mount
 Paired article number 716 050 0022 | MCA0721
 Required quantity 1

Paired article number
 Required quantity
 replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Ford 1 438 315 | Ford 1 438 316 |
| Ford 1 495 666 | Ford 1 553 246 |
| Ford 1 735 889 | Ford 4 042 022 |
| Ford 4 372 130 | Ford 4 540 774 |
| Ford 6C11-3A052-EA | Ford 6C11-3A052-EB |
| Ford 6C11-3A052-FA | Ford 6C11-3A052-FB |
| Ford 6C11-3A052-FC | Ford YC15-3A052-AH |
| Ford YC15-3A052-AL | Ford YC15-3A052-AM |

Application info

- | | |
|--------------------------------|--------------------------------|
| Ford Transit '00 (01/00-05/06) | Ford Transit '06 (04/06-12/14) |
|--------------------------------|--------------------------------|

Control arm	716 050 0022	MCA0721
--------------------	---------------------	----------------

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with rubber mount

Paired article number 716 050 0021 | MCA0720
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Ford 1 438 318 | Ford 1 438 350 |
| Ford 1 495 667 | Ford 1 553 251 |
| Ford 1 735 890 | Ford 4 042 023 |
| Ford 4 140 394 | Ford 4 164 521 |
| Ford 4 372 131 | Ford 4 540 775 |
| Ford 6C11-3A053-EA | Ford 6C11-3A053-EB |
| Ford 6C11-3A053-FA | Ford 6C11-3A053-FB |
| Ford 6C11-3A053-FC | Ford YC15-3A053-AH |
| Ford YC15-3A053-AJ | Ford YC15-3A053-AK |
| Ford YC15-3A053-AL | Ford YC15-3A053-AM |

Application info

Ford Transit '00 (01/00-05/06) Ford Transit '06 (04/06-12/14)

Control arm	716 050 0027	MCA0722
--------------------	---------------------	----------------

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 716 050 0028 | MCA0723
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-------------------|-------------------|
| Ford 1 146 130 | Ford 1 207 447 |
| Ford 1 212 807 | Ford 1 214 911 |
| Ford 1 436 097 | Ford 1 436 169 |
| Ford 1 706 970 | Ford 2N11-3042-AE |
| Ford 2N11-3042-AH | Ford 2S61-3042-AD |
| Ford 2S61-3042-AH | Ford 2S61-3042-AJ |
| Ford 2S61-3042-AK | Ford 2S61-3042-DA |
| Mazda DD32-34-300 | |

Application info

- | | |
|--------------------------------------|----------------------------|
| Ford Fiesta V / Fusion (11/01-12/14) | Mazda 2 (DY) (02/03-06/07) |
|--------------------------------------|----------------------------|

Control arm

716 050 0028 MCA0723

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 716 050 0027 | MCA0722
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-------------------|-------------------|
| Ford 1 146 131 | Ford 1 207 448 |
| Ford 1 211 757 | Ford 1 212 808 |
| Ford 1 214 912 | Ford 1 436 095 |
| Ford 1 436 170 | Ford 1 706 971 |
| Ford 2N11-3051-AE | Ford 2N11-3051-AG |
| Ford 2N11-3051-AH | Ford 2S61-3051-AD |
| Ford 2S61-3051-AH | Ford 2S61-3051-AJ |
| Ford 2S61-3051-AK | Ford 2S61-3051-DA |
| Mazda DD32-34-350 | |

Application info

- | | |
|--------------------------------------|----------------------------|
| Ford Fiesta V / Fusion (11/01-12/14) | Mazda 2 (DY) (02/03-06/07) |
|--------------------------------------|----------------------------|

Control arm

716 050 0029

MCA0724

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with rubber mount
 Paired article number 716 050 0030 | MCA0725
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-------------------|-------------------|
| Ford 1 332 454 | Ford 1 355 048 |
| Ford 2 320 446 | Ford 2T14-3042-BF |
| Ford 2T14-3042-BH | Ford 2T14-3042-BJ |
| Ford 4 366 973 | Ford 4 539 871 |
| Ford 4T16-3042-AA | Ford 4T16-3042-AB |

Application info

- | | |
|--------------------------------|----------------------------|
| Ford Tourneo '02 (06/02-12/13) | Ford Transit '02 (06/02--) |
|--------------------------------|----------------------------|

Control arm

716 050 0030

MCA0725

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with rubber mount
 Paired article number 716 050 0029 | MCA0724
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-------------------|-------------------|
| Ford 1 332 455 | Ford 1 355 050 |
| Ford 2 320 448 | Ford 2T14-3051-BF |
| Ford 2T14-3051-BH | Ford 4 366 974 |
| Ford 4T16-3051-AA | Ford 4T16-3051-AB |

Application info

- | | |
|--------------------------------|----------------------------|
| Ford Tourneo '02 (06/02-12/13) | Ford Transit '02 (06/02--) |
|--------------------------------|----------------------------|

Control arm

716 050 0031/HD

MCA0726HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Sheet Steel
with ball joint
with rubber mount

Cone Size [mm]

21

Paired article number

716 050 0032/HD | MCA0727HD

Replace in pairs only

Required quantity

1

Thread Size

M14x1,5

reinforced version



References

Ford 1 420 858

Ford 1 425 976

Ford 1 488 111

Ford 1 488 115

Ford 1 570 285

Ford 1 570 312

Ford 4M51-3A424-AD

Ford 4M51-3A424-AE

Ford 4M51-3A424-AF

Ford 6M5Y-3A424-AA

Ford 6M5Y-3A424-AB

Ford 6M5Y-3A424-AC

Ford (Chanagan) 4M51-3A424-AD

Ford (Chanagan) 4M51-3A424-AE

Ford (Chanagan) 4M51-3A424-AF

Volvo 30760280

Volvo 31201181

Volvo 31262039

Volvo 31277463

Volvo 31290278

Application info

Ford C-Max I (02/07-09/10)

Ford Focus II (10/03--)

Volvo C30 (09/06-12/13)

Volvo C70 II (03/06-12/13)

Volvo S40 II / V50 (12/03-12/12)

Control arm

716 050 0032/HD

MCA0727HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Sheet Steel
with ball joint
with rubber mount

Cone Size [mm] 21
Paired article number 716 050 0031/HD | MCA0726HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
reinforced version



References

- | | |
|-------------------------------|-------------------------------|
| Ford 1 420 795 | Ford 1 425 974 |
| Ford 1 488 110 | Ford 1 488 114 |
| Ford 1 570 284 | Ford 1 570 287 |
| Ford 4M51-3A423-AD | Ford 4M51-3A423-AE |
| Ford 4M51-3A423-AF | Ford 6M5Y-3A423-AA |
| Ford 6M5Y-3A423-AB | Ford 6M5Y-3A423-AC |
| Ford (Chanagan) 4M51-3A423-AD | Ford (Chanagan) 4M51-3A423-AE |
| Ford (Chanagan) 4M51-3A423-AF | Volvo 30760279 |
| Volvo 31201180 | Volvo 31262037 |
| Volvo 31277462 | Volvo 31290279 |

Application info

- | | |
|----------------------------------|----------------------------|
| Ford C-Max I (02/07-09/10) | Ford Focus II (10/03--) |
| Volvo C30 (09/06-12/13) | Volvo C70 II (03/06-12/13) |
| Volvo S40 II / V50 (12/03-12/12) | |

Control arm

716 050 0033

MCA0728

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 716 050 0034 | MCA0729
Required quantity 1
replacement in pairs recommended



References

Ford 1 377 848	Ford 1 385 594
Ford 1 403 410	Ford 1 419 815
Ford 1 426 876	Ford 1 435 747
Ford 1 460 693	Ford 1 466 188
Ford 1 469 026	Ford 1 507 182
Ford 6G9N-3A053-DG	Ford 6G9N-3A053-DH
Ford 7G9N-3A053-BA	Ford 7G9N-3A053-BB
Ford (Chanagan) 7G9N-3A053-BA	Ford (Chanagan) 7G9N-3A053-BB
Volvo 31200563	Volvo 31212782
Volvo 31277343	Volvo 31317661

Application info

Ford Galaxy II (05/06-06/15)	Ford Mondeo IV (03/07-01/15)
Ford S-Max I (05/06-12/14)	Volvo S60 II / V60 (04/10--)
Volvo S80 II (03/06-12/16)	Volvo V70 III (04/07--)

Control arm

716 050 0033/HD

MCA0728HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Article number of recommended accessory	514 654 0002
Paired article number	716 050 0034/HD MCA0729HD
Replace in pairs only	
Required quantity	1
reinforced version	



References

- | | |
|-------------------------------|-------------------------------|
| Ford 1 377 848 | Ford 1 385 594 |
| Ford 1 403 410 | Ford 1 419 815 |
| Ford 1 426 876 | Ford 1 435 747 |
| Ford 1 460 693 | Ford 1 466 188 |
| Ford 1 469 026 | Ford 1 507 182 |
| Ford 6G9N-3A053-DA | Ford 6G9N-3A053-DB |
| Ford 6G9N-3A053-DC | Ford 6G9N-3A053-DD |
| Ford 6G9N-3A053-DE | Ford 6G9N-3A053-DF |
| Ford 6G9N-3A053-DG | Ford 6G9N-3A053-DH |
| Ford 7G9N-3A053-BA | Ford 7G9N-3A053-BB |
| Ford (Chanagan) 7G9N-3A053-BA | Ford (Chanagan) 7G9N-3A053-BB |
| Volvo 31200776 | Volvo 31212782 |
| Volvo 31277343 | Volvo 31317661 |

Application info

- | | |
|------------------------------|------------------------------|
| Ford Galaxy II (05/06-06/15) | Ford Mondeo IV (03/07-01/15) |
| Ford S-Max I (05/06-12/14) | Volvo S60 II / V60 (04/10--) |
| Volvo S80 II (03/06-12/16) | Volvo V70 III (04/07--) |

Control arm

716 050 0034

MCA0729

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 716 050 0033 | MCA0728
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| Ford 1 377 846 | Ford 1 385 593 |
| Ford 1 403 408 | Ford 1 419 814 |
| Ford 1 426 875 | Ford 1 435 745 |
| Ford 1 458 773 | Ford 1 466 186 |
| Ford 1 469 024 | Ford 1 507 181 |
| Ford 6G9N-3A052-DG | Ford 6G9N-3A052-DH |
| Ford 7G9N-3A052-BA | Ford 7G9N-3A052-BB |
| Ford (Chanagan) 7G9N-3A052-BA | Ford (Chanagan) 7G9N-3A052-BB |
| Volvo 31200775 | Volvo 31212781 |
| Volvo 31277344 | Volvo 31317662 |

Application info

Ford Galaxy II (05/06-06/15)
 Ford S-Max I (05/06-12/14)
 Volvo S80 II (03/06-12/16)

Ford Mondeo IV (03/07-01/15)
 Volvo S60 II / V60 (04/10--)
 Volvo V70 III (04/07--)

Control arm

716 050 0034/HD

MCA0729HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount



Article number of recommended accessories 514 654 0002
 Paired article number 716 050 0033/HD | MCA0728HD
 Replace in pairs only
 Required quantity 1
 reinforced version

References

- | | |
|-------------------------------|-------------------------------|
| Ford 1 377 846 | Ford 1 385 593 |
| Ford 1 403 408 | Ford 1 419 814 |
| Ford 1 426 875 | Ford 1 435 745 |
| Ford 1 458 773 | Ford 1 466 186 |
| Ford 1 469 024 | Ford 1 507 181 |
| Ford 6G9N-3A052-DA | Ford 6G9N-3A052-DB |
| Ford 6G9N-3A052-DC | Ford 6G9N-3A052-DD |
| Ford 6G9N-3A052-DE | Ford 6G9N-3A052-DF |
| Ford 6G9N-3A052-DG | Ford 6G9N-3A052-DH |
| Ford 7G9N-3A052-BA | Ford 7G9N-3A052-BB |
| Ford (Chanagan) 7G9N-3A052-BA | Ford (Chanagan) 7G9N-3A052-BB |
| Volvo 31200775 | Volvo 31212781 |
| Volvo 31277344 | Volvo 31317662 |

Application info

Ford Galaxy II (05/06-06/15)
 Ford S-Max I (05/06-12/14)
 Volvo S80 II (03/06-12/16)

Ford Mondeo IV (03/07-01/15)
 Volvo S60 II / V60 (04/10--)
 Volvo V70 III (04/07--)

Control arm

716 050 0035/HD

MCA0730HD

Notes

Carbon Neutral
Control Arm
Front Axle Right
Lower
Sheet Steel
with ball joint
with rubber mount

Paired article number 716 050 0036/HD | MCA0731HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
reinforced version



References

Ford 1 234 371	Ford 1 254 310
Ford 1 305 341	Ford 1 309 148
Ford 1 309 644	Ford 1 328 380
Ford 1 328 670	Ford 1 332 074
Ford 1 348 191	Ford 1 355 149
Ford 1 362 650	Ford 1 477 858
Ford 1 477 864	Ford 1 570 677
Ford 1 570 750	Ford 3M51-3A423-AB
Ford 3M51-3A423-AC	Ford 3M51-3A423-AD
Ford 3M51-3A423-AE	Ford 3M51-3A423-AF
Ford 3M51-3A423-AG	Ford 3M51-3A423-AH
Ford 3M51-3A423-AJ	Ford 4M51-3A423-AA
Ford 4M51-3A423-AB	Ford 4M51-3A423-AC
Ford 4M51-3A423-BA	Ford 4M51-3A423-BB
Ford 6M5Y-3A423-BA	Ford 6M5Y-3A423-BB
Ford (Chanagan) 4M51-3A423-AC	Volvo 30647736
Volvo 30647877	Volvo 30666840
Volvo 30678439	Volvo 30683339
Volvo 30714127	Volvo 30714423
Volvo 30730830	Volvo 30736955
Volvo 30748230	Volvo 31212980
Volvo 31277465	

Application info

Ford Focus II (10/03--)	Volvo C30 (09/06-12/13)
Volvo C70 II (03/06-12/13)	Volvo S40 II / V50 (12/03-12/12)

Control arm

716 050 0036/HD

MCA0731HD

Notes

Carbon Neutral
Control Arm
Front Axle Left
Lower
Sheet Steel
with ball joint
with rubber mount

Cone Size [mm]

18

Paired article number

716 050 0035/HD | MCA0730HD

Replace in pairs only

Required quantity

1

Thread Size

M14x1,5

reinforced version



References

Ford 1 234 375

Ford 1 254 311

Ford 1 305 342

Ford 1 309 149

Ford 1 309 645

Ford 1 328 381

Ford 1 328 671

Ford 1 332 075

Ford 1 348 192

Ford 1 355 151

Ford 1 362 651

Ford 1 477 860

Ford 1 477 865

Ford 1 570 312

Ford 1 570 678

Ford 1 570 748

Ford 3M51-3A424-AB

Ford 3M51-3A424-AD

Ford 3M51-3A424-AE

Ford 3M51-3A424-AF

Ford 3M51-3A424-AG

Ford 3M51-3A424-AH

Ford 3M51-3A424-AJ

Ford 3M51-3a424-ac

Ford 4M51-3A424-AA

Ford 4M51-3A424-AB

Ford 4M51-3A424-AC

Ford 4M51-3A424-BA

Ford 4M51-3A424-BB

Ford 6M5Y-3A424-AC

Ford 6M5Y-3A424-BA

Ford 6M5Y-3A424-BB

Ford (Chanagan) 4M51-3A424-AC

Volvo 30647737

Volvo 30647876

Volvo 30678438

Volvo 30683340

Volvo 30714126

Volvo 30714422

Volvo 30730829

Volvo 30748231

Volvo 31212979

Volvo 31277464

Application info

Ford Focus II (10/03--)

Volvo C30 (09/06-12/13)

Volvo C70 II (03/06-12/13)

Volvo S40 II / V50 (12/03-12/12)

Control arm **716 050 0041** **MCA0732**

Notes

Control Arm
 Lower
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 for left-hand drive vehicles
 for right-hand drive vehicles
 with accessories
 with rubber mount

Bore Diameter [mm] 12
 Length [mm] 491
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Ford 1 306 767 | Ford 1 321 004 |
| Ford 1 333 283 | Ford 1 349 910 |
| Ford 1 352 302 | Ford 1 357 317 |
| Ford 1 909 108 | Ford 3M51-5K652-GB |
| Ford 3M51-5K652-GD | Ford 4M51-5K652-AA |
| Ford 4M51-5K652-AB | Ford 4M51-5K652-AC |
| Ford 4M51-5K652-AD | Ford 4M51-5K652-AF |

Application info

- | | |
|----------------------------|----------------------------|
| Ford C-Max I (02/07-09/10) | Ford Focus I (08/98-11/09) |
| Ford Focus II (10/03--) | |

Control arm **716 050 0043** **MCA0733**

Notes

Control Arm
 Front Axle Left
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 716 050 0044 | MCA0734
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-------------------|-------------------|
| Ford 1 521 773 | Ford 1 532 433 |
| Ford 1 540 725 | Ford 1 700 810 |
| Ford 1 708 226 | Ford 1 712 697 |
| Ford 1 737 305 | Ford 8V51-3051-BB |
| Ford 8V51-3051-BC | Ford 8V51-3051-BD |
| Ford 8V51-3051-BE | Ford 8V51-3051-BF |
| Ford 8V51-3051-BG | Ford 8V51-3051-BH |

Application info

Ford Fiesta VI (06/08--)

Control arm

716 050 0044

MCA0734

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number 716 050 0043 | MCA0733
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-------------------|-------------------|
| Ford 1 518 904 | Ford 1 520 778 |
| Ford 1 532 421 | Ford 1 540 724 |
| Ford 1 700 809 | Ford 1 708 222 |
| Ford 1 712 696 | Ford 1 737 309 |
| Ford 8V51-3042-BA | Ford 8V51-3042-BB |
| Ford 8V51-3042-BC | Ford 8V51-3042-BD |
| Ford 8V51-3042-BE | Ford 8V51-3042-BF |
| Ford 8V51-3042-BG | Ford 8V51-3042-BH |

Application info

Ford Fiesta VI (06/08--)

Control arm **716 050 0046** **MCA0735**

Notes

Aluminium
Control Arm
Front Axle Left
with ball joint
with rubber mount
Paired article number 716 050 0047 | MCA0736
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

Volvo 31262475 Volvo 31340128
Volvo 31429321

Application info

Volvo S60 II / V60 (04/10--)
Volvo V70 III (04/07--)

Volvo S80 II (03/06-12/16)

Control arm **716 050 0046/HD** **MCA0735HD**

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
with ball joint
with rubber mount
Paired article number 716 050 0047/HD | MCA0736HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
reinforced version



References

Volvo 31262475 Volvo 31340128
Volvo 31429321

Application info

Volvo S60 II / V60 (04/10--)
Volvo V70 III (04/07--)

Volvo S80 II (03/06-12/16)

Control arm

716 050 0047

MCA0736

Notes

Aluminium
Control Arm
Front Axle Right
with ball joint
with rubber mount
Paired article number 716 050 0046 | MCA0735
Required quantity 1
Thread Size M14x1,5
replacement in pairs recommended



References

Volvo 31262473 Volvo 31340127
Volvo 31429320

Application info

Volvo S60 II / V60 (04/10--)
Volvo V70 III (04/07--)

Volvo S80 II (03/06-12/16)

Control arm

716 050 0047/HD

MCA0736HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
with ball joint
with rubber mount
Paired article number 716 050 0046/HD | MCA0735HD
Replace in pairs only
Required quantity 1
Thread Size M14x1,5
reinforced version



References

Volvo 31262473 Volvo 31340127
Volvo 31429320

Application info

Volvo S60 II / V60 (04/10--)
Volvo V70 III (04/07--)

Volvo S80 II (03/06-12/16)

Control arm

716 050 0048

MCA1357

Notes

Control Arm
Front Axle Right
Lower
Sheet Steel
outer

Paired article number 716 050 0049 | MCA1358
Required quantity 1
replacement in pairs recommended



References

Ford 2 084 192	Ford 2 112 616
Ford 2 201 370	Ford 2 337 423
Ford H1BC-3042-AA	Ford H1BC-3042-AD
Ford H1BC-3042-AE	Ford H1BC-3042-AF

Application info

Ford Fiesta VII (05/17--)

Control arm

716 050 0049

MCA1358

Notes

Control Arm
Front Axle Left
Lower
Sheet Steel
outer

Paired article number 716 050 0048 | MCA1357
Required quantity 1
replacement in pairs recommended



References

Ford 2 084 194	Ford 2 112 614
Ford 2 201 372	Ford 2 337 412
Ford H1BC-3051-AA	Ford H1BC-3051-AD
Ford H1BC-3051-AE	Ford H1BC-3051-AF

Application info

Ford Fiesta VII (05/17--)

Control arm **716 050 0051** **MCA0738**

Notes

Rear Axle Left
 Rear Axle Right
 Semi-Trailing Arm
 Sheet Steel
 with rubber mount

Required quantity
 replacement in pairs recommended

2



References

Ford 1 122 566

Ford 1 214 290

Ford 1S71-5K652-BC

Ford 1S71-5K652-CA

Jaguar C2S 24713

Application info

Ford Mondeo III (10/00-09/07)

Jaguar X-Type (03/01-12/09)

Control arm **716 050 0052/HD** **MCA0739HD**

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Sheet Steel
 with ball joint
 with rubber mount

Paired article number

716 050 0053/HD | MCA0740HD

Replace in pairs only

Required quantity

1

reinforced version



References

Ford 1 502 087

Ford 1 723 324

Ford 8V41-3A424-AB

Ford 8V41-3A424-AC

Application info

Ford Kuga I (02/08-11/12)

Application info

Ford Tourneo '12 (04/12--)
 Ford Transit Custom '12 (04/12--)

Ford Transit '14 (08/13--)

Control arm

716 050 0058/HD

MCA1185HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 without ball joint
 Paired article number
 Replace in pairs only
 Required quantity
 reinforced version

1

716 050 0057/HD | MCA1184HD



References

- | | |
|--------------------|--------------------|
| Ford 1 763 701 | Ford 1 764 289 |
| Ford 1 782 112 | Ford 1 831 354 |
| Ford 1 877 332 | Ford 2 313 930 |
| Ford 2 598 804 | Ford BK21-3A052-AB |
| Ford BK21-3A052-AC | Ford BK21-3A052-AD |
| Ford BK21-3A052-AE | Ford BK21-3A052-AF |
| Ford BK21-3A052-AG | Ford BK21-3A052-AH |

Application info

Ford Tourneo '12 (04/12--)
 Ford Transit Custom '12 (04/12--)

Ford Transit '14 (08/13--)

Control arm

716 050 0063

MCA1253

Notes

Lower
 Rear
 Rear Axle Left
 Rear Axle Right
 Semi-Trailing Arm
 Sheet Steel
 outer
 Required quantity
 replacement in pairs recommended

2



References

Ford 1 719 027	Ford 1 743 421
Ford 1 785 675	Ford 1 882 884
Ford 1 931 562	Ford BV61-5K652-FB
Ford BV61-5K652-FC	Ford BV61-5K652-FD
Ford BV61-5K652-FE	Ford BV61-5K652-FF

Application info

Ford Focus III (07/10--)

Control arm

716 050 0064

MCA1286

Notes

Lower
Rear
Rear Axle Left
Rear Axle Right
Semi-Trailing Arm
Sheet Steel

Required quantity
replacement in pairs recommended

2



References

Ford 1 719 019	Ford 1 743 420
Ford 1 785 674	Ford 1 882 883
Ford 1 948 762	Ford BV61-5K652-ED
Ford BV61-5K652-EE	Ford BV61-5K652-EF
Ford BV61-5K652-EG	Ford BV61-5K652-EH

Application info

Ford Focus III (07/10--)

Control arm

716 050 0065

MCA1254

Notes

Lower
Rear Axle Left
Rear Axle Right
Semi-Trailing Arm
Sheet Steel

Required quantity
replacement in pairs recommended

2



References

- | | |
|--------------------|--------------------|
| Ford 1 686 705 | Ford 1 694 569 |
| Ford 1 719 006 | Ford 1 744 421 |
| Ford 1 785 667 | Ford 1 882 880 |
| Ford 1 894 049 | Ford BV61-5K652-AB |
| Ford BV61-5K652-AC | Ford BV61-5K652-AD |
| Ford BV61-5K652-AE | Ford BV61-5K652-AF |
| Ford BV61-5K652-AG | Ford BV61-5K652-AH |
| Volvo 31317264 | Volvo 31387062 |

Application info

- | | |
|-------------------------|--------------------------|
| Ford C-Max II (04/10--) | Ford Focus III (07/10--) |
| Volvo V40 II (03/12--) | |

Control arm


716 050 0066/HD

MCA1204HD

Notes

Carbon Neutral
 Lower
 Rear Axle Right
 Sheet Steel
 Trailing Arm
 outer
 Paired article number 716 050 0067/HD | MCA1205HD

Replace in pairs only
 Required quantity 1
 reinforced version




References

- | | |
|----------------|--------------------|
| Ford 1 773 552 | Ford BV61-5K898-AB |
|----------------|--------------------|

Application info

- Ford Focus III (07/10--)

Control arm		716 050 0067/HD	MCA1205HD
<p>Notes</p> <p>Carbon Neutral Lower Rear Axle Left Sheet Steel Trailing Arm outer</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>			
<p>716 050 0066/HD MCA1204HD</p> <p>1</p>			
<p>References</p> <p>Ford 1 773 553 Ford BV61-5K976-AB</p>			
<p>Application info</p> <p>Ford Focus III (07/10--)</p>			
Control arm		716 050 0068/HD	MCA1296HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Right Lower Sheet Steel outer</p> <p>Paired article number Paired article number Replace in pairs only Required quantity reinforced version</p>			
<p>716 050 0069</p> <p>716 050 0069/HD MCA1297HD</p> <p>1</p>			
<p>References</p> <p>Ford 1 781 658 Ford 1 793 236 Ford CV61-3A423-AAB Ford CV61-3A423-AAC</p>			
<p>Application info</p> <p>Ford Kuga II (05/12--)</p>			

Control arm 716 050 0069/HD MCA1297HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 outer
 Paired article number 716 050 0068/HD | MCA1296HD

Replace in pairs only
 Required quantity 1
 reinforced version



References

Ford 1 781 660 Ford 1 793 237
 Ford CV61-3A424-AAB Ford CV61-3A424-AAC

Application info

Ford Kuga II (05/12--)

Control arm 716 050 0070/HD MCA1303HD

Notes

Carbon Neutral
 Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 outer
 Paired article number 716 050 0071/HD | MCA1304HD

Replace in pairs only
 Required quantity 1
 reinforced version



References

Ford 1 773 516 Ford 1 805 952
 Ford 1 866 070 Ford BV61-3A423-LAA
 Ford BV61-3A423-LAB Ford F1F13-A423B-AA

Application info

Ford Focus III (07/10--)

Control arm		716 050 0071/HD	MCA1304HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Left Lower Sheet Steel outer</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		 <p>MEYLE Carbon Neutral Control Arm Front Axle Left Lower Sheet Steel outer</p>	
<p>References</p> <p>Ford 1 773 518 Ford 1 866 072 Ford BV61-3A424-LAB</p>		<p>Ford 1 805 953 Ford BV61-3A424-LAA Ford F1F1-3A424-BAA</p>	
<p>Application info</p> <p>Ford Focus III (07/10--)</p>			
Control arm		716 050 0073/HD	MCA1368HD
<p>Notes</p> <p>Aluminium Carbon Neutral Control Arm Front Axle Left</p> <p>Paired article number Replace in pairs only Required quantity reinforced version</p>		 <p>MEYLE Aluminium Carbon Neutral Control Arm Front Axle Left</p>	
<p>References</p> <p>Ford 1 927 132 Ford 5 232 481 Ford DG9C-3A053-ANE Ford FG9C-3A053-ANB</p>		<p>Ford 2 180 769 Ford 5 303 329 Ford FG9C-3A053-ANA Ford FG9C-3A053-ANC</p>	
<p>Application info</p> <p>Ford Mondeo V (09/12--)</p>			

Control arm

716 050 0074/HD

MCA1369HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
716 050 0073/HD | MCA1368HD

Paired article number
Replace in pairs only
Required quantity
reinforced version

1



References

- | | |
|---------------------|----------------------|
| Ford 1 927 131 | Ford 2 180 767 |
| Ford 5 232 480 | Ford 5 303 328 |
| Ford DG9C-3A052-ANE | Ford FG9C-30A052-ANC |
| Ford FG9C-3A052-ANA | Ford FG9C-3A052-ANB |

Application info

Ford Mondeo V (09/12--)

Control arm

716 050 0077

MCA1344

Notes

Front
Lower
Rear Axle Left
Rear Axle Right
Semi-Trailing Arm
Sheet Steel

Required quantity
replacement in pairs recommended

2



References

- | | |
|--------------------|--------------------|
| Ford 1 123 275 | Ford 1 201 057 |
| Ford 1 220 005 | Ford 1 230 619 |
| Ford 1S71-5K743-BA | Ford 1S71-5K743-CA |
| Ford 2S71-5K743-AA | Ford 2S71-5K743-BA |
| Ford 6 748 372 | Ford 6 829 064 |
| Ford 6 875 579 | Ford 7 043 630 |
| Ford 93BB-5K743-CA | Ford 93BB-5K743-CB |
| Ford 93BB-5K743-CD | |

Application info

Ford Mondeo I, II (01/93-09/00)

Ford Mondeo III (10/00-09/07)

Control arm

716 050 0078/HD

MCA1625HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Right
Lower

Paired article number
Replace in pairs only
Required quantity
reinforced version

716 050 0079/HD | MCA1626HD
1



References

Ford 1 877 652

Ford E1GC-3A052-AEB

Application info

Ford Galaxy III (01/15--)

Ford S-Max II (01/15--)

Control arm

716 050 0079/HD

MCA1626HD

Notes

Aluminium
Carbon Neutral
Control Arm
Front Axle Left
Lower

Paired article number
Replace in pairs only
Required quantity
reinforced version

716 050 0078/HD | MCA1625HD
1



References

Ford 1 877 653

Ford E1GC-3A053-AEB

Application info

Ford Galaxy III (01/15--)

Ford S-Max II (01/15--)

DRIVER'S BEST FRIEND

MEYLE

Control arm

716 050 0082

MCA1537

Notes

Control Arm
Rear Axle Left
Rear Axle Right
Sheet Steel
Upper

Required quantity
replacement in pairs recommended



References

Ford 2 216 285

Ford JX61-5500-AEA

Application info

Ford Focus IV (01/18--)

Control arm

716 050 0083

MCA1568

Notes

Control Arm
Rear Axle Left
Rear Axle Right
Sheet Steel

Required quantity
replacement in pairs recommended



References

Ford 2 200 527

Ford 2 428 955

Ford JX61-5K743-AEA

Ford JX61-5K743-AEB

Application info

Ford Focus IV (01/18--)

Ford Kuga III (07/19--)

Control arm **716 050 4150** **MCA0754**

Notes

Control Arm
 Front Axle Right
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Length [mm] 246
 Paired article number 716 050 4159 | MCA0755
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|--------------------|---------------------|
| Ford 1 015 260 | Ford 1 020 219 |
| Ford 1 021 219 | Ford 1 071 694 |
| Ford 1 330 238 | Ford 1 710 792 |
| Ford 4S61-3042-CA | Ford 96FB-3042-AH |
| Ford 96FB-3042-BE | Ford 96FB-3042-BF |
| Ford 98FB-3042-CD | Ford ME96FB-3042-CA |
| Mazda 1E01-34 300B | Mazda 1E01-34 300C |
| Mazda 1E01-34 300D | Mazda 1E01-34 300G |
| Mazda 1E01-34-300A | Mazda 1E01-34-300E |

Application info

Ford Fiesta IV / Puma (08/95--)

Mazda 121 (JASM, JBSM) (01/96-04/03)

Control arm **716 050 4159** **MCA0755**

Notes

Control Arm
 Front Axle Left
 Lower
 Sheet Steel
 with ball joint
 with rubber mount

Length [mm] 246
 Paired article number 716 050 4150 | MCA0754
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|--------------------|---------------------|
| Ford 1 009 596 | Ford 1 015 264 |
| Ford 1 020 221 | Ford 1 021 220 |
| Ford 1 072 279 | Ford 1 330 239 |
| Ford 1 710 796 | Ford 4S61-3051-CA |
| Ford 98FB-3051-CD | Ford ME96F-B3051-CA |
| Mazda 1E01-34 350G | Mazda 1E01-34 540A |
| Mazda 1E01-34 540B | Mazda 1E01-34 540C |
| Mazda 1E01-34 540D | Mazda 1E01-34 540E |
| Mazda 1E01-34-350A | Mazda 1E01-34-350B |
| Mazda 1E01-34-350D | Mazda 1E01-34-350E |

Application info

- | | |
|---------------------------------|--------------------------------------|
| Ford Fiesta IV / Puma (08/95--) | Mazda 121 (JASM, JBSM) (01/96-04/03) |
|---------------------------------|--------------------------------------|

Control arm

716 050 4162

MCA1453

Notes

Control Arm
 Front Axle Right
 Sheet Steel
 Paired article number 716 050 4163 | MCA1454
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Ford 2 194 097 | Ford 2 203 137 |
| Ford JX61-3A423-AEA | Ford JX61-3A423-AEB |

Application info

- Ford Focus IV (01/18--)

Control arm		716 050 4163	MCA1454
<p>Notes</p> <p>Control Arm Front Axle Left Sheet Steel</p> <p>Paired article number 716 050 4162 MCA1453 Required quantity 1 replacement in pairs recommended</p>			
<p>References</p> <p>Ford 2 194 099 Ford 2 203 138 Ford JX61-3A424-AEA Ford JX61-3A424-AEB</p>			
<p>Application info</p> <p>Ford Focus IV (01/18--)</p>			
Control arm		716 050 4164/HD	MCA1450HD
<p>Notes</p> <p>Carbon Neutral Control Arm Front Axle Right Lower Sheet Steel</p> <p>Paired article number 716 050 4165/HD MCA1451HD Replace in pairs only Required quantity 1 reinforced version</p>			
<p>References</p> <p>Ford 2 216 265 Ford JX61-3A423-CEB</p>			
<p>Application info</p> <p>Ford Focus IV (01/18--)</p>			

Control arm **716 050 4165/HD** **MCA1451HD**

Notes	Carbon Neutral Control Arm Front Axle Left Lower Sheet Steel	
Paired article number	716 050 4164/HD MCA1450HD	
Replace in pairs only		
Required quantity	1	

References	Ford 2 216 267	Ford JX61-3A424-CEB
-------------------	----------------	---------------------

Application info	Ford Focus IV (01/18--)	
-------------------------	-------------------------	--

Control arm **816 050 9005/HD** **MCA0760HD**

Notes	Aluminium Carbon Neutral Control Arm Front Front Axle Left Lower with rubber mount	
Length [mm]	354	
Paired article number	816 050 9006/HD MCA0761HD	
Replace in pairs only		
Required quantity	1	
reinforced version		


References	Saab 45 43 450	
-------------------	----------------	--

Application info	Saab 9-3 (YS3D) (02/98-08/03)	Saab 900 II (07/93-04/99)
-------------------------	-------------------------------	---------------------------

Control arm		816 050 9006/HD	MCA0761HD
Notes	Aluminium Carbon Neutral Control Arm Front Front Axle Right Lower with rubber mount		
Length [mm]	354		
Paired article number	816 050 9005/HD MCA0760HD		
Replace in pairs only			
Required quantity reinforced version	1		

References	Saab 45 43 468
-------------------	----------------

Application info	Saab 9-3 (YS3D) (02/98-08/03)	Saab 900 II (07/93-04/99)
-------------------------	-------------------------------	---------------------------

Control arm set		70-16 050 0039/HD	MCK0058HD
Notes	Aluminium Carbon Neutral Front Axle Left Front Axle Right Upper		
Required quantity reinforced version	1		

References	TESLA 1044321-00-F	TESLA 1044321-00-G
	TESLA 1044321-00-H	TESLA 1044321-00-J
	TESLA 1044326-00-F	TESLA 1044326-00-G
	TESLA 1044326-00-H	TESLA 1044326-00-J
	TESLA 1288321-00-A	TESLA 1288326-00-A

Application info	TESLA Model 3 (01/17--)	TESLA Model Y (03/19--)
-------------------------	-------------------------	-------------------------

Control arm set

716 050 0039/S

MCK0027

Notes

Control Arm
Rear Axle Left
Rear Axle Right
Sheet Steel

Full Set

Required quantity

1



References

- | | |
|--------------------|--------------------|
| Ford 1 061 659 | Ford 1 061 668 |
| Ford 1 064 128 | Ford 1 105 524 |
| Ford 1 136 072 | Ford 1 223 897 |
| Ford 1 253 737 | Ford 1 306 767 |
| Ford 1 317 609 | Ford 1 321 004 |
| Ford 1 329 730 | Ford 1 333 283 |
| Ford 1 349 910 | Ford 1 352 302 |
| Ford 1 357 317 | Ford 1 500 111 |
| Ford 1 517 403 | Ford 1 683 463 |
| Ford 1 755 222 | Ford 1 909 108 |
| Ford 1M51-5500-AA | Ford 1M51-5500-AB |
| Ford 1M51-5500-AC | Ford 3M51-5500-AC |
| Ford 3M51-5500-BA | Ford 3M51-5K652-GB |
| Ford 3M51-5K652-GD | Ford 3N61-5K743-BB |
| Ford 4M51-5K652-AA | Ford 4M51-5K652-AB |
| Ford 4M51-5K652-AC | Ford 4M51-5K652-AD |
| Ford 4M51-5K652-AF | Ford 8M51-5500-AB |
| Ford 8V41-5K743-AA | Ford 98AG-5500-AG |
| Ford 98AG-5K743-AF | Ford AV61-5500-AB |
| Ford AV61-5500-AC | Ford YS41-5K743-AB |

Application info

Ford Focus I (08/98-11/09)

Ford Focus II (10/03--)

Control arm set

716 050 0042/S

MCK0029

Notes

Control Arm
Rear Axle Left
Rear Axle Right
Sheet Steel
with attachment material

Full Set

Required quantity

1



References

- | | |
|--------------------|--------------------|
| Ford 1 061 660 | Ford 1 061 668 |
| Ford 1 100 983 | Ford 1 105 524 |
| Ford 1 136 073 | Ford 1 306 767 |
| Ford 1 321 004 | Ford 1 333 283 |
| Ford 1 349 213 | Ford 1 349 910 |
| Ford 1 352 302 | Ford 1 357 317 |
| Ford 1 357 319 | Ford 1 388 327 |
| Ford 1 448 127 | Ford 1 500 111 |
| Ford 1 502 440 | Ford 1 909 108 |
| Ford 1M51-5500-BA | Ford 3M51-5K652-GB |
| Ford 3M51-5K652-GD | Ford 3N61-5K743-BB |
| Ford 4M51-5K652-AA | Ford 4M51-5K652-AB |
| Ford 4M51-5K652-AC | Ford 4M51-5K652-AD |
| Ford 4M51-5K652-AF | Ford 4M51-5K652-BC |
| Ford 4M51-5K652-BD | Ford 6M51-5500-BA |
| Ford 8V41-5500-AA | Ford 8V41-5K743-AA |
| Ford 98AG-5500-BF | Ford 98AG-5K743-AF |
| Ford YS41-5K743-AA | Ford YS41-5K743-AB |

Application info

Ford Focus I (08/98-11/09)

Ford Focus II (10/03--)

Mount, control arm

414 710 0001

MCB0547

Notes

Rear Axle Left
 Rear Axle Right
 Rubber/Metal
 inner
 outer
 without holder

Height [mm] 24
 Inner Diameter [mm] 12.1
 Outer Diameter [mm] 40
 Required quantity 4
 replacement in pairs recommended



References

Porsche 970 331 043 00

Porsche 970 331 047 00

Application info

Porsche Panamera (970) (03/09-12/17)

Mount, control arm

44-14 610 0000

MCB0269

Notes

Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 62
 Inner Diameter [mm] 16
 Outer Diameter [mm] 54
 Required quantity 2
 replacement in pairs recommended



References

Chrysler 04656012AC

Chrysler 4656012AF

Application info

Chrysler PT Cruiser (06/00-12/10)

Mount, control arm

44-14 610 0001

MCB0270

Notes

Front
Front Axle Left
Front Axle Right
without holder

Height [mm] 69
Inner Diameter [mm] 14
Outer Diameter [mm] 34
Required quantity 2
replacement in pairs recommended



References

Chrysler 04656730AH

Chrysler 04656731AH

Application info

Chrysler PT Cruiser (06/00-12/10)

Mount, control arm

44-14 610 0002

MCB0425

Notes

Front
Front Axle Left
Front Axle Right
Lower
without holder

Height [mm] 68
Inner Diameter [mm] 14
Outer Diameter [mm] 52
Required quantity 2
replacement in pairs recommended



References

Chrysler 4684120

Application info

Chrysler Voyager IV/ Town Country (09/99-12/08)

Mount, control arm

44-14 610 0004

MCM0162

Notes

Front Axle Left
 Front Axle Right
 Hydro Mount
 Lower
 Rear
 without holder

Height [mm] 61
 Inner Diameter [mm] 16
 Required quantity 2
 replacement in pairs recommended



References

Chrysler 4743094AA

Chrysler 4743095AA

Application info

Chrysler Voyager IV/ Town Country (09/99-12/08)

Mount, control arm

44-16 010 6313

MCM0152

Notes

Rear Axle Left
 Rear Axle Right
 outer
 without holder

Height [mm] 48
 Inner Diameter [mm] 14
 Outer Diameter [mm] 40
 Required quantity 2
 replacement in pairs recommended



References

Chrysler 04782598AC
 Chrysler 04782598AG
 Lancia K04782598AF

Chrysler 04782598AF
 Lancia K04782598AE
 Lancia K04782598AG

Application info

Chrysler 300 C (09/04--)

Lancia Thema II (09/11-10/14)

Mount, control arm

514 308 0001

MCB0277

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 60
 Inner Diameter [mm] 12
 Outer Diameter [mm] 36
 Required quantity 2
 replacement in pairs recommended



References

Mitsubishi MR130982 Proton MR130982
 Volvo 30818467 Volvo 30887024

Application info

Mitsubishi Carisma (07/95-06/06) Mitsubishi Colt IV (03/92-04/96)
 Mitsubishi Lancer V (07/91-10/03) Proton Persona 400 (01/94-02/08)
 Volvo S/V 40 (07/95-12/04) Volvo S40 II / V50 (12/03-12/12)

Mount, control arm

514 610 0001/HD

MCB0279HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 50
 Inner Diameter [mm] 14
 Outer Diameter [mm] 53
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Volvo 30645847 Volvo 31201003
 Volvo 31304040 Volvo 8672224

Application info

Volvo XC90 I (06/02-01/15)

Mount, control arm

514 610 0002/HD

MCB0280HD

Notes

Carbon Neutral
Front
Front Axle Left
Front Axle Right
Lower
without holder

Height [mm]

60

Outer Diameter [mm]

59

Replace in pairs only

Required quantity
reinforced version

2



References

Volvo 30639368

Volvo 31277881

Application info

Volvo XC90 I (06/02-01/15)

Mount, control arm

514 610 0003

MCB0281

Notes

Centre
Front Axle Left
Front Axle Right
without holder

Height [mm]

65

Inner Diameter [mm]

14

Outer Diameter [mm]

40

Required quantity

2

replacement in pairs recommended



References

The references of this product can be found at www.meyle.com

Application info

Ford C-Max I (02/07-09/10)

Ford Kuga I (02/08-11/12)

Mazda 5 (CR) (02/05-12/10)

Volvo C30 (09/06-12/13)

Volvo S40 II / V50 (12/03-12/12)

Ford Focus II (10/03--)

Mazda 3 (BK) (09/99-12/09)

Mazda 5 (CW) (06/10--)

Volvo C70 II (03/06-12/13)

Mount, control arm

514 610 0005/HD

MCB0283HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 50
 Inner Diameter [mm] 14
 Outer Diameter [mm] 53
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Volvo 30760590 Volvo 8630604
 Volvo 9461626

Application info

Volvo S60 I / V70 II (11/99-04/10) Volvo S80 I (05/98-02/08)

Mount, control arm

514 610 0006/HD

MCB0284HD

Notes

Carbon Neutral
 Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 55
 Outer Diameter [mm] 48
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Volvo 9443882 Volvo 9465971

Application info

Volvo S60 I / V70 II (11/99-04/10) Volvo S80 I (05/98-02/08)
 Volvo XC70 I (10/97-10/07)

Mount, control arm

514 610 0010

MCB0285

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 50
 Inner Diameter [mm] 14
 Outer Diameter [mm] 53
 Required quantity 2
 replacement in pairs recommended



References

Volvo 8630605

Application info

Volvo XC70 I (10/97-10/07)

Mount, control arm

514 610 0016

MCM0204

Notes

Front Axle Left
 Front Axle Right
 Rubber-Metal Mount
 Upper
 inner
 without holder

Height [mm] 28
 Inner Diameter [mm] 10
 Outer Diameter [mm] 40
 Required quantity 2
 replacement in pairs recommended



References

POLESTAR 31360836
 POLESTAR 32395244
 Volvo 31360632
 Volvo 31360836
 Volvo 31476301
 Volvo 32395244

POLESTAR 31360837
 Volvo 31360630
 Volvo 31360633
 Volvo 31360837
 Volvo 31476302

DRIVER'S BEST FRIEND

MEYLE

Application info

POLESTAR POLESTAR 1 (03/18--)

Volvo S90 II / V90 II (03/16--)

Volvo XC60 II (03/17--)

Volvo S60 III (224) (02/19--)

Volvo V60 II (02/18--)

Volvo XC90 II (09/14--)

Mount, control arm

514 710 0014

MCM0100

Notes

Front
Lower
Rear Axle Left
with holder

Outer Diameter [mm]

90

Paired article number

514 710 0015 | MCM0101

Required quantity

1

replacement in pairs recommended



References

Ford 1 377 409	Ford 1 377 410
Ford 1 381 438	Ford 1 381 439
Ford 1 385 597	Ford 1 385 598
Ford 1 425 851	Ford 1 425 852
Ford 1 428 820	Ford 1 428 822
Ford 1 460 464	Ford 1 460 468
Ford 1 462 032	Ford 1 462 033
Ford 1 466 174	Ford 1 466 175
Ford 1 468 194	Ford 1 468 195
Ford 1 477 809	Ford 1 477 810
Ford 1 493 626	Ford 1 493 627
Ford 1 496 728	Ford 1 504 892
Ford 1 510 965	Ford 1 566 837
Ford 1 566 838	Ford 1 566 839
Ford 1 566 841	Ford 1 839 442
Ford 1 839 444	Ford 1 865 033
Ford 2 040 702	Ford 6G91-5A969-FAG
Ford 6G91-5A969-FCJ	Ford 6G91-5A969-FEB
Ford 6G91-5A969-FNJ	Ford 6G91-5K896-AA
Ford 6G915-A969F-CA	Ford 6G915-A969F-CB
Ford 6G915-A969F-CC	Ford 6G915-A969F-CD
Ford 6G915-A969F-CE	Ford 6G915-A969F-CF
Ford 6G915-A969F-CG	Ford 6G915-A969F-CH
Ford 6G915-A969F-NA	Ford 6G915-A969F-NB
Ford 6G915-A969F-NC	Ford 6G915-A969F-ND
Ford 6G915-A969F-NE	Ford 6G915-A969F-NF
Ford 6G915-A969F-NG	Ford 6G915-A969F-NH
Volvo 31387280	Volvo 31406337
Volvo 31476221	

Application info

Ford Galaxy II (05/06-06/15)	Ford Mondeo IV (03/07-01/15)
Ford S-Max I (05/06-12/14)	Volvo S60 II / V60 (04/10--)
Volvo S80 II (03/06-12/16)	Volvo V70 III (04/07--)
Volvo XC60 I (05/08-12/17)	Volvo XC70 II (04/07-12/16)

Mount, control arm

514 710 0014/HD

MCM0100HD

Notes

Carbon Neutral
Front
Lower
Rear Axle Left
with holder

Outer Diameter [mm] 90
Paired article number 514 710 0015/HD | MCM0101HD
Replace in pairs only
Required quantity 1
reinforced version



References

- | | |
|---------------------|---------------------|
| Ford 1 377 409 | Ford 1 377 410 |
| Ford 1 381 438 | Ford 1 381 439 |
| Ford 1 385 597 | Ford 1 385 598 |
| Ford 1 425 851 | Ford 1 425 852 |
| Ford 1 428 820 | Ford 1 428 822 |
| Ford 1 460 464 | Ford 1 460 468 |
| Ford 1 462 032 | Ford 1 462 033 |
| Ford 1 466 174 | Ford 1 466 175 |
| Ford 1 468 194 | Ford 1 468 195 |
| Ford 1 477 809 | Ford 1 477 810 |
| Ford 1 493 626 | Ford 1 493 627 |
| Ford 1 496 728 | Ford 1 504 892 |
| Ford 1 510 965 | Ford 1 566 837 |
| Ford 1 566 838 | Ford 1 566 839 |
| Ford 1 566 841 | Ford 1 839 442 |
| Ford 1 839 444 | Ford 1 865 033 |
| Ford 2 040 702 | Ford 6G91-5A969-FAG |
| Ford 6G91-5A969-FCJ | Ford 6G91-5A969-FEB |
| Ford 6G91-5A969-FNJ | Ford 6G91-5K896-AA |
| Ford 6G915-A969F-CA | Ford 6G915-A969F-CB |
| Ford 6G915-A969F-CC | Ford 6G915-A969F-CD |
| Ford 6G915-A969F-CE | Ford 6G915-A969F-CF |
| Ford 6G915-A969F-CG | Ford 6G915-A969F-CH |
| Ford 6G915-A969F-NA | Ford 6G915-A969F-NB |
| Ford 6G915-A969F-NC | Ford 6G915-A969F-ND |
| Ford 6G915-A969F-NE | Ford 6G915-A969F-NF |
| Ford 6G915-A969F-NG | Ford 6G915-A969F-NH |
| Volvo 31387280 | Volvo 31406337 |
| Volvo 31476221 | |

Application info

Ford Galaxy II (05/06-06/15)
 Ford S-Max I (05/06-12/14)
 Volvo S80 II (03/06-12/16)
 Volvo XC60 I (05/08-12/17)

Ford Mondeo IV (03/07-01/15)
 Volvo S60 II / V60 (04/10--)
 Volvo V70 III (04/07--)
 Volvo XC70 II (04/07-12/16)

Mount, control arm

514 710 0015

MCM0101

Notes

Front
 Lower
 Rear Axle Right
 with holder

Outer Diameter [mm] 90
 Paired article number
 Required quantity 1
 replacement in pairs recommended



References

Ford 1 377 406	Ford 1 377 407
Ford 1 381 436	Ford 1 381 437
Ford 1 385 595	Ford 1 385 596
Ford 1 425 848	Ford 1 425 850
Ford 1 428 815	Ford 1 428 818
Ford 1 460 439	Ford 1 460 450
Ford 1 462 030	Ford 1 462 031
Ford 1 466 171	Ford 1 466 172
Ford 1 468 192	Ford 1 468 193
Ford 1 477 806	Ford 1 477 807
Ford 1 493 624	Ford 1 493 625
Ford 1 496 725	Ford 1 508 128
Ford 1 510 964	Ford 1 566 810
Ford 1 566 829	Ford 1 566 835
Ford 1 566 836	Ford 1 839 438
Ford 1 839 440	Ford 1 865 034
Ford 2 040 703	Ford 6G91-5A968-FAC
Ford 6G91-5A968-FAD	Ford 6G91-5A968-FAE
Ford 6G91-5A968-FAF	Ford 6G91-5A968-FAG
Ford 6G91-5A968-FBC	Ford 6G91-5A968-FBE
Ford 6G91-5A968-FBF	Ford 6G91-5A968-FCJ
Ford 6G91-5A968-FCK	Ford 6G91-5A968-FEA
Ford 6G91-5A968-FEB	Ford 6G91-5A968-FNJ
Ford 6G91-5A968-FNK	Ford 6G91-5A968-FUP
Ford 6G91-5K896-BA	Ford 6G91-5K896-BB
Ford 6G915-A968F-CA	Ford 6G915-A968F-CB
Ford 6G915-A968F-CC	Ford 6G915-A968F-CD
Ford 6G915-A968F-CE	Ford 6G915-A968F-CF
Ford 6G915-A968F-CG	Ford 6G915-A968F-CH
Ford 6G915-A968F-NA	Ford 6G915-A968F-NB
Ford 6G915-A968F-NC	Ford 6G915-A968F-ND
Ford 6G915-A968F-NE	Ford 6G915-A968F-NF
Ford 6G915-A968F-NG	Ford 6G915-A968F-NH
Volvo 31387281	Volvo 31406350
Volvo 31476222	

Application info

Ford Galaxy II (05/06-06/15)	Ford Mondeo IV (03/07-01/15)
Ford S-Max I (05/06-12/14)	Volvo S60 II / V60 (04/10--)
Volvo S80 II (03/06-12/16)	Volvo V70 III (04/07--)
Volvo XC60 I (05/08-12/17)	Volvo XC70 II (04/07-12/16)

Mount, control arm

514 710 0015/HD

MCM0101HD

Notes

Carbon Neutral
Front
Lower
Rear Axle Right

Outer Diameter [mm]
Paired article number
Replace in pairs only
Required quantity
reinforced version

90

1



References

Ford 1 377 406	Ford 1 377 407
Ford 1 381 436	Ford 1 381 437
Ford 1 385 595	Ford 1 385 596
Ford 1 425 848	Ford 1 425 850
Ford 1 428 815	Ford 1 428 818
Ford 1 460 439	Ford 1 460 450
Ford 1 462 030	Ford 1 462 031
Ford 1 466 171	Ford 1 466 172
Ford 1 468 192	Ford 1 468 193
Ford 1 477 806	Ford 1 477 807
Ford 1 493 624	Ford 1 493 625
Ford 1 496 725	Ford 1 508 128
Ford 1 510 964	Ford 1 566 810
Ford 1 566 829	Ford 1 566 835
Ford 1 566 836	Ford 1 839 438
Ford 1 839 440	Ford 1 865 034
Ford 2 040 703	Ford 6G91-5A968-FAC
Ford 6G91-5A968-FAD	Ford 6G91-5A968-FAE
Ford 6G91-5A968-FAF	Ford 6G91-5A968-FAG
Ford 6G91-5A968-FBC	Ford 6G91-5A968-FBE
Ford 6G91-5A968-FBF	Ford 6G91-5A968-FCJ
Ford 6G91-5A968-FCK	Ford 6G91-5A968-FEA
Ford 6G91-5A968-FEB	Ford 6G91-5A968-FNJ
Ford 6G91-5A968-FNK	Ford 6G91-5A968-FUP
Ford 6G91-5K896-BA	Ford 6G91-5K896-BB
Ford 6G915-A968F-CA	Ford 6G915-A968F-CB
Ford 6G915-A968F-CC	Ford 6G915-A968F-CD
Ford 6G915-A968F-CE	Ford 6G915-A968F-CF
Ford 6G915-A968F-CG	Ford 6G915-A968F-CH
Ford 6G915-A968F-NA	Ford 6G915-A968F-NB
Ford 6G915-A968F-NC	Ford 6G915-A968F-ND
Ford 6G915-A968F-NE	Ford 6G915-A968F-NF
Ford 6G915-A968F-NG	Ford 6G915-A968F-NH
Volvo 31387281	Volvo 31406350
Volvo 31476222	

Application info

Ford Galaxy II (05/06-06/15)	Ford Mondeo IV (03/07-01/15)
Ford S-Max I (05/06-12/14)	Volvo S60 II / V60 (04/10--)
Volvo S80 II (03/06-12/16)	Volvo V70 III (04/07--)
Volvo XC60 I (05/08-12/17)	Volvo XC70 II (04/07-12/16)

Mount, control arm

53-14 610 0002

MCB0546

Notes

Front
Front Axle Left
Front Axle Right
without holder

Height [mm] 65
Inner Diameter [mm] 14
Outer Diameter [mm] 45
Required quantity 2
replacement in pairs recommended



References

Land Rover RBX101160

Land Rover RBX101790

Application info

Land Rover Freelander I (02/98-10/06)

Mount, control arm

53-14 610 0003/HD

MCM0173HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Rear
for control arm
with holder

Inner Diameter [mm] 22
Replace in pairs only
Required quantity 2
reinforced version



References

- | | |
|------------------------|------------------------|
| Jaguar J9C13931 | Jaguar J9C13932 |
| Jaguar J9C19214 | Jaguar J9C19215 |
| Jaguar J9C2115 | Jaguar J9C2117 |
| Jaguar J9C33A053AC | Jaguar J9C33A053AD |
| Jaguar J9C33A053AE | Land Rover FK723A053AD |
| Land Rover FK723A053AE | Land Rover FK723A053AF |
| Land Rover FK723A053AH | Land Rover FK723A053AJ |
| Land Rover FK723A053AK | Land Rover J9C33A053AB |
| Land Rover J9C33A053AC | Land Rover J9C33A053AD |
| Land Rover J9C33A053AE | Land Rover LR024472 |
| Land Rover LR024473 | Land Rover LR045802 |
| Land Rover LR045803 | Land Rover LR060046 |
| Land Rover LR060047 | Land Rover LR073521 |
| Land Rover LR073522 | Land Rover LR078656 |
| Land Rover LR078657 | Land Rover LR086107 |
| Land Rover LR086108 | Land Rover LR096362 |
| Land Rover LR096363 | Land Rover LR101811 |
| Land Rover LR101812 | Land Rover LR104885 |
| Land Rover LR110277 | Land Rover LR110278 |
| Land Rover LR110313 | Land Rover LR115123 |
| Land Rover LR117140 | Land Rover LR117141 |
| Land Rover LR126118 | Land Rover LR126119 |

Application info

- | | |
|---|--------------------------------------|
| Jaguar E-Pace (X540) (09/17--) | Land Rover Discovery Sport (09/14--) |
| Land Rover Range Rover Evoque I (06/11-12/19) | |

Mount, control arm

53-14 610 0012/HD

MCM0174HD

Notes

Carbon Neutral
 Front Axle Right
 Lower
 Rear
 with holder
 Inner Diameter [mm] 22
 Paired article number 53-14 610 0013/HD | MCM0175HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

- | | |
|---------------------|---------------------|
| Land Rover LR002624 | Land Rover LR007205 |
|---------------------|---------------------|

Application info

Land Rover Freelander II (10/06-12/15)

Mount, control arm

53-14 610 0013/HD

MCM0175HD

Notes

Carbon Neutral
Front Axle Left
Lower
Rear
with holder

Inner Diameter [mm]
Paired article number
Replace in pairs only
Required quantity
reinforced version

22
53-14 610 0012/HD | MCM0174HD
1



References

Land Rover LR002625

Land Rover LR007206

Application info

Land Rover Freelander II (10/06-12/15)

Mount, control arm

53-14 610 0030

MCB0559

Notes

Front
Front Axle Left
Front Axle Right
Lower
without holder

Height [mm]
Inner Diameter [mm]
Outer Diameter [mm]
Required quantity
replacement in pairs recommended

64
14
60
2



References

- | | |
|------------------------|------------------------|
| Jaguar J9C13931 | Jaguar J9C13932 |
| Jaguar J9C19214 | Jaguar J9C19215 |
| Jaguar J9C2115 | Jaguar J9C2117 |
| Jaguar J9C33A053AC | Jaguar J9C33A053AD |
| Jaguar J9C33A053AE | Land Rover FK723A053AD |
| Land Rover FK723A053AE | Land Rover FK723A053AF |
| Land Rover FK723A053AH | Land Rover FK723A053AJ |
| Land Rover FK723A053AK | Land Rover J9C33A053AB |
| Land Rover J9C33A053AC | Land Rover J9C33A053AD |
| Land Rover J9C33A053AE | Land Rover LR024472 |
| Land Rover LR024473 | Land Rover LR045802 |
| Land Rover LR045803 | Land Rover LR060046 |
| Land Rover LR060047 | Land Rover LR073521 |
| Land Rover LR073522 | Land Rover LR078656 |
| Land Rover LR078657 | Land Rover LR086107 |
| Land Rover LR086108 | Land Rover LR096362 |
| Land Rover LR096363 | Land Rover LR101811 |
| Land Rover LR101812 | Land Rover LR104885 |
| Land Rover LR110277 | Land Rover LR110278 |
| Land Rover LR110313 | Land Rover LR115123 |
| Land Rover LR117140 | Land Rover LR117141 |
| Land Rover LR126118 | Land Rover LR126119 |

Application info

- | | |
|---|--------------------------------------|
| Jaguar E-Pace (X540) (09/17--) | Land Rover Discovery Sport (09/14--) |
| Land Rover Range Rover Evoque I (06/11-12/19) | |

Mount, control arm

53-14 710 0000

MCM0124

Notes

- Rear Axle Left
- Rear Axle Right
- Upper
- without holder

- Height [mm] 62
- Inner Diameter [mm] 13
- Outer Diameter [mm] 47
- Required quantity 2
- replacement in pairs recommended



References

- | | |
|----------------------|----------------------|
| Land Rover RHF500031 | Land Rover RHF500100 |
|----------------------|----------------------|

Application info

Land Rover Discovery III (07/04-09/09)
 Land Rover Range Rover Sport I (02/05-03/13)

Land Rover Discovery IV (09/09-12/18)

Mount, control arm

53-14 710 0027

MCB0569

Notes

Rear Axle Left
 Rear Axle Right
 Rubber/Metal
 inner
 outer
 without holder

Height [mm] 62
 Inner Diameter [mm] 14.2
 Outer Diameter [mm] 47
 Required quantity 4
 replacement in pairs recommended



References

Land Rover CPLA5500BA
 Land Rover LR139241

Land Rover LR037690

Application info

Land Rover Discovery V (09/16--)
 Land Rover Range Rover Sport II (04/13--)

Land Rover Range Rover IV (08/12--)

Mount, control arm

53-14 710 0028

MCB0548

Notes

Rear
 Rear Axle Left
 Rear Axle Right
 inner
 outer
 without holder

Height [mm] 62
 Inner Diameter [mm] 12
 Outer Diameter [mm] 45
 Required quantity 4
 replacement in pairs recommended



References

Jaguar J9C1348	Jaguar J9C1717
Jaguar T2H17173	Jaguar T2H17175
Jaguar T4N3670	Jaguar T4N3671
Land Rover LR060763	Land Rover LR060768
Land Rover LR073525	Land Rover LR073526
Land Rover LR078519	Land Rover LR078520
Land Rover LR117513	

Application info

Jaguar E-Pace (X540) (09/17--)	Jaguar XE (X760) (03/15--)
Jaguar XF II (X260) (05/15--)	Land Rover Discovery Sport (09/14--)
Land Rover Range Rover Evoque II (12/18--)	

Mount, control arm

53-14 710 0031

MCB0574

Notes

Lower
Rear Axle Left
Rear Axle Right
Rubber/Metal
inner
without holder

Height [mm] 90
Inner Diameter [mm] 14.1
Outer Diameter [mm] 50.6
Required quantity 2
replacement in pairs recommended



References

Jaguar J9C18608	Jaguar J9C18609
Jaguar J9C4820	Jaguar J9C4821
Land Rover LR068166	Land Rover LR068167
Land Rover LR097278	Land Rover LR097279
Land Rover LR125868	Land Rover LR125871

Application info

Jaguar E-Pace (X540) (09/17--)	Land Rover Discovery Sport (09/14--)
--------------------------------	--------------------------------------

Mount, control arm

53-16 610 0004/HD

MCB0570HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Rubber/Metal
 Upper
 without holder



Height [mm] 53
 Inner Diameter [mm] 10
 Outer Diameter [mm] 46
 Quantity per axle 4
 Replace in pairs only
 Required quantity 2

References

Jaguar T2H3192
 Jaguar T4N7752
 Land Rover T4A41755

Jaguar T2H3193
 Land Rover T4A41754

Application info

Jaguar F-Pace (X761) (09/15--)
 Jaguar XF II (X260) (05/15--)

Jaguar XE (X760) (03/15--)
 Land Rover Range Rover Velar (03/17--)

Mount, control arm

57-14 610 0002

MCB0437

Notes

Front
 Front Axle Left
 Front Axle Right
 inner
 without holder



Height [mm] 80
 Inner Diameter [mm] 16.5
 Outer Diameter [mm] 55.1
 Required quantity 2
 replacement in pairs recommended

References

Jeep 52089980AD
 Jeep 52089980AG
 Jeep 52089981AD
 Jeep 52089981AG

Jeep 52089980AF
 Jeep 52089980AI
 Jeep 52089981AF
 Jeep 52089981AI

Application info

Jeep Commander (XK) (09/05-12/10)

Jeep Grand Cherokee (WH) (10/04-10/11)

Mount, control arm

57-14 610 0003

MCB0438

Notes

Centre
Front Axle Left
Front Axle Right
outer
without holder

Height [mm] 70
Inner Diameter [mm] 16
Outer Diameter [mm] 49.5
Required quantity 4
replacement in pairs recommended



References

Jeep 52089980AD
Jeep 52089980AG
Jeep 52089981AD
Jeep 52089981AG

Jeep 52089980AF
Jeep 52089980AI
Jeep 52089981AF
Jeep 52089981AI

Application info

Jeep Commander (XK) (09/05-12/10)

Jeep Grand Cherokee (WH) (10/04-10/11)

Mount, control arm

57-14 610 0004

MCB0568

Notes

Front
Rear
Rear Axle Left
Rear Axle Right
without holder

Height [mm] 66.5
Inner Diameter [mm] 14.4
Outer Diameter [mm] 52
Required quantity 4
replacement in pairs recommended



References

Jeep 52060021AD
Jeep 52060021AF
Jeep K52060021AE

Jeep 52060021AE
Jeep K52060021AD
Jeep K52060021AF

Application info

Jeep Wrangler (JK) (06/06--)

Mount, control arm

614 035 0018

MCB0300

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 60
 Inner Diameter [mm] 12
 Outer Diameter [mm] 36
 Required quantity 2
 replacement in pairs recommended

**References**

Chevrolet 90498738

Fiat 51748653

Opel 03 52 364

Saab 45 66 899

Vauxhall 3 52 364

Fiat 51748652

GENERAL MOTORS 90498738

Opel 3 52 364

Vauxhall 03 52 364

Application info

Chevrolet Zafira (F75) (02/99-12/12)

Opel Astra G / Astra Classic / Zafira A (02/98-12/09)

Opel Astra J (12/06--)

Opel Vectra B (09/95-07/04)

Saab 9-3 (YS3F) (09/02-02/15)

Saab 9-5 (YS3G) (01/10-01/12)

Vauxhall Astra Mk V (01/04--)

Vauxhall Meriva Mk II B (06/10--)

Vauxhall Vectra Mk II / Signum (01/00-05/09)

Vauxhall Zafira Mk II (04/05-11/14)

Fiat Croma II (06/05--)

Opel Astra H / Zafira B (01/04-05/19)

Opel Meriva B (06/10-03/17)

Opel Vectra C / Signum (04/02-01/09)

Saab 9-5 (YS3E) (09/97-12/09)

Vauxhall Astra Mk IV (01/93-08/06)

Vauxhall Insigna Mk I A (07/08-05/17)

Vauxhall Vectra Mk I (08/95-07/03)

Vauxhall Zafira Mk I (11/98-08/05)

Mount, control arm

614 035 0027

MCB0301

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 46
 Inner Diameter [mm] 12
 Outer Diameter [mm] 60
 Required quantity 2
 replacement in pairs recommended



References

GENERAL MOTORS 13138151
 Opel 03 52 310
 Opel 3 52 310
 Vauxhall 03 52 310
 Vauxhall 3 52 310

GENERAL MOTORS 24430103
 Opel 03 52 320
 Opel 3 52 320
 Vauxhall 03 52 320
 Vauxhall 3 52 320

Application info

Opel Corsa C / Combo / Tigra (09/00--)
 Vauxhall Combo Mk II (09/01-02/12)
 Vauxhall Meriva Mk I A (01/03-06/10)

Opel Meriva A (05/03-05/10)
 Vauxhall Corsa Mk II / Tigra / Combo (08/00-02/12)

Mount, control arm

614 035 0033

MCB0302

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 with accessories
 with holder

Height [mm] 70
 Inner Diameter [mm] 12
 Outer Diameter [mm] 59
 Required quantity 2
 replacement in pairs recommended



References

GENERAL MOTORS 9199576
 GENERAL MOTORS 93188302
 Opel 03 52 309
 Opel 03 52 377
 Opel 3 52 309
 Opel 3 52 377
 Vauxhall 03 52 309
 Vauxhall 03 52 377
 Vauxhall 3 52 309
 Vauxhall 3 52 377

GENERAL MOTORS 9199961
 GENERAL MOTORS 93188303
 Opel 03 52 366
 Opel 03 52 378
 Opel 3 52 366
 Opel 3 52 378
 Vauxhall 03 52 366
 Vauxhall 03 52 378
 Vauxhall 3 52 366
 Vauxhall 3 52 378

Application info

Opel Corsa C / Combo / Tigra (09/00--)
 Vauxhall Combo Mk II (09/01-02/12)
 Vauxhall Meriva Mk I A (01/03-06/10)

Opel Meriva A (05/03-05/10)
 Vauxhall Corsa Mk II / Tigra / Combo (08/00-02/12)

Mount, control arm

614 610 0001/HD

MCB0306HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 60
 Inner Diameter [mm] 12
 Outer Diameter [mm] 46
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Chevrolet 24439582
 Opel 03 52 324
 Vauxhall 03 52 324

GENERAL MOTORS 24439582
 Opel 3 52 324
 Vauxhall 3 52 324

Application info

Chevrolet Zafira (F75) (02/99-12/12)
 Opel Astra H / Zafira B (01/04-05/19)
 Opel Meriva B (06/10-03/17)
 Vauxhall Astra Mk V (01/04--)
 Vauxhall Meriva Mk II B (06/10--)
 Vauxhall Zafira Mk II (04/05-11/14)

Opel Astra G / Astra Classic / Zafira A (02/98-12/09)
 Opel Astra J (12/06--)
 Vauxhall Astra Mk IV (01/93-08/06)
 Vauxhall Insigna Mk I A (07/08-05/17)
 Vauxhall Zafira Mk I (11/98-08/05)

Mount, control arm **614 610 0005** **MCB0307**

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 79
 Inner Diameter [mm] 28
 Outer Diameter [mm] 55
 Required quantity 2
 replacement in pairs recommended



References

GENERAL MOTORS 9160394	Nissan 54570-00QAA
Opel 45 00 094	Renault 7700302122
Renault 7700302439	Vauxhall 45 00 094

Application info

Nissan Interstar I (X70) (04/02--)	Opel Movano A (07/98--)
Renault Master II (03/98--)	Vauxhall Movano Mk I (10/98-12/10)

Mount, control arm **614 610 0006** **MCB0308**

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 79
 Inner Diameter [mm] 28
 Outer Diameter [mm] 55
 Required quantity 2
 replacement in pairs recommended



References

GENERAL MOTORS 9160395	Nissan 54423-00QAA
Opel 45 00 095	Renault 7700302123
Renault 7700302440	Vauxhall 45 00 095

Application info

Nissan Interstar I (X70) (04/02--)	Opel Movano A (07/98--)
Renault Master II (03/98--)	Vauxhall Movano Mk I (10/98-12/10)

Mount, control arm

614 610 0014

MCB0313

Notes

Front
Front Axle Left
Front Axle Right
without holder

Height [mm] 60
Inner Diameter [mm] 14
Outer Diameter [mm] 38
Required quantity 2
replacement in pairs recommended



References

- | | |
|-------------------------|-------------------------|
| Chevrolet 96819161 | Chevrolet 96819162 |
| GENERAL MOTORS 20946157 | GENERAL MOTORS 20946158 |
| GENERAL MOTORS 25995128 | GENERAL MOTORS 25995129 |
| GENERAL MOTORS 96626235 | GENERAL MOTORS 96626236 |
| GENERAL MOTORS 96819161 | GENERAL MOTORS 96819162 |
| Opel 47 17 777 | Opel 48 02 540 |
| Opel 48 02 541 | Opel 48 06 300 |
| Opel 48 06 301 | Opel 48 10 831 |
| Opel 48 10 870 | Opel 48 12 870 |
| Opel 48 17 777 | Opel 48 17 778 |
| Vauxhall 48 02 540 | Vauxhall 48 02 541 |
| Vauxhall 48 06 300 | Vauxhall 48 06 301 |
| Vauxhall 48 10 831 | Vauxhall 48 10 870 |
| Vauxhall 48 17 778 | |

Application info

- | | |
|-------------------------------|-----------------------|
| Chevrolet Captiva I (06/06--) | Opel Antara (05/06--) |
| Vauxhall Antara (08/06--) | |

Mount, control arm

614 610 0015

MCM0106

Notes

Front Axle Left
Front Axle Right
Rear
with holder

Height [mm] 55
Inner Diameter [mm] 19
Required quantity 2
replacement in pairs recommended



References

Chevrolet 96809676	GENERAL MOTORS 20946159
GENERAL MOTORS 25995127	GENERAL MOTORS 96809676
Opel 48 02 543	Opel 48 17 776
Opel 48 17 869	Opel 48 20 932
Vauxhall 48 02 543	Vauxhall 48 17 776
Vauxhall 48 17 869	

Application info

Chevrolet Captiva I (06/06--)	Opel Antara (05/06--)
Vauxhall Antara (08/06--)	

Mount, control arm

614 610 0016 MCB0529

Notes

Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 70
 Inner Diameter [mm] 12
 Outer Diameter [mm] 64
 Required quantity 2
 replacement in pairs recommended



References

Chevrolet 94540668	Chevrolet 94540669
Chevrolet 94540670	GENERAL MOTORS 94540668
GENERAL MOTORS 94540669	GENERAL MOTORS 94540670
GENERAL MOTORS 95025704	GENERAL MOTORS 95025705
GENERAL MOTORS 95025706	Opel 3 52 522
Opel 3 52 523	Opel 3 52 524
Opel 3 52 551	Opel 3 52 552
Opel 3 52 553	Vauxhall 3 52 522
Vauxhall 3 52 523	Vauxhall 3 52 524
Vauxhall 3 52 552	Vauxhall 94 54 0668
Vauxhall 94 54 0669	Vauxhall 94 54 0670

Application info

Chevrolet Trax (12/12--)	Opel Mokka A (06/12--)
Vauxhall Mokka A (06/12--)	

Mount, control arm

614 610 0017

MCB0530

Notes

Front
Front Axle Left
Front Axle Right
without holder

Height [mm] 69
Inner Diameter [mm] 12
Outer Diameter [mm] 37.4
Required quantity 2
replacement in pairs recommended



References

- | | |
|-------------------------|-------------------------|
| Chevrolet 94540668 | Chevrolet 94540669 |
| Chevrolet 94540670 | GENERAL MOTORS 94540668 |
| GENERAL MOTORS 94540669 | GENERAL MOTORS 94540670 |
| GENERAL MOTORS 95025704 | GENERAL MOTORS 95025705 |
| GENERAL MOTORS 95025706 | Opel 3 52 522 |
| Opel 3 52 523 | Opel 3 52 524 |
| Opel 3 52 551 | Opel 3 52 552 |
| Opel 3 52 553 | Vauxhall 3 52 522 |
| Vauxhall 3 52 523 | Vauxhall 3 52 524 |
| Vauxhall 3 52 552 | Vauxhall 94 54 0668 |
| Vauxhall 94 54 0669 | Vauxhall 94 54 0670 |

Application info

- | | |
|----------------------------|------------------------|
| Chevrolet Trax (12/12--) | Opel Mokka A (06/12--) |
| Vauxhall Mokka A (06/12--) | |

Mount, control arm

614 610 0020

MCM0155

Notes

Front Axle Left
Front Axle Right
Hydro Mount
with fastening material
with holder

Height [mm] 64
Inner Diameter [mm] 23
Required quantity 2
replacement in pairs recommended



References

GENERAL MOTORS 13334021
 GENERAL MOTORS 20835938
 Opel 03 52 494
 Opel 3 52 491
 Opel 3 52 508
 Vauxhall 3 52 491
 Vauxhall 3 52 508

GENERAL MOTORS 13371815
 Opel 03 52 491
 Opel 13230774
 Opel 3 52 494
 Vauxhall 13 23 0774
 Vauxhall 3 52 494

Application info

Chevrolet Cruze (J300, J305) (07/00--)
 Chevrolet Volt (04/11--)
 Opel Astra J (12/06--)
 Opel Zafira C (Tourer) (10/11--)
 Vauxhall Astra Mk V (01/04--)
 Vauxhall Cascada (02/13--)

Chevrolet Cruze (J308) (08/12--)
 Opel Ampera (11/11-03/15)
 Opel Cascada (03/13-04/19)
 Vauxhall Ampera (03/12--)
 Vauxhall Astra Mk VI (12/09-10/15)
 Vauxhall Zafira Mk III (10/11-08/18)

Mount, control arm

614 610 0022

MCM0186

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 with holder

Height [mm] 60
 Inner Diameter [mm] 22
 Paired article number 614 610 0023
 Required quantity 2
 replacement in pairs recommended



References

GENERAL MOTORS 84198832
 Opel 84198832
 Vauxhall 84 19 8832

GENERAL MOTORS 84198833
 Opel 84198833
 Vauxhall 84 19 8833

Application info

Opel Insignia B (03/17--)

Vauxhall Insignia Mk II B (03/17--)

Mount, control arm


614 610 0026

MCM0187

Notes

Front Axle Left
 Front Axle Right
 Rear
 with holder

Height [mm] 56.5
 Inner Diameter [mm] 20
 Required quantity 2
 replacement in pairs recommended



References

GENERAL MOTORS 39001027
 Vauxhall 39 00 1027

Opel 39001027

Application info

Opel Astra K (06/15--)

Vauxhall Astra Mk VII (07/15--)

Mount, control arm

70-14 610 0006/HD

MCB0575HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Rubber/Metal
 Upper
 for control arm
 inner
 without holder

Height [mm] 50
 Inner Diameter [mm] 56
 Outer Diameter [mm] 45
 Quantity per axle 4
 Replace in pairs only
 Required quantity 2
 reinforced version



References

TESLA 1044321-00-F
 TESLA 1044321-00-H
 TESLA 1044326-00-F
 TESLA 1044326-00-H

TESLA 1044321-00-G
 TESLA 1044321-00-J
 TESLA 1044326-00-G
 TESLA 1044326-00-J

Application info

TESLA Model 3 (01/17--)

TESLA Model Y (03/19--)

Mount, control arm

70-14 710 0020

MAB0229

Notes

Molecular Bearing
Rear Axle Left
Rear Axle Right
Rubber/Metal

Height [mm] 64
Inner Diameter [mm] 14
Outer Diameter [mm] 47
Required quantity 2
replacement in pairs recommended



References

TESLA 1021418-00-C
TESLA 1027426-00-C
TESLA 1044411-00-F
TESLA 1044416-00-F
TESLA 6606840-00-B

TESLA 1027426-00-A
TESLA 1043964-00-C
TESLA 1044411-00-G
TESLA 1044416-00-G

Application info

TESLA Model 3 (01/17--)

TESLA Model X (09/13--)

TESLA Model S (09/12--)

TESLA Model Y (03/19--)

Mount, control arm

70-14 710 0021

MCM0213

Notes

Centre
Rear Axle Left
Rear Axle Right
Upper
for control arm
without holder

Height [mm] 48
Inner Diameter [mm] 14.2
Outer Diameter [mm] 46.8
Required quantity 2
replacement in pairs recommended



References

TESLA 1188423-00-A

Application info

TESLA Model 3 (01/17--)

TESLA Model Y (03/19--)

Mount, control arm

714 006 0002

MCM0108

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 with holder

Height [mm] 65
 Inner Diameter [mm] 22
 Required quantity 2
 replacement in pairs recommended



References

Ford 1 067 918
 Ford 98AZ-3069-AA

Ford 98AG-3A262-AG

Application info

Ford Focus I (08/98-11/09)

Mount, control arm

714 010 0001

MCB0315

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 45.5
 Inner Diameter [mm] 12
 Outer Diameter [mm] 54
 Required quantity 2
 replacement in pairs recommended



References

Ford 1 102 950

Ford 6 870 549

Application info

Ford Mondeo I, II (01/93-09/00)

Mount, control arm

714 101 0001

MCB0317

Notes

Front
Front Axle Left
Front Axle Right
Lower
without holder

Height [mm] 62
Inner Diameter [mm] 12
Outer Diameter [mm] 37
Required quantity 2
replacement in pairs recommended



References

Ford 1 010 037 Ford 1 055 191
Ford 96FB-3063-AB Ford 98FB-3063-AA
Mazda 1E00-34-153A

Application info

Ford Fiesta IV / Puma (08/95--) Mazda 121 (JASM, JBSM) (01/96-04/03)

Mount, control arm

714 101 0002

MCB0318

Notes

Front Axle Left
Front Axle Right
Lower
Rear
without holder

Height [mm] 50
Inner Diameter [mm] 12
Outer Diameter [mm] 66
Required quantity 2
replacement in pairs recommended



References

Ford 1 004 011 Ford 1 014 654
Ford 1 063 372 Ford 1 836 215
Ford 96FB-3A262-AD Ford 98FB-3A262-AA
Mazda 1E00-34 153 Mazda 1E01-34-153A

Application info

Ford Fiesta IV / Puma (08/95--) Mazda 121 (JASM, JBSM) (01/96-04/03)

Mount, control arm

714 103 0001/HD

MCB0320HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm] 46
 Inner Diameter [mm] 12
 Outer Diameter [mm] 54
 Replace in pairs only
 Required quantity 2
 reinforced version



References

Ford 1 035 929
 Ford 91AB-3063-AA

Ford 89FB-3A262-AC
 Ford 91AB-3A262-AA

Application info

Ford Escort V, VI, VII / Orion III (01/90-10/02)
 Ford KA I (09/96-11/08)

Ford Fiesta III (01/89-01/97)

Mount, control arm

714 502 0001

MCB0323

Notes

Front Axle Left
 Front Axle Right
 Lower
 outer
 without holder

Height [mm] 20
 Inner Diameter [mm] 16.2
 Outer Diameter [mm] 46
 Required quantity 2
 replacement in pairs recommended



References

Ford 1 637 183	Ford 5 021 458
Ford 5 021 459	Ford 5 021 464
Ford 5 021 465	Ford 5 021 661
Ford 50214-58EBJ-20	Ford 6 107 025
Ford 6 154 287	Ford 6 154 288
Ford 6 154 290	Ford 6 194 368
Ford 6 194 370	Ford 81AB-5K897-BA
Ford 85GB-3079-AB	Ford 85GB-3A052-AD
Ford 85GB-3A052-AE	Ford 85GB-3A053-AD
Ford 85GB-3A053-AE	Ford 86AB-3078A-2A
Ford 880X-3B376-CA	Ford 880X-3B376-FA
Ford 880X-3B377-CA	Ford 880X-3B377-FA
Ford 880X-5K897-AA	

Application info

Ford Escort III, IV / Orion I, II (09/80-10/94)

Mount, control arm


714 610 0002

MCB0325

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm]	72
Inner Diameter [mm]	16
Outer Diameter [mm]	66
Required quantity	2
replacement in pairs recommended	



References

Ford 1 495 717	Ford 4 042 024
Ford 4 372 132	Ford 4 540 787
Ford 6C16-3A262-AA	Ford YC15-3A262-AD
Ford YC15-3A262-AE	Ford YC15-3A262-AF

Application info

Ford Transit '00 (01/00-05/06)	Ford Transit '06 (04/06-12/14)
--------------------------------	--------------------------------

Mount, control arm

714 610 0003

MCB0326

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 67
 Inner Diameter [mm] 14
 Outer Diameter [mm] 37
 Required quantity 2
 replacement in pairs recommended



References

Ford 1 495 713 Ford 4 041 450
 Ford 4 131 788 Ford 6C16-3069-AA
 Ford YC15-3069-AF Ford YC15-3069-AG

Application info

Ford Transit '00 (01/00-05/06) Ford Transit '06 (04/06-12/14)

Mount, control arm

714 610 0004

MCB0327

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 without holder

Height [mm] 55
 Inner Diameter [mm] 12
 Outer Diameter [mm] 41
 Required quantity 2
 replacement in pairs recommended



References

Ford 1 146 130	Ford 1 146 131
Ford 1 207 447	Ford 1 207 448
Ford 1 211 757	Ford 1 212 807
Ford 1 212 808	Ford 1 214 911
Ford 1 214 912	Ford 1 436 095
Ford 1 436 097	Ford 1 436 169
Ford 1 436 170	Ford 1 706 970
Ford 1 706 971	Ford 2N11-3042-AE
Ford 2N11-3042-AH	Ford 2N11-3051-AE
Ford 2N11-3051-AG	Ford 2N11-3051-AH
Ford 2S61-3042-AD	Ford 2S61-3042-AH
Ford 2S61-3042-AJ	Ford 2S61-3042-AK
Ford 2S61-3042-DA	Ford 2S61-3051-AD
Ford 2S61-3051-AH	Ford 2S61-3051-AJ
Ford 2S61-3051-AK	Ford 2S61-3051-DA
Mazda DD32-34-300	Mazda DD32-34-350

Application info

Ford Fiesta V / Fusion (11/01-12/14)	Mazda 2 (DY) (02/03-06/07)
--------------------------------------	----------------------------

Mount, control arm

714 610 0005

MCM0109

Notes

Front Axle Left
 Front Axle Right
 Rear
 with holder
 2

Required quantity
 replacement in pairs recommended



References

- | | |
|-------------------|-------------------|
| Ford 1 146 130 | Ford 1 146 131 |
| Ford 1 207 447 | Ford 1 207 448 |
| Ford 1 211 757 | Ford 1 212 807 |
| Ford 1 212 808 | Ford 1 214 911 |
| Ford 1 214 912 | Ford 1 436 095 |
| Ford 1 436 097 | Ford 1 436 169 |
| Ford 1 436 170 | Ford 1 706 970 |
| Ford 1 706 971 | Ford 2N11-3042-AE |
| Ford 2N11-3042-AH | Ford 2N11-3051-AE |
| Ford 2N11-3051-AG | Ford 2N11-3051-AH |
| Ford 2S61-3042-AD | Ford 2S61-3042-AH |
| Ford 2S61-3042-AJ | Ford 2S61-3042-AK |
| Ford 2S61-3042-DA | Ford 2S61-3051-AD |
| Ford 2S61-3051-AH | Ford 2S61-3051-AJ |
| Ford 2S61-3051-AK | Ford 2S61-3051-DA |
| Mazda DD32-34-300 | Mazda DD32-34-350 |

Application info

- | | |
|--------------------------------------|----------------------------|
| Ford Fiesta V / Fusion (11/01-12/14) | Mazda 2 (DY) (02/03-06/07) |
|--------------------------------------|----------------------------|

Mount, control arm

714 610 0007

MCB0328

Notes

- Front Axle Left
- Front Axle Right
- Lower
- Rear
- without holder

- Height [mm] 65
- Inner Diameter [mm] 22
- Required quantity 2
- replacement in pairs recommended



References

- | | |
|-------------------|-------------------|
| Ford 1 332 454 | Ford 1 332 455 |
| Ford 1 355 048 | Ford 1 355 050 |
| Ford 2T14-3042-BF | Ford 2T14-3042-BH |
| Ford 2T14-3042-BJ | Ford 2T14-3051-BF |
| Ford 2T14-3051-BH | Ford 4 366 973 |
| Ford 4 366 974 | Ford 4 539 871 |
| Ford 4T16-3042-AA | Ford 4T16-3051-AA |

Application info

- | | |
|--------------------------------|----------------------------|
| Ford Tourneo '02 (06/02-12/13) | Ford Transit '02 (06/02--) |
|--------------------------------|----------------------------|

Mount, control arm

714 610 0008

MCB0329

Notes

Front
Front Axle Left
Front Axle Right
Lower
without holder

Height [mm] 65
Inner Diameter [mm] 14
Outer Diameter [mm] 40
Required quantity 2
replacement in pairs recommended



References

Ford 2T14-3063-AA

Ford 4 366 976

Application info

Ford Tourneo '02 (06/02-12/13)

Ford Transit '02 (06/02--)

Mount, control arm

714 610 0009/HD

MCB0330HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Rear
without holder

Height [mm] 73
Inner Diameter [mm] 22
Replace in pairs only
Required quantity 2
Thread Size M12x1,75
reinforced version



References

The references of this product can be found at www.meyle.com

Application info

Ford C-Max I (02/07-09/10)
Ford Kuga I (02/08-11/12)
Mazda 5 (CR) (02/05-12/10)
Volvo C70 II (03/06-12/13)

Ford Focus II (10/03--)
Mazda 3 (BK) (09/99-12/09)
Volvo C30 (09/06-12/13)
Volvo S40 II / V50 (12/03-12/12)

Mount, control arm

714 610 0011

MCB0331

Notes

Front
Front Axle Left
Front Axle Right
without holder

Height [mm] 60
Inner Diameter [mm] 14
Outer Diameter [mm] 60
Required quantity 2
replacement in pairs recommended



References

- | | |
|---------------------------|---------------------------|
| Ford 1 377 846 | Ford 1 385 593 |
| Ford 1 403 408 | Ford 1 419 814 |
| Ford 1 426 875 | Ford 1 435 745 |
| Ford 1 458 773 | Ford 1 460 693 |
| Ford 1 466 186 | Ford 1 466 188 |
| Ford 1 469 024 | Ford 1 469 026 |
| Ford 1 507 181 | Ford 1 507 182 |
| Ford 6G9N-3A052-DA | Ford 6G9N-3A052-DB |
| Ford 6G9N-3A052-DC | Ford 6G9N-3A052-DD |
| Ford 6G9N-3A052-DE | Ford 6G9N-3A052-DF |
| Ford 6G9N-3A052-DG | Ford 6G9N-3A052-DH |
| Ford 6G9N-3A053-DG | Ford 6G9N-3A053-DH |
| Ford 7G9N-3A052-BA | Ford 7G9N-3A052-BB |
| Ford 7G9N-3A053-BA | Ford 7G9N-3A053-BB |
| Ford (Chanagan) 1 507 181 | Ford (Chanagan) 1 507 182 |
| Land Rover LR002624 | Land Rover LR002625 |
| Land Rover LR007205 | Land Rover LR007206 |
| Volvo 30683248 | Volvo 30683249 |
| Volvo 31200775 | Volvo 31200776 |
| Volvo 31202228 | Volvo 31202229 |
| Volvo 31277345 | Volvo 31277346 |
| Volvo 31277525 | Volvo 31277526 |
| Volvo 31317663 | Volvo 31317664 |
| Volvo 31317665 | Volvo 31317666 |
| Volvo 31340127 | Volvo 31340128 |
| Volvo 31429320 | Volvo 31429321 |

Application info

Ford Galaxy II (05/06-06/15)

Ford S-Max I (05/06-12/14)

Land Rover Range Rover Evoque I (06/11-12/19)

Volvo S80 II (03/06-12/16)

Volvo XC60 I (05/08-12/17)

Ford Mondeo IV (03/07-01/15)

Land Rover Freelander II (10/06-12/15)

Volvo S60 II / V60 (04/10--)

Volvo V70 III (04/07--)

Volvo XC70 II (04/07-12/16)

Mount, control arm

714 610 0012/HD

MCM0110HD

Notes

Carbon Neutral

Front Axle Left

Rear

with holder

22

Inner Diameter [mm]

Paired article number

714 610 0013/HD | MCM0111HD

Replace in pairs only

Required quantity

1

reinforced version



References

Ford 1 460 693

Ford 1 469 026

Ford 6G9N-3A053-DG

Ford 7G9N-3A053-BA

Ford (Chanagan) 7G9N-3A053-BA

Volvo 31200563

Volvo 31212782

Volvo 31277525

Volvo 31317665

Volvo 31340128

Volvo 31429321

Ford 1 466 188

Ford 1 507 182

Ford 6G9N-3A053-DH

Ford 7G9N-3A053-BB

Ford (Chanagan) 7G9N-3A053-BB

Volvo 31200776

Volvo 31277343

Volvo 31317661

Volvo 31340127

Volvo 31429320

Application info

Ford Galaxy II (05/06-06/15)

Ford S-Max I (05/06-12/14)

Volvo S80 II (03/06-12/16)

Volvo XC60 I (05/08-12/17)

Ford Mondeo IV (03/07-01/15)

Volvo S60 II / V60 (04/10--)

Volvo V70 III (04/07--)

Volvo XC70 II (04/07-12/16)

Mount, control arm **714 610 0012** **MCM0110**

Notes

Front Axle Left
 Hydro Mount
 Rear
 with holder
 Inner Diameter [mm] 20
 Paired article number 714 610 0013 | MCM0111
 Required quantity 1
 replacement in pairs recommended



References

- | | |
|-------------------------------|-------------------------------|
| Ford 1 460 693 | Ford 1 466 188 |
| Ford 1 469 026 | Ford 1 507 182 |
| Ford 6G9N-3A053-DG | Ford 6G9N-3A053-DH |
| Ford 7G9N-3A053-BA | Ford 7G9N-3A053-BB |
| Ford (Chanagan) 7G9N-3A053-BA | Ford (Chanagan) 7G9N-3A053-BB |
| Volvo 31200563 | Volvo 31200776 |
| Volvo 31212782 | Volvo 31277343 |
| Volvo 31277525 | Volvo 31317661 |
| Volvo 31317665 | Volvo 31340127 |
| Volvo 31340128 | Volvo 31429320 |
| Volvo 31429321 | |

Application info

- | | |
|------------------------------|------------------------------|
| Ford Galaxy II (05/06-06/15) | Ford Mondeo IV (03/07-01/15) |
| Ford S-Max I (05/06-12/14) | Volvo S60 II / V60 (04/10--) |
| Volvo S80 II (03/06-12/16) | Volvo V70 III (04/07--) |
| Volvo XC60 I (05/08-12/17) | Volvo XC70 II (04/07-12/16) |

Mount, control arm **714 610 0013** **MCM0111**

Notes

Front Axle Right
 Hydro Mount
 Rear
 with holder
 Inner Diameter [mm] 20
 Paired article number 714 610 0012 | MCM0110
 Required quantity 1
 replacement in pairs recommended



References

Ford 1 377 846	Ford 1 385 593
Ford 1 403 408	Ford 1 419 814
Ford 1 426 875	Ford 1 435 745
Ford 1 458 773	Ford 1 466 186
Ford 1 469 024	Ford 1 507 181
Ford 6G9N-3A052-DG	Ford 6G9N-3A052-DH
Ford 7G9N-3A052-BA	Ford 7G9N-3A052-BB
Ford (Chanagan) 7G9N-3A052-BA	Ford (Chanagan) 7G9N-3A052-BB
Volvo 31200775	Volvo 31212781
Volvo 31277344	Volvo 31277525
Volvo 31317662	Volvo 31317666
Volvo 31340127	Volvo 31340128
Volvo 31429320	Volvo 31429321

Application info

Ford Galaxy II (05/06-06/15)	Ford Mondeo IV (03/07-01/15)
Ford S-Max I (05/06-12/14)	Volvo S60 II / V60 (04/10--)
Volvo S80 II (03/06-12/16)	Volvo V70 III (04/07--)
Volvo XC60 I (05/08-12/17)	Volvo XC70 II (04/07-12/16)

Mount, control arm

714 610 0013/HD

MCM0111HD

Notes

Carbon Neutral
 Front Axle Right
 Rear
 with holder
 Inner Diameter [mm] 22
 Paired article number 714 610 0012/HD | MCM0110HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

Ford 1 377 846	Ford 1 385 593
Ford 1 403 408	Ford 1 419 814
Ford 1 426 875	Ford 1 435 745
Ford 1 458 773	Ford 1 466 186
Ford 1 469 024	Ford 1 507 181
Ford 6G9N-3A052-DG	Ford 6G9N-3A052-DH
Ford 7G9N-3A052-BA	Ford 7G9N-3A052-BB
Ford (Chanagan) 7G9N-3A052-BA	Ford (Chanagan) 7G9N-3A052-BB
Volvo 31200775	Volvo 31212781
Volvo 31277344	Volvo 31277525
Volvo 31317662	Volvo 31317666
Volvo 31340127	Volvo 31340128
Volvo 31429320	Volvo 31429321

Application info

Ford Galaxy II (05/06-06/15)	Ford Mondeo IV (03/07-01/15)
Ford S-Max I (05/06-12/14)	Volvo S60 II / V60 (04/10--)
Volvo S80 II (03/06-12/16)	Volvo V70 III (04/07--)
Volvo XC60 I (05/08-12/17)	Volvo XC70 II (04/07-12/16)

Mount, control arm

714 610 0017

MCB0335

Notes

Front Axle Left
 Front Axle Right
 Rear
 without holder

Height [mm] 52
 Inner Diameter [mm] 12
 Outer Diameter [mm] 61
 Required quantity 2
 replacement in pairs recommended



References

Ford 1 518 904	Ford 1 520 778
Ford 1 521 773	Ford 1 532 421
Ford 1 532 433	Ford 1 540 724
Ford 1 540 725	Ford 1 700 809
Ford 1 700 810	Ford 1 708 222
Ford 1 708 226	Ford 1 712 696
Ford 1 712 697	Ford 1 737 305
Ford 1 737 309	Ford 8V51-3042-BA
Ford 8V51-3042-BB	Ford 8V51-3042-BC
Ford 8V51-3042-BD	Ford 8V51-3042-BE
Ford 8V51-3042-BF	Ford 8V51-3042-BG
Ford 8V51-3042-BH	Ford 8V51-3051-BB
Ford 8V51-3051-BC	Ford 8V51-3051-BD
Ford 8V51-3051-BE	Ford 8V51-3051-BF
Ford 8V51-3051-BG	Ford 8V51-3051-BH
Mazda D651-34-300	Mazda D651-34-300B
Mazda D651-34-300C	Mazda D651-34-300D
Mazda D651-34-350	Mazda D651-34-350A
Mazda D651-34-350B	Mazda D651-34-350C
Mazda D651-34-350D	Mazda D651-34-350E

Application info

Ford Fiesta VI (06/08--)

Mazda 2 (DE) (07/07-06/15)

Mount, control arm

714 610 0019

MCB0366

Notes

Front Axle Left
Front Axle Right
without holder

Height [mm]	65
Inner Diameter [mm]	14
Outer Diameter [mm]	38
Required quantity	2
replacement in pairs recommended	

**References**The references of this product can be found at www.meyle.com**Application info**

Ford C-Max II (04/10--)
Ford Kuga II (05/12--)
Volvo V40 II (03/12--)

Ford Focus III (07/10--)
Mazda 3 (BL) (12/08-12/14)

Mount, control arm

714 610 0020

MCM0151

Notes

Front Axle Left
 Front Axle Right
 Hydro Mount
 with holder

Height [mm] 73
 Inner Diameter [mm] 22
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Ford 1 702 970 | Ford 1 702 983 |
| Ford 1 709 457 | Ford 1 709 466 |
| Ford 1 742 265 | Ford 1 742 266 |
| Ford 1 773 516 | Ford 1 773 518 |
| Ford 1 781 658 | Ford 1 781 660 |
| Ford 1 793 236 | Ford 1 793 237 |
| Ford 1 805 952 | Ford 1 805 953 |
| Ford 1 857 345 | Ford 1 857 346 |
| Ford 1 865 168 | Ford 1 865 173 |
| Ford 1 865 175 | Ford 1 865 176 |
| Ford 1 866 068 | Ford 1 866 070 |
| Ford 1 866 072 | Ford 1 866 073 |
| Ford 2 172 992 | Ford 2 173 539 |
| Ford 2 173 541 | Ford 2 176 249 |
| Ford AV61-3A423-LB | Ford AV61-3A423-LC |
| Ford AV61-3A424-LB | Ford AV61-3A424-LC |
| Ford BV61-3A423-AAB | Ford BV61-3A423-AAC |
| Ford BV61-3A423-AAD | Ford BV61-3A423-BAB |
| Ford BV61-3A423-BAC | Ford BV61-3A423-LAA |
| Ford BV61-3A423-LAB | Ford BV61-3A424-AAB |
| Ford BV61-3A424-AAC | Ford BV61-3A424-AAD |
| Ford BV61-3A424-BAB | Ford BV61-3A424-BAC |
| Ford BV61-3A424-LAA | Ford BV61-3A424-LAB |
| Ford CV61-3A423-AAB | Ford CV61-3A423-AAC |
| Ford CV61-3A424-AAB | Ford CV61-3A424-AAC |
| Ford F1F1-3A423-AAA | Ford F1F1-3A423-AAB |
| Ford F1F1-3A424-AAA | Ford F1F1-3A424-AAB |
| Ford F1F1-3A424-BAA | Ford F1F13-A423B-AA |
| Volvo 31277620 | Volvo 31277621 |
| Volvo 31340231 | Volvo 31340232 |

DRIVER'S BEST FRIEND

MEYLE

Application info

Ford C-Max II (04/10--)

Ford Kuga II (05/12--)

Ford Focus III (07/10--)

Volvo V40 II (03/12--)

Mount, control arm

714 610 0020/HD

MCM0151HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
with holder

Height [mm]

73

Inner Diameter [mm]

22

Replace in pairs only

Required quantity

2

reinforced version



References

Ford 1 702 970	Ford 1 702 983
Ford 1 709 457	Ford 1 709 466
Ford 1 742 265	Ford 1 742 266
Ford 1 773 516	Ford 1 773 518
Ford 1 781 658	Ford 1 781 660
Ford 1 793 236	Ford 1 793 237
Ford 1 805 952	Ford 1 805 953
Ford 1 857 345	Ford 1 857 346
Ford 1 865 168	Ford 1 865 173
Ford 1 865 175	Ford 1 865 176
Ford 1 866 068	Ford 1 866 070
Ford 1 866 072	Ford 1 866 073
Ford 2 172 992	Ford 2 173 539
Ford 2 173 541	Ford 2 176 249
Ford AV61-3A423-LB	Ford AV61-3A423-LC
Ford AV61-3A424-LB	Ford AV61-3A424-LC
Ford BV61-3A423-AAB	Ford BV61-3A423-AAC
Ford BV61-3A423-AAD	Ford BV61-3A423-BAB
Ford BV61-3A423-BAC	Ford BV61-3A423-LAA
Ford BV61-3A423-LAB	Ford BV61-3A424-AAB
Ford BV61-3A424-AAC	Ford BV61-3A424-AAD
Ford BV61-3A424-BAB	Ford BV61-3A424-BAC
Ford BV61-3A424-LAA	Ford BV61-3A424-LAB
Ford CV61-3A423-AAB	Ford CV61-3A423-AAC
Ford CV61-3A424-AAB	Ford CV61-3A424-AAC
Ford F1F1-3A423-AAA	Ford F1F1-3A423-AAB
Ford F1F1-3A424-AAA	Ford F1F1-3A424-AAB
Ford F1F1-3A424-BAA	Ford F1F13-A423B-AA
Volvo 31277620	Volvo 31277621
Volvo 31340231	Volvo 31340232

Application info

Ford C-Max II (04/10--)	Ford Focus III (07/10--)
Ford Kuga II (05/12--)	Volvo V40 II (03/12--)

Mount, control arm

714 610 0020/S

MCM0165

Notes

Front Axle Left
 Front Axle Right
 Hydro Mount
 with fastening material
 with holder

Height [mm] 73
 Inner Diameter [mm] 22
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Ford 1 702 970 | Ford 1 702 983 |
| Ford 1 709 457 | Ford 1 709 466 |
| Ford 1 742 265 | Ford 1 742 266 |
| Ford 1 773 516 | Ford 1 773 518 |
| Ford 1 781 658 | Ford 1 781 660 |
| Ford 1 793 236 | Ford 1 793 237 |
| Ford 1 805 952 | Ford 1 805 953 |
| Ford 1 857 345 | Ford 1 857 346 |
| Ford 1 865 168 | Ford 1 865 173 |
| Ford 1 865 175 | Ford 1 865 176 |
| Ford 1 866 068 | Ford 1 866 070 |
| Ford 1 866 072 | Ford 1 866 073 |
| Ford 2 172 992 | Ford 2 173 539 |
| Ford 2 173 541 | Ford 2 176 249 |
| Ford AV61-3A423-LB | Ford AV61-3A423-LC |
| Ford AV61-3A424-LB | Ford AV61-3A424-LC |
| Ford BV61-3A423-AAB | Ford BV61-3A423-AAC |
| Ford BV61-3A423-AAD | Ford BV61-3A423-BAB |
| Ford BV61-3A423-BAC | Ford BV61-3A423-LAA |
| Ford BV61-3A423-LAB | Ford BV61-3A424-AAB |
| Ford BV61-3A424-AAC | Ford BV61-3A424-AAD |
| Ford BV61-3A424-BAB | Ford BV61-3A424-BAC |
| Ford BV61-3A424-LAA | Ford BV61-3A424-LAB |
| Ford CV61-3A423-AAB | Ford CV61-3A423-AAC |
| Ford CV61-3A424-AAB | Ford CV61-3A424-AAC |
| Ford F1F1-3A423-AAA | Ford F1F1-3A423-AAB |
| Ford F1F1-3A424-AAA | Ford F1F1-3A424-AAB |
| Ford F1F1-3A424-BAA | Ford F1F13-A423B-AA |
| Volvo 31277620 | Volvo 31277621 |
| Volvo 31340231 | Volvo 31340232 |

Application info

Ford C-Max II (04/10--)
 Ford Kuga II (05/12--)

Ford Focus III (07/10--)
 Volvo V40 II (03/12--)

Mount, control arm

714 610 0021/HD

MCM0131HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 Rear
 with fastening material
 with holder

Height [mm]

73

Inner Diameter [mm]

22

Replace in pairs only

Required quantity

2

Thread Size

M12x1,75

reinforced version



References

The references of this product can be found at www.meyle.com

Application info

Ford C-Max I (02/07-09/10)
 Ford Kuga I (02/08-11/12)
 Mazda 5 (CR) (02/05-12/10)
 Volvo C30 (09/06-12/13)
 Volvo S40 II / V50 (12/03-12/12)

Ford Focus II (10/03--)
 Mazda 3 (BK) (09/99-12/09)
 Mazda 5 (CW) (06/10--)
 Volvo C70 II (03/06-12/13)

Mount, control arm

714 610 0026

MCB0510

Notes

Front Axle Left
 Front Axle Right
 without holder

Height [mm]

60

Inner Diameter [mm]

16

Outer Diameter [mm]

66

Required quantity

2

replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Ford 1 927 131 | Ford 1 927 132 |
| Ford 2 180 767 | Ford 2 180 769 |
| Ford 5 232 480 | Ford 5 232 481 |
| Ford 5 303 328 | Ford 5 303 329 |
| Ford FG9C3-A052A-NA | Ford FG9C3-A052A-NB |
| Ford FG9C3-A052A-NC | Ford FG9C3-A053A-NA |
| Ford FG9C3-A053A-NB | Ford FG9C3-A053A-NC |

Application info

Ford Mondeo V (09/12--)

Mount, control arm

714 610 0027/HD

MCM0188HD

Notes

Carbon Neutral
 Front Axle Left
 with holder
 Inner Diameter [mm] 23
 Paired article number 714 610 0028/HD | MCM0189HD
 Replace in pairs only
 Required quantity 1
 reinforced version



References

- | | |
|---------------------|---------------------|
| Ford 1 877 653 | Ford 1 927 132 |
| Ford 2 180 769 | Ford 5 232 481 |
| Ford 5 303 329 | Ford DG9C-3A053-ANE |
| Ford E1GC3A053AEB | Ford FG9C3-A053A-NA |
| Ford FG9C3-A053A-NB | Ford FG9C3-A053A-NC |

Application info

Ford Galaxy III (01/15--)	Ford Mondeo V (09/12--)
Ford S-Max II (01/15--)	

Mount, control arm **714 610 0028/HD** **MCM0189HD**

Notes

Carbon Neutral
Front Axle Right
with holder

Inner Diameter [mm] 23
Paired article number 714 610 0027/HD | MCM0188HD
Replace in pairs only
Required quantity 1
reinforced version



References

Ford 1 877 652	Ford 1 927 131
Ford 2 180 767	Ford 5 232 480
Ford 5 303 328	Ford DG9C-3A052-ANE
Ford E1GC3A052AEB	Ford FG9C3-A052A-NA
Ford FG9C3-A052A-NB	Ford FG9C3-A052A-NC

Application info

Ford Galaxy III (01/15--)	Ford Mondeo V (09/12--)
Ford S-Max II (01/15--)	

Mount, control arm **714 610 0033** **MCB0543**

Notes

Front
Front Axle Left
Front Axle Right
Lower
inner
without holder

Height [mm] 53
Inner Diameter [mm] 14
Outer Diameter [mm] 38
Required quantity 2
replacement in pairs recommended



References

Ford 2 084 192	Ford 2 084 194
Ford 2 112 614	Ford 2 112 616
Ford 2 201 370	Ford 2 201 372
Ford H1BC-3042-AD	Ford H1BC-3042-AE
Ford H1BC-3051-AD	Ford H1BC-3051-AE

Application info

Ford Fiesta VII (05/17--)

Mount, control arm

714 610 0034

MCB0544

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 inner
 without holder

Height [mm] 52
 Inner Diameter [mm] 16
 Outer Diameter [mm] 61
 Required quantity 2
 replacement in pairs recommended



References

Ford 2 084 192	Ford 2 084 194
Ford 2 112 614	Ford 2 112 616
Ford 2 201 370	Ford 2 201 372
Ford H1BC-3042-AD	Ford H1BC-3042-AE
Ford H1BC-3051-AD	Ford H1BC-3051-AE

Application info

Ford Fiesta VII (05/17--)

Mount, control arm

714 610 0037

MCB0560

Notes

Front
 Front Axle Left
 Front Axle Right
 Lower
 Rubber-Metal Mount
 Rubber/Metal
 without holder

Height [mm] 62.5
 Inner Diameter [mm] 18.2
 Outer Diameter [mm] 66
 Required quantity 2
 replacement in pairs recommended



References

Ford 1 877 652

Ford E1GC3A052AEB

Ford 1 877 653

Ford E1GC3A053AEB

Application info

Ford Galaxy III (01/15--)

Ford S-Max II (01/15--)

Mount, control arm

714 610 0038/HD

MCB0563HD

Notes

Carbon Neutral
Front Axle Left
Front Axle Right
Lower
Rear
without holder

Height [mm]

65

Inner Diameter [mm]

14

Outer Diameter [mm]

78

Replace in pairs only

Required quantity

2

reinforced version



References

Ford 2 216 263

Ford JX61-3A262-CEA

Application info

Ford Focus IV (01/18--)

Mount, control arm

714 610 0039

MCB0553

Notes

Front
Front Axle Left
Front Axle Right
Lower
Rubber/Metal
without holder

Height [mm]

60

Inner Diameter [mm]

16.2

Outer Diameter [mm]

42

Required quantity

2

replacement in pairs recommended



References

Ford 2 216 265

Ford JX61-3A423-CEB

Ford 2 216 267

Ford JX61-3A424-CEB

Application info

Ford Focus IV (01/18--)

Mount, control arm

714 610 0040

MCB0554

Notes

Front Axle Left
 Front Axle Right
 Rear
 Rubber/Metal
 for control arm
 without holder

Height [mm]

65

Inner Diameter [mm]

14.3

Outer Diameter [mm]

63.9

Required quantity

2

replacement in pairs recommended



References

Ford 2 216 261

Ford USA JX61-3A262_AEA

Ford JX61-3A262-AEA

Application info

Ford Focus IV (01/18--)

Mount, control arm

714 687 0001

MCB0339

Notes

Front Axle Left
 Front Axle Right
 Lower
 Rear
 without holder

Height [mm]

46

Inner Diameter [mm]

12

Outer Diameter [mm]

60

Required quantity

2

replacement in pairs recommended



References

Ford 1 023 058

Ford 95BG-3A262-AA

Ford 1 074 282

Ford 95BG-3A262-BA

Application info

Ford Mondeo I, II (01/93-09/00)

Mount, control arm

714 710 0008

MCB0340

Notes

Rear Axle Left
Rear Axle Right
without holder

Height [mm]

35

Inner Diameter [mm]

12

Outer Diameter [mm]

36

Required quantity

2

replacement in pairs recommended

**References**

Ford 1 041 683

Ford 1 116 608

Ford 1 220 005

Ford 1S71-5500-AA

Ford 1S71-5K743-BA

Ford 6 710 264

Ford 6 829 058

Ford 93BB-5500-AC

Ford 93BB-5500-AE

Jaguar C2S35280

Jaguar C2S9241

Ford 1 093 772

Ford 1 123 275

Ford 1 325 326

Ford 1S71-5500-AC

Ford 1S71-5K743-CA

Ford 6 829 045

Ford 93BB-5500-AB

Ford 93BB-5500-AD

Ford 93BB-5K653-AB

Jaguar C2S39484

Application info

Ford Cougar (08/98-12/01)

Ford Mondeo III (10/00-09/07)

Ford Mondeo I, II (01/93-09/00)

Jaguar X-Type (03/01-12/09)

Mount, control arm

714 710 0014

MCB0488

Notes

Lower
Rear Axle Left
Rear Axle Right
for control arm
inner
without holder

Height [mm] 55
Inner Diameter [mm] 12
Outer Diameter [mm] 38
Quantity per axle 2
Required quantity 2
replacement in pairs recommended



References

Ford 1 377 447	Ford 1 381 442
Ford 1 387 627	Ford 1 421 954
Ford 1 469 125	Ford 6G91-5K652-XAA
Ford 6G91-5K652-XAB	Ford 6G91-5K652-XAC
Ford 6G91-5K652-XAD	Ford 6G91-5K652-XAE

Application info

Ford Galaxy II (05/06-06/15)	Ford Mondeo IV (03/07-01/15)
Ford S-Max I (05/06-12/14)	

Mount, control arm

714 710 0022

MCB0566

Notes

Rear Axle Left
Rear Axle Right
without holder

Height [mm] 40
Inner Diameter [mm] 12
Outer Diameter [mm] 43.5
Required quantity 2
replacement in pairs recommended



References

Ford 2 216 285	Ford JX61-5500-AEA
----------------	--------------------

Application info

Ford Focus IV (01/18--)

Mount, control arm

714 710 0023

MCB0576

Notes

Rear Axle Left
Rear Axle Right
without holder

Height [mm] 40
Inner Diameter [mm] 12
Outer Diameter [mm] 40
Quantity per axle 4
Required quantity 2
replacement in pairs recommended



References

Ford 2 200 527 Ford 2 428 955
Ford JX61-5K743-AEA Ford JX61-5K743-AEB

Application info

Ford Focus IV (01/18--) Ford Kuga III (07/19--)

Repair kit, subframe


714 710 0017/HD

MFK0037HD

Notes

Carbon Neutral
Rear Axle Left
Rear Axle Right
with attachment material

Required quantity 2
reinforced version
replacement in pairs recommended



References

Ford 1 566 810 Ford 2 040 702
Ford 2 040 703 Ford 6G91-5K896-AB
Volvo 31387280 Volvo 31387281
Volvo 31406337 Volvo 31406350
Volvo 31476221 Volvo 31476222

Application info

Ford Galaxy II (05/06-06/15) Ford Mondeo IV (03/07-01/15)
Ford S-Max I (05/06-12/14) Volvo S60 II / V60 (04/10--)
Volvo S80 II (03/06-12/16) Volvo V70 III (04/07--)
Volvo XC60 I (05/08-12/17) Volvo XC70 II (04/07-12/16)

Repair kit, subframe

714 710 0017/S

MFK0029

Notes

Rear Axle Left
Rear Axle Right
with attachment material

Required quantity
replacement in pairs recommended

2



References

Ford 1 566 810

Ford 2 040 703

Volvo 31387280

Volvo 31406337

Volvo 31476221

Ford 2 040 702

Ford 6G91-5K896-AB

Volvo 31387281

Volvo 31406350

Volvo 31476222

Application info

Ford Galaxy II (05/06-06/15)

Ford S-Max I (05/06-12/14)

Volvo S80 II (03/06-12/16)

Volvo XC60 I (05/08-12/17)

Ford Mondeo IV (03/07-01/15)

Volvo S60 II / V60 (04/10--)

Volvo V70 III (04/07--)

Volvo XC70 II (04/07-12/16)

Repair kit, subframe

714 710 0018/HD

MFK0038HD

Notes

Carbon Neutral
Rear Axle Left
Rear Axle Right
with attachment material

Required quantity
replacement in pairs recommended

2



References

Volvo 31378282

Volvo 31387282

Volvo 31406350

Volvo 31476223

Volvo 31387281

Volvo 31406349

Volvo 31476222

Application info

Volvo S60 I / V70 II (11/99-04/10)
 Volvo V70 III (04/07--)
 Volvo XC70 II (04/07-12/16)

Volvo S80 II (03/06-12/16)
 Volvo XC60 I (05/08-12/17)

Rod/strut, suspension

53-16 060 0018

MSR0143

Notes

Guide Rod
 Rear Axle Left
 Rear Axle Right
 Steel

Length [mm] 306
 Required quantity 2
 Thread Size M14X1,5
 replacement in pairs recommended



References

Land Rover RGD000180
 Land Rover RGD500180

Land Rover RGD500100

Application info

Land Rover Range Rover III (03/02-12/12)

Rod/strut, suspension

57-16 050 0005

MSR0153

Notes

Guide Rod
 Rear
 Rear Axle Left
 Rear Axle Right

Length [mm] 567
 Required quantity 2
 replacement in pairs recommended



References

Jeep 51945319
 Jeep K68309199AA

Jeep 68309199AA

Application info

Jeep Compass (MP) (01/16--)


Jeep Renegade (BU, B1) (07/14--)

Rod/strut, suspension **716 035 0000** **MSR0097**

Notes

Guide Rod
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 Upper
 with rubber mount

Length [mm] 286
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|-------------------|---------------------|
| Ford 1 061 660 | Ford 1 136 073 |
| Ford 1 448 127 | Ford 1 502 440 |
| Ford 1M51-5500-BA | Ford 2 512 871 |
| Ford 6M51-5500-BA | Ford 8V41-5500-AA |
| Ford 98AG-5500-BF | Ford ME6M5J-5500-BA |

Application info

- | | |
|----------------------------|-------------------------|
| Ford Focus I (08/98-11/09) | Ford Focus II (10/03--) |
| Ford Kuga I (02/08-11/12) | |

Rod/strut, suspension **716 035 0005** **MSR0102**

Notes

Front
 Guide Rod
 Lower
 Rear Axle Left
 Rear Axle Right
 Sheet Steel
 with rubber mount

Length [mm] 280
 Required quantity 2
 replacement in pairs recommended



References

- | | |
|--------------------|--------------------|
| Ford 1 061 668 | Ford 1 100 983 |
| Ford 1 105 524 | Ford 1 223 958 |
| Ford 1 231 455 | Ford 1 253 735 |
| Ford 1 388 327 | Ford 1 500 111 |
| Ford 3M51-5K743-AB | Ford 3M51-5K743-AC |
| Ford 3M51-5K743-AD | Ford 3N61-5K743-BB |
| Ford 8V41-5K743-AA | Ford 98AG-5K743-AF |
| Ford YS41-5K743-AB | Mazda BBP3-28-500A |
| Mazda BP4K-28-500B | Mazda BP4K-28-500C |
| Mazda BP4K-28-500D | Mazda BP4K-28-500E |
| Mazda C236-28-500 | Mazda C236-28-500A |
| Volvo 30666300 | Volvo 30683067 |
| Volvo 8646064 | |

Application info

- | | |
|----------------------------|----------------------------------|
| Ford C-Max I (02/07-09/10) | Ford Focus I (08/98-11/09) |
| Ford Focus II (10/03--) | Ford Kuga I (02/08-11/12) |
| Ford Kuga II (05/12--) | Mazda 3 (BK) (09/99-12/09) |
| Mazda 3 (BL) (12/08-12/14) | Mazda 5 (CR) (02/05-12/10) |
| Mazda 5 (CW) (06/10--) | Volvo C30 (09/06-12/13) |
| Volvo C70 II (03/06-12/13) | Volvo S40 II / V50 (12/03-12/12) |

Rod/strut, suspension

716 035 0005/S

MSR0106

Notes

- Front
- Guide Rod
- Rear Axle Left
- Rear Axle Right
- Sheet Steel
- with accessories
- with rubber mount

Length [mm] 280
 Required quantity 2
 replacement in pairs recommended



References

Ford 1 061 668

Ford 1 231 455

Ford 1 388 327

Ford 1 703 145

Ford 3M51-5K743-AC

Ford 3N61-5K743-BB

Ford 98AG-5K743-AF

Mazda BBP3-28-500A

Mazda BP4K-28-500C

Mazda BP4K-28-500E

Mazda C236-28-500A

Volvo 30683067

Ford 1 223 958

Ford 1 253 735

Ford 1 500 111

Ford 3M51-5K743-AB

Ford 3M51-5K743-AD

Ford 8V41-5K743-AA

Ford BV61-5K743-AA

Mazda BP4K-28-500B

Mazda BP4K-28-500D

Mazda C236-28-500

Volvo 30666300

Volvo 8646064

Application info

Ford C-Max I (02/07-09/10)

Ford Focus II (10/03--)

Ford Kuga I (02/08-11/12)

Mazda 3 (BK) (09/99-12/09)

Mazda 5 (CR) (02/05-12/10)

Volvo C30 (09/06-12/13)

Volvo S40 II / V50 (12/03-12/12)

Ford Focus I (08/98-11/09)

Ford Focus III (07/10--)

Ford Kuga II (05/12--)

Mazda 3 (BL) (12/08-12/14)

Mazda 5 (CW) (06/10--)

Volvo C70 II (03/06-12/13)

Stabilizer link**37-16 060 0056****MSL0865****Notes**

	Coupling Rod
	Rear Axle Left
	Rear Axle Right
Length [mm]	130
Required quantity	2
Thread Size 1	M10x1,5
Thread Size 2	M10x1,5
replacement in pairs recommended	

**References**

Citroën 5170.F5

Hyundai 55530-29000

Hyundai 55530-29500

Peugeot 16 08 078 280

Peugeot 5170.F6

Citroën 5170.F6

Hyundai 55530-29300

Hyundai 56530-29000

Peugeot 5170.F5

Application info

Citroën Jumper III (04/06--)
 Hyundai Coupé II (05/96-04/02)
 Hyundai Elantra I (03/00-09/06)
 Peugeot Boxer III (09/05--)

Fiat Ducato (250) (07/06--)
 Hyundai Coupé III (01/01-12/12)
 Hyundai Lantra II (06/95-12/00)

Stabilizer link

37-16 060 0057

MSL0866

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 237
 Required quantity 2
 Thread Size 1 M12X1,5
 Thread Size 2 M12X1,5
 replacement in pairs recommended



References

Hyundai 54830-2E000
 Kia 54830 1F000

Hyundai 54830-2E100

Application info

Hyundai Tucson I (06/04--)

Kia Sportage II (09/04--)

Stabilizer link

37-16 060 0058/HD

MSL1061HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right

Length [mm] 288
 Required quantity 2
 Thread Size 1 M12 X 1,25
 Thread Size 2 M12 X 1,25
 reinforced version
 replacement in pairs recommended



References

Hyundai 54830-3Z000

Hyundai 54830-3Z001

Application info

Hyundai i40 (07/11--)

Stabilizer link**37-16 060 0059/HD****MSL1009HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

295

Required quantity

2

Thread Size 1

M12X1,5

Thread Size 2

M12X1,5

reinforced version

replacement in pairs recommended

**References**

Hyundai 54830-F2000

Kia 54830 F2000

Hyundai 54830-J9000

Kia 54830 J9000

Application info

Hyundai Elantra VI (09/15--)

Hyundai Kona I (06/17--)

Kia Ceed IV (03/18--)

Kia Niro I (DE) (09/16--)

Hyundai Ioniq (AE) (03/16--)

Hyundai i30 III (11/16--)

Kia Cerato IV (BD, BDM) (02/18--)

Kia Soul III (SK3) (01/19--)

Stabilizer link**37-16 060 0060/HD****MSL1091HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm]

110

Required quantity

2

Thread Size 1

12x1,25

Thread Size 2

12x1,25

reinforced version

replacement in pairs recommended

**References**

Hyundai 55530-D3000

Kia 55530 D3000

Hyundai 55540-D3000

Kia 55540-D3000

Application info

Hyundai NEXO (03/18--)

Kia Sportage IV (09/15--)

Hyundai Tucson II (05/15--)

Stabilizer link**37-16 060 0061/HD****MSL1092HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm]

95

Required quantity

2

Thread Size 1

12x1,25

Thread Size 2

12x1,25

reinforced version

replacement in pairs recommended

**References**

Hyundai 55530-3Z000

Hyundai 55540-3Z000

Application info

Hyundai i40 (07/11--)

Stabilizer link**37-16 060 0063/HD****MSL1141HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Left

Length [mm]

109

Paired article number

37-16 060 0064/HD | MSL1142HD

Required quantity

1

Thread Size 1

M12x1,5

reinforced version


replacement in pairs recommended

**References**

Hyundai 55530-J9500

Application info

Hyundai Kona I (06/17--)

Stabilizer link		37-16 060 0068/HD	MSL1076HD
Notes Carbon Neutral Coupling Rod Front Axle Right Length [mm] 110 Paired article number 37-16 060 0067/HD MSL1075HD Required quantity 1 Thread Size 1 M10 X 1,5 Thread Size 2 M10 X 1,5 reinforced version replacement in pairs recommended			
References ABARTH 6000612412 Fiat 6000612412 Mazda N243-34-150			
Application info ABARTH 124 Spider (348_) (03/16--) Fiat 124 Spider (348) (03/16--) Mazda MX-5 (ND) (04/15--)			
Stabilizer link		37-16 060 0069/HD	MSL1064HD
Notes Carbon Neutral Coupling Rod Rear Axle Left Length [mm] 60 Paired article number 37-16 060 0070/HD MSL1065HD Required quantity 1 Thread Size 1 M10 X 1,5 Thread Size 2 M10 X 1,5 reinforced version replacement in pairs recommended			
References ABARTH 6000612344 Fiat 6000612344 Mazda N243-28-190			
Application info ABARTH 124 Spider (348_) (03/16--) Fiat 124 Spider (348) (03/16--) Mazda MX-5 (ND) (04/15--)			

Stabilizer link		37-16 060 0070/HD	MSL1065HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Right</p> <p>Length [mm] 60 Paired article number 37-16 060 0069/HD MSL1064HD Required quantity 1 Thread Size 1 M10 X 1,5 Thread Size 2 M10 X 1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>ABARTH 6000612343 Fiat 6000612343 Mazda N243-28-170</p>			
<p>Application info</p> <p>ABARTH 124 Spider (348_) (03/16--) Mazda MX-5 (ND) (04/15--)</p> <p>Fiat 124 Spider (348) (03/16--)</p>			
Stabilizer link		37-16 060 0071/HD	MSL1127HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 328 Required quantity 2 Thread Size 1 12x1,5 Thread Size 2 12x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Hyundai 54830-2W000 Kia 54830 2W000</p>			
<p>Application info</p> <p>Hyundai Santa Fé III (09/12--) Kia Sorento II (06/09--)</p>			

Stabilizer link		37-16 060 0072/HD	MSL1163HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right</p> <p>Length [mm] 229</p> <p>Paired article number 37-16 060 0073/HD MSL1164HD</p> <p>Required quantity 1</p> <p>Thread Size 1 10x1,5</p> <p>Thread Size 2 10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Hyundai 54831-K7100</p>			
<p>Application info</p> <p>Hyundai i10 III (09/19--)</p>			
Stabilizer link		37-16 060 0073/HD	MSL1164HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left</p> <p>Length [mm] 229</p> <p>Paired article number 28-16 060 0051</p> <p>Paired article number 37-16 060 0072/HD MSL1163HD</p> <p>Required quantity 1</p> <p>Thread Size 1 10x1,5</p> <p>Thread Size 2 10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Hyundai 54830-K7100</p>			
<p>Application info</p> <p>Hyundai i10 III (09/19--)</p>			

Stabilizer link		37-16 060 0076	MSL1200
<p>Notes</p> <p>Coupling Rod Rear Axle Right</p> <p>Length [mm] 110</p> <p>Paired article number 37-16 060 0077 MSL1201</p> <p>Required quantity 1</p> <p>Thread Size 1 M12 x 1,25</p> <p>Thread Size 2 M12 X 1,25</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>GENESIS 55531-GI000 Hyundai 55531-GI000</p> <p>Kia 55531 GI000</p>			
<p>Application info</p> <p>GENESIS GV60 (JW) (10/21--) Hyundai Ioniq 5 (NE) (05/21--)</p> <p>Hyundai Ioniq 6 (CE) (10/22--) Kia EV6 (10/21--)</p>			
Stabilizer link		37-16 060 0077	MSL1201
<p>Notes</p> <p>Coupling Rod Rear Axle Left</p> <p>Length [mm] 110</p> <p>Paired article number 37-16 060 0076 MSL1200</p> <p>Required quantity 1</p> <p>Thread Size 1 M12 x 1,25</p> <p>Thread Size 2 M12 x 1,25</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>GENESIS 55530-GI000 Hyundai 55530-GI000</p> <p>Kia 55530 GI000</p>			
<p>Application info</p> <p>GENESIS GV60 (JW) (10/21--) Hyundai Ioniq 5 (NE) (05/21--)</p> <p>Hyundai Ioniq 6 (CE) (10/22--) Kia EV6 (10/21--)</p>			

Stabilizer link**38-16 060 0000****MSL0468****Notes**

Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

185

Required quantity

2

Thread Size 1

M10x1,25

Thread Size 2

M10x1,25

replacement in pairs recommended

**References**

Daewoo 44750-05000

Daewoo 44750-05001

Daewoo 44750-05002

Ssangyong 44750-05000

Ssangyong 44750-05001

Ssangyong 44750-05002

Application info

Daewoo Korando (11/98--)

Daewoo Musso (07/98--)

Ssangyong Korando II (KJ) (12/96-11/06)

Ssangyong Musso (FJ) (01/93--)

Stabilizer link**39-16 060 0000****MSL0469****Notes**

Coupling Rod
Front Axle Right

Length [mm]

50

Paired article number

39-16 060 0002 | MSL0470

Required quantity

1

Thread Size 1

M10x1,25

Thread Size 2

M10x1,25

replacement in pairs recommended

**References**

Daihatsu 48821-B1010

Daihatsu 48821-B1010000

Daihatsu 48821-B1030

Daihatsu 48821-B1031

Subaru 48821-B1010

Subaru 48821-B1010000

Subaru 48821-B1030

Subaru 48821-B1031

Application info

Daihatsu Sirion II (01/05--)

Subaru Justy IV (01/07--)

Stabilizer link		39-16 060 0002	MSL0470										
<p>Notes</p> <p>Coupling Rod Front Axle Left</p> <p>Length [mm] 50</p> <p>Paired article number 39-16 060 0000 MSL0469</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,25</p> <p>Thread Size 2 M10x1,25</p> <p>replacement in pairs recommended</p>													
<p>References</p> <table border="0"> <tr> <td>Daihatsu 48831-B1010</td> <td>Daihatsu 48831-B1010000</td> </tr> <tr> <td>Daihatsu 48831-B1020</td> <td>Daihatsu 48831-B1021</td> </tr> <tr> <td>Daihatsu 48831-V1010</td> <td>Subaru 48831-B1010</td> </tr> <tr> <td>Subaru 48831-B1010000</td> <td>Subaru 48831-B1020</td> </tr> <tr> <td>Subaru 48831-B1021</td> <td>Subaru 48831-V1010</td> </tr> </table>				Daihatsu 48831-B1010	Daihatsu 48831-B1010000	Daihatsu 48831-B1020	Daihatsu 48831-B1021	Daihatsu 48831-V1010	Subaru 48831-B1010	Subaru 48831-B1010000	Subaru 48831-B1020	Subaru 48831-B1021	Subaru 48831-V1010
Daihatsu 48831-B1010	Daihatsu 48831-B1010000												
Daihatsu 48831-B1020	Daihatsu 48831-B1021												
Daihatsu 48831-V1010	Subaru 48831-B1010												
Subaru 48831-B1010000	Subaru 48831-B1020												
Subaru 48831-B1021	Subaru 48831-V1010												
<p>Application info</p> <table border="0"> <tr> <td>Daihatsu Sirion II (01/05--)</td> <td>Subaru Justy IV (01/07--)</td> </tr> </table>				Daihatsu Sirion II (01/05--)	Subaru Justy IV (01/07--)								
Daihatsu Sirion II (01/05--)	Subaru Justy IV (01/07--)												
Stabilizer link		416 060 0008	MSL0476										
<p>Notes</p> <p>Coupling Rod</p> <p>Length [mm] 200</p> <p>Paired article number 416 060 0009 MSL0477</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>													
<p>References</p> <table border="0"> <tr> <td>Porsche 996 343 069 02</td> <td>Porsche 996 343 069 03</td> </tr> <tr> <td>Porsche 996 343 069 04</td> <td></td> </tr> </table>				Porsche 996 343 069 02	Porsche 996 343 069 03	Porsche 996 343 069 04							
Porsche 996 343 069 02	Porsche 996 343 069 03												
Porsche 996 343 069 04													
<p>Application info</p> <table border="0"> <tr> <td>Porsche 911 (996) (09/97-09/05)</td> <td>Porsche Boxster (986) (09/96-12/04)</td> </tr> </table>				Porsche 911 (996) (09/97-09/05)	Porsche Boxster (986) (09/96-12/04)								
Porsche 911 (996) (09/97-09/05)	Porsche Boxster (986) (09/96-12/04)												

Stabilizer link		416 060 0009	MSL0477
<p>Notes</p> <p>Coupling Rod</p> <p>Length [mm] 200</p> <p>Paired article number 416 060 0008 MSL0476</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Porsche 996 343 070 02 Porsche 996 343 070 03</p> <p>Porsche 996 343 070 04</p>			
<p>Application info</p> <p>Porsche 911 (996) (09/97-09/05) Porsche Boxster (986) (09/96-12/04)</p>			
Stabilizer link		416 060 0012/HD	MSL0598HD
<p>Notes</p> <p>Carbon Neutral</p> <p>Coupling Rod</p> <p>with spanner attachment</p> <p>Length [mm] 200</p> <p>Paired article number 416 060 0013/HD MSL0600HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Porsche 997 343 069 00 Porsche 997 343 069 01</p> <p>Porsche 997 343 069 02 Porsche 997 343 069 03</p> <p>Porsche 997 343 069 04</p>			
<p>Application info</p> <p>Porsche 911 (997) (07/04-12/13) Porsche Boxster (981) (04/12--)</p> <p>Porsche Boxster (982) (04/16--) Porsche Boxster (987) (06/04-12/13)</p> <p>Porsche Cayman (981) (03/13--) Porsche Cayman (982) (04/16--)</p> <p>Porsche Cayman (987) (11/05-12/13)</p>			

Stabilizer link		416 060 0013/HD	MSL0600HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod with spanner attachment</p> <p>Length [mm] 200</p> <p>Paired article number 416 060 0012/HD MSL0598HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Porsche 997 343 070 00 Porsche 997 343 070 01</p> <p>Porsche 997 343 070 02 Porsche 997 343 070 03</p> <p>Porsche 997 343 070 04</p>			
<p>Application info</p> <p>Porsche 911 (997) (07/04-12/13) Porsche Boxster (981) (04/12--)</p> <p>Porsche Boxster (982) (04/16--)</p> <p>Porsche Cayman (981) (03/13--)</p> <p>Porsche Cayman (987) (11/05-12/13) Porsche Boxster (987) (06/04-12/13)</p> <p>Porsche Cayman (982) (04/16--)</p>			
Stabilizer link		416 060 0015	MSL0612
<p>Notes</p> <p>Coupling Rod Rear Axle Left</p> <p>Length [mm] 85</p> <p>Paired article number 416 060 0016 MSL0613</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Porsche 997 333 069 04 Porsche 997 333 069 05</p> <p>Porsche 997 333 069 06</p>			
<p>Application info</p> <p>Porsche 911 (997) (07/04-12/13)</p>			

Stabilizer link		416 060 0016	MSL0613
<p>Notes</p> <p>Coupling Rod Rear Axle Right</p> <p>Length [mm] 85</p> <p>Paired article number 416 060 0015 MSL0612</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Porsche 997 333 070 04 Porsche 997 333 070 05</p> <p>Porsche 997 333 070 06</p>			
<p>Application info</p> <p>Porsche 911 (997) (07/04-12/13)</p>			
Stabilizer link		416 060 0017/HD	MSL0614HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right with spanner attachment</p> <p>Length [mm] 99.5</p> <p>Required quantity 2</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 	
<p>References</p> <p>Porsche 996 333 069 02 Porsche 996 333 069 03</p> <p>Porsche 996 333 069 04</p>			
<p>Application info</p> <p>Porsche 911 (996) (09/97-09/05)</p>			

Stabilizer link		416 060 0024/HD	MSL1078HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right</p> <p>Length [mm] 259</p> <p>Paired article number 416 060 0025/HD MSL1079HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Porsche 991 343 070 02 Porsche 9P1 411 318</p>			
<p>Application info</p> <p>Porsche 911 (991) (12/11--)</p> <p>Porsche Boxster (981) (04/12--)</p> <p>Porsche Cayman (981) (03/13--)</p> <p>Porsche 911 (992) (11/18--)</p> <p>Porsche Boxster (982) (04/16--)</p> <p>Porsche Cayman (982) (04/16--)</p>			
Stabilizer link		416 060 0025/HD	MSL1079HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left</p> <p>Length [mm] 259</p> <p>Paired article number 416 060 0024/HD MSL1078HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Porsche 991 343 069 02 Porsche 9P1 411 317</p>			
<p>Application info</p> <p>Porsche 911 (991) (12/11--)</p> <p>Porsche Boxster (981) (04/12--)</p> <p>Porsche Cayman (981) (03/13--)</p> <p>Porsche 911 (992) (11/18--)</p> <p>Porsche Boxster (982) (04/16--)</p> <p>Porsche Cayman (982) (04/16--)</p>			

Stabilizer link		416 060 0026/HD	MSL1084HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 235 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>		 <p>A black metal stabilizer link with a central coupling rod and two ball joints at the ends. A yellow 'HD' logo is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Porsche 991 333 071 02 Porsche 9P1 511 467 A</p>			
<p>Application info</p> <p>Porsche 911 (991) (12/11--)</p> <p>Porsche 911 (992) (11/18--)</p>			
Stabilizer link		416 060 0027/HD	MSL1153HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 144 Required quantity 2 Thread Size 1 M12x1,5 reinforced version replacement in pairs recommended</p>		 <p>A black metal stabilizer link with a central coupling rod and two ball joints at the ends. A yellow 'HD' logo is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Porsche 971 511 467 C</p>			
<p>Application info</p> <p>Porsche Panamera (971) (05/16--)</p>			

Stabilizer link

416 060 0028/HD

MSL1152HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm]

143.5

Required quantity

2

Thread Size 1

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Audi 971 511 467 D

Audi 971 511 467 F

Porsche 971 511 467 B

Porsche 971 511 467 D

Porsche 971 511 467 F

Application info

Audi E-TRON (GE_) (09/18--)

Porsche Panamera (971) (05/16--)

Porsche Taycan (Y1_) (05/19--)

Stabilizer link

416 060 0031/HD

MSL1098HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

159.2

Required quantity

2

Thread Size 1

M12x1,5

replacement in pairs recommended

**References**

Porsche 970 343 069 01

Porsche 970 343 069 02

Porsche 970 343 069 03

Application info

Porsche Panamera (970) (03/09-12/17)

Stabilizer link 416 060 0032/HD MSL1103HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Inner Diameter 1 [mm] 12.1
Length [mm] 150
Required quantity 2
Thread Size 1 M10x1,5
reinforced version
replacement in pairs recommended



References

Porsche 970 333 069 03 Porsche 970 333 069 04
Porsche 970 333 069 05

Application info

Porsche Panamera (970) (03/09-12/17)

Stabilizer link 416 060 0034/HD MSL1093HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 157
Required quantity 2
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended



References

Porsche 970 343 069 21 Porsche 970 343 069 22
Porsche 970 343 069 23

Application info

Porsche Panamera (970) (03/09-12/17)

Stabilizer link **44-16 060 0000/HD** **MSL0481HD**

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 310
Required quantity 2
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended



References

Chrysler 4694855
Chrysler 4743454AA
Chrysler 4743454AC
Chrysler 4743669AB
Volkswagen 7B0 411 315

Chrysler 4743021AA
Chrysler 4743454AB
Chrysler 4743669AA
Chrysler 4743669AC

Application info

Chrysler Voyager III/Caravan (01/95-12/01)
Chrysler Voyager V/Town Country (10/07--)
Dodge Caravan III (02/00-12/07)
Volkswagen Routan (09/08-12/13)

Chrysler Voyager IV/ Town Country (09/99-12/08)
Dodge Caravan II (01/95-03/01)
Lancia Voyager (09/11-12/14)

Stabilizer link **44-16 060 0003** **MSL0483**

Notes

Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 185
Required quantity 2
replacement in pairs recommended



References

Chrysler 04656934AB
Chrysler 4656934AB

Application info

Chrysler PT Cruiser (06/00-12/10)

Stabilizer link

44-16 060 0004

MSL0484

Notes

Coupling Rod
Front Axle Left

Length [mm] 214
Paired article number 44-16 060 0005 | MSL0485
Required quantity 1
Thread Size 1 M14x2
Thread Size 2 M14x2
replacement in pairs recommended



References

Chrysler 04895483AA	Chrysler 04895483AB
Chrysler 04895483AC	Chrysler K04895483AC
Lancia K04782717AA	Lancia K04895483AA
Lancia K04895483AB	Lancia K04895483AC

Application info

Chrysler 300 C (09/04--)

Lancia Thema II (09/11-10/14)

Stabilizer link

44-16 060 0005

MSL0485

Notes

Coupling Rod
Front Axle Right

Length [mm] 214
Paired article number 44-16 060 0004 | MSL0484
Required quantity 1
Thread Size 1 M14x2
Thread Size 2 M14x2
replacement in pairs recommended



References

Chrysler 04895482AA	Chrysler 04895482AB
Chrysler 04895482AC	Chrysler K04895482AC
Lancia K04782716AA	Lancia K04895482AA
Lancia K04895482AB	Lancia K04895482AC

Application info

Chrysler 300 C (09/04--)

Lancia Thema II (09/11-10/14)

Stabilizer link **44-16 060 0006/HD** **MSL0615HD**

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 80
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10X1,5
reinforced version
replacement in pairs recommended



References

Chrysler 05174245AA	Chrysler 05174245AB
Chrysler 05174245AC	Chrysler K05174245AB
Dodge 05174245AA	Jeep 05174245AD
Lancia K05174245AC	Lancia K05174245AD

Application info

Chrysler Sebring (JS) (09/06-12/10)	Dodge Avenger II (06/07-12/14)
Dodge Caliber (06/06--)	Jeep Compass (MK) (08/06--)
Jeep Patriot (MK) (02/07-12/17)	Lancia Flavia (03/12-12/14)

Stabilizer link **45-16 060 0000/HD** **MSL0590HD**

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 307.5
Required quantity 2
Thread Size 1 10x1,5
Thread Size 2 10x1,5
reinforced version
replacement in pairs recommended



References

MG RBM 100240	MG RBM100240SLP
Rover RBM100240	

Application info

Rover 75 (RJ) (02/99-06/06)

Stabilizer link

516 060 0000/HD

MSL0489HD

Notes

Carbon Neutral
Coupling Rod
with spanner attachment

Length [mm] 302
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended
short version



References

Volvo 1387860	Volvo 30647995
Volvo 30714686	Volvo 31212730
Volvo 8628703	Volvo 9140767
Volvo 9492804	

Application info

Volvo 850 (06/91-10/97)	Volvo C/S/V 70 (12/95-10/05)
Volvo XC70 I (10/97-10/07)	

Stabilizer link

516 060 0009

MSL0493

Notes

Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 267
Required quantity 2
Thread Size 1 M10x1,25
Thread Size 2 M10x1,25
replacement in pairs recommended



References

Volvo 30884179

Application info

Volvo S/V 40 (07/95-12/04)

References

Mitsubishi MR131680
 Volvo 30871770
 Volvo 30884358

Mitsubishi MR272116
 Volvo 30873100

Application info

Mitsubishi Carisma (07/95-06/06)

Volvo S/V 40 (07/95-12/04)

Stabilizer link

516 060 0015/HD

MSL0496HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 332
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M12x1,5
 long version
 reinforced version
 replacement in pairs recommended



References

Volvo 274303
 Volvo 30714685
 Volvo 31212692
 Volvo 8634736
 Volvo 9200603

Volvo 274456
 Volvo 31201602
 Volvo 31216292
 Volvo 8672445
 Volvo 92006030

Application info

Volvo S60 I / V70 II (11/99-04/10)
 Volvo XC70 I (10/97-10/07)

Volvo S80 I (05/98-02/08)
 Volvo XC90 I (06/02-01/15)

Application info

Volvo C/S/V 70 (12/95-10/05)
 Volvo S80 I (05/98-02/08)
 Volvo XC90 I (06/02-01/15)

Volvo S60 I / V70 II (11/99-04/10)
 Volvo XC70 I (10/97-10/07)

Stabilizer link

516 060 0020

MSL0871

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 332
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M12x1,5
 long version
 replacement in pairs recommended



References

Volvo 274303	Volvo 274456
Volvo 30714685	Volvo 31201602
Volvo 31212692	Volvo 31216292
Volvo 8634736	Volvo 8672445
Volvo 9200603	Volvo 92006030

Application info

Volvo S60 I / V70 II (11/99-04/10)
 Volvo XC70 I (10/97-10/07)

Volvo S80 I (05/98-02/08)
 Volvo XC90 I (06/02-01/15)

Stabilizer link

516 060 0021

MSL0872

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 243
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Volvo 272991

Volvo 6819253

Volvo 9492837

Application info

Volvo 940 / 960 / S/V 90 (09/90-12/98)

Stabilizer link

516 060 0022/HD

MSL1101HD

Notes

Carbon Neutral

Coupling Rod

Rear Axle Right

100

516 060 0023/HD | MSL1102HD

1

M12x1,5

M12x1,5

Length [mm]

Paired article number

Required quantity

Thread Size 1

Thread Size 2

reinforced version

replacement in pairs recommended

**References**

Volvo 31387675

Application info

Volvo S60 III (224) (02/19--)

Volvo S90 II / V90 II (03/16--)

Volvo V60 II (02/18--)

Volvo XC60 II (03/17--)

Volvo XC90 II (09/14--)

Stabilizer link

516 060 0023/HD

MSL1102HD

Notes

Carbon Neutral

Coupling Rod

Rear Axle Left

100

516 060 0022/HD | MSL1101HD

516 060 0024/HD | MSL1016HD

1

M12x1,5

M12x1,5

Length [mm]

Paired article number

Paired article number

Required quantity

Thread Size 1

Thread Size 2

reinforced version

replacement in pairs recommended



References

Volvo 31387674

Application info

Volvo S60 III (224) (02/19--)

Volvo V60 II (02/18--)

Volvo XC90 II (09/14--)

Volvo S90 II / V90 II (03/16--)

Volvo XC60 II (03/17--)

Stabilizer link**516 060 0024/HD****MSL1016HD****Notes**Carbon Neutral
Coupling Rod
Front Axle Right

Length [mm]

180

Paired article number

516 060 0023/HD | MSL1102HD

Paired article number

516 060 0025/HD | MSL1017HD

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended

**References**

Volvo 31360658

Volvo 31406874

Application info

Volvo S90 II / V90 II (03/16--)

Volvo XC60 II (03/17--)

Volvo V60 II (02/18--)

Volvo XC90 II (09/14--)

Stabilizer link**516 060 0025/HD****MSL1017HD****Notes**Carbon Neutral
Coupling Rod
Front Axle Left

Length [mm]

180

Paired article number

516 060 0024/HD | MSL1016HD

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended



References

Volvo 31406873

Application info

Volvo S90 II / V90 II (03/16--)

Volvo XC60 II (03/17--)

Volvo V60 II (02/18--)

Volvo XC90 II (09/14--)

Stabilizer link

516 060 0026/HD

MSL1012HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right

Length [mm]

168

Paired article number

516 060 0027/HD | MSL1013HD

Required quantity

1

Thread Size 1


M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended



References

Volvo 31658287

Application info

Volvo S60 III (224) (02/19--)

Volvo V60 II (02/18--)

Stabilizer link

516 060 0027/HD

MSL1013HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left

Length [mm]

168

Paired article number

516 060 0026/HD | MSL1012HD

Required quantity

1

Thread Size 1


M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended



References

Volvo 31476640

Volvo 31658286

Application info

Volvo S60 III (224) (02/19--)

Volvo V60 II (02/18--)

Stabilizer link

516 060 0028/HD

MSL1151HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
Steel

Inner Diameter [mm] 10.3
Length [mm] 145
Pipe Diameter [mm] 10
Required quantity 2
Thread Size 1 M10x1,5

replacement in pairs recommended

**References**

POLESTAR 32221272

Volvo 32221272

Application info

POLESTAR POLESTAR 2 (02/19--)

Volvo C40 (539) (10/21--)

Volvo XC40 (536) (10/17--)

Stabilizer link

516 060 0029/HD

MSL0999HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 276
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5

reinforced version

replacement in pairs recommended

**References**

POLESTAR 32221271

POLESTAR 32344015

Volvo 31658405

Volvo 32221271

Volvo 32344015

Application info

POLESTAR POLESTAR 2 (02/19--)
Volvo XC40 (536) (10/17--)

Volvo C40 (539) (10/21--)

Stabilizer link

516 060 9600/HD

MSL0498HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 243
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Volvo 272991
Volvo 9492837

Volvo 6819253

Application info

Volvo 940 / 960 / S/V 90 (09/90-12/98)

Stabilizer link

53-16 060 0004/HD

MSL0499HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 100
Required quantity 2
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended



References

Land Rover ANR3304

Application info

Land Rover Range Rover II (07/94-03/02)

Stabilizer link

53-16 060 0005/HD

MSL0500HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

246

Required quantity

2

Thread Size 1

M12x1,5

Thread Size 2

M12x1,25

reinforced version

replacement in pairs recommended

**References**

Land Rover RBM100223

Application info

Land Rover Discovery II (10/98-08/04)

Stabilizer link

53-16 060 0006/HD

MSL0501HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
with spanner attachment

Length [mm]

159

Required quantity

2

Thread Size 1

M12x1,5

Thread Size 2

M12x1,25

reinforced version

replacement in pairs recommended

**References**

Land Rover RGD100682

Application info

Land Rover Discovery II (10/98-08/04)

Stabilizer link 53-16 060 0007/HD MSL0502HD

Notes	Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment	
Length [mm]	380	
Required quantity	2	
Thread Size 1	M12x1,5	
Thread Size 2	M12x1,5	
reinforced version		
replacement in pairs recommended		

References	
Land Rover LR030047	Land Rover RBM000011
Land Rover RBM500200	

Application info
Land Rover Range Rover III (03/02-12/12)

Stabilizer link 53-16 060 0008/HD MSL0503HD

Notes	Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment	
Length [mm]	310	
Required quantity	2	
Thread Size 1	M12x1,75	
Thread Size 2	M12x1,75	
reinforced version		
replacement in pairs recommended		

References	
Land Rover LR014145	

Application info
Land Rover Discovery IV (09/09-12/18)

Stabilizer link

53-16 060 0009/HD

MSL0504HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment



Length [mm] 300
Required quantity 2
Thread Size 1 M12x1,75
Thread Size 2 M12x1,75
reinforced version
replacement in pairs recommended

References

Land Rover RBM500110
Land Rover RBM500190

Land Rover RBM500180

Application info

Land Rover Discovery III (07/04-09/09)

Stabilizer link

53-16 060 0010/HD

MSL0505HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right



Length [mm] 120
Required quantity 2
Thread Size 1 M12x1,75
Thread Size 2 M12x1,75
reinforced version
replacement in pairs recommended

References

Land Rover RGD000311

Land Rover RGD000312

Application info

Land Rover Discovery III (07/04-09/09)

Land Rover Discovery IV (09/09-12/18)

Land Rover Range Rover Sport I (02/05-03/13)

Stabilizer link **53-16 060 0013** **MSL0508**

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 Rear Axle Left
 Rear Axle Right

Length [mm] 65
 Required quantity 2
 Thread Size 1 M12x1,75
 replacement in pairs recommended



References
 Land Rover NTC1888

Application info
 Land Rover Defender I (05/90-05/16) Land Rover Discovery I (06/89-12/98)
 Land Rover Range Rover I (10/69-04/96)

Stabilizer link **53-16 060 0014/HD** **MSL0509HD**

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 350
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References
 Land Rover LR002626

Application info
 Land Rover Freelander II (10/06-12/15)

Stabilizer link

53-16 060 0015/HD

MSL0510HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm]

120

Required quantity

2

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended

**References**

Land Rover LR030048

Land Rover RGD000130

Land Rover RGD000131

Land Rover RGD500150

Application info

Land Rover Range Rover III (03/02-12/12)

Stabilizer link

53-16 060 0016/HD

MSL0511HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

203

Required quantity

2

Thread Size 1

M12x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Land Rover RBM100170

Land Rover RBM100171

Land Rover RBM100172

Application info

Land Rover Freelander I (02/98-10/06)

Stabilizer link 53-16 060 0026/HD MSL0925HD

Notes

	Carbon Neutral
	Coupling Rod
	Front Axle Left
	Front Axle Right
Length [mm]	208
Required quantity	2
Thread Size 1	M14x2,0
Thread Size 2	M14x2,0
reinforced version	
replacement in pairs recommended	



References

Land Rover LR035489

Application info

Land Rover Defender II (09/19--)	Land Rover Range Rover IV (08/12--)
Land Rover Range Rover Sport II (04/13--)	

Stabilizer link 53-16 060 0027/HD MSL0926HD

Notes

	Carbon Neutral
	Coupling Rod
	Rear Axle Left
Length [mm]	190
Paired article number	53-16 060 0028/HD MSL0927HD
Required quantity	1
Thread Size 1	M14x2,0
Thread Size 2	M14x2,0
reinforced version	
replacement in pairs recommended	



References

Land Rover LR042976

Application info

Land Rover Range Rover IV (08/12--)	Land Rover Range Rover Sport II (04/13--)
-------------------------------------	---

Stabilizer link		53-16 060 0028/HD	MSL0927HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Right</p> <p>Length [mm] 190</p> <p>Paired article number 53-16 060 0027/HD MSL0926HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x2,0</p> <p>Thread Size 2 M14x2,0</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Land Rover LR042975</p>			
<p>Application info</p> <p>Land Rover Range Rover IV (08/12--)</p> <p>Land Rover Range Rover Sport II (04/13--)</p>			
Stabilizer link		53-16 060 0029/HD	MSL0928HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left</p> <p>Length [mm] 183</p> <p>Paired article number 53-16 060 0030/HD MSL0929HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M14x2,0</p> <p>Thread Size 2 M14x2,0</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Land Rover LR033243</p> <p>Land Rover LR048093</p>			
<p>Application info</p> <p>Land Rover Defender II (09/19--)</p> <p>Land Rover Range Rover IV (08/12--)</p> <p>Land Rover Discovery V (09/16--)</p> <p>Land Rover Range Rover Sport II (04/13--)</p>			

Stabilizer link

53-16 060 0032/HD

MSL1058HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm]

186

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Jaguar HK835D498AB

Jaguar T4A2038

Land Rover HK835D498AB

Land Rover LR090549

Application info

Jaguar F-Pace (X761) (09/15--)

Jaguar I-Pace (X590) (02/18--)

Land Rover Range Rover Velar (03/17--)

Stabilizer link

53-16 060 0033/HD

MSL1080HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left

Length [mm]

160

Paired article number

53-16 060 0034/HD | MSL1081HD

Required quantity

1

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Land Rover LR061272

Application info

Land Rover Discovery Sport (09/14--)

Stabilizer link		53-16 060 0034/HD	MSL1081HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Right</p> <p>Length [mm] 160</p> <p>Paired article number 53-16 060 0033/HD MSL1080HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Land Rover LR061271</p>			
<p>Application info</p> <p>Land Rover Discovery Sport (09/14--)</p>			
Stabilizer link		53-16 060 0035/HD	MSL1063HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 320</p> <p>Required quantity 2</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>Land Rover LR114253</p>			
<p>Application info</p> <p>Land Rover Discovery Sport (09/14--)</p> <p>Land Rover Range Rover Evoque II (12/18--)</p>			

Stabilizer link 56-16 060 0000/HD MSL0707HD

Notes	Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment	
Length [mm]	295	
Required quantity	2	
Thread Size 1	M12X1,5	
Thread Size 2	M12X1,5	
reinforced version		
replacement in pairs recommended		

References	
Chevrolet 95299172	Chevrolet 95465758
Chevrolet 95941670	

Application info
Chevrolet Aveo II (03/11--)

Stabilizer link 57-16 060 0000 MSL0514

Notes	Coupling Rod Front Axle Left Front Axle Right	
Length [mm]	230	
Required quantity	2	
replacement in pairs recommended		

References	
Jeep 52089467AB	

Application info
Jeep Grand Cherokee (WH) (10/04-10/11)

Stabilizer link

57-16 060 0007/HD

MSL1051HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left

Length [mm] 132.7
Paired article number 57-16 060 0008/HD | MSL1052HD
Required quantity 1
Thread Size 1 M12 X 1,5
Thread Size 2 M12 X 1,5
reinforced version
replacement in pairs recommended



References

Jeep 68069655AB

Jeep 68069655AC

Jeep K68069655AB

Jeep K68069655AC

Application info

Jeep Grand Cherokee IV (WK) (06/10--)

Stabilizer link

57-16 060 0008/HD

MSL1052HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right

Length [mm] 132.7
Paired article number 57-16 060 0007/HD | MSL1051HD
Required quantity 1
Thread Size 1 M12 X 1,5
Thread Size 2 M12 X 1,5
reinforced version
replacement in pairs recommended



References

Jeep 68069654AB

Jeep 68069654AC

Jeep K68069654AB

Jeep K68069654AC

Application info

Jeep Grand Cherokee IV (WK) (06/10--)

Stabilizer link 57-16 060 0011/HD MSL1132HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 258
Required quantity 2
Thread Size 1 10x1,5
Thread Size 2 10x1,5
replacement in pairs recommended



References

Jeep 68224732AA	Jeep 68224732AB
Jeep 68224732AC	Jeep 68224732AD
Jeep K68224732AA	Jeep K68224732AB
Jeep K68224732AC	Jeep K68224732AD


Application info
Jeep Cherokee (KL) (06/13--)

Stabilizer link 57-16 060 0012/HD MSL1133HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 245
Required quantity 2
Thread Size 1 10x1,5
Thread Size 2 10x1,5
replacement in pairs recommended



References

Jeep 68224731AB	Jeep 68224731AC
Jeep 68224731AD	Jeep K68224731AB
Jeep K68224731AD	

Application info
Jeep Cherokee (KL) (06/13--)

Stabilizer link

57-16 060 0018/HD

MSL1140HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Diameter [mm] 12.1
Length [mm] 222.8
Pipe Diameter [mm] 12
Required quantity 2
Thread Size 1 M12x1,5
replacement in pairs recommended

**References**

Jeep 52060011AB
Jeep K52060011AB

Jeep 53150109
Jeep KV2060011AB

Application info

Jeep Wrangler (JK) (06/06--)

Stabilizer link

57-16 060 0019/HD

MSL1128HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 107
Required quantity 2
Thread Size 1 12x1,5
Thread Size 2 12x1,5
replacement in pairs recommended

**References**

Jeep 05168176AA
Jeep 68253391AA
Jeep K68091853AA

Jeep 68091853AA
Jeep 68298921AA
Jeep K68298921AA

Application info

Jeep Grand Cherokee IV (WK) (06/10--)

Stabilizer link

57-16 060 0022/HD

MSL1134HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 280
Required quantity 2
Thread Size 1 10x1,5
Thread Size 2 10x1,5
reinforced version
replacement in pairs recommended



References

Jeep 68232186AA Jeep 68232186AB
Jeep 68232186AC Jeep K68232186AA
Jeep K68232186AC Jeep V8164037AA

Application info

Jeep Cherokee (KL) (06/13--)

Stabilizer link


57-16 060 0024/HD

MSL1157HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
Steel

Inner Diameter [mm] 12.1
Length [mm] 222.5
Required quantity 2
Thread Size M12x1,5
Thread Size 1 M12X1,5
reinforced version
replacement in pairs recommended



References

Jeep 68293034AA Jeep 68293034AB
Jeep 68445126AA Jeep K68293034AA
Jeep K68293034AB Jeep K68445126AA

Application info

Jeep Wrangler (JL) (11/17--)

Stabilizer link

616 060 0003/HD

MSL0518HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
Steel
with spanner attachment



Length [mm] 300
Required quantity 2
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended

References

- | | |
|-------------------------|-------------------------|
| Chevrolet 13169439 | Chevrolet 13219141 |
| Chevrolet 13258052 | Chevrolet 90498745 |
| GENERAL MOTORS 13169439 | GENERAL MOTORS 13219141 |
| GENERAL MOTORS 13258052 | GENERAL MOTORS 13327928 |
| GENERAL MOTORS 90498745 | |
| Opel 03 50 614 | Opel 03 50 611 |
| Opel 03 50 618 | Opel 03 50 617 |
| Opel 3 50 611 | Opel 3 50 176 |
| Opel 3 50 617 | Opel 3 50 614 |
| Opel 35 01 760 | Opel 3 50 618 |
| Vauxhall 03 50 611 | Saab 13 21 9141 |
| Vauxhall 03 50 617 | Vauxhall 03 50 614 |
| Vauxhall 3 50 176 | Vauxhall 03 50 618 |
| Vauxhall 3 50 614 | Vauxhall 3 50 611 |
| Vauxhall 3 50 618 | Vauxhall 3 50 617 |

Application info

Chevrolet Cruze (J300, J305) (07/00--)	Chevrolet Cruze (J308) (08/12--)
Chevrolet Orlando (J309) (12/10--)	Chevrolet Volt (04/11--)
Chevrolet Zafira (F75) (02/99-12/12)	Opel Ampera (11/11-03/15)
Opel Astra G / Astra Classic / Zafira A (02/98-12/09)	Opel Astra H / Zafira B (01/04-05/19)
Opel Astra J (12/06--)	Opel Insignia A (07/08-03/17)
Opel Meriva B (06/10-03/17)	Opel Zafira C (Tourer) (10/11--)
Saab 9-5 (YS3G) (01/10-01/12)	Vauxhall Ampera (03/12--)
Vauxhall Astra Mk II (09/84-09/93)	Vauxhall Astra Mk IV (01/93-08/06)
Vauxhall Astra Mk V (01/04--)	Vauxhall Astra Mk VI (12/09-10/15)
Vauxhall Insignia Mk I A (07/08-05/17)	Vauxhall Meriva Mk II B (06/10--)
Vauxhall Zafira Mk I (11/98-08/05)	Vauxhall Zafira Mk II (04/05-11/14)
Vauxhall Zafira Mk III (10/11-08/18)	

Stabilizer link**616 060 0004/HD****MSL0519HD****Notes**

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

354

Required quantity

2

Thread Size 1

M12X1,5

Thread Size 2

M12X1,5

reinforced version

replacement in pairs recommended

**References**

Fiat 51741130	Fiat 51803183
GENERAL MOTORS 13237130	GENERAL MOTORS 24417251
Opel 03 50 603	Opel 03 50 615
Opel 3 50 603	Opel 3 50 615
Saab 13-23-7130	Saab 24 41 7251
Vauxhall 03 50 603	Vauxhall 03 50 615
Vauxhall 3 50 603	Vauxhall 3 50 615

Application info

Fiat Croma II (06/05--)	Opel Vectra C / Signum (04/02-01/09)
Saab 9-3 (YS3F) (09/02-02/15)	Vauxhall Vectra Mk II / Signum (01/00-05/09)

Stabilizer link		616 060 0005	MSL0520
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right for vehicles with IDS-plus suspension</p> <p>Length [mm] 300 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 replacement in pairs recommended</p>		 	
<p>References</p> <p>GENERAL MOTORS 24461353 Opel 03 50 613 Opel 3 50 613 Opel 35 06 130 Vauxhall 03 50 613 Vauxhall 3 50 613</p>			
<p>Application info</p> <p>Opel Astra H / Zafira B (01/04-05/19) Opel Astra J (12/06--) Vauxhall Astra Mk V (01/04--) Vauxhall Insignia Mk I A (07/08-05/17) Vauxhall Zafira Mk II (04/05-11/14)</p>			
Stabilizer link		616 060 0006/HD	MSL0521HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 355 Required quantity 2 Thread Size 1 M12X1,5 Thread Size 2 M12X1,5 reinforced version replacement in pairs recommended</p>		 	
<p>References</p> <p>GENERAL MOTORS 13116332 Opel 03 50 612 Opel 3 50 612 Vauxhall 03 50 612 Vauxhall 3 50 612</p>			
<p>Application info</p> <p>Opel Vectra C / Signum (04/02-01/09) Vauxhall Vectra Mk II / Signum (01/00-05/09)</p>			

Stabilizer link 616 060 0007/HD MSL0522HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm] 130
Paired article number 616 060 0008/HD | MSL0523HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

GENERAL MOTORS 9160498	GENERAL MOTORS 93192673
Nissan 54616-00Q0C	Nissan 54616-00QAB
Opel 44 18 192	Opel 45 00 198
Renault 7700302165	Renault 7700309070
Renault 8200713522	Vauxhall 44 18 192
Vauxhall 45 00 198	

Application info

Nissan Interstar I (X70) (04/02--)	Opel Movano A (07/98--)
Renault Master II (03/98--)	Vauxhall Movano Mk I (10/98-12/10)

Stabilizer link 616 060 0008/HD MSL0523HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 130
Paired article number 616 060 0007/HD | MSL0522HD
Required quantity 1
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

GENERAL MOTORS 9160499
 Nissan 54618-00Q0A
 Opel 44 18 193
 Renault 7700307343
 Renault 8200713523
 Vauxhall 45 00 199

GENERAL MOTORS 93192674
 Nissan 54618-00QAA
 Opel 45 00 199
 Renault 7700309071
 Vauxhall 44 18 193

Application info

Nissan Interstar I (X70) (04/02--)
 Renault Master II (03/98--)

Opel Movano A (07/98--)
 Vauxhall Movano Mk I (10/98-12/10)

Stabilizer link**616 060 0012/HD****MSL0526HD****Notes**

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 301
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended

**References**

Alfa Romeo 50515276
 Alfa Romeo 51805870
 Fiat 50515276
 Fiat 51805870
 GENERAL MOTORS 13321280
 Lancia 50515276
 Opel 3 50 175
 Vauxhall 03 50 616

Alfa Romeo 50531823
 Alfa Romeo 55700753
 Fiat 50531823
 Fiat 55700753
 GENERAL MOTORS 55700753
 Opel 03 50 616
 Opel 3 50 616
 Vauxhall 3 50 616

Application info

ABARTH Grande Punto (12/07-12/12)
 Alfa Romeo Giulietta (940) (04/10--)
 Fiat 500L (09/12--)
 Fiat Punto Evo (07/08--)
 Opel Corsa D (07/06-08/14)
 Vauxhall Corsa Mk III (07/06-08/14)

ABARTH Punto III (03/12--)
 Alfa Romeo Mito (08/08--)
 Fiat Grande Punto (06/05--)
 Fiat Punto III (01/12--)
 Vauxhall Combo Mk III (07/06--)

Stabilizer link		616 060 0013	MSL0527																
<p>Notes</p> <p>Coupling Rod Front Axle Left</p> <p>Length [mm] 287</p> <p>Paired article number 616 060 0014 MSL0528</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,75</p> <p>Thread Size 2 M12x1,75</p> <p>replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL QUALITY</p>																	
<p>References</p> <table border="0"> <tr> <td>Chevrolet 22744118</td> <td>Chevrolet 95488870</td> </tr> <tr> <td>Chevrolet 96626247</td> <td>Chevrolet 96996450</td> </tr> <tr> <td>GENERAL MOTORS 22744118</td> <td>GENERAL MOTORS 95488870</td> </tr> <tr> <td>GENERAL MOTORS 96626247</td> <td>GENERAL MOTORS 96996450</td> </tr> <tr> <td>Opel 48 02 966</td> <td>Opel 48 06 304</td> </tr> <tr> <td>Opel 48 17 516</td> <td>Opel 48 19 611</td> </tr> <tr> <td>Vauxhall 48 02 966</td> <td>Vauxhall 48 06 304</td> </tr> <tr> <td>Vauxhall 48 17 516</td> <td></td> </tr> </table>				Chevrolet 22744118	Chevrolet 95488870	Chevrolet 96626247	Chevrolet 96996450	GENERAL MOTORS 22744118	GENERAL MOTORS 95488870	GENERAL MOTORS 96626247	GENERAL MOTORS 96996450	Opel 48 02 966	Opel 48 06 304	Opel 48 17 516	Opel 48 19 611	Vauxhall 48 02 966	Vauxhall 48 06 304	Vauxhall 48 17 516	
Chevrolet 22744118	Chevrolet 95488870																		
Chevrolet 96626247	Chevrolet 96996450																		
GENERAL MOTORS 22744118	GENERAL MOTORS 95488870																		
GENERAL MOTORS 96626247	GENERAL MOTORS 96996450																		
Opel 48 02 966	Opel 48 06 304																		
Opel 48 17 516	Opel 48 19 611																		
Vauxhall 48 02 966	Vauxhall 48 06 304																		
Vauxhall 48 17 516																			
<p>Application info</p> <table border="0"> <tr> <td>Chevrolet Captiva I (06/06--)</td> <td>Opel Antara (05/06--)</td> </tr> <tr> <td>Vauxhall Antara (08/06--)</td> <td></td> </tr> </table>				Chevrolet Captiva I (06/06--)	Opel Antara (05/06--)	Vauxhall Antara (08/06--)													
Chevrolet Captiva I (06/06--)	Opel Antara (05/06--)																		
Vauxhall Antara (08/06--)																			
Stabilizer link		616 060 0014	MSL0528																
<p>Notes</p> <p>Coupling Rod Front Axle Right</p> <p>Length [mm] 287</p> <p>Paired article number 616 060 0013 MSL0527</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,75</p> <p>Thread Size 2 M12x1,75</p> <p>replacement in pairs recommended</p>		 <p>MEYLE ORIGINAL QUALITY</p>																	

References

Chevrolet 22744119	Chevrolet 95488871
Chevrolet 96626248	Chevrolet 96996451
GENERAL MOTORS 22744119	GENERAL MOTORS 95488871
GENERAL MOTORS 96626248	GENERAL MOTORS 96996451
Opel 48 02 967	Opel 48 06 305
Opel 48 17 515	Opel 48 19 612
Vauxhall 48 06 305	

Application info


Chevrolet Captiva I (06/06--)	Opel Antara (05/06--)
Vauxhall Antara (08/06--)	

Stabilizer link

616 060 0016/HD MSL0529HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 with spanner attachment
 Length [mm] 290
 Paired article number 616 060 0017/HD | MSL0530HD
 Required quantity 1
 Thread Size 1 M12x1,75
 Thread Size 2 M12x1,75
 reinforced version
 replacement in pairs recommended



References

GENERAL MOTORS 13282834	Opel 03 50 192
Opel 3 50 192	Vauxhall 3 50 192

Application info

Opel Astra J (12/06--)	Opel Cascada (03/13-04/19)
Vauxhall Astra Mk VI (12/09-10/15)	Vauxhall Cascada (02/13--)

Stabilizer link

616 060 0017/HD

MSL0530HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm]

290

Paired article number

616 060 0016/HD | MSL0529HD

Required quantity

1

Thread Size 1

M12x1,75

Thread Size 2

M12x1,75

reinforced version

replacement in pairs recommended

**References**

GENERAL MOTORS 13285628

Opel 03 50 193

Opel 3 50 193

Vauxhall 3 50 193

Application info

Opel Astra J (12/06--)

Opel Cascada (03/13-04/19)

Vauxhall Astra Mk VI (12/09-10/15)

Vauxhall Cascada (02/13--)

Stabilizer link

616 060 0018/HD

MSL0531HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
with spanner attachment

Length [mm]

285

Paired article number

616 060 0019/HD | MSL0532HD

Required quantity

1

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended

**References**

Chevrolet 3 50 231

Chevrolet 95942519

GENERAL MOTORS 95942519

Opel 03 50 231

Opel 3 50 231

Vauxhall 3 50 231

Vauxhall 95 94 2519

Application info

Chevrolet Trax (12/12--)
Vauxhall Mokka A (06/12--)

Opel Mokka A (06/12--)

Stabilizer link

616 060 0019/HD

MSL0532HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Right
with spanner attachment

Length [mm] 285
Paired article number 616 060 0018/HD | MSL0531HD
Required quantity 1
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5
reinforced version
replacement in pairs recommended



References

Chevrolet 3 50 232
GENERAL MOTORS 95942520
Opel 3 50 232
Vauxhall 95 94 2520

Chevrolet 95942520
Opel 03 50 232
Vauxhall 3 50 232

Application info

Chevrolet Trax (12/12--)
Vauxhall Mokka A (06/12--)

Opel Mokka A (06/12--)

Stabilizer link

616 060 0020/HD

MSL0567HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm] 167
Required quantity 2
Thread Size 1 M12x1,75
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Chevrolet 22737680
 GENERAL MOTORS 22737680
 Opel 48 08 136
 Vauxhall 48 08 136

GENERAL MOTORS 20911128
 Opel 48 01 837
 Vauxhall 48 01 837

Application info

Chevrolet Captiva I (06/06--)
 Vauxhall Mokka A (06/12--)

Opel Mokka A (06/12--)

Stabilizer link

616 060 0021/HD

MSL0647HD

Notes

Carbon Neutral
 Coupling Rod
 Rear Axle Left
 Rear Axle Right
 with dual tyres

Length [mm] 165
 Required quantity 2
 Thread Size 1 M10x1,5
 reinforced version
 replacement in pairs recommended



References

GENERAL MOTORS 93168675
 Opel 44 20 954
 Vauxhall 93168675

Nissan 56261-00Q0C
 Renault 551100020R

Application info

Nissan NV400 (11/11--)
 Renault Master III (02/10--)

Opel Movano B (05/10--)
 Vauxhall Movano Mk II (05/10--)

Stabilizer link		616 060 0022/HD	MSL0582HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 310 Required quantity 2 Thread Size 1 M10X1,5 Thread Size 2 M10x1,5 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>GENERAL MOTORS 13391512 Opel 3 50 233 Suzuki 42420-74P00 Suzuki 42420-74P10 Suzuki 42420-74P10-000 Vauxhall 13391512</p>			
<p>Application info</p> <p>Opel Adam (10/12-02/19) Opel Corsa E (09/14--) Suzuki Ignis III (MF) (10/16--) Vauxhall Adam (10/12-04/19) Vauxhall Corsa Mk IV (08/14--)</p>			
Stabilizer link		616 060 0023	MSL0692
<p>Notes</p> <p>Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 71.5 Required quantity 2 Thread Size 10x1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Chevrolet 13281792 GENERAL MOTORS 13281792 Opel 13281792 Opel 4 44 081</p>			
<p>Application info</p> <p>Opel Insignia A (07/08-03/17) Vauxhall Insignia Mk I A (07/08-05/17)</p>			

References

Fiat 51741130
 GENERAL MOTORS 13237130
 Opel 03 50 603
 Opel 3 50 603
 Saab 13-23-7130
 Vauxhall 03 50 603
 Vauxhall 3 50 603

Fiat 51803183
 GENERAL MOTORS 24417251
 Opel 03 50 615
 Opel 3 50 615
 Saab 24 41 7251
 Vauxhall 03 50 615
 Vauxhall 3 50 615

Application info

Fiat Cromia II (06/05--)
 Saab 9-3 (YS3F) (09/02-02/15)

Opel Vectra C / Signum (04/02-01/09)
 Vauxhall Vectra Mk II / Signum (01/00-05/09)

Stabilizer link

616 060 0030

MSL0881

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment
 Length [mm] 301
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5

replacement in pairs recommended



References

GENERAL MOTORS 13321280
 Opel 03 50 616
 Opel 3 50 616
 Vauxhall 3 50 616

GENERAL MOTORS 55700753
 Opel 3 50 175
 Vauxhall 03 50 616

Application info

Opel Corsa D (07/06-08/14)
 Vauxhall Corsa Mk III (07/06-08/14)

Vauxhall Combo Mk III (07/06--)

Stabilizer link**616 060 0032****MSL0882****Notes**

Coupling Rod
 Front Axle Left
 Front Axle Right
 Steel
 with spanner attachment

Length [mm]

300

Required quantity

2

Thread Size 1

M12X1,5

Thread Size 2

M12X1,5

replacement in pairs recommended

**References**

Chevrolet 13219141

GENERAL MOTORS 13219141

Opel 03 50 617

Opel 3 50 617

Saab 13 21 9141

Vauxhall 03 50 617

Vauxhall 3 50 617

Chevrolet 13258052

GENERAL MOTORS 13258052

Opel 03 50 618

Opel 3 50 618

Saab 13 25 8052

Vauxhall 03 50 618

Vauxhall 3 50 618

Application info

Chevrolet Cruze (J300, J305) (07/00--)

Chevrolet Orlando (J309) (12/10--)

Chevrolet Zafira (F75) (02/99-12/12)

Opel Astra J (12/06--)

Opel Zafira C (Tourer) (10/11--)

Vauxhall Ampera (03/12--)

Vauxhall Insignia Mk I A (07/08-05/17)

Chevrolet Cruze (J308) (08/12--)

Chevrolet Volt (04/11--)

Opel Ampera (11/11-03/15)

Opel Insignia A (07/08-03/17)

Saab 9-5 (YS3G) (01/10-01/12)

Vauxhall Astra Mk VI (12/09-10/15)

Vauxhall Zafira Mk III (10/11-08/18)

Stabilizer link**616 060 0035****MSL0884****Notes**

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm]

224

Required quantity

2

Thread Size 1

M12X1,5

Thread Size 2

M12X1,5

replacement in pairs recommended



References

GENERAL MOTORS 90334075
 GENERAL MOTORS 90468930
 Opel 03 50 605
 Opel 3 50 600
 Opel 3 50 609
 Vauxhall 03 50 605
 Vauxhall 3 50 600
 Vauxhall 3 50 609

GENERAL MOTORS 90445137
 Opel 03 50 600
 Opel 03 50 609
 Opel 3 50 605
 Vauxhall 03 50 600
 Vauxhall 03 50 609
 Vauxhall 3 50 605

Application info

Opel Omega A / Senator B (09/86-05/94)
 Vauxhall Carlton Mk III (09/86-03/94)
 Vauxhall Senator Mk II (09/87-09/93)

Opel Omega B (03/94-12/05)
 Vauxhall Omega Mk II (12/93-07/03)

Stabilizer link**616 060 0036/HD****MSL0949HD****Notes**

Carbon Neutral
 Coupling Rod
 Front Axle Right
 Length [mm] 307
 Paired article number 616 060 0037/HD | MSL0950HD
 Required quantity 1
 Thread Size 1 12x1,5
 Thread Size 2 12x1,5
 reinforced version
 replacement in pairs recommended

**References**

GENERAL MOTORS 39001004
 GENERAL MOTORS 42705814
 Opel 39 06 4481
 Vauxhall 39 00 1004
 Vauxhall 42 70 5814

GENERAL MOTORS 39064481
 Opel 39 00 1004
 Opel 42 70 5814
 Vauxhall 39 06 4481

Application info

Opel Astra K (06/15--)

Vauxhall Astra Mk VII (07/15--)

Stabilizer link		616 060 0039	MSL0983
<p>Notes</p> <p>Coupling Rod Front Axle Left</p> <p>Length [mm] 273</p> <p>Paired article number 616 060 0040 MSL0984</p> <p>Required quantity 1</p> <p>Thread Size 1 M12 X 1,75</p> <p>Thread Size 2 M12 X 1,75</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>GENERAL MOTORS 84077102 Opel 84077102</p> <p>Vauxhall 84 07 7102</p>			
<p>Application info</p> <p>Opel Insignia B (03/17--)</p> <p>Vauxhall Insignia Mk II B (03/17--)</p>			
Stabilizer link		616 060 0040	MSL0984
<p>Notes</p> <p>Coupling Rod Front Axle Right</p> <p>Length [mm] 273</p> <p>Paired article number 616 060 0039 MSL0983</p> <p>Required quantity 1</p> <p>Thread Size 1 M12 X 1,75</p> <p>Thread Size 2 M12 X 1,75</p> <p>replacement in pairs recommended</p>			
<p>References</p> <p>GENERAL MOTORS 84077103 Opel 84077103</p> <p>Vauxhall 84 07 7103</p>			
<p>Application info</p> <p>Opel Insignia B (03/17--)</p> <p>Vauxhall Insignia Mk II B (03/17--)</p>			

Stabilizer link

616 060 0041/HD

MSL1055HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 240
Required quantity 2
Thread Size 1 M10 X 1,5
Thread Size 2 M10 X 1,5
reinforced version
replacement in pairs recommended



References

GENERAL MOTORS 95167261 Opel 3 50 239
Vauxhall 95 16 7261

Application info

Opel Karl (01/15-03/19) Vauxhall Viva (01/15-03/19)

Stabilizer link

616 060 1001/S

MSL0533

Notes

Coupling Rod
Front Axle Left
Front Axle Right
Set
for vehicles with heavy duty suspension

Inner Diameter 1 [mm] 21
Length [mm] 85
Required quantity 2
Thread Size 1 M8x1,25
replacement in pairs recommended



References

GENERAL MOTORS 90278579 Opel 03 50 260
Opel 3 50 260 Saab 30 54 0743
Vauxhall 03 50 260 Vauxhall 3 50 260

Application info

Opel Astra F (09/91-01/05) Opel Calibra (08/89-07/97)
Opel Vectra A (04/88-12/95) Saab 900 II (07/93-04/99)
Vauxhall Astra Mk III (01/91-03/01) Vauxhall Calibra Mk I (06/90-07/97)
Vauxhall Cavalier Mk III (08/88-11/95)

Stabilizer link

616 060 1002/S

MSL0534

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 Set

Inner Diameter 1 [mm] 17
 Length [mm] 85
 Required quantity 2
 Thread Size 1 M8x1,25
 replacement in pairs recommended

**References**

GENERAL MOTORS 90278577
 Opel 3 50 261
 Vauxhall 3 50 261

Opel 03 50 261
 Vauxhall 03 50 261

Application info

Opel Astra F (09/91-01/05)
 Vauxhall Astra Mk III (01/91-03/01)

Opel Vectra A (04/88-12/95)
 Vauxhall Cavalier Mk III (08/88-11/95)

Stabilizer link

616 060 5389

MSL0535

Notes

Coupling Rod
 Length [mm] 195
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended

Length [mm] 195
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended

**References**

Chevrolet 96440020
 GENERAL MOTORS 90236577
 Opel 3 50 602
 Vauxhall 3 50 602

Daewoo 96440020
 Opel 03 50 602
 Vauxhall 03 50 602

Application info

Chevrolet Evanda (03/05--)
 Opel Monza / Senator (02/78-08/87)

Daewoo Evanda / Magnus (08/02--)
 Opel Record E (08/77-08/86)

Stabilizer link

616 060 5575/HD

MSL0538HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 224
Required quantity 2
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended



References

GENERAL MOTORS 90334075
GENERAL MOTORS 90468930
Opel 03 50 605
Opel 3 50 600
Opel 3 50 609
Vauxhall 03 50 605
Vauxhall 3 50 600
Vauxhall 3 50 609

GENERAL MOTORS 90445137
Opel 03 50 600
Opel 03 50 609
Opel 3 50 605
Vauxhall 03 50 600
Vauxhall 03 50 609
Vauxhall 3 50 605

Application info

Opel Omega A / Senator B (09/86-05/94)
Vauxhall Carlton Mk III (09/86-03/94)
Vauxhall Senator Mk II (09/87-09/93)

Opel Omega B (03/94-12/05)
Vauxhall Omega Mk II (12/93-07/03)

Stabilizer link

616 060 5582/HD

MSL0539HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 243
Required quantity 2
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
reinforced version
replacement in pairs recommended



References

GENERAL MOTORS 90496116

Opel 3 50 610

Saab 52 36 823

Vauxhall 3 50 610

Opel 03 50 610

Saab 46 86 606

Vauxhall 03 50 610

Application info

Opel Corsa C / Combo / Tigra (09/00--)

Opel Vectra B (09/95-07/04)

Saab 9-5 (YS3G) (01/10-01/12)

Vauxhall Corsa Mk II / Tigra / Combo (08/00-02/12)

Vauxhall Vectra Mk I (08/95-07/03)

Opel Meriva A (05/03-05/10)

Saab 9-5 (YS3E) (09/97-12/09)

Vauxhall Combo Mk II (09/01-02/12)

Vauxhall Meriva Mk I A (01/03-06/10)

Stabilizer link**616 060 5582****MSL0539****Notes**Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

243

Required quantity

2

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

replacement in pairs recommended

**References**

GENERAL MOTORS 90496116

Opel 90496116

Saab 52 36 823

Vauxhall 3 50 610

Opel 03 50 610

Saab 46 86 606

Vauxhall 03 50 610

Application info

Opel Corsa C / Combo / Tigra (09/00--)

Opel Vectra B (09/95-07/04)

Vauxhall Combo Mk II (09/01-02/12)

Vauxhall Meriva Mk I A (01/03-06/10)

Opel Meriva A (05/03-05/10)

Saab 9-5 (YS3E) (09/97-12/09)

Vauxhall Corsa Mk II / Tigra / Combo (08/00-02/12)

Vauxhall Vectra Mk I (08/95-07/03)

Stabilizer link

70-16 060 0000/HD

MSL1183HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

269.5

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

TESLA 1027391-00-B

Application info

TESLA Model X (09/13--)

Stabilizer link

70-16 060 0002/HD

MSL1186HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm]

140.8

Pipe Diameter [mm]

10

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

replacement in pairs recommended

**References**

TESLA 1027491-00-A

Application info

TESLA Model X (09/13--)

Stabilizer link		70-16 060 0009/HD	MSL1116HD
Notes Carbon Neutral Coupling Rod Front Axle Right Length [mm] 281 Paired article number 70-16 060 0008/HD MSL1115HD Required quantity 1 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended			
References TESLA 1044396-00-C TESLA 1044396-00-D TESLA 1188396-00-B			
Application info TESLA Model 3 (01/17--) TESLA Model Y (03/19--)			
Stabilizer link		70-16 060 0010/HD	MSL1147HD
Notes Carbon Neutral Coupling Rod Rear Axle Left Length [mm] 144 Paired article number 70-16 060 0011/HD MSL1148HD Required quantity 1 Thread Size 1 M10x1,25 Thread Size 2 M10x1,25 reinforced version replacement in pairs recommended			
References TESLA 1044491-00-E TESLA 1044491-00-F TESLA 1288491-00-A			
Application info TESLA Model 3 (01/17--) TESLA Model X (09/13--) TESLA Model S (09/12--) TESLA Model Y (03/19--)			

Application info

DAIMLER XJ (X30) (10/94-06/03)
 Ford Mondeo I, II (01/93-09/00)
 Jaguar XJ (X308) (09/96-06/03)

Ford Cougar (08/98-12/01)
 Jaguar XJ (X300) (09/94-12/99)
 Jaguar XK 8 (QDV, QEV) (03/96-12/06)

Stabilizer link

716 060 0007/HD

MSL0545HD

Notes

Carbon Neutral
 Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 250
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

Ford 1 117 698
 Ford 1 219 697
 Ford 1S71-38438-BA
 Ford (Chanagan) 1S71-3B438-BA
 Jaguar C2S3248
 Jaguar C2S39552

Ford 1 127 646
 Ford 1S71-38438-AB
 Ford 1S71-3B438-BA
 Jaguar C2S26883
 Jaguar C2S38552

Application info

Ford Mondeo III (10/00-09/07)

Jaguar X-Type (03/01-12/09)

Stabilizer link

716 060 0008/HD

MSL0546HD

Notes

Carbon Neutral
 Coupling Rod
 Rear Axle Left
 Rear Axle Right
 with spanner attachment

Length [mm] 255
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

Ford 1 117 800

Ford 1S71-5C486-AC

Ford 1 127 648

Ford 1S71-5C486-AD

Application info

Ford Mondeo III (10/00-09/07)

Stabilizer link

716 060 0010

MSL0577

Notes

Coupling Rod
 Rear Axle Left
 Rear Axle Right
 Length [mm] 110
 Required quantity 2
 Thread Size 1 M10x1,5

replacement in pairs recommended



References

Ford 1 500 682

Ford 8M51-5E494-AA

Volvo 30760236

Volvo 30760238

Volvo 31406909

Volvo 31406911

Ford 1 719 542

Ford 8M51-5E494-AB

Volvo 30760237

Volvo 31329967

Volvo 31406910

Application info

Ford C-Max I (02/07-09/10)

Ford Focus II (10/03--)

Volvo C30 (09/06-12/13)

Volvo V40 II (03/12--)

Ford C-Max II (04/10--)

Ford Focus III (07/10--)

Volvo S40 II / V50 (12/03-12/12)

Stabilizer link

716 060 0014/HD

MSL0551HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm]

298

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended



References

Ford 1 223 792

Ford 1 686 594

Ford 1 851 900

Ford 3M51-3B438-AB

Ford AV61-3B438-AA

Ford (Chanagan) 3M51-3B438-AB

Mazda BP4K-34-170C

Renault 546180001R

Volvo 8623576

Ford 1 230 909

Ford 1 762 149

Ford 3M51-3B438-AA

Ford 3M51-3B438-AC

Ford AV61-3B438-BA

Mazda BP4K-34 170B

Mazda BP4K-34-170D

Volvo 31340273

Application info

Ford C-Max I (02/07-09/10)

Ford Focus II (10/03--)

Ford Kuga I (02/08-11/12)

Ford Tourneo '13 (09/13--)

Mazda 3 (BK) (09/99-12/09)

Mazda 5 (CW) (06/10--)

Volvo C30 (09/06-12/13)

Volvo S40 II / V50 (12/03-12/12)

Ford C-Max II (04/10--)

Ford Focus III (07/10--)

Ford Kuga II (05/12--)

Ford Transit '13 (02/13--)

Mazda 5 (CR) (02/05-12/10)

Renault Laguna III / Coupe / Grandtour (10/07-12/15)

Volvo C70 II (03/06-12/13)

Volvo V40 II (03/12--)

Stabilizer link		716 060 0015	MSL0552																						
<p>Notes</p> <p>Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 74 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>		 																							
<p>References</p> <table border="0"> <tr> <td>Ford 1 223 923</td> <td>Ford 1 231 452</td> </tr> <tr> <td>Ford 1 253 969</td> <td>Ford 1 304 120</td> </tr> <tr> <td>Ford 1 310 333</td> <td>Ford 1 335 548</td> </tr> <tr> <td>Ford 1 469 208</td> <td>Ford 1 734 686</td> </tr> <tr> <td>Ford 3M51-5C486-BC</td> <td>Ford 3M51-5C486-BD</td> </tr> <tr> <td>Ford 3M51-5C486-BE</td> <td>Ford 3M51-5C486-BF</td> </tr> <tr> <td>Mazda BP4K-28 170C</td> <td>Mazda BP4K-28 170E</td> </tr> <tr> <td>Mazda BP4K-28 170F</td> <td>Mazda BP4K-28 170G</td> </tr> <tr> <td>Mazda BP4K-28-170D</td> <td>Mazda BP4K-28-170H</td> </tr> <tr> <td>Volvo 30714466</td> <td>Volvo 31212548</td> </tr> <tr> <td>Volvo 31329966</td> <td>Volvo 32283879</td> </tr> </table>				Ford 1 223 923	Ford 1 231 452	Ford 1 253 969	Ford 1 304 120	Ford 1 310 333	Ford 1 335 548	Ford 1 469 208	Ford 1 734 686	Ford 3M51-5C486-BC	Ford 3M51-5C486-BD	Ford 3M51-5C486-BE	Ford 3M51-5C486-BF	Mazda BP4K-28 170C	Mazda BP4K-28 170E	Mazda BP4K-28 170F	Mazda BP4K-28 170G	Mazda BP4K-28-170D	Mazda BP4K-28-170H	Volvo 30714466	Volvo 31212548	Volvo 31329966	Volvo 32283879
Ford 1 223 923	Ford 1 231 452																								
Ford 1 253 969	Ford 1 304 120																								
Ford 1 310 333	Ford 1 335 548																								
Ford 1 469 208	Ford 1 734 686																								
Ford 3M51-5C486-BC	Ford 3M51-5C486-BD																								
Ford 3M51-5C486-BE	Ford 3M51-5C486-BF																								
Mazda BP4K-28 170C	Mazda BP4K-28 170E																								
Mazda BP4K-28 170F	Mazda BP4K-28 170G																								
Mazda BP4K-28-170D	Mazda BP4K-28-170H																								
Volvo 30714466	Volvo 31212548																								
Volvo 31329966	Volvo 32283879																								
<p>Application info</p> <table border="0"> <tr> <td>Ford C-Max I (02/07-09/10)</td> <td>Ford Focus II (10/03--)</td> </tr> <tr> <td>Mazda 3 (BK) (09/99-12/09)</td> <td>Mazda 3 (BL) (12/08-12/14)</td> </tr> <tr> <td>Mazda 5 (CR) (02/05-12/10)</td> <td>Volvo S40 II / V50 (12/03-12/12)</td> </tr> </table>				Ford C-Max I (02/07-09/10)	Ford Focus II (10/03--)	Mazda 3 (BK) (09/99-12/09)	Mazda 3 (BL) (12/08-12/14)	Mazda 5 (CR) (02/05-12/10)	Volvo S40 II / V50 (12/03-12/12)																
Ford C-Max I (02/07-09/10)	Ford Focus II (10/03--)																								
Mazda 3 (BK) (09/99-12/09)	Mazda 3 (BL) (12/08-12/14)																								
Mazda 5 (CR) (02/05-12/10)	Volvo S40 II / V50 (12/03-12/12)																								
Stabilizer link		716 060 0016/HD	MSL0553HD																						
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 290 Required quantity 2 Thread Size 1 M12X1,5 Thread Size 2 M12X1,5 reinforced version replacement in pairs recommended</p>		 																							

References

Ford 1 763 714

Ford 3C11-3B438-AC

Ford BK21-3B438-AA

Ford USA 2 033 148

Ford 2 033 148

Ford 4 519 467

Ford BK21-3B438-AB

Ford USA BK21-3B438-AB

Application info

Ford Tourneo '12 (04/12--)

Ford Transit '06 (04/06-12/14)

Ford Transit Custom '12 (04/12--)

Ford Transit '00 (01/00-05/06)

Ford Transit '14 (08/13--)

Stabilizer link

716 060 0017/HD

MSL0554HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm]

284

Required quantity

2

Thread Size 1

M10x1,5

Thread Size 2

M10x1,5

reinforced version

replacement in pairs recommended

**References**

Ford 1 146 150

Ford 1 761 200

Ford 2S61-3B438-AD

Ford 5 152 208

Mazda DD32-34-170

Ford 1 469 212

Ford 2S61-3B438-AC

Ford 2S61-3B438-AE

Ford 7L84-5K483-AC

Application info

Ford Fiesta V / Fusion (11/01-12/14)

Mazda 2 (DY) (02/03-06/07)

Ford Maverick II (02/01--)

Stabilizer link

716 060 0018/HD

MSL0555HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 243
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Ford 1 332 453

Ford 2T14-3B438-BA

Ford 2T14-3B438-BB

Ford 4 367 012

Application info

Ford Tourneo '02 (06/02-12/13)

Ford Transit '02 (06/02--)

Stabilizer link

716 060 0022/HD

MSL0559HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 300
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
reinforced version
replacement in pairs recommended



References

Ford 1 377 849

Ford 6G9N-3B438-BA

Ford (Chanagan) 30648461

Ford (Chanagan) 6G9N-3B438-BA

Volvo 30648461

Volvo 31658608

Volvo (Changan) 30648461

Application info

Ford Galaxy II (05/06-06/15)
 Ford S-Max I (05/06-12/14)
 Volvo S80 II (03/06-12/16)
 Volvo XC60 I (05/08-12/17)

Ford Mondeo IV (03/07-01/15)
 Volvo S60 II / V60 (04/10--)
 Volvo V70 III (04/07--)
 Volvo XC70 II (04/07-12/16)

Stabilizer link

716 060 0023/HD

MSL0560HD

Notes

Carbon Neutral
 Coupling Rod
 Rear Axle Left
 Rear Axle Right
 with spanner attachment

Length [mm] 133
 Required quantity 2
 Thread Size 1 M12X1,5
 Thread Size 2 M12X1,5
 reinforced version
 replacement in pairs recommended



References

Ford 1 332 463
 Ford 2T14-5C486-AG
 Ford W12T14-5C486-AD

Ford 2T14-5C486-AE
 Ford 4 436 609

Application info

Ford Tourneo '02 (06/02-12/13)

Ford Transit '02 (06/02--)

Stabilizer link

716 060 0028/HD

MSL0565HD

Notes

Carbon Neutral
 Coupling Rod
 Rear Axle Left
 Rear Axle Right

Length [mm] 76
 Required quantity 2
 Thread Size 1 M12x1,25
 Thread Size 2 M10x1,5
 reinforced version
 replacement in pairs recommended



References

Ford 1 691 815	Ford 1 701 466
Ford 1 714 891	Ford 1 767 896
Ford 1 814 315	Ford 1 856 667
Ford BV61-5C486-AAA	Ford BV61-5C486-BAA
Ford BV61-5C486-BAB	Ford BV615-C486B-AC
Volvo 31317271	Volvo 31387811
Volvo 31429024	

Application info

Ford C-Max II (04/10--)	Ford Focus III (07/10--)
Volvo V40 II (03/12--)	

Stabilizer link

716 060 0029/HD

MSL0941HD

Notes

Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Length [mm] 299
Required quantity 2
Thread Size 1 M12X1,5
Thread Size 2 M12X1,5
replacement in pairs recommended



References

Ford 2 214 255	Ford 5 182 780
Ford DG9C-3B438-ANC	Ford JB3C-3052-AA
Ford USA 5182780	Ford USA DG9C3B438ANC

Application info

Ford Galaxy III (01/15--)	Ford Mondeo V (09/12--)
Ford Ranger III (04/11--)	Ford S-Max II (01/15--)
Ford USA Edge (01/14--)	

Stabilizer link		716 060 0031	MSL0885												
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 250 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>															
<p>References</p> <table border="0"> <tr> <td>Ford 1 117 698</td> <td>Ford 1 127 646</td> </tr> <tr> <td>Ford 1 219 697</td> <td>Ford 1S71-38438-AB</td> </tr> <tr> <td>Ford 1S71-38438-BA</td> <td>Ford 1S71-3B438-BA</td> </tr> <tr> <td>Ford (Chanagan) 1S71-3B438-BA</td> <td>Jaguar C2S26883</td> </tr> <tr> <td>Jaguar C2S3248</td> <td>Jaguar C2S38552</td> </tr> <tr> <td>Jaguar C2S39552</td> <td></td> </tr> </table>				Ford 1 117 698	Ford 1 127 646	Ford 1 219 697	Ford 1S71-38438-AB	Ford 1S71-38438-BA	Ford 1S71-3B438-BA	Ford (Chanagan) 1S71-3B438-BA	Jaguar C2S26883	Jaguar C2S3248	Jaguar C2S38552	Jaguar C2S39552	
Ford 1 117 698	Ford 1 127 646														
Ford 1 219 697	Ford 1S71-38438-AB														
Ford 1S71-38438-BA	Ford 1S71-3B438-BA														
Ford (Chanagan) 1S71-3B438-BA	Jaguar C2S26883														
Jaguar C2S3248	Jaguar C2S38552														
Jaguar C2S39552															
<p>Application info</p> <p>Ford Mondeo III (10/00-09/07)</p>		<p>Jaguar X-Type (03/01-12/09)</p>													

Stabilizer link		716 060 0032	MSL0886
<p>Notes</p> <p>Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 298 Required quantity 2 Thread Size 1 M10x1,5 Thread Size 2 M10x1,5 replacement in pairs recommended</p>			

References

- | | |
|-------------------------------|--------------------|
| Ford 1 223 792 | Ford 1 230 909 |
| Ford 1 686 594 | Ford 1 762 149 |
| Ford 1 851 900 | Ford 3M51-3B438-AA |
| Ford 3M51-3B438-AB | Ford 3M51-3B438-AC |
| Ford AV61-3B438-AA | Ford AV61-3B438-BA |
| Ford (Chanagan) 3M51-3B438-AB | Mazda BP4K-34 170B |
| Mazda BP4K-34-170C | Mazda BP4K-34-170D |
| Renault 546180001R | Renault 546180010R |
| Renault 546183913R | Volvo 31340273 |
| Volvo 8623576 | |

Application info

- | | |
|----------------------------|--|
| Ford C-Max I (02/07-09/10) | Ford C-Max II (04/10--) |
| Ford Focus II (10/03--) | Ford Focus III (07/10--) |
| Ford Kuga I (02/08-11/12) | Ford Kuga II (05/12--) |
| Ford Tourneo '13 (09/13--) | Ford Transit '13 (02/13--) |
| Mazda 3 (BK) (09/99-12/09) | Mazda 5 (CR) (02/05-12/10) |
| Mazda 5 (CW) (06/10--) | Renault Laguna III / Coupe / Grandtour (10/07-12/15) |
| Renault Latitude (07/10--) | Volvo C30 (09/06-12/13) |
| Volvo C70 II (03/06-12/13) | Volvo S40 II / V50 (12/03-12/12) |
| Volvo V40 II (03/12--) | |

Stabilizer link

716 060 0033

MSL0887

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 290
 Required quantity 2
 Thread Size 1 M12X1,5
 Thread Size 2 M12X1,5
 replacement in pairs recommended



References

- | | |
|--------------------|------------------------|
| Ford 1 763 714 | Ford 2 033 148 |
| Ford 3C11-3B438-AC | Ford 4 519 467 |
| Ford BK21-3B438-AA | Ford BK21-3B438-AB |
| Ford USA 2 033 148 | Ford USA BK21-3B438-AB |

Application info

Ford Tourneo '12 (04/12--)
 Ford Transit '06 (04/06-12/14)
 Ford Transit Custom '12 (04/12--)

Ford Transit '00 (01/00-05/06)
 Ford Transit '14 (08/13--)

Stabilizer link

716 060 0035

MSL0889

Notes

Coupling Rod
 Rear Axle Left
 Rear Axle Right
 with spanner attachment

Length [mm] 255
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Ford 1 117 800
 Ford 1S71-5C486-AC

Ford 1 127 648
 Ford 1S71-5C486-AD

Application info

Ford Mondeo III (10/00-09/07)

Stabilizer link

716 060 0036

MSL0890

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 284
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Ford 1 146 150
 Ford 1 761 200
 Ford 2S61-3B438-AD
 Ford 5 152 208
 Mazda DD32-34-170

Ford 1 469 212
 Ford 2S61-3B438-AC
 Ford 2S61-3B438-AE
 Ford 7L84-5K483-AC

Application info

Ford Fiesta V / Fusion (11/01-12/14)
Mazda 2 (DY) (02/03-06/07)

Ford Maverick II (02/01--)

Stabilizer link

716 060 0037

MSL0891

Notes

Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 243
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
replacement in pairs recommended



References

Ford 1 332 453
Ford 2T14-3B438-BB

Ford 2T14-3B438-BA
Ford 4 367 012

Application info

Ford Tourneo '02 (06/02-12/13)

Ford Transit '02 (06/02--)

Stabilizer link

716 060 0038

MSL0892

Notes

Coupling Rod
Front Axle Left
Front Axle Right
with spanner attachment

Length [mm] 300
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M10x1,5
replacement in pairs recommended



References

Ford 1 377 849
Ford (Chanagan) 30648461
Volvo 30648461
Volvo (Changan) 30648461

Ford 6G9N-3B438-BA
Ford (Chanagan) 6G9N-3B438-BA
Volvo 31658608

Application info

Ford Galaxy II (05/06-06/15)
 Ford S-Max I (05/06-12/14)
 Volvo S80 II (03/06-12/16)
 Volvo XC60 I (05/08-12/17)

Ford Mondeo IV (03/07-01/15)
 Volvo S60 II / V60 (04/10--)
 Volvo V70 III (04/07--)
 Volvo XC70 II (04/07-12/16)

Stabilizer link

716 060 0039

MSL0893

Notes

Coupling Rod
 Rear Axle Left
 Rear Axle Right
 with spanner attachment

Length [mm] 133
 Required quantity 2
 Thread Size 1 M12X1,5
 Thread Size 2 M12X1,5
 replacement in pairs recommended



References

Ford 1 332 463 Ford 2T14-5C486-AE
 Ford 2T14-5C486-AG Ford 4 436 609
 Ford W12T14-5C486-AD

Application info

Ford Tourneo '02 (06/02-12/13) Ford Transit '02 (06/02--)

Stabilizer link

716 060 0040

MSL0894

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 238
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Ford 1 004 018	Ford 1 061 631
Ford 1 067 818	Ford 1 071 336
Ford 1 107 068	Ford 1 107 069
Ford 1 111 769	Ford 1 130 273
Ford 1 135 077	Ford 1 209 035
Ford 1 471 446	Ford 1 661 237
Ford 1S61-3B438-AA	Ford 5 106 995
Ford 6 186 082	Ford 6 188 004
Ford 6 198 621	Ford 89FB-3B438-A1E
Ford 89FB-3B438-AB	Ford 89FB-3B438-AC
Ford 89FB3-B438A-1D	Ford 89FB3-B438A-1F
Ford 96FB-3B438-AB	Ford 98AG-3B438-AA
Ford 98AG-3B438-AB	Ford 98AG-3B438-AC
Ford 98AG-3B438-AD	Ford YS41 3B438-BA
Ford YS41-3B438-AA	Ford YS41-3B438-AB
Ford YS41-3B438-BB	Ford YS71-3B438-AB
Ford (Chanagan) 1S61-3B438-AA	Mazda 1E00-34-170
Mazda 1E01-34-170A	

Application info

Ford Escort V, VI, VII / Orion III (01/90-10/02)	Ford Fiesta III (01/89-01/97)
Ford Fiesta IV / Puma (08/95--)	Ford Focus I (08/98-11/09)
Ford KA I (09/96-11/08)	Mazda 121 (JASM, JBSM) (01/96-04/03)

Stabilizer link

716 060 0042

MSL0896

Notes

Coupling Rod
 Front Axle Left
 Front Axle Right
 with spanner attachment

Length [mm] 250
 Required quantity 2
 Thread Size 1 M10x1,5
 Thread Size 2 M10x1,5
 replacement in pairs recommended



References

Ford 1 513 343

Ford 1 790 310

Ford 2 069 658

Ford 8V51-3B438-AB

Ford 8V51-3B438-BB

Ford 8V51-3B438-BD

Mazda D651-34-170

Ford 1 745 924

Ford 1 905 043

Ford 2 513 086

Ford 8V51-3B438-BA

Ford 8V51-3B438-BC

Ford ME8V5J-3B438-BD

Mazda D651-34-170A

Application info

Ford B-MAX (08/12--)

Ford Fiesta VI (06/08--)

Ford KA III (08/14--)

Ford Tourneo '14 (02/14--)

Mazda 2 (DE) (07/07-06/15)

Ford Ecosport (09/11--)

Ford Fiesta VII (05/17--)

Ford Puma (09/19--)

Ford Transit Courier '14 (02/14--)

Stabilizer link**716 060 0044/HD****MSL1024HD****Notes**Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right

Length [mm]

120

Required quantity

2

Thread Size 1

M12X1,5

Thread Size 2

M12X1,5

reinforced version

replacement in pairs recommended

**References**

Ford 2 463 429

Ford 5 282 207

Ford USA DG9C-5C486-AXC

Ford USA F2GC-5C486-AXB

Ford 5 182 818

Ford 5 295 981

Ford USA F2GC-5C486-AXA

Ford USA F2GC-5C486-AXC

Application info

Ford Galaxy III (01/15--)

Ford S-Max II (01/15--)

Ford USA Mustang (02/14--)

Ford Mondeo V (09/12--)

Ford USA Edge (01/14--)

Stabilizer link		716 060 0045/HD	MSL1010HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Lower Rear Axle Left Rear Axle Right</p> <p>Length [mm] 102 Required quantity 2 Thread Size 1 M10X1,5 Thread Size 2 M10X1,5 reinforced version replacement in pairs recommended</p>		 	

<p>References</p> <p>Ford 2 099 504 Ford 2 173 832 Ford JX615-C486-AKB Ford JX615-C486-AKC</p>	
---	--

<p>Application info</p> <p>Ford Focus IV (01/18--)</p>

Stabilizer link		716 060 0047/HD	MSL1173HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Rear Axle Left Rear Axle Right</p> <p>Length [mm] 238 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M8x1,25 reinforced version replacement in pairs recommended</p>		 	


<p>References</p> <p>Ford 2 200 512 Ford 2 346 598 Ford JX61-5C486-BEA Ford JX61-5C486-BEB</p>	
---	--

<p>Application info</p> <p>Ford Focus IV (01/18--)</p>

Stabilizer link		716 060 0050/HD	MSL1158HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 255 Pipe Diameter [mm] 10 Required quantity 2 Thread Size 1 M12x1,5 Thread Size 2 M12x1,5 reinforced version replacement in pairs recommended</p>		 <p>A photograph of a black metal stabilizer link with two ball joints. A yellow circular badge in the top right corner of the image reads 'MEYLE HD QUALITY'.</p>	

References	
Ford 1 732 869	Ford 2 113 317
Ford AB31-3052-AA	Ford EB3C-3052-AA
Ford USA 1732869	Ford USA 2113317
Ford USA AB31-3052-AA	Ford USA EB3C-3052-AA

Application info
Ford Ranger III (04/11--)

Stabilizer link		716 060 0051/HD	MSL1097HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 225 Required quantity 2 Thread Size 1 M12 X 1,25 Thread Size 2 M12 X 1,25 replacement in pairs recommended</p>		 <p>A photograph of a black metal stabilizer link with two ball joints. A yellow circular badge in the top right corner of the image reads 'MEYLE HD QUALITY'.</p>	

References	
Ford USA 2031926	Ford USA 5282208
Ford USA FR3C5K483AA	Ford USA FR3C5K483AB

Application info
Ford USA Mustang (02/14--)

Stabilizer link		716 060 0054/HD	MSL1015HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right</p> <p>Length [mm] 298 Required quantity 2 Thread Size 1 M12X1,5 Thread Size 2 M12X1,5 replacement in pairs recommended</p>			
<p>References</p> <p>Ford 2 197 192 Ford 2 216 271 Ford 2 286 405 Ford JX61-3B438-AEB Ford JX61-3B438-AEC Ford JX61-3B438-AKC</p>			
<p>Application info</p> <p>Ford Focus IV (01/18--)</p>			
Stabilizer link		716 060 0055/HD	MSL1087HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left</p> <p>Length [mm] 225 Paired article number 716 060 0056/HD MSL1088HD Required quantity 1 Thread Size 1 M12x1,75 Thread Size 2 M12x1,75 reinforced version replacement in pairs recommended</p>			
<p>References</p> <p>Ford 1 732 874 Ford 2 113 322 Ford AB31-3053-CA Ford EB3C-3053-BA</p>			
<p>Application info</p> <p>Ford Ranger III (04/11--)</p>			

Stabilizer link		716 060 0056/HD	MSL1088HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Right</p> <p>Length [mm] 225</p> <p>Paired article number 716 060 0055/HD MSL1087HD</p> <p>Required quantity 1</p> <p>Thread Size 1 M12x1,75</p> <p>Thread Size 2 M12x1,75</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 <p>A black metal stabilizer link with threaded ends and ball joints. A yellow circular badge with 'HD' and 'Product' is visible in the top right corner of the image area.</p>	
<p>References</p> <p>Ford 1 732 872 Ford 2 113 320</p>			
<p>Application info</p> <p>Ford Ranger III (04/11--)</p>			
Stabilizer link		716 060 0090/HD	MSL0561HD
<p>Notes</p> <p>Carbon Neutral Coupling Rod Front Axle Left Front Axle Right with spanner attachment</p> <p>Length [mm] 238</p> <p>Required quantity 2</p> <p>Thread Size 1 M10x1,5</p> <p>Thread Size 2 M10x1,5</p> <p>reinforced version</p> <p>replacement in pairs recommended</p>		 <p>A black metal stabilizer link with threaded ends and ball joints. A yellow circular badge with 'HD' and 'Product' is visible in the top right corner of the image area.</p>	

References

Ford 1 004 018	Ford 1 061 631
Ford 1 067 818	Ford 1 071 336
Ford 1 106 269	Ford 1 107 068
Ford 1 107 069	Ford 1 111 769
Ford 1 130 273	Ford 1 135 077
Ford 1 209 035	Ford 1 471 446
Ford 1 661 237	Ford 1S61-3B438-AA
Ford 5 106 995	Ford 6 186 082
Ford 6 188 004	Ford 6 198 621
Ford 6 960 036	Ford 89FB-3B438-A1E
Ford 89FB-3B438-AB	Ford 89FB-3B438-AC
Ford 89FB3-B438A-1D	Ford 89FB3-B438A-1F
Ford 93BB-3B438-CA	Ford 96FB-3B438-AB
Ford 98AG-3B438-AA	Ford 98AG-3B438-AB
Ford 98AG-3B438-AC	Ford 98AG-3B438-AD
Ford YS41 3B438-BA	Ford YS41-3B438-AA
Ford YS41-3B438-AB	Ford YS41-3B438-BB
Ford YS71 3B438-AA	Ford YS71-3B438-AB
Ford (Chanagan) 1S61-3B438-AA	Mazda 1E00-34-170
Mazda 1E01-34-170A	

Application info

Ford Cougar (08/98-12/01)	Ford Escort V, VI, VII / Orion III (01/90-10/02)
Ford Fiesta III (01/89-01/97)	Ford Fiesta IV / Puma (08/95--)
Ford Focus I (08/98-11/09)	Ford KA I (09/96-11/08)
Ford Mondeo I, II (01/93-09/00)	Mazda 121 (JASM, JBSM) (01/96-04/03)

Stabilizer link**716 060 0091/HD****MSL0594HD****Notes**

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
Length [mm] 179
Required quantity 2
Thread Size 1 M10x1,5
Thread Size 2 M8x1,25

reinforced version

replacement in pairs recommended



References

Ford 1 377 349

Ford 1 377 416

Ford 1 502 681

Ford 6G915-C486X-AA

Ford 8V41-5C486-AA

Volvo 30736875

Volvo 31429561

Volvo 31476579

Ford 1 377 398

Ford 1 425 853

Ford 1 783 320

Ford 6G915-C486X-AB

Ford CV615-C486A-AB

Volvo 30760678

Volvo 31451817

Application info

Ford Galaxy II (05/06-06/15)

Ford Kuga II (05/12--)

Ford S-Max I (05/06-12/14)

Volvo S80 II (03/06-12/16)

Volvo XC60 I (05/08-12/17)

Ford Kuga I (02/08-11/12)

Ford Mondeo IV (03/07-01/15)

Volvo S60 II / V60 (04/10--)

Volvo V70 III (04/07--)

Volvo XC70 II (04/07-12/16)

Stabilizer link**716 060 0092/HD****MSL1156HD****Notes**Carbon Neutral
Coupling Rod
Front Axle Left
Front Axle Right

Steel

Length [mm]

318

Pipe Diameter [mm]

10

Required quantity

2

Thread Size 1

M12x1,5

Thread Size 2

M12x1,5

reinforced version

replacement in pairs recommended

**References**

Ford 2 451 509

Ford LX613B438AEA

Application info

Ford Kuga III (07/19--)

Stabilizer link

716 060 0093/HD

MSL1159HD

Notes

Carbon Neutral
Coupling Rod
Rear Axle Left
Rear Axle Right
Steel
Length [mm] 120
Pipe Diameter [mm] 10
Required quantity 2
Thread Size 1 M12x1,5
Thread Size 2 M12x1,5

reinforced version
replacement in pairs recommended



References

Ford 2 416 280

Ford LX61-5C486-ANA

Application info

Ford Kuga III (07/19--)

Suspension Kit

37-16 610 0002

MCR0079

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity 2
replacement in pairs recommended



References

- | | |
|---------------------|---------------------|
| Hyundai 54500-2S000 | Hyundai 54500-2Y000 |
| Hyundai 54500-2Y001 | Hyundai 54500-2Y002 |
| Hyundai 54500-3W102 | Hyundai 54501-2S000 |
| Hyundai 54501-2Y000 | Hyundai 54501-2Y001 |
| Hyundai 54501-2Y002 | Hyundai 54501-3W102 |
| Hyundai 54530-3S000 | Hyundai 54551-2S000 |
| Hyundai 54584-2S000 | Kia 54500 2Y000 |
| Kia 54500 2Y001 | Kia 54500 2Y002 |
| Kia 54501 2Y000 | Kia 54501 2Y001 |
| Kia 54501 2Y002 | Kia 54530 3S000 |
| Kia 54551 2S000 | Kia 54584-2S000 |

Application info

- | | |
|----------------------------|------------------------|
| Hyundai Tucson I (06/04--) | Hyundai ix35 (08/09--) |
| Kia Sportage III (09/09--) | |

Suspension Kit

40-16 610 0000/HD

MCR0117HD

Notes

Carbon Neutral
 Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount

Replace in pairs only
 Required quantity
 reinforced version

2



References

- | | |
|--------------------|-----------------|
| Citroën 3520.H5 | Citroën 3521.E5 |
| Citroën 3523.75 | Citroën 3640.43 |
| Citroën 96 110 483 | Peugeot 1215145 |
| Peugeot 3520.H5 | Peugeot 3521.E5 |
| Peugeot 3523.75 | Peugeot 3640.38 |

Application info

- | | |
|----------------------------------|-----------------------------|
| Citroën Berlingo I (07/96-12/11) | Citroën Xsara (04/97-03/10) |
| Citroën ZX (03/91-07/99) | Peugeot Partner I (05/96--) |

Suspension Kit

44-14 610 0008

MCR0119

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

Chrysler 4684120

Chrysler 4743095AA

Chrysler 4766542AD

Chrysler 4766543AD

Chrysler 4743094AA

Chrysler 4766542AA

Chrysler 4766543AA

Application info

Chrysler Voyager IV/ Town Country (09/99-12/08)

Suspension Kit

516 610 0000

MCR0131

Notes

Front Axle Right
for control arm
with ball joint
with rubber mount

Paired article number

516 610 0001 | MCR0080

Required quantity

1

replacement in pairs recommended



References

Volvo 30681488

Volvo 31317666

Volvo 31277526

Application info

Volvo XC60 I (05/08-12/17)

References

- | | |
|-------------------------------|-------------------------------|
| Ford 1 377 846 | Ford 1 385 593 |
| Ford 1 403 408 | Ford 1 419 814 |
| Ford 1 426 875 | Ford 1 435 745 |
| Ford 1 458 773 | Ford 1 460 693 |
| Ford 1 466 186 | Ford 1 466 188 |
| Ford 1 469 024 | Ford 1 507 181 |
| Ford 1 507 182 | Ford 6G9N-3A052-DG |
| Ford 6G9N-3A052-DH | Ford 6G9N-3A053-DG |
| Ford 6G9N-3A053-DH | Ford 7G9N-3A052-BA |
| Ford 7G9N-3A052-BB | Ford 7G9N-3A053-BA |
| Ford 7G9N-3A053-BB | Ford (Chanagan) 7G9N-3A052-BA |
| Ford (Chanagan) 7G9N-3A052-BB | Ford (Chanagan) 7G9N-3A053-BA |
| Ford (Chanagan) 7G9N-3A053-BB | Volvo 30683248 |
| Volvo 30683249 | Volvo 31200563 |
| Volvo 31200775 | Volvo 31200776 |
| Volvo 31202228 | Volvo 31202229 |
| Volvo 31212781 | Volvo 31212782 |
| Volvo 31277343 | Volvo 31277344 |
| Volvo 31277345 | Volvo 31277346 |
| Volvo 31277525 | Volvo 31277526 |
| Volvo 31317661 | Volvo 31317662 |
| Volvo 31317663 | Volvo 31317664 |
| Volvo 31317665 | Volvo 31317666 |
| Volvo 31340127 | Volvo 31340128 |
| Volvo 31429320 | Volvo 31429321 |

Application info

- | | |
|------------------------------|------------------------------|
| Ford Galaxy II (05/06-06/15) | Ford Mondeo IV (03/07-01/15) |
| Ford S-Max I (05/06-12/14) | Volvo S60 II / V60 (04/10--) |
| Volvo S80 II (03/06-12/16) | Volvo V70 III (04/07--) |
| Volvo XC60 I (05/08-12/17) | Volvo XC70 II (04/07-12/16) |

Suspension Kit

616 610 0001

MCR0120

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount
 2

Required quantity
 replacement in pairs recommended



References

GENERAL MOTORS 13140037
 GENERAL MOTORS 13140039
 GENERAL MOTORS 24428977
 GENERAL MOTORS 24449453
 Opel 03 52 041
 Opel 03 52 045
 Opel 03 52 061
 Opel 03 52 064
 Opel 3 52 041
 Opel 3 52 045
 Opel 3 52 061
 Opel 3 52 064
 Vauxhall 03 52 041
 Vauxhall 03 52 045
 Vauxhall 03 52 061
 Vauxhall 03 52 064
 Vauxhall 3 52 041
 Vauxhall 3 52 045
 Vauxhall 3 52 061
 Vauxhall 3 52 064

GENERAL MOTORS 13140038
 GENERAL MOTORS 13140040
 GENERAL MOTORS 24428978
 GENERAL MOTORS 24449455
 Opel 03 52 042
 Opel 03 52 046
 Opel 03 52 063
 Opel 03 52 065
 Opel 3 52 042
 Opel 3 52 046
 Opel 3 52 063
 Opel 3 52 065
 Vauxhall 03 52 042
 Vauxhall 03 52 046
 Vauxhall 03 52 063
 Vauxhall 03 52 065
 Vauxhall 3 52 042
 Vauxhall 3 52 046
 Vauxhall 3 52 063
 Vauxhall 3 52 065

Application info

Opel Corsa C / Combo / Tigra (09/00--)

Vauxhall Combo Mk II (09/01-02/12)

Vauxhall Corsa Mk II / Tigra / Combo (08/00-02/12)

Suspension Kit

616 610 0004

MCR0121

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount

Required quantity
 replacement in pairs recommended

2



References

Chevrolet 24428208

Chevrolet 24454477

Chevrolet 90498735

GENERAL MOTORS 24428208

GENERAL MOTORS 24454477

GENERAL MOTORS 90498735

Opel 03 52 037

Opel 3 52 037

Opel 53 52 016

Opel 53 52 029

Vauxhall 03 52 037

Vauxhall 3 52 037

Vauxhall 53 52 016

Vauxhall 53 52 029

Chevrolet 24428209

Chevrolet 24454478

Chevrolet 90498736

GENERAL MOTORS 24428209

GENERAL MOTORS 24454478

GENERAL MOTORS 90498736

Opel 03 52 038

Opel 3 52 038

Opel 53 52 017

Opel 53 52 030

Vauxhall 03 52 038

Vauxhall 3 52 038

Vauxhall 53 52 017

Vauxhall 53 52 030

Application info

Chevrolet Zafira (F75) (02/99-12/12)

Opel Astra H / Zafira B (01/04-05/19)

Opel Meriva B (06/10-03/17)

Vauxhall Astra Mk V (01/04--)

Vauxhall Meriva Mk II B (06/10--)

Vauxhall Zafira Mk II (04/05-11/14)

Opel Astra G / Astra Classic / Zafira A (02/98-12/09)

Opel Astra J (12/06--)

Vauxhall Astra Mk IV (01/93-08/06)

Vauxhall Insignia Mk I A (07/08-05/17)

Vauxhall Zafira Mk I (11/98-08/05)

Suspension Kit

616 610 0005

MCR0083

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount
 2

Required quantity
 replacement in pairs recommended



References

ABARTH 51839039	Alfa Romeo 51783056
Alfa Romeo 51892272	Alfa Romeo 51892273
Alfa Romeo 51895366	Alfa Romeo 51895367
Alfa Romeo 55703627	Alfa Romeo 55703629
Citroën 3520 Y4	Citroën 3520.W3
Citroën 3521.S6	Citroën 3521.V5
Fiat 51783056	Fiat 51783057
Fiat 51839039	Fiat 51839040
Fiat 51874461	Fiat 51874462
Fiat 51892272	Fiat 51892273
Fiat 51895366	Fiat 51895367
Fiat 55703627	Fiat 55703629
GENERAL MOTORS 13426552	GENERAL MOTORS 13426553
GENERAL MOTORS 55703230	GENERAL MOTORS 55703231
Opel 3 52 542	Opel 3 52 543
Opel 53 52 038	Opel 53 52 039
Peugeot 16 109 420 80	Peugeot 16 109 421 80
Peugeot 16 180 674 80	Peugeot 16 180 675 80
Peugeot 3520 Y4	Peugeot 3520.W3
Peugeot 3521.S6	Peugeot 3521.V5
Vauxhall 53 52 038	Vauxhall 53 52 039

Application info

ABARTH Grande Punto (12/07-12/12)	ABARTH Punto III (03/12--)
Alfa Romeo Mito (08/08--)	Citroën Nemo (02/08--)
Fiat Fiorino Nuovo (225) (01/07--)	Fiat Grande Punto (06/05--)
Fiat Linea (10/06--)	Fiat Punto Evo (07/08--)
Fiat Punto III (01/12--)	Fiat Qubo (02/08--)
Opel Adam (10/12-02/19)	Opel Corsa D (07/06-08/14)
Peugeot Bipper (02/08--)	Vauxhall Adam (10/12-04/19)
Vauxhall Combo Mk III (07/06--)	Vauxhall Corsa Mk III (07/06-08/14)

Suspension Kit**714 610 0025/HD****MCR0129HD****Notes**

Carbon Neutral
Front Axle Left
Front Axle Right
Set

Replace in pairs only
Required quantity
reinforced version

2



References

- | | |
|---------------------|---------------------|
| Ford 1 927 131 | Ford 1 927 132 |
| Ford 2 180 767 | Ford 2 180 769 |
| Ford 5 232 480 | Ford 5 232 481 |
| Ford 5 303 328 | Ford 5 303 329 |
| Ford FG9C3-A052A-NA | Ford FG9C3-A052A-NB |
| Ford FG9C3-A052A-NC | Ford FG9C3-A053A-NA |
| Ford FG9C3-A053A-NB | Ford FG9C3-A053A-NC |

Application info

Ford Mondeo V (09/12--)

Suspension Kit

714 619 0003/S MCR0027

Notes

Front Axle Left
 Front Axle Right
 Set
 with accessories

Required quantity
 replacement in pairs recommended

2



References

- | | |
|----------------|----------------|
| Ford 5 021 464 | Ford 5 021 465 |
| Ford 6 154 287 | Ford 6 154 288 |
| Ford 6 154 290 | Ford 6 194 368 |
| Ford 6 194 370 | |

Application info

Ford Scorpio I (04/85-12/94) Ford Sierra (08/82-03/93)

Suspension Kit

716 610 0001 MCR0122

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount

Required quantity
 replacement in pairs recommended

2



References

The references of this product can be found at www.meyle.com

Application info

Ford Fiesta IV / Puma (08/95--)

Mazda 121 (JASM, JBSM) (01/96-04/03)

Suspension Kit

716 610 0002

MCR0123

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

Ford 1 332 454

Ford 1 332 455

Ford 1 355 048

Ford 1 355 050

Ford 2T14-3042-BF

Ford 2T14-3042-BH

Ford 2T14-3042-BJ

Ford 2T14-3051-BF

Ford 2T14-3051-BH

Ford 4 366 973

Ford 4 366 974

Ford 4 539 871

Ford 4T16-3042-AA

Ford 4T16-3051-AA

Application info

Ford Tourneo '02 (06/02-12/13)

Ford Transit '02 (06/02--)

Suspension Kit

716 610 0003

MCR0124

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

- | | |
|-------------------|-------------------|
| Ford 1 146 130 | Ford 1 146 131 |
| Ford 1 207 447 | Ford 1 207 448 |
| Ford 1 211 757 | Ford 1 212 807 |
| Ford 1 212 808 | Ford 1 214 911 |
| Ford 1 214 912 | Ford 1 436 095 |
| Ford 1 436 097 | Ford 1 436 169 |
| Ford 1 436 170 | Ford 1 706 970 |
| Ford 1 706 971 | Ford 2N11-3042-AE |
| Ford 2N11-3042-AH | Ford 2N11-3051-AE |
| Ford 2N11-3051-AH | Ford 2S61-3042-AD |
| Ford 2S61-3042-AH | Ford 2S61-3042-AJ |
| Ford 2S61-3042-AK | Ford 2S61-3042-DA |
| Ford 2S61-3051-AD | Ford 2S61-3051-AH |
| Ford 2S61-3051-AJ | Ford 2S61-3051-AK |
| Ford 2S61-3051-DA | Mazda DD32-34-300 |
| Mazda DD32-34-350 | |

Application info

- | | |
|--------------------------------------|----------------------------|
| Ford Fiesta V / Fusion (11/01-12/14) | Mazda 2 (DY) (02/03-06/07) |
|--------------------------------------|----------------------------|

Suspension Kit

716 610 0004

MCR0125

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount

Required quantity
 replacement in pairs recommended

2



References

The references of this product can be found at www.meyle.com

Application info

- | | |
|----------------------------|----------------------------------|
| Ford Focus II (10/03--) | Volvo C30 (09/06-12/13) |
| Volvo C70 II (03/06-12/13) | Volvo S40 II / V50 (12/03-12/12) |

Suspension Kit

716 610 0005

MCR0126

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

The references of this product can be found at www.meyle.com

Application info

Ford C-Max I (02/07-09/10)

Volvo C30 (09/06-12/13)

Volvo S40 II / V50 (12/03-12/12)

Ford Focus II (10/03--)

Volvo C70 II (03/06-12/13)

Suspension Kit

716 610 0006

MCR0127

Notes

Front Axle Left
Front Axle Right
for control arm
with ball joint
with rubber mount

Required quantity
replacement in pairs recommended

2



References

- | | |
|---------------------|---------------------|
| Ford 1 023 026 | Ford 1 023 058 |
| Ford 1 030 277 | Ford 1 030 278 |
| Ford 1 043 158 | Ford 1 043 159 |
| Ford 1 074 282 | Ford 1 102 948 |
| Ford 1 102 949 | Ford 1 102 950 |
| Ford 1 130 576 | Ford 1 130 577 |
| Ford 1 141 293 | Ford 1 141 294 |
| Ford 1 141 296 | Ford 1 679 390 |
| Ford 1 710 790 | Ford 1 710 794 |
| Ford 6 790 117 | Ford 6 870 549 |
| Ford 6 870 550 | Ford 6 870 551 |
| Ford 6 954 470 | Ford 6 954 471 |
| Ford 93BB-3042-BC | Ford 93BB-3051-BC |
| Ford 93BB-3395-AC | Ford 95BG-3A262-AA |
| Ford 95BG-3A262-BA | Ford 97BG-3042-AA |
| Ford 97BG-3042-BC | Ford 97BG-3042-CA |
| Ford 97BG-3051-BC | Ford 97BG3051AA |
| Ford 97BG3051CA | Ford 99BB-3395-AC |
| Ford ME93BB-3042-AA | Ford ME93BB-3051-AA |
| Ford ME93BB-3395-AA | Ford YS71-3042-AA |
| Ford YS71-3042-AB | Ford YS71-3051-AA |
| Ford YS71-3051-AB | |

Application info

Ford Mondeo I, II (01/93-09/00)

Suspension Kit

716 610 0008

MCR0086

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with rubber mount
 with wheel hub

Required quantity
 replacement in pairs recommended

2



References

Ford 1 073 214	Ford 1 073 215
Ford 1 090 730	Ford 1 090 738
Ford 1 138 160	Ford 1 138 161
Ford 1 207 973	Ford 1 207 974
Ford 1 212 809	Ford 1 212 810
Ford 1 344 966	Ford 1 344 968
Ford 2M51-3042-BA	Ford 2M51-3042-BC
Ford 2M51-3042-BD	Ford 2M51-3042-BE
Ford 2M51-3051-BA	Ford 2M51-3051-BC
Ford 2M51-3051-BD	Ford 2M51-3051-BE
Ford 98AG-3042-AJ	Ford 98AG-3042-AK
Ford 98AG-3051-AJ	Ford 98AG-3051-AK

Application info

Ford Focus I (08/98-11/09)

Suspension Kit

716 610 0009

MCR0087

Notes

Front Axle Left
 Front Axle Right
 for control arm
 with ball joint
 with rubber mount

Required quantity
 replacement in pairs recommended



References

Ford 1 518 904	Ford 1 520 778
Ford 1 521 773	Ford 1 532 421
Ford 1 532 433	Ford 1 540 724
Ford 1 540 725	Ford 1 700 809
Ford 1 700 810	Ford 1 708 222
Ford 1 708 226	Ford 1 712 696
Ford 1 712 697	Ford 1 737 305
Ford 1 737 309	Ford 8V51-3042-BA
Ford 8V51-3042-BB	Ford 8V51-3042-BC
Ford 8V51-3042-BD	Ford 8V51-3042-BE
Ford 8V51-3042-BF	Ford 8V51-3042-BG
Ford 8V51-3042-BH	Ford 8V51-3051-BB
Ford 8V51-3051-BC	Ford 8V51-3051-BD
Ford 8V51-3051-BE	Ford 8V51-3051-BF
Ford 8V51-3051-BG	Ford 8V51-3051-BH

Application info

Ford Fiesta VI (06/08--)